

Price List - Base Units
Medix Specialty Vehicles, LLC
Ambulances, EMS & Special Service Vehicles
Contract No.: AM10-23
Oct-23

Manufacturer	Product	Item Description	Offered List Price	HGACBuy Discount
		Category A - Ambulance		
Medix Specialty Vehicles	F-RP90-T1	Medix Type I RP-90ES Ford F-350 4x2 - Diesel Engine	\$ 199,493.33	10%
Medix Specialty Vehicles	C-RP90-T1	Medix Type I RP-90ES Chevrolet C-3500HD 4x2 Silverado Gas Engine	\$ 182,826.67	10%
Medix Specialty Vehicles	F-ME153-T1	Medix Type I 153 LTD Ford F-350 4x2 Diesel Engine	\$ 212,386.67	10%
Medix Specialty Vehicles	C-ME153-T1	Medix Type I 153 LTD Chevrolet C-3500HD 4x2 Silverado Gas Engine	\$ 196,466.67	10%
Medix Specialty Vehicles	R-ME153-T1	Medix Type I 153 LTD RAM 3500 4x2 Diesel	\$ 218,066.67	10%
Medix Specialty Vehicles	F-MSVII157-T1	Medix Type I MSV II 157 LTD Ford F-450 4x2 Gas Engine	\$ 245,920.00	10%
Medix Specialty Vehicles	R-MSVII157-T1	Medix Type I MSV II 157 LTD RAM 4500 4x2 Diesel	\$ 259,920.00	10%
Medix Specialty Vehicles	F-MSVII170-T1	Medix Type I MSV II 170 Ford F-450 4x2 Gas Engine	\$ 246,146.67	10%
Medix Specialty Vehicles	R-MSVII170-T1	Medix Type I MSV II 170 RAM 4500 4x2 Diesel	\$ 261,786.67	10%
Medix Specialty Vehicles	F-AL171-T1	Medix Type I MSV II 170 Ford F-450 4x2 Gas Engine	\$ 296,026.67	10%
Medix Specialty Vehicles	R-AL171-T1	Medix Type I MSV II 170 RAM 4500 4x2 Diesel	\$ 301,333.33	10%
Medix Specialty Vehicles	F-RP90-T3	Medix Type III RP-90 ES Ford E-350 DRW	\$ 154,040.00	10%
Medix Specialty Vehicles	C-RP90-T3	Medix Type III RP-90 ES Chevy G-3500 DRW	\$ 159,666.67	10%
Medix Specialty Vehicles	F-ME166-T3	Medix Type III 166 Ford E-450	\$ 183,360.00	10%
Medix Specialty Vehicles	C-ME166-T3	Medix Type III 166 Chevy G-4500	\$ 187,186.67	10%
Medix Specialty Vehicles	F-MSVII170-T3	Medix Type III MSVII170 Ford E-450	\$ 201,040.00	10%
Medix Specialty Vehicles	C-MSVII170-T3	Medix Type III MSVII170 Chevy G-4500	\$ 203,840.00	10%
Medix Specialty Vehicles	FT-WD-T2	Medix Type II Ford Transit SRH-148 WD	\$ 120,160.00	10%

Price List - Published Options
Medix Specialty Vehicles, LLC
Ambulances, EMS & Special Service Vehicles
Contract No.: AM10-23
Oct-23

Code or Part No.	Option Description	Offered Price
CH-0001	TYPE 1: CHASSIS UPGRADE FORD F-SERIES FROM GAS TO DIESEL	\$ 11,772.00
CH-0002	TYPE 1: CHASSIS UPGRADE FORD F-SERIES FROM 4X2 TO 4X4	\$ 4,885.00
CH-0003	TYPE 1: CHASSIS UPGRADE FORD F-SERIES FROM F-350 to F-450 (on applicable models)	\$ 4,850.00
CH-0004	TYPE 1: CHASSIS UPGRADE FORD F-SERIES FROM F-450 to F-550 (on applicable models)	\$ 2,600.00
CH-0005	TYPE 1: CHASSIS UPGRADE TO LIQUID SPRINGS REAR SUSPENSION FORD F-SERIES / RAM 3500, 4500 & 5500 / CHEROLET C/K3500 and G4500	\$ 15,720.00
CH-0006	TYPE 1: CHASSIS UPGRADE RAM FROM 4X2 TO 4X4	\$ 4,885.00
CH-0007	TYPE 1: CHASSIS UPGRADE RAM FROM 3500 to 4500 (on applicable models)	\$ 4,860.00
CH-0008	TYPE 1: CHASSIS UPGRADE RAM FROM 4500 to 5500 (on applicable models)	\$ 3,030.00
CH-0009	TYPE 1: CHASSIS UPGRADE CHEVROLET FROM 4X2 TO 4X4	\$ 4,885.00
CH-0010	TYPE 1: CHASSIS UPGRADE CHEVROLET C-SERIES FROM GAS TO DIESEL	\$ 12,540.00
99-2291	TYPE 1: CHASSIS UPGRADE TO LIQUID SPRINGS FRONT SUSPENSION FORD F-SERIES / RAM 4500 & 5500	\$ 10,200.00
99-12812	TYPE 2: CHASSIS UPGRADE FORD TRANSIT TO ALL WHEEL DRIVE	\$ 6,120.00
CH-0010	TYPE 2: CHASSIS UPGRADE FORD TRANSIT TO HIGH ROOF	\$ 14,475.00
100030	Dri-Dek: Installed on exterior compartment floors only. Black	\$ 519.60
99-1053-B	Dri-Dek: Installed on exterior compartment shelves. Black- Add to all exterior compartment shelves as designated below. NOTE: MSV-II Models Only: a. Compt#2 – One shelf b. Compartment #3 – One shelf c. Compartment #6 – Three small shelves	\$ 608.40
99-1053-A	Dri-Dek: Installed on exterior compartment shelves. Black- Add to the exterior compartment shelves as designated below. NOTE: A Line units Only. a. Compt#2 – One shelf b. Compartment #3 – One shelf	\$ 325.20
100010	Flooring: Lonseal- LonCoin (Raised Circles) Specify Color:	\$ 730.80
100025	Flooring: Lonseal- LonPlate (Diamond Plate) Non-Standard Color Specify Color:	\$ 973.20
100020	Flooring: Lonseal- LonPlate (Diamond Plate) Specify Color:	\$ 730.80
100015	Flooring: Lonseal- LonRidge (Tic-Tac-Toe) Specify Color:	\$ 730.80
100040	Laminate: High Gloss Gray or White, must specify.	\$ 892.80

99-0449	Air Horns: Buell Air Horns- (1) Additional 3 Gallon Air Reservoir NOTE: Must order the Buell "Fast Recovery" compressor package. The supplemental reservoir is not compatible with the standard compressor.	\$ 367.20
99-1101	Air Horns: Buell Air Horns, "Fast Recovery System" P/N: 16122" ILOS air horn compressor system.	\$ 1,096.80
99-2288	Air Horns: Buell dual horns (1) 10" and (1) 12" to be mounted through the front bumper. There will be a momentary switch on the front console. A Buell "Fast Recovery System" air compressor to be mounted in compartment #2 with the tank mounted on the OEM chassis frame rail. NOTE: Type I Ford F-Series only	\$ 3,237.60
99-2289	Air Horns: Buell dual horns (1) 10" and (1) 12" to be mounted through the front bumper. There will be a momentary switch on the front console. A Buell "Fast Recovery System" air compressor to be mounted in compartment #2 with the tank mounted on the OEM chassis frame rail. NOTE: Type III Chevy G-Series only	\$ 3,361.20
99-2290	Air Horns: Buell dual horns (1) 10" and (1) 12" to be mounted through the front bumper. There will be a momentary switch on the front console. A Buell "Fast Recovery System" air compressor to be mounted in compartment #2 with the tank mounted on the OEM chassis frame rail. NOTE: Type III Ford E-Series only	\$ 3,361.20
200011-F1	Air Horns: Buell dual horns through front bumper, momentary switch PN:MX09102 on front console, "Standard" compressor, tank, fittings. Make sure to order (1) 10" and (1) 12" airhorn. Specify Location Compressor: NOTE: Type I Ford F Series Only	\$ 2,592.00
200015-F	Air Horns: Buell dual horns through front bumper, momentary switch PN:MX09102 on front console, "Standard" compressor, tank, fittings. Make sure to order (1) 10" and (1) 12" airhorn. Specify Location Compressor: NOTE: Type III Ford E Series Only	\$ 2,592.00
200015-C	Air Horns: Buell dual horns through front bumper, momentary switch PN:MX09102 on front console, "Standard" compressor, tank, fittings. Make sure to order (1) 10" and (1) 12" airhorn. Specify Location Compressor: NOTE: Type III Chevy G Series Only	\$ 2,592.00
99-1970	Back-Up System: RVS Audible Alert RVS-115W w/4 Sensors mounted on black powder coated sensor bracket PN: 33-10-5622 on rear bumper. Sensor brackets to install between the outer bumper pods and the rear dock bumper placing on sensor on each side of the dock bumper. Locate alert display on top of front console.	\$ 446.40
99-0390	Bumper: CPI cast aluminum rear bumper pods with Medix Logo- ILOS. MSV-II Only	\$ 432.00
99-0334-F3	Compartment #2: Drop Floor, 5" for Stair Chair storage PN: 33-10-4786 NOTE: For Type III Ford RP-90ES/MR, BL-90 and ME-153	\$ 325.20
99-0334-C1	Compartment #2: Drop Floor, 5" for Stair Chair storage PN: 33-10-4865 NOTE: For Type I Chevy ME-153	\$ 325.20

99-0334-F1	Compartment #2: Drop Floor, 5" for Stair Chair storage PN: 33-10-4865 NOTE: For Type I Ford ME-153	\$ 325.20
99-0334-C3	Compartment #2: Drop Floor, 5" for Stair Chair storage PN: 33-10-5604 NOTE: For Type III Chevy RP-90ES/MR and ME-153	\$ 325.20
99-0928	Compartment #2: Smooth Aluminum body, Open Storage, Double doors with gas strut hold-opens and offset in upper RH corner for (1) interior drawer and dual recessed suction configuration. Compartment Tub P/N: 33-103595. Sealed access to paddle handles in door panel. Stainless steel sill protector. NOTE: Install right hand door gas strut hold-open at bottom of offset in tub, this will be attached lower on the door panel. NOTE: Ford Chassis MSV-II 170 Type I Only (DELETE Adjustable aluminum shelf with DA finish)	\$ 405.60
99-0838	Compartment #2: Smooth Aluminum body, Open Storage, Double doors with gas strut hold-opens and offset in upper RH corner for (2) interior drawers configuration. Compartment Tub P/N: 33-10-2894. (1) Adjustable aluminum shelf with DA finish. Sealed access to paddle handles in door panel. Stainless steel sill protector. NOTE: Install right hand door gas strut hold-open at bottom of offset in tub, this will be attached lower on the door panel - reference unit 15-M089 if needed for picture. NOTE: Ford Chassis MSV-II 170 Type I Only	\$ 405.60
99-1169-E3	Compartment #2: SS center, smooth aluminum, floor th have 5-inch drop pan PN: 33-104786; Seat Belt retainer strap across mid-point of inboard wall anchored with footman loops in back corner of each side wall. NOTE: Ford RP-90 MR Type III.	\$ 325.20
200050	Compartment #3: 24" wide Backboard Compartment on streetside rear. NO interior Stair Chair storage. (2) seat belt style straps in compartment. Smooth Aluminum body, ADP interior door panel. Gas Strut door hold-open, (1) LED light in ceiling. NOTE: RP-90ES Only.	\$ 1,215.60
200040	Compartment #3: 24" wide Backboard Compartment streetside rear. Shallow depth to provide room for interior stair chair storage. Install (2) seat belt style straps in Compartment #3 and (2) seat belt style straps in the stair chair pocket inside. Smooth aluminum body with ADP interior door panel, gas strut door hold-open and (1) LED light in ceiling. NOTE: RP-90ES Only.	\$ 1,215.60
99-0752	Compartment #3: Inside/Outside Access to Compartment #3 to have sliding polycarbonate doors ILOS 1/2" hinged Acrylic. NOTE: MSVII 170 Models Only.	\$ 244.80
99-1860	Compartment #3: SS Rear Type III, 3/4 Height, Smooth Aluminum body, ADP interior door panel. DELETE Inside/Outside access, (1)- adjustable REDUCED DEPTH shelf with ADP finish in front of upper offset. Door with gas strut hold-open. NOTE: Offset tub to allow for interior 8" depth cabinet at upper inboard wall. See special tub print: 41-105662, see shelf print: 33-105889. NOTE: Type III 166 Ford Only.	\$ 405.60

99-0818	<p>Compartment #3: SS Rear, 1/2 Height tub/door for 166 model-Tub PN: 41-103434. Smooth Aluminum body, ADP interior door panel. Door with gas strut hold-open. LED light. (If an adjustable shelf is required, add in additional option).</p> <p>NOTE: 166 Type III Models Only.</p>	\$ 405.60
99-0789	<p>Compartment #3: SS Rear, 1/2 Height, Smooth Aluminum body, DELETE STANDARD Inside/Outside access. Door with gas strut hold-open. Sealed access to paddle handle in door panel, Stainless steel sill protector. NOTE: See special tub print: #33-10-0737 NOTE: Must choose interior cabinet configuration.</p> <p>NOTE: MSV II-170 Type III Only.</p>	\$ 405.60
99-1363	<p>Compartment #3: SS rear, 3/4 Height, Smooth Aluminum body, ADP interior door panel, SS Rear, with NO Inside/Outside Access, No shelf and offset for interior 2nd Action Area. See print 41-104586.</p> <p>NOTE: 153/166 Type III Only.</p>	\$ 964.80
99-1560	<p>Compartment #3: SS rear, 3/4 Height, Smooth Aluminum body. (DELETED Inside/Outside access). (1)- adjustable shelf with DA finish (NOTE: this shelf will be narrow width to fit between the offset wall in the tub, order shelf from print: 33-102474) Door with gas strut hold-open. Sealed access to paddle handle in door panel, Stainless steel sill protector. NOTE: Offset in compartment for 22"W rear A/A shelf Only. See special tub print: 33-105140.</p> <p>NOTE: MSV-II 170 Type III Only.</p>	\$ 405.60
99-1103	<p>Compartment #3: Streetside rear 1/2 height on 170" body, Smooth Aluminum body, No adjustable shelf. Will have Outside access only. Door with gas strut hold-open. Sealed access to paddle handle in door panel. Stainless steel sill protector. Will have a 7" Drop Floor for Stair Chair with seat belt strap mounted to back wall and rear wall. NOTE: drop pan to be approximately 10"W x 30"L. Drop Pan to be a part of and welded in bottom of compartment tub (P/N: 33-104025) before lining compartment.</p> <p>NOTE: MSV-II Type I Only... Must choose interior cabinet configuration.</p>	\$ 405.60
99-1039	<p>Aluminum with Outside access only and (1) full width adjustable shelf. Door with gas strut hold-open. Will have offset at top inboard wall for shallow, interior cabinets (cabinets will be approximate 6" deep inside depth). Offset at top will reduce compartment depth to approximately 12" deep and the lower edge of the offset will be at the approximate height of the interior countertop area. See special tub print: 41-103902, See shelf print: 33-103904.</p> <p>NOTE: ME-153 Type III Only.</p>	\$ 519.60
99-0713-T3	<p>Compartment #3: Streetside rear 3/4 height on 170" body, Smooth Aluminum body with Inside/Outside access, (1)- adjustable shelf with DA finish (NOTE: this shelf will be narrow width to fit between the offset walls in the tub-see narrowed shelf print #33-102474). Door w/gas strut hold-open. Sealed access to paddle handle in door panel, Stainless steel sill protector. NOTE: Offset in compartment for full length rear A/A shelf. See special tub print: #33-103731.</p> <p>NOTE: Make sure shelf is located at bottom of IS/OS access opening.</p> <p>NOTE: MSV-II Type III Only</p>	\$ 290.40

99-0852-T3	<p>Compartment #3: Streetside rear 3/4 height on 170" body, Smooth Aluminum body with DELETED Inside/Outside access. Door with gas strut hold-open. Sealed access to paddle handle in door panel, Stainless steel sill protector. NOTE: Offset in compartment for 22"W rear A/A shelf and Offset at top inboard wall for shallow, interior cabinets. Both offsets to be same height. See special tub print: 33-103439 Rev A. (Delete the standard adjustable shelf, there is no shelf in this compartment).</p> <p>NOTE: MSV-II 170 Type III Only</p>	\$ 405.60
99-0852-T1	<p>Compartment #3: Streetside rear 3/4 height on 170" body, Smooth Aluminum body with deleted Inside/Outside access. (1)- adjustable shelf w/DA finish (NOTE: this shelf will be narrow width and shallower to fit between both of the offset walls in the tub, order shelf from print: 33-103012). Door w/gas strut hold-open. Sealed access to paddle handle in door panel, Stainless steel sill protector. NOTE: Offset in compartment for 22"W rear A/A shelf and Offset at top inboard wall for shallow, interior cabinets. Both offsets to be same height. See special tub print: 33-103596.</p> <p>NOTE: MSV-II 170 Type I Only</p>	\$ 405.60
99-0713-T1	<p>Compartment #3: Streetside rear 3/4 height on 170" body, Smooth Aluminum body with Inside/Outside access, (1)- adjustable shelf with DA finish (NOTE: this shelf will be narrow width to fit between the offset walls in the tub, order shelf from print: 33-103012). Door with gas strut hold-open. Sealed access to paddle handle in door panel, Stainless steel sill protector. NOTE: Offset in compartment for full length rear A/A shelf. See special tub print: #33-105141.</p> <p>NOTE: MSV-II 170 Type I Only.</p>	\$ 471.60
200090	<p>Compartment #6: Curbside rear spare tire aft of rear wheel well on RP90ES w/seat belt strap. Smooth Aluminum with rubberized urethane coating, drop floor for tire w/removable cover plate and (1) LED light in ceiling. NOTE: (no drop floor on Type I Chevy due to larger tire)</p>	\$ 1,984.80
99-2127	<p>Compartment #7: Curbside rear smooth aluminum body. Open Storage, single access door with gas strut hold-open. Sealed access to paddle handles in door panel. (1) LED light in ceiling. Installed between CS rear wheelwell and compartment #6 IATS. Requires changing compartment #6 hold-open to a nylon strap.</p> <p>NOTE: ME-153 Models Only.</p>	\$ 1,312.80
99-2126	<p>Compartment #7: Curbside rear smooth Aluminum body. Open Storage, Single access door with gas-strut hold-open. No shelf. Sealed access to paddle handles in door panel. (1) LED light in ceiling. Installed between CS rear wheelwell and compartment #6 IATS.</p> <p>NOTE: ME-166 Type III Only.</p>	\$ 1,458.00
99-2125	<p>Compartment #7: Smooth Aluminum body, Open Storage, Single access door with 2" strap hold-open. No shelf. Sealed access to paddle handles in door panel. (1) LED light in ceiling. Installed between CS rear wheelwell and compartment #6 IATS.</p> <p>NOTE: MSV-II 170 Type III and MSV-II 157 Type I Only.</p>	\$ 1,742.40
99-0740-C	<p>Crawl Through: Chevy Type I crawl-through configuration between cab and module ILOS pass-through. (Does not include C/T door)</p>	\$ 4,453.20
99-0740-F	<p>Crawl Through: Ford Type I crawl-through configuration between cab and module ILOS pass-through. (Does not include C/T door)</p>	\$ 4,453.20

99-1104	Divider: Backboard compartment, dividers to be coated with light gray rubberized urethane material same as compartment walls. Coating on (2) aluminum dividers ILOS smooth aluminum finish.	\$ 123.60
99-0389	Divider: Compartment #1, smooth aluminum, full height, vertical divider with DA finish fixed to rear wall. Locate O2 Cylinder towards the right hand wall in the compartment (not in the center) and the divider to the left of the cylinder bracket. Divider PN: 33-102938.	\$ 319.20
99-0938	Divider: Hinged 50" high in Compartment #1, mounted to the left side of the O/2 tank. This divider will have a full length, stainless steel hinge attached to the rear wall to allow it to swing forward towards the cab to create additional room for changing the tank. There will be a spring loaded latch mounted on the divider bottom. See print: #33-103854, Latch is Austin P/N: AH 2695 SS. NOTE: MSV-II Models Only	\$ 475.20
200110	Fender Flares: Black rubber, ILOS stainless steel on MSV II 170 only.	\$ 50.00
200130	Fender Flares: Roll formed stainless steel, ILOS rubber.	\$ 446.40
99-0046	Fuel Fill: Locking Cap on Fuel Fill	\$ 26.40
200150	Grab Handle: Exterior, Mounted on curbside wall aft of entry door. Use PN: 63-07-3200 (anti-slip grab handle).	\$ 163.20
99-2042	Grille Guard: Buckstop "Outback", Black Semi finish, NO winch option, NO openings for lights, WITH opening pre cut to receive Whelen SA315 outboard and dual Buell air horns on inboard side of bail bracket. Will have mounting tabs installed inside to accept SA315 mounting bracket.	\$ 6,069.60
99-1476	Grille Guard: Buckstop "Outback", Black Semi finish, NO winch option, NO openings for lights, WITH opening pre cut to receive Whelen SA315 on bail bracket and cross mounted support for mounting optional lighting above the shelf of the bumper. Have mounting tabs installed inside to accept bracket. NOTE: Ford F-450/550 Only	\$ 6,069.60
99-0361	Grille Guard: Chrome- Big Tex #77754 Installed on C/K 3500	\$ 2,194.80
99-1175	Grille Guard: Chrome- GoRhino #3155MB Installed on G-3500	\$ 3,043.20
99-1177	Grille Guard: Chrome- GoRhino #3373MC Installed on F-350/450	\$ 3,086.40
99-1176	Grille Guard: Chrome- GoRhino with Step #3173MC Installed on C/K 3500	\$ 3,124.80
99-1573	Grille Guard: Ranch Hand Legend GGF171BL1, NO winch or camera cut-out option. Ford F-350/450 Models Only. NOTE: REQUIRES RELOCATING GRILLE LIGHTS TO THE GRILLE GUARD CENTER MESH AREA. USE LOOM FOR GRILLE LIGHT WIRES. NOTE: MOUNTING BRACKETS NEED ORDERED TO "SANDWICH" GRILLE LIGHTS ON GRILLE GUARD - PER PRINT 33-105640 x1 FOR EACH LIGHT	\$ 2,194.80
99-0117	IV Clip: Perko wall mount fender clip Location: Must provide mounting location	\$ 26.40
200160	IV Hanger: Cast Products PN:2008, flush mount, fold down, rubber, IATS Specify Location(s):	\$ 108.00

99-0423	Lights: Compartment, TecNiq Flexible LEDs: 9", 27", 36" 45", 54", ILOS compartment lights. Locate: Compartment #1- (1) 44" E44-W010V-1 Locate: Compartment #2- (2) 27" E44-W06V-1 Locate: Compartment #3- (2) 44" E44-W010V-1 Locate: Compartment #4- (1) 36" E44-W08V-1 Locate: Compartment #6- (2) 54" E44-W012V-1 Locate: Compartment #7- (1) 9" E44-W02V-1 (if ordered)	\$ 486.00
99-1294	Lights: Courtesy, (2) TecNiq EON E03-W000-1 LED lights mounted on vertical surface of running board on each side of the Type I chassis only, wired to OEM dome lights.	\$ 178.80
99-0283	Lights: Courtesy, (2) Whelen 2" T0CACCCR with TGROM2 rubber grommet, mounted on the front wall of the module above the running boards on each side of the chassis. Note: use on Type III modes only.	\$ 285.60
99-1121	Lights: Courtesy, (2) Whelen 3" 3SCOCDRC with 3GROMMET rubber grommet, mounted on the front wall of the module above the running boards on each side of the chassis. Note: To be used on Type III mods only.	\$ 230.40
99-0160	Mirrors: Velvac 20/20XG, Chrome Head Assembly Pair LH/RH #715953-ILOS	\$ 932.40
99-1184	Mirrors: Velvac 2020XG for 2015 E-350/450, Kit #716343, motorized, heated deluxe head with bottom convex, with lighted turn arrow in mirror, Black	\$ 1,498.80
99-1004	Mirrors: Velvac 2020XG for 2015 E-350/450, Kit #716346, motorized, heated deluxe head with bottom convex, Lights on arms, Black	\$ 1,418.40
200215	Power Door Locks: (1) Compartment Door Only, wired to OEM system. (Does not include additional lock switches inside module)	\$ 285.60
200210	Power Door Locks: (2) Entry Doors Only, wired to OEM system. (Does not include additional lock switches inside module)	\$ 405.60
200200A	Power Door Locks: All Entry and Compartment Doors, wired to OEM door lock system.	\$ 1,425.60
200200MSV	Power Door Locks: All Entry and Compartment Doors, wired to OEM door lock system. Includes (1) switch by Curbside Entry Door interior in standard 4-position switch panel and (1) at Rear Curbside Wall - MSV II ONLY	\$ 1,425.60
200200C	Power Door Locks: Chevy Type I, All Entry and Compartment Doors, THIS WILL ONLY UNLOCK THE MODULE LOCKS, NOT CAB DOORS. (Does not include additional lock switches inside module) NOTE: See option 99-0404 in electrical for adding on lock switches at the entry doors	\$ 1,425.60
99-0701	Power Door Locks: Key Pad, programmable for power door locks. Requires the selection of power door lock option for the module doors. NOTE: Ford Chassis Only PN: ES7Z-14A626-A	\$ 334.80
200220	Power Door Locks: Keypad Entry - Essex p/n: KE-1701BH Requires selection of Power Door option. Specify Location of Keypad:	\$ 529.20
200210A	Power Door Locks: Specify Entry Doors Only, wired to OEM system. Includes (1) switch by Curbside Entry Door interior in standard 4-position switch panel and (1) at Rear Curbside Wall - MSVII ONLY Specify Location of Switch:	\$ 446.40

99-0678E	Power Door Locks: Stealth Switch on Ford, Power Door Lock System, Push Button Switch (Grille bracket on E-series: Ford 33-102402; no bracket required on F-series) LOCATION:	\$ 108.00
99-0678C	Power Door Locks: Stealth Switch, Chevy Type I Only, Power Door Lock System, Push Button Switch (Grille brackets: no bracket required on Chevy Cab/Chassis) NOTE: THIS WILL ONLY UNLOCK THE MODULE LOCKS, NOT CAB DOORS LOCATION:	\$ 108.00
99-0678G	Power Door Locks: Stealth Switch, Power Door Lock System, Push Button Switch (Grille brackets: Chevy G-Series 33-102397) LOCATION:	\$ 108.00
99-0678D	Power Door Locks: Stealth Switch, Power Door Lock System, Push Button Switch (Grille brackets: FOR DODGE CHASSIS - Bracket #33-105690 LOCATION: FRONT GRILLE AREA	\$ 108.00
99-2108	Power Door Locks: Stealth Switch, Power Door Lock System, Push Button Switch LOCATION: attached to aluminum plate at bottom of rear corner cap on streetside. See print for plate: 33-105600	\$ 108.00
99-0667	Rub Rails: Extruded rubber rub rails- ILOS	\$ 325.20
200277	Running Boards: "Starburst" Grip Punched, Chevy/GMC, Ford, Sprinter Type III	\$ 84.00
200260	Running Boards: Aluminum Diamond Plate, Type II GM	\$ 978.00
99-0539	Running Boards: Sprinter Chassis/Cab, Owens. PNs: OC8434X-01 with 10-1035 Brackets	\$ 780.00
99-1362	Seat Belt: Automotive Style strap with Buckle - (1) additional in exterior compartment. Location: Must Specify	\$ 84.00
99-0250-1	Shelf: (1) Adjustable shelf, smooth aluminum with lip, DA finish, forward of backboard divider in compartment #6. MSV-II ONLY Specify Location:	\$ 253.20
99-0250-2	Shelf: (2) Adjustable shelves, smooth aluminum with lip, DA finish, forward of backboard divider in compartment #6. MSV-II ONLY Specify Location:	\$ 405.60
99-0250-3	Shelf: (3) Adjustable shelves, smooth aluminum with lip, DA finish, forward of backboard divider in compartment #6. MSV-II ONLY Specify Location:	\$ 464.40
99-0839	Shelf: Additional, adjustable smooth aluminum PN 33-103012 .125" with DA finish, exterior compartment #3 with offset for interior monitor storage shelf. Shelf is to mount in upper section of compartment for I/O access storage. NOTE: MSV-II 170 Type I Models Only	\$ 244.80
200280	Shelf: Adjustable, Aluminum Diamond Plate, Exterior Compartment Specify Location:	\$ 219.60
200280a	Shelf: Adjustable, Smooth Aluminum w/DA finish, Exterior Compartment - MSVII ONLY Specify Location:	\$ 219.60

99-0551	Shelf: Aluminum PN 33-101766, adjustable .125" smooth with DA finish, with 6" outboard lip, 1" inboard lip for 3/4-Height Compartment #3 with IS-OS Access. NOTE: MSV-II models only	\$ 123.60
99-0609	Shelf: Aluminum PN 33-102104, fixed smooth aluminum w/lips for Compartment #1. NOTE: MSV-II 170 Models Only	\$ 219.60
99-1066	Shelf: Fixed/Removable- .125" aluminum w/DA finish, Exterior Compartment #2 - Type I 157 MSVII ONLY; Short shelf mounted upper section of compartment will have lips bent upward on front and rear edges and sit on angle brackets at the sides, bolted; back left corner to have 45 taper for wires. All electrical components to fit above this shelf. See print: 33-105514	\$ 219.60
99-0007ADP	Splash Guard: ADP, below fuel fill (Fuel Fill Only) NOTE: Not for use on Diesel Chassis or below DEF fill	\$ 123.60
99-0007SS	Splash Guard: Stainless Steel Plate, installed below fuel fill and DEF fill NOTE: Must use Stainless Steel on Diesel Chassis	\$ 212.40
99-0007-SS	Splash Guard: Stainless Steel, below fuel fill and DEF fill NOTE: Must use Stainless Steel on Diesel Chassis	\$ 212.40
99-0090	Stair Chair: ADP stair chair carrier, attach to the door liner on compartment #3 interior door panel w/seat belt strap to secure stair chair, print #: 33-101491	\$ 382.80
99-0886	Stair Chair: Rubberized urethane coated smooth aluminum stair chair carrier, attach to the door liner on compartment #3 interior door panel with seat belt strap to secure stair chair. PN: 33-10-3144	\$ 285.60
99-0791	Stone Guards: ADP, 30" High corner guards; and 30" High front wall guard installed from each corner guard and extending behind OEM cab, Type I only (Not to be used on MSVII), ILOS; PN's 33-103286, 33-103287	\$ 244.80
99-0175	Stone Guards: ADP, Shaped to cab contour, installed between the corner ADP stone guards and the lower front of the body. PNs: 33-10-4256 & 33-10-4257 NOTE: MSV-II Type I Conversions Only	\$ 154.80
200185-SV	Tire Chains: On-Spot Chain System PN: 046427 w/9942-CTS chain tray and mounting bracket PN:04-SP4b and compressor PN: 9803 for Sprinter Type III Chassis with VBNA-MBS-50-05CC suspension kit installed. Specify Mounting Location for Air Compressor:	\$ 5,262.00
200180-G	Tire Chains: On-Spot Chain System PN: 15-15-5000 for GM G-Series. Specify Mounting Location for Air Compressor:	\$ 5,664.00
200190-E3	Tire Chains: On-Spot Chain System PN: 15-15-5001 for Ford E350 with 044421 mounting brackets. Specify Mounting Location for Air Compressor:	\$ 5,869.20
200190-E4	Tire Chains: On-Spot Chain System PN: 15-15-5001 for Ford E450 with 044380-D OEM mounting brackets. Specify Mounting Location for Air Compressor:	\$ 5,869.20
200185-S	Tire Chains: On-Spot Chain System PN: 15-15-5001 for MB Sprinter with 04-SP3A mounting brackets. Specify Mounting Location for Air Compressor:	\$ 5,262.00

200190-F4	Tire Chains: On-Spot Chain System PN: 15-15-5002 for all Ford F-450 4x4 with 05-RS120 mounting brackets. Specify Mounting Location for Air Compressor:	\$ 5,262.00
99-1776-GA	Tow Eyes: Frame-Mounted Through Rear Kick Plate, Chevy 94"W Cutaway. PNs: K2032WN, BC0013, rear wall & kickplate PN: 33-102008-C per chassis. NOTE: Chevy G3500/4500 ME-153 and ME-166 Models Only.	\$ 625.20
99-1776-C1	Tow Eyes: Frame-Mounted Through Rear Kick Plate, Chevy 94"W Type I Cab/Chassis. PNs: K2032, BC0013, 30-102286 NOTE: This requires a different rear kick panel PN: 33-102709 NOTE: Chevy C/K-3500 ME-153 Model Only.	\$ 646.80
99-1776-GM	Tow Eyes: Frame-Mounted Through Rear Kick Plate, Chevy 96"W Type III Cutaway. PNs: K2032WN, BC0013, rear wall & kickplate PN: 33-101759-C per chassis. NOTE: Chevy G4500 MSV-II 170 Only.	\$ 625.20
99-0545	Tow Eyes: Frame-Mounted Through Rear Kick Plate, Ford E-350/450 94"W Type III Cutaway. PNs: K2032WN, BC0013 and PN: 33-10-5445 frame plate & 33-104618 kickplate prints per chassis. NOTE Ford E350/450 ME-153/ME-166 Models Only.	\$ 625.20
99-1776-EM	Tow Eyes: Frame-Mounted Through Rear Kick Plate, Ford E-450 96"W Cutaway. PNs: K2032WN, BC0013 and PN: 33-105445 frame plate and PN: 33-10-5446 kickplate per chassis. NOTE: Ford E-450 MSV-II 170 Model Only.	\$ 625.20
99-1776-FA	Tow Eyes: Frame-Mounted Through Rear Kick Plate, Ford F-350/450/550 94"W Type I Cab/Chassis. PNs: K2032WN, BC0013, rear wall & kickplate PN: 33-10-2709 prints per chassis. NOTE Ford F350/450/550 ME-153 Model Only.	\$ 652.80
99-1776-FM	Tow Eyes: Frame-Mounted Through Rear Kick Plate, Ford F-450 96"W Type I Cab/Chassis. PNs: K2032WN, BC0013 and PN: 33-10-3085 kickplate prints per chassis. NOTE Ford F450/550 MSV-II 157/170 Models Only.	\$ 625.20
200300	Undercoating: Per OEM Guidelines (Van Only)	\$ 205.20
99-1098	Windows: Privacy tint, dark vinyl applied to all three entry module entry door windows. NOTE: Module application only.	\$ 532.80
99-2184	Windows: Privacy tint, dark vinyl applied to all three entry module entry door windows. PER CALIFORNIA ORDERS - TINT TO BE 3% OVER NORMAL TINTED WINDOWS ON MODULE ENTRY DOORS - TO BE "3% GRADE". NOTE: Module application only.	\$ 532.80
99-0864	Windows: Privacy Tint, Dark vinyl applied to streetside sliding entry door and two rear entry doors, Transit Only	\$ 532.80
200320	Windows: Sliding window in entry door ILOS Fixed Specify Location(s):	\$ 108.00
99-0890	Windows: Type I pass-through, sliding polycarbonate window with extruded handle mounted to HDPE backer with track material.	\$ 568.80

99-0931	Lighting: Cabinet, (1) TecNiq D04-W001-1 Linear Dragon Light Vertical, White LED with white case (D04-0WV0-1) and 36" wire. Will have Rocker On/Off Switch in rear switch panel, labeled "Cabinet Lights" (MX09188) - operates all at same time. Price per light. Locate LEDs just inside front top corner of each cabinet. NOT ON BACK WALL. Run wires from entry point on the upper rear cabinet corners and along the upper cabinet corners to each LED. Loom the wires and attach with P-clamps. Cabinet Locations: Must Specify	\$ 84.00
300100	Lights: Brake and Turn, Interior, LED, Under rear overhead cabinet, Two (2) amber wired to turn signals; One (1) red wired to brake circuit.	\$ 140.40
99-0203	Lights: DOT Marker, (2) TecNiq LED S34-AA09-1 Amber marker lights, (1) each side of body at front corner extrusion. Wire to Turn Signal Circuit.	\$ 163.20
99-0812	Lights: DOT, Brake/Tail, Turn, Back Up: Whelen 900 Series Super LED 90BTT, 90A00TAR and 90CC5SCR with chrome flange, ILOS 700 Series (Package PNs: 60BTTC, 60A00TAR, 60C00VCR) LEDs	\$ 712.80
99-1489	Lights: DOT, Marker (14) TecNiq LED chrome trim rings IATS rubber grommets, p/n: S33-0S00-1	\$ 32.40
99-1059	Lights: Indicator, (1) Whelen 2" T0R00FFR 5mm LED Red with TFLANGEC Chrome Flange - to light up when emergency lights are on. Locate in cab ceiling, install as close as possible to the center of the ceiling.	\$ 163.20
99-1054	Lights: Stepwell, Maxxima 4" model M84443, flush mount LED, ILOS	\$ 52.80
300060	Lights: Turn Arrows, (2) Whelen 600 Series Amber LED PN: 60A00TCR, with chrome flange, mounted on front wall. IATS Location: Must Specify Exact Location	\$ 446.40
300050	Lights: Turn Arrows, (2) Whelen 700 Series Amber LED with chrome flange on front wall below outboard emergency flasher. PN: 70A00TAR IATS	\$ 362.40
99-0909	Lights: Turn Arrows, (2) Whelen M6TC Amber LED with clear lens and chrome flange mounted on front wall below outboard warning lights. IATS	\$ 462.00
99-0764	(1) Camera System: ASA Electronics / VCMS104i - (1) Flush Mount Camera/White, VOM73MM - 7" Rear View Mirror Color Monitor w/brightness, contrast and volume adjustment controls, CEC34 - 32ft. Cable. Locate: (1) Camera mounted off lower RH corner of center rear Amber light; Monitor mounted on cab windshield rear view mirror.	\$ 810.00
99-0774-1	(1) Camera System: ASA Electronics / VCMS104i - (1) Flush Mount, non-adjustable, Camera/White, AOM713 - 7" Rear View, pedestal mount color monitor with brightness, contrast and volume adjustment controls, 9" pedestal mount 77-09SF, CEC34 - 32ft. Cable Locate: Camera mounted off lower RH corner of center rear Amber light; Monitor mounted on passenger side of front condole.	\$ 973.20

99-0765	(2) Camera System: ASA Electronics / VCMS104i - (1) Flush Mount Camera/White, (1) VCMS155 Camera with Manual tilt bracket, VOM73MM - 7" Rear View Mirror Color Monitor with brightness, contrast and volume adjustment controls, CEC34 - 32ft. Cable Locate: (1) Camera mounted off lower RH corner of center rear Amber light, (1) Camera mounted on upper bulkhead wall and Monitor mounted on cab windshield rear view mirror.	\$ 973.20
99-0774-2	(2) Camera System: ASA Electronics / VCMS104i - (1) Flush Mount Camera/White, (1) VCMS155 Camera with Manual tilt bracket, VOM73MM3 - 7" Rear View, pedestal mount color monitor with brightness, contrast and volume adjustment controls, 9" pedestal mount 77-09SF, (2) CEC34 - 32ft. Cables Locate: Camera mounted off lower RH corner of center rear Amber light; Monitor mounted on cab windshield rear view mirror.	\$ 1,256.40
400100	125VAC: Duplex Outlet, IATS Specify Location(s):	\$ 123.60
99-1586	125VAC: Hospital Grade 20A DuAcrylic receptacle with (2) USB receptacles, IATS	\$ 163.20
400020	12VDC Receptacle: Cigar style, IATS Specify Location(s):	\$ 98.40
99-0076	12VDC: 12 gauge power & ground, IATS Specify Location(s):	\$ 74.40
99-0707	Alarm: Door Open, audible BUZZER to alert driver when any compartment or module entry door is open and the chassis is placed in drive. Alarm is deactivated when the unit is in park/neutral.	\$ 84.00
99-1027	Alarm: Emergency parking, this audible alarm will sound only when the vehicle is in park with ignition on and when the parking brake is not set.	\$ 205.20
99-0747	Antenna: (2) 25' Coax with 3/8" through-hole antenna bases prewired to roof ILOS standard coaxial cables. NOTE: Radio installation tech will have to drill hole and complete mount. Install Standard Power/Ground for each behind driver's seat.	\$ 208.80
400010	Antenna: Coax, with 12VDC Power and Ground. IATS Specify Location(s):	\$ 147.60
99-2525	Anti-Theft Device: IdleLock Ignition Security System, Medix PN: 32-01-1113 / Intermotive PN: A-IDLE611 for G-3500/4500 Series Chassis Only. Locate activation button to the right side of the steering wheel.	\$ 367.20
99-1761	Anti-Theft Device: IdleLock Ignition Security System, PN: A-IDLE502-A for Ford E Series Chassis Only. Locate activation button to the right side of the steering wheel.	\$ 405.60
99-1759	Anti-Theft Device: IdleLock Ignition Security System, PN: A-IDLE-654-A for C/K 3500 Series Chassis Only. Locate activation button to the right side of the steering wheel.	\$ 519.60
99-1762	Anti-Theft Device: IdleLock Ignition Security System, PN: A-IDLES516-A for Ford Transit Chassis Only. Locate activation button to the right side of the steering wheel.	\$ 405.60
99-1760	Anti-Theft Device: IdleLock Ignition Security System, PN: B-IDLE505-A for Ford F-Series Chassis Only. Locate activation button to the right side of the steering wheel.	\$ 405.60
99-2526	Anti-Theft Device: IdleLock Ignition Security System, PN: C-IDLE750-A for RAM 3500/4500/5500 Series Chassis Only. Locate activation button to the right side of the steering wheel.	\$ 367.20

99-1856	Anti-Theft: TREMCO anti-theft device for Ford, Chevy Only. Ignition security system, locate activation button to the right side of the steering wheel column.	\$ 319.20
400150	Battery Charger: DELETE STANDARD (when adding Inverter with integral charger)	\$ 50.00
99-0142	Battery: (1) Additional, OEM, 650 C.C.A. with Dual Roll-out Tray and Emergency Start Switch for Type 3 conversion only. Locate: In dual battery tray in sealed compartment below ALS. The standard battery under the hood is to be isolated as "Chassis Only" battery. The (2) batteries in the roll-out tray are to be "Conversion Only". There will be a switch in front console labeled "Emerg Start" PN:MX09128. Requires 200-amp continuous duty solenoid and isolator, Power Engineering PST-SBI-3112.	\$ 811.20
99-0766A	Battery: (1) Additional, OEM, 750 C.C.A. with single roll-out tray on Type 1, IATS batteries under the hood. Battery to be located below ALS in sealed storage area.	\$ 981.60
99-0766B	Battery: (2) Additional, OEM, 750 C.C.A. with dual roll-out tray on Type 1, IATS batteries under the hood. Batteries to be located below ALS in sealed storage area.	\$ 1,353.60
99-0139	Battery: Jumper cable system terminated in lower portion of front OEM grille Locate: Cables through front grille with connector on top of bumper. Use Vanner connectors on both ends of Ship Loose cable.	\$ 325.20
99-1484	Carbon Monoxide Detector: First Alert Location: Rear wall up high above foot end of squad bench	\$ 123.60
99-0452	Clock: Digital, Intellitec Emergency Timer 00-00775-100. Must Specify Location:	\$ 690.00
99-1192	Clock: Timex 75071TA2 13.5 digital clock Digital Emergency Vehicle Clock installed on mounting panel centered in cabinet over rear doors. (Order backer plate p/n: 33-104400) (Cannot be used on rear overhead w/upper rear main cabinet restocking face)	\$ 294.00
99-0443	Clock: TrinTec 6" Analog Emergency Vehicle Clock with Medix Logo and Power Supply Platform, EMC-M Specify Location:	\$ 187.20
99-1584-EX	Decontamination: AeroClave ADP-EX ambulance decontamination system with wall mounted internal nozzle and flush mount external panel mount port system with weather resistant cover. Location: Must Specify Mounting Points	\$ 1,783.20
400250	Electric Step: Kwikkee 26 series - Curbside Entry Door Note: Rubber Mud Flap to be installed forward of the step to protect electrical connections and folding mechanism.	\$ 852.00
99-0093	Electric Step: Zico VS-24-9 retractable vehicle step mounted below curbside entry door. Includes (1) override switch mounted on wall at curbside entry door.	\$ 3,699.60
99-1955	Fan: Ventilation. (1) Mechantronics Fan Axial 120x25MM 12VDC fan PN: E1225E12AB-FSR mounted on cabinet door or side wall when any inverter is mounted in an interior, enclosed cabinet.	\$ 84.00
99-2368	Flashlight: Install (1) Customer Supplied flashlight - Requires running 12v. power/ground from electrical above (option 99-0076). Specify Location:	\$ 123.60

99-1623	Flashlight: Streamlight Litebox Model #45871 E-Spot Vehicle Mount system with mounting rack for charging - Yellow. Specify Location:	\$ 529.20
400130	Heater: 125VAC Broan Heater, mounted in EVS Tech seat base designed for a heater. Note: 750 Watt installation requires a 20amp shoreline and 1500 Watt installation requires selecting a 30-amp shoreline ILOS; separate options.	\$ 552.00
99-0917	Heater: 125VAC Broan heater, mounted on aisle side of the squad bench face at the head of the bench. Note: 750 Watt installation requires a 20amp shoreline and 1500 Watt installation requires selecting a 30-amp shoreline ILOS; separate options.	\$ 367.20
400110	Hour Meter: Analog, Engine Specify Location:	\$ 140.40
400115	Hour Meter: Digital, Engine Specify Location:	\$ 84.00
400160	Inverter: Vanner 20-1050CUL- 1000watt w/battery charger and built in GFI. Remote controlled w/switch in rear panel. (This option deletes the GFI in the A/A wall). ILOS NOTE: OPTION 99-1955 IS REQUIRED WHEN ANY INVERTER IS MOUNTED IN ANYBULKHEAD or INTERIOR INCLOSED CABINET. Location: Must specify location.	\$ 1,942.80
99-1626	Inverter: Xantrex 807-1050 1000W True Sine Wave Inverter with built in GFI and 55Amp 3 stage battery charger ILOS on TRVG Transit only. Includes 33-10-4686 mounting bracket. Location: Must Specify	\$ 1,288.80
99-0215	IV Warmer: Smithworks, 4L Model mounted in cabinet Location: Must provide mounting location	\$ 818.40
99-0688	Lighting: Action Area, Whelen PSCOADCR LED Strip light mounted on 33-102449 stainless steel mounting bracket in 2nd action area IATS.	\$ 188.40
99-0661	Lighting: Cabinet, (1) TecNiq D04-B001-1 Linear Dragon Light Vertical, Blue LED with white case (D04-0WV0-1), 36" wire. Will have Rocker On/Off Switch in Rear Panel, labeled "Cabinet Lights" (MX09188) - operates all at same time. Price per light. Locate LEDs just inside front top corner of each cabinet. NOT ON BACK WALL. Run wires from entry point on the upper rear cabinet corners and along the upper cabinet corners to each LED. Loom the wires and attach with P-clamps. Cabinet Locations: Must Specify	\$ 84.00
99-0599	Lights: Accent, TecNiq Oval Dragon, Blue, D14-B0001-1 with SS case, 36" wire with switch labeled "Cabinet Lights" PN:MX09188 in rear switch panel Location: Must Specify cabinet location(s)	\$ 74.40
99-0835	Lights: Compartment, Optronics ILL36CB LED mounted in exterior compartment IATS	\$ 84.00
99-0525	Lights: Dome, (3) center Whelen 9-diode white/blue LEDs PN: 80CBEHCR, (6) White diodes, (3) Blue diodes in each dome light w/chrome flange- ILOS white LEDs. Switch for "Center" domes only PN: 39-10-9177 labeled White at top / Center / Blue at bottom. NOTE: MSV-II Models Only with 11 LED dome lights.	\$ 164.40

99-0710	Lights: Dome, Aurora 4" dimmable red/white LED, installed on cab headliner, wired ignition hot.	\$ 325.20
99-0989	Lights: Dome, Install temporary switch in electrical cabinet to activate Commander 400 battery disconnect switch when unit is being used for shows. Switch should be installed so that it is easily removable when the show is over and will not be left in the unit.	\$ 66.00
99-0522	Lights: Dome, Whelen LED, 18-diodes with chrome flange MX80EHZA , switched separately with Hi/Lo functions- ILOS	\$ 98.40
99-0567	Lights: Ground, (1) TecNiq E10-WS00-1, LED with angled stainless steel mounting bracket. Location: Must Specify	\$ 154.80
99-1302	Lights: Scene/Load, Whelen M6ZC LED Linear-LED with chrome flange included- ILOS 600 series LED (To be used with the M-series Warning light package). Specify Locations: Rear Load Lights	\$ 446.40
99-1293	Lights: Scenes/Load - Wire the side scene lights to come on anytime an exterior compartment of that side is open, (anytime a streetside compartment is opened the streetside scene lights come on; if side entry door is opened the curbside scene lights come on, etc.) (Please keep the curbside scene light override switch by the side entry door).	\$ 205.20
99-1789	Lights: Shoreline Indicator, Green 125VAC LED Location: Mounted above shoreline inlet on side of module	\$ 123.60
99-0014	Lights: Shoreline Indicator, Red 125VAC LED Location: Mounted above shoreline inlet on side of module	\$ 123.60
99-1558	Lights: Spotlight, 300,000 CP handheld, hard wired, with momentary On/Off switch, located in cab. Able 2 PN: 06-300	\$ 154.80
99-0277	Lights: Warning, (3) Door Open, (1) each entry door. Whelen 2" T0A00FAR 5mm LED Amber w/TGROM2 rubber grommet Locate: (1) on each lower outboard corner of open rear doors; (1) on lower outboard corner of open Curbside Entry door. All three located above the kickplates. Light to flash when door is open.	\$ 529.20
99-0743	Lights: Warning, Compartment Door Open: Whelen 3" 3SA00FAR 5 MM LED AMBER with 3FLANGEC surface mount chrome flange Locate: In cab ceiling between driver and passenger, light to flash when compartment doors are open	\$ 195.60
99-1883	Lights: Warning, Door Open, (3) Whelen 700 Series Red Super-LED with chrome flange- IATS Specify Lens Color: CLEAR Specify Location: (1) each on lower outboard corners on interior door panels of: Curbside Entry Door and Rear Entry Doors. Lights to flash when doors are Open.	\$ 730.80
99-0898	Module Disconnect: (3) way module power control with SPDT momentary switch PN: MX09210 (1) in front console and (1) in rear console. Power can be controlled from either location.	\$ 163.20
99-0813	Radio: Install (1) set of customer supplied radio cables. (NOTE: All cables must be delivered to Medix prior to production start date.) Location: Must supply configuration and termination location.	\$ 163.20
400200	Refrigerator: NorCold NR740BB 12VDC/125VAC w/power cord PN: 635591. Locate in ALS Cabinet. Includes cabinet modification, wiring and venting	\$ 1,458.00

99-0815	Shoreline: 125VAC, 20 Amp, 60 Hz TwistLock inlet with hinged, waterproof cover ILOS. Located on the streetside wall above compartment #2.	\$ 518.40
99-0169	Shoreline: 125VAC, 20-Amp, 60 Hz, straight blade w/hinged, weatherproof cover. IATS NOTE: Must specify function and location.	\$ 255.60
99-0317	Shoreline: 125VAC, 30-amp, 60 Hz, Twist-Lock- IATS LOCATION: Must Specify	\$ 255.60
400220	Shoreline: 125VAC, 30-Amp, 60 Hz, Twist-lock inlet w/hinged, weatherproof cover- ILOS	\$ 205.20
99-0621	Shoreline: 125VAC, Kussmaul 15amp SUPER Auto Eject P/N: 091-55-15-120 side wired w/hinged, yellow, weatherproof cover, located above Compartment #2 on Streetside. Mount on a Kussmaul Stainless Steel E-Z mounting plate P/N: 091-185-009 w/indicator light for ease of access. Mating connector to be shipped loose. ILOS NOTE: Must specify function and location.	\$ 730.80
99-0735	Shoreline: 125VAC, Kussmaul 20amp SUPER Auto Eject P/N: 091-55-20-120 side wired w/hinged, yellow, weatherproof cover, located above Compartment #2 on Streetside. Will have to be mounted on a Kussmaul Stainless Steel E-Z mounting plate P/N: 091-185-009 w/indicator light for ease of access. Mating connector to be shipped loose. IATS NOTE: Must specify function and location.	\$ 868.80
99-0617	Shoreline: 125VAC, Kussmaul 20amp SUPER Auto Eject P/N: 091-55-20-120 side wired w/hinged, yellow, weatherproof cover, Located above Compartment #2 on Streetside. Will have to be mounted on a Kussmaul Stainless Steel E-Z mounting plate P/N: 091-185-009 w/indicator light for ease of access. Mating Connector to be shipped loose. ILOS NOTE: Must specify function and location.	\$ 730.80
99-1084	Shoreline: 125VAC, Kussmaul 30amp SUPER Auto Eject P/N: 091-159-30-120-081 side wired w/hinged, yellow/weatherproof cover, located above Compartment #2 on streetside. Will have to be mounted on the Kussmaul stainless steel E-Z mounting plate PN: 091-159-081-120 w/indicator light for access. Kussmaul P/N: 091-159-CON-3P-120 mating female connector to be shipped loose. IATS NOTE: Must specify function and location.	\$ 1,418.40
99-0816	Speakers: Speakers wired to OEM radio in cab to be installed in the patient compartment w/Fader control. Located in ceiling, rear of dome lights (see print). Fader control located to the right of the standard outlets in the action area. NOTE: Use special speakers for ceiling (Jensen 5" Model # 1102094W dual cone, entry level speaker. Add aluminum backer plates to roof: (2) 9 3/4" x 1/8" x 4" and (2) 10 1/2" x 1/8" x 4". NOTE: MSV-II 170 Only	\$ 301.20
400190	Speakers: Speakers wired to OEM radio in cab to be installed in the patient compartment with fader control on action area panel. Speakers to be mounted in the rear overhead cabinet.	\$ 177.60
99-0893	Suction, Cover: Rubberized urethane coated smooth aluminum cover to be installed over suction pump for protection in compartment #2. See print: #33-102999 - Make sure to test fit before installing components! Note: Does not fit over inverters.	\$ 123.60

99-0284	Switching: (2) Module Disconnect w/Red Bezel, 3-Way "ON/ON" switches P/N: MX09174 located in (1) in rear switch panel IATS and (1) in front switch panel ILOS. Locate in the far right hand blank switch position on rear switch panel. Requires three additional wires from front console to rear console. Switches will not have an off position.	\$ 123.60
99-1024	Switching: (2) Momentary Switches PN:MX09150 for 3-Way switching of center Dome Lights on MSV-II, (1) located in driver's console and (1) in the standard center dome light position on rear switch panel both wired through an Intermotive control module PN: PRN405-AX.	\$ 769.20
99-0773	Switching: Air Horns, use 3 selection switch PN:MX09189 on front console ("Siren/Air Horn/Horn") to select function for horn ring activation on the steering wheel ILOS ("Horn/Siren"), Delete's air horn momentary switch PN:MX09102 on front console.	\$ 84.00
99-1782	Switching: Duplicate switches on CS Wall: (1) SS Domes; (1) CS Domes in etched plastic bezel: MX01582 Location: Must Specify	\$ 285.60
99-0738	Switching: Electric Step Override, single On/Off switch labeled "Step Override" PN: MX09182 on Positron Panel PN: MX01534, mounted on CS wall at head of Squad Bench	\$ 129.60
99-0404	Switching: Momentary Disable for Scene/Load Lights PN: MX09144 and Power Doors Locks PN: MX09145. Locate: (1) horizontal, 2-position Positron panel (MX01485) on Curbside Wall at head of bench and (1) stacked, 2-position Positron switch panel (MX01520) on wall at curbside rear entry door in standardized position.	\$ 367.20
99-0348	Switching: Momentary for Inverter, mounted in front console switch panel (no "OFF" position on switch) P/N: MX09211 Locate: In Front Console- Labeled "INVERTER".	\$ 123.60
99-0754	Switching: Power Door Locks Only, (2) door lock switches, MX09145: (1) located in a horizontal 2-switch Positron panel, MX01538, in standardized position on Curbside Wall above head of bench; (1) located in single-position Positron switch panel, MX01534, on wall at curbside rear entry door in standardized position.	\$ 259.20
99-0804	Switching: Power Door Locks, Lock/Unlock rocker switch PN: MX09145 located in the front switch panel to unlock and lock the module doors from inside the cab. NOTE: Chevy Type I Models	\$ 123.60
99-0550-M	Switching: Timer, Momentary 15-Minute timer switch for patient compartment dome lights. Locate switch in Positron switch panel in standard position on curbside wall. (PNs: MX09150 switch, MX09151 Timer, MX01507 four position switch panel.) NOTE: MSVII Models Only	\$ 145.20
99-0550-A	Switching: Timer, Momentary 15-Minute timer switch for patient compartment dome lights. Locate switch in Positron switch panel in standard position on curbside wall. (PNs: MX09150 switch, MX09151 Timer, MX01511 one position switch panel.) NOTE: A-Line Models Only	\$ 145.20

99-0356	<p>Temperature Control Cabinet: Dometic CD-030DC-D65A Drawer, Black. Includes cabinet modification, wiring and venting. Non-Locking Drawer - Order with compressor unit on side and stainless steel cover panel with louvers PN: 33-115153 for RP-90, 153 & 166 models - Order black powdercoated cover panel with louvers PN: 33-113596 for MSV-II models only. Order louvered vent cover for the ALS outboard wall for venting, see print #33-104716.</p> <p>Specify Location:</p>	\$ 1,418.40
99-2179	<p>Temperature Control Cabinet: Dometic CD20-DCTB1 Drawer, Black. Includes cabinet modification, wiring and venting. Non-locking Drawer - Order with compressor unit on REAR and stainless steel cover panel with louvers PN: 33-115153 for RP-90, 153 & 166 models; order #33-103736 for MSV-II models only. Order louvered vent cover for the ALS outboard wall for venting, see print # 33-104716.</p> <p>Specify Location:</p>	\$ 1,611.60
99-0897	<p>Temperature Control Cabinet: Dual Temp Horizontal, Mermaid MK DT/H - Micro Depth with back mount compressor. Install per manufacturer's instructions regarding power supply (two individually fused power sources), fan and ventilation! (See option in cabinet section for cabinet modification charge).</p> <p>NOTE: Make sure cabinet build prints have the ventilation on back wall and outboard side wall of ALS cabinet.</p>	\$ 5,998.80
99-0453	<p>Temperature Control Cabinet: Medi-Kool MK-Saline SS with side-mounted compressor. Order with door hinged on bottom so it flips down and with key lock cylinder. Temperature control panel will be installed on S.S louvered panel, front of ALS cabinet, to the right of the Medi-Kool cabinet. Includes cabinet modification, wiring and venting. Requires a S.S. panel to cover the right side of the large access hole. See 33-103092.</p>	\$ 4,774.80
99-0337	<p>Temperature Control Cabinet: Medi-Kool Stainless Steel model 15 SS with back-mounted compressor and 1" mounting flange with controls. Faceplate will be installed at top of Medi-Kool cabinet and compressor will be located directly behind it. Order with door hinged on right hand side. Standard lock and handle. Unit to be installed in ALS cabinet per attached drawings.</p> <p>NOTE: Make sure cabinet build prints have the ventilation on back wall and outboard side wall of ALS cabinet.</p>	\$ 5,586.00
99-0994	<p>Timer: Intermatic FD30MHW 30 minute spring wound rotary style timer with "HOLD" feature wired to patient compartment dome lights.</p> <p>Location: Must Specify</p>	\$ 172.80
99-0988	<p>USB Port: Kussmaul 091-219-N dual USB port mounted in switch panel. Fits into standard switch slot. IATS</p> <p>LOCATION: Must Specify</p>	\$ 163.20
99-0742	<p>USB Port: Vanner VSS-USB Flush Mount (2) port USB Receptacle.. IATS</p> <p>LOCATION: Must Specify</p>	\$ 123.60
99-0999	<p>Lights: Warning, (1) Whelen M2WD Series Red/White Super LED with clear lens and chrome bezel M2FC, IATS above rear wheel well as rear intersection lights. Wire to Primary circuit only.</p>	\$ 296.40

99-1092	Lights: Warning, Grille, (2) Whelen 500 V Series 5V1R LED Single color, Red with chrome flanges 5LSMAC - ILOS, in front grille. Wire with constant power so internal flasher flashes light. NOTE: Ford "F" Series, All GM Series.	\$ 699.60
99-0045	Lights: Warning, Whelen 700 Series Red/Amber Super LED 70RA6FCR, ILOS on front fender	\$ 367.20
99-1359	Lights: Warning, Whelen M-Series LED EMERGENCY Lighting Package ILOS Whelen LED warning Package- Ford, Chevy Type I and Type III - RP-90, 153 and 166 - Models ONLY. NOTE: Does not include LED Scene or Load Lights. All LED lights shall have CLEAR Lenses. All emergency and scene lighting shall have chrome flanges in standard locations. Front of Body: Add (7) M9 Whelen LEDs- Specify pattern by LED Color (Red or White): Configured R/W/R/W/R/W/R or R/R/R/W/R/R/R (Must provide configuration). (4) M9 Red LEDs & (3) M9 White, (2) outer corners and (1) center light flash on K-Spec flasher. Inner (4) flash independently on Light Bar switch on front console. Sides of Body: (4) M9 Red LEDs: (2) each side in upper corners Rear of Body: (4) Whelen M-Series Red LEDs: (2) in upper outboard corners, (2) Mid-Body wired as Warning/Brake at the window level, (1) Whelen M-Series Amber LED in the center position over the rear doors. Brake, Turn & Back-Up Lights: M6 LEDs Lights, Warning, Intersection Lights: (2) M7 Red LEDs on Front Fenders wired to Primary/Sec Modes	\$ 3,724.80
99-1358	Lights: Warning, Whelen M-Series LED EMERGENCY Lighting Package ILOS Whelen LED warning Package- Ford, Chevy Type III MSV-II and Ford and Dodge Type I - MSV-II Models ONLY. NOTE: Does not include LED Scene or Load Lights. All LED lights shall have CLEAR Lenses. All emergency and scene lighting shall have chrome flanges in standard locations. Front of Body: Add (7) M9 Whelen LEDs- Specify pattern by LED Color (Red or White): Configured R/W/R/W/R/W/R or R/R/R/W/R/R/R (Must provide configuration). (4) M9 Red LEDs & (3) M9 White, (2) outer corners and (1) center light flash on K-Spec flasher. Inner (4) flash independently on Light Bar switch on front console. Sides of Body: (4) M9 Red LEDs: (2) each side in upper corners Rear of Body: (4) Whelen M-Series Red LEDs: (2) in upper outboard corners, (2) Mid-Body wired as Warning/Brake at the window level, (1) Whelen M-Series Amber LED in the center position over the rear doors. Brake, Turn & Back-Up Lights: M6 LEDs Lights, Warning, Intersection Lights: (2) M7 Red LEDs on Front Fenders; (2) M7 Red LEDs above rear Wheel Wells- wired to Primary/Sec Modes	\$ 3,966.00
99-0178	Siren: Whelen 295 HFS2 electronic siren with 100/200 watt remote siren amplifier, ILOS	\$ 285.60
99-1327	Speaker: Siren, (2) ES100 100 Watt speaker with (2) 33-105072 mounting brackets installed. ILOS Location: Must specify NOTE: Ford E-Series Only.	\$ 244.80

99-1737	Lightbar: Rear Fiberglass Pod ILOS with (5) Whelen 700 Series Super-LEDs: (2) outboard-70R02FCR Red, (2) inboard-7SC0ENZR LEDs and (1) center-70A02FCR Amber on custom designed rear fairing mounted to the OEM roof above the rear doors. Wire Red LEDs primary/secondary and the Amber LED to Primary mode only. NOTE: Rear loads to illuminate when the vehicle is in reverse. NOTE: Transit Type II Only	\$ 163.20
99-0106	Lights: Scene/Load, Rear side scene lights on each side to come "ON" in Reverse	\$ 84.00
500125	Lights: Scene/Load, Whelen 600 Series Halogen Gradient Opti-Scenelight™ with chrome flange- IATS Specify Location:	\$ 145.20
99-0374	Lights: Scene/Load, Whelen 600 Series Super-LED® Gradient Opti-Scene LED 6SC0ENZR with chrome flange 6EFLANGE , ILOS 900 Series Halogen	\$ 124.80
99-1150	Lights: Scene/Load, Whelen 700 Series Halogen Gradient Opti-Scenelight™ 70K000ZR - IATS Locate: (1) each side, centered between front and rear Scene lights	\$ 415.20
99-0282	Lights: Scene/Load, Whelen 700 Series Super-LED® 70C0ENZR "surface mount" with chrome flange 7EFLANGE - ILOS 900 Series Halogen	\$ 244.80
500120	Lights: Scene/Load, Whelen 900 Series Halogen Gradient Opti-Scenelight™ with chrome flange- IATS Specify Location:	\$ 172.80
500127-A	Lights: Scene/Load, Whelen 900 Series Super-LED 9SC0ENZR Gradient Opti-Scenelight™ with chrome flange 9EFLANGE - IATS Specify Locations:	\$ 462.00
500127	Lights: Scene/Load, Whelen 900 Series Super-LED 9SC0ENZR Gradient Opti-Scenelight™ with chrome flange- ILOS Halogen Specify Locations:	\$ 349.20
99-0968	Lights: Scene/Load, Whelen M7ZC Gradient Scene light with chrome flange, ILOS 900 Series Halogen.	\$ 171.60
99-0700	Lights: Scene/Load, Whelen M9 Linear Super-LED® Surface Mount M9LZC with chrome flange M9FC- ILOS Halogen Specify Locations:	\$ 362.40
99-0937	Lights: Warning, (1) Whelen 500 Series Super-LED 50C02ZCR White with chrome flange 5LSMAC IATS Specify Location(s):	\$ 244.80
99-0651	Lights: Warning, (1) Whelen 500 Series Super-LED 50CR2ZCR Red/White with clear lens. IATS Location: Must specify	\$ 309.60
99-1380	Lights: Warning, (1) Whelen 700 Series Super-LED 70C02FCR White with clear lens and chrome flange, IATS Must specify location:	\$ 252.00
99-0933	Lights: Warning, (1) Whelen 900 Series Super-LED 90BB5FCR Blue with clear lens and chrome flange. IATS Location: Must Specify	\$ 330.00
500190	Lights: Warning, (1) Whelen 900 Series Super-LED 90RR5FCR RED with clear lens, IATS Specify Location:	\$ 336.00

99-0870	Lights: Warning, (1) Whelen LINZ6B Blue Super-LED with clear lens & chrome flange. IATS Specify Location:	\$ 219.60
99-0876	Lights: Warning, (1) Whelen M2WRC Series Super-LED M2WRC Red with clear lens and chrome flange M2FC, IATS above rear wheel well as rear intersection lights. Wire to Primary circuit only.	\$ 243.60
99-0716	Lights: Warning, (1) Whelen Micron Series Super-LED MCRNSCC White with chrome flange. IATS mounted on OEM Grille	\$ 237.60
99-0715	Lights: Warning, (1) Whelen Micron Series Super-LED MCRNSCR Red with chrome flange. IATS mounted on OEM Grille	\$ 250.80
99-0643	Lights: Warning, (1) Whelen Wide Angle Super-LED WIONSMCC White LED with Chrome Housing mounted in grille - IATS	\$ 230.40
99-0642	Lights: Warning, (1) Whelen Wide Angle Super-LED WIONSMCR Red LED with Chrome Housing mounted in grille - IATS	\$ 230.40
500200	Lights: Warning, (2) Whelen 600 Series Super-LED 60R02FCR Red with clear lens, IATS Specify Location:	\$ 428.40
500210	Lights: Warning, (2) Whelen 700 Series Super-LED 70R02FCR Red with clear lens and chrome flange 7EFLANGE, IATS above rear wheel wells as rear intersection lights. Wire to Primary circuit only.	\$ 405.60
99-0869	Lights: Warning, (2) Whelen 700 Series Super-LED 70RA6FCR Red/Amber with chrome flange, IATS (1) above each rear wheel well as rear intersection lights. Wire to Primary circuit only.	\$ 876.00
99-0112	Lights: Warning, (2) Whelen 700 Series Super-LED 70RC6FCR Red/White with chrome flange, IATS (1) above each rear wheel well as rear intersection lights. Wire to Primary circuit only.	\$ 730.80
99-0750	Lights: Warning, (2) Whelen 900 Series Super-LED 90BB5FCR Blue LEDs, IATS NOTE: Must add chrome flange separately.	\$ 640.80
99-2339	Lights: Warning, (2) Whelen ION Mini-T Super-LED, Blue TLMIB with clear lens and chrome flange located on OEM grille IATS. Must specify flash pattern. Location(s): Must Specify	\$ 405.60
99-2343	Lights: Warning, (2) Whelen ION Mini-T Super-LEDs, Red TLMIR with clear lens and chrome flange located on OEM grille IATS. Must specify flash pattern. Location(s): Must Specify	\$ 405.60
99-2344	Lights: Warning, (2) Whelen ION Mini-T Super-LEDs, White TLMIC with clear lens and chrome flange located on OEM grille IATS. Must specify flash pattern. Location(s): Must Specify	\$ 405.60
99-0739	Lights: Warning, (2) Whelen Micron Series Super-LED MCRNSR Red with Black flange mounted over rear doors on Transit. IATS	\$ 535.20
99-0670	Lights: Warning, Grille, (1) Whelen LINZ6C Clear Super-LED & chrome flange on center grille bar, IATS Specify Location:	\$ 219.60
99-0680	Lights: Warning, Grille, (1) Whelen LINZ6D Red/Clear Super-LED with clear lens & chrome flange. IATS Specify Location:	\$ 219.60

99-0671	Lights: Warning, Grille, (1) Whelen LINZ6R Red Super-LED with clear lens & chrome flange on center grille bar. IATS Specify Location:	\$ 219.60
99-0650	Lights: Warning, (1) Whelen 500 Series TIR6 Super-LED 50RC3ZCR Red/White LED with chrome flange and clear lens mounted on grille. ILOS LINZ6	\$ 163.20
99-0801	Lights: Warning, (1) Whelen 700 Series Super-LED 70B02FCR Blue LED, ILOS 700 Series Red Super-LED 70R02FCR on Transit. NOTE: Must specify location	\$ 66.00
99-0802	Lights: Warning, (1) Whelen 700 Series Super-LED 70RA6FCR Red/Amber with clear lens, ILOS 700 Series Super-LED 70R02FCR Red on Transit. NOTE: Must specify location	\$ 259.20
99-0948	Lights: Warning, (1) Whelen 700 Series Super-LED 70RB6FCR Red/Blue with clear lens, ILOS 700 Series Super-LED 70R02FCR Red in standard LED Package. NOTE: Must specify location	\$ 66.00
99-0978	Lights: Warning, (1) Whelen 700 Series Super-LED 70RC6FCR Red/White with clear lens, ILOS 700 Series Super-LED 70R02FCR Red in standard LED package. NOTE: Must specify locations	\$ 164.40
99-0809	Lights: Warning, (1) Whelen 900 Series Super-LED 90BB5FCR Blue, ILOS 900 Series Super-LED 90RR5FCR Red. NOTE: Must specify locations	\$ 72.00
99-0979	Lights: Warning, (1) Whelen 900 Series Super-LED 90RA5FCR Red/Amber, ILOS 900 Series Super-LED 90RR5FCR Red. NOTE: Must specify location	\$ 171.60
99-0811	Lights: Warning, (1) Whelen 900 Series Super-LED 90RC5FCR Red/White, ILOS 900 Series Super-LED 90RR5FCR Red. NOTE: Must specify location	\$ 177.60
99-1137	Lights: Warning, (1) Whelen ION Series Wide Angle Super LED WIONSMC White LED with chrome flange ILOS LINZ6 Series Super LED LINZ6R with chrome flange. NOTE: Must Specify Location	\$ 45.60
99-0406	Lights: Warning, (1) Whelen ION Series Wide Angle Super LED WIONSMC White LED with chrome flange. IATS NOTE: Must Specify Location	\$ 296.40
99-1124	Lights: Warning, (1) Whelen ION Series Wide Angle Super LED WIONSMR Red LED with chrome flange ILOS LINZ6 Series Super LED LINZ6R with chrome flange. NOTE: Must Specify Location	\$ 45.60
99-0405	Lights: Warning, (1) Whelen ION Series Wide Angle Super LED WIONSMR Red LED with chrome flange. IATS NOTE: Must Specify Location	\$ 290.40
99-0674	Lights: Warning, (1) Whelen LINZ6 Series Super-LED LINZ6D Red/Clear LED with clear lens on center grille bar. ILOS LINZ6 Super LED LINZ6R Red. NOTE: Must Specify Location	\$ 66.00

99-0964	Lights: Warning, (1) Whelen M7 Series Super-LED M7DC Red/White LED with chrome flange, ILOS M7RC Red LED over rear wheels in M Series option package. NOTE: MSV-II Models Only	\$ 66.00
99-2016	Lights: Warning, (1) Whelen M7 Series Super-LED M7RC Red LED with chrome flange ILOS LINZ6R. Location: Must Specify	\$ 111.60
99-0967	Lights: Warning, (1) Whelen M9 Series Red/White Super-LED M9DC Red/White with chrome flange, ILOS M9 Series Super-LED M9RC Red in M Series Option Package. NOTE: Must specify locations	\$ 52.80
99-1090	Lights: Warning, (1) Whelen M9 Series Super-LED M9BC Blue with chrome flange, ILOS M9 Series Super-LED M9R Red in M Series Option Package. NOTE: Must specify location	\$ 52.80
500315	Lights: Warning, (2) Whelen 500 Series TIR6 Super-LED 50C03ZCR White LED with chrome flange and clear lens mounted on grille. ILOS LINZ6R	\$ 66.00
99-1134	Lights: Warning, (4) Whelen M9 Series Linear LED M9V2R combination Red Super-LED and Scene light with chrome flange ILOS M9RCZ. NOTE: Transit only.	\$ 1,942.80
99-0840	Lights: Warning, (5) Whelen M7 Series Super-LED: [2] M7DC White/Red LEDs located on outboard corners of front light pod, [2] M7RC Reds LED located just outboard of center LED and [1] M7C White LED located in the center position with chrome bezels. ILOS 700 Series Super-LEDs. NOTE: Transit Only	\$ 712.80
99-1001	Lights: Warning, (5) Whelen M7 Series Super-LEDs: [4] M7DC Red/White LEDs located outboard of center on front light pod and [1] M7C White LED located in the center with chrome flanges ILOS 700 Series LEDs. NOTE: Transit Only	\$ 560.40
99-2080	Lights: Warning, (6) Whelen PSD01FCR StripLite Plus DUO Super-LEDs, Red/White with clear lens and chrome flange IATS. Specify Location(s): Mount (3) each side of vehicle in lower rub rail - (1) front, (1) just in front of rear wheel and (1) rear per attached drawings. NOTE: Must specify flash pattern (Alternative colors can be programmed separately; flashing or steady burn).	\$ 1,942.80
99-2079	Lights: Warning, (6) Whelen PSR01FCR StripLite Plus Super-LEDs, Red with clear lens and chrome flange IATS. Specify Location(s): Mount (3) each side of vehicle in lower rub rail - (1) front, (1) just in front of rear wheel and (1) rear per attached drawings. NOTE: Must specify flash pattern.	\$ 1,578.00
99-0868	Lights: Warning, Whelen 900 Series Super LED Red/Blue 90RB5FCR, ILO 900 Series Red Super LED (90RR5FCR)	\$ 244.80
99-0803	Lights: Warning, Whelen 900 Series Super LED Red/Blue 90RB5FCR, ILOS 900 Series White Super LED 90CC5FCR NOTE: Must specify locations -	\$ 188.40

99-0714	Lights: Warning: (2) Whelen Micron Series Super-LED MCRNSCR Red LED with clear lens and chrome flange, ILOS (2) LINZ6 Series LINZ6R Red LEDs and chrome flanges mounted on OEM Grille.	\$ 285.60
99-0271	Lights: Chrome Flange for Whelen M6-Series Light not in package NOTE: Must Specify Location	\$ 22.80
99-0266	Lights: Chrome Flange for Whelen M9-Series Light not in package NOTE: Must Specify Location	\$ 32.40
500410	Lights: Chrome Flange on 900 Series Scene Light when not in package. NOTE: Must Specify Location	\$ 26.40
500400	Lights: Warning, (1) Whelen 700 Series Super-LED 70A02FCR Amber with clear lens and chrome bezel, IATS NOTE: Must Specify Location	\$ 198.00
500390	Lights: Warning, (1) Whelen 700 Series Super-LED 70A02FCR Amber with clear lens and chrome bezel, ILOS 900 Series Super-LED Amber in standard LED package. NOTE: Must Specify Location	\$ 43.20
500370-A	Lights: Warning, (1) Whelen 900 Series Super-LED 90AA5FCR Amber with chrome flange and clear lens, ILOS 900 Series Super-LED Red LED in standard LED package. NOTE: Must Specify Location	\$ 43.20
500380	Lights: Warning, (1) Whelen 900 Series Super-LED 90AA5FCR Amber with clear lens and chrome flange, IATS NOTE: Must Specify Location	\$ 336.00
99-0841	Lights: Warning, (4) Whelen M7 Series Super-LED mounted on the upper rear doors in the Cast Products housing with (1) M7BC Blue with clear lens located outboard on the street side, (1) M7RC Red with clear lens located outboard on the curbside and (2) M7AC Amber with clear lens mounted in the inboard position on each upper rear door housings. NOTE: Requires (4) 33-10-2176 700 Series to M7 Series adapter plates. NOTE: Transit Type II Only	\$ 608.40
500375-A	Lights: Warning: (1) Whelen 600 Series Super-LED 60A02FCR Amber with chrome flange and clear lens, ILOS 900 Series Super-LED Amber LED in standard LED package. NOTE: Must Specify Location	\$ 43.20
500420	Lights: Warning, Wig-Wag, Sound-Off flasher wired to OEM headlights - (includes one switch in front panel, P/N: MX09048) (NOTE: Must select an LED lighting option to go with the flasher. Wig-Wags cannot be wired to OEM headlights.)	\$ 140.40
99-1707-F	Siren: Carson SA-441-10F Magforce Electronic Dual Tone Siren ILOS, wired to the standard through bumper speakers. Locate in standard front Type I and III switch panel.	\$ 520.80
99-1029	Siren: Carson SA-441M Magforce Mechanical Dual Tone Siren IATS. Locate in add-on console removable panel. Make sure to order aluminum face plate for add-on console with correct hole size, mounted on right side of panel- See print 44-10-2884. NOTE: Must add additional speakers for SA-441 and specify mounting location.	\$ 1,215.60
99-1516	Siren: Carson SA-441M Magforce Mechanical Dual Tone Siren ILOS, wired to the standard through bumper speakers. Locate in standard front switch panel.	\$ 852.00

99-1636	Siren: Federal e-Q2B-200 Electronic with (2) ES100 - 100 watt siren speakers with ESB-U mounting bracket, IATS. NOTE: Does not delete standard speakers. Location: Must specify exact mounting location.	\$ 3,884.40
99-0790	Siren: Federal Signal, Low Frequency "Rumbler-3" with RB-GVAN11 bracket for G3500/4500 Series mounted on OEM frame, IATS	\$ 1,393.20
99-2009	Siren: Whelen 295HFSA7 Remote Dual Siren Amplifier, with Flush Mount Control Head, Meets CA Title 13, ILOS Whelen 295SLSA1 - Order MX01436 front switch panel for correct siren cut-out.	\$ 340.80
99-1191	Siren: Whelen 295SLSA1 Siren IATS, wired to the separate speakers. Locate siren in console removable Positron panel p/n: 39-09-3501 (MX01274). NOTE: Must add additional speakers for additional 295SLSA1 and specify mounting location.	\$ 446.40
99-0354-G	Siren: Whelen Low Frequency "Howler" with HWLRB11 brackets for GM G-Series. NOTE: Includes (2) Speakers.	\$ 1,418.40
99-0354-DR	Siren: Whelen Low Frequency "Howler" with HWLRB14 brackets for Dodge Ram Series. NOTE: Includes (2) Speakers.	\$ 1,418.40
99-0354-FF	Siren: Whelen Low Frequency "Howler" with HWLRB22 brackets for Ford F-Series. NOTE: Includes (2) Speakers.	\$ 1,418.40
99-0354-FT	Siren: Whelen Low Frequency "Howler" with HWLRB23 brackets for Ford Transit. NOTE: Includes (2) Speakers.	\$ 1,418.40
99-0354-C	Siren: Whelen Low Frequency "Howler" with HWLRB26 brackets for GM C-Series. NOTE: Includes (2) Speakers.	\$ 1,418.40
99-0354-FE	Siren: Whelen Low Frequency "Howler" with HWLRB4 brackets for Ford E-Series. NOTE: Includes (2) Speakers.	\$ 1,418.40
99-0708	Lights: Warning, GTT 794H LED Emitter (Supplier P/N: 151-794H). Must be wired to de-activate when the vehicle is in park/neutral. Opticom momentary disable switch PN: C-00058-00-0V1D mounted in the driver's console. (Transit Only) Location: TBD	\$ 3,644.40
99-0706	Lights: Warning, GTT 794H LED Opticom Emitter (Supplier P/N: 151-794H) with on/off switch PN: 39-10-9053 in front console. Must be wired to de-activate when the vehicle is in park/neutral. Location: TBD	\$ 3,320.40
99-0237	Lights: Warning, Opticom Pre-Wire "ONLY" w/switch PN: 39-10-9053 in front console and wiring secured behind center clear light and configured to de-activate when the vehicle is in Park/Neutral.	\$ 163.20
99-0991	Lights: Warning, Priority Green Opticom Emitter (Supplier P/N: MTER) "ONLY" with on/off switch PN: 39-10-9053 in front console. Must be wired to de-activate when the vehicle is in park/neutral. (Note: For Mods only) Location: TBD	\$ 1,014.00
600075	Flowmeter: Ohio Medical, FM-15UO-OH with quick disconnect - SHIP LOOSE	\$ 147.60
600010	Medical Air Outlet: Yellow Face Latch Valve Plate w/AD-OHUA-DM Quick Disconnect Fitting inside and DA-HB4-A-DN adapter fitting on yellow hose in Compartment #1 Specify Location(s):	\$ 367.20

99-0763	Medical Air: Oxy-Minder, Medical Air Digital Contents Monitor w/Manual By-Pass and switch on A/A, IATS. NOTE: Requires Option 600010. Location: Must Specify	\$ 1,338.00
99-1426	O2 Cylinder Mount: CPI OA1101-D-1 oxygen bottle holder with mounting plate, for "D" cylinders. Specify Location(s):	\$ 405.60
600040	O2 Cylinder Mount: For "M" Cylinder, black steel, for Medical Air or O2 Cylinder- IATS Specify Location(s):	\$ 446.40
99-0741	O2 Cylinder Mount: Install mount for ALUMINUM "M" or "H" cylinder in Compartment #1 ILOS. Mount is adjustable with 3-spring buckle straps and top collar, powder-coated Safety Yellow color. See assembly print 66-A11379 - Rev A	\$ 205.20
600035	O2 Cylinder Mount: M or H Medical Air or O2 cylinders. Adjustable, Safety Yellow bracket w/3-spring buckle straps and top collar- ILOS, Use p/n: 66-A10761 (Standard on MSV II) Specify Location(s):	\$ 244.80
99-0376	O2 Cylinder Mount: M or H Medical Air or O2 cylinders. Adjustable, Safety Yellow bracket with 3-spring buckle straps and top collar- IATS - MSV II ONLY Specify Location(s):	\$ 205.20
600080	O2 Cylinder Universal Lift: Zico QR-OTSL-US for H-Cylinder, LH Drive, LH Remote Control; Mounting Bracket and Can Cover required: 33-102085 & 33-102074. Specify Location(s):	\$ 5,346.00
600090	O2 Cylinder Universal Lift: Zico QR-OTSL-US for M-Cylinder, LH Drive, LH Remote Control; Mounting Bracket and Can Cover required: 33-102085 & 33-102074. Specify Location(s):	\$ 5,949.60
600070	Oxygen: Electric O2 with manual bypass and switch mounted on A/A panel	\$ 325.20
600100	Oxygen: OHMEDA Z-QD0101M0 outlet, IATS Specify Location(s):	\$ 205.20
99-0966	Oxygen: Oxy-Minder, Digital Contents Gauge with Manual By-Pass and switch on A/A panel ILOS Electric O2, Deletes standard regulator NOTE: MSV-II & Transit Models Only	\$ 1,014.00
99-0127	Oxygen: Oxy-Minder, Digital Contents Gauge with Manual By-Pass and switch on A/A panel ILOS NOTE: Deletes standard regulator	\$ 1,296.00
99-1667	Portable O2 Bracket: (1) CPI OA1201-D-1 strapless oxygen bottle holder with mounting plate, for (1) "D" cylinder. Specify Location(s):	\$ 505.20
99-1668	Portable O2 Bracket: CPI OA1201-E-1 strapless oxygen bottle holder with mounting plate, for "E" cylinders. Specify Location(s):	\$ 519.60
600050	Portable O2 Bracket: Ferno Washington #521 Oxygen Bottle Holder for D-E Cylinder Specify Location(s):	\$ 584.40
99-0320	Regulator: Medical Air, Amvex GR-346, 50 psi, pre-set	\$ 163.20
99-0318	Regulator: O2, Amvex GR-540 50psi, pre-set- IATS	\$ 153.60

99-0912	Suction System: SSCOR wall mount aspirator system with gauge/regulator, SS canister holder and SSCOR electric pump located in compartment #2. Includes vacuum switch with red bezel, located in the 4th position on the curbside wall switch panel- IATS	\$ 1,095.60
99-0639	Suction System: SSCOR with SS Bracket for container, electric pump- ILOS Rico System NOTE: Locate gauge and Vacuum outlet on action area wall. ILOS	\$ 594.00
99-0133	Suction System: Vacuum Outlet, Ohmeda white face plate plumbed directly to the vacuum pump ILOS Rico wall mount assembly. Includes Ohmeda type quick disconnect suction adapter with 1/8" NPT male threads for connection to the suction gauge.	\$ 285.60
99-3364	HVAC System: UPGRADE TO ADDITIONAL CONDENSER MOUNTED ON ROOF, FRONT WALL OR UNDER CHASSIS	\$ 3,600.00
99-3413	HVAC System: UPGRADE TO STAND ALONE SYSTEM INCLUDING ADDITIONAL COMPRESSOR AND CONDENSER MOUNTED ON ROOF, FRONT WALL OR UNDER CHASSIS	\$ 7,044.00
99-3426	HVAC System: UPGRADE TO 110VAC/12VDC SYSTEM INCLUDING ADDITIONAL COMPRESSOR AND CONDENSER MOUNTED ON ROOF, FRONT WALL OR UNDER CHASSIS NOTE: MUST SELECT 30AMP SHORELINE OPTION TO POWER THE SYSTEM IN 110AC MODE	\$ 12,456.00
99-0214	A-Bar: WITH Sharps/Waste Holders, 15" Wide; .250" Mounting plate. Requires squad bench assembly print different than standard. NOTE: 153 Models Only	\$ 679.20
99-1122-B	A-Bar: WITH Sharps/Waste Holders, 15"W with .250" mounting plate, Powder coated yellow. Requires squad bench assembly print different than standard NOTE: Type I - 170	\$ 745.20
99-1122-A	A-Bar: WITH Sharps/Waste Holders, 15"W with .250" mounting plate, Powder coated yellow. Requires squad bench assembly print different than standard NOTE: Type III - 170	\$ 918.00
99-1028	A-Bar: With single Waste Holder Only, no sharps. 15" Wide with .250" Mounting plate. Requires squad bench assembly print different than standard NOTE: RP-90 Models Only	\$ 973.20
99-0236	A-Bar: WITHOUT Sharps/Waste Holders, 15" Wide with .250" Mounting plate	\$ 552.00
99-0653	Action Area: Custom cabinet below overhead cabinet for customer radio installation. Interior dimensions: 8"H x 5 1/2"D x 40"L with REMOVABLE, BLACK POWDER COATED, ALUMINUM access panel, no latches. Panel will be screwed on. Opening to cabinet to be large as possible, as close to inside dimensions as possible. See PN: 33-103438	\$ 319.20
99-0437	ALS Cabinet: Cabinet above ALS, (1) Cabinet with dual laminated aluminum, hinged doors with (1) non-locking, 2" round Southco stainless steel latch and (1) Adjustable Shelf. ILOS MSV II ONLY	\$ 325.20
99-0421	ALS Cabinet: Cabinet above ALS, (1) Cabinet with top, piano-hinged wood door, gas-strut hold-open, (1) non-locking, 2" round Southco stainless steel latch and (1) Adjustable Shelf. ILOS MSV II ONLY	\$ 325.20

99-0953	ALS Cabinet: Close off lower section of ALS cabinet for Inside/Access only.	\$ 123.60
800020	ALS Cabinet: Combine Lower and Middle sections into one OPEN section w/ 2 adjustable shelves. A-line mods only. (Must add in option for net to cover opening)	\$ 84.00
99-0903	ALS Cabinet: delete standard slide-out drawer in ALS and combine middle and lower sections into one opening with (3) adjustable shelves, tall dual ½” Acrylic doors with (1) locking, 2” round Southco stainless steel latch at the top of each door. There will be NO latches at bottom of doors per dealer. ILOS NOTE: The standard fixed shelf is changed into an adjustable shelf, there will be a total of (3) adjustable shelves in this section. NOTE: MSV-II ONLY	\$ 486.00
99-0942	ALS Cabinet: delete standard slide-out drawer in ALS and combine middle and lower sections into one opening with (3) adjustable shelves, tall dual solid wood doors with a non-locking two point pinch latch on each door. ILOS NOTE: The standard fixed shelf is changed into an adjustable shelf, there will be a total of (3) adjustable shelves in this section. NOTE: MSV-II ONLY	\$ 405.60
99-0733	ALS Cabinet: delete standard slide-out drawer in ALS and make middle and lower sections equal height with (1) adjustable shelf each section, each section to have dual 1/2” Acrylic doors with a non-locking two point pinch latch on each door. Install dual wood doors on upper cabinet. ILOS NOTE: MSV-II ONLY	\$ 362.40
99-1136	ALS Cabinet: Design ME-153 ALS cabinet similar to MSV-II model. Upper cabinet with hinged 1/2” acrylic doors, (1) non-locking, LifeDefender latch on each door and (1) adjustable shelf; middle drawer with non-locking, LifeDefender latch and the LOWER section to have a dual hinged solid wood doors with non-locking, LifeDefender latch on each door and (1) adjustable shelf. ILOS NOTE: ME-153 Model ONLY	\$ 730.80
99-1857	ALS Cabinet: Lower Locking storage for 747 with LifeDefender latch and LifeDefender key lock; Middle Section with dual 1/2” Acrylic doors with (1) Eberhard two-point pinch latch on each door and (1) adjustable shelf. NOTE: ME-153, RP-90 & MR-90 models ONLY	\$ 420.00
99-0784	ALS Cabinet: Lower section- Locking storage for 747 box with (1) locking, 2” round Southco stainless steel latch. Middle Section to have Drawer (M2 size) with HD slides & (1) non-locking LifeDefender latch. Upper Section to have dual wood doors with polycarbonate inserts, (1) non-locking, 2” round Southco stainless steel latch on each door and 1-adjustable shelf. NOTE: ME-166 Models ONLY	\$ 932.40

99-1078	ALS Cabinet: Move standard slide-out drawer up just below the upper ALS section. Combine middle and lower sections into one opening with (2) additional adjustable shelves, tall dual solid wood doors with non-locking, two point pinch latches on each door. NOTE: The standard fixed shelf is changed into an adjustable shelf, there will be a total of (4) adjustable shelves in this section. ILOS NOTE: MSV-II ONLY	\$ 405.60
99-0329	Assist Bar: Bennington Bar mounted floor to ceiling at head of squad bench with upholstered, padded cushion installed on both sides. (PN: 49-10-1613) NOTE: For RP90/PC90/Sprinter Type III Only/Medix to fabricate pads	\$ 828.00
99-0856	Assist Rail: SHORTENED, 48" x 1.25" Stainless Steel" with radius ends, over primary patient. ILOS	\$ 43.20
800057	Assist Rail: 1.25" Stainless w/Radius Ends, Over Squad Bench- IATS	\$ 208.80
99-0761Y	Assist Rail: 1.25" x 48", Powder coated "Safety Yellow", stainless with radius ends, IATS	\$ 177.60
99-0760Y	Assist Rail: 1.25" x 48", Powder coated "Safety Yellow", stainless with radius ends, ILOS	\$ 84.00
99-0761SS	Assist Rail: 1.25"x 48", stainless with radius ends, over squad bench IATS	\$ 163.20
99-0760SS	Assist Rail: 1.25"x 48", stainless with radius ends, over squad bench ILOS	\$ 84.00
99-0613-B	Assist Rail: 72" Powder Coated Blue SS 1.25" with Radius Ends, ILOS -All Models	\$ 84.00
99-0615-R	Assist Rail: 72" Powder Coated Rebel Red SS 1.25" with Radius Ends, IATS -All Models	\$ 244.80
99-0613-R	Assist Rail: 72" Powder Coated Rebel Red SS 1.25" with Radius Ends, ILOS -All Models	\$ 84.00
99-0615-Y	Assist Rail: 72" Powder Coated Safety Yellow SS 1.25" with Radius Ends, IATS -All Models	\$ 244.80
99-0613-Y	Assist Rail: 72" Powder Coated Safety Yellow SS 1.25" with Radius Ends, ILOS -All Models	\$ 84.00
99-0855	Assist Rail: SHORTENED, 48" x 1.25" stainless with radius ends, over squad bench IATS	\$ 163.20
99-0941	Cabinet: (2) Wood Doors with (2) non-locking, round Southco stainless steel latches Installed on each door below 2nd A/A Shelf, ILO the tilt-out waste/sharps storage cabinet. NOTE: MSV-II ONLY	\$ 285.60
99-1144	Cabinet: Add recessed pocket below A/A countertop for SSCOR suction canister and Vacuum outlet ILO mounting canister on the A/A panel.	\$ 405.60
99-1155	Cabinet: Below main Action Area shelf. Will extend forward of (2) airway drawers to forward edge of exterior compartment #2. Cabinet will have double sliding polycarbonate doors. Cabinet recesses into exterior compartment #2 and requires custom exterior tub. NOTE: MSV-II Type I ONLY	\$ 730.80

99-0956	<p>Cabinet: Curbside work station with Corian counter top and (2) aluminum drawers, with HD slides - stacked below the curbside work station countertop. Both will have LifeDefender non-locking latches. Drawers will face curbside tech seat over wheel well and top drawer will have a hinged polycarbonate lid to be used as an optional writing surface.</p> <p>Top drawer to have approximate inside dimensions: 15.5"W x 2.5"H x 15"D (PN: #: 33-105828).</p> <p>Bottom drawer to have approximate inside dimensions: 15.5"W x 3.5"H x 17"D (PN: #: 33-105338)</p> <p>NOTE: DO NOT ORDER STANDARD S.S. INTERIOR TRIM AT SIDE ENTRY DOOR, ORDER FROM PRINT: 33-103282.</p> <p>NOTE: MSV-II 170 Type III ONLY</p>	\$ 1,296.00
99-1111	<p>Cabinet: Curbside work station with Corian countertop and (2) Powder Coated aluminum drawers, with HD slides - both below the curbside work station Corian countertop. The top drawer to pull out towards side seat and have inside dimensions: 15.5"W x 3"H x 15"D with a hinged polycarbonate lid. The bottom drawer to pull-out towards the aisle will be below the top drawer. Both drawers will have a non-locking LifeDefender latch. See Assembly print: 43-A12009 Rev B. This cabinet will be attached to the curbside wall (with backer plates) and brace below. Bottom Drawer: 33-103697 with 63-04-3110/3111 slides and Top Drawer: 33-103698 with 63-04-3100 slides.</p> <p>NOTE: MSV-II 170 Models ONLY</p>	\$ 1,256.40
99-1071	<p>Cabinet: Custom Main SS rear wall, 2nd action area to be 22.125"W x 18.875"H (requires offset in exterior compartment #3). Cabinet to have standard CPR seat, standard tip-out sharps/waste aft of the CPR seat and the recessed suction.</p>	\$ 892.80
99-0825	<p>Cabinet: Custom Main SS rear wall, 2nd action area to be 22.125"W x 18.875"H (requires offset in exterior compartment #3). Cabinet to have standard CPR seat, standard tip-out sharps/waste with drawer installed above the tip out cabinet which will raise the 2nd action area counter top and reduce the height of Cabinet "A".</p>	\$ 1,215.60
99-0753	<p>Cabinet: Drawer, (1) Aluminum pull-out drawer with HD Keyline slides - below the Action Area countertop with inside dimensions: 10.25"W x 3"H x 17"D (PN: 33-102898). Will have a LifeDefender latch. Requires offset in compartment #2 tub (PN: 33-10-2894):.</p> <p>NOTE: MSV-II 170 Type III Models ONLY</p>	\$ 892.80
99-0895	<p>Cabinet: Drawers, (2) Aluminum pull-out drawers with HD slides - stacked below the rear Action Area with inside dimensions: 10"W x 3.5"H x 17"D (PN: 33-10-4892). Both will have a non-locking LifeDefender latch on the drawer face. ILOS tip out waste/sharps storage.</p> <p>NOTE: MSV-II 170 Type III Models ONLY</p>	\$ 699.60
99-1790	<p>Cabinet: Inside/Outside Access to Compartment #6: With single 1/2" Acrylic hinged door and Eberhard two-point pinch latches - for MSV II only</p> <p>Locate: On LH side of Compartment #6 interior cabinet wall for access to shelves in Compartment #6</p>	\$ 446.40

99-0874 T1	Cabinet: Rear Overhead, (2) 11ga steel, black powder-coated glove box doors PN:33-102030, (1) each side of center mounted clock, ILOS. Rear overhead cabinet drawing: CNC 43-10-3705 NOTE: MSV-II 170/157 Type I ONLY	\$ 285.60
99-0874 T3	Cabinet: Rear Overhead, (2) 11ga steel, black powder-coated glove box doors PN:33-102030, (1) each side of center mounted clock, ILOS. Rear overhead cabinet drawing: CNC 43-10-3705 NOTE: MSV-II 170/157 Type III ONLY	\$ 285.60
99-0105	Cabinet: Squad Bench Overhead for 153, with (2) flip-up 1/2" Acrylic doors, (2) 2" round Southco stainless steel latches on each door and full length stainless steel piano hinge at top.	\$ 892.80
99-1164	Cabinets: Drawers, (1) Aluminum pull-out with HD Keyline slides - (interior dims: 10.5"W x 3.5"H usable height x 17"D) with (1) non-locking, 2" round Southco stainless steel latch on drawer face. LOCATION: Below main Action Area countertop - this will cause an offset in compartment #2. See special tub in compartment section.	\$ 568.80
99-1773	Cabinets: Drawers, (1) ALUMINUM pull-out with HD Keyline slides and LifeDefender latch on drawer face - sized to fit a Smithworks IV warmer (inside dimensions of drawer: 19"W x 15"D x 3.5"H) (dealer will supply and install Smithworks) - drawer to have curly cord connected from back wall of drawer to back wall of inside drawer cabinet - see option 99-0854 in the Electrical Section for wiring through relay. (Cabinet design to allow for the excess room needed behind the drawer for the curly cord to move); ORDER FROM PRINT: 33-103793. Locate: Below the 2nd Action Area on an M2, above the waste tilt-out. This will cause the 2nd action area countertop to raise up and thus decreasing height of cabinet "A" and "C". NOTE: MSV-II Models ONLY	\$ 810.00
99-0859	Cabinets: Drawers, (1) Aluminum pull-out with HD slides and Southco stainless steel non-locking latch on drawer face - sized to fit a Smithworks IV warmer (inside dimensions of drawer: 19"W x 12"D x 5.375"H) (dealer will supply and install Smithworks) - drawer to have curly cord connected from back wall of drawer to back wall of inside drawer cabinet - see option 99-0854 in the Electrical Section for wiring through relay. (Cabinet design to allow for the excess room needed behind the drawer for the curly cord to move)	\$ 810.00
99-1774	Cabinets: Drawers, (2) ALUMINUM build pull-out with HD Keyline slides - stacked below the Action Area countertop with inside dimensions: 10"W x 3"H x 17"D. Both will have non-locking LifeDefender latches. Requires offset in compartment #2 tub PN: . Note: drawers to be aluminum build - see print 33-103729)	\$ 1,053.60
99-0896	Cabinets: Drawers, (2) Aluminum pull-out drawers with HD slides - stacked below the Action Area countertop with inside dimensions: 10"W x 3.5"H x 17"D (PN: 33-10-3729-Rev A). Both will have (1) non-locking, 2" round Southco stainless steel latch on each drawer face. Requires offset in compartment #2 tub (PN: 33-10-2894). NOTE: MSV-II 170 Type III Models ONLY	\$ 1,022.40

99-0842	Cabinets: Forward Action Area, recessed into A.A. wall. Cabinet to be full height of Action Area, 4.375" Deep and 12" wide with 1- fixed shelf at mid point, single 1/2" Acrylic door hinged on right hand side with (2) non-locking, 2" round Southco stainless steel latches. See Print 43-A11109 Rev A. The A.A. overhead cabinet will require special print for Action Area panel.	\$ 480.00
99-1425	Cabinets: Interior Access above 1/2 Compartment #3 with sliding 3/16" polycarbonate doors ILOS hinged dual Acrylic doors inside/outside access to compartment #3. Cabinet to have one adjustable shelf. NOTE: MSV-II / ME-166 Models ONLY	\$ 405.60
99-1778	Cabinets: Interior Access above 1/2 Compartment #3. Cabinet to have dual 1/2" Acrylic, hinged doors with (1) non-locking Eberhard two-point pinch latches on each door, (1) adjustable shelf. NOTE: MSV-II Models ONLY	\$ 730.80
99-0438	Cabinets: Interior Access above 1/2 Compartment #3. Cabinet to have dual 1/2" Acrylic, hinged doors with (2) non-locking, 2" round Southco stainless steel latches on each door, (1) adjustable shelf.	\$ 608.40
99-0826	Cabinets: Interior Access at Compartment #3 offset - 8" deep custom cabinet to have dual 3/16" sliding polycarbonate doors with full length extruded handles, (1) adjustable shelf	\$ 464.40
99-1796	Cabinets: Interior Access at Compartment #3 offset - 8" deep custom cabinet to have dual, hinged 1/2" acrylic doors with (1) Eberhard two-point pinch latch on each door and (1) adjustable shelf.	\$ 480.00
99-1009	Cabinets: Rear Overhead cabinet over rear door opening split into (2) cabinets w/ a single flip-up 1/2" Acrylic door w/(2) round SouthCo latches and Austin constant torque hinges over each opening ILOS one large opening, single door and stainless steel hinges. NOTE: MSVII models only.	\$ 405.60
99-1065	Cabinets: Rear Overhead, Cabinet over rear door opening with (1) flip-up 1/2" Acrylic door with (2) non-locking, 2" round Southco stainless steel latches. - This storage is narrowed for radio speaker install on each side of opening. ILOS See narrowed Acrylic door print PN: 52-10-5615 and cabinet face PN: 43-A11464	\$ 285.60
99-1509	Cabinets: Rear Overhead, Cabinet to have Austin constant torque hinges installed, ILOS stainless steel hinges.	\$ 114.00
800070	Cargo Net: Head of squad bench- Type II Chevy ONLY	\$ 340.80
99-0546	Cargo Net: Head of Squad Bench- Type I / III (166, RP-90, MSV II) PN: 63-08-0022, bolted to taping plates in the floor, wall and ceiling. PN: ZRS-NETMEX009-02-A.	\$ 464.40
99-0511	Cargo Net: Head of squad bench- Type I / III 153 Models. Squad Bench to accommodate mounting plate and cover secured to wall structure. (150 PNs: 63-08-0021, 33-101868, 33-101869) Requires squad bench assembly print different than standard	\$ 706.80
800090	Corian Countertop- 1st / 2nd Action Area, Color: _____ w/_____ Top and perimeter accent lips. To extend over the edge of cabinet main	\$ 1,538.40
99-0975	CPR Seat: Extend a 3/4" dividing wall from the action area overhead down to the countertop to close off the access to the countertop from the CPR seat. Add a full Pad to cover this wall.	\$ 123.60

99-0940	CPR Seat: Install gas strut hold open on lid to meet State of Massachusetts regulations	\$ 84.00
99-0782	Defibrillator Mount: Ferno P-300 Defibrillator Mount Kit for Philips HeartStart MRx. Requires 0.25"x15"x15" mounting plate installed beneath the countertop. Must use a Corian spacer beneath the mounting base so monitor swivels above the countertop lip.	\$ 1,584.00
99-0851	Defibrillator Mount: NCE H7000 LifePak 12/15 Interchangeable monitor mount installed on rear action area shelf with aluminum backer plate PN:33-10-3043 and Corian spacer for swivel base.	\$ 1,495.20
99-0851-A	Defibrillator Mount: NCE H7000A LifePak 12/ Interchangeable monitor mount installed on rear action area shelf with aluminum backer plate PN:33-10-3043 and Corian spacer for swivel base.	\$ 1,281.60
99-1033	Defibrillator Mount: Phillips MRx Shelf Defibrillator Mount Kit with Swivel; NCE Part# H8000A, Requires 0.25"x15"x15" mounting plate installed beneath the countertop. Must use a Corian spacer beneath the mounting base so monitor swivels above the countertop lip. Must Specify Location:	\$ 1,651.20
99-0827	Defibrillator Mount: Zoll X9000 LifePak monitor mount installed on rear action area shelf with aluminum backer plate PN:33-10-3043 and Corian spacer for swivel base.	\$ 1,495.20
800190	Drug Box: Metal box with locking door mounted inside cabinet, see print 33-10-2124 Must Specify Location:	\$ 390.00
99-0982	File/Map Hanger Storage: Formed aluminum with (3) file pockets stacked vertically. Will be white powder coated. Install on cab side of bulkhead below the Pass-Thru window, centered. See print #33-102689.	\$ 405.60
99-0679	Glove Box Holder: Aluminum, powder coated white, 3-Hole Glove Box Holder with Positron hinged, slotted lid mounted on bulkhead between cab seats on Type III pass through wall. Glove boxes will store vertically, side by side. Lid has three oval cut-outs, oriented the same way. MX01533. See print 33-102403. Locate up high below Pass-Through. Make sure flip-up lid will open and not interfere with armrests on passenger and driver seats.	\$ 319.20
800170-3	Glove Box Holders: (3) w/hinged, black 11ga steel powder-coated door, in cabinet above rear entry door	\$ 285.60
99-0798	Glove Box Holders: (3) with hinged, black 11ga steel powder-coated door, above Curbside Entry Door	\$ 285.60
800170-4	Glove Box Holders: (4) w/hinged, black 11ga steel powder-coated door, in cabinet above rear entry door	\$ 286.80
99-1109	Glove Box Holders: Boundtree #290001, white, baked enamel- 5.5" x 10" x 3.75". Specify Location(s): Bulkhead wall above center floor console-cab side, side by side. (mounted vertically)	\$ 140.40
99-0923	Grab Handle: (1) 12" x 1.25" Powder Coated Safety Yellow IATS -	\$ 154.80
99-0745-B	Grab Handle: (1) 18", Powder Coated Blue, 1.25" SS with Radius Ends PN: G304-49101356PCBY, IATS Location:	\$ 232.80
99-0745-R	Grab Handle: (1) 18", Powder Coated Rebel Red, 1.25" SS with Radius Ends PN: G304-49101356PCBR, IATS Location:	\$ 188.40

99-0745-Y	Grab Handle: (1) 18", Powder Coated Safety Yellow, 1.25" SS with Radius Ends PN: G304-49101356PCBY, IATS Location:	\$ 188.40
99-1210	Grab Handle: (1) 36" 1.25"OD 304SS, Offset Grab Handle with Radius Ends PN: G304-49104126, IATS Location:	\$ 163.20
99-1209-R	Grab Handle: (1) 36", Powder Coated Rebel Red, 1.25"OD 304SS, Offset Grab Handle, with Radius Ends PN: G304-49104126PCBR, IATS Location:	\$ 205.20
99-1209-Y	Grab Handle: (1) 36", Powder Coated Safety Yellow, 1.25"OD 304SS, Offset Grab Handle, with Radius Ends PN: G304-49104126PCBY, IATS Location:	\$ 205.20
99-0997	Grab Handle: 1.25" x 12" long Stainless Steel with 30° offset and oval mounting flanges (PN: 49-10-3755). "Not for use with 157 or 170 ALS, or any ALS with doors. Specify handle forward or rearward on door frame of curbside door." Location: Mount on forward side of curbside entry door on the door frame between the door and the ALS cabinet using 1/4" x 20 Type F self tapping machine screws.	\$ 267.60
99-0309	Grab Handle: 18" x 1.25" Stainless steel with radius ends, IATS Location:	\$ 92.40
99-0683-B	Grab Handles: (3) 12", Powder Coated Blue 1.25: SS with Radius Ends-ILOS -All Models	\$ 123.60
99-0683-R	Grab Handles: (3) 12", Powder Coated Rebel Red 1.25: SS with Radius Ends-ILOS -All Models	\$ 123.60
99-0683-Y	Grab Handles: (3) 12", Powder Coated Safety Yellow 1.25: SS with Radius Ends- ILOS -All Models	\$ 66.00
800180	Grab Handles: (3) V-Style Handicapped/Brushed Stainless 1.25 w/Radius Ends- ILOS -All Models	\$ 278.40
99-0614-B	Grab Handles: (3) V-Style, Powder Coated Blue 1.25: SS with Radius Ends-ILOS -All Models	\$ 278.40
99-0614-R	Grab Handles: (3) V-Style, Powder Coated Rebel Red 1.25: SS with Radius Ends- ILOS -All Models	\$ 278.40
99-0614	Grab Handles: (3) V-Style, Powder Coated Safety Yellow 1.25: SS with Radius Ends- ILOS -All Models	\$ 278.40
99-0759	Grab/Assist Handles: Powder Coated Safety Yellow, all overhead, rear main and ALS mounted 1.25: SS handles with radius ends- ILOS - Transit Only	\$ 66.00
99-0946	Inventory Control: 3/4" holes drilled in opposing 3/16" polycarbonate doors for inventory control straps. Drill holes at mid-point on doors at opposite ends from full length extruded handles. (No Footman loops used in this option) Price per cabinet location. Specify Location(s):	\$ 26.40
99-0029	Inventory Control: For sliding polycarbonate cabinet doors- Footman loops and hole drilled in grab handle for wire tie; Price per cabinet location. Specify Location(s):	\$ 58.80
99-0189	IV Pole: 7/8" SS medical equipment / IV Pole, IATS	\$ 84.00

99-0977	Latch: Squad Bench, TriMark, Install (1) flush mount, powder coated black paddle handle in face of squad bench IATS to meet state mandated regulations. Transit Type II Only	\$ 205.20
99-0368	Lock: Cabinet, KabaMas CL-20 (KMCL20SMK5SEWBE1) with key override sensor Kit (KM321103)	\$ 860.40
99-1622	Lock: Codelocks push button Kitlock Model KL1000 cabinet lock. This lock is for 3/4" cabinets. LOCATION: Must Supply	\$ 195.60
99-1784	Lock: CompX Regulator REG-S-L-3 electronic, keyless self-locking with pushbutton access and SlamCAM spring loaded latch Specify Location(s): Must specify	\$ 285.60
99-1839	Lock: LifeDefender CW-LOCKASSY-545 tumbler lock to work with LifeDefender cabinet door or drawer latch. Specify Location(s): Must specify	\$ 163.20
99-0593	Main Cabinet Wall: 2nd Action Area aft of CPR seat on RP-90 Models with 125VAC and 12VDC receptacles. Deletes cabinet A2 aft of CPR seat. NOTE: Includes 33-10-2292 backer plate mounted below shelf for future monitor mount installation.	\$ 405.60
99-0894	Main Cabinet Wall: Extended Action Area with 2nd full depth Overhead cabinet with (1) adjustable shelf. Extended action area to provide 20" clearance above A/A shelf for Monitor Mounting. Upper and Lower Rear Cabinets to extend from end of 2nd action area as far to the rear as physically possible.	\$ 486.00
99-1108	Main Cabinet Wall: Reconfigure street side cabinet wall to eliminate the two (2) angled cabinets fore and aft of the 26.5" W CPR Seat. Make the 2nd Action Area 22"W x 21.875"H, this will narrow the storage to the rear of the 2nd Action Area and decrease the height of the upper rear cabinet. Narrow the Action Area Overhead and Action Area Counter top to allow the CPR seat to shift towards the front of the module. Square off Action Area Overhead and Upper Rear Main cabinet at CPR seat. The Upper Rear Main cabinet will be flush with the plane of the Street side cabinet wall.	\$ 1,215.60
99-0992	Main Cabinet Wall: Reconfigure Streetside Cabinet Wall to delete the standard (2) angled cabinets on either side of CPR Seat. 2nd Action Area to be 22" W x 19.375" H, this will reduce the width of the rear inside cabinet over 1/2 height compartment #3.	\$ 405.60
99-1158	Main Cabinet Wall: Reconfigure Streetside Cabinet Wall to delete the standard (2) angled cabinets on either side of CPR Seat. 2nd Action Area to be 50" W x 20.875" H. 2nd A/A counter top to be Corian full width. Upper rear cabinet to be flush with lower main.	\$ 1,618.80
99-1072	Main Cabinet Wall: Reconfigure Streetside Cabinet Wall to eliminate the two (2) angled cabinets fore and aft of the CPR seat. The 2nd action area will be 17.625"w x 21.875"h. The CPR seat will be widened to 32" shifting forward and eliminating the recessed suction. This will reduce forward action area countertop and overhead cabinet. The overhead cabinet fore and aft of the CPR seat will be squared off eliminating the angled cabinets. The upper rear cabinet will be flush with the face of the streetside cabinet wall. Note: do not order standard seat pad, it is wider now.	\$ 810.00

99-0540a	Main Cabinet Wall: Restocking Feature, Interior Cabinet, Over 40" Width-Sliding Acrylic door with hinged, keyed frame with (2) Titan 20-pound gas struts and (2) spring-loaded elbow catches. Location: Must Specify exact cabinet locations.	\$ 405.60
99-0540	Main Cabinet Wall: Restocking Feature, Interior Cabinet, Under 40" Width-Sliding Acrylic door with hinged, keyed frame with (2) Titan 15-pound gas struts and (2) spring-loaded elbow catches. Location: Must Specify exact cabinet locations.	\$ 405.60
99-0939	Main Wall: Reconfigure Streetside Cabinet Wall to delete the standard (2) angled cabinets on either side of CPR Seat. 2nd Action Area to be 22" W x 21.875" H, this will cause the 2nd A/A to protrude into compt. #3 (special tub). Upper rear cabinet face to be flush with Lower Main. Includes Engineering time. NOTE: MSV-II Models Only	\$ 810.00
800250	Riser: Stainless steel on squad bench face (Standard on MSVII)	\$ 405.60
800260	Riser: stainless steel on streetside lower main (Standard on MSVII)	\$ 405.60
99-0411	Seating: EVS Seat Base, EVS CBDL with latching Door- ILOS	\$ 123.60
800140	Seating: EVS Swivel Base SB-2 two position swivel base for EVS Child seat, ILOS cabinet base	\$ 290.40
99-0828	Seating: EVS Technician's Seat 1860V4B child attendant flip seat with V-4 seat belt system, ILOS on "Transit Only".	\$ 769.20
99-1058	Seating: EVS Technician's Seat 1880 with 10° back Child Restraint System, Rear facing automotive style chair with 4Pt seat belt system mounted on standard steel base- ILOS 4Pt seat.	\$ 486.00
99-0914	Seating: EVS Technician's Seat 1880 with Child Restraint System, Rear facing automotive style chair with 4Pt seat belt mounted on Heater Steel Base- ILOS 4Pt seat and base.	\$ 568.80
99-0393-R	Seating: EVS Technician's Seat 1900RV4B Executive, Reclining Captain's Chair with V4 Seat Belt, ILOS EVS 1780 with V4 belt system.	\$ 1,150.80
99-0393	Seating: EVS Technician's Seat 1900V4B Executive Captain's Chair with V4 Seat Belt, ILOS EVS 1780 with V4 belt system.	\$ 1,159.20
99-0993	Seating: EVS Technician's Seat 2000RV40 Executive Captain's Chair with V4 Seat Belt and recline feature, ILOS EVS 1780 with 4 point belt	\$ 810.00
99-1061	Seating: EVS Technician's Seat Arm Rest for 1760, 1780, 1780E, 1850, 1860, 1880 seats. Must be ordered with seat.	\$ 285.60
99-1044	Seating: EVS Technician's Seat Arm Rest for 1900/2000 seats, Must be ordered with seat.	\$ 338.40
99-0720	Shelf: Adjustable Plywood, in interior cabinet IATS where there is an existing shelf.	\$ 163.20
99-0721	Shelf: Adjustable Plywood, in interior cabinet IATS where there is no existing shelf.	\$ 244.80
99-0863	Shelf: Liner, (1) pliable, skid resistant rubber shelf liner installed on individual interior shelf. Gindor Black Pebble Grain matting to be installed on interior cabinet shelf as specified. Location: Must Specify	\$ 74.40
800235	SouthCo Latches, Round, Metal, Locking- IATS each NOTE: Non-Storage or Content Less than 5lbs.	\$ 84.00
800230	SouthCo Latches, Round, Metal, Locking- ILOS each NOTE: Non-Storage or Content Less than 5lbs.	\$ 62.40
800245	SouthCo Latches, Round, Metal, Non-Locking- IATS each NOTE: Non-Storage or Content Less than 5lbs.	\$ 84.00

800240	SouthCo Latches, Round, Metal, Non-Locking- ILOS each NOTE: Non-Storage or Content Less than 5lbs.	\$ 62.40
99-1070	<p>Squad Bench: TRANSIT ONLY - EVS 1760 seat (order seat with swivel base mounted in right hand position) with Four point harness (without EVS base) mounted on aluminum framed platform over wheelwell built in house-see print #35-A13127. Seat to swivel and lock in side and forward positions. Base to have HDPE enclosure, see print # 46-A13128.</p> <p>Order steel wall frame from print #35-A11683 & Fiberglass wall print for side seat configuration #46-102569.</p> <p>**NOTE: THIS SIDE SEAT TO BE POSITIONED TOWARDS THE REAR AS MUCH AS POSSIBLE - REFERENCE LAST TRUCK 18-TRVG0534.**</p> <p>Cabinet on CS rear behind side seat for Reeves Sleeve and splints etc. Will be HDPE and have a solid door, hinged on left side with Life Defender Latch . Door opens towards aisle, order from print # 52-102775 Rev E. Wall pad print 86-102770, side trim pad print 86-104316, S.S. trim pieces: 33-102974, 33-102973 & steel backer plate: 33-102964.</p> <p>Install HDPE cabinet with laptop platform, tilt-out sharps/waste and Life Defender latch in front of curbside seat (when in forward facing position). Countertop surface on top will be HDPE for a flat writing surface (all one piece with cabinet), see print # 52-102774 Rev C.</p> <p>Sharps/Waste: Tilt out to drop in, located on aisle side of HDPE cabinet forward of curb side tech seat, order bracket from print: #33-100847.</p>	\$ 4,855.20
99-0086	Straps: (3) 1" webbed material w/plastic buckle for Type II ALS cabinet shelves.	\$ 84.00
99-2271	Threshold Trim: Stainless steel threshold trim package for ME-153 modular entry and compartment doors. NOTE: ME-153 Only	\$ 405.60
99-0483	Threshold Trim: Stainless steel threshold trim package for ME-166 modular entry and compartment doors. NOTE: ME-166 Only	\$ 405.60
800280	Walk-Thru DELETE: Pass-Thru window ILOS on Type III or Type II - includes horizontal sliding Lexan window mounted on the cab side with full length extruded/anodize aluminum handle to facilitate access.	\$ 123.60
900057	Cot Mount: Ferno #175-4 ILOS Ferno #175-3 Mounting Locations:	\$ 334.80
99-0729	Cot Mount: Ferno 175-3, Removable floor mounted cot mount. Models: RP-90ES, RP-90MR, PC-90 Mounting Location:	\$ 50.00
99-0730	Cot Mount: Ferno 175-4 Dual Position, Removable Models 153, 157, 166 & 170 Only.	\$ 50.00
99-0723	Cot Mount: Ferno 86" Stat Trac installed in center position, 153" modules only	\$ 2,575.20

99-1020	Cot Mount: Ferno 86" Stat Trac System with integrated charging system. ME-153 modules ONLY. Mounting Location:	\$ 5,913.60
99-0722	Cot Mount: Ferno 86" Stat Trac System: RP-90, PC-90, BL-90 modules ONLY. Mounting Location:	\$ 2,664.00
99-1019	Cot Mount: Ferno 86" Stat Trac with integrated charging system installed in center position, 142" and 146" modules only	\$ 6,080.40
99-1021	Cot Mount: Ferno 91" Stat Trac System w/integrated charging system. Transit ONLY, installed in standard position. Install Nylon runner on main wall and order special rear threshold, see print: 33-10-4720. NOTE: For AL Model Only.	\$ 7,011.60
99-1154	Cot Mount: Ferno 91" Stat Trac System with integrated charging system. Transit ONLY, installed in standard position. Install Nylon runner on main wall and order special rear threshold, see print: 33-10-3605. NOTE: For SS and TWGK Model Only.	\$ 7,120.80
99-2165	Cot Mount: Ferno 91" Stat Trac without ICS installed in Transit models only, installed in standard position. Install Nylon runner on main wall and order special rear threshold, see print: 33-10-3605. NOTE: For SS and TWGK Models Only.	\$ 2,924.40
99-1196	Cot Mount: Ferno 91" Stat Trac without ICS installed in Transit models only, installed in standard position. Install Nylon runner on main wall and order special rear threshold, see print: 33-10-4720. NOTE: For AL Model Only.	\$ 2,940.00
99-0724	Cot Mount: Ferno 96" Stat Trac System: ME-153 & 166"/MSV-II 157 & 170" models ONLY. Mounting Location:	\$ 2,917.20
99-0757	Cot Mount: Ferno 96" Stat Trac with Integrated Charging System installed in center position, 166"/170" modules only	\$ 6,621.60
99-0787	Cot Mount: Ferno 96" Stat Trac with Integrated Charging System, install customer supplied Stat Trac with ICS System	\$ 502.80
99-2173	Cot Mount: Ferno InLine Fastener system with Universal Floor mount (with integrated charging system). For ME-153, ME-166, MSV-II 157 and 170 models only ILOS. NOTE: Dealer Must Specify Mounting Location	\$ 14,130.00
99-2175	Cot Mount: Ferno ProF1 Universal Cot Fastener system with Universal Floor mount ("NO" integrated charging system). For ME-153, ME-166, MSV-II 157 and 170 models only ILOS. NOTE: Dealer Must Specify Mounting Location	\$ 5,413.20
99-2174	Cot Mount: Ferno ProF1 Universal Cot Fastener system with Universal Floor mount (with integrated charging system). For ME-153, ME-166, MSV-II 157 and 170 models only ILOS. NOTE: Dealer Must Specify Mounting Location	\$ 8,742.00
99-0728	Cot Mount: Install Customer supplied Stryker Power Load or Performance Load systems, ILOS. NOTE: Includes wiring for charging system when included with system. Mounting Location:	\$ 502.80
99-0725	Cot Mount: Stryker - Power/Performance Load "floor plate only" for RP90, PC90, BL90 models ONLY. Mounting Location:	\$ 1,250.40

99-0696	Cot Mount: Stryker 6371 Wall-Mount- ILOS Ferno 175-5 Wall-Mount for Transit and Sprinter II	\$ 334.80
900065	Cot Mount: Stryker 6377, Dual Position, Removable Mounting Locations:	\$ 334.80
99-1243	Cot Mount: Stryker large "LOCKING ARM" mounting plate. Mount Stryker Large floor mounting plate for ship loose standard cot mount hardware assembly when installed with customer supplied Power or Performance Load system. Mounting instructions: 12.63" center line to center line from the Stryker floor rail toward the streetside main wall and 28.82" from the rear most end of the Stryker rail to the center of the forward pilot hole for the locking arm. SEE Stryker instructions for clarification.	\$ 168.00
99-0880	Cot Mount: Stryker Performance Load (6392-000-001) with inductive charger and floor plate ILOS 175-3. NOTE: Dealer Must Specify Mounting Location	\$ 10,408.80
99-0878	Cot Mount: Stryker Performance Load (6392-000-001) with inductive charger and floor plate ILOS 175-4. NOTE: Dealer Must Specify Mounting Location	\$ 10,408.80
99-0882	Cot Mount: Stryker Performance Load (6392-000-001) with inductive charger and floor plate ILOS 175-5. NOTE: Type II and Transit Only NOTE: Dealer Must Specify Mounting Location	\$ 10,616.40
99-0881	Cot Mount: Stryker Performance Load (6392-000-002) with floor plate ILOS 175-3. NOTE: RP-90, BL Models Only NOTE: Dealer Must Specify Mounting Location	\$ 6,871.20
99-0879	Cot Mount: Stryker Performance Load (6392-000-002) with floor plate ILOS 175-4. NOTE: 153, 166 and MSV-II Models Only NOTE: Dealer Must Specify Mounting Location	\$ 6,286.80
99-0883	Cot Mount: Stryker Performance Load (6392-000-002) with floor plate ILOS 175-5 Transit Only. NOTE: Dealer Must Specify Mounting Location	\$ 6,621.60
99-2145	Cot Mount: Stryker Power Load Floor mount "Plate Only", ME-153, ME-166, MSV-II 157 and 170. IATS NOTE: Install large floor plate for locking arm from standard cot mounting kit and ship remainder of materials loose. NOTE: Dealer Must Specify Mounting Location	\$ 1,917.60
99-1086	Cot Mount: Stryker Power Load System installed in center position, ILOS RP-90ES, RP-90MR, PC-90 and BL Modular Conversions Only. NOTE: Dealer Must Specify Mounting Location	\$ 38,090.40
99-1087	Cot Mount: Stryker Power Load System installed in street side wall position only, ILOS Type 2 Conversions Only	\$ 37,800.00
99-1088	Cot Mount: Stryker Power Load System with mass casualty fastener (floor plate for rail clamp option). Modular Conversion ONLY Mounting Location Power Load floor Plate: Mounting Location rail clamp floor plate: 12 5/8" from center line of Power Load floor plate to center line of rail clamp floor plate toward the streetside main wall.	\$ 43,041.60
99-0726	Cot Mount: Stryker Power/Performance Load Floor mount "Plate Only", ME-153, ME-166, MSV-II 157 and 170 models only. NOTE: Dealer Must Specify Mounting Location	\$ 1,125.60
99-2011	Cot Mount: Stryker Power/Performance Load floor mount plate assembly kit "Only" installed in standard position, Transit models only.	\$ 1,125.60

99-1742	Cot Mount: Stryker, Power Load System installed in center position, ILOS ME-153, ME-166, MSV-II 157 and 170 Modular Conversions Only.	\$ 38,118.12
900060	Cot Mount: Styker 6370 single position, removable cot mount ILOS FW #175-3, RP90, PC90, BL90 models only. Mounting Locations:	\$ 960.00
900075	Cot Safety Hook: Install at rear threshold Specify Stryker or Ferno:	\$ 187.20
900010	Cot Wheel Plates: Stainless Steel Specify Cot Model:	\$ 187.20
900080	Equipment Pole: 7/8" Stainless Steel with mounting stanchions - IATS Specify Location(s):	\$ 123.60
99-0491	Fire Extinguisher Bracket: Approved Safety& Security, black steel with cam-over lever latch & mounting plate, PN: 63-04-6015, 08-0013.	\$ 147.60
99-0231	Fire Extinguisher: 10lb, ABC with automotive bracket, IATS	\$ 178.80
99-0232	Fire Extinguisher: 10lb, ABC with HD automotive style bracket, ILOS	\$ 108.00
900070	Floor Plates: Additional for Ferno #175-4 Cot Mount Specify Cot Model:	\$ 338.40
900100	Wheel & Post Cups: Install for Ferno # 107 Stair Chair	\$ 152.40
900110	Wheel & Post Cups: Install for Ferno # 11 Stretcher	\$ 152.40
99-0795	Entry Doors: Lower Kick Panels, smooth aluminum with reflective chevron installed ILOS ADP. NOTE: Must Specify Colors	\$ 285.60
1000090	Paint: Roof of Module to be different color that rest of Body from lower edge of roof radius up and over around the entire perimeter of the roof. Color: Color Code: Configuration: NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.	\$ 1,296.00
1000010	Paint: Beltline Stripe with Hockey Stick Stripe Color: Color Code: Configuration:	\$ 1,783.20
1000050	Paint: Beltline Stripe with QRS Pattern Color: Color Code: Configuration:	\$ 2,266.80
1000060	Paint: Beltline Stripe Color: Color Code: Configuration:	\$ 1,458.00
1000080	Paint: Body Only, Custom Color to Match Chassis Color: Color Code: Configuration: NOTE: Requires Paint Color and Code Prior to submitting order. Paint spray samples must be approved prior to scheduling.	\$ 1,618.80

1000072	Paint: Mid-Body Down Type 1 Color: Color Code: Configuration: NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.	\$ 4,855.20
1000070	Paint: Mid-Body Down Type 3 Color: Color Code: Configuration: NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.	\$ 3,237.60
1000020	Paint: Skirt line Stripe Color: Color Code: Configuration:	\$ 1,296.00
1000086	Paint: Type 1, Body and Chassis, Custom (2) Color Scheme Color: Color Code: Configuration: NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.	\$ 12,946.80
1000082	Paint: Type 1, Body and Chassis, Custom Color Color: Color Code: Configuration: NOTE: Requires Paint Color and Code Prior to submitting order. Paint spray samples must be approved prior to scheduling.	\$ 11,328.00
1000088	Paint: Type 3, Body and Chassis, Custom (2) Color Scheme Color: Color Code: Configuration: NOTE: Requires Approved Drawings Prior to submitting order. Paint spray samples must be approved prior to scheduling.	\$ 9,710.40
1000084	Paint: Type 3, Body and Chassis, Custom Color Color: Color Code: Configuration: NOTE: Requires Paint Color and Code Prior to submitting order. Paint spray samples must be approved prior to scheduling.	\$ 8,092.80
1000105	Star-of-Life Package, SHIP LOOSE	\$ 205.20
1000145	Vinyl Graphics: Chevrons, 2-Color: Full Rear, 6" Diamond Grade Reflective Stripes Color #1: Color #2:	\$ 2,428.80
1000130	Vinyl Graphics: Chevrons, 2-Color: Rear Excluding Doors, 6" Standard Grade Reflective Stripes Color #1: Color #2:	\$ 1,377.60
1000065	Vinyl: Beltline Stripe, 10" Reflective Color:	\$ 1,296.00

1000140	Vinyl: Chevrons, 2-Color: Full Rear, 6" Standard Grade Reflective Stripes Color #1: Color #2:	\$ 1,942.80
1000155	Vinyl: Chevrons, 2-Color: Full Rear, 6" Stripe WRAP Color #1: Color #2:	\$ 1,538.40
1000135	Vinyl: Chevrons, 2-Color: Rear Excluding Doors, 6" Diamond Grade Reflective Stripes Color #1: Color #2:	\$ 1,702.80
1000150	Vinyl: Chevrons, 2-Color: Rear Excluding Doors, 6" Stripe WRAP Color #1: Color #2:	\$ 1,135.20
1000040	Vinyl: Pinstripe, 1/4" Reflective on both edges of Beltline Color:	\$ 285.60
1000025	Vinyl: Skirt line Stripe, 8" Reflective Color: Color Code: Configuration:	\$ 892.80

Price List - Customization Categories
Medix Specialty Vehicles, LLC
Ambulances, EMS & Special Service Vehicles
Contract No.: AM10-23
Oct-23

Category	Customization Description	Price Minimum	Price Maximun
Chassis Customizations	unpublished engine, wheel, axle, drivetrain, transmission customizations	\$500.00	\$125,000.00
Compartment Customizations	unpublished storage, compartments, consoles, cabinets customizations	\$250.00	\$90,000.00
Power and HVAC Customizations	unpublished invertor, shoreline power and HVAC customizations	\$500.00	\$90,000.00
Light/Siren Customizations	unpublished light and siren and warning customizations	\$1,000.00	\$50,000.00
Oxygen, Vacuum Customizations	unpublished oxygen, medical air and vacuum customizations	\$1,000.00	\$90,000.00
Cot and Cot Fastener Customizations	unpublished cot and cot fastener customizations	\$500.00	\$90,000.00
Paint and Graphics Customizations	unpublished paint and graphic customizations	\$1,000.00	\$50,000.00
Communication Customizations	unpublished communication system customizations	\$500.00	\$150,000.00