

Attachment A
BPR Operating, LLC
Portable Construction & Maintenance Equipment
Contract No. CM02-21

Product Code	Model/Description	Bid Price	New HGAC Bid Price (as of 07/13/21)
F. Portable "Self-Priming" Trash Pumps			
B. Gorman-Rupp			
CM21FB01	Model 12D-GX160, 2" x 2" Heavy Duty Trash Pump, Double Grease Seal, Gasoline Engine, Passes a 1-3/16" Solid, Shut-Off Head is 116', 185 GPM Flow Rate	\$ 1,549.00	\$ 1,583.00
CM21FB02	Model 13D-GX270, 3" x 3" Heavy Duty Trash Pump, Double Grease Seal, Gasoline Engine, Passes a 1-1/2" Solid, Shut-Off Head is 102', 400 GPM Flow Rate	\$ 2,239.00	\$ 2,252.00
CM21FB03	Model T4A60S-4LE2T FT4 Isuzu, 4" x 4" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 145', 810 GPM Max Flow Rate. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System	\$ 32,020.00	\$ 33,264.00
CM21FB04	Model T4A60S-4LE2T FT4-ESP (Enclosed Silent Package) Isuzu, 4" x 4" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 145', 810 GPM Max Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System	\$ 49,849.00	\$ 52,255.00
CM21FB05	Model T6A60S-4LE2X FT4 Isuzu, 6" x 6" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 152', 1650 GPM Flow Rate. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System	\$ 35,176.00	\$ 36,728.00
CM21FB06	Model T6A60S-4045T FT4 John Deere, 6" x 6" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 152', 1650 GPM Flow Rate. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System	\$ 45,688.00	\$ 46,044.00
CM21FB07	Model T6A60S-4045T FT4-ESP (Enclosed Silent Package) John Deere, 6" x 6" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 152', 1650 GPM Max Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System	\$ 38,162.00	\$ 59,660.00
CM21FB08	Model T6A60S-QSF2.8P FT 4 Cummins, 6" x 6" Heavy Duty Trash Pump, Mechanical Oil Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 152', 1650 GPM Max Flow Rate. Options Available: DOT Wheel-Kit and Eradicator® Solids Management System	\$ 38,862.00	\$ 39,714.00
Q. AMT Pump			
CM21FQ01	Model 1G4XHR-GX120, 1" x 1" Utility Pump, Buna mechanical seal, Portable, Lightweight, Solids handling and dirty water design. Honda GX120 Gasoline Engine, Shut-off head is 90', 75 GPM flow rate	\$ 507.00	

Product Code	Model/Description	Bid Price	New HGAC Bid Price (as of 07/13/21)
CM21FQ02	Model 2S5XHR-GX160, 2" x 2" Self-Priming Trash Pump, cast aluminum housing, viton mechanical seal,Honda GX160 5HP Gasoline engine, passes a 1-1/4" solid, Shut-off head is 125', 230 GPM flow rate	\$ 949.00	
CM21FQ03	Model 2S5XHR-GX200, 3" x 3" Self-Priming Trash Pump, cast aluminum housing, viton mechanical seal,Honda GX200 5HP Gasoline engine, passes a 1-1/4" solid, Shut-off head is 110', 290 GPM flow rate	\$ 1,011.00	
CM21FQ04	Model 3S9XHR-GX270, 3" x 3" Self-Priming Trash Pump, cast aluminum housing, viton mechanical seal,Honda GX270 8HP Gasoline engine, passes a 2" solid, Shut-off head is 110', 370 GPM flow rate	\$ 1,646.00	
CM21FQ05	Model 4S13XHR-GX390, 4" x 4" Self-Priming Trash Pump, cast aluminum housing, viton mechanical seal,Honda GX390 13HP Gasoline engine, passes a 2" solid, Shut-off head is 105', 530 GPM flow rate	\$ 2,599.00	
CM21FQ06	Model 338G-96-GX120, 2" x 2" Self-Priming Diaphragm Pump, cast aluminum housing, Honda GX120 4HP Gasoline engine, passes a 1-5/8" solid, Shut-off head is 25', 50 GPM flow rate	\$ 1,704.00	
CM21FQ07	Model 337H-96-GX160, 3" x 3" Self-Priming Diaphragm Pump, cast aluminum housing, Honda GX160 4HP Gasoline engine, passes a 1-5/8" solid, Shut-off head is 25', 88 GPM flow rate	\$ 1,798.00	
G. Portable "Priming-Assisted" Trash Pumps			
C. Gorman-Rupp			
CM21GC01	Model PAV3B60C-3TNV80F FT4, 3" X 3" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil Lube Seal, Skid-Mounted Final Tier 4 Yanmar Engine, Auto-Start Controls, Passes 3" Solid, Shut-Off Head 136', 450 GPM Max Flow Rate. Options Available: Wheel-Kit.	\$ 24,297.00	\$ 26,265.00
CM21GC02	Model PA4A60C-4LE2T FT4 Isuzu, 4" X 4" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 135', 925 GPM Flow Rate. Options Available: DOT Wheel-Kit	\$ 33,727.00	\$ 35,307.00
CM21GC03	Model PA4A60C-4LE2T FT4-ESP (Enclosed Silent Pump) Isuzu, 4" X 4" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 135', 925 GPM Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure	\$ 47,990.00	\$ 53,210.00
CM21GC04	Model VPA4A60C-3CH1 FT4, 4" x 4" Heavy Duty Priming Assisted Trash Pump, Muchanical Oil Lube Seal, Skid mounted Final Tier 4 Isuzu Diesel Engine, Autostart Controls, Passes 3" solid, Shut off Head is 150', 850 GPM Flow Rate, Options Acailable: DOT Wheel kit.	\$ 27,578.00	\$ 26,695.00
CM21GC05	Model PA6C60-4045T FT4 John Deere, 6" X 6" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 158', 2300 GPM Flow Rate. Options Available: DOT Wheel-Kit	\$ 42,338.00	\$ 46,044.00
CM21GC06	Model PA6C60-4045T FT4-ESP (Enclosed Silent Pump) John Deere, 6" X 6" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 158', 2300 GPM Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure. Options Available: DOT Wheel-Kit	\$ 57,930.00	\$ 66,229.00

Product Code	Model/Description	Bid Price	New HGAC Bid Price (as of 07/13/21)
CM21GC07	Model PA6D60-4045T FT4 John Deere, 6" X 6" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 158', 2300 GPM Flow Rate. Options Available: DOT Wheel-Kit	\$ 41,999.00	\$ 45,805.00
CM21GC08	Model PA6D60-4045T FT4-ESP (Enclosed Silent Pump) John Deere, 6" X 6" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 158', 2300 GPM Flow Rate. Pump & Engine mounted on a full containment base with a "sound-attenuated" aluminum enclosure. Options Available: DOT Wheel-Kit	\$ 56,999.00	\$ 65,668.00
CM21GC09	Model VPA6A60C-4LE2FT4FT 4 Isuzu, 10" X 10" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 114', 1520 GPM Flow Rate. Options Available: DOT Wheel-Kit	\$ 30,972.00	\$ 31,043.00
CM21GC10	Model PA8E60-4045H FT 4 John Deere, 8" X 8" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 200', 3750 GPM Flow Rate. Options Available: DOT Wheel-Kit	\$ 62,615.00	\$ 66,826.00
CM21GC11	Model PA8E60-4045H FT 4-ESP(Enclosed Silent Pump) John Deere, 8" X 8" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 200', 3750 GPM Flow Rate. Options Available: DOT Wheel-Kit	\$ 78,793.00	\$ 91,670.00
CM21GC12	Model PA10A60-4045H FT 4 John Deere, 10" X 10" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 156', 3920 GPM Flow Rate. Options Available: DOT Wheel-Kit	\$ 72,576.00	\$ 73,515.00
CM21GC13	Model PA12A60-4045H FT 4 John Deere, 12" X 12" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 108', 6200 GPM Flow Rate. Options Available: DOT Wheel-Kit	\$ 81,600.00	\$ 81,876.00
CM21GC14	Model PA12A60-4045H FT 4-ESP(Enclosed Silent Pump) John Deere, 12" X 12" Heavy Duty Priming Assisted Trash Pump, Mechanical Oil-Lube Seal, Skid-Mounted Final Tier 4 Diesel Engine, Auto-Start Controls, Passes a 3" Solid, Shut-Off Head is 108', 6200 GPM Flow Rate. Options Available: DOT Wheel-Kit	\$ 104,587.00	\$ 122,485.00
CM21GC15	Model PAH6B60-6068H FT4 John Deere 10" x 6" Heavy Duty High Pressure Priming Assisted Final Tier 4 Diesel Engine-Driven Pump. Auto-Start Controls, Mechanical Oil-Lube Seal Mounted on Steel Skid, Passes 3" Solids, Shut-Off Head is 250'. Max Flow is 4445 GPM. Options Available: Wheel Kit	\$ 85,597.00	\$ 89,042.00
CM21GC16	Model PAH8A60-6090H FT4 John Deere 10" x 8" Heavy Duty High Pressure Priming Assisted Final Tier 4 Diesel Engine-Driven Pump. Auto-Start Controls, Mechanical Oil-Lube Seal Mounted on Steel Skid, Passes 3" Solids, Shut-Off Head is 344. Max Flow is 5250 GPM. Options Available: DOT Highway Trailer	\$ 118,202.00	\$ 119,438.00
CM21GC17	Model PAH10B60-6135H FT4 John Deere 12" X 10" Heavy Duty High Pressure Priming Assisted Final Tier 4 Diesel Engine-Driven Pump. Auto-Start Controls, Mechanical Oil-Lube Seal Mounted on Steel Skid. Passes a 2" Solid, Shut-Off is 380' Max Flow is 6,100 gpm. Options Available: DOT Highway Trailer	\$ 149,971.00	\$ 161,362.00

Product Code	Model/Description	Bid Price	New HGAC Bid Price (as of 07/13/21)
	H. Hydraulic Submersible Pumps		
B. Hydra-Tech			
CM21HB01	2" Aluminum Hydraulic Submersible Vortex Trash Pump S2TAL-2, HT6DE wheelbarrow style portable hydraulic power pack w/Yanmar L70V engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 1 1/2" solids w/ flows to 180gpm / shut off head 90'.	\$ 9,798.00	
CM21HB02	2" Ductile Iron Hydraulic Submersible Vortex Trash Pump S2T-2, HT6DE wheelbarrow style portable hydraulic power pack w/Yanmar L70V engine, electric start and (2) 1/2" x 50' hyd. hoses, bio hydraulic oil, Handles 1 1/2" solids w/ flows to 180gpm / shut off head 90'.	\$ 9,916.00	
CM21HB03	2" Aluminum Hydraulic Submersible Vortex Trash Pump S2TAL-2, HT6GE wheelbarrow style portable hydraulic power pack w/Honda GX270 engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 1 1/2" solids w/ flows to 180gpm / shut off head 90'.	\$ 7,569.00	
CM21HB04	2" Ductile Iron Hydraulic Submersible Vortex Trash Pump S2T-2, HT6GE wheelbarrow style hydraulic portable power pack w/Honda GX270 engine, electric start and (2) 1/2" x 50' hyd. hoses, bio hydraulic oil, Handles 1 1/2" solids w/ flows to 180gpm / shut off head 90'.	\$ 7,687.00	
CM21HB05	3" Aluminum Hydraulic Submersible Vortex Trash Pump S3T, HT11D wheelbarrow style hydraulic portable power pack w/Yanmar L100W engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 2 1/2" solids w/ flows to 360 gpm / shut off head 60'.	\$ 10,814.00	
CM21HB06	3" Ductile Iron Hydraulic Submersible Vortex Trash Pump S3TDI, HT11D wheelbarrow style portable hydraulic power pack w/Yanmar L100W engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 2 1/2" solids w/ flows to 360 gpm / shut off head 60'.	\$ 11,046.00	
CM21HB07	3" Aluminum Hydraulic Submersible Vortex Trash Pump S3T, HT13GE wheelbarrow style portable hydraulic power pack w/Honda GX390 engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 2 1/2" solids w/ flows to 360 gpm / shut off head 60'.	\$ 8,561.00	
CM21HB08	3" Ductile Iron Hydraulic Submersible Vortex Trash Pump S3TDI, HT13GE wheelbarrow style portable hydraulic power pack w/Honda GX390 engine, electric start and (2) 1/2" x 50' hoses, bio hydraulic oil, Handles 2 1/2" solids w/ flows to 360 gpm / shut off head 60'.	\$ 8,792.00	
CM21HB11	8" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S8M, HT35DYS hydraulic Powerpack w/ diesel Yanmar 3TNV88C-DYEM Tier 4 Final, 36.8 HP engine, trailer mounted, 30 gallon oil reservoir, 42 gallon fuel cell, two each 3/4" x 50' hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 2000gpm / shut off head 55'.	\$ 43,129.00	
CM21HB12	8" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S8M, HT30DQV SOUND ATTENUATED hydraulic Powerpack w/ diesel Yanmar 3TNV88C-DYEM Tier 4 Final, 36.8 HP engine, trailer mounted, 30 gallon oil reservoir, 42 gallon fuel cell, two each 3/4" x 50' hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 2000gpm / shut off head 55'.	\$ 64,349.00	
CM21HB17	6" Ductile Iron Body, SS Vortex Impeller Solids Handling Pump S6TDI, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 57,270.00	

Product Code	Model/Description	Bid Price	New HGAC Bid Price (as of 07/13/21)
CM21HB18	6" Ductile Iron Body, SS Vortex Impeller Solids Handling Pump S6TDI, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 91,120.00	
CM21HB19	6" Aluminum Body, SS Vortex Impeller Solids Handling Pump S6T, HT66DKV, trailer mounted hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 52,296.00	
CM21HB20	6" Aluminum Body, SS Vortex Impeller Solids Handling Pump S6T, HT66DKV SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 84,735.00	
CM21HB21	6" Aluminum Body, SS Vortex Impeller Solids Handling Pump S6T, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 57,042.00	
CM21HB22	6" Aluminum, SS Vortex Impeller Solids Handling Pump S6T, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 90,892.00	
CM21HB25	6" Closed Vane Channel Impeller, Ductile Iron pump fits 21" opening S6TC, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 57,931.00	
CM21HB26	6" Closed Vane Channel Impeller, Ductile Iron pump fits 21" opening S6TC, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 91,781.00	
CM21HB27	6" Closed Vane Channel Impeller, Aluminum pump fits 21" opening S6TCAL, HT66DKV, trailer mounted hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 3" solids with flows to 1900gpm / shut off head 125'.	\$ 52,999.00	
CM21HB28	6" Closed Vane Channel Impeller, Aluminum pump fits 21" opening S6TCAL, HT66DKV SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 85,440.00	
CM21HB29	6" Closed Vane Channel Impeller, Aluminum pump fits 21" opening S6TCAL, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 57,747.00	

Product Code	Model/Description	Bid Price	New HGAC Bid Price (as of 07/13/21)
CM21HB30	6" Closed Vane Channel Impeller, Aluminum pump fits 21" opening S6TCAL, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, handles 5" solids w/flows to 1600gpm / shut off head 125'.	\$ 91,597.00	
CM21HB31	12" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S12M, HT66DKV, trailer mounted hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 4300gpm / shut off head 50'.	\$ 57,308.00	
CM21HB32	12" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S12M, HT66DKV SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel Kohler KDI2504T Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 4300gpm / shut off head 50'.	\$ 89,747.00	
CM21HB33	12" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S12M, HT74DJV, trailer mounted hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 4300gpm / shut off head 50'.	\$ 62,054.00	
CM21HB34	12" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S12M, HT74DJVQ SOUND ATTENUATED, trailer mounted, hydraulic Powerpack with diesel John Deere 4045TC03 Tier 4 Final engine, 50 gallon oil reservoir, 81 gallon fuel cell, two each 1" x 50' hydraulic hoses, NOT INTENDED TO HANDLE SOLIDS w/flows to 4300gpm / shut off head 50'.	\$ 95,903.00	
CM21HB35	8" Ductile Iron, Vortex Impeller, Solids Handling pump S8T, HT100DPV trailer mounted hydraulic Powerpack with diesel Perkins 854F-E34TA Tier 4 Final engine, 75 gallon oil reservoir, 105 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, 7" solids w/flows to 4300gpm / shut off head 80'.	\$ 74,578.00	
CM21HB37	8" Ductile Iron, Vortex Impeller, Solids Handling pump S8T, HT100DJV trailer mounted hydraulic Powerpack with diesel John Deere 4045HFC04 Tier 4 Final engine, 75 gallon oil reservoir, 105 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, 7" solids w/flows to 4300gpm / shut off head 80'.	\$ 87,354.00	
CM21HB38	8" Ductile Iron, Vortex Impeller, Solids Handling pump S8T, HT100DJVQ SOUND ATTENUATED trailer mounted hydraulic Powerpack with diesel John Deere 4045HFC04 Tier 4 Final engine, 100 gallon oil reservoir, 90 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, 7" solids w/flows to 4300gpm / shut off head 80'.	\$ 123,409.00	
CM21HB39	10" Ductile Iron, Vortex Impeller Solids Handling pump S10T, HT150DJV dual axle highway trailer mounted hydraulic Powerpack w/ diesel John Deere 4045HFC06 Tier 4 Final engine, 100 gallon oil reservoir, 105 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, handles 8" solids with flows to 5000 gpm / shut off head 100'.	\$ 94,220.00	

Product Code	Model/Description	Bid Price	New HGAC Bid Price (as of 07/13/21)
CM21HB40	10" Ductile Iron, Vortex Impeller Solids Handling pump S10T, HT150DQV SOUND ATTENUATED dual axle highway trailer mounted hydraulic Powerpack w/ diesel John Deere 4045HFC06 Tier 4 Final engine, 100 gallon oil reservoir, 90 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, handles 8" solids with flows to 5000 gpm / shut off head 100'.	\$ 131,357.00	
CM21HB41	18" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S18M, HT150DJV dual axle highway trailer mounted hydraulic Powerpack w/ diesel John Deere 4045HFC06 Tier 4 Final engine, 100 gallon oil reservoir, 105 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, NOT INTENDED TO HANDLE SOLIDS w/flows to 10,000gpm / shut off head 60'.	\$ 101,552.00	
CM21HB42	18" Ductile Iron, Axial Flow, high volume / low head pump, mixed flow impeller S18M, HT150DQV SOUND ATTENUATED dual axle highway trailer mounted hydraulic Powerpack w/ diesel John Deere 4045HFC06 Tier 4 Final engine, 100 gallon oil reservoir, 90 gallon fuel cell, 1-1/4" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, NOT INTENDED TO HANDLE SOLIDS w/flows to 10,000gpm / shut off head 60'.	\$ 138,689.00	
CM21HB43	12" Ductile Iron pump w/two vane Closed Channel Impeller S6300, HT200DJV dual axle highway trailer mounted hydraulic Powerpack diesel John Deere 6068HC09 engine, 100 gallon oil reservoir, 105 gallon fuel cell, 1-1/2" x 50' hydraulic hose set and one 1/2" x 50' case drain hose, handles 5" solids with flows to 8500gpm / shut off head 110'.	\$ 126,823.00	
I. Electric Submersible Pumps			
B. Gorman-Rupp			
CM21IB01	Model S2A1, 2" Electric Submersible Pump 230Volt 1 Phase 2HP, NEMA Control Panel w/Standard 50' Cable	\$ 4,639.00	\$ 4,927.00
CM21IB02	Model S3A1, 3" Electric Submersible Pump 230 Volt 3 Phase 5 HP, NEMA Control Panel w/Standard 50' Cable	\$ 4,985.00	\$ 5,196.00
CM21IB03	Model S4A1-E25, 4" Electric Submersible Pump 460 Volt 3 Phase 25 HP, NEMA Control Panel w/Standard 50' Cable	\$ 13,336.00	\$ 13,915.00
CM21IB04	Model S6A1-E60, 6" Electric Submersible Pump 460Volt 3 Phase 60 HP, NEMA Control Panel w/ Standard 50' Cable	\$ 19,413.00	\$ 20,006.00
CM21IB05	Model S8A1-E95, 8" Electric Submersible Pump 460 Volt 3 Phase 95 HP, NEMA Control Panel w/Standard 50' Cable	\$ 22,244.00	\$ 22,634.00
CM21IB06	Model S12A1-E140, 12" Electric Submersible Pump 460 Volt 3 Phase 140 HP, NEMA Control Panel w/Standard 50' Cable	\$ 31,312.00	\$ 31,353.00
I. AMT Pump			
CM21II01	Model 5891-DC, 1-1/2" 12 Volt Electric Submersible Pump 1/3HP, on/off switch w/Standard 30' Power Cord, comes with metal carry case	\$ 928.00	
CM21II02	Model 5811-99, 1-1/2" Electric Submersible Pump 1/2HP, single phase, 115v, plastic housing, automatic float switch w/Standard Power Cord, solids handling clog resistant impellers. Shut-off head 21', Flows up to 47 GPM.	\$ 218.00	
CM21II03	Model 5780-98, 2" Electric Submersible Pump 1/2HP, single phase, 115v, stainless steel housing, automatic float switch w/Standard Power Cord, solids handling clog resistant impellers. Shut-off head 32', Flows up to 57 GPM.	\$ 602.00	
CM21II04	Model 5792-95, 2" Electric Submersible Pump 1/2HP, single phase, 115v, Cast Iron Housing, automatic float switch w/Standard Power Cord, solids handling clog resistant impellers. Shut-off head 37', Flows to 64 GPM.	\$ 363.00	