



# 2024 - SAFETY LIGHTING AND FIRE PPE

FOR HGAC #EE 11-24

**FIRE FIGHTER - PASS AND LIGHTING**

**MINING - LIGHTING and M-R-A**

**ARSON DETECTION**



INTENTIONALLY BLANK

# SuperPASS®5 and SuperPASS®5X NFPA Compliant Stand-Alone PASS



versus



## SuperPASS®5 and SuperPASS®5X - What is the Difference?



SuperPASS®5 is a Stand-Alone PASS Alarm that replaces SuperPASS®2 and SuperPASS®3 PASS Alarms



### SuperPASS®5X is **MUCH MORE** than just an **Stand-Alone PASS Alarm!**

- \* SuperPASS® 5 and 5X is NOW the primary PASS device for firefighters - the SCBA becomes a secondary back-up PASS. So that, even when the SCBA is removed, NFPA compliance is maintained during every firefighting operation, such as wildland, SAR, and Fire/Police personnel.
- \* **Field Upgrade at Anytime** and the SuperPASS® 5X becomes an RF PASS for use with the Grace Fire Fighter In-Command® Emergency Signaling and Automated Accountability Systems.
- \* **SuperPASS®5X** is used to solve two of the biggest issues identified in Line-of-Duty deaths .....

\* Grace uses a very high performance unlicensed data radio spectrum that is **totally separate from your existing voice radio system** to conduct all incident command accountability monitoring and signaling.

\* Because Grace Intelligent Accountability is conducted on its own separate system, it **freed up the radio voice channel for other time critical fire ground radio traffic.**

\* A firefighter **does not have to rely on the voice radio channel** to send a MAYDAY. **When the MAYDAY is sent** using Grace In-Command®, the **Incident Commander knows immediately who is in MAYDAY without confusing or competing radio traffic.**

\* A **PAR Check command can be performed in a matter of seconds** without ever having to key a radio microphone and a **firefighter's response is immediately displayed for the Incident Commander.**

\* The traditional **PAR Check becomes much more** when the firefighter is trained in this manner:

Step 1. - Before the firefighter acknowledges the PAR command they are trained to first monitor, and **take mind of their own cylinder pressure**; this simple step forces the firefighter to serve an active role in their personal safety.

Step 2. - After **monitoring and understanding their own cylinder pressure**, they **acknowledge the PAR check by pressing the side buttons** on their Grace TPASS®

**Field Upgrade the SuperPASS®5X AT ANY TIME** - allows departments to spread the cost of an Accountability System purchase across budget cycles.

1. Purchase the SuperPASS®5X at \$739 and you have a stand-alone NFPA compliant PASS that keeps you in compliance with NFPA1500 at all times.
2. At anytime you can purchase the field upgrade for \$367 per device, and transform the SuperPASS®5X into a TPASS®5 - NFPA compliant RF PASS.
3. The field upgraded SuperPASS®5X can now be used with the NFPA compliant In-Command® First -In and In-Command® Full Crew Systems to enable Emergency Signaling and Automated Intelligent Accountability on the fireground.

# SuperPASS®5 and SuperPASS®5X NFPA Compliant Stand-Alone PASS

## SuperPASS® 5

STAND-ALONE PASS



## SuperPASS® 5X

STAND-ALONE PASS

~ \*FIELD UPGRADEABLE\* ~

TO NFPA COMPLIANT RF PASS

SP5X-H-A

\* Available through In-Command® System



|   |   |  |           |        |
|---|---|--|-----------|--------|
|   | <b>SuperPASS®5<br/>NFPA Compliant</b>   | 30 SECOND MOTION TIME -NFPA STANDARD<br>AUTO-ON ACTIVATION<br>SHIPS WITH 3-NFPA APPROVED (AA) BATTERIES<br>200 HOURS IN SENSING MODE - 24-28 HOURS IN ALARM mode<br>-SHIPS WITH AKS5T5 ACCOUNTABILITY KEY  | SP5-H-A   | \$ 595 |
|  | <b>SuperPASS®5x<br/>NFPA Compliant<br/>- FIELD UPGRADABLE TO NFPA RF<br/>PASS</b> | -30 SECOND MOTION TIME -NFPA STANDARD<br>-AUTO-ON ACTIVATION<br>-SHIPS WITH 3-NFPA APPROVED (AA) BATTERIES<br>-USED AS SuperPASS 5 (Audio Only) -200 HOURS IN SENSING<br>MODE - 24-28 HOURS IN ALARM mode<br>-USED AS SuperPASS 5x (Audio + RF Telemetry) - 24-30 HOURS<br>IN SENSING MODE - 4 HOURS IN ALARM mode<br>-SHIPS WITH AKS5T5 ACCOUNTABILITY KEY<br>*User Field Upgradable to RF PASS used with In-Command®<br>Firefighter Accountability Systems | SP5X-H-A  | \$ 739 |
| <b>FIRMWARE<br/>DOWNLOAD</b>  | <b>Field Upgrade SuperPASS® 5 to<br/>SuperPASS® 5x</b>                            | When field upgraded for use as a RF PASS, the SuperPASS® 5x<br>operates with In-Command® Firefighter Emergency Signaling and<br>Advance Accountability Systems. Please call for details of In-<br>Command®   | SP5X-T5FU | \$ 367 |
|  | <b>USB Data Download Cable</b>  | Requires PC utility used to download internal data logs, clock<br>reset and upgrade to SuperPASS® feature.   | S5T5DLC-1 | \$ 19  |

**MADE IN  
USA**

SEE PAGE 3 FOR A DETAILED DESCRIPTION

# LITE TRACKER® - All Models Ship with 2 - AAA Alkaline Batteries - XX-Specify Clip Style

**GC-Grip Clip - Add \$0**



**MG-Magnetic - Add \$8**




**SC-Swivel Clip - Add \$8**



**FC-Flex Clip - Add \$0**



| Lite Tracker Demonstration Images   |   | G Series  | LITE TRACKER - G Series-  | Lens Color         | LED Color        | Pattern  | XX-Specify Clip Style |        |     |
|---|---|---|---|--------------------|------------------|--|-----------------------|--------|-----|
|  |  | Lite Tracker G                                      | Flash only 3-amber LEDs - ≥160 hours of operation   | Green              | Amber            | Flash Only   | LTG-XX                | \$54   |     |
|   |   | Lite Tracker G1                                     | Flash only 3-red LEDs - ≥160 hours of operation   | Red                | Red              | Flash Only   | LTG1-XX               | \$54   |     |
|   |   | Lite Tracker G2                                     | Flash only 3-green LEDs - ≥96 hours of operation  | White              | Green            | Flash Only   | LTG2-XX               | \$54   |     |
|   |   | Lite Tracker G3                                     | Flash only 3-blue LEDs - ≥96 hours of operation   | White              | Blue             | Flash Only   | LTG3-XX               | \$54   |     |
|  |  | <b>LITE TRACKER - 2000 Series</b>                   |   | <b>Lens Color</b>  | <b>LED Color</b> | <b>Pattern</b>   |                       | \$0    |     |
|   |   | Lite Tracker 2004                                   | 2-Red, 1-blue LED - ≥50 hours of operation  | White              | Red/Blue/Red     | Alternating  | LT2004-XX             | \$62   |     |
|   |   | Lite Tracker 2005                                   | 2-Red, 1-blue LED (StarBurst) - ≥40 hours   | White              | Red/Blue/Red     | Starburst  | LT2005-XX             | \$62   |     |
|   |   | Lite Tracker 2006                                   | 1-Red, 1-white, 1-blue LED (All American) - ≥50 hours   | White              | Red/White/Blue   | Alternating  | LT2006-XX             | \$62   |     |
|  |  | Lite Tracker 2008                                   | 3-Red LEDs - glow, flash or strobe - ≥160 hours   | Red                | Red              | Glow/Flash/Strobe  | LT2008-XX             | \$62   |     |
|   |   | Lite Tracker 2009                                   | 3-Amber LEDs - glow, flash or strobe - ≥160 hours   | Amber              | Amber            | Glow/Flash/Strobe  | LT2009-XX             | \$62   |     |
|   |   | Lite Tracker 2012                                   | 3-Green LEDs - glow, flash or strobe - ≥96 hours  | White              | Green            | Glow/Flash/Strobe  | LT2012-XX             | \$62   |     |
|   |   | Lite Tracker 2013                                   | 3-Blue LEDs - glow, flash or strobe - ≥96 hours   | White              | Blue             | Glow/Flash/Strobe  | LT2013-XX             | \$62   |     |
|   |   | Lite Tracker 2018                                   | 3-White LEDs - glow, flash or strobe - ≥96 hours  | White              | White            | Glow/Flash/Strobe  | LT2018-XX             | \$62   |     |
|  |  | Lite Tracker 2016A                                  | Water activated, Coast Guard compliant, 3-amber LEDs - ≥96 hours of operation - Used for Surface Diving     | Amber              | Amber            | Flash Only   | LT2016A-XX            | \$71   |     |
|   |   | Lite Tracker 2017AD                                 | Push button, Coast Guard compliant, 3-amber LEDs - ≥96 hours of operation - Used for Deep Diving - 100 Feet | Amber              | Amber            | Flash Only   | LT2017AD-XX           | \$71   |     |
|   |   | Lite Tracker 2017AS                                 | Push button, Coast Guard compliant, 3-amber LEDs - ≥96 hours of operation - Used for Surface Diving         | Amber              | Amber            | Flash Only   | LT2017AS-XX           | \$71   |     |
| <b>LT2017D USCG approved Push Button Unit- Deep Diving Tested -100 ft</b>         | <b>LT2016 USCG approved Water Activated Unit- Surface OR Deep Diving (100 ft)</b> | <b>MSHA Certified LITE TRACKER - MSHA CERTIFIED</b> |   | <b>Lens Color</b>  | <b>LED Color</b> | <b>Pattern</b>   |                       |        |     |
|   |   | Lite Tracker 2000 M                                 | Flash only 3-amber LEDs - ≥160 hours of operation   | Green              | Amber            | Flash Only   | 2000M -XX             | \$71   |     |
|   |   | Lite Tracker 2001 M                                 | Flash only 3-red LEDs - ≥160 hours of operation   | Red                | Red              | Flash Only   | 2001M-XX              | \$71   |     |
|   |   | Lite Tracker 2002 M                                 | Flash only 3-green LEDs - ≥96 hours of operation  | White              | Green            | Flash Only   | 2002M-XX              | \$71   |     |
|   |   | Lite Tracker 2003 M                                 | Flash only 3-blue LEDs - ≥96 hours of operation   | White              | Blue             | Flash Only   | 2003M-XX              | \$71   |     |
|   |   | Lite Tracker 2004 M                                 | 2-Red, 1-blue LED produce an alternating pattern - ≥50 hours  | White              | Red/Blue/Red     | Alternating  | 2004M-XX              | \$71   |     |
|   |   | Lite Tracker 2005 M                                 | 2-Red, 1-blue LED produce a flash and pulse pattern - ≥40 hours   | White              | Red/Blue/Red     | Flash/Pulse  | 2005M-XX              | \$71   |     |
|   |   | Lite Tracker 2006 M                                 | 1-Red, 1-white, 1-blue LED produce an alternating pattern - ≥50 hours of operation                          | White              | Red/White/Blue   | Alternating  | 2006M-XX              | \$71   |     |
|   |   | Lite Tracker 2008 M                                 | 3-Red LEDs - glow, flash or strobe - ≥160 hours   | Red                | Red              | Glow/Flash/Strobe  | 2008M-XX              | \$71   |     |
|   |   | Lite Tracker 2009 M                                 | 3-Amber LEDs - glow, flash or strobe - ≥160 hours   | Green              | Amber            | Glow/Flash/Strobe  | 2009M-XX              | \$71   |     |
|   |   | Lite Tracker 2012 M                                 | 3-Green LEDs - glow, flash or strobe - ≥96 hours  | White              | Green            | Glow/Flash/Strobe  | 2012M-XX              | \$71   |     |
|   |   | Lite Tracker 2013M                                  | 3-Blue LEDs - glow, flash or strobe - ≥96 hours   | White              | Blue             | Glow/Flash/Strobe  | 2013M-XX              | \$71   |     |
|   |   | Lite Tracker 2018 M                                 | 3-White LEDs - glow, flash or strobe- ≥96 hours   | White              | White            | Glow/Flash/Strobe  | 2018M-XX              | \$71   |     |
| <b>XX-Specify Clip Style GC/MG/SC/FC</b>  |   | <b>MADE IN USA</b>                                  |   | <b>HELMET BAND</b> |                  | <b>Use with miner's safety cap or any standard safety helmet</b> |                       | LTHB-1 | \$5 |



HELMET BAND

Helmet Band

Use with miner's safety cap or any standard safety helmet

LTHB-1

\$5

# LANDING ZONE KIT and Flare Lites®



The kit includes – 4 Red Flare Lites, 1 Blue Flare Lite, 2 Glow Baton Marshalling Wands, 7 Heavy Duty Rubber Stand-up Bases, a rugged and highly visible nylon tote for easy storage and transport plus laminated Helicopter Landing Zone set-up instructions. (All lights are Flameless LED).

**LANDING ZONE KIT    ELZ-K1    \$499**

|   |       |      |
|---|-------|------|
| 8 blue and 1 white LED and can produce glow or flash patterns with blue, and glow only with white. Up to 24 hours in color glow or flash - 72 hours glow white. | FL-BW | \$60 |
| 8 red and 1 white LED and can produce glow or flash patterns with red, and glow only with white. Up to 24 hours in color glow or flash - 72 hours glow white.   | FL-RW | \$60 |
| Heavy Duty Rubber Stand Up Base for Glow Baton and Flare Lite - (Order Separately) - Used with all Glow Baton or Flare Lite Models.                             | GBASE | \$14 |

## Flare Lites®



**GBASE**



# GLOW BATON® - All Models Ship with (2) C-Cell Alkaline Batteries



| GLOW-FLASH-STROBE~MULTI-COLOR |                  | GLOW-FLASH-STROBE~MULTI-COLOR   |  | LED Color       | Tube Color | Pattern           | Model     | NEW  |
|-------------------------------|------------------|---|--|-----------------|------------|-------------------|-----------|------|
| <b>Red</b>                    | Glow Baton 100HD | Red LEDs glow, flash and strobe with red tube-HEAVY DUTY - uses (2) C-Cells - 144 Flash/Strobe Mode - 72 hours Glow Mode                    |  | Red             | Red        | Glow/Flash/Strobe | GB100HD   | \$52 |
| <b>Red and Green</b>          | Glow Baton 400HD | Red and green LEDs glow, flash and strobe with white tube-HEAVY DUTY - uses (2) C-Cells - 144 Flash/Strobe Mode - 72 hours Glow Mode        |  | Red/Green       | White      | Glow/Flash/Strobe | GB400     | \$59 |
| <b>Red, Green, and Blue</b>   | Glow Baton 500HD | Red, Green and Blue LEDs glow, flash and strobe with white tube -HEAVY DUTY - uses (2) C-Cells - 144 Flash/Strobe Mode - 72 hours Glow Mode |  | Red/Blue/Green  | White      | Glow/Flash/Strobe | GB500     | \$65 |
| GLOW ONLY ~SINGLE COLOR       |                  | GLOW ONLY ~SINGLE COLOR   |  | LED Color       | Tube Color | Pattern           | Model     | \$0  |
| <b>Red</b>                    | Glow Baton GR    | Glow Only Red LEDs with red tube-HEAVY DUTY R - uses (2) C-Cells - 72 hours Glow Mode   |  | Red             | Red        | Glow Only         | GB100-G-R | \$52 |
| <b>Blue</b>                   | Glow Baton GB    | Glow Only Blue LEDs with white tube - HEAVY DUTY - uses (2) C-Cells - 72 hours Glow Mode  |  | Blue            | White      | Glow Only         | GB100-G-B | \$52 |
| <b>Green</b>                  | Glow Baton GG    | Glow Only Green LEDs with white tube -HEAVY DUTY - uses (2) C-Cells - 72 hours Glow Mode  |  | Green           | White      | Glow Only         | GB100-G-G | \$52 |
| <b>Amber</b>                  | Glow Baton GA    | Glow Only Amber LEDs with yellow tube - uses (2) C-Cells - 72 hours Glow Mode   |  | White           | Yellow     | Glow Only         | GB100-G-A | \$52 |
| GLOW ONLY~MULTI-COLOR         |                  | GLOW ONLY~ TWO-COLOR  |  | LED Color       | Tube Color | Pattern           | Model     |      |
| <b>Red and Green</b>          | Glow Baton GRG   | Glow Only Red and Green LEDs with white tube - uses (2) C-Cells - 72 hours Glow Mode  |  | Red/Green       | White      | Glow Only         | GB-G-R-G  | \$65 |
| GLOW ONLY~MULTI-COLOR         |                  | GLOW ONLY ~ THREE COLOR   |  | LED Color       | Tube Color | Pattern           | Model     |      |
| <b>Green, Amber, and Red</b>  | Glow Baton GB300 | Green, Amber and Red LEDs glow only with white tube - uses (2) C-Cells - 72 hours Glow Mode   |  | Green/Amber/Red | White      | Glow Only         | GB300     | \$65 |

## GLOW BATON ACCESSORIES



|  |   |        |      |
|--|---|--------|------|
|  | <b>Magnetic Screw-On Base for Glow Baton®</b><br>Used with all models.<br>(Glow Baton® is ordered separately)   | GBMAG  | \$10 |
|  | <b>Heavy Duty Rubber Stand Up Base</b><br>For use with all models of Glow Baton® and Flare Lite®<br>(Glow Baton® and Flare Lite® is ordered separately) | GBBASE | \$14 |

# NFPA COMPLIANT PASS and MSHA Mine Rescue Alarms

## M-R-A® MINE RESCUE ALARM

|   |                           |   |                   |   |              |
|---|---------------------------|---|-------------------|---|--------------|
|  | <b>M-R-A® Mine Rescue</b> | <b>MSHA Approved, auto on</b> activation motion and <b>temperature</b> sensing<br>- 40 hours of use - 4-6 hours in full alarm | <b>MRA-A-H</b>    |  | <b>\$270</b> |
|   | <b>M-R-A® Mine Rescue</b> | <b>MSHA Approved, manual</b> activation motion and <b>temperature</b> sensing<br>- 40 hours of use - 4-6 hours in full alarm  | <b>MRA-MAN-H</b>  |   | <b>\$270</b> |
|   | <b>M-R-A® Mine Rescue</b> | <b>MSHA Approved, auto on</b> activation, motion sensing only - 40 hours of use - 4-6 hours in full alarm                     | <b>MRA-A-M</b>    |   | <b>\$257</b> |
|   | <b>M-R-A® Mine Rescue</b> | <b>MSHA Approved, manual</b> activation, motion sensing only - 40 hours of use - 4-6 hours in full alarm                      | <b>MRA-MAN-M</b>  |   | <b>\$257</b> |
|   | <b>M-R-A® Mine Rescue</b> | <b>MSHA Approved Audio Beacon Alarm manual</b> activation <b>no motion sensing - 72 hour in Full Alarm Operation</b>          | <b>MRA-MAN-AB</b> |   | <b>\$219</b> |

## Super PASS® 2 & 3 & 5 REPLACEMENT PARTS

|   |   |   |                  |             |                         |
|---|---|---|------------------|-------------|-------------------------|
|     | SuperPASS® 2 Accountability Key   | For use with SP2, TP2, TP3 and Mine Rescue                        | <b>AKS2T3</b>    |             | <b>\$27</b>             |
|   | SuperPASS® 3 Accountability Key   | For use with SP3 and TP4  | <b>AKS3T4</b>    |             | <b>\$27</b>             |
|   | SuperPASS® 5 Accountability Key   | For use with SuperPASS 5-SuperPASS 5X                             | <b>AKS5T5</b>    |             | <b>\$29</b>             |
|   | SuperPASS® 5/5X Data Cable  | Use for clock reset and data log downloads                        | <b>S5T5DLC-1</b> |             | <b>\$19</b>             |
|   | SuperPASS®2 Back Plate  | Back Plate for SP2 includes grip clip (includes 4 screws)         | <b>BPS2</b>      |             | <b>\$33</b>             |
|   | M-R-A® Back Plate   | Back Plate for Mine Rescue includes grip clip (includes 4 screws) | <b>BPMRA</b>     |             | <b>\$33</b>             |
|   | SuperPASS®3 Battery cover S3T4  | Battery cover for SP3 includes O-ring (includes 4 screws)         | <b>BCS3T4</b>    |             | <b>\$31</b>             |
|   | SuperPASS®3 Viton O-ring  | Replacement O-ring for SP3  | <b>S3T4OR</b>    |             | <b>\$2</b>              |
|   | SuperPASS®2 Screws  | Stainless steel screws for SP2 battery cover                      | <b>S2T3SSS</b>   |             | Bag of 20 <b>\$8.00</b> |
|   | SuperPASS®3 Screws  | Stainless steel screws for SP3 battery cover                      | <b>S3T4SSS</b>   |             | Bag of 20 <b>\$8.00</b> |
|   | SuperPASS®3 Battery Release   | Battery release strap for SP3                                     | <b>S3T4BRS1</b>  |             | <b>\$2</b>              |
|   | SuperPASS®3 Wire Clip   | Replacement attachment clip for SP3                               | <b>S3T4WC1</b>   |             | <b>\$3</b>              |
|   | SuperPASS®3 Alternate Wire Clip   | Secondary wire attachment clip for SP3 - alternate attachment     | <b>S3T4WC2</b>   |             | <b>\$3</b>              |
|   | SuperPASS®3 Protective Cover  | Replacement silicone protective cover for SP3                     | <b>SPCS3</b>     |             | <b>\$40</b>             |
|  | TPASS 5/SuperPASS 5/5X Silicon overmolded back with multi-position heavy duty Stainless Steel Grip Clip (includes 4 screws) | <b>BPS5T5</b>   |                  | <b>\$43</b> |                         |
| <b>TPASS 5 Backplate Screws</b>   | Pack of 20 Stainless Steel 4-40 5/8" screws   | <b>TP5BPSS</b>  |                  | <b>\$9</b>  |                         |
| <b>TPASS 5 Stainless Steel Grip Clip</b>  | Stainless Steel Grip Clip   | <b>BPTP5GC</b>  |                  | <b>\$10</b> |                         |
| <b>TPASS 5 Grip Clip Screws</b>   | Pack of 20 Stainless Steel 4-20 1/4" screws   | <b>TP5GCSS</b>  |                  | <b>\$9</b>  |                         |

See Page 3

See Page 3

See Page 3

# Arson Investigation and Gas Detection Equipment

|   |   |                 |                |
|---|---|-----------------|----------------|
|  <p><b>Model 950-ASH<br/>Non-Calibrated</b></p> <p style="font-size: small; color: blue;">MADE IN USA</p> | <p><b>Arson - Scanner - Hydrocarbons - New Advanced Redesign of our Best Seller - Metered, Noncalibrated, Purge, Rechargeable, with Mute - For Detection of Hydrocarbons, Accelerants, Petroleum Volatiles and Various Gases. A ruggedly constructed gas detection and field survey tool; will detect the presence of hydrocarbons that may be present at a fire scene and is equally effective as a general purpose gas detector. Includes new selectable UV light and White Light (end-of-probe) useful as an enhanced investigation tool. New USB Rechargeable with Low Battery Indicator.</b></p> | <b>M950-ASH</b> | <b>\$1,828</b> |
|---|---|-----------------|----------------|

## Gas Detection Accessories

|  |                          |  |                |                |              |
|--|--------------------------|--|----------------|----------------|--------------|
|  | Probe                    | Telescoping Probe for models C                             | G-TPC          | G-TPC          | <b>\$98</b>  |
|  | Model C Vehicle Charger  | 12VDC vehicle charger for Model C                          | G-U12VDC       | G-U12VDC       | <b>\$43</b>  |
|  | Model C Charger - 120VAC | 120VAC charger for use with models C & C+, 6 volts @ 200Ma | G-C-120VAC     | G-C-120VAC     | <b>\$24</b>  |
|  | 950-ASH Charger - 12VDC  | 12 VDC charger - and USB cable                             | G-WF950-12VDC  | G-WF950-12VDC  | <b>\$39</b>  |
|  | 950-ASH Charger - 120VAC | 120VAC USB cable and power adapter                         | G-WF950-120VAC | G-WF950-120VAC | <b>\$32</b>  |
|  | Sensor                   | Replacement sensor for models C and 950-ASH                | G- SU          | G- SU          | <b>\$147</b> |

Grace Industries line of portable gas & hydrocarbon detection instruments are not to be used as absolute measuring devices and should only be used as a tool to aid in pinpointing suspect areas of concern.

## GRACE WARRANTY

Grace Industries, Inc. warrants your product to be free from defects in workmanship and materials for a period of one (1) year from the date of original purchase.

Grace Industries will repair or replace at Grace's option the entire product free of charge.

All warranty repairs require return authorization - prior to shipping, call or email for a RMA number. Returns without a proper RMA # will not be processed. Authorization request shall be sent to [service@graceindustries.com](mailto:service@graceindustries.com)

Send all returned merchandise, prepaid and accompanied by proof of purchase that states date and location of purchase to: Grace Industries Inc., 305 Bend Hill Road, Fredonia, PA 16124, U.S.A. Customer is responsible for return shipping, handling, and any other associated cost. The product is warranted providing that a defect in workmanship and materials or damage was not in part or in whole a result from repairs or parts replacement that were made or attempted by other than Grace Industries authorized personnel. GRACE INDUSTRIES, INC. SHALL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL LOSS OR DAMAGE ARISING OUT OF THE FAILURE OF THE PRODUCT TO OPERATE.

The sole and exclusive remedy under all guarantees or warranties, expressed or implied is strictly limited to the repair or replacement as herein provided. ALL IMPLIED WARRANTIES INCLUDING BUT NOT LIMITED TO WARRANTIES OF FITNESS AND MERCHANTABILITY, ARE HEREBY LIMITED IN DURATION TO A PERIOD OF (1) YEAR FROM THE DATE OF ORIGINAL PURCHASE. The warranty and liability set forth in the prior paragraphs are in lieu of all other warranties, expressed or implied, in law or in fact, including warranties of merchantability and fitness for a particular purpose. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

**Grace Industries, Inc.**  
**724-962-9231**  
**305 Bend Hill Road**  
**Fredonia, PA 16124**  
[service@graceindustries.com](mailto:service@graceindustries.com)

