August 1st, 2019

To: All North American Case IH Dealers

Subject: Compact Farmall Tractors, Compact Loaders/Implements price list

Attached is a complete price list revision for the model year 2020 Case IH Compact Farmall tractors, L300A Series Compact Loaders and Implements. This price list (PL-100 CA Rev.29) is posted on the dealer portal and available for download and printing. This revision includes a 3% - 10% economic price increase and is effective October 1, 2019.

Flat-rate Freight Charges for Compact Tractors and Loaders

In an effort to simplify Factory Installed Loaders further, Case IH is has transitioned to a Flat Rate freight schedule. New Compact Farmall A or C Series II tractor orders entered from now on will include a freight charge of $540.00 and new L300A loader orders will include a freight charge of $190.00.

The compact equipment market is not just tractors and Case IH offers a very comprehensive lineup of loaders and implements to complement these tractors. Make sure to include the full range of equipment in your presentation of compact equipment. To support better understanding, numerous Product Information Bulletins are available when ordering, configuring, and selling Case IH Compact Farmall Tractors. Case IH PI's are available for download from the CNH Industrial Digital Asset Manager - log onto the Dealer Portal. Click on "Wholegoods", and then look in the "Marketing" section on the right side of the screen. Click on "CNH Industrial Asset Manager (Image and Brochure Archive)".

As a reminder, most kit Installation Instructions- including kit contents and images showing the parts, can be accessed electronically from eTim, or the Document Management Center (DMC). If you have any questions regarding any of these products, please contact the Case IH Dealer Sales Support (DSS) team, your Livestock Product Specialist, Field Sales Team, or me and we will be glad to assist you.

Thank you,

Denny Stroo
Marketing Manager, Farmall Tractors <60 PTO HP and Ag Loaders
Case IH

Case IH
621 State Street, Racine, WI 53402 USA
Email denny.stroo@caseih.com
Office 262-636-6207

AGRICULTURAL EQUIPMENT

U.S. Price List

Effective hŏŭ2ōŜ₦ мΣ нлмф

FARMALL® SERIES COMPACT TRACTORS

PL-100 CA REVISION 2ф

SAP PRICE LIST 03o C1

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the LT contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eQuipment for the most current pricing.

Copyright 201ф By
CNH Industrial America LLC

GENERAL INFORMATION

ADVANCE FREIGHT
Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES
Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION
CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE
The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS
Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER
Complete U.S. Price List is PL-100
Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

FARMALL® SERIES COMPACT TRACTORS
TABLE OF CONTENTS

COMPACT TRACTORS

COMPACT FARMALL A SERIES II TRACTORS
- Standard Features 1
- Price List 3
- Factory Supplied Attachments 5

FARMALL 35C SERIES II TRACTORS TIER 4B
- Standard Features 7
- Price List 9
- Factory Supplied Attachments 11

FARMALL 40C SERIES II TRACTORS TIER 4B
- Standard Features 13
- Price List 15
- Factory Supplied Attachments 17

FARMALL 45C & 55C SERIES II TRACTORS TIER 4B
- Standard Features 19
- Price List 21
- Factory Supplied Attachments 23

LOADERS FOR FARMALL COMPACT TRACTORS

L340A LOADERS FOR COMPACT FARMALL A SERIES II T4
- Standard Features 25
- Price List 26
- Factory Supplied Attachments 27

L350A LOADERS FOR COMPACT FARMALL 35C and 40C SERIES II TIER 4
- Standard Features 29
- Price List 30
- Factory Supplied Attachments 31

L360A LOADERS FOR COMPACT FARMALL 45C and 55C SERIES II TIER 4
- Standard Features 33
- Price List 34
- Factory Supplied Attachments 35

L350A LOADER FARMALL B CVT AND C CVT
- Standard Features 37
- Price List 38
- Factory Supplied Attachments 39

FARMALL® SERIES COMPACT TRACTORS
TABLE OF CONTENTS

COMPACT TRACTORS IMPLEMENTS AND ATTACHMENTS

MW SERIES MOWERS FOR FARMALL COMPACT TRACTORS
- Standard Features 41
- Price List 44
- Factory Supplied Attachments 45

RR SERIES REAR MOUNT FINISHING MOWERS
- Standard Features 47
- Price List 49

BM SERIES FRONT MOUNT BLADES
- Standard Features 51
- Price List 52
- Factory Supplied Attachments 54

BS SERIES FRONT MOUNT SNOW BLOWERS
- Standard Features 55
- Price List 57
- Factory Supplied Attachments 60

BR SERIES FRONT MOUNT ROTARY BROOMS
- Standard Features 63
- Price List 65
- Factory Supplied Attachments 67

BHA SERIES BACKHOES
- Standard Features 69
- Price List 70
- Factory Supplied Attachments 73

TL SERIES ROTARY TILLERS
- Standard Features 75
- Price List 76

RC ROTARY CUTTERS
- Standard Features 77
- Price List 80
- Factory Supplied Attachments 82

FARMALL® SERIES COMPACT TRACTORS
TABLE OF CONTENTS

COMPACT TRACTORS IMPLEMENTS AND ATTACHMENTS

WORK EZ ® DISK HARROW
Standard Features 83
Price List 84

WORK EZ ® RAKES
Standard Features 85
Price List 86

WORK EZ ® BOX BLADES
Standard Features 87
Price List 88

WORK EZ ® REAR BLADES
Standard Features 89
Price List 90

WORK EZ ® REAR BLADES
Standard Features 91
Price List 92

WORK EZ ® BALE CARRIERS
Standard Features 93
Price List 94

WORK EZ ® HAY SPEARS
Standard Features 95
Price List 96

Charts
PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS..... 97
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTORS..... 103
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT LOADERS..... 104
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTOR IMPLEMENTS 107
REFERRAL ATTACHMENTS 109
CASE IH PURCHASED PROTECTION 111

COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST

Standard Equipment

DIESEL ENGINE:
Farmall 35A Tier 4B:
35 Gross Engine hp @ 2600 rpm
29.7 PTO hp @ 2600 rpm (Gear)
28 PTO hp @ 2600 rpm (Hydro)
114 cu. in.(1.9L) Displacement

Farmall 40A Tier 4B:
40 Gross Engine hp @ 2600 rpm
34 PTO hp @ 2600 rpm (Gear)
32 PTO hp @ 2600 rpm (Hydro)
114cu. in. (1.9L) Displacement

ALL MODELS
3 Cylinder,Turbcharged Engine
Common Rail / Direct Fuel Injection
Tier 4b Final Emissions Compliant
114.7 cu. in. (1.9L) Displacement
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut
7.4(28L) gallon Fuel Tank

INSTRUMENT PANEL:
Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmision Activation Indicator

TRANSMISSION OPTIONS
12 x 12 Synchronized Shuttle Shift (SSS)
Left-hand, dash mounted, synchronized shuttle
(4) Non-synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control and Dual-Pedal direction control for forward and reverse

HYDRAULIC SYSTEM:
Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- Farmall 35A = 8.2 gpm (31.2 L/min)
- Farmall 40A = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.8 gpm (18.2 L/min)
- HST models = 4.8 gpm (18.2 L/min)
Mid-mount Hydraulic Valve & Joystick (STD)

3-POINT LIFT SYSTEM:
Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Fixed Link Ends

ROPS:
2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL
12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System

COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST

Standard Equipment

LIGHTING:
(2) Incondescent Corner Work Lights
(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Flashing Warning Lights / Turn Signals

PTO:
Rear PTO
- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

Mid mount PTO
- MID PTO is STANDARD on models with HYROSTATIC TRANSMISSION
- Mid PTO is OPTIONAL on models with gear tansmission
-Independent 2000 rpm

DRAWBAR:
Swinging
3-Position Extendable

REAR DIFFERENTIAL LOCK
Foot actuated mechanical

STEERING:
Hydrostatic Power Steering
Tilt Steering Column

BRAKES:
Wet Disc
Dual Brake Pedals
Foot-assist Parking Brake Lever

FRONT AXLE:
Mechanical Front Drive (MFD)
Fixed Position Rims
47.1 in. (1197 mm) Tread Setting with R4 tires

REAR AXLE:
Flange Type Axle
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
52.5 in. (1333 mm) Tread Setting with R4 tires

OPERATOR'S AREA:
Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
Foot Throttle
Left Side Step
Left Side Grab Handle
Right Side Cupholder & Tray

SLOW MOVING VEHICLE EMBLEM

COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST

Models

COMMERCIAL MODEL	ENGINE POWER	Weight	Factory Data	List Price
FARMALL 35A SERIES II	35 HP	3067	9016245P02	$19,811.00
FARMALL 40A SERIES II	40 HP	3067	9017538P98	$21,389.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

OTHER EQUIPMENT - FACTORY INSTALLED

SD_T9981 CONFIGURATION

LOADER INSTALLATION

		X0292XX	LESS EZ PICK CONFIG			No Charge
		X0346XX	L340A Loader Factory Ready **To complete the request for Factory Installed Loader, a corresponding L340A loader order needs to be entered with option X0285XX selected. Please use Compatible Products feature to simplify the ordering process.**			No Charge

TRANSMISSION

SD_T2810 TRANSMISSION

		720110	12 x 12 Synchro-shuttle			No Charge
		729290	Hydrostatic Transmission		9001091P42	$1,331.00

HYDRAULICS

SD_T8270 REAR REMOTES

		XT8270X	LESS REAR REMOTE VALVES **Less Rear Remote Valves**			No Charge
		720366	1 Remote SDA **1 Rear Remote with detent**		9000544P48	$664.00

COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST

PTO

MID-MOUNT PTO

SD_T8073 MID PTO KIT

		XT8073X	LESS MID PTO **For (720110) 12 x 12 Synchro-shuttle Transmission only**			No Charge
		728025	MID PTO **For (720110) 12 x 12 Synchro-shuttle Transmission only**		9000265P68	$324.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8266304	25 x 8.50 - 14 6PR R4 **Must be ordered with 43 x 16.00-20 R4 (8364564) Rear Tires.**			No Charge
		8204604	7 x 14 6PR R1 Ag Bar **Must be ordered with 11.2 x 24 4PR R1 Ag Bar (8332604) Rear Tires.**		(900091P84)	($112.00)
		8267104	25x8.50-14 10PR R3 T		(900091P84)	($112.00)

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8364564	43 x 16.00-20 R4			No Charge
		8332604	11.2 x 24 4PR R1 Ag Bar		(900223P04)	($272.00)
		8304804	41 x 14.00-20 4PR R3		9000153P34	$187.00

OPERATOR MANUALS

SD_T9800 OPERATORS MANUAL

		XT9800X	North American English			No Charge
		729184	French Canadian - Gear			No Charge

SD_T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual			No Charge
		720548	SPANISH OP.MANUAL N 720548			No Charge

COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		820460466	7X14 6PR R1 CIH LSM Front	95 LB	9000305P04	$372.00
		833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB	9000778P18	$949.00
		826710416	25X8.50-14 10 PLY TURF R3 Front	98 LB	9000305P04	$372.00
		830480456	41X14.00-20 4PR R3 TURF CIH LS Rear	347 LB	9001155P38	$1,409.00
		826630466	25X8.50-14 6PR R4 CIH LSM Front	107 LB	9000385P40	$470.00
		836456426	43X16-20 4PLY TL R4 CIH Rear	418 LB	9001002P04	$1,222.00

FARMALL 35C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

Farmall 35C Tier 4B:
35 Gross Engine hp @ 2600 rpm
29.7 PTO hp @ 2600 rpm (Gear)
28 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

ALL MODELS:
3 Cylinders
Tier 4b compliant
Turbo charged
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
10.6 gallon (40L) Fuel Tank ROPS
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:
Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmision Activation Indicator

TRANSMISSION OPTIONS
12 x 12 Synchronized Shuttle Shift (SSS)
Left-hand, dash mounted, synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges
3-Range Hydrostatic with Cruise Control and Dual-Pedal direction control for forward and reverse

HYDRAULIC SYSTEM:
Open Center Hydraulic System
Dual Gear-type Pumps
Single Open Center Rear Remote Valve
Implement Pump Capacity:
- Farmall 35C = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- HST models = 5.5 gpm (20.8 L/min)
Mid-mount Hydraulic Valve & Joystick (STD)

3-POINT LIFT SYSTEM:
Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS:
2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL
12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System

LIGHTING:
(2) Halogen Corner Work Lights
(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Flashing Warning Lights / Turn Signals

FARMALL 35C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

PTO:
Rear PTO
- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

Mid PTO
- Mid PTO is STANDARD on ALL models
- Independent 2,000 rpm

DRAWBAR:
Swinging
2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:
Hydrostatic Power Steering
Tilt Steering Column

BRAKES:
Wet Disc
Dual Brake Pedals
Foot-assist Parking Brake Lever

FRONT AXLE:
Four Wheel Drive (FWD)
Fixed Position Rims
45.6 in. (1159 mm) Tread Setting with R4 tires

REAR AXLE:
Flange Type Axle
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
REAR AXLE: (Continue):
46.5 in. (1283 mm) Tread Setting with R4 tires

OPERATOR'S AREA:
ROPS FOR 35C
Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
- Spring Suspension

Deluxe Floor Mat
Foot Throttle
Left Side Step
Left Side Grab Handle
Right Side Cupholder & Tray

FARMALL 35C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 35C SERIES II	Rops	6,300 LB	9019725P92	$24,056.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

OTHER EQUIPMENT - FACTORY INSTALLED

SD_T9981 CONFIGURATION

LOADER INSTALLATION

		X0292XX	LESS EZ PICK CONFIG			No Charge
		X0335XX	L350A Loader Factory Ready **To complete the request for Factory Installed Loader, a corresponding L350A loader order needs to be entered with option X0334XX selected. Please use Compatible Products feature to simplify the ordering process.**			No Charge

TRANSMISSION

TRANSMISSION

SD_T2810 TRANSMISSION

		720110	12 x 12 Synchro-shuttle			No Charge
		729290	Hydrostatic Transmission		9001239P02	$1,511.00

HYDRAULICS

SD_T8270 REAR REMOTES

		X82704X	1 VALVE STD **1 valve with detent standard**			No Charge
		720347	2 Remote Valves **2 rear remote**		9000332P92	$406.00

FARMALL 35C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

PTO

MID-MOUNT PTO

SD_T8073 MID PTO KIT

		XT8073X	LESS MID PTO			No Charge
		728025	MID PTO		9000332P92	$406.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8266304	25 x 8.50 - 14 6PR R4 **Must be ordered with 43 x 16.00-20 R4 Rear Tires (8364564).**			No Charge
		8267104	25x8.50-14 10PR R3 T		(900092P66)	($113.00)
		8204604	7 x 14 6PR R1 Ag Bar **Must be ordered with 11.2 x 24 4PR R1 Ag Bar Rear Tires (8332604).**		(900092P66)	($113.00)

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8364564	43 x 16.00-20 R4			No Charge
		8332604	11.2 x 24 4PR R1 Ag Bar		(900255P84)	($312.00)
		8304804	41 x 14.00-20 4PR R3		9000159P90	$195.00

OPERATOR MANUALS

SD_T9800 OPERATORS MANUAL

		XT9800X	North American English			No Charge
		729184	French Canadian - Gear			No Charge

SD_T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual			No Charge
		720548	SPANISH OP.MANUAL N 720548			No Charge

FARMALL 35C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		820460466	7X14 6PR R1 CIH LSM Front	95 LB	9000305P04	$372.00
		833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB	9000778P18	$949.00
		826710436	25X8.50-14 10 PLY TURF R3 Front	98 LB	9000307P50	$375.00
		830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB	9001202P12	$1,466.00
		826630486	25x8.50-14 6PR CIH LSM Front	109 LB	9000400P16	$488.00
		836456466	43X16-20 4PLY TL R4 CIH Rear	420 LB	9001039P76	$1,268.00

FARMALL 40C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

Farmall 40C Tier 4B: OPTIONS
40 Gross Engine hp @ 2600 rpm
34 PTO hp @ 2600 rpm (Gear)
32 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

ALL MODELS:
3 Cylinders
Tier 4b compliant
Turbo charged
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
12.4 gallon (47L) Fuel Tank CAB
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:
Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmision Activation Indicator

TRANSMISSION OPTIONS
12 x 12 Synchronized Shuttle Shift (SSS)
Left-hand, dash mounted, synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges
3-Range Hydrostatic with Cruise Control and Dual-Pedal direction control for forward and reverse

HYDRAULIC SYSTEM:
Open Center Hydraulic System
Dual Gear-type Pumps
Single Open Center Rear Remote Valve
Implement Pump Capacity:
- Farmall 40C = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- HST models = 5.5 gpm (20.8 L/min)
Mid-mount Hydraulic Valve & Joystick (STD)

3-POINT LIFT SYSTEM:
Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ELECTRICAL
12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System

LIGHTING:
(2) Halogen Corner Work Lights
(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Flashing Warning Lights / Turn Signals

PTO:
Rear PTO

FARMALL 40C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

Mid PTO
- Mid PTO is STANDARD on ALL models
- Independent 2,000 rpm

DRAWBAR:
Swinging
2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:
Hydrostatic Power Steering
Tilt Steering Column

BRAKES:
Wet Disc
Dual Brake Pedals
Foot-assist Parking Brake Lever

FRONT AXLE:
Four Wheel Drive (FWD)
Fixed Position Rims
45.6 in. (1159 mm) Tread Setting with R4 tires

REAR AXLE:
Flange Type Axle
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
REAR AXLE: (Continue):
46.5 in. (1283 mm) Tread Setting with R4 tires

OPERATOR'S AREA:
CAB FOR 40C ONLY
(2) Doors
Rear Window Opens 63 degrees
Opening side windows
Air Conditioning
Heater
4-speed Fan Control for heat and A/C
2 Cab Air Filters
Radio-ready with (2) speakers, wiring and antenna
Deluxe Cloth Covered Seat
Floor Mat
Cloth Covered Headliner
Sun Visor
Interior Rearview Mirror
Interior lighting
Left and Right External Mounted Mirrors
Removable Plug in rear of cab to route harness
Front Windshield Wiper and Washer
Cup Holder
Left and Right Side Steps
Toolbox
Slow Moving Vehicle Emblem
Grab Rails
Horn

FARMALL 40C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 40C SERIES II	Cab	6,300 LB	9025778P34	$31,437.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

OTHER EQUIPMENT - FACTORY INSTALLED

SD_T9981 CONFIGURATION

		X0292XX	LESS EZ PICK CONFIG			No Charge
		X0335XX	L350A Loader Factory Ready **To complete the request for Factory Installed Loader, a corresponding L350A loader order needs to be entered with option X0334XX selected. Please use Compatible Products feature to simplify the ordering process.**			No Charge

TRANSMISSION

TRANSMISSION

SD_T2810 TRANSMISSION

		720110	12 x 12 Synchro-shuttle			No Charge
		729290	Hydrostatic Transmission		9001239P02	$1,511.00

HYDRAULICS

SD_T8270 REAR REMOTES

		X82704X	1 VALVE STD **1 valve with detent standard**			No Charge
		720347	2 Remote Valves **2 rear remote**		9000332P92	$406.00

FARMALL 40C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

PTO

MID-MOUNT PTO

SD_T8073 MID PTO KIT

		XT8073X	LESS MID PTO			No Charge
		728025	MID PTO		9000332P92	$406.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8266304	25 x 8.50 - 14 6PR R4 **Must be ordered with 43 x 16.00-20 R4 Rear Tires (8364564).**			No Charge
		8267104	25x8.50-14 10PR R3 T		(900092P66)	($113.00)
		8204604	7 x 14 6PR R1 Ag Bar **Must be ordered with 11.2 x 24 4PR R1 Ag Bar Rear Tires (8332604).**		(900092P66)	($113.00)

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8364564	43 x 16.00-20 R4			No Charge
		8332604	11.2 x 24 4PR R1 Ag Bar		(900255P84)	($312.00)
		8304804	41 x 14.00-20 4PR R3		9000159P90	$195.00

OPERATOR MANUALS

SD_T9800 OPERATORS MANUAL

		XT9800X	North American English			No Charge
		729184	French Canadian - Gear			No Charge

SD_T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual			No Charge
		720548	SPANISH OP.MANUAL N 720548			No Charge

FARMALL 40C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		820460466	7X14 6PR R1 CIH LSM Front	95 LB	9000305P04	$372.00
		833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB	9000778P18	$949.00
		826710436	25X8.50-14 10 PLY TURF R3 Front	98 LB	9000307P50	$375.00
		830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB	9001202P12	$1,466.00
		826630486	25x8.50-14 6PR CIH LSM Front	109 LB	9000400P16	$488.00
		836456466	43X16-20 4PLY TL R4 CIH Rear	420 LB	9001039P76	$1,268.00

FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

Farmall 45C Tier 4B:
45 Gross Engine hp @ 2600 rpm
38.2 PTO hp @ 2600 rpm (Gear)
36 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

Farmall 55C Tier 4B:
55 Gross Engine hp @ 2600 rpm
46.7 PTO hp @ 2600 rpm (Gear)
44 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

ALL MODELS:
3 Cylinders
Naturally Aspirated
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
10.5 gallon (40L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:
Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlight Indicator
Emmisions Indicator

TRANSMISSION OPTIONS:
16 x 16 Synchronized Shuttle Shift (SSS)
Left-hand, dash mounted, synchronized shuttle
(4) Synchronized gears
(4) Non-synchronized ranges

3- Range Hydrostatic with Cruise Control and Dual Pedal direction control for forward and reverse

HYDRAULIC SYSTEM:
Open Center Hydraulic System
Dual Gear-type Pumps
Single Open Center Rear Remote Valve
Implement Pump Capacity:
- 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- HST models = 6.1 gpm (23.4 L/min)
Mid-mount Hydraulic Valve & Joystick (STD)

3-POINT LIFT SYSTEM:
Lift Capacity @ ballk ends:
2756 lb. (1250 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS:
2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL:
12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System

FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

LIGHTING:
(2) Halogen Corner Work Lights
(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Flashing Warning Lights / Turn Signals

PTO:
Rear PTO
- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap
Mid PTO
- Mid PTO is STANDARD on ALL models
- Independent 2,000 rpm

DRAWBAR:
Swinging
2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:
Hydrostatic Power Steering
Tilt Steering Column

BRAKES:
Wet Disc
Dual Brake Pedals
Foot-assist Parking Brake Lever

FRONT AXLE:
Four Wheel Drive (FWD)
Fixed position rims
51.7 in. (1314 mm) Tread Setting with R4 tires

REAR AXLE:
Flange Type Axle
Reversible Position Rims - R1 only
Fixed Position Rims - R3, R4
47.7 in. (1211 mm) Tread Setting with R4 tires

OPERATOR'S AREA:
Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
- Spring Suspension
Deluxe Floor Mat
Foot Throttle
Left Side Step
Left Side Grab Handle
Right Side Cupholder & Tray

SLOW MOVING VEHICLE EMBLEM

FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 45C SERIES II	Rops	6,501 LBS	9024650P02	$30,061.00
FARMALL 45C SERIES II	Cab	6,502 LBS	9029193P64	$35,602.00
FARMALL 55C SERIES II	Rops	6,503 LBS	9029774P20	$36,310.00
FARMALL 55C SERIES II	Cab	6,504 LBS	9034317P82	$41,851.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

OTHER EQUIPMENT - FACTORY INSTALLED

SD_T9981 CONFIGURATION

		X0292XX	LESS EZ PICK CONFIG			No Charge
		X0336XX	L360A Loader Factory Ready **To complete the request for Factory Installed Loader, a corresponding L360A loader order needs to be entered with option X0335XX selected. Please use Compatible Products feature to simplify the ordering process.**			No Charge

TRANSMISSION

TRANSMISSION

SD_T2810 TRANSMISSION

		330271	16x16 Synchro Shuttle 330271			No Charge
		330014	HST + 3 Range		9001239P02	$1,511.00

HYDRAULICS

SD_T8270 REAR REMOTES

		X82704X	1 VALVE STD **1 valve with detent standard**			No Charge
		720347	2 Remote Valves **2 rear remote**			
			if ENGINE POWER is 45 HP		9000332P92	$406.00
			if ENGINE POWER is 55 HP		9000332P92	$406.00

FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

PTO

MID-MOUNT PTO

SD_T8073 MID PTO KIT

		XT8073X	LESS MID PTO			No Charge
		728025	MID PTO		9000332P92	$406.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8276504	12 x 16.5 6PR R4 **Must be ordered with 17.5Lx24 6PR R4 Rear Tires (8396704).**			No Charge
		8267204	28x8.50-15 6PR R3 T		(900107P42)	($131.00)
		8253304	9.5 x 16 4PR R1 **Must be ordered with 13.6-24 4PR R1 Rear Tires (8338604).**		(900107P42)	($131.00)

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8396704	17.5Lx24 6PR R4			No Charge
		8338604	13.6-24 4PR R1		(900654P36)	($798.00)
		8304804	41 x 14.00-20 4PR R3			
			if ENGINE POWER is 55 HP		(900353P42)	($431.00)
			if ENGINE POWER is 45 HP		(900353P42)	($431.00)

OPERATOR MANUALS

SD_T9800 OPERATORS MANUAL

		XT9800X	North American English			No Charge
		729184	French Canadian - Gear			No Charge

SD_T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual			No Charge
		720548	SPANISH OP.MANUAL N 720548			No Charge

FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		825330446	9.5-16 4PR R1 CIH LSM Front	171 LB	9000612P54	$747.00
		833860446	13.6X24 4PR R1 CIH LSM Rear	298 LB	9000899P54	$1,097.00
		826720416	28X8.50-15 6 PLY TURF R3 Front	152 LB	9000612P54	$747.00
		830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB	9001202P12	$1,466.00
		827650416	12 X 16.5 6PR R4 LSM CIH Front	177 LB	9000719P96	$878.00
		839670416	17.5LX24 6PR R4 CIH Rear	581 LB	9001554P72	$1,896.00

L340A LOADER FOR 35A AND 40A SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

L340A SPECIFICATIONS
(PER ASAE S301.5):
L340A Loader includes the following:

Basic Loader for Farmall 35A & 40A Series II tractors with Improved Visibility mounting system (like L350A)
Mounting Kit
Quick Coupler - Skid Steer Style
68" HD Material Bucket (Quick Attach)
(Mid-mount valve & Joystick are included with tractor)

Loader specifications are subject to change and may vary based on tractor model and tire size.

L340A SPECIFICATIONS
(PER ASAE S301.5):
L340A (For Farmall 35A & 40A Series II)
Distances in (in/mm) unless otherwise noted. Forces in (lbs/kg) unless otherwise noted.

Curved Boom, Mid-Mount, Quick Attach Design
Maximum Lift Height:
98.4 / 2500
Dump Clearance:
75.3 / 1913
Digging Depth:
8 / 203
Lift Capacity @ bucket pivot point:
1250 / 567
Lift Capacity @ 19.7 in. (500mm) from bucket pivot point:
890 / 404
Breakout Force @ bucket pivot point:
2700 / 1225
Breakout Force @ 19.7 in. (500mm) from bucket pivot point:
1900 / 862
Reach @ Maximum Lift:
31 / 787
Bucket Rollback:
32˚
Bucket Dump Angle:
39˚
Bucket Level Indicator
Parking Stand

NOTE: COMPATIBILITY INFORMATION
To assure proper performance, see Operator's manual for recommended counterweighting.

L340A LOADER FOR 35A AND 40A SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L340A 35A/40A SERIES II	68 in. Bucket	900 LB	9004359P12	$5,316.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

OTHER EQUIPMENT - FACTORY INSTALLED

SD_T9981 CONFIGURATION

LOADER INSTALLATION						
		X0292XX	LESS EZ PICK CONFIG			No Charge
		X0285XX	Factory Install L340A Loader **Select this option to accommodate factory installation of L340A on a corresponding 35A or 40A Series II tractor. Select option X0346XX with a corresponding tractor order only.**			No Charge

L340A LOADER FOR 35A AND 40A SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Other Equipment				
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000343P58	$419.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000441P16	$538.00

L350A LOADER FOR 35C AND 40C SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

L350A SPECIFICATIONS
(PER ASAE S301.5):
L350A Loader includes the following:

Basic Loader for Farmall 35C and Farmall 40C Series II with Improved Visibility mounting system.
Mounting Kit
Quick Coupler - Skid Steer Style
68" HD Material Bucket (Quick Attach)
(Mid-mount valve & Joystick are included with tractor)

Loader specifications are subject to change and may vary based on tractor model and tire size.

L350A SPECIFICATIONS
(PER ASAE S301.5):
L350A (For Farmall 35C and 40C Series II)
Distances in (in/mm) unless otherwise noted. Forces in (lbs/kg) unless otherwise noted
Curved Boom, Mid-Mount, Quick Attach Design
Maximum Lift Height:
105 / 2667
Dump Clearance:
81.5 / 2070
Digging Depth:
6.5 / 165
Lift Capacity
@ bucket pivot point:
2000 / 907
@ 19.7 in. (500mm) from bucket pivot point:
1540 / 699
Breakout Force
@ bucket pivot point:
3540 / 1606
@ 19.7 in. (500mm) from bucket pivot point:
2640 / 1197
Reach @ Maximum Lift:
33 / 838
Bucket Rollback:
30º
Bucket Dump Angle:
58º
4-Bar Bucket Linkage
Bucket Level Indicator, Parking Stand

NOTE: COMPATIBILITY INFORMATION
To assure proper performance, see Operator's manual for

L350A LOADER FOR 35C AND 40C SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L350A 35C/40C SERIES II	68 in. Bucket	800 LB	9005174P20	$6,310.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
X0292XX	LESS EZ PICK CONFIG			No Charge
X0335XX	L350A Loader Factory Ready **Select this option to accommodate factory installation of L350A on a corresponding 35C or 40C Series II tractor. Select option X0335XX with a corresponding tractor order only.**			No Charge

L350A LOADER FOR 35C AND 40C SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000343P58	$419.00
		717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000441P16	$538.00

L360A LOADER FOR 45C AND 55C SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

L360A SPECIFICATIONS
(PER ASAE S301.5):
L360A for Farmall 45C and 55C Series II

Basic Loader for Farmall 45C and
Farmall 55C Series II with Improved
Visibility mounting system
Mounting Kit
Quick Coupler - Skid Steer Style
72" HD Material Bucket (Quick Attach)
(Mid-mount valve & Joystick are
included with tractor)

Loader specifications are subject to
change and may vary based on tractor
model and tire size.

L360A SPECIFICATIONS
(PER ASAE S301.5):
L360A (For Farmall 45C and 55C Series
II)
Distances in (in/mm) unless
otherwise noted. Forces in (lbs/kg)
unless otherwise noted
Curved Boom, Mid-Mount, Quick
Attach Design
Maximum Lift Height:
112.3 / 2852
Dump Clearance:
85.2 / 2164
Digging Depth:
4.9 / 125
Lift Capacity
@ bucket pivot point:
2500 / 1134
@ 19.7 in. (500mm) from bucket
pivot point:
1830 / 830
Breakout Force
@ bucket pivot point:
5000 / 2268
@ 19.7 in. (500mm) from bucket
pivot point:
3114 / 1412
Reach @ Maximum Lift:
32 / 813
Bucket Rollback:
39º
Bucket Dump Angle:
49º
4-Bar Bucket Linkage
Bucket Level Indicator
Parking Stand
NOTE: COMPATIBILITY INFORMATION
To assure proper performance,
see Operator's manual for

L360A LOADER FOR 45C AND 55C SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L360A 45C/55C SERIES II	72 in. Bucket	800 LB	9005359P52	$6,536.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
X0292XX	LESS EZ PICK CONFIG			No Charge
X0336XX	L360A Loader Factory Ready **Select this option to accommodate factory installation of L360A on a corresponding 45C or 55C Series II tractor. Select option X0336XX with a corresponding tractor order only.**			No Charge

L360A LOADER FOR 45C AND 55C SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000343P58	$419.00
		717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000441P16	$538.00

L350A LOADER FOR B/C CVT
US PRICE LIST

(Ex Works Port of Entry)

Standard Equipment

L350A SPECIFICATIONS
(PER ASAE S301.5):
L350A Loader includes the following:

Basic Loader for
Farmall 45C CVT, 55C CVT, 40B
CVT, and 50B CVT
with Improved Visibility mounting
system.
Tractors S/N ZDME21931 and after.
Quick Coupler - Skid Steer Style
72" HD Material Bucket (Quick Attach)

FARMALL C CVT TRACTORS ARE
STANDARD LOADER READY

Loader specifications are subject to
change and may vary based on tractor
model and tire size.

L350A SPECIFICATIONS
(PER ASAE S301.5):
L350A (For Farmall 45C CVT, 55C
CVT, 40B CVT, 50 B CVT)
Distances in (in/mm) unless
otherwise noted. Forces in (lbs/kg)
unless otherwise noted
Curved Boom, Mid-Mount, Quick
Attach Design
Maximum Lift Height:
105 / 2667
Dump Clearance:
81.5 / 2070
Digging Depth:
6.5 / 165
Lift Capacity
@ bucket pivot point:
2000 / 907
@ 19.7 in. (500mm) from bucket
pivot point:
1540 / 699
Breakout Force
@ bucket pivot point:
3540 / 1606
@ 19.7 in. (500mm) from bucket
pivot point:
2640 / 1197
Reach @ Maximum Lift:
33 / 838
Bucket Rollback:
30º
Bucket Dump Angle:
58º
4-Bar Bucket Linkage
Bucket Level Indicator, Parking Stand

COMPATIBILITY INFORMATION:
To assure proper performance,
see Operator's manual for
recommended counterweighting

L350A LOADER FOR B/C CVT
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L350A FARMALL B/C CVT	72 in. Bucket	650 LB	9004633P00	$5,650.00

L350A LOADER FOR B/C CVT
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000343P58	$419.00
		717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000441P16	$538.00

MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

MW166S Side Discharge Mid-Mount Rotary Mower
For use with
- Farmall 30B & 35B Tractors

SPECIFICATIONS:
- Cutting Width (in.) - 66
- Cutting Height (in.) - 1-4
- Overall width (in.) - discharge chute down 69
- Number of Blades - 3
- Blade Type - Standard
- Blade Length/Width (in.) - 23 L x 2.5W
- Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)
- Drive - Mid PTO
- Gauge Wheels (in.) - 2 x 6 (4)
- Deck Spring suspension - Yes
- Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

Tire Compatibility:
- Agricultural (R1) - Yes, limited turn angle:
  - Right Hand - 24 degrees, Left Hand - 27 degrees
- Industrial (R4) - Yes, limited turn angle:
  - Right Hand - 33 degrees, Left Hand - 37 degrees
- Turf (R3) - Yes, limited turn angle:
  - Right Hand - 33 degrees, Left Hand - 37 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM628 (Service Parts)

NOTE:
REQIREMENTS FOR OPERATION
A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON LAST PAGE OF THE STANDARD EQUPMENT

MW266S Side Discharge Mid-Mount Rotary Mower
For use with
- Farmall 35A & 40A Series II

- Farmall 35C Series II NON CAB (not compatable with 40C Series II Cab)

SPECIFICATIONS:
- Cutting Width (in.) - 66
- Cutting Height (in.) - 1-4
- Overall width (in.) - discharge chute down 69
- Number of Blades - 3
- Blade Type - Standard
- Blade Length/Width (in.) - 23 L x 2.5W
- Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)
- Drive - Mid PTO
- Gauge Wheels (in.) - 2 x 6 (4)
- Deck Spring suspension - Yes
- Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

Tire Compatibility:
For Farmall 35A and 40A
Agricultural (R1) - Yes, limited turn angle:
- Right Hand - 33 degrees, Left Hand - 37 degrees
- Industrial (R4) - Yes, limited turn angle:
  - Right Hand - 33 degrees, Left Hand - 37 degrees
- Turf (R3) - Yes, limited turn angle:
  - Right Hand - 33 degrees, Left Hand - 37 degrees

Galaxy Turf - NO

MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

MW266S Side Discharge Mid-Mount
Rotary Mower

Tire Compatibility: (continued)
For Farmall 35C Series II NON CAB
Agricultural (R1) - NO
Industrial (R4) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand - 37 degrees
Turf (R3) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand - 37 degrees
Galaxy Turf - NO

Mulch Kit - AMENHM628 (Service Parts)

NOTE:
REQUIREMENTS FOR OPERATION
A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON LAST PAGE OF THE STANDARD EQUPMENT

MW172S Side Discharge Mid-Mount Rotary Mower
For use with
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT, and 50B CVT

SPECIFICATIONS:
Cutting Width (in.) - 72
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute down 85
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.) - 25L x 2.5W
Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes

SPECIFICATIONS (continue):
Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

MW172S Side Discharge Mid-Mount Rotary Mower (Continued):

Tire Compatibility:
Agricultural (R1) - NO
Large Industrial (R4) - YES
Turf (R3) - Yes, limited turn angle:
Right Hand - 34 degrees, Left Hand - 35 degrees
Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

NOTE:
REQIREMENTS FOR OPERATION
A mid PTO kit is required to operate this implement.

MW272S Side Discharge Mid-Mount Rotary Mower
For use with
- Farmall 45C & 55C Series II Rops only (not compatible with Cab)

SPECIFICATIONS:
Cutting Width (in.) - 72
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute down 85
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.) - 25L x 2.5W
Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

MW272S Side Discharge Mid-
Mount Rotary Mower (Continued):

Tire Compatibility:
Agricultural (R1) - NO
Large Industrial (R4) - NO
Turf (R3) - Yes, limited turn angle:
Right Hand - 34 degrees, Left Hand -
35 degrees
Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

NOTE:
REQIREMENTS FOR OPERATION
A mid PTO kit is required to operate this
implement. SEE PTO OFFERING ON
LAST PAGE OF THE STANDARD
EQUPMENT

NOTES ABOUT MID PTO OFFERING

Compact Farmall A Series II

hyrdostatic tranmission version
tractors, Mid Mount PTO is included
as standard equipment.

transmission version tractors, Mid
PTO is optional.
order tractor with factory installed
Mid PTO or order MT20129402
through parts

Compact Farmall 30A and 35A (Prior
Models) the PTO kit can
only be ordered through CNHi Parts
MT20129402

Farmall C series II
Mid Mount PTO is included as standard
equipment on all models.

Farmall C (Prior Models)
the PTO kit can only be
ordered through CNHi Parts
30C, 35C non-cab-MT201131516
40C, 50C non-cab - MT20131515

Farmall B series
the PTO kit can only be
ordered through CNHi Parts
30B, 35B - MT20022006
40B, 50B - MT20022005

CVT version tractors,
Mid Mount PTO is included as
standard equipment.

MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MW266S SERIES II 35A/40A	443 LB	9003179P96	$3,878.00
MW272S 45C/55CSERIES II	443 LB	9003274P26	$3,993.00
MW266S FARMALL 30A/35A	443 LB	9003179P96	$3,878.00
MW266S FARMALL 30C/35C	443 LB	9003179P96	$3,878.00
MW272S FARMALL 40C/50C	443 LB	9003274P26	$3,993.00
MW172S FARMALL B/C CVT	620 LB	9003274P26	$3,993.00
MW166S FARMALL 30B/35B	443 LB	9003179P96	$3,878.00
MW166S FARMALL 40B/50B	443 LB	9003179P96	$3,878.00
MW172S FARMALL40B/50B	443 LB	9003274P26	$3,993.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

OTHER EQUIPMENT

SD_15012 BALE RAMP AND AXLE

		X15012X	No Ramp			No Charge

MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST

(Ex Works Wholegoods Depot)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		439047006	CLS 3 RAMP KIT Ramp Kit for 72 Inch Decks# Allows tractors front tires to easily drive over the mower deck for easy installation and attachment of deck to tractor.	40 LB	9000083P64	$102.00
		439047016	Ramp Kit CLS 2 Ramp Kit for 66 Inch Decks# Allows tractors front tires to easily drive over the mower deck for easy installation and attachment of deck to tractor.	40 LB	9000083P64	$102.00

RR SERIES REAR MOUNT FINISHING MOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

RR60 - RIGID FRAME:
- Category I 3-point mounted finishing mower
- Cutting Width: 60 inches (1524mm)
- Discharge: Rear
- Discharge Safety Chain
- PTO HP Rating: Up to 30
- Drive Method: Rear 540 RPM PTO
- Number of Blades: 3
- Blade Drive: V-Belt
- Blade speed (RPM): 2,630
- Cutting Height: 1 to 4 in. (25 to 101mm)
- (4) Solid Rubber Gauge Wheels (fully rotating)

RR72 - RIGID FRAME:
- Category I 3-point mounted finishing Mower
- Cutting Width: 72 inches (1829mm)
- Discharge: Rear
- Discharge Safety Chain
- PTO HP Rating: Up to 40
- Drive Method: Rear 540 RPM PTO
- Number of Blades: 3
- Blade Drive: V-Belt
- Blade speed (RPM): 2,230
- Cutting Height: 1 to 4 in. (25 to 101mm)
- (4) Solid Rubber Gauge Wheels (fully rotating)

RR90 - RIGID FRAME:
- Category I 3-point mounted finishing mower
- Cutting Width: 90 inches (2286mm)
- Discharge: Rear
- Discharge Safety Chain
- PTO HP Rating: Up to 60
- Drive Method: Rear 540 RPM PTO
- Number of Blades: 5
- Blade Drive: V-Belt
- Blade speed (RPM): 2,630
- Cutting Height: 1 to 4 in. (25 to 101mm)
- (4) Solid Rubber Gauge Wheels (fully rotating)

RR144 - FLEX WING:
- Overall Cutting Width - 12 ft. (3.66m) Flex
- Center Deck Cutting Width - 5 ft. (1.52m)
- Wing Deck Cutting Width - 4 ft. (1.22m)
- Deck Overlap - 6 in. (152 mm)
- Overall Width - 146 in. (3.71m)
- Transport Width - 100 in. (2.54m)
- Maximum Overall Length - 182 in. (4.62m)
- Transport Length - 177 in. (4.5m)
- Transport Height - 90 in. (2.29m)
- Minimum HP - 30
- Cutting Height Range - 1 to 5 in. (25 to 127 mm)
- Blade Tip Speed (FPM) - 16,000
- Caster Wheels (12) - 15x6.00-6
- Transport Tires (2) - 26x12.00-12

RR180 - FLEX WING:
- Overall Cutting Width - 15 ft. (4.57m) Flex
- Center Deck Cutting Width - 6 ft. (1.83m)
- Wing Deck Cutting Width - 5 ft. (1.52m)
- Deck Overlap - 6 in. (152 mm)
- Overall Width - 182 in. (4.62m)
- Transport Width - 101 in. (2.57m)
- Maximum Overall Length - 185 in. (4.7m)
- Transport Length - 180 in. (4.57m)
- Transport Height - 100 in. (2.54m)
- Minimum HP - 35
- Cutting Height Range - 1 to 5 in. (25 to 127 mm)
- Blade Tip Speed (FPM) - 16,000
- Caster Wheels (12) - 15x6.00-6
- Transport Tires (2) - 26x12.00-12

RR SERIES REAR MOUNT FINISHING MOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

RR204 - FLEX WING:
- Overall Cutting Width - 17 ft. (5.18m) Flex
- Center Deck Cutting Width - 7.5 ft. (2.29m)
- Wing Deck Cutting Width - 6 ft. (1.83m)
- Deck Overlap - 12 in. (305 mm)
- Overall Width - 207 in. (5.26m)
- Transport Width - 102 in. (2.59m)
- Maximum Overall Length - 196 in. (4.98m)

RR204 - FLEX WING: (continued)
- Transport Length - 188 in. (4.78m)
- Transport Height - 110 in. (2.79m)
- Minimum HP - 40
- Cutting Height Range - 1 to 5 in. (25 to 127 mm)
- Blade Tip Speed (FPM) - 16,000
- Caster Wheels (12) - 15x6.00-6
- Transport Tires (2) - 26x12.00-12

RR SERIES REAR MOUNT FINISHING MOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
RR60 60 INCH MOWER	2,000 LB	9002169P72	$2,646.00
RR72 72 INCH MOWER	2,000 LB	9002356P68	$2,874.00
RR90 90 INCH MOWER	2,000 LB	9003685P08	$4,494.00
RR180 15 FT MOWER	6,520 LB	9014977P30	$18,265.00

BM SERIES FRONT MOUNTED BLADES -BM1
US PRICE LIST

(Ex Works - See Standard Equipment)

Standard Equipment

BM172H HEAVY DUTY:
For use with
- Series II 35A & 40A
- Series II 35C & 40C
- Series II 45C & 55C
- Farmall 30A & 40A
- Farmall 30C &35C
- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT, and 50B CVT

Quick attach design
Moldboard width: 72 inches (1830mm)
Moldboard height: 22 inches (560mm)
Reversible cutting edge
Cutting edge thickness: 0.5 inch (12.7mm)
Hydraulic angling
Angling range: 0 to 30 degrees
Adjustable skid shoes

REQUIREMENTS FOR OPERATION:

TRACTOR MUST BE EQUIPPED WITH MID MOUNT VALVE AND JOYSTICK in order to operate loaders, front mount brooms, front mount blades or front mount snow blowers.

NOTE:
Compact FARMALL A, B, & C Series tractors come equipped with Mid-mount valve and Joystick as standard equipment

BM SERIES FRONT MOUNTED BLADES -BM1
US PRICE LIST

(Ex Works - See Standard Equipment)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BM172H FR BLADE CL3	BM172H 72IN HD FRNT	300 LB	9002468P20	$3,010.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

SUBFRAME AND HITCH

SD_N5701 HITCH AND SUBFRAME

		XN5701X	No Mounting Brackets			No Charge
		439205	S-FRM CLS2 LS439205 **Implement Mounting Subframe** **For Series II 35A and 40A;** **and discontinued 30A, 35A** **For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab);** **and discontinued 30C, 35C (Cab or Non-cab);** **and discontinued 40C, 50C (Cab or Non-cab) ***** ***** Note: 40C and 50C Requires additional kit BER671151 to** **be ordered through CNHi Parts**		9001680P18	$2,049.00
		439068	S-Frame CLS3AT MY14 **Implement Mounting Subframe** **for 45C CVT, 55C CVT and** **discontinued 40B CVT, 45B CVT, and 50B CVT -** **S/N ZxME21xxx and Above**		9001794P16	$2,188.00
		717989	Front Quick Hitch 30/35/40/50 **Implement Mounting Subframe** **For discontinued 30B, 35B, 40B and 50B**		9001680P18	$2,049.00
		717751	Front Quick Hitch - Class 3 **Implement Mounting Subframe** **for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to** **S/N ZxME21xxx;** **and discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT,** **50 CVT, 55 CVT**		9001794P16	$2,188.00

BM SERIES FRONT MOUNTED BLADES -BM1
US PRICE LIST

(Ex Works - See Standard Equipment)

ADDITIONAL OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge

OTHER EQUIPMENT

SD_40002 BALLAST BOX

		X40002X	No Ballasting Box			No Charge
		717746	Ballasting Box - 500 Lbs. **For 3-pt hitch**	100 LB	9000216P48	$264.00

SD_50091 RUBBER BLADE EDGE

		X50091X	No Rubber Cutting Edge			No Charge
		715679	Rubber Cutting Edge	61 LB	9000232P06	$283.00

BM SERIES FRONT MOUNTED BLADES -BM1
US PRICE LIST

(Ex Works - See Standard Equipment)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
Quick Hitch and Subframe						
		717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001680P18	$2,049.00
		717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001794P16	$2,188.00
		439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001794P16	$2,188.00
		439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001680P18	$2,049.00
Additional Attachments						
		715679026	Rubber Cutting Edge For BM172 and BM172H	60 LB	9000232P06	$283.00
		439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB Subframe for Series II 45C/50C ROPS and cab versions	360 LB	9001680P18	$2,049.00

BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

BS163H HEAVY DUTY:
For use with
- Farmall 30B & 35B

Quick attach design, mid-PTO driven
Overall width: 63 inches (1600mm)
Cutting width: 63 inches (1600mm)
Cutting height: 22 inches (560mm)
Number of blades: 4
Fan diameter: 18 inches (457mm)
Auger diameter: 14 inches (356mm)
Impeller drive: Gear box reduction
Auger Drive: Two-part chute with hydraulic chute rotation
Shearbolt protection
Adjustable skid shoes
Front mount and drive completion package. Includes chute with hydraulic rotation, female portion of quick hitch and front half of driveline.

BS163H HEAVY DUTY:
For use with
- Farmall 30A & 35A (Series I)
- Farmall 35C & 40A Series II
- Farmall 30C & 35C (Series I)
- Farmall 35C & 40C Series II

Quick attach design, mid-PTO driven
Overall width: 63 inches (1600mm)
Cutting width: 63 inches (1600mm)
Cutting height: 22 inches (560mm)
Number of blades: 4
Fan diameter: 18 inches (457mm)
Auger diameter: 14 inches (356mm)
Impeller drive: Gear box reduction
Auger Drive: Two-part chute with hydraulic chute rotation
Shearbolt protection
Adjustable skid shoes

BS163H HEAVY DUTY (Continued):
Front mount and drive completion package. Includes chute with hydraulic rotation, female portion of quick hitch and front half of driveline.

BS174H HEAVY DUTY:
For use with
- Farmall 40B & 50B
- Farmall 40C & 50C (Series I)
- Farmall 45C & 55C Series II

Quick attach design, mid-PTO driven
Overall width: 72 inches (1830mm)
Cutting width: 72 inches (1830mm)
Cutting height: 26 inches (660mm)
Number of blades: 4
Fan diameter: 24 inches (610mm)
Auger diameter: 15 inches (381mm)
Impeller drive: Gear box reduction/ #60 HD chain
Auger Drive: Two-part chute with hydraulic chute rotation
Shearbolt protection
Adjustable skid shoes
Front mount and drive completion package. Includes chute with hydraulic rotation, female portion of quick hitch and front half of driveline.

BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

BS174H HEAVY DUTY:
For use with
- Farmall 40B CVT & 45B CVT
- Farmall 50B CVT
- Farmall 45C CVT & 55C CVT

Quick attach design, mid-PTO driven
Overall width: 72 inches (1830mm)
Cutting width: 72 inches (1830mm)
Cutting height: 26 inches (660mm)
Number of blades: 4
Fan diameter: 24 inches (610mm)
Auger diameter: 15 inches (381mm)
Impeller drive: Gear box reduction/ #60 HD chain
Auger Drive: Two-part chute with hydraulic chute rotation
Shearbolt protection
Adjustable skid shoes
Front mount and drive completion package. Includes chute with hydraulic rotation, female portion of quick hitch and front half of driveline.

NOTE:
REQUIREMENTS FOR OPERATION
A mid PTO kit is required to operate this implement.

NOTES ABOUT MID PTO OFFERING

Compact Farmall A Series II

Farmall A series II hyrdostatic tranmission version tractors, Mid Mount PTO is included as standard equipment.

Farmall A series II with gear transmission version tractors, Mid PTO is optional.
order tractor with factory installed Mid PTO or order MT20129402 through parts

NOTES ABOUT MID PTO OFFERING (Continued):
Compact Farmall 30A and 35A (Series I) (2016) the PTO kit can only be ordered through Parts order MT20129402

Farmall C series II
Mid Mount PTO is included as standard equipment on all models.

Farmall C series I (2015-2016)
the PTO kit can only be ordered through Parts
30C, 35C non-cab-MT201131516
35C with cab - MT20123903
40C, 50C non-cab - MT20131515
40C, 50C with cab - MT20123902

Farmall B series (2012-2014)
the PTO kit can only be ordered through Parts
30B, 35B - MT20022006
40B, 50B - MT20022005

CVT version tractors,
Mid Mount PTO is included as standard equipment.

TRACTOR MUST BE EQUIPPED WITH MID MOUNT VALVE AND JOYSTICK in order to operate loaders, front mount brooms, front mount blades or front mount snow blowers.

NOTE:
Compact FARMALL A, B, & C Series I and II tractors come equipped with Mid-mount valve and Joystick as standard equipment

BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BS163H	BS163H 63IN	1,005 LB	9004422P26	$5,393.00
BS174H	BS174H 74IN	1,005 LB	9005829P38	$7,109.00
BS174H 45C CVT 55C CVT	BS174J HD FR	450 LB	9005900P72	$7,196.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

SUBFRAME AND HITCH

SD_N5701 HITCH AND SUBFRAME

		XN5701X	No Mounting Brackets			No Charge
		439205	S-FRM CLS2 LS439205 **Implement Mounting Subframe** **For Series II 35A and 40A;** **and discontinued 30A, 35A** **For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab);** **and discontinued 30C, 35C (Cab or Non-cab);** **and discontinued 40C, 50C (Cab or Non-cab) ***** ***** Note: 40C and 50C Requires additional kit BER671151 to** **be ordered through CNHi Parts**		9001680P18	$2,049.00
		717989	Front Quick Hitch 30/35/40/50 **Implement Mounting Subframe** **For discontinued 30B, 35B, 40B and 50B**		9001680P18	$2,049.00
		717751	Front Quick Hitch - Class 3 **Implement Mounting Subframe** **for discontinued Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to** **S/N ZxME21xxx;** **and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT,** **50 CVT, 55 CVT**		9001794P16	$2,188.00
		439068	S-Frame CLS3AT MY14 **Implement Mounting Subframe** **for Farmall 45C CVT, 55C CVT** **for discontinued Farmall 40B CVT, 45B CVT,** **and 50B CVT -S/N ZxME21xxx and Above**		9001794P16	$2,188.00

BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

FRONT MOUNTED DRIVE COMPLETING PACKAGE

SD_03007 MID PTO DRIVE KIT

		439238	MID PTO CLS2 439238 **Mid PTO Drive Shaft Kit** **Includes mid-drive shaft, support, and tractor half of front driveline.** **For Series II 35A, 40A, 35C, 40C**		9000883P96	$1,078.00
		X03007X	No Mid PTO Drive Kit			No Charge
		439124	Mid PTO 32/36 HP T3 **Mid PTO Drive Shaft Kit** **Includes mid-drive shaft, support, and tractor half of front driveline.** **For discontinued 30A, 35A, 30C, and 35C**		9000883P96	$1,078.00
		439116	Mid PTO Tier 4 41/47 **Mid PTO Drive Shaft Kit** **Includes mid-drive shaft, support, and tractor half of front driveline.** **For Series II 45C and 55C** **Discontinued 40 and 50C**		9000883P96	$1,078.00
		717761	Mid PTO Drive Kit-III AT **Mid PTO Drive Shaft Kit** **For Farmall 45C CVT, 55C CVT** **For Discontinued 40B CVT, 45B CVT, and 50B CVT**		9000724P06	$883.00
		717990	Mid PTO 30/35/40/50 **Mid PTO Drive Shaft Kit** **For discontinued Farmall 30B, 35B, 40B and 50B**		9000883P96	$1,078.00

3 PART CHUTE

SD_29036 3 PART CHUTE

		X29036X	No 3 Part Chute			No Charge

DRIFT CUTTER KIT

SD_50028 DRIFT CUTTER KIT

		X50028X	No Drift Cutter			No Charge
		716248	Drift Cutter	28 LB	9000132P02	$161.00

ELECTRIC CHUTE DEFLECTOR

SD_29038 ELEC CHUTE DEFLECT

		X29038X	No Electric Chute Deflector			No Charge

BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

HYDRAULIC CHUTE DEFLECTOR

SD_20101 HYDRAULIC CHUTE DEF

		X20101X	No Hydraulic Chute Deflector			No Charge
		716864	Hydraulic Chute Deflector	16 LB	9000397P70	$485.00

HYDRAULIC CHUTE ROTATION

SD_20088 HYDRAULIC CHUTE ROT

		X20088X	No Hydraulic Chute Rotation			No Charge

ADDITIONAL OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge

OTHER EQUIPMENT

SD_40002 BALLAST BOX

		X40002X	No Ballasting Box			No Charge
		717746	Ballasting Box - 500 Lbs. **for 3-pt hitch**	100 LB	9000216P48	$264.00

BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
Quick Hitch and Subframe						
		439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	9001623P60	$1,980.00
		717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001680P18	$2,049.00
		717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001794P16	$2,188.00
		439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001794P16	$2,188.00
		439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001680P18	$2,049.00
		439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB Subframe for Series II 45C/50C ROPS and cab versions	360 LB	9001680P18	$2,049.00
Mid PTO Drive Completion Kits						
		717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40, 45, 40B CVT, 45B CVT, and 50B CVT	30 KG	9000724P06	$883.00
		439116006	Mid PTO drive kit for 41/47 hp -T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 40C and 50C For Series II 45C and 55C	25 LB	9000883P96	$1,078.00
		717990006	MID PTO 30/35/40/50 HP For Farmall 30B, 35B, 40B and 50B	25 KG	9000883P96	$1,078.00
		439124006	MID PTO 32/36 HP T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 30C and 35C For Series II 35C and 40C For 30A and 35A For Series II 35A and 40A	25 LB	9000883P96	$1,078.00

BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Additional Attachments

		717746006	Ballast Box 500 Lb Max 0.5,0.7	100 LB	9000251P74	$307.00
		716864026	Hyd chute deflector For 2 or 3 part chute for BH163H, BH163B, BH172H or BH174H	15 LB	9000397P70	$485.00

		439238006	MID PTO CLS2 T4 LS ENG Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A, 40A, 35C, 40C	25 LB		No Charge

BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

Model BR160:
For use with
- Farmall 35A & 40A Series II
- Farmall 35C & 40C Series II
- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Quick attach design, mid-PTO driven
Sweeping width: 55 inches (1397mm)
Sweeping width @ 25º: 49 inches (1245mm)
Broom diameter: 22 inches (560mm)
Brush type: Wafer
Bristle material: Polypropylene
Manual angling: Standard
Angling range: 0 to 25º
Drive system: PTO to Gearbox to #50 HD chain
Storage stand: Standard

Model BR172:
For use with
- Farmall 45C & 55C Series II
- Farmall 40C & 50C
- Farmall 40B & 50B
- Farmall 40C CVT & 45C CVT
- Farmall 50C CVT & 55C CVT

Quick attach design, Mid-PTO driven
Sweeping width: 67 inches (1702mm)
Sweeping width @ 25º: 60 inches (1525mm)
Broom diameter: 22 inches (560mm)
Bristle material: Polypropylene
Brush type: Wafer
Manual angling: Standard
Angling range: 0 to 25º
Drive system: PTO to Gearbox to #50 HD chain
Storage stand: Standard

NOTE:
REQUIREMENTS FOR OPERATION
A mid PTO kit is required to operate this implement. The PTO kit can only be ordered through Parts for these series of Farmall tractors

NOTES ABOUT MID PTO OFFERING

Compact Farmall A Series II
Hyrdostatic tranmission version tractors, Mid Mount PTO is included as standard equipment.

Gear transmission version tractors, Mid PTO is optional.
order tractor with factory installed Mid PTO or order MT20129402 through CNHi parts

Compact Farmall 30A and 35A (Prior Models) the PTO kit can only be ordered through CNHi Parts MT20129402

Farmall C series II
Mid Mount PTO is included as standard equipment on all models.

Farmall C (Prior Models)
the PTO kit can only be ordered through CNHi Parts
30C, 35C non-cab-MT201131516
35C with cab - MT20123903
40C, 50C non-cab - MT20131515
40C, 50C with cab - MT20123902

BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

NOTES ABOUT MID PTO OFFERING
(continued):

Farmall B series
the PTO kit can only be
ordered through CNHi Parts
30B, 35B - MT20022006
40B, 50B - MT20022005

CVT version tractors,
Mid Mount PTO is included as
standard equipment.

TRACTOR MUST BE EQUIPPED WITH
MID MOUNT VALVE AND JOYSTICK in
order to operate loaders, front mount
brooms, front mount blades or
front mount snow blowers.

NOTE:
Compact FARMALL A, B, & C Series I and
II tractors come equipped with
Mid-mount valve and Joystick as
standard equipment

BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
BR160	551142412	500 LB	9004010P62	$4,891.00
BR172	551000418	600 LB	9004528P04	$5,522.00
BR172 40C-55C CVT	551143412	500 LB	9004528P04	$5,522.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

SUBFRAME AND HITCH

SD_N5701 HITCH AND SUBFRAME

		XN5701X	No Mounting Brackets			No Charge
		439205	S-FRM CLS2 LS439205 **Implement Mounting Subframe** **For Series II 35A and 40A;** **and discontinued 30A, 35A** **For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab);** **and discontinued 30C, 35C (Cab or Non-cab);** **and discontinued 40C, 50C (Cab or Non-cab) ***** ***** Note: 40C and 50C Requires additional kit BER671151 to** **be ordered through CNHi Parts**		9001680P18	$2,049.00
		439068	S-Frame CLS3AT MY14 **Implement Mounting Subframe** **for 45C CVT, 55C CVT and** **discontinued 40B CVT, 45B CVT, and 50B CVT - S/N ZxME21xxx** **and above**		9001794P16	$2,188.00
		717989	Front Quick Hitch 30/35/40/50 **Implement Mounting Subframe** **For discontinued 30B, 35B, 40B and 50B**		9001680P18	$2,049.00
		717751	Front Quick Hitch - Class 3 **Implement Mounting Subframe** **for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to** **S/N ZxME21xxx;** **and discontinued Farmall 40 HST, 45 HST, 40 CVT,** **45 CVT, 50 CVT, 55 CVT**		9001794P16	$2,188.00

BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST

(Ex Works Wholegoods Depot)

DRIVE COMPLETION KITS

SD_03007 MID PTO DRIVE KIT

		439238	MID PTO CLS2 439238 **Includes mid-drive shaft, support, and tractor half of front driveline.** **For Series II 35A, 40A, 35C, 40C**		9000883P96	$1,078.00
		X03007X	No Mid PTO Drive Kit			No Charge
		439124	Mid PTO 32/36 HP T3 **Mid PTO Drive Shaft Kit** **Includes mid-drive shaft, support, and tractor half of front driveline.** **For discontinued 30A, 35A, 30C, and 35C**		9000883P96	$1,078.00
		439116	Mid PTO Tier 4 41/47 **For Series II 45C and 55C** **For discontinued 40C and 50C**		9000883P96	$1,078.00
		717761	Mid PTO Drive Kit-III AT **For Farmall 45C CVT, 55C CVT** **discontinued 40B CVT,** **45B CVT, and 50B CVT**		9000724P06	$883.00
		717990	Mid PTO 30/35/40/50 **For discontinued 30B, 35B, 40B and 50B**		9000883P96	$1,078.00

HYDRAULIC ANGLING KIT

SD_20087 HYDRAULIC FRAME ANGLING KIT

		X20087X	No Hydraulic Angling Kit			No Charge
		715677	Hydraulic Angling Kit	26 LB	9000583P02	$711.00

SIDE CASTERWHEELS KIT

SD_29035 SIDE CASTER WHEEL KIT

		X29035X	No Side Casterwheels Kit			No Charge
		717231	Side Casterwheels Kit **2 x 6**	47 LB	9000496P10	$605.00

ADDITIONAL OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge

BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST

(Ex Works Wholegoods Depot)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
Quick Hitch and Subframe						
		439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	9001623P60	$1,980.00
		717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001680P18	$2,049.00
		717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001794P16	$2,188.00
		439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001794P16	$2,188.00
Mid PTO Drive Completion Kits						
		717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40 CVT, 45 CVT, 50 CVT, 40B CVT, 45B CVT, and 50B CVT	30 KG	9000724P06	$883.00
		439124006	MID PTO 32/36 HP T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A and 40A For Series II 35C and 40C For discontinued 30A and 35A For discontinued 30C and 35C	25 LB	9000883P96	$1,078.00
		439116006	Mid PTO drive kit for 41/47 hp -T4 For Farmall 40C/ 50C	25 LB	9000883P96	$1,078.00
		717990006	MID PTO 30/35/40/50 HP Mid PTO drive kit for Farmall 30B, 35B, 40B and 50B	25 KG	9000883P96	$1,078.00
Additional Attachments						
		717231016	2 X 6 side caster w/Wheel kit For BR160 and BR172	47 LB	9000496P10	$605.00
		715677016	HYD ANGLING 60&72"(2.0,3.0) For Farmall 30, 35, 40, 45, 50, 30B, 35B, 40B, 50B, 40B CVT, 45B CVT, and 50B CVT	10 KG	9000583P02	$711.00

BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST

(Ex Works Wholegoods Depot)

		439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001680P18	$2,049.00
		439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB	360 LB	9001680P18	$2,049.00

BHA SERIES BACKHOES
US PRICE LIST

(Ex Works Telford, TN)

Standard Equipment

BACKHOE MODEL: BHA90

TRACTOR APPLICATION:
Series II 35A, 40A
Series II 35C, 40C, 45C, 55C
Farmall 30A, 35A
Farmall 30C, 35C, 40C, 50C
Farmall 45C and 55C CVT
Farmall 40B, 45B, and 50B CVT
Farmall 30B, 35B, 40B, 50B

*SPECIFICATIONS:
Digging Depth - 92 in.
Reach from Swing Pivot - 120 in.
Transport Height - 77 in.
Bucket Rotation - 174°
Stabilizer Spread:
  Transport - 49 in.
  Operating - 100 in.
Loading Height 70 in.
Swing Arc - 175°
Bucket Digging Forces - 3151 lb.
Dipper Stick Digging Forces - 2059 lb.
Shipping Weight - 722 lb.
Operating Pressure - 2175 psi

*Specifications may vary with tractor model, hydraulic system, tire size, etc.

IMPORTANT INFORMATION
The tractor must be equipped with a front end loader or front mount blade when installing a BHA Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

The following items are required to make up a complete backhoe:
- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

BACKHOE MODEL: BHA102

TRACTOR APPLICATION:
Series II 35A, 40A
Series II 35C, 40C, 45C, 55C
Farmall 30C, 35C, 40C, 50C
Farmall 45C and 55C CVT
Farmall 40B, 45B, and 50B CVT
Farmall 30B, 35B, 40B, 50B

*SPECIFICATIONS:
Digging Depth - 100 in.
Reach from Swing Pivot - 130 in.
Transport Height - 88 in.
Bucket Rotation - 180°
Stabilizer Spread:
  Transport - 56 in.
  Operating - 119 in.
Loading Height 76.0 in.
Swing Arc - 175°
Bucket Digging Forces - 4480 lb.
Dipper Stick Digging Forces - 2533 lb.
Shipping Weight - 854 lb.
Operating Pressure - 2500 psi

*Specifications vary with tractor model, hydraulic system, tire size, etc.

IMPORTANT INFORMATION
The tractor must be equipped with a front end loader or front mount blade when installing a BHA Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

The following items are required to make up a complete backhoe:
- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

BHA SERIES BACKHOES
US PRICE LIST

(Ex Works Telford, TN)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BHA90 BACKHOE	BHA90A	1,065 LB	9006788P78	$8,279.00
BHA102 BACKHOE	BHA102	1,065 LB	9007513P66	$9,163.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

		439203	S-FRM CLS2 LS ENG T4 **Backhoe Mounting Subframe** **for Series II 35C and 40C**			No Charge
		439204	S-FRM CLS2 LS439204 **Backhoe Mounting Subframe** **for Series II 35A and 40A**			No Charge
		439141	S-FRM CL2 T4 ROP/CAB **Backhoe Mounting Subframe** **for discontinued Farmall 30C, 35C Cab, 30B, and 35B**			No Charge
		717972	Subframe CL2 **Backhoe Mounting Subframe** **For 30A/35A and discontinued 30B/35B** **If ordering for a 30B or 35B (439118) FR HANGER BRKT CLS 2 MUST BE** **ordered in addition.**			No Charge
		439142	S-FRM CL3 T4 ROP/CAB **Backhoe Mounting Subframe** **for Series II 45C and 55C Cab and ROPS** **for discontinue 40C, 50C Cab and ROPS**			No Charge
		717751	Front Quick Hitch - Class 3 **Backhoe Mounting Subframe** **for Farmall 45C CVT, 55C CVT**			No Charge
		439111	SUBFRAME 45/55 HP **Backhoe Mounting Subframe** **for Farmall 50A, 60A, 70A** **and discontinued Farmall 45A, 55A** **For BHA102 only**			No Charge

BHA SERIES BACKHOES
US PRICE LIST

(Ex Works Telford, TN)

SD_N5702 FRONT BRACKETS

		XN5702X	No Front Brackets			No Charge
		439118	Fr Hanger Brkt Cls 2 **Front Hanger Kit for Farmall 30B/35B - Must be used with 717972 (Farmall 30C/35C subframe) to allow Tier 4 subframe to fit Tier 3 units.**		9000045P10	$55.00
		439119	Fr Hanger Brkt Cls 3 **Front Hanger Kit for Farmall 40B/50B - Must be used with 717973 (Farmall 40C/50C subframe) to allow Tier 4 subframe to fit Tier 3 units.**		9000045P10	$55.00

HYDRAULIC KITS

SD_20102 HYDRAULIC KIT

		439138	HYD KIT CL2 33/37 **Hydraulic Kit** **For Series II 35A and 40A** **For discontinued 30A, 35A**			No Charge
		439143	HYD CLS2 T4 ROPS/CAB **Hydraulic Kit** **For Series II 35C and 40C** **For discontinued 35C Cab, 30C, 35C non-cab, 30B, 35B**			No Charge
		439144	HYD CLS3 T4 ROPS/CAB **Hydraulic Kit** **For Series II 45C, 55C** **for discontinued 40C, 50C non-cab and 40B, 50B**			No Charge
		439069	Hyd Kit Cls 3 CVT **Hydraulic Kit** **For Farmall CVT**			No Charge
		717914	Hyd Kit WM/FA **Hydraulic Kit** **for Farmall 50A, 60A, 70A** **and discontinued Farmall 45A, 55A** **For BHA102 only**			No Charge

BUCKET

SD_N5403 12 IN STD BUCKET

		XN5403X	No 12 In. Standard Bucket			No Charge
		716399	12 In./305mm Standard Bucket		9000370P64	$452.00

SD_N5405 16 IN STD BUCKET

		XN5405X	No 16 In. Standard Bucket			No Charge
		716400	16 In. Standard Bucket		9000417P38	$509.00

BHA SERIES BACKHOES
US PRICE LIST

(Ex Works Telford, TN)

SD_N5407 18 IN STD BUCKET

		XN5407X	No 18 In. Standard Bucket			No Charge
		716434	18 In./457mm Standard Bucket		9000435P42	$531.00

SD_N5409 24 IN STD BUCKET

		XN5409X	No 24 In. Standard Bucket			No Charge
		716401	24 In. Standard Bucket		9000462P48	$564.00

FACTORY SUPPLIED ACCESSORIES - IMPLEMENTS FOR COMPACT/MIDRANGE TRACTORS

QUICK HITCH AND SUBFRAME

SD_50005 BIG FOOT DIRT PADS

		X50005X	No Big Foot Dirt Pads			No Charge
		716525	Big Foot Dirt Pads		9000219P76	$268.00

SD_50092 RUBBER STREET PADS

		X50092X	No Rubber Street Pads			No Charge
		716410	Rubber Street Pads		9000149P24	$182.00

SD_N6413 MECH THUMB

		XN6413X	No Mechanical Thumb			No Charge
		717916	Mechanical Thumb **BHA90 only**		9000440P34	$537.00
		439122	Mechanical Thumb Class 3 **BHA102 only**		9000440P34	$537.00

BHA SERIES BACKHOES
US PRICE LIST

(Ex Works Telford, TN)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
		439118006	Front Hanger Bracket Class 2 Front Hanger Kit for Farmall 30B/35B - Must be used with 717972 (Farmall 30C/35C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	9000044P28	$54.00
		439119006	Front Hanger Bracket Class 3 Front Hanger Kit for Farmall 40B/50B - Must be used with 717973 (Farmall 40C/50C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	9000044P28	$54.00
		716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB	9000370P64	$452.00
		716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB	9000417P38	$509.00
		716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB	9000435P42	$531.00
		716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB	9000462P48	$564.00
		716525046	Big Foot Dirt Pads	52 LB	9000219P76	$268.00
		717916036	Mechanical Thumb Class 2 7.5 Ft BHA90 only	90 LB	9000440P34	$537.00
		439122006	Mechanical Thumb Class 3 8.5 Ft BHA102 only	90 LB	9000440P34	$537.00
		716410036	Rubber Street Pads	4 LB	9000144P32	$176.00

TL SERIES ROTARY TILLERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Standard Equipment

TL160:
For use with
- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Approximate working width: 60 inches (1524mm)
Tilling depth adjustment with guide shoes: 0 to 4.5 inches (0 to 114mm)
Maximum tilling depth without guide shoes: 7.25 inches (184mm)
Hitch: Category I
Offset Adjustment to Right: 11 inches (280mm)
PTO hp Rating: 45
Rotor Drive Type: Chain
Drive Protection: Slip Clutch
Rotor Speed @ 540 RPM PTO: 236 RPM
Number of Blades: 28
Blade Tip Speed @ 540 RPM: 1063 (FPM)

TL172H:
For use with
- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT, and 50B CVT

Approximate working width: 72 inches (1830mm)
Tilling depth adjustment with guide shoes: 0 to 5 inches (0 to 127mm)
Maximum tillage depth without guide shoes: 7 inches (178mm)
Hitch: Category I or II
Offset Adjustment to Right: 11 inches (280mm)
PTO hp Rating: 60
Rotor Drive Type: Gear
Drive Protection: Slip Clutch
Rotor Speed @ 540 RPM PTO: 211 RPM
Number of Blades: 36
Blade Tip Speed @ 540 RPM: 944 (FPM)

TL SERIES ROTARY TILLERS
US PRICE LIST

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
TL160 60IN ROT TILL	TLX160 60IN CHAIN D	1,000 LB	9002715P02	$3,311.00
TL172 72IN ROT TILL	TLX172 72IN CHAIN D	1,000 LB	9003065P16	$3,738.00
TL172H 72IN ROT TILL	TL172H 72IN HD GEAR	1,000 LB	9003477P62	$4,241.00
TL180H 80IN ROT TILL	TL180H 80IN HD GEAR	1,200 LB	9003725P26	$4,543.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

ADDITIONAL OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge

RC ROTARY CUTTERS
US PRICE LIST

(Ex Works Beaumont, TX)

Standard Equipment

ROTARY CUTTER - ECONOMY
(3-POINT):

RC480:
- Cutting Width: 48 in.
- Cutting Height: 1 in. (min.)
- Cutting Capacity: 2 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 10 gauge
- Safety Deflectors: Rear Rubber Belting
- Driveline Size: Cat. 4 - 540 rpm
- Slip Protection: Shear Pin
- Tire and Wheel: Laminated
- 1 spindle

RC600:
- Cutting Width: 60 in.
- Cutting Height: 2 in. (min.)
- Cutting Capacity: 2 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 7 gauge
- Safety Deflectors: Rear Rubber Belting
- Driveline Size: Cat. 4 - 540 rpm
- Slip Protection: Shear Pin
- Tire and Wheel: Laminated
- 1 spindle

RC720:
- Cutting Width: 72 in.
- Cutting Height: 2 in. (min.)
- Cutting Capacity: 2 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 7 gauge
- Safety Deflectors: Rear Rubber Belting
- Driveline Size: Cat. 4 - 540 rpm
- Slip Protection: Shear Pin
- Tire and Wheel: Laminated
- 1 spindle

ROTARY CUTTER - STANDARD DUTY
(3-POINT):

RC605:
- Cutting Width: 60 in.
- Cutting Height: 2 1/2 in. (min.)
- Cutting Capacity: 2 1/2 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 7 gauge
- Safety Deflectors: Rear Rubber Belting
- Driveline Size: Cat. 4 - 540 rpm
- Slip Protection: Splined Slip Clutch
- Tire and Wheel: Laminated
- 1 spindle
- Single tail wheel

RC725:
- Cutting Width: 83 in.
- Cutting Height: 2 in. (min.)
- Cutting Capacity: 2 1/2 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 7 gauge
- Safety Deflectors: Rear Rubber Belting
- Driveline Size: Cat. 4 - 540 rpm
- Slip Protection: Slip Clutch
- Tire and Wheel: Laminated
- 1 spindle
- Single tail wheel

RC840:
- Cutting Width: 83 in.
- Cutting Height: 2 in. (min.)
- Cutting Capacity: 2 1/2 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 7 gauge
- Safety Deflectors: Rear Rubber Belting
- Driveline Size: Cat. 4 - 540 rpm
- Slip Protection: Slip Clutch
- Tire and Wheel: Laminated
- 1 spindle
- Single tail wheel

RC ROTARY CUTTERS
US PRICE LIST

(Ex Works Beaumont, TX)

Standard Equipment

ROTARY CUTTER - HEAVY DUTY
(3-POINT):

RC727:
- Cutting Width: 72 in.
- Cutting Height: 2 in. (min.)
- Cutting Capacity: 3 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 7 gauge
- Safety Deflectors: Front and Rear Chains
- Driveline Size: Cat. 5 - 540 rpm
- Slip Protection: Splined Slip Clutch
- Tire and Wheel: Laminated
- 1 spindle
- Single tail wheel

RC845:
- Cutting Width: 84 in.
- Cutting Height: 2 in. (min.)
- Cutting Capacity: 3 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 7 gauge
- Safety Deflectors: Front and Rear Chains
- Driveline Size: Cat. 5 - 540 rpm
- Slip Protection: Splined Slip Clutch
- Tire and Wheel: Laminated
- 1 spindle
- Single tail wheel

RC84HD:
- Cutting Width: 84 in.
- Cutting Height: 2 in. (min.)
- Cutting Capacity: 4 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 3/16 x 7 gauge
- Safety Deflectors: Front and Rear Chains
- Driveline Size: Cat. 5 - 540 rpm
- Slip Protection: Slip Clutch
- Tire and Wheel: Laminated
- 1 spindle
- Dual tail wheel

ROTARY CUTTER - HEAVY DUTY
(3-POINT): (continued)

RC960:
- Cutting Width: 96 in.
- Cutting Height: 2 in. (min.)
- Cutting Capacity: 3 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 3/16 x 7 gauge
- Safety Deflectors: Front and Rear Chains
- Driveline Size: Cat. 5 - 540 rpm
- Slip Protection: Slip Clutch
- Tire and Wheel: Laminated
- 2 spindle
- Dual tail wheel

ROTARY CUTTER - HEAVY DUTY
(PULL-TYPE):

RC1200:
- Cutting Width: 120 in.
- Cutting Height: 2 in. (min.)
- Cutting Capacity: 3 in. (max.)
- Blade Carrier: Pan
- Deck Thickness: 7 gauge
- Safety Deflectors: Front and Rear Chains
- Main Driveline: Cat. 5 CV w/ Slip Clutch - 540 rpm
- Tire and Wheel: Laminated
- 2 spindle

RC ROTARY CUTTERS
US PRICE LIST

(Ex Works Beaumont, TX)

Standard Equipment

ROTARY CUTTER - HEAVY DUTY
(PULL-TYPE): (continued)

RC1800 - 540 rpm driveline:
(Standard and
Smooth Top/Double Deck)
Cutting Width: 180 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Main Driveline: Cat. 5 CV w/
Slip Clutch 540 rpm
Outboard Drivelines to wings:
Cat. 4 w/Slip Clutch
Tire and Wheel: Laminated
3 spindle

RC1800 - 1000 rpm driveline:
(Standard and
Smooth Top/Double Deck)
Cutting Width: 180 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Main Driveline: Cat. 5 CV w/ Slip Clutch
1000 rpm - 1 3/8 in. shaft
1000 rpm - 1 3/4 in. shaft
Outboard Drivelines to wings:
Cat. 4 w/Slip Clutch
Tire and Wheel: Aircraft (used)
3 spindle
Hydraulic level lift

REQUIREMENTS FOR OPERATION:
Tractor Horsepower (Max.):

RC480 - up to 48
RC600 - up to 48
RC720 - up to 48
RC605 - up to 65
RC725 - up to 65
RC840 - up to 65
RC727 - up to 95
RC845 - up to 95
RC84HD - up to 140
RC960 - up to 140
RC1200 - up to 150
RC1800 - up to 210

RC ROTARY CUTTERS
US PRICE LIST

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
RC1800 540RPM	540 rpm, 180 in.	5720	9018490P18	$22,549.00
RC1800 1000RPM 1-3/8	1000 rpm 180 in.1-3/8 in. shft	6000	9021182P24	$25,832.00
RC1800 540RPM DD	540rpm, 180 in. Dbl Deck	6500	9021366P74	$26,057.00
RC1800 1000 1-3/8 DD	1000rpm,180in.1-3/8 Dbl Deck	6830	9023725P06	$28,933.00
RC1800 1000 1-3/4 DD	1000rpm,180in.1-3/4 Dbl Deck		9023725P06	$28,933.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

OTHER EQUIPMENT

SD_16049 EXTRA WHEELS, TIRES AND RIMS

		X16049X	No Extra Wheels and Tires			No Charge
		717984	Aircraft Tires (2) **Available on RC1800 with 1000RPM driveline**		9000429P68	$524.00
		717985	Aircraft Tires (6) **Available on RC1800 with 540RPM driveline**		9001286P58	$1,569.00
		717986	Aircraft Tires (8) **Available on RC1800 with 540RPM driveline**		9001722P00	$2,100.00
		717987	Foam Filled P Tire 6 **Available on all RC1800 Models**		9001722P00	$2,100.00
		717988	Foam Filled P Tire 8 **Available on all RC1800 Models**		9002173P00	$2,650.00

SD_N6428 FRONT SAFETY CHAINS

		XN6428X	No Front Safety Chains			No Charge
		717979	Front Safety Chains **Available on RC480, RC600 and RC720**		9000181P22	$221.00

SD_N6429 REAR SAFETY CHAINS

		XN6429X	No Rear Safety Chain			No Charge
		717980	Rear Safety Chains **Available on RC480, RC600 and RC720**		9000181P22	$221.00

SD_N6430 SLIP CLUTCH

		XN6430X	No Slip Clutch			No Charge

RC ROTARY CUTTERS
US PRICE LIST

(Ex Works Beaumont, TX)

		717981	Slip Clutch **Available on RC480, RC600 and RC720**		9000217P30	$265.00

SD_N6431 DUAL TAIL WHEEL

		XN6431X	No Dual Tail Wheel			No Charge
		717982	Dual Tail Wheel **Available on RC605, RC725, RC727, RC840, RC845, and RC1800**		9000521P52	$636.00

SD_N6432 HYD LIFT

		XN6432X	No Hyd Lift			No Charge
		717983	Hyd Lift **Available on RC1800 with 540RPM driveline**		9001260P34	$1,537.00

SD_N6433 COATING

		XN6433X	No Coating			No Charge
		717991	Galvanized			
			if MODEL is 1000rpm,180in.1-3/8 Dbl Deck		9000779P00	$950.00
			if MODEL is 1000rpm,180in.1-3/4 Dbl Deck		9000779P00	$950.00
			if MODEL is 1000 rpm 180 in.1-3/8 in. shft		9000779P00	$950.00
			if MODEL is 540rpm, 180 in. Dbl Deck		9000779P00	$950.00
			if MODEL is 540 rpm, 180 in.		9000779P00	$950.00

SD_N6436 QUICK ATTACH HITCH

		XN6436X	No Quick Attach Hitch			No Charge
		439026	Quick Attach Hitch **Availiable on RC480, RC600, RC605, RC720, RC725, RC727, RC840, RC845, RC84HD, RC960**		9000077P90	$95.00

RC ROTARY CUTTERS
US PRICE LIST

(Ex Works Beaumont, TX)

Factory Supplied Attachments

Order Code			Description	Weight	Factory Data	List Price
Front Safety Chains						
		717979006	48" Front Safety Chains Available on RC480	27 LB	9000169P74	$207.00
		717979016	60" Front Safety Chains Available on RC600	29 LB	9000169P74	$207.00
		717979026	72" Front Safety Chains Available on RC720	33 LB	9000169P74	$207.00
Rear Safety Chains						
		717980006	48" Rear Safety Chains Available on RC480	42 LB	9000169P74	$207.00
		717980016	60" Rear Safety Chains Available on RC600	44 LB	9000169P74	$207.00
		717980026	72" Rear Safety Chains Available on RC720	48 LB	9000169P74	$207.00

WORK EZ® DISK HARROW
US PRICE LIST

(Ex Works Beaumont, TX)

Standard Equipment

78 IN. DISK HARROW:
- Number of Disk Blades: 20 notched (front and rear)
- Disk Blade Size: 18 in. diameter
- Disk Blade Spacing: 5 1/2 in. F, 6 1/2 in., 7 1/2 in. R
- Maximum Cutting Depth: 6 in.
- Cutting Width: 70 in.
- Overall Length: 60 in.
- Overall Width: 79 in.
- Bearing Lubrication: sealed bearings
- Adjustable gang angle

REQUIREMENTS FOR OPERATION:
- Tractor Horsepower (Min./Max.): 20 - 60
- Hitch: Cat. I EZ Match™ compatible

WORK EZ® DISK HARROW
US PRICE LIST

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ DISK HARROW	EZ78DC 78in Disk Harrow	678 LB	9002125P44	$2,592.00

WORK EZ® RAKES
US PRICE LIST

(Ex Works Beaumont, TX)

Standard Equipment

LANDSCAPE RAKE:
- Rake Width:
  - 60LR - 60 in.
  - 72LR - 72 in.
  - 84LR - 84 in.
- Tine Spacing: 1 in.
- Tine Size: 5/16 x 1 in.
- Tine Material: high carbon spring steel
- Angle: 5 forward / 3 reverse
- Rake Pivot: 360°
- Pivot King Pin: 1 1/4 in.

REQUIREMENTS FOR OPERATION:
- Maximum Tractor Horsepower: 50
- Hitch: Cat. I EZ Match™ compatible

WORK EZ® RAKES
US PRICE LIST

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 72LR RAKE	EZ72LR 72in Landsc Rake	269 LB	9000965P96	$1,178.00
WORK EZ 84LR RAKE	EZ84LR 84in Rock Rake	326 LB	9001321P02	$1,611.00

WORK EZ® BOX BLADES
US PRICE LIST

(Ex Works Beaumont, TX)

Standard Equipment

BOX BLADES:

STANDARD DUTY (For Estate and Homeowners):

Number of Scarifiers (Shanks): 4 to 5
Overall Height: 35 1/2 in.
Box Depth: 17 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness: 3/16 in.
Hinges Rear Flat with Cutting Edge: n/a

MEDIUM DUTY (For Landscapers):

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)
Number of Scarifiers (Shanks): 6
Overall Height: 36 in.
Box Depth: 17 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness: 3/8 in.
Hinges Rear Flat with Cutting Edge: n/a

HEAVY DUTY (For Contractors):

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)
Number of Scarifiers (Shanks): 6
Overall Height: 36 in.
Box Depth: 19 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness: 1/2 in.
Hinges Rear Flat with Cutting Edge: Standard

INDUSTRIAL (For Contractors):

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)
Number of Scarifiers (Shanks): 8
Overall Height: 36 in.
Box Depth: 19 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness: 3/4 in.
Hinges Rear Flat with Cutting Edge: Standard

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Max.):
48BL - up to 28 2wd / 20 4wd
60BL - up to 28 2wd / 20 4wd
60BM - up to 50 2wd / 40 4wd
72BM - up to 50 2wd / 40 4wd
84BM - up to 50 2wd / 40 4wd
72BH - up to 75 2wd / 55 4wd
84BH - up to 75 2wd / 55 4wd
96BI - up to 100 2wd / 80 4wd

3 Pt. Hitch:
48BL - Cat. I EZ Match™ compatible
60BL - Cat. I EZ Match™ compatible
60BM - Cat. I
72BM - Cat. I
84BM - Cat. I
72BH - Cat. I
84BH - Cat. I
96BI - Cat. II

WORK EZ® BOX BLADES
US PRICE LIST

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 60BM BLADE	60in 3pt Box Med Duty	534 LB	9001186P54	$1,447.00
WORK EZ 72BM BLADE	72in 3pt Box Med Duty	643 LB	9001271P00	$1,550.00
WORK EZ 84BM BLADE	84in 3pt Box Med Duty	703 LB	9001451P40	$1,770.00
WORK EZ 72BH BLADE	72in 3pt Box Hvy Duty	704 LB	9001908P14	$2,327.00
WORK EZ 84BH BLADE	84in 3pt Box Hvy Duty	803 LB	9002167P26	$2,643.00
WORK EZ 96BI BLADE	96in 3pt Box Ind Duty	1,153 LB	9002658P44	$3,242.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

OTHER OPTIONS

SD_N6433 COATING

		XN6433X	No Coating			No Charge
		717991	Galvanized		9000091P02	$111.00

WORK EZ® REAR BLADES
US PRICE LIST

(Ex Works Beaumont, TX)

Standard Equipment

REAR BLADES:

STANDARD UTILITY (For Estate and Homeowners):
- Moldboard Width: 60 in. / 72 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 12 in.
- Tilt Adjustment: n/a
- Angle Adjustment: 5 Forward / 3 Reverse positions

MEDIUM DUTY (For Landscapers, Farm, or Ranch):
- Moldboard Width: 60 in. / 72 in. / 84 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 12 in.
- Tilt Adjustment: 45° / E side
- Angle Adjustment: 5 Forward / 3 Reverse positions

HEAVY DUTY (For Contractors):
- Moldboard Width: 84 in. / 96 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 12 in.
- Tilt Adjustment: 30°
- Angle Adjustment: 5 Forward / 3 Reverse positions

INDUSTRIAL (For Contractors):
- Moldboard Width: 96 in. / 108 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 12 in.
- Tilt Adjustment: 15°
- Angle Adjustment: 30°

HEAVY INDUSTRIAL (For Contractors):

- Moldboard Width: 96 in./120 in./144 in.
- Cutting Edge: 1/2 in. x 6 in.
- Offset Adjustment: 24 in.
- Tilt Adjustment: 15°
- Angle Adjustment: 30°

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (max.):
- 60SL - 30
- 72SL - 30
- 60SM - 40
- 72SM - 40
- 84SM - 40
- 72SH - 65
- 84SH - 65
- 96SI - 100
- 108SI - 100
- 96SHI - 225
- 120SHI - 225
- 144SHI - 225

3 Pt. Hitch:
- 60SL - Cat. I EZ Match™ compatible
- 72SL - Cat. I EZ Match™ compatible
- 60SM - Cat. I EZ Match™ compatible
- 72SM - Cat. I EZ Match™ compatible
- 84SM - Cat. I EZ Match™ compatible
- 72SH - Cat. I/II
- 84SH - Cat. I/II
- 96SI - Cat. II
- 108SI - Cat. II
- 96SHI - Cat. II/III
- 120SHI - Cat. II/III
- 144SHI - Cat. II/III

WORK EZ® REAR BLADES
US PRICE LIST

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 60SM BLADE	60in 3pt Rear Med Duty	256 LB	9000883P96	$1,078.00
WORK EZ 72SM BLADE	72in 3pt Rear Med Duty	328 LB	9001010P24	$1,232.00
WORK EZ 84SM BLADE	84in 3pt Rear Med Duty	297 LB	9001131P60	$1,380.00
WORK EZ 84SH BLADE	84in 3pt Rear Hvy Duty	684 LB	9001274P28	$1,554.00
WORK EZ 96SH BLADE	96in 3pt Rear Hvy Duty	679 LB	9001389P08	$1,694.00

WORK EZ® EZ MATCH™
US PRICE LIST

(Distribution Center)

Standard Equipment

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction
Lower arms lock automatically
Fast, easy attachment and release
Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™
Width (inches) - 28 center to center
(Hooks are 1-1/2 " wide)
Height (inches) - 24
Weight (pounds) - 80
Maximum Horsepower - 60

The following Case-IH products are quick hitch compatible:

EZ78DC - 78 in. Disk Harrow
EZ60LR - 60 in. Landscape Rake
EZ72LR - 72 in. Landscape Rake
EZ84LR - 84 in. Rock Rake
EZ48BL - 48 in. Standard Duty Box Blade
EZ60BL - 60 in. Standard Duty Box Blade
EZ60SL - 60 in. Standard Utility Rear Blade
EZ72SL - 72 in. Standard Utility Rear Blade
EZ60SM - 60 in. Medium Duty Rear Blade
EZ72SM - 72 in. Medium Duty Rear Blade
EZ84SM - 84 in. Medium Duty Rear Blade

WORK EZ® EZ MATCH™
US PRICE LIST

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ EZ MATCH	400 LB	9000296P02	$361.00

WORK EZ® BALE CARRIERS
US PRICE LIST

Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match™ compatible.

MODEL: Work EZ® Bale Carrier
Application - Standard duty
Weight - 155 lbs
Weight rating - 2000 lbs
Tractor horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
NOTE: Fork tines go under bale

MODEL: Work EZ® Bale Spear
Application - Standard duty
Weight - 98 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears

WORK EZ® BALE CARRIERS
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ BALE CARRIER	88 LB	9000395P24	$482.00
WORK EZ BALE SPEAR	155 LB	9000437P06	$533.00

WORK EZ® HAY SPEARS
US PRICE LIST

Standard Equipment

WORK EZ® Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

MODEL: Work EZ® Single Bale Quick Attach
Application - Standard duty
Weight - 153 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 80
Hitch - Universal Q/A
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach
Application - Standard duty
Weight - 168 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 80
Hitch - Universal Q/A
Hot dipped galvanized frame
Two replaceable high carbon steel spears
One welded top stabilizing spear

WORK EZ® HAY SPEARS
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORKEZ SNGL BALE QA	168 LB	9000710P94	$867.00
WORKEZ DBL BALE QA	153 LB	9000818P36	$998.00

PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS

Part #	Description	Farmall 30B/35B	Farmall 40B/50B
ROPS/FOPS GROUP			
718857166	FOPS canopy for roll bar - white	X	X
FFB1A32W	Sunshade canopy - white	X	X
HYDRAULICS GROUP			
	Single rear remote; 3 position, self centering, lever knob and coupler dust boot (mono-block valve design). Remote valve not stackable; cannot add a second single rear remote.		
MT20124614	Rear remote #1; Farmall 30B/35B (Gear or HST)	X	
MT20124611	Rear remote #1; Farmall 40B/50B HST only		X
MT20124606	Rear remote #1; Farmall 40B/50B Gear only		X
	Dual rear remotes; 3 position, self centering, lever knob and coupler dust boot (mono-block valve design). Contains two valves (#1 & #2)		
MT20124614	Rear remote #1 & #2; Farmall 30B/35B (Gear or HST)	X	
MT20124612	Rear remote #1 & #2; Farmall 40B/50B HST only		X
MT20124607	Rear remote #1 & #2; Farmall 40B/50B Gear only		X
	Other Hydraulics		
MT20117607	Draft control for gear units	X	X
PTO GROUP			
MT20022006	Mid PTO; 2,000 RPM	X	
MT20022005	Mid PTO; 2,000 RPM		X

PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS

Part #	Description	Farmall 30B/35B	Farmall 40B/50B
WEIGHT GROUP	***(Note: attaching hardware is available from Service Parts)***		
710215016	Front end weight - 60 lbs. Compatible with grille guard but not compatible with loader. Maximum 5 weights per tractor. Requires front weight carrier #718233006 if using more than 2 weights	X	X
718215036	Front end weight - 100 lbs. Compatible with grille guard but not compatible with loader. Maximum 3 weights per tractor. Requires front weight carrier #718233006	X	X
718740016	Rear counter weight bracket	X	X
718233006	Front weight carrier (max five 60 lb. weights) (not compatible with loader)	X	X
710470026	Wheel Weight (105lb's each) for 420/70-24 IND tires & wheels - 2 max per wheel / 4 max per tractor		X
Miscellaneous Group			
719849216	Grille Guard	X	
719849226	Grille Guard		X
MT20119015	Right hand side step	X	X
MT20119014	Right hand grip/grab handle (replaces std. tray & cupholder	X	X
MT20119006	7 pin connector	X	
MT20119007	7 pin connector		X
710990076	Tool box bracket (requires toolbox 5135060)	X	
710990086	Tool box bracket (requires toolbox 5135060)		X
5135060	Toolbox (Black)	X	X
84317040	Engine coolant heater - Mitsubishi engine	X	
84316967	Engine coolant heater - LS engine		X
251006F	Linkage drawbar (FONNC830AA stay kit required)	X	X
FONNC830AA	Linkage drawbar stay kit	X	X
87702589	ROPS mounted work light kit	X	X
8427548	French operators manual / decal kit (DMC 262-636-7540)	X	
8427560	French operators manual / decal kit (DMC 262-636-7540)		X

PARTS DIVISION SUPPLIED ACCESSORIES - FARMALL B SERIES TRACTORS

	Aftermarket Cab:
Work Direct	Custom Products of Litchfield, Inc.
with Custom Products	PO Box 70
	Litchfield, MN 55355
	TOLL FREE 800-CAB-LINE; (800) 222-5463
	FAX (320) 693-7252
	www.800cabline.com
	www.cozycab.com

FARMALL B CVT DIA'S

DESCRIPTION	PART NUMBER	APPROX. INSTALLATION TIME	40B CVT	45B CVT	50B CVT	COMMENTS
Cab Group						
Windshield wiper/washer, rear	710642016	1.0	X	X	X	
Cab roof visibility guard	718002006	0.5	X	X	X	
Operator presence switch conversion seat kit for light operators	87550442	2.0	X	X	X	
Arm rest kit	718852026	0.5	X	X	X	
Radio bezel	87328627	1.0	X	X	X	Included in CNH Audiovox radio
Radios			X	X	X	Order from CNH Parts
Electrical Group						
Beacon light and mounting kit	710762026	1.0	X	X	X	
75 amp alternator CVT	84158956	2.0	X	X	X	
Hydraulic Group						
3 position (extend, retract, neutral); self-centering rear remote valve. Can be mounted in 1st, 2nd, or 3rd position. Kit contains rear remote valve only.	710366216	2.0	X	X	X	Completing package required
4 position (float, extend, retract, neutral) detent rear remote. Can be mounted in 1st or 2nd position. Kit contains rear remote valve only.	719940056	2.0	X	X	X	Completing package required
1st rear remote valve completing package. Includes lever, knob, coupler, coupler dust cap and hydraulic tubings and fittings.	719933046	2.0	X	X	X	Use with valve 710366216 or 719940056
2nd rear remote valve completing package. Includes lever, knob, coupler, coupler dust cap and hydraulic tubings and fittings.	719935046	2.0	X	X	X	Use with valve 710366216 or 719940056
3rd rear remote valve completing package. Includes lever, knob, coupler, coupler dust cap and hydraulic tubings and fittings.	719937036	2.0	X	X	X	Use with valve 710366216
Engine Group						
Engine coolant heater	86403117	2.0	X	X	X	
Cold performance - transmission heater kit - NAR	87537603	1.0	X	X	X	
Drawbar/Hitch Group						
Drawbar clevis	86402709	0.5	X	X	X	
Stabilizer bracket (required to support hydraulic tubes when 2 spool remote valve fitted, less front loader)	86404991	1.0	X	X	X	
Linkage drawbar	251006F	1.0	X	X	X	FONNC830AA stay kit required
Linkage drawbar stay kit	FONNC830AA	1.0	X	X	X	

FARMALL B CVT DIA'S

DESCRIPTION	PART NUMBER	APPROX. INSTALLATION TIME	40B CVT	45B CVT	50B CVT	COMMENTS
Weight Group						
Front end weight 60 LB (27 Kg). Maximum of 2 with all axle/tire combinations.	710215046	0.5	X	X	X	Weight(s) attach to front of tractor frame
Front end weight 100 LB (45 Kg). Maximum of 2 with all axle/tire combinations.	718215056	0.5	X	X	X	Weight(s) attach to front of tractor frame
Front weight carrier (required for additional front weight installation). Holds a maximum of 5 weights. Attaching hardware is available through the Parts Division.	718233006	1.0	X	X	X	Not compatible with front-end loader
Rear wheel weight 105 LB (47 Kg). Maximum of 2 per wheel. Attaching hardware is available through the Parts Division.	710470026	1.0	X	X	X	Compatible with R1 Ag bar tires only
Rear counter weight bracket. Recommended for use with loader or front mount snow blower if using a ballasting box. Mounts on a 3-point hitch and will accept up to quantity of 7 of 710215046 or quantity of 5 of 718215056 front-end weights.	718740016	1.0	X	X	X	
Miscellaneous						
Front bumper/grille guard - CNH black	719849056	0.5	X	X	X	

PARTS DIVISION SUPPLIED ACCESSORIES FOR FARMALL COMPACT TRACTORS

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
CANOPY / FOPS for ROPS				
FFB1A22W	Sunshade Canopy (White)	X		
FFB1A22R	Sunshade Canopy (Red)	X		
FFB3A32W	Sunshade Canopy (White)		X	X
FFB3A32R	Sunshade Canopy (Red)		X	X
718857016	FOPS/Canopy for rollbar	X		
718857016	FOPS/Canopy for rollbar		X	
718857056	FOPS/Canopy for rollbar			X

HYDRAULICS **NOTE:** Mid-mounted hydraulic valve w/single lever joystick required for use with loaders, front mount snowblowers, and front blades.

Mid Mounted Remote Valves				
710440076	Mid-mounted hydraulic valve with joystick control. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)	X		
710440106	Mid-mounted hydraulic valve with joystick control for use with Farmall 40, 45, and 50 (Gear Transmission Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)		X	
710330046	Mid-mounted hydraulic valve with joystick control for use with Farmall 40 and 45 ROPS (HST Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing & hardware)		X	
719918046	Mid-mounted hydraulic valve with joystick control for Farmall 40 and 45 CAB (HST Tractors). Two spool valve with simultaneous lift and curl function. (Kit includes control handle switch for hi/lo shift, 4 quick couplers, plumbing & hardware)		X	
710440046	Mid-mounted hydraulic valve with joystick control for use with Farmall 55 and 60 ROPS Tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)			X
719918026	Mid-mounted hydraulic valve with joystick control for use with Farmall 55 and 60 Cab Tractors. Two spool valve with simultaneous lift and curl function. (Kit includes 4 quick couplers, plumbing and attaching hardware)			X
86403115	Tube Stabilizer Bracket (required to install mid-mount valve and joystick when tractor does not have loader installed) -- For ROPS models		X	
86404991	Tube Stabilizer Bracket (required to install mid-mount valve and joystick when tractor does not have loader installed) -- For CAB models		X	
Rear Remote Valves - Farmall 31 & 35				
718348066	First rear remote valve (self-centering) with ½ in. couplers	X		
718347026	Second rear remote valve (self-centering) with ½ in. couplers (second valve used in combination with 718348066)	X		

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
Rear Remote Valves - Farmall 40, 45 & 50 (with Gear Transmission)				
710366206	Rear remote valve (self-centering) - requires a hydraulic completing kit (see below) (Can be used as First or Second rear remote valve)		X	
719940046	Rear remote valve with float and detent - Requires first or second rear remote valve hydraulic completing kit (see below) (Can be used as First or Second rear remote valve)		X	
Hydraulic completing kits - include knobs, couplers, levers & coupler dust boots. (MUST ORDER ONE KIT FOR EACH REAR REMOTE VALVE SELECTED)				
719934036	First rear remote valve completing kit - compatible with self centering valve & float & detent valve **(valve not included)**		X	
719936036	Second rear remote valve completing kit - compatible with self centering valve & float & detent valve **(valve not included)**		X	

Rear Remote Valves - Farmall 40, 45 & 50 (with Hydrostatic Transmission)

710366046	First rear remote valve (self-centering) with ½ in. couplers (includes hydraulic completing package)		X	
718334036	Second rear remote valve (self-centering) with ½ in. couplers - second valve used in combination with 710366046. (includes hydraulic completing package)		X	
719339036	Third rear remote valve (self-centering) with ½ in. couplers - third valve used in combination with 710366046 and 718335036. For use with Deluxe models only (includes hydraulic completing package)		X	
716662016	3rd function hose kit - Contains hoses and couplers to run from the tractor rear remote valve (one required) to the loader cross member (torque tube).		X	

Rear Remote Valves - Farmall 40, 45 & 50 (with CVT Transmission)

710366206	3 position (Extend, Retract, Neutral); Self Centering Rear Remote Valve. Can be mounted in First, Second or Third position. Kit contains Rear Remote Valve only Completing package required (see below)		X	
719940046	4 position (Float, Extend, Retract, Neutral) Detent Rear Remote Can be mounted in First or Second position Kit contains Rear Remote Valve only Completing package required (see below)		X	
719933046	First Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216 or 719940056		X	
719935046	Second Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216 or 719940056		X	
719937036	Third Rear Remote Valve Completing Package Includes lever, knob, coupler, coupler dust cap, hydraulic tubing and fittings Use with valve 710366216		X	

Rear Remote Valves - Farmall 55 & 60

710366056	Rear remote valve (self-centering) - requires a hydraulic completing kit (see below) (Can be used as a First, Second or Third rear remote valve)			X

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
719940006	Rear remote valve with float and detent - Requires the first or second rear remote valve hydraulic completing kit (see below) (Can be used as a First or Second rear remote valve)			X
Hydraulic completing kits - include knobs, couplers, levers & coupler dust boots. (MUST ORDER ONE KIT FOR EACH REAR REMOTE VALVE SELECTED)				
719933016	First rear remote valve completing kit - compatible with self centering valve & float & detent valve **(valve not included)**			X
719935016	Second rear remote valve completing kit - compatible with self centering valve & float & detent valve **(valve not included)**			X
719937016	Third rear remote valve completing kit - compatible with self centering valve only **(valve not included)**			X
716662046	3rd function hose kit - contains hoses and couplers to run from the tractor rear remote valve (one required) to the loader cross member (torque tube).			X

WEIGHTS

NOTE: All weights listed below are for 1 weight only. For rear wheels, you must order two (2) to receive one weight for each side.

710215046	60 lb./27.2kg Front End Weight Maximum of 2 with all axle/tire combinations. Weight(s) attach to front of tractor frame.	X	X	X
718215056	100 lb./45.3kg Front End Weight Maximum of 2 with all axle/tire combinations. Weight(s) attach to front of tractor frame.	X	X	X
718233006	Front weight carrier (required for additional front weight installation) - Holds a maximum of 5 weights. Attaching hardware is available through Parts Division. Not compatible with front-end loader	X	X	
718233016	Front weight carrier (required for additional front weight installation) - Holds a maximum of 5 weights. Attaching hardware is available through Parts Division. Not compatible with front-end loader			X
718470036	75 lb./34kg Rear Wheel Weight, maximum of 2 per wheel. Compatible with R4 Industrial tires only. Attaching hardware is available through Parts Division.	X		
710470026	105 lb./47.6kg Rear Wheel Weight, maximum of 2 per wheel. Attaching hardware is available through Parts Division. (Compatible with R1 Ag Bar tires only)	X	X	X
718740016	Rear counter weight bracket. Recommended for use with loader or front mount snowblower if not using a ballasting box. Mounts on a 3-point hitch and will accept up to qty. 7 of 710215046 or qty. 5 of 718215056 front end weights.	X	X	X
	NOTE: Attaching hardware for securing weights is not included. Please order from Parts Division.			

SOFT CABS

710660086	Soft Cab for Farmall 31 and 35 - includes base enclosure, top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)	X		
710660126	Soft Cab for Farmall 40, 45 and 50 ROPS - includes base enclosure top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)		X	
710660066	Soft Cab for Farmall 55 and 60 ROPS - includes base enclosure top rear panels, glass windshield, and hand operated windshield wiper. (not compatible with a canopy)			X

PART NUMBER	DESCRIPTION (All items ordered from Parts Division unless otherwise specified)	Farmall 31 & 35	Farmall 40, 45, 50	Farmall 55 & 60
MISCELLANEOUS				
86590117	Engine Coolant Heater	X	X	X
251006F	Linkage Drawbar (F0NNC830AA stay kit required)	X	X	X
F0NNC830AA	Linkage Drawbar Stay Kit	X	X	X
86535719	Drawbar Clevis (used with Swinging/Extendible Drawbar)	X	X	
SBA370070300	Drawbar Clevis			X
SP1229985DS	Rear Worklight (50 watt halogen with switch. Bracket required to install worklight, see below.	X	X	X
86531714	Rear Worklight Mounting Bracket	X		
86401040	Rear Worklight Mounting Bracket		X	
87300991	Rear Worklight Mounting Bracket			X
9673703DS	AM/FM Radio Kit for ROPS models	X	X	X
ZAEJHD3000	AM/FM/WB/CD Radio Kit for CAB models		X	X
718852026	Fold-up Armrest Kit	X	X	X
87379951	Transmission Heater Kit	X		
87537603	Transmission Heater Kit		X	X
SBA385071310	Back-up Alarm Kit for SSS Transmission			X
SBA385071320	Back-up Alarm Kit for EHSS Transmission			X
87395939	Spark Arrestor Muffler Kit	X		
719849056	Grill Guard	X	X	
719849086	Grill guard			X
710709046	Step kit, left side (not compatible with MW Series mower decks)	X		
718709066	Step kit, right side (not compatible with MW Series mower decks)	X		
86571922	Right-Hand Platform Step - for Economy version (attaching hardware is available from Parts Division)		X	
718709076	Step kit, right side (ROPS only)			X
710801046	Mid PTO - 2000 RPM (for Farmall 31 gear transmission only)	X		
719801056	Mid PTO - 2000 RPM for Farmall 40 and 45 with Hydrostatic Transmission only		X	
718877016	Hood mounted LH rear view mirror	X		
718877006	Hood mounted LH rear view mirror for ROPS tractors		X	
710990046	Economy toolbox kit for Farmall 40, 45 and 50 Gear Transmission Compact Tractors (includes plastic toolbox that mounts to the top of left-hand fender and metal cup holder that mounts to top of right-hand fender)		X	
86402046	Toolbox with cup holder - for Economy version		X	
710642016	Rear window wiper and washer kit - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
710762006	Beacon light and mounting kit - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
718002006	High visibility panel guard for cab roof - for Farmall 40, 45, 50, 55 and 60 Cab versions		X	X
	The items below are supplied by the Document Management Center (DMC). To order please contact the DMC at (262) 636-7540 or order online through the Dealer Portal (go to tools, select DMC link)			
87668370	French Canadian Operator's Manual (Farmall 31 & 35)	X		
87396594	French Canadian Operator's Manual (Economy models)		X	
87721388	French Canadian Operator's Manual (Deluxe models)		X	
87721390	French Canadian Operator's Manual (CAB models)		X	
87396598	French Canadian Operator's Manual (ROPS models)			X
87721397	French Canadian Operator's Manual (CAB models)			X
86402037	French Canadian Decal Kit	X	X	X

PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	MW60S	MW72S	MW72R	MW84R
Available through Parts Division unless otherwise noted:					
AUB164147	Caster wheel spring device - Required when installing an MW60S, MW72S or MW72R on a Farmall 31 or 35 equipped with Galaxy turf tires	X	X	X	
AUB182262	Mower / Loader Compatibility kit - Required when installing an MW60S, MW72S or MW72R in combination with an LX114 loader on a Farmall 31 or 35	X	X	X	
AUB163560	Caster wheel spring device - Required when installing an MW84R on a Farmall 40, 45 or 50 equipped with Galaxy turf tires				X

PART NUMBER	DESCRIPTION	RR60	RR72	RR90	RR144	RR180	RR204
Available through Parts Division unless otherwise noted:							
SIT 110283	Mulching kit - 60 in. Rear Discharge Only	X					
SIT 110284	Mulching kit - 72 in. Rear Discharge Only		X				
SIT 110285	Mulching kit - 90 in. Rear Discharge Only			X			
SIT 110286	Mulching kit - 12 ft. Folding Flex wing				X		
SIT 110287	Mulching kit - 15 ft. Folding Flex wing					X	
SIT 110288	Mulching kit - 17 ft. Folding Flex wing						X
SIT 100364	Anti-Scalp Kit - 60 in. and 72 in. (front adjustable roller)	X	X				
SIT 100503	Anti-Scalp Kit - 90 in. (front adjustable roller)			X			
SIT 100933	Pneumatic Tire kit - 60 in. (Set of 4). Includes wheels and forks.	X					
SIT 100934	Pneumatic Tire kit - 72 in. (Set of 4). Includes wheels and forks.		X				
SIT 100935	Pneumatic Tire kit - 90 in. (Set of 4). Includes wheels and forks.			X			

PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	RC480	RC600	RC720	RC605	RC725	RC840	RC845	RC1800
Available through Parts Division unless otherwise noted:									
MAG010D3590	4 ft. Front Chain Guards - Standard Duty	X							
MAG010D3591	4 ft. Rear Chain Guards - Standard Duty	X							
MAG010D6798	5 ft. Front Chain Guards - Standard and Medium Duty		X		X				
MAG010D6799	5 ft. Rear Chain Guards - Standard and Medium Duty		X		X				
MAG010D1598	6 ft. Front Chain Guards - Standard and Medium Duty			X		X			
MAG010D1599	6 ft. Rear Chain Guards - Standard and Medium Duty			X		X			
MAG010D3990	7 ft. Front Chain Guards - Medium Duty						X		
MAG010D3991	7 ft. Rear Chain Guards - Medium Duty						X		
CSE010D3992R	7 ft. Dual tail wheel - Heavy Duty							X	
MAG415D0060	15 ft. hydraulic level lift. - Pull Type								X
MAG125D801D01	Slip Clutch	X	X	X					

REFERRAL ATTACHMENTS

Case IH does not represent these products or company or offer terms or warranty. When installed and operated according to the manufacturer's instructions, these attachments will not void the Case IH warranty of the Case IH products. The availability, performance, service parts availability, pricing, after sale service and warranty of these products is the sole responsibility of the manufacturer and not of Case IH.

Electra-Tach -- Electronic actuator for skid-steer style quick-attach device (quick and easy connect/disconnect)

Supplier: Ultra-Tach
Address: 100 E. Shenango St.
Sharpsville, PA 16150

Phone: (724) 962-7644
Fax: (724) 962-1719
E-Mail: www.ultrach.com

PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.