

NEW GENERATION FOLDING FRAME DESIGN					
MODEL NUMBER	AWS/AWF - C-FLEX W/ FORGED SHATTERTINES 7.5" TINE SPACING	TINES	HP (7-10 HP/ft)	WEIGHT	PRICE
AWST125-FG-4	12.5' STRAIGHT FRAME	80	75-125	2957 lbs	16,415
AWST150-FG-4	15.0' STRAIGHT FRAME (2 ROLLER)	96	90-150	3386 lbs	18,325
AWST200-FG-4	20.0' STRAIGHT FRAME	128	120-200	4742 lbs	25,209
AWFT200-FG-4*	20.0' FOLDING (10' CENTER, 5.0' WINGS)	128	120-200	6073 lbs	36,471
AWFT25N-FG-4*	25.0' FOLDING (10' CENTER, 7.5' WINGS)	160	150-250	6942 lbs	45,961
AWFT25N-FG-4* (SHORT)	25.0' FOLDING (10' CENTER, 7.5' WINGS) SHORT RLR WINGS	160	150-250	7392 lbs	50,021
AWFS300-FG-4*	30.0' FOLDING (15' CENTER, 7.5' WINGS)	192	180-300	8236 lbs	49,182
AWFS300-FG-4* (SHORT)	30.0' FOLDING (15' CENTER, 7.5' WINGS) SHORT RLR WINGS	192	180-300	8686 lbs	53,242
FG TINE PART NUMBERS SHOWN: "FG-4" IS REPLACED BY "LE-4" FOR LEAF TINE/*ADD \$3/TINE FOR LEAF TINE MACHINES					
MODEL NUMBER	CCT - AWS/AWF - (CLOSE COUPLED TANDEM) W/ FORGED SHATTERTINES 7.5" TINE SPACING (3.75" Effective)	TINES	HP (9-15 HP/ft)	WEIGHT	PRICE
AWST125-FG-3-CCT	12.5' STRAIGHT FRAME	120	113-188	4333 lbs	24,743
AWST150-FG-3-CCT	15.0' STRAIGHT FRAME (4 ROLLER)	144	135-225	4973 lbs	27,171
AWST200-FG-3-CCT	20.0' STRAIGHT FRAME	192	180-300	6924 lbs	37,305
AWFT200-FG-3-CCT*	20.0' FOLDING (10' CENTER, 5.0' WINGS)	192	180-300	8394 lbs	48,981
AWFT25N-FG-3-CCT*	25.0' FOLDING (10' CENTER, 7.5' WINGS)	240	225-375	9681 lbs	63,244
AWFT25N-FG-3-CCT* (SHORT)	25.0' FOLDING (10' CENTER, 7.5' WINGS) SHORT RLR WINGS	240	225-375	10316 lbs	68,658
AWFS300-FG-3-CCT*	30.0' FOLDING (15' CENTER, 7.5' WINGS)	288	270-450	11490 lbs	66,926
AWFS300-FG-3-CCT* (SHORT)	30.0' FOLDING (15' CENTER, 7.5' WINGS) SHORT RLR WINGS	288	270-450	12115 lbs	72,339
WHEEL KITS	PULL TYPE TAG KITS	TIRES	RIMS/ HUBS	WEIGHT	PRICE
7,000 LB KIT	4 WHEEL PT KIT (12.5'-20' AWS ONLY) PREVIOUSLY 6700	9.5 X 15	6 Bolt	1688 lbs	7,430
16,000 LB KIT	4 WHEEL PT KIT (12.5'-30' AWS/AWF) PREVIOUSLY 9900	12.5 X 16	8 Bolt	2125 lbs	10,209
UPGRADE HITCH TO CAT 4 (incl. 41,000# safety chain) \$215.00					
UPGRADE 16,000 LB KIT TIRES TO 340/60R16.5, 8 BOLT \$1,785.00 (INCREASES CAPACITY TO 24,000 LBS)					
^PT KITS ARE AVAILABLE AS CRATED OR FACTORY INSTALLED. ADD \$200. (lift frame installed, tongue still requires install)					
PLEASE NOTE: FOR INFORMATION AND SPECIFICATIONS ON THE WHEEL KIT OPTIONS, REFER TO SELECTOR CHART ON PAGE 7					
SALFORD AERWAY DOES NOT ACCEPT ANY LIABILITY FOR MACHINE FAILURES DUE TO ABUSE OR OVERLOADING					
CHECK WITH THE MANUFACTURER TO MATCH THE CORRECT WHEEL KIT TO THE INTENDED APPLICATION					
MODEL NUMBER	HD 40' AERWAY C-FLEX and CCT w/FORGED SHATTERTINES c/w INTEGRAL HD WHEEL KIT	TINES	HP	WEIGHT	PRICE
AWFT400-FG-4	40.0' FOLDING-20' CENTER, 10' WINGS - 4" ROLLERS	256	240-400	20,000 lbs	103,379
AWFT400-FG-3-CCT	40.0' FOLDING-20' CENTER, 10' WINGS - 4" ROLLERS	384	320-500	24,610 lbs	128,450
FG TINE PART NUMBERS SHOWN: USE "LE-4" = LEAF					
ADD \$3/TINE FOR LEAF TINE MACHINES (SINGLE ROLLER ONLY)					
All AWF and AWS machines come equipped with LED LIGHT KITS					




Wear Pad For Hitches Shown
10045723
3/8" UHMW poplethylene



10046818

Trunnion Bearing Bracket
with Integrated Guard
(Bearing Not Included)




MODEL NUMBER	CLASSIC SERIES - QUICK ADJUST	TINES	HP (7-10 HP/ft)	WEIGHT	PRICE
AW080H-2B48-E	8' HYDRAULIC PULL TYPE - MANUAL ADJUST	48	35-65	1780 lbs	9,381
AW100Q-2B58-D	10' QUICK ADJUST, 3-POINT (ACCEPTS 3,500 LB KIT ONLY)	64	60-100	2095 lbs	10,071
AW120Q-2B58-E	12' QUICK ADJUST, 3-POINT (ACCEPTS 3,500 LB KIT ONLY)	72	75-125	2435 lbs	11,745
AW100Q-2B58-P	10' QUICK ADJUST, 3-POINT (ACCEPTS 7,000 LB KIT ONLY)*	64	60-100	2150 lbs	10,669
AW120Q-2B58-P	12' QUICK ADJUST, 3-POINT (ACCEPTS 7,000 LB KIT ONLY)*	72	75-125	2490 lbs	12,308
AW150Q-4B58-D	15' QUICK ADJUST, 3-POINT (ACCEPTS 7,000 LB KIT ONLY)*	96	90-150	3088 lbs	15,771
WHEEL KITS	PULL TYPE TAG KITS	TIRES	RIMS/ HUBS	WEIGHT	PRICE
3,500 LB KIT	2 WHEEL KIT (AW100Q and AW120Q) PREVIOUSLY 7200	9.5 X 15	6 Bolt	900 lbs	4,256
7,000 LB KIT*	4 WHEEL PT KIT (15' & 10/12' Classics Ending in "-P" Only)	9.5 X 15	6 Bolt	1688 lbs	7,430
PLEASE NOTE: FOR INFORMATION AND SPECIFICATIONS ON THE WHEEL KIT OPTIONS, REFER TO SELECTOR CHART ON PAGE 5					
Installation not available for units located in warehouse locations					
SALFORD AERWAY DOES NOT ACCEPT ANY LIABILITY FOR MACHINE FAILURES DUE TO ABUSE OR OVERLOADING					
CHECK WITH THE MANUFACTURER TO MATCH THE CORRECT WHEEL KIT TO THE INTENDED APPLICATION					
MODEL NUMBER	AERATION TOPDRESS SEEDER	TINES	HP (7-10 HP/ft)	WEIGHT	PRICE
AWATS-100-AG-4	10' TOPDRESS SEEDER w INTEGRAL PT KIT - 10 bu	64	60-100	3252 lbs	23,525
AW-CH11-3	11' AG CHAIN HARROW, 9' BAR, 10' 10" W. 84" DEPTH	BLACK	10	345 lbs	1,316
10004875	CHAIN HARROW CARRIER ARMS (SET) AWATS (does not incl 11' harrow)			181 lbs	730
10004877	REAR LEVEL RIDE HITCH KIT, AWM and AWATS			28 lbs	351
*AWATS - includes 10' AerWay, Linear Seed Box and Integrated Wheel Kit - price harrow and harrow carrier arms separately					
MODEL NUMBER	AWM SERIES - RIGID, MANUAL ADJUST	TINES	HP (7-10 HP/ft)	WEIGHT	PRICE
3pt Models					
AWM3-063-AG-4	6' AWM, 3-POINT (6.25' WORKING WIDTH)	40	38-63	1200 lbs	6,620
AWM3-075-AG-4	8' AWM, 3-POINT (7.5' WORKING WIDTH)	48	45-75	1350 lbs	7,742
AWM3-100-AG-4	10' AWM, 3-POINT (10' WORKING WIDTH)	64	60-100	1650 lbs	8,938
Pull Type Models					
AWMP-063-AG-4	6' AWM, PULL TYPE (6.25' WORKING WIDTH)	40	38-63	2000 lbs	10,451
AWMP-075-AG-4	8' AWM, PULL TYPE (7.5' WORKING WIDTH)	48	45-75	2150 lbs	10,963
AWMP-100-AG-4	10' AWM, PULL TYPE (10' WORKING WIDTH)	64	60-100	2450 lbs	12,510
10004889	SET OF 2 HARROW ARMS FOR AWMP MODELS			181 lbs	730
10004877	REAR LEVEL RIDE HITCH KIT, AWM and AWATS			28 lbs	351
*3pt and Pull Type models are dedicated frames and cannot be converted from one configuration to another					
MODEL NUMBER	AERWAY SPECIALTY VINEYARD SERIES	TINES	HP (7-10 HP/ft)	WEIGHT	PRICE
AWV3-C-A8-4	56.0" ORCHARD/VITICULTURE AERWAY - 8" AG TINES, 3-PT	28	40-60	750 lbs	6,039
AWV3-C-A8-4-CCT	56.0" ORCHARD/VITICULTURE TANDEM - 8" AG TINES, 3-PT	52	45-65	1085 lbs	7,650
AWV3-D-A8-4	63.5" ORCHARD/VITICULTURE AERWAY - 8" AG TINES, 3-PT	32	50-70	825 lbs	6,407
AWV3-D-A8-4-CCT	63.5" ORCHARD/VITICULTURE TANDEM - 8" AG TINES, 3-PT	60	55-75	1235 lbs	8,271
AW060Q-2B38-D	6' QUICK ADJUST, 3-POINT ONLY	32	30-50	1325 lbs	7,011
PART NUMBER	AERWAY BALLAST			WEIGHT	PRICE
10004941	550 LB CONCRETE BALLAST BLOCK			550 lbs	115
10004943	750 LB CONCRETE BALLAST BLOCK			750 lbs	133

Max Concrete Ballast Recommendations		
Model	550lb Block	750lb Block
AWV3-C	3	-
AWV3-D	1	2
AWM-063	4	-
AWM-075	-	4
AWM-100	2	4
AW060Q	3	-
AW080H	4	-
AWATS	5	-
AW100Q	-	4
AW120Q	-	5
AW150Q	-	6
*above quantities are max ballast recommendations		

MODEL NUMBER		CHAIN HARROWS	COLOR	# OF	WEIGHT	PRICE
Reference #		(Includes Bar and Harrow Mat)	CODE	HOOKS		
AW-CH07-3	10004953	7' AG CHAIN HARROW, 5' BAR, 6' 6" W. 84" DEPTH	GREY	6	205 lbs	837
AW-CH09-3	10004956	9' AG CHAIN HARROW, 7' BAR, 8' 8" W. 84" DEPTH	ORANGE	8	275 lbs	1,071
AW-CH11-3	10004961	11' AG CHAIN HARROW, 9' BAR, 10' 10" W. 84" DEPTH	BLACK	10	345 lbs	1,316
AW-CH13-3	10004966	13' AG CHAIN HARROW, 11' BAR, 13' 0" W. 84" DEPTH	BLUE	12	415 lbs	1,555
AW-CH15-3	10004971	15' AG CHAIN HARROW, 13' BAR, 15' 2" W. 84" DEPTH	GREEN	14	490 lbs	1,789
AW-CH17-3	10004977	17' AG CHAIN HARROW, 15' BAR, 17' 4" W. 84" DEPTH	WHITE	16	565 lbs	2,028
AW-CH19-3	10004982	19' AG CHAIN HARROW, 17' BAR, 19' 6" W. 84" DEPTH	PURPLE	18	650 lbs	2,267
AW-CH22-3	10004989	22' AG CHAIN HARROW, 20' (2 PIECE) BAR, 21' 8" W	ORANGE/WH	20	710 lbs	2,626
AW-CH24-3	10004992	24' AG CHAIN HARROW, 22' (2 PIECE) BAR, 23' 10" W	BLUE/WH	22	800 lbs	2,865
AW-CH26-3	10004996	26' AG CHAIN HARROW, 24' (2 PIECE) BAR, 26' 0" W*	GREEN/WH	24	900 lbs	3,433
* Incl AW-CH26-LB lead bar						
MODEL NUMBER		3-POINT AND PULL TYPE	HARROW	TRANSPORT	WEIGHT	PRICE
Reference #		HARROW LIFTS & CARRIERS	PART #	WIDTH		
AW-HL-07	10005053	3-POINT HARROW LIFT OPER. WIDTH 7'	AW-CH07-3	5' 0"	200 lbs	1,041
AW-HL-09	10005054	3-POINT HARROW LIFT OPER. WIDTH 9'	AW-CH09-3	7' 0"	225 lbs	1,089
AW-HL-11	10005055	3-POINT HARROW LIFT OPER. WIDTH 11'	AW-CH11-3	9' 0"	250 lbs	1,142
AW-HL-13	10005056	3-POINT HARROW LIFT OPER. WIDTH 13'	AW-CH13-3	11' 6"	300 lbs	1,232
AW-HC2M-17	10005047	PULL TYPE HARROW CARRIER, SWIVEL OPER. WIDTH 17'	AW-CH17-3	8' 6"	770 lbs	7,481
AW-HC2M-19	10005048	PULL TYPE HARROW CARRIER, SWIVEL OPER. WIDTH 19'	AW-CH19-3	8' 6"	830 lbs	7,617
AW-HC2M-22	10005049	PULL TYPE HARROW CARRIER, SWIVEL OPER. WIDTH 22'	AW-CH22-3	8' 6"	930 lbs	7,746
AW-HC2M-24	10005050	PULL TYPE HARROW CARRIER, SWIVEL OPER. WIDTH 24'	AW-CH24-3	8' 6"	990 lbs	7,881
AW-HC2M-26	10005051	PULL TYPE HARROW CARRIER, SWIVEL OPER. WIDTH 26'	AW-CH26-3	8' 6"	1050 lbs	8,017
3pt and Pull Type Harrow Carriers Do Not Include Chain Harrow						
PART NUMBER		CHAIN HARROW LIFT ARM (for rigid frame AerWay Models)	HARROW # (HARROW NOT INCL.)		WEIGHT	PRICE
10005169 (each)		CHAIN HARROW LIFT ARM			60 lbs	299
(2 of above # req)		2 AW-LH-01 LIFT ARMS (FOR AW080Q)	AW-CH09-3^		120 lbs	598
(3 of above # req)		3 AW-LH-01 LIFT ARMS (FOR AW100Q, AWST100)	AW-CH11-3^		180 lbs	897
(4 of above # req)		4 AW-LH-01 LIFT ARMS (FOR AW120Q, AWST125)	AW-CH13-3^		240 lbs	1,195
(5 of above # req)		5 AW-LH-01 LIFT ARMS (FOR AW150Q, AWST150)	AW-CH15-3^		300 lbs	1,494
* REPLACEMENT PARTS AVAILABLE, CONTACT SALFORD AERWAY						
^ Harrow Not Included						

PART NUMBER		ROLLER SCRAPER KITS	WEIGHT	PRICE	
10005453		SCRAPER KIT FOR AWST125-AG-4	260 lbs	1,656	
10005457		SCRAPER KIT FOR AWST150-AG-4	365 lbs	2,318	
10005461		SCRAPER KIT FOR AWST200-AG-4	400 lbs	2,546	
10005429		SCRAPER KIT FOR AWFT200-AG-4	400 lbs	2,546	
10005433		SCRAPER KIT FOR AWFT25N-AG-4	565 lbs	3,250	
10005425		SCRAPER KIT FOR AWFS300-AG-4	600 lbs	3,836	
10004881		SCRAPER KIT FOR AWFT400-AG-4	605 lbs	4,532	
10005455		SCRAPER KIT FOR AWST125-AG-3-CCT	350 lbs	2,019	
10005459		SCRAPER KIT FOR AWST150-AG-3-CCT	410 lbs	2,887	
10005463		SCRAPER KIT FOR AWST200-AG-3-CCT	410 lbs	3,190	
10005431		SCRAPER KIT FOR AWFT200-AG-3-CCT	410 lbs	3,190	
10005435		SCRAPER KIT FOR AWFT25N-AG-3-CCT	615 lbs	4,084	
10005427		SCRAPER KIT FOR AWFS300-AG-3-CCT	640 lbs	4,797	
10004882		SCRAPER KIT FOR AWFT400-AG-3-CCT	687 lbs	5,314	
*ALL KITS DISPLAYED ARE SHIPPED SEPARATE, ADD "-A" FOR INSTALL, CHARGE OF \$200 FOR AWS INSTALL & \$400 FOR AWF INSTALL					
PART NUMBER		TOOLBAR KITS	WEIGHT	PRICE	
10005543		TOOLBAR KIT FOR AWST125	702 lbs	2,963	
10005545		TOOLBAR KIT FOR AWST150	732 lbs	3,031	
10005547		TOOLBAR KIT FOR AWST200	792 lbs	3,117	
10005533		TOOLBAR KIT FOR AWFT200	904 lbs	3,997	
10005535		TOOLBAR KIT FOR AWFT25N	1028 lbs	4,584	
10005539		TOOLBAR KIT FOR AWFS300	1088 lbs	4,665	
10005548		TOOLBAR KIT FOR ALL AWFT400	1621 lbs	6,890	
*Not compatible with Classic, AWM or AWATS models or AW-PT9800 Wheel kit					
*TOOLBAR SHIPPED IN KIT FORM ONLY - DUE TO OVER WIDTH/HEIGHT DIMENSIONS					
PART NUMBER		FINISHING TOOLS	WEIGHT	PRICE	PRICE
OPTION A	OPTION B	* TOOLBAR MOUNT HARROWS *		OPTION A	OPTION B
10005393	10005403	(FOR AWST125) CHOOSE OPTION "A" or "B"	1248 lbs	8,341	9,083
10005394	10005404	(FOR AWST150) CHOOSE OPTION "A" or "B"	1440 lbs	9,624	10,481
10005395	10005405	(FOR AWST200) CHOOSE OPTION "A" or "B"	1920 lbs	12,832	13,974
10005385	10005396	(FOR AWFT200) CHOOSE OPTION "A" or "B"	1920 lbs	12,832	13,974
10005386	10005397	(FOR AWFT25N) CHOOSE OPTION "A" or "B"	2304 lbs	16,040	17,468
10005388	10005399	(FOR AWFT300) CHOOSE OPTION "A" or "B"	2976 lbs	19,247	20,961
10005390	10005401	(FOR AWFT400) CHOOSE OPTION "A" or "B"	4018 lbs	25,663	27,948
OPTION A FOR 3 ROWS OF 1/2" X 20 COIL TINES + 14" SINGLE ROLLER			OPTION B FOR DOUBLE ROW 14" ROLLERS		
*CALL FACTORY FOR OTHER SIZES AND CONFIGURATIONS			TOOLBAR KITS ARE REQUIRED - SOLD SEPARATELY		
* REPLACEMENT PARTS AVAILABLE, CONTACT SALFORD AERWAY					


3 Rows of 1/2" x 20" Coil Tine
with Single 14" Roller



6700/9900 Toolbar Center
Shown




Double 14" Rollers





*Single Roller Scraper
(shown without swing arm for
clarity)*


CCT Roller Scraper Shown




Wheel kit Compatibility

WHEEL KIT:	3,500 LB KIT	7,000 LB KIT	16,000 LB KIT	24,000 LB KIT
SHIPPING WEIGHT	900 lbs	1688 lbs	2125 lbs	16,000 LB KIT WITH TIRE UPGRADE 2325 lbs
HITCH:	WELDED CLEVIS	CAT 3 PERFECT	10059292 - STANDARD CAT 3 PERFECT (OPTIONAL CAT 4 10059290)	
JACK:	SWIVEL JACK 5000#	10038469 - TONGUE JACK (12,000# STATIC/10,000# LIFT)		
SAFETY CHAIN:	STANDARD 10,000# CAPACITY	STANDARD 21,000# CAPACITY	STANDARD 21,000# CAPACITY (OPTIONAL 30,000# INCLUDED WITH CAT 4 UPGRADE)	
REAR HITCH:	FLOPPY CLEVIS	10039481 - LEVEL RIDE		
TOP LINK:	SOLID (WELDED)	10044695 - CAT III HEAVY DUTY		
CYLINDER:	3" X 12" CYL, 1.5" ROD	4" x 16" ON RIGID FRAME UNITS /4.5" x 12.0" ON WING FOLD OVER CENTER UNITS		
TIRE & RIM:	10044815 9.5 - 15 TL, 6 BOLT QTY 2	10044815 9.5 - 15 TL, 6 BOLT QTY 4	10044817 12.5 - 16 TL, 8 BOLT QTY 4	10018029 340/60R16.5, 8 BOLT QTY 4
COMPATIBILITY:	AW100Q-2B58-D AW120Q-2B58-E	AW100Q-2B58-P AW120Q-2B58-P AW150Q-4B58-D AWS C-FLEX & CCT 12.5' - 15' 20' AWS (non-CCT)	AWS/AWF C-FLEX 12.5' - 20' AWS/AWF - CCT 12.5' - 20'	AWS/AWF C-FLEX 12.5' - 30' AWS/AWF - CCT 12.5' - 30'


10 FOOT CONCRETE BALLASTING




12.5 FOOT CONCRETE BALLASTING





15 FOOT CONCRETE BALLASTING



20 FOOT CONCRETE BALLASTING





ITEM	10 FT/ QTY.	12.5 FT/ QTY.	15 FT/ QTY.	20 FT/ QTY.	PART NO.	DESCRIPTION
1	4	6	-	4	10004941	WEIGHT, CONCRETE BLOCK, 15X24X20, 550LB
2	-	-	6	6	10004943	WEIGHT, CONCRETE BLOCK, 20X24X20, 750LB

AERWAY BALLASTING - STRAIGHT FRAME**C-FLEX AERWAYS (7.50" EFFECTIVE TINE SPACING)**


SIZE (FT)	10004941 (AW-BLK550-02) 550 lbs QTY.	10004943 (AW-BLK750-02) 750 lbs QTY.	TOTAL BLOCK WEIGHT (lbs)	GROSS WEIGHT* (lbs)	WEIGHT PER FOOT (lbs)
10	4	-	2200	4425	440
12.5	6	-	3300	5815	465
15	-	6	4500	7300	485
20	4	6	6700	10,900	545

CCT AERWAYS (3.75" EFFECTIVE TINE SPACING)


SIZE (FT)	10004941 (AW-BLK550-02) 550 lbs QTY.	10004943 (AW-BLK750-02) 750 lbs QTY.	TOTAL BLOCK WEIGHT (lbs)	GROSS WEIGHT* (lbs)	WEIGHT PER FOOT (lbs)
10	4	-	2200	5350	535
12.5	6	-	3300	6450	515
15	-	6	4500	8800	585
20	4	6	6700	12,700	635

* WEIGHT OF PT KIT AND ANY OTHER ATTACHMENTS MUST BE CONSIDERED FOR ANY CAPACITY CALCULATIONS


20 FOOT CONCRETE BALLASTING





25 FOOT NARROW CONCRETE BALLASTING





25 FOOT WIDE CONCRETE BALLASTING



30 FOOT CONCRETE BALLASTING





ITEM	20 FOOT /QTY.	25 FOOT NARROW /TY.	25 FOOT WIDE /QTY.	30 FOOT /QTY.	PART NO.	DESCRIPTION
1	16	24	16	24	10047278	3/4" HARDENED WASHER
2	16	24	16	24	10048617	BOLT, HEX HD CAP, GR8, PLATED, 3/4-10X2
3	16	24	16	24	10048696	LOCKNUT, GR 8, PLATED, 3/4-10
4	8	12	8	12	10044305	STRAP, BALLAST HOLD DOWN, BLK
5	4	-	8	4	10004941	WEIGHT, CONCRETE BLOCK, 15X24X20, 550LB
6	2	8	2	8	10004943	WEIGHT, CONCRETE BLOCK, 20X24X20, 750LB

AERWAY BALLASTING - FOLDING FRAME

C-FLEX AERWAYS (7.50" EFFECTIVE TINE SPACING)

SIZE (FT)	10004941 (AW-BLK550-02) 550 lbs QTY.	10004943 (AW-BLK750-02) 750 lbs QTY.	TOTAL BLOCK WEIGHT (lbs)	GROSS WEIGHT* (lbs)	WEIGHT PER FOOT (lbs)
20	4	2	3700	9175	460
25 NARROW	-	8	6000	12,300	490
25 WIDE	8	2	5900	12,200	490
30	4	8	8200	15,325	510

CCT AERWAYS (3.75" EFFECTIVE TINE SPACING)

SIZE (FT)	10004941 (AW-BLK550-02) 550 lbs QTY.	10004943 (AW-BLK750-02) 750 lbs QTY.	TOTAL BLOCK WEIGHT (lbs)	GROSS WEIGHT* (lbs)	WEIGHT PER FOOT (lbs)
20	4	2	3700	11,050	550
25 NARROW	-	8	6000	14,600	585
25 WIDE	8	2	5900	14,500	580
30	4	8	8200	18,025	600

* WEIGHT OF PT KIT AND ANY OTHER ATTACHMENTS MUST BE CONSIDERED FOR ANY CAPACITY CALCULATIONS

