



T380 Data Book
1/1/2026 Rev 0



TABLE OF CONTENTS

Section	Pages
STANDARD SPECIFICATIONS	F
REQUIRED INFORMATION	H
MOTORS	I
MOTOR EQUIPMENT	J
TRANSMISSIONS	K
FRONT AXLE	L
REAR AXLE	M
REAR SUSPENSION	N
TIRES & WHEELS	O
FRAME & EQUIPMENT	P
FUEL TANKS & EQUIPMENT	Q
CAB EXTERIOR	R
CAB INTERIOR	S
LIGHTS & SIGNALS	T
AIR EQUIPMENT	U
SPECIAL EQUIPMENT	V
EXTENDED WARRANTY	W
PAINT	X



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

BASE MODEL PRICE

0000380	T380 Series Conventional	\$111,051	9,930#
---------	--------------------------	-----------	--------

MOTORS

PACCAR

0130115	PACCAR PX-7 200 200@2400 600@1300, 2024 With Turbo Exhaust Brake (VGT Brake)	\$0	0#
---------	--	-----	----

MOTOR EQUIPMENT

Air Compressor

1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	\$0	0#
---------	---	-----	----

Air Intake System

1041399	Air Cleaner: MD Composite Engine Mounted	\$0	0#
---------	--	-----	----

1098003	Air Restriction Indicator: Mechanical Mounted on Air Cleaner.	\$0	0#
---------	---	-----	----

Cooling System

1121231	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches	\$0	0#
---------	--	-----	----

1105261	Fan Hub: Horton On/Off for PX-7 or B6.7N	\$0	0#
---------	--	-----	----

Aftertreatment Systems

1247278	EXH: Single Can 2024 PX-7 Horizontal Under Rail With Horizontal Tailpipe Below Rail RH Rail Back-of-Cab	\$0	0#
---------	---	-----	----

Filters

1321102	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	\$0	0#
---------	---	-----	----

1321200	Run Aid:None *For Fuel Filter	\$0	0#
---------	-------------------------------	-----	----

1321300	Start Aid:None *For Fuel Filter	\$0	0#
---------	---------------------------------	-----	----

Motor Equipment Miscellaneous

1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$0	0#
---------	--	-----	----

Starting & Recharging

1812163	Alternator: PACCAR HDS 160 AMP Brushed	\$0	0#
---------	--	-----	----

1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	\$0	0#
---------	--	-----	----

1840065	12V Low Voltage Disconnect for Battery Protection	\$0	0#
---------	---	-----	----

1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	\$0	0#
---------	--	-----	----

TRANSMISSIONS

PACCAR

2020103	Transmission: PACCAR TX-8, Without HSA, 660 LB FT Automatic, 8 Speed, With PTO Provision, 8AP660	\$0	0#
---------	--	-----	----

Clutch

2410807	Torque Converter: TP650N for PACCAR TX-8	\$0	0#
---------	--	-----	----

Driveline

2406419	Driveline: 2 Dana SPL100 1 Centerbearing Light Duty.	\$0	0#
---------	--	-----	----

FRONT AXLE

*See PremierSpec for Applicable Restrictions



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
Front Axles			
2532108	Hendrickson Steertek Front Axle rated 12K Standard Track 3.32 in. drop.	\$0	0#
Outer End Equipment			
2621310	Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	\$0	0#
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	\$0	0#
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	\$0	0#
2741970	ConMet PreSet Plus Hub Package; Front Axle.	\$0	0#
2750001	Hubcap: Front Vented.	\$0	0#
2765001	Front Auto Slack Adjuster for Drum Brakes.	\$0	0#
Front Springs			
2883002	Front Springs: Mono-leaf 12K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	\$0	0#
Power Steering			
2895223	Single Power Steering Gear: 13.2K for Air Brakes.	\$0	0#
REAR AXLE			
Single Drive Rear Axles			
3032200	Single Meritor MS21-14x4 Rear Axle rated at 21K.	\$0	0#
Single Axle Outer End Equipment			
3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	\$0	0#
3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	\$0	0#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	\$0	0#
3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	\$0	0#
3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	\$0	0#
3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$0	0#
Anti-Lock Brake System			
3495226	Bendix 4S/4M Anti-Lock Brake System.	\$0	0#
REAR SUSPENSION			
Single			
3636421	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.5 in. Not rear air disc brake compatible.	\$0	0#
TIRES & WHEELS			
Front & Rear Axle Tires			
4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	\$0	0#
4280056	Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	\$0	0#
Front & Rear Axle Wheels & Rims			
5042292	Front Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$0	0#



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
5242392	Rear Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$0	0#

Miscellaneous Tires & Wheels

4899106	Tire pressure monitoring system for tire/wheel count: 6.	\$0	0#
---------	--	-----	----

FRAME & EQUIPMENT

Rails & Inserts

6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
---------	---	-----	----

Bumpers

6308711	Bumper: Aerodynamic, Unpainted, in-mold color. Requires a bumper setting code.	\$0	0#
6321010	Front Tow Loops: Two	\$0	0#

Battery Boxes

6404422	Battery Box: Steel Parallel Module under W/Step, plastic cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$0	0#
6409901	Battery Box Location: LH Side.	\$0	0#

Frame Crossmembers & Upgrades

6490138	Stamped Steel Intermediate/ Fill-In Crossmember.	\$0	0#
6490432	Welded Rear Cab Support.	\$0	0#

Rear Frame Equipment

6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	\$0	0#
---------	--	-----	----

FUEL TANKS & EQUIPMENT

D-Shape Rectangular

7140050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$0	0#
---------	---	-----	----

DEF Tanks & Equipment

7722170	Small DEF Tank, 5.5 Gallons.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	\$0	0#
7889614	DEF Tank Location is LH BOC. For 2.1M Medium-Duty	\$0	0#

CAB EXTERIOR

Cabs

8024311	Cab: Stamped Aluminum with Curved Windshield LED markers. Requires separate roof code.	\$0	0#
---------	--	-----	----

Windows

8871446	Rear Cab Stationary Window 19in x 36in	\$0	0#
---------	--	-----	----

Hoods, Fenders & Grilles

8090151	Hood: Short Aero w/ Dark Gray Crown In-Mold Color	\$0	0#
---------	---	-----	----

Cab Structure Miscellaneous

8890881	Direct Mount, Rubber Isolated Cab Suspension.	\$0	0#
---------	---	-----	----



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
8891012	Roof: Low Profile Stamped Steel	\$0	0#
Mirrors & Equipment			
8850842	Mirror Shell: Dual Aero In-Mold Black	\$0	0#
8860853	Mirror: Dual KW Aero Rear View Non-Motor, Non-Heated with Integral CX	\$0	0#
8850139	Look-Down, Pass. Door, Black 11x6	\$0	0#
Window Equipment			
8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	\$0	0#
Doors & Equipment			
8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	\$0	0#
8700283	LH and RH Trip Ledge Rain Deflectors	\$0	0#
CAB INTERIOR			
Cabs & Sleepers			
8330591	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	\$0	0#
Heaters & Air Conditioning			
8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	\$0	0#
Steering Wheels & Equipment			
8201013	Steering Wheel: 18 in. 4-Spoke.	\$0	0#
8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	\$0	0#
8201200	Adjustable Telescoping Tilt Steering Column.	\$0	0#
Instruments & Controls			
8282024	Main Instrument Package: 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	\$0	0#
8700196	Turn Signal: Self-Cancelling	\$0	0#
8702232	Sensata Tire pressure monitoring system Requires 48991XX tire/wheel count code for sensors.	\$0	0#
Seats			
8410101	Driver Seat: KW Air Seat IB Vinyl W/O Armrests /Susp Cover	\$0	0#
8478051	Rider Seat: KW Toolbox 2-Man Bench Vinyl	\$0	0#
Cab Accessories			
8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	\$0	0#
Sound System Equipment			
8698970	No Radio Or Speakers Selected: No Prewire & No Antenna Wiring. Not w/ Smart Wheel.	\$0	0#
Information & Communication Systems			
8700601	Global Telematics Unit	\$0	0#



T380: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
LIGHTS & SIGNALS			
Headlamps			
9010803	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.	\$0	0#
Marker Lights			
9022137	Marker Lights: Five Rectangular LED.	\$0	0#
Taillights			
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	\$0	0#
Miscellaneous			
9020101	14-Pin RP170 Body Lighting Connector.	\$0	0#
AIR EQUIPMENT			
Air Drying Equipment			
9108001	Moisture Ejection Valve W/ Pull Cable Drain.	\$0	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	\$0	0#
Air System Miscellaneous			
9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	\$0	0#
SPECIAL EQUIPMENT			
Build Notes			
9491652	EMUX Architecture	\$0	0#
EXTENDED WARRANTY			
Warranty			
9200007	Base Warranty - PACCAR PX-7 Engine 36 months / Unlimited miles & km / Unlimited hours.	\$0	0#
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	\$0	0#
PAINT			
Paint Style			
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	\$0	0#
Paint Type			
9943050	Day Cab Standard Paint	\$0	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Operating Area			
0080101	CARB Low NOX Omnibus Registration Guidelines Dealer/Customer acknowledges that this vehicle is NOT intended for registration or domicile/primary use in the State of California.	\$0	0#
State of Registry			
0098401	State of Registry: Alabama	\$0	0#
0098402	State of Registry: Alaska	\$0	0#
0098403	State of Registry: Arizona	\$0	0#
0098404	State of Registry: Arkansas	\$0	0#
0098405	State of Registry: California	\$0	0#
0098406	State of Registry: Colorado	\$0	0#
0098407	State of Registry: Connecticut	\$0	0#
0098408	State of Registry: Delaware	\$0	0#
0098409	State of Registry: Florida	\$0	0#
0098410	State of Registry: Georgia	\$0	0#
0098411	State of Registry: Hawaii	\$0	0#
0098412	State of Registry: Idaho	\$0	0#
0098413	State of Registry: Illinois	\$0	0#
0098414	State of Registry: Indiana	\$0	0#
0098415	State of Registry: Iowa	\$0	0#
0098416	State of Registry: Kansas	\$0	0#
0098417	State of Registry: Kentucky	\$0	0#
0098418	State of Registry: Louisiana	\$0	0#
0098419	State of Registry: Maine	\$0	0#
0098420	State of Registry: Maryland	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
State of Registry			
0098421	State of Registry: Massachusetts	\$0	0#
0098422	State of Registry: Michigan	\$0	0#
0098423	State of Registry: Minnesota	\$0	0#
0098424	State of Registry: Mississippi	\$0	0#
0098425	State of Registry: Missouri	\$0	0#
0098426	State of Registry: Montana	\$0	0#
0098427	State of Registry: Nebraska	\$0	0#
0098428	State of Registry: Nevada	\$0	0#
0098429	State of Registry: New Hampshire	\$0	0#
0098430	State of Registry: New Jersey	\$0	0#
0098431	State of Registry: New Mexico	\$0	0#
0098432	State of Registry: New York	\$0	0#
0098433	State of Registry: North Carolina	\$0	0#
0098434	State of Registry: North Dakota	\$0	0#
0098435	State of Registry: Ohio	\$0	0#
0098436	State of Registry: Oklahoma	\$0	0#
0098437	State of Registry: Oregon	\$0	0#
0098438	State of Registry: Pennsylvania	\$0	0#
0098439	State of Registry: Rhode Island	\$0	0#
0098440	State of Registry: South Carolina	\$0	0#
0098441	State of Registry: South Dakota	\$0	0#
0098442	State of Registry: Tennessee	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
State of Registry			
0098443	State of Registry: Texas	\$0	0#
0098444	State of Registry: Utah	\$0	0#
0098445	State of Registry: Vermont	\$0	0#
0098446	State of Registry: Virginia	\$0	0#
0098447	State of Registry: Washington	\$0	0#
0098448	State of Registry: West Virginia	\$0	0#
0098449	State of Registry: Wisconsin	\$0	0#
0098450	State of Registry: Wyoming	\$0	0#
0098451	State of Registry: District of Columbia	\$0	0#
0098452	State of Registry: Puerto Rico	\$0	0#
0098453	State of Registry: Guam	\$0	0#
0098454	State of Registry: American Samoa	\$0	0#
0098455	State of Registry: Mariana Islands	\$0	0#
0098456	State of Registry: US Virgin Islands	\$0	0#
0098460	State of Registry: Israel	\$0	0#
0098465	State of Registry: Mexico	\$0	0#
0098470	State of Registry: Canada	\$0	0#
0098490	State of Registry: International	\$0	0#
Export Destination			
9481000	Export Destination: Chile.	\$0	0#
9481004	Export Destination: Peru.	\$0	0#
9481012	Export Destination: China.	\$0	0#



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
--------	-------------	-------	--------

Special Requirements

Export Destination

9481015	Export Destination: India.	\$0	0#
9481025	Export Destination: Kazakhstan.	\$0	0#
9481031	Export Destination: Argentina.	\$0	0#
9481032	Export Destination: Bahamas.	\$0	0#
9481033	Export Destination: Australia	\$0	0#
9481034	Export Destination: Brazil	\$0	0#
9481036	Export Destination: Philippines	\$0	0#
9481095	Export Destination: Jordan.	\$0	0#
9481196	Export Destination: Israel.	\$0	0#
9481197	Export Destination: Russia.	\$0	0#
9481198	Export Destination: Western Europe.	\$0	0#
9481199	Export Destination: Country not Specified. Export country not otherwise specified	\$0	0#

Stationary Application

0072000	Chassis Operation Will Not Incl. Stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072001	Chassis Operation Will Include Stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072002	Chassis Operation Will Include Stationary application used in Canada or Alaska. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072003	Chassis Operation Will Include Export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#

Model Series

0070086	T380 Aero Hood	\$0	0#
---------	----------------	-----	----



T380: REQUIRED INFORMATION

Option	Description	Price	Weight
Model Series			
0070087	T380 Vocational Hood	\$0	0#
Model Configurations			
0090143	T380 Automatic	\$0	0#
0090144	T380 Manual	\$0	0#
0090163	T380 with B6.7N	\$0	0#
0090164	T380 with L9N	\$0	0#



T380: MOTORS

Option	Description	Price	Weight
Emission Idle Reduction Feature			
0080050	CARB Clean Idle Label - PACCAR PX Engines	\$36	0#
0080070	CARB Exempt Application Emergency Vehicle Only.	\$0	0#
0080085	CARB Idle - Alternative Fuel Exempt from CARB Anti-Idle.	\$0	0#
0080314	EPA Clean Idle Label - PACCAR PX Engines	\$36	0#

PACCAR

PX-7 Engine

0130115	PACCAR PX-7 200 200@2400 600@1300, 2024 With Turbo Exhaust Brake (VGT Brake)	STD	0#
0130117	PACCAR PX-7 220 220@2400 600@1300, 2024 With Turbo Exhaust Brake (VGT Brake)	\$249	0#
0130118	PACCAR PX-7 240 240@2400 600@1300, 2024 With Turbo Exhaust Brake (VGT Brake)	\$513	0#
0130119	PACCAR PX-7 250 250@2400 660@1400, 2024 With Turbo Exhaust Brake (VGT Brake)	\$1,099	0#
0130120	PACCAR PX-7 260 260@2400 660@1400, 2024 With Turbo Exhaust Brake (VGT Brake)	\$1,346	0#
0130121	PACCAR PX-7 260EV 260@2400 660@1400, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$1,346	0#
0130122	PACCAR PX-7 280 280@2400 660@1400, 2024 With Turbo Exhaust Brake (VGT Brake)	\$1,912	0#
0130123	PACCAR PX-7 280EV 280@2400 660@1400, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$1,912	0#
0130124	PACCAR PX-7 300 300@2600 660@1400, 2024 With Turbo Exhaust Brake (VGT Brake)	\$2,411	0#
0130125	PACCAR PX-7 300EV 300@2600 660@1400, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$2,411	0#
0130126	PACCAR PX-7 325 325@2400 750@1600, 2024 With Turbo Exhaust Brake (VGT Brake)	\$2,777	0#
0130127	PACCAR PX-7 325EV 325@2400 750@1600, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$2,777	0#
0130128	PACCAR PX-7 340EV 340@2600 700@1500, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$3,061	0#
0130129	PACCAR PX-7 360EV 360@2600 800@1800, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$3,875	0#

PX-9 Engine



T380: MOTORS

Option	Description	Price	Weight
PACCAR			
PX-9 Engine			
0130216	PACCAR PX-9 260 260@1600 860@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$8,383	694#
0130217	PACCAR PX-9 270 270@1650 860@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$8,948	694#
0130218	PACCAR PX-9 270EV 270@1650 860@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$8,950	694#
0130219	PACCAR PX-9 300 300@1850 860@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$9,603	694#
0130220	PACCAR PX-9 300EV 300@1850 860@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$9,608	694#
0130221	PACCAR PX-9 330 330@1750 1000@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$10,260	694#
0130222	PACCAR PX-9 330EV 330@1750 1000@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$10,262	694#
0130223	PACCAR PX-9 350 350@1750 1050@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$11,601	694#
0130224	PACCAR PX-9 360 360@1650 1150@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$12,941	694#
0130225	PACCAR PX-9 360EV 360@1650 1150@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$12,939	694#
0130226	PACCAR PX-9 370 370@1600 1250@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$17,266	694#
0130227	PACCAR PX-9 370EV 370@1900 1250@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$17,267	694#
0130228	PACCAR PX-9 380 380@1600 1250@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$17,739	694#
0130229	PACCAR PX-9 380EV 380@1750 1150@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$17,738	694#
0130230	PACCAR PX-9 400EV 400@1700 1250@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$18,649	694#
0130231	PACCAR PX-9 450EV 450@2100 1250@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$19,568	694#

Cummins

ISL, L9

0128109	Cummins ISL8.9E5 320 315@2100 996@1100, Euro 5	\$10,155	462#
0128111	Cummins ISL8.9E5 340 335@2100 1106@1200, Euro 5	\$10,609	462#



T380: MOTORS

Option	Description	Price	Weight
Cummins			
ISB, B6.7			
0120037	Cummins ISB6.7E5 225 222@2500 627@1100, Euro 5	(\$3,047)	12#
0120042	Cummins ISB6.7E5 250 247@2500701@1200, Euro 5	(\$2,409)	12#
0120043	Cummins ISB6.7E5 285 281@2500752@1200, Euro 5	\$1,141	12#
0120044	Cummins ISB6.7 E5 300 296@2500 811@1200, Euro 5	(\$724)	12#
Natural Gas			
0120066	B6.7N 220 220@2400 520@1600 GOV@2630 2018	\$15,434	0#
0120067	B6.7N 200 200@2400 520@1600 GOV@2630 2018	\$15,050	0#
0120068	B6.7N 240 240@2400 560@1600 GOV@2600 2018	\$15,869	0#
0128902	L9N 300 2018 300@2100 860@1300 GOV@2200	\$40,552	727#
0128922	L9N 320 2018 320@2000 1000@1300 GOV @2200	\$41,557	727#
Gasoline			
0120080	Cummins B6.7 Octane 200, 200@1750 600@1550 2024	\$19,667	0#
0120081	Cummins B6.7 Octane 220, 220@2000 600@1800 2024	\$19,817	0#
0120082	Cummins B6.7 Octane 260, 260@2300 600@1800 2024	\$19,967	0#
0120083	Cummins B6.7 Octane 300, 300@2400 660@1800 2024	\$20,117	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
1000234	Engine Parameter: Set Engine Fan to Not Engage when Exhaust/Compression Brake Engages	\$0	0#
Emissions			
1000046	EPA Emissions Warranty Engine	\$0	0#
1000047	CARB Emissions Warranty Engine	\$0	0#
Engine Idle Shutdown Timers			
1000857	Engine Idle Shutdown Timer Enabled	\$0	0#
1000858	Engine Idle Shutdown Timer Disabled	\$0	0#
1000859	Enable EIST Ambient Temp Override	\$0	0#
1000861	Enable Adjustable EIST Settings	\$0	0#
1000865	Eff EIST 3000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000870	Eff EIST 0 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000890	Eff EIST 1259000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	\$0	0#
1000912	Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000980	Eff EIST 3000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
Vehicle Speed Limiters			
1000611	Highest Efficiency VSL Settings	\$0	0#
1000624	Effective VSL Setting 51-51.9 MPH (USA)	\$0	0#
1000625	Effective VSL Setting 52-52.9 MPH (USA)	\$0	0#
1000626	Effective VSL Setting 53-53.9 MPH (USA)	\$0	0#
1000627	Effective VSL Setting 54-54.9 MPH (USA)	\$0	0#
1000628	Effective VSL Setting 55-55.9 MPH (USA)	\$0	0#
1000629	Effective VSL Setting 56-56.9 MPH (USA)	\$0	0#
1000630	Effective VSL Setting 57-57.9 MPH (USA)	\$0	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000631	Effective VSL Setting 58-58.9 MPH (USA)	\$0	0#
1000632	Effective VSL Setting 59-59.9 MPH (USA)	\$0	0#
1000633	Effective VSL Setting 60.0 MPH (USA)	\$0	0#
1000634	Effective VSL Setting 60.1 MPH (USA)	\$0	0#
1000635	Effective VSL Setting 60.2 MPH (USA)	\$0	0#
1000636	Effective VSL Setting 60.3 MPH (USA)	\$0	0#
1000637	Effective VSL Setting 60.4 MPH (USA)	\$0	0#
1000638	Effective VSL Setting 60.5 MPH (USA)	\$0	0#
1000639	Effective VSL Setting 60.6 MPH (USA)	\$0	0#
1000640	Effective VSL Setting 60.7 MPH (USA)	\$0	0#
1000641	Effective VSL Setting 60.8 MPH (USA)	\$0	0#
1000642	Effective VSL Setting 60.9 MPH (USA)	\$0	0#
1000643	Effective VSL Setting 61.0 MPH (USA)	\$0	0#
1000644	Effective VSL Setting 61.1 MPH (USA)	\$0	0#
1000645	Effective VSL Setting 61.2 MPH (USA)	\$0	0#
1000646	Effective VSL Setting 61.3 MPH (USA)	\$0	0#
1000647	Effective VSL Setting 61.4 MPH (USA)	\$0	0#
1000648	Effective VSL Setting 61.5 MPH (USA)	\$0	0#
1000649	Effective VSL Setting 61.6 MPH (USA)	\$0	0#
1000650	Effective VSL Setting 61.7 MPH (USA)	\$0	0#
1000651	Effective VSL Setting 61.8 MPH (USA)	\$0	0#
1000652	Effective VSL Setting 61.9 MPH (USA)	\$0	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000653	Effective VSL Setting 62.0 MPH (USA)	\$0	0#
1000654	Effective VSL Setting 62.1 MPH (USA)	\$0	0#
1000655	Effective VSL Setting 62.2 MPH (USA)	\$0	0#
1000656	Effective VSL Setting 62.3 MPH (USA)	\$0	0#
1000657	Effective VSL Setting 62.4 MPH (USA)	\$0	0#
1000658	Effective VSL Setting 62.5 MPH (USA)	\$0	0#
1000659	Effective VSL Setting 62.6 MPH (USA)	\$0	0#
1000660	Effective VSL Setting 62.7 MPH (USA)	\$0	0#
1000661	Effective VSL Setting 62.8 MPH (USA)	\$0	0#
1000662	Effective VSL Setting 62.9 MPH (USA)	\$0	0#
1000663	Effective VSL Setting 63.0 MPH (USA)	\$0	0#
1000664	Effective VSL Setting 63.1 MPH (USA)	\$0	0#
1000665	Effective VSL Setting 63.2 MPH (USA)	\$0	0#
1000666	Effective VSL Setting 63.3 MPH (USA)	\$0	0#
1000667	Effective VSL Setting 63.4 MPH (USA)	\$0	0#
1000668	Effective VSL Setting 63.5 MPH (USA)	\$0	0#
1000669	Effective VSL Setting 63.6 MPH (USA)	\$0	0#
1000670	Effective VSL Setting 63.7 MPH (USA)	\$0	0#
1000671	Effective VSL Setting 63.8 MPH (USA)	\$0	0#
1000672	Effective VSL Setting 63.9 MPH (USA)	\$0	0#
1000673	Effective VSL Setting 64.0 MPH (USA)	\$0	0#
1000674	Effective VSL Setting 64.1 MPH (USA)	\$0	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000675	Effective VSL Setting 64.2 MPH (USA)	\$0	0#
1000676	Effective VSL Setting 64.3 MPH (USA)	\$0	0#
1000677	Effective VSL Setting 64.4 MPH (USA)	\$0	0#
1000678	Effective VSL Setting 64.5 MPH (USA)	\$0	0#
1000679	Effective VSL Setting 64.6 MPH (USA)	\$0	0#
1000680	Effective VSL Setting 64.7 MPH (USA)	\$0	0#
1000681	Effective VSL Setting 64.8 MPH (USA)	\$0	0#
1000682	Effective VSL Setting 64.9 MPH (USA)	\$0	0#
1000683	Effective VSL Setting 65.0 MPH (USA)	\$0	0#
1000684	Effective VSL Setting NA	\$0	0#
1000685	Effective VSL Setting 51-51.9 MPH (CAN)	\$0	0#
1000686	Effective VSL Setting 52-52.9 MPH (CAN)	\$0	0#
1000687	Effective VSL Setting 53-53.9 MPH (CAN)	\$0	0#
1000688	Effective VSL Setting 54-54.9 MPH (CAN)	\$0	0#
1000689	Effective VSL Setting 55-55.9 MPH (CAN)	\$0	0#
1000690	Effective VSL Setting 56-56.9 MPH (CAN)	\$0	0#
1000691	Effective VSL Setting 57-57.9 MPH (CAN)	\$0	0#
1000692	Effective VSL Setting 58-58.9 MPH (CAN)	\$0	0#
1000693	Effective VSL Setting 59-59.9 MPH (CAN)	\$0	0#
1000694	Effective VSL Setting 60.0 MPH (CAN)	\$0	0#
1000695	Effective VSL Setting 60.1 MPH (CAN)	\$0	0#
1000696	Effective VSL Setting 60.2 MPH (CAN)	\$0	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000697	Effective VSL Setting 60.3 MPH (CAN)	\$0	0#
1000698	Effective VSL Setting 60.4 MPH (CAN)	\$0	0#
1000699	Effective VSL Setting 60.5 MPH (CAN)	\$0	0#
1000700	Effective VSL Setting 60.6 MPH (CAN)	\$0	0#
1000701	Effective VSL Setting 60.7 MPH (CAN)	\$0	0#
1000702	Effective VSL Setting 60.8 MPH (CAN)	\$0	0#
1000703	Effective VSL Setting 60.9 MPH (CAN)	\$0	0#
1000704	Effective VSL Setting 61.0 MPH (CAN)	\$0	0#
1000705	Effective VSL Setting 61.1 MPH (CAN)	\$0	0#
1000706	Effective VSL Setting 61.2 MPH (CAN)	\$0	0#
1000707	Effective VSL Setting 61.3 MPH (CAN)	\$0	0#
1000708	Effective VSL Setting 61.4 MPH (CAN)	\$0	0#
1000709	Effective VSL Setting 61.5 MPH (CAN)	\$0	0#
1000710	Effective VSL Setting 61.6 MPH (CAN)	\$0	0#
1000711	Effective VSL Setting 61.7 MPH (CAN)	\$0	0#
1000712	Effective VSL Setting 61.8 MPH (CAN)	\$0	0#
1000713	Effective VSL Setting 61.9 MPH (CAN)	\$0	0#
1000714	Effective VSL Setting 62.0 MPH (CAN)	\$0	0#
1000715	Effective VSL Setting 62.1 MPH (CAN)	\$0	0#
1000716	Effective VSL Setting 62.2 MPH (CAN)	\$0	0#
1000717	Effective VSL Setting 62.3 MPH (CAN)	\$0	0#
1000718	Effective VSL Setting 62.4 MPH (CAN)	\$0	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000719	Effective VSL Setting 62.5 MPH (CAN)	\$0	0#
1000720	Effective VSL Setting 62.6 MPH (CAN)	\$0	0#
1000721	Effective VSL Setting 62.7 MPH (CAN)	\$0	0#
1000722	Effective VSL Setting 62.8 MPH (CAN)	\$0	0#
1000723	Effective VSL Setting 62.9 MPH (CAN)	\$0	0#
1000724	Effective VSL Setting 63.0 MPH (CAN)	\$0	0#
1000725	Effective VSL Setting 63.1 MPH (CAN)	\$0	0#
1000726	Effective VSL Setting 63.2 MPH (CAN)	\$0	0#
1000727	Effective VSL Setting 63.3 MPH (CAN)	\$0	0#
1000728	Effective VSL Setting 63.4 MPH (CAN)	\$0	0#
1000729	Effective VSL Setting 63.5 MPH (CAN)	\$0	0#
1000730	Effective VSL Setting 63.6 MPH (CAN)	\$0	0#
1000731	Effective VSL Setting 63.7 MPH (CAN)	\$0	0#
1000732	Effective VSL Setting 63.8 MPH (CAN)	\$0	0#
1000733	Effective VSL Setting 63.9 MPH (CAN)	\$0	0#
1000734	Effective VSL Setting 64.0 MPH (CAN)	\$0	0#
1000735	Effective VSL Setting 64.1 MPH (CAN)	\$0	0#
1000736	Effective VSL Setting 64.2 MPH (CAN)	\$0	0#
1000737	Effective VSL Setting 64.3 MPH (CAN)	\$0	0#
1000738	Effective VSL Setting 64.4 MPH (CAN)	\$0	0#
1000739	Effective VSL Setting 64.5 MPH (CAN)	\$0	0#
1000740	Effective VSL Setting 64.6 MPH (CAN)	\$0	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Engine Information

Vehicle Speed Limiters

1000741	Effective VSL Setting 64.7 MPH (CAN)	\$0	0#
1000742	Effective VSL Setting 64.8 MPH (CAN)	\$0	0#
1000743	Effective VSL Setting 64.9 MPH (CAN)	\$0	0#
1000744	Effective VSL Setting 65.0 MPH (CAN)	\$0	0#

Air Compressor

1001316	Air Compressor: 16.7 CFM for B6.7 Octane Engine	\$79	0#
1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	STD	0#
1002065	Air Compressor: Cummins 30.4 CFM ISL, PX-8, PX-9 Replacing 18.7.	\$1,945	2#
1006800	Delete Air Compressor for Hydraulic Brakes.	\$0	-1#

Air Intake System

Air Cleaner

Engine-Mounted

1041399	Air Cleaner: MD Composite Engine Mounted	STD	0#
---------	--	-----	----

Air Intake Equipment

1093120	Inside/Outside Air Intake for Engine Mounted Air Cleaner	\$922	16#
1098003	Air Restriction Indicator: Mechanical Mounted on Air Cleaner.	STD	0#
1099300	Air Inlet Ember Separator NFPA Compliant for Fire Applications.	\$289	8#

Cooling System

Cooling Module

1121231	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches	STD	0#
1121232	Cooling Module: 2.1M MD Aero Hood, Clog Resistant 1000 Square Inches	(\$217)	0#
1121233	Cooling Module: 2.1M MD Vocation Hood 1000 Square Inches	\$751	10#
1121234	Cooling Module: 2.1M MD Vocational Hood, Clog Resistant, 1000 Square Inches	\$549	10#

2 Speed Fan Clutch



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Cooling System			
2 Speed Fan Clutch			
1105230	Fan Hub: Horton 2-Speed for PX-9 or L9N or ISL	\$340	0#
1105250	Fan Hub: Horton 2-Speed for L9N only	(\$249)	0#
1105260	Fan Hub: Horton 2-Speed for PX-7	\$308	0#
On_Off Fan Clutch			
1105228	Fan Hub: Horton On/Off for B6.7 Octane	\$32	0#
1105231	Fan Hub: Horton On/Off for PX-9 or L9N	\$83	0#
1105261	Fan Hub: Horton On/Off for PX-7 or B6.7N	STD	0#
1107060	Fan Hub: Borg Warner On/Off for PX-9 or L9N	\$206	0#
1107170	Fan Hub: Borg Warner On/Off for PX-7 or B6.7N	\$92	0#
Variable Speed Fan Clutch			
1105229	Fan Hub: Horton Variable Speed for B6.7 Octane	\$655	0#
1105232	Fan Hub: Horton Variable Speed For use with PX engines, L9N or B6.7N natural gas engines on 2.1M only.	\$658	0#
Cooling System Equipment			
1160105	Radiator Winterfront.	\$56	0#
1160213	Bug Screen: Front of Grille Mounted	\$131	2#
1160214	Bug Screen: Behind Grille	\$107	2#
Aftertreatment Systems			
RH under DPF-SCR			
1247247	EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail	\$2,461	0#
1247263	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	\$3,117	0#
1247264	EXH: Single Can 2024 RH Under with Single Vertical RH Back-of-Cab Tailpipe	\$5,546	0#
Horizontal Under Rail			
1247278	EXH: Single Can 2024 PX-7 Horizontal Under Rail With Horizontal Tailpipe Below Rail RH Rail Back-of-Cab	STD	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Aftertreatment Systems

Horizontal Under Rail

1247279	EXH: Single Can 2024 PX-9 Horizontal Under Rail With Horizontal Tailpipe Below RH Rail Back-of-Cab	\$835	0#
---------	--	-------	----

Gasoline

1201103	Exhaust: RH Under Muffler with RH Horizontal Tailpipe Below Rail For B6.7 Octane	(\$4,302)	0#
---------	--	-----------	----

1201104	Exhaust: RH Under Muffler with Single Vertical Tailpipe RH Side of Cab for B6.7 Octane	(\$4,119)	0#
---------	--	-----------	----

Natural Gas

1247019	EXH: Single Horizontal CNG Catalyst With Single Horizontal Tailpipe	\$16,968	0#
---------	---	----------	----

1247033	EXH: Single Right Hand Under Cab Catalyst With Single Vertical Tailpipe Right Hand Side of Cab	\$10,243	0#
---------	--	----------	----

Export

1241000	EXH: Euro 4/5 RH Inboard Horizontal EGP with Single Horizontal Tailpipe	(\$1,947)	0#
---------	---	-----------	----

1241001	EXH: RH Under Rail EGP W/ Single Horizontal Pipe, Euro 4/5	(\$3,006)	0#
---------	--	-----------	----

Aftertreatment Accessories

Single Tailpipes

1290124	Tailpipe: 5 in. single 24 in. 45 degree curved.	\$163	6#
---------	---	-------	----

1290130	Tailpipe: 5 in. single 30 in. 45 degree curved.	\$199	12#
---------	---	-------	-----

1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	\$222	15#
---------	---	-------	-----

1290142	Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$247	17#
---------	--	-------	-----

1290148	Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$270	20#
---------	--	-------	-----

1290154	Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$295	22#
---------	--	-------	-----

1290160	Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$331	25#
---------	--	-------	-----

1290336	Tailpipe: 7 in. single 36 in. 45 degree curved.	\$340	15#
---------	---	-------	-----

1290342	Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$365	17#
---------	--	-------	-----

1290348	Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$387	20#
---------	--	-------	-----

1290354	Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$409	22#
---------	--	-------	-----



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Aftertreatment Accessories

Single Tailpipes

1290360	Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$430	25#
1291736	Tailpipe: single 36 in. curved vertical polished.	\$223	10#

Filters

Fuel-Water Separator

1321102	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	STD	0#
1321103	Fuel Filter: PACCAR 2.1M MD for B6.7N or L9N Fuel/Water separator	\$206	0#
1321107	Fuel Filter: Unheated, ISB Euro 3/4/5 With Fuel/Water Separator and WIF Sensor	\$285	0#
1321114	Fuel Filter: Heated, ISB Euro 3/4/5 With Fuel/Water Separator and WIF Sensor	\$384	0#
1321156	Fuel Filter: Phinia In-Tank Octane B6.7 Only	\$0	0#
1321200	Run Aid:None *For Fuel Filter	STD	0#
1321205	Run Aid:Fuel Heat *For Fuel Filter	\$41	0#
1321300	Start Aid:None *For Fuel Filter	STD	0#
1321305	Start Aid:12V Heat *For Fuel Filter	\$22	1#

Heating & Starting Aids

Block Heater

1504006	Block Heater: PACCAR 750 watt 120V for PX-7 and B6.7N. 1000 watt for PX-9 and ISL9 Engines.	\$26	2#
---------	---	------	----

Oil Pan Heater

1506055	Engine Oil Pan Heater, 120V / 300W Includes plug. For use with EPA 2007+ engines.	\$246	0#
---------	---	-------	----

In-tank Fuel Heater

1509058	Fuel Tank Heater: Single Arctic Fox W/ Thermostat	\$577	0#
1509065	Fuel Tank Heater: Dual Arctic Fox W/ Thermostat	\$1,086	0#
1509088	Fuel Tank Heater:Customer Installed - Single Tank 2.1M Medium Duty only	\$10	7#
1509089	Fuel Tank Heater: Customer Installed - Dual Tanks 2.1M Medium Duty only	\$19	14#

Fuel Cooler



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Fuel Cooler			
1500029	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	\$238	0#
Front Engine PTO - FEPTO			
2429038	PTO Adapter For Front Engine PTO (FEPTO)	\$1,465	8#
Rear Engine PTO - REPTO			
6340040	Rear Engine PTO: PX-9, ISL9 Torque Capacity 435 lb-ft continuous, Drive ratio 1.15:1. Includes access provision in toe board.	\$4,138	150#
Governors & Controls			
1405074	Ambient Temperature Sensor for Idle Shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX Engines.	\$0	0#
Motor Equipment Miscellaneous			
0080020	Chassis to use LNG Fuel System.	\$0	0#
0080021	Chassis to use CNG Fuel System.	\$0	0#
1000170	Enable Engine Regeneration in PTO Mode Cummins	\$0	0#
1000242	Gearing Analysis: Fuel Economy fuel efficiency results.	\$0	0#
1000243	Gearing Analysis: Performance power before economy results.	\$0	0#
1000244	Gearing Analysis: Balance power/economy blend results.	\$0	0#
1000245	Customer's Typical Operating Spd: 50 MPH	\$0	0#
1000247	Customer's Typical Operating Spd: 40 MPH	\$0	0#
1000248	Customer's Typical Operating Spd: 55 MPH	\$0	0#
1000249	Customer's Typical Operating Spd: 52 MPH	\$0	0#
1000250	Customer's Typical Operating Spd: 58 MPH	\$0	0#
1000251	Customer's Typical Operating Spd: 60 MPH	\$0	0#
1000252	Customer's Typical Operating Spd: 62 MPH	\$0	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Motor Equipment Miscellaneous			
1000253	Customer's Typical Operating Spd: 63 MPH	\$0	0#
1000254	Customer's Typical Operating Spd: 65 MPH	\$0	0#
1000255	Customer's Typical Operating Spd: 68 MPH	\$0	0#
1000256	Customer's Typical Operating Spd: 64 MPH	\$0	0#
1000257	Customer's Typical Operating Spd: 70 MPH	\$0	0#
1000275	Customer's Typical Operating Spd: 75 MPH	\$0	0#
1000306	T300: 4x2 truck W/ Hydraulic Brakes.	\$0	0#
1000307	Accessory Air System T300 4 x 2 Hydraulic Brakes. Includes an Air System Pressure Gauge.	\$1,232	0#
1600713	Oil Pressure Sender for Pump Panel Gauge VDO 360-009.	\$54	0#
1901016	Delete Standard Remote PTO/Throttle Connections	(\$54)	0#
1901017	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	\$34	0#
1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	STD	0#
1901019	Remote PTO/Throttle, 12-Pin, 250K End of Frame, J1939, Remote Control Provision	\$21	0#
1901020	Remote PTO/Throttle, 12-Pin, 500K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$125	0#
1901021	Remote PTO/Throttle, 12-Pin, 500K End of Frame J1939, Remote Control Provision	\$120	0#
1901084	Body Builder Battery Power Prewire	\$54	0#
Retarders			
1700149	Retarder: Jacobs for PX-9 and ISL With 3-way switch. Replaces the standard turbo brake for PX-9 engines.	\$2,483	57#
1700179	Engine Brake (Retarder) for B6.7 Octane	\$0	0#
1700349	RETARDER: JAKE EXTARDER CUMMINS ISB NOT 10-2002	\$1,134	0#

Starting & Recharging

Alternator



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Starting & Recharging			
Alternator			
1812162	Alternator: 160 amp Brushless with battery voltage sense. *This code replaced 1812160.	\$246	0#
1812163	Alternator: PACCAR HDS 160 AMP Brushed	STD	0#
1812164	Alternator: SEG HDS 200 AMP Brushed	\$133	0#
1812451	Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	\$951	0#
1816160	Alternator: 160 amp Brush Type T3	(\$14)	0#
1816200	Alternator: SEG 200 amp, Brush Type Formerly Bosch.	\$77	0#
1816260	Alternator: PACCAR 160 amp, Brush Type	\$178	0#
Battery			
1821003	Batteries: 4 AGM GP31 THR (925) 3700 CCA	\$919	198#
1821004	Batteries: 3 AGM GP31 THR (925) 2775 CCA	\$604	62#
1821210	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	\$172	62#
1821215	Batteries: 4 PACCAR GP31 Threaded Post (700-730) 2800-2920 CCA dual purpose.	\$407	123#
1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	STD	0#
1821225	Batteries: 2 PACCAR GP31 Threaded Post (1000) 2000 CCA starting.	\$18	4#
1821271	Batteries: 2 AGM GP31 threaded post 1850 CCA For 2.1m with In Cab Battery Box (ICBB) only	\$269	0#
1821275	Batteries: 3 AGM GP31 THR (925) 2775 CCA. For T680, T880, or W990 in cab battery box only.	\$557	62#
1825006	Batteries: 4 Odyssey GP 31 AGM Threaded Post (1150) 4600 CCA	\$2,295	184#
Battery Equipment			
1840024	Battery Disconnect Switch: 1 Cab Floor Locking	\$143	0#
1840065	12V Low Voltage Disconnect for Battery Protection	STD	0#
1840066	Cab Power Cutoff SW on Cab Floor NFPA Compliant - Engine Shut off. Includes gauge.	\$350	2#
1840067	Battery Disconnect Switch Mounted on Battery Box Provides One (1) Switch	\$450	0#
1900996	Jump Start Terminals Under Hood.	\$86	0#



T380: MOTOR EQUIPMENT

Option	Description	Price	Weight
Starting & Recharging			
Battery Equipment			
1901005	Jump Start Terminals Frame Mounted BOC Below Top of Frame Flange.	\$379	0#
Starter			
1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	\$32	0#
1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	STD	0#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Eaton			
6-Speed			
2051121	Transmission: Fuller FSO6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	(\$2,265)	152#
2051122	Transmission: Fuller FSO8406A 6-speed synchro. *Torque Limit: 860 pound-feet.	(\$1,573)	152#
2051123	Transmission: Fuller FS6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	(\$2,368)	152#
10-Speed			
2058354	Fuller FRW15210B 10-Speed Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1550 pound-feet.	\$1,077	414#
2058361	Transmission: Fuller FRO16210C 10-speed with pump, without external oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	\$1,076	408#
2058365	Transmission: Fuller RTO16908LL 10-speed with pump, without oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	\$2,117	501#
Allison			
5-Speed			
2010622	Transmission: Allison 2100RDS 5-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$3,953	135#
2010631	Transmission: Allison 2200RDS 5-speed, With PTO drive gear. 6th Generation controls. Limited to 550 LBFT. With park pawl. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$4,587	135#
2010642	Transmission: Allison 2500RDS 5-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$4,087	135#
2011610	Transmission: Allison 3000HS 5-speed, No PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,738	396#
2011612	Transmission: Allison 3000RDS 5-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$11,335	443#
2011614	Transmission: Allison 3000EVS 5-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$13,856	443#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Allison			
5-Speed			
2011630	Transmission: Allison 3500RDS 5-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$11,042	443#
6-Speed			
2010623	Transmission: Allison 2100RDS 6-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$3,953	135#
2010643	Transmission: Allison 2500RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$4,087	135#
2011611	Transmission: Allison 3000HS 6-speed, No PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,738	396#
2011613	Transmission: Allison 3000RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$11,335	443#
2011615	Transmission: Allison 3000EVS 6-speed, With PTO Provisions at 4 and 8 o'clock. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$13,856	443#
2011631	Transmission: Allison 3500RDS 6-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$11,042	443#
2011632	Transmission: Allison 3500EVS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,346	443#
PACCAR			
8-Speed			
2020101	Transmission: PACCAR TX-8, Without HSA, 560 LB FT Automatic, 8 Speed, With PTO Provision, 8AP560	(\$749)	0#
2020103	Transmission: PACCAR TX-8, Without HSA, 660 LB FT Automatic, 8 Speed, With PTO Provision, 8AP660	STD	0#
2020105	Transmission: PACCAR TX-8, Without HSA, 760 LB FT Automatic, 8 Speed, With PTO Provision, 8AP760	\$1,133	0#



T380: TRANSMISSIONS

Option	Description	Price	Weight
PACCAR			
8-Speed			
2020107	Transmission: PACCAR TX-8, Without HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	\$1,827	0#
2020108	Transmission: PACCAR TX-8, Without HSA, 1000 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1000	\$2,665	0#
2020109	Transmission: PACCAR TX-8, Without HSA, 1050 LBFT Automatic, 8 Speed, With PTO Provision, 8AP1050	\$3,321	0#
2020111	Transmission: PACCAR TX-8, With HSA, 560 LB FT Automatic, 8 Speed, With PTO Provision, 8AP560	(\$465)	0#
2020113	Transmission: PACCAR TX-8, With HSA, 660 LB FT Automatic, 8 Speed, With PTO Provision, 8AP660	\$285	0#
2020115	Transmission: PACCAR TX-8, With HSA, 760 LB FT Automatic, 8 Speed, With PTO Provision, 8AP760	\$1,417	0#
2020117	Transmission: PACCAR TX-8, With HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	\$2,112	0#
2020118	Transmission: PACCAR TX-8, With HSA, 1000 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1000	\$2,950	0#
2020119	Transmission: PACCAR TX-8, With HSA, 1050 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1050	\$3,605	0#
12-Speed			
2058601	PACCAR TX-12: PO-14F112C, 12-speed, 1450 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$3,355	321#
2058621	PACCAR TX-12: PO-14F112C, 12 Speed, 1450 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$3,653	321#
2058626	PACCAR TX-12 PRO:PHDP14F112C, 12 Speed, 1450LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$5,855	321#
Transmission Equipment			
2410129	Seat Mounted Lever Shifter for Allison Trans	\$181	0#
2410153	Push Button Shifter Controls, Center Console Mounted for Allison Transmission. 2.1m Medium Duty only.	\$0	0#
2412301	Mixer With Sustained Low Speed Operation: Curbing, Slip Form, etc.	\$0	0#
2412302	Mixer Without Sustained Low Speed Operation: Transit Mixer.	\$0	0#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Transmission Equipment			
2444000	Chrome Shift Lever for Main Transmission.	\$80	0#
Allison Software			
2410072	Auto Neutral not Required this Application.	\$0	0#
2410204	Allison Fuel Sense: Delete	\$0	0#
2410212	Allison Transmission Mobile PTO Operation - Change max output speed to 4500 RPM	\$0	0#
2410244	J1939 Park Brake Auto Neutral	\$0	0#
2410310	Allison Neutral at Stop	\$0	0#
2410312	Allison Neutral at Stop Not Applicable	\$0	0#
2410319	Allison Fuel Sense: Dynactive Includes Dynamic Shift Sensing	\$244	0#
2410325	Allison Fuel Sense: ARM Base Economy	\$248	0#
2410326	Allison Fuel Sense: ARM High Economy	\$248	0#
2410327	Allison Fuel Sense: ARM Super Economy	\$248	0#
Eaton Software			
2410706	Tanker Shift Calibration (Unbaffled)	\$0	0#
2410708	Performance Shift Calibration	\$0	0#
2410753	Second Shift Calibration: Off Road PACCAR TX PRO And Endurant XD PRO	\$0	0#
2410754	Enable Second Shift Calibration PACCAR TX PRO And Endurant XD PRO	\$0	0#
2410756	Second Shift Calibration: Performance PACCAR TX PRO And Endurant XD PRO	\$0	0#
2410757	Second Shift Calibration: Tanker (unbaffled) PACCAR TX PRO And Endurant XD PRO	\$0	0#
PACCAR Software			
2429092	Park Lock: PACCAR TX-8 Automatic Transmission	\$163	16#
Auxiliary Transmissions			
2154321	Aux: AT1202 2-speed Electric Over Air Shift 3-position Rocker Switch Dash Mounted and Includes Synthetic Lubricant	\$18,819	522#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Transfer Case			
2321327	Transfer Case: Fabco TC-137, 873-2146-010 1-Speed W/O PTO, W/O Neutral	\$20,064	388#
2322238	Transfer Case: Fabco TC-237, 873-1144-004 2-Speed W/O PTO, W/O Neutral.	\$19,662	388#
2322239	Transfer Case: Fabco TC-237, 873-2144-004 2-Speed W/O PTO, W/O Neutral.	\$19,992	388#
2322302	Transfer Case: Fabco TC-548C, 548C2-2-1 1-Speed With Lube Pump, Without PTO, With Neutral	\$25,347	490#
2322303	Transfer Case: FABCO TC-548B, 548B-2-2-1 Two Speed, W/O PTO Provision, With Lube Pump. Use with SPL170. Neutral Capable (not provided).	\$27,569	550#
2323006	Transfer Case: Meritor MTC-4210AC, 2 Speed Without PTO, Without Neutral. For use with Single RR Axle and Meritor FDA.	\$19,013	0#
2349059	Namco Transfer Case 106-2SR-SXSPXS-Y-174 2-speed without PTO and without Neutral W/ Pump, 12" drop	\$20,911	580#
2349060	Namco Trans Case 105-2SR-SXSPXS-Y-174 2-Speed w/o PTO & Neutral for SPL140/SPL170	\$20,116	594#
Split-Shaft PTO			
2329430	Fabco PTO-180 Split Shaft 873-0116-030	\$27,089	755#
2410073	Customer-Installed Split Shaft PTO Informational only, nothing additional is provided.	\$0	0#
Clutch			
2240208	Clutch: 430mm Self-Adjust Organic, Max Torque 1850 ft-lbs	\$978	0#
2240211	Clutch: 430mm Self-Adjust, High Capacity Organic, Max Torque 2050 ft-lbs	\$1,147	0#
Manually Adjusting			
2240013	Clutch: Eaton 14" 2 Plate Ceramic Dampened Up to 860 LBFT Engine torque	\$1,638	0#
2240025	Clutch: Eaton 14" 1 Plate Ceramic Dampened Up to 660 LBFT Engine torque	\$1,637	0#
2250385	Clutch: UltraShift Plus Or Fuller Advantage Series Automated transmissions.	\$1,538	147#
Solo			
2240023	Clutch: Fuller 14 in. solo severe 606 to 860 lb-ft. For severe service. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$1,618	0#
2240040	Clutch: Fuller 14 in. MD solo 606-1050 lb-ft. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$1,702	0#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Clutch			
Miscellaneous			
2294080	Air-Assisted Hydraulic Clutch	\$0	0#
2294081	Clutch: Hydraulic Assist For use with 2.1M Medium Duty only	\$542	10#
Torque Converter			
2410018	Torque Converter Included W/ Allison Transmission.	\$0	0#
2410806	Torque Converter: TP1150N for PACCAR TX-8	\$0	0#
2410807	Torque Converter: TP650N for PACCAR TX-8	STD	0#
2410808	Torque Converter: TP800N for PACCAR TX-8	\$0	0#
PTO			
Chelsea			
2421386	PTO: Chelsea 280GGFJP-B5SV, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison	\$5,077	52#
2421409	PTO: Chelsea 272GBHVP-B5RK, 6 Bolt Lefthand side mounted to Allison transmission, Electric over hydraulic shift, SAE output	\$5,674	0#
2421467	PTO: Chelsea 272GCHVP-B5RK, 6 Bolt LH Side mounted, Electric over hydraulic, SAE output, for Allison transmissions	\$5,674	52#
Muncie			
2424048	PTO: Muncie A20-A1005-HX31XPX, 10 Bolt LH Mounted, Electric over Hydraulic shift, for Allison Transmission	\$3,613	47#
2424049	PTO: Muncie A20-A1007-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$4,617	47#
2424050	PTO: Muncie A20-A1008-HX3BPBX, 10 Bolt LH Side mounted, Electric over Hydraulic shift, SAE output, for Allison transmissions	\$4,708	47#
2424055	PTO: Muncie A20-A1005-HX11XPX, 10 Bolt RH Side Mounted, Electric over Hydraulic shift, for use with Allison transmission	\$4,349	47#
2424056	PTO: Muncie A20-A1005-HX3BBPX, 10 Bolt LH Side mounted, Electric over hydraulic shift, SAE output for Allison transmissions	\$4,617	47#
2424057	PTO: Muncie A20-A1005-HX3IIPX, 10 Bolt LH Side Mounted, Electric over hydraulic shift, for Allison transmissions	\$4,931	47#
2424058	PTO: Muncie A20-A1005-HX51XBX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$3,695	47#



T380: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
Muncie			
2424059	PTO: Muncie A20-A1006-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$4,931	47#
2424060	PTO: Muncie A20-A1006-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$4,617	47#
2424061	PTO: Muncie A20-A1006-HX3BPBX, 10 Bolt LH Side Mounted, Electric over Hydraulic, SAE output for Allison transmissions	\$4,708	47#
2424062	PTO: Muncie A20-A1006-HX3X2PX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,617	47#
2424063	PTO: Muncie A20-A1006-HX5BSPX, 10 Bolt Top Mounted, Electric over Hydraulic shift for Allison transmissions	\$4,617	47#
2424064	PTO: Muncie A20-A1007-HX31XPX, 10 Bolt LH Side Mounted, Electric over Hydraulic for Allison transmissions	\$4,349	47#
2424065	PTO: Muncie A20-A1007-HX5X4BX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,617	47#
2424066	PTO: Muncie A20-A1008-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,931	47#
2424067	PTO: Muncie A20-A1008-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift with SAE output for Allison Transmissions	\$4,617	47#
2425239	PTO: Muncie CS6B-A6705-S1KP 6Bolt,Clutch Shift, LH MTD W/Allison 2000 Series	\$4,707	47#
PTO Misc			
2429084	F/I First PACCAR TX-8 PTO 3 O'Clock Position	\$0	0#
2429085	F/I First PACCAR TX-8 PTO 9 O'Clock Position	\$0	0#
2429086	F/I 1st Allison 1000/2000 Transmission PTO 3 O'Clock Position	\$0	0#
2429087	F/I 1st Allison 1000/2000 Transmission PTO 9 O'Clock Position	\$0	0#
2429094	C/I First PACCAR TX-8 PTO 3 O'Clock Position	\$0	0#
2429095	C/I First PACCAR TX-8 PTO 9 O'Clock Position	\$0	0#
2429096	C/I 1st Allison 1000/2000 Transmission PTO 3 O'Clock Position	\$0	0#
2429097	C/I 1st Allison 1000/2000 Transmission PTO 9 O'Clock Position	\$0	0#



T380: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
PTO Misc			
2429100	Chassis will be Fitted with LH Transmission PTO. (Prevents ECU From Interfering With PTO Only)	\$0	0#
2429101	Chassis will be Fitted with RH Transmission PTO. (Prevents ECU From Interfering With PTO Only)	\$0	0#
2429351	First Transmission PTO Compatibility - Chelsea 230/236/238/442/489/660/680-V3 or Muncie CS8/SH8/TG8S-P1 bottom mounted 6 or 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	\$0	0#
2429358	Rear Transmission Support Springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	\$93	0#
2429359	First Factory Installed Eaton/PACCAR Trans PTO	\$0	0#
2429360	Second Factory Installed Eaton Transmission PTOs.	\$0	0#
2429361	First Customer Installed Eaton/PACCAR Trans PTO.	\$0	0#
2429362	Second Customer Installed Eaton Transmission PTO.	\$0	0#
2429374	Factory Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTO to be installed by the factory. Create NPO for specific PTO to be installed by the factory. Not available with Rear Engine PTO (REPTO)	\$0	0#
2429375	Factory Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429376	Factory Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429377	Customer Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#
2429378	Customer Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.	\$42	0#
2429379	Customer Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions.	\$0	0#
2429393	C/I Rear Transmission PTO Compatibility Dual - Transmission PTO applications using customer installed rear mounted 4-bolt PTOs for Eaton Endurant/PACCAR 12 speed transmissions as a second transmission PTO in conjunction with approved Chelsea or Muncie bottom mounted 8-bolt PTOs. This option should only be used with SPL250 driveline.	\$0	0#

Driveline

Driveline Equipment

2406005	45 degree Yokes on Interaxle Drivelines.	\$84	0#
---------	--	------	----



T380: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Driveline Equipment			
2410100	Two Guards for Dual Drivelines.	\$314	8#
2410103	Guards: (3) for 3 Drivelines.	\$472	12#
2410105	One Guard for Single Driveline.	\$96	4#
Centerbearing Crossmembers			
2409941	One Heavy-Duty One-Piece Aluminum Crossmember This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$145	0#
2409942	Two Heavy-Duty One-Piece Aluminum Crossmembers This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember locations will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$310	0#
2409943	Three Heavy-Duty One-Piece Aluminum Crossmembers This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember locations will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$436	0#
Dana			
2401205	Driveline: 1 Dana Standard-Duty; No Centerbearing. *Standard duty is 1710 series.	(\$470)	-11#
2401405	Driveline: 2 Dana Standard-Duty; 1 Centerbearing. *Standard duty is 1710 series.	\$276	67#
2401605	Driveline: 2 Standard Duty; No Center Bearing Use w/ AUX Transmission, Transfer Case, or Jackshaft	\$20	79#
2401905	Driveline: 3 Dana Standard-Duty; 2 Centerbearing. *Standard duty is 1710 series.	\$990	145#
2401915	Driveline: 4 Dana Standard-Duty 3 Centerbearings *Standard duty is 1710 series.	\$1,768	222#
2406201	Driveline: 1 SPL100 W/O Centerbearing T170 only.	(\$629)	-47#
2406204	Driveline: 1 Dana SPL170XL No Centerbearing	(\$270)	-1#
2406209	Driveline: 2 Dana SPL140 with No Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$706	158#
2406210	Driveline: 3 Dana SPL140 with One Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$927	238#
2406211	Driveline: 4 Dana SPL140 with Two Centerbearings and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$2,192	318#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406215	Driveline: 2 Dana SPL170XL with No Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$1,002	180#
2406216	Driveline: 3 Dana SPL170XL with One Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$1,869	265#
2406217	Driveline: 4 Dana SPL170XL with Two Centerbearings and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$3,405	349#
2406218	Driveline: 2 SPL140 without Centerbearings Foward of transfer case and 1 Dana SPL170XL with no centerbearings to rear axle.	\$855	169#
2406219	Driveline: 2 SPL140 without Centerbearings Foward of transfer case and 2 Dana SPL170XL with 1 centerbearing to rear axle.	\$1,720	253#
2406220	Driveline: 2 SPL140 without Centerbearings Foward of transfer case and 3 Dana SPL170XL with 2 centerbearings to rear axle.	\$2,587	338#
2406237	Driveline: 2 Dana SPL100SF with 1 centerbearing light duty.	\$142	50#
2406238	Driveline: 3 Dana SPL100SF with 2 centerbearings light duty.	\$689	147#
2406239	Driveline: 4 Dana SPL100SF with 3 centerbearings light duty.	\$1,151	244#
2406240	Driveline: 1 Dana SPL140 No Centerbearing	(\$406)	-12#
2406241	Driveline: 1 Dana SPL140SF no centerbearing	(\$406)	-109#
2406419	Driveline: 2 Dana SPL100 1 Centerbearing Light Duty.	STD	0#
2406440	Driveline: 2 Dana SPL140 1 Centerbearing	\$350	68#
2406441	Driveline: 2 Dana SPL140SF 1 centerbearing	\$349	-29#
2406451	Driveline: 4 SPL170XL 2 centerbearing for use w/auxiliary transmission	\$2,211	264#
2406452	Driveline: 2 Dana SPL170XL 1 Centerbearing	\$623	84#
2406455	Driveline: 2 SPL170XL; No Centerbearing Medium-Duty: for Use W/ Auxiliary Transmission or Jackshaft.	\$426	95#
2406457	Driveline: 3 SPL170XL for Use W/ Auxiliary Transmission or Jackshaft, W/ 1 Centerbearing.	\$1,695	180#
2406466	Driveline: 2 Dana SPL170SF With 1 Centerbearing	\$570	84#
2406468	Driveline: 1 SPL170SF With 0 Centerbearings	(\$284)	-1#



T380: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406469	Driveline: 3 SPL170SF With 2 Centerbearings	\$1,425	168#
2406470	Driveline: 4 SPL170SF With 3 Centerbearings	\$2,265	252#
2406802	Driveline: 3 Dana SPL170XL 2 Centerbearing	\$1,424	168#
2406804	Driveline: 4 Dana SPL100; 3 Centerbearings light duty.	\$1,051	94#
2406811	Driveline: 3 Dana SPL100 2 Centerbearings light duty	\$489	47#
2406820	Driveline: 4 Dana SPL170XL 3 Centerbearing	\$2,269	252#
2406840	Driveline: 3 Dana SPL140 2 centerbearing	\$1,002	148#
2406841	Driveline: 3 Dana SPL140SF 2 centerbearing	\$1,097	51#
2406850	Driveline: 4 Dana SPL140 With 3 Centerbearings	\$1,835	228#
2406851	Driveline: 4 Dana SPL140SF With 3 Centerbearings	\$1,835	131#
2406860	Driveline: 2 Dana SPL140 with 0 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$1,535	238#
2406862	Driveline: 3 Dana SPL140 with 1 Centerbearing for Transfer case & 1 SPL170 to rear axle.	\$1,670	249#
2406865	Driveline: 3 Dana SPL140 with 1 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$2,253	318#
2406867	Driveline: 3 SPL140 for T/C w/1 C/B & 2 SPL170 with one centerbearing to rear axle.	\$2,558	333#
2406870	Driveline: 4 Dana SPL140 with 2 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$2,831	398#
2406872	Driveline: 3 SPL140 for T/C w/1 C/B & 3 SPL170 with two centerbearing to rear axle.	\$3,393	418#
Transmission Oil Cooler			
2460021	Oil to Water Cooler for Transfer Case to 8500 LB-FT	\$454	13#
2460043	TDI Oil to Air Auxiliary Cooler 400HP or Greater	\$1,386	0#
2460069	Transmission Cooler: Automatic Transmission For use with 2.1M MD with Vocational Hood. Includes cooler protector.	\$1,257	38#
2460070	Supplemental Allison Oil to Water Trans Cooler	\$605	16#



T380: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
10K & Under			
2500810	Front Axle 10K derated to 8K Dana Spicer E-1002IL 6KPI 3-1/2 inch drop. USE W/AIR BRAKES ONLY	\$191	42#
2501010	Dana Spicer E-1002IL Front Axle rated 10K 3-1/2in. drop. Use w/ air brakes only.	\$191	42#
2501012	Dana Spicer D-1001IL Front Axle Rated 10K 3.5" drop. Use With Air Disc Brakes Only	\$186	6#
2531102	Hendrickson Steertek Front Axle rated 8K Standard Track 3.32 in. drop	(\$34)	-57#
2531104	Hendrickson Steertek Front Axle rated 10k Standard Track 3.32 in. drop.	(\$49)	-13#
2531112	Hendrickson Steertek Front Axle rated 8K Wide track 3.32 in. drop	(\$16)	-26#
2531114	Hendrickson Steertek Front Axle rated 10k Wide Track 3.32 in. drop.	(\$16)	-10#
12K to 13.2K			
2502012	Dana Spicer D-1201IL Front Axle rated 12K 3-1/2in. drop. Use with Air Disc Brakes Only.	\$196	6#
2502016	Dana Spicer D-1301IL Front Axle rated 13K 3.5" drop. Use With Air Disc Brakes Only.	\$238	-20#
2502017	Dana Spicer D-1321IL Front Axle rated 13.2K 3.5" drop. Use With Air Disc Brakes Only	\$238	-20#
2502019	Dana Spicer D-1251LW Front Axle 12K 3.5" drop, wide track.	\$239	6#
2502230	Dana Spicer E-1202IL Front Axle rated 12K 3-1/2in. drop. Use W/Air Brakes Only. Medium Duty Only.	\$193	42#
2502244	Dana Spicer E-1252LW Front Axle 12K 3.5" drop wide track.	\$300	42#
2502335	Dana Spicer E-1322IL Front Axle rated 13.2K 3-1/2in. drop.	\$307	94#
2502336	Dana Spicer E-1322LW Front Axle rated 13.2K 3-1/2in. drop, wide track for better turning radius.	\$352	22#
2502338	Dana Spicer E-1302IL Front Axle rated 13K 3-1/2in. drop.	\$307	16#
2505018	Dana Spicer D-1321LW Front Axle rated 13.2K 3.5" drop Wide Track Use W/ Air Disc Brakes Only	\$300	-14#
2512044	Meritor MFS12E PLUS 12K 3.5in. drop standard track.	\$211	27#
2512046	Meritor MFS12E Plus 12K 3.5" Drop Wide Track	\$239	46#
2512048	Meritor MFS13 PLUS 13.2K 3.5in. Drop Standard Track.	\$389	27#
2512049	Meritor MFS13 PLUS 13.2K 3.5in. Drop Wide Track.	\$417	46#



T380: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
12K to 13.2K			
2512050	Meritor MFS13 PLUS 13K 3.5 in. Drop standard track.	\$315	27#
2532108	Hendrickson Steertek Front Axle rated 12K Standard Track 3.32 in. drop.	STD	0#
2532111	Hendrickson Steertek Front Axle 13K 3.32in Drop Standard Track	\$150	6#
2532112	Hendrickson Steertek Front Axle rated 13.2k Standard Track 3.32 in. drop	\$150	6#
2532121	Hendrickson Steertek Front Axle 12K 3.32 in drop Wide Track	\$50	0#
2532123	Hendrickson Steertek Front Axle 13K 3.32in drop Wide Track	\$200	9#
14.6K to 18K			
2503461	Dana Spicer E-1462I Front Axle 14K 3-1/2in drop	\$604	94#
2503463	Dana Spicer E-1462I Front Axle rated 14.6K 3-1/2in. drop.	\$603	94#
2503471	Dana Spicer D-1461I Front Axle rated 14.6K 3-1/2in. drop, use with air disc brake only.	\$516	82#
2503475	Dana Spicer D-1461I Front Axle 14K 3-1/2in drop use with air disc brake only.	\$516	88#
2513030	Meritor MFS14 Plus 14.6K 3.74in. Drop Wide Track.	\$827	35#
2513031	Meritor MFS14 Plus 14.6K 3.5in. Drop Standard Track.	\$681	9#
2513032	Meritor MFS14 Plus 14K 3-1/2 in Drop Standard Track	\$681	9#
2533110	Hendrickson Steertek Front Axle 14K 3.32in drop Standard Track	\$195	57#
2533111	Hendrickson Steertek Front Axle rated 14.6k Standard Track 3.32 in. drop.	\$195	57#
2533120	Hendrickson Steertek Front Axle 14K 3.32in drop Wide Track	\$245	61#
2533121	Hendrickson Steertek Front Axle rated 14.6k Wide Track 3.32 in. drop.	\$245	61#
Front Drive Axles			
2571007	Meritor MX-120 Front Drive Axle 10K 16.5X5 Q+	\$16,062	1,072#
2572007	Meritor MX-120 Front Drive Axle 12K 16.5X5 Q+	\$16,389	1,072#
2573007	Meritor MX-120 Front Drive Axle 14K 16.5X5 Q+	\$17,551	1,072#



T380: FRONT AXLE

Option	Description	Price	Weight
Front Drive Axles			
2589900	Dealer/Customer Acknowledges Specified Components Fail Supplier Blanket Approvals	\$0	0#
Axle Ratios			
2590307	Front Drive Axle Ratio: 3.07	\$0	0#
2590331	Front Drive Axle Ratio: 3.31	\$0	0#
2590358	Front Drive Axle Ratio: 3.58	\$0	0#
2590373	Front Drive Axle Ratio: 3.73	\$0	0#
2590391	Front Drive Axle Ratio: 3.91	\$0	0#
2590410	Front Drive Axle Ratio: 4.10	\$0	0#
2590430	Front Drive Axle Ratio: 4.30	\$0	0#
2590456	Front Drive Axle Ratio: 4.56.	\$0	0#
2590478	Front Drive Axle Ratio: 4.78.	\$0	0#
2590488	Front Drive Axle Ratio: 4.88.	\$0	0#
2590513	Front Drive Axle Ratio: 5.13.	\$0	0#
2590529	Front Drive Axle Ratio: 5.29.	\$0	0#
2590538	Front Drive Axle Ratio: 5.38.	\$0	0#
2590557	Front Drive Axle Ratio: 5.57	\$0	0#
2590586	Front Drive Axle Ratio: 5.86.	\$0	0#
2590614	Front Drive Axle Ratio: 6.14.	\$0	0#
2590650	Front Drive Axle Ratio: 6.50.	\$0	0#
Outer End Equipment			
Brakes			
2659007	Front Brakes: Included W/ Front Drive Axles	\$0	-166#
10K & Under			
2621187	Front Brakes: 10K Bendix ES S- Cam 15x4 in.	\$247	0#



T380: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brakes			
12K to 13.2K			
2601605	Front Brakes: 13.2K Bendix RSD HP-ES S-Cam 16.5x5 in. drum brake.	(\$74)	0#
2607005	Front Brakes: 13.2K Bendix Air Disc BRK ADB22X-LT	\$175	13#
2607013	Front Brakes: 13.2K Bendix ADB22X-LT RSD Disc Brk	\$40	13#
14K to 18K			
2601608	Front Brakes: 18K Bendix RSD HP-ES S-Cam 16.5x6 in. drum brake , Max GAWR 18K, with Cast Spider.	\$347	0#
2607001	Front Brakes: 14.6K Bendix Air Disc Brakes Lube Free.	\$192	13#
2607011	Front Brakes: 14.6K Bendix RSD ADB22X Disc Brake.	\$47	13#
2621310	Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	STD	0#
2641113	Front Brakes: 14.6K Meritor Q+ RSD S-Cam 16.5x5 in. drum brake.	\$32	0#
2641141	Front Brakes: 14.6K Meritor Q-Plus 16.5x5 in. Not for fire truck/EMT/rescue service.	\$155	0#
2647002	Front Brakes: 14.6K Meritor EX+LS air disc brakes	\$45	-11#
2647003	Front Brakes: 14.6K Meritor EX+L Optimized air disc brakes.	\$84	-2#
2647009	Front Air Disc Brakes: 14.6K Meritor EX+L Optimized RSD reduced stopping distance tractor only.	\$84	-2#
2647010	Front Air Disc Brakes: 14.6K Meritor EX+LS Reduced Stopping Distance Tractor Only	\$45	-11#
20K & Over			
2601612	Front Brakes: Bendix HP-ES 16.5X6, Max Cap 22K.	\$429	0#
Brake Drums			
12K to 13.2K			
2690030	Front Brake Drums: 13.2K 15x4 in. cast.	(\$36)	0#
14.6K			
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	STD	0#
2690016	Front Brake Drums: 14.6K Meritor X30 light weight 16.5x5 in.	\$269	-8#
2690031	Front Brake Drum: Tru Turn Lite 16.5X5, max rating 14.6K	\$66	0#
20K & Over			



T380: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brake Drums			
20K & Over			
2690032	Front Brake Drum: Tru Turn Lite 16.5X6, max rating 20K	\$69	80#
2690050	Front Brake Drum Included W/ Front Axles.	\$0	-183#
Rotors			
2690024	Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.	\$592	0#
2690025	Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.	\$501	0#
2690042	U-Shaped Rotor for Meritor Air Disc Brakes.	\$309	0#
2690060	Rotor for Front Air Disc Brakes for use with aluminum hubs. For Meritor front air disc brakes.	\$433	0#
Hubs			
12K to 13.2K			
2701300	Front Hub: Aluminum Hub Pilot 13,200 lbs. 10-Bolt, 11-1/4 in. bolt circle .	\$59	0#
2707051	Front Hubs Aluminum Hub Pilot 8 Bolt 10.83 in. bolt circle	\$93	0#
2707053	Front Hubs Iron Hub Pilot 8 Bolt 10.83 in. bolt circle	(\$50)	-24#
14.6K to 16K			
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	STD	0#
2707050	Front Hub: 14,600 lbs. Aluminum Hub Pilot 10-bolt, 11.25 in. bolt circle.	\$82	-48#
18K & Over			
2707003	Front Hub: Hub Pilot 10 Hole Mount Hub Included w/ Meritor front drive axles. 11.25 in. bolt circle.	\$0	-106#
Oil Seals			
2741970	ConMet PreSet Plus Hub Package; Front Axle.	STD	0#
2741975	ConMet PreSet Hub Package; Front Axle.	\$0	0#
2748550	Front Axle Oil Seal: Included W/ Axle or Brakes.	\$0	0#
Hubcaps			
2750001	Hubcap: Front Vented.	STD	0#
2750900	Hubcaps Included W/ Front Axle.	\$0	-1#



T380: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Miscellaneous			
2659047	Front Dustshield: for Drum Brakes: All Front Axles.	\$58	6#
2659065	Front Dustshield: Included W/ Meritor or Sisu Front Drive Axle.	\$0	0#
2690028	Integral Knuckle for Air Disc Brake, for use on Meritor MFS PLUS Steer Axle	\$0	20#
2690029	Drum Brake Knuckle for Use on Meritor MFS Plus Steer Axle	\$0	20#
2900903	Front Bendix Air Disc Brake Dustshield includes pad air disc brakes only.	\$59	1#
2900919	Front Air Disc Brake Dustshield Includes Pads.	\$55	0#
2900920	Front Disc Brake: Meritor Pad/Rotor Dust Shields.	\$101	0#
Slack Adjusters			
2765001	Front Auto Slack Adjuster for Drum Brakes.	STD	0#
2769000	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	\$0	0#
Front Springs			
8K to 10K Capacity			
2862010	Front Springs: Taperleaf 10K W/ Shock Absorbers. For use on medium duty with FDA only.	\$788	97#
2882001	Front Springs: Mono-leaf 10K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	(\$21)	-4#
12K to 14.6K Capacity			
2863010	Front Springs: Taperleaf 12K W/ Shock Absorbers. For use on medium duty with FDA only.	\$788	97#
2863019	Front Springs: Taperleaf 12K w/ shock absorbers. With maintenance-free elastomer spring pin bushings.	\$135	58#
2864030	Front Springs: Taperleaf 13K W/ Shock Absorbers. For use on medium duty with FDA only.	\$873	179#
2864040	Front Springs: Taperleaf 14K W/ Shock Absorbers. For use on medium duty with FDA only.	\$873	179#
2864070	Front Springs: Taperleaf 13.2K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$440	111#
2864072	Front Springs: Taperleaf 14.6K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$440	111#



T380: FRONT AXLE

Option	Description	Price	Weight
Front Springs			
12K to 14.6K Capacity			
2883002	Front Springs: Mono-leaf 12K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	STD	0#
Front Spring Equipment			
2900055	5 mm Front Suspension Spacer Block	\$0	0#
2900058	30 mm Front Suspension Spacer Block	\$0	0#
2900059	40 mm Front Suspension Spacer Block	\$0	0#
2900061	50 mm Front Suspension Spacer Block	\$0	0#
2900062	60 mm Front Suspension Spacer Block	\$0	0#
2900063	70 mm Front Suspension Spacer Block	\$0	0#
2900064	80 mm Front Suspension Spacer Block	\$0	0#
2900075	Required Front Suspension Spacer, Aero Hood, PX-7 and 10K/12K FDA.	\$0	0#
2900612	Threaded Front Spring Bushings in Place of elastomeric.	\$68	0#
Power Steering			
Single Gear			
2895091	Single Power Steering Gear: 14.6K.	\$507	20#
2895223	Single Power Steering Gear: 13.2K for Air Brakes.	STD	0#
Miscellaneous			
2899336	Power Steering Cooler:Radiator Mounted Air-to-Oil	\$363	11#
Miscellaneous			
2790035	Maximum Length Wheel Studs for Hub Pilot Wheels only. Option is standard length w/ dual aluminum wheels, code not required.	\$13	2#
2900936	Meritor MX-120 FDA HR Option Req'd for Snowplow.	\$1,679	0#



T380: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3011024	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ air brakes. Single rear axle 17K.	(\$245)	-15#
3011025	Single Dana Spicer P20060S Single Reduction Rear axle for T300/K300 w/ air brakes. Single rear axle 16K.	(\$245)	-15#
3011030	Single Dana Spicer P22060S Single Reduction 16K rear axle for T300 w/ air brakes. Single rear axle 16K.	(\$171)	-15#
3011032	Single Dana Spicer P22060S Single Reduction 17K rear axle. T300/K300: use with/air brakes. Single rear axle 17K.	(\$171)	-15#
3011046	Dana S17-140 16k-Single Rear Axle w/air brakes.	(\$512)	-132#
3011048	Dana S17-140 17K Rated Capacity-Single Rear Axle w/air brakes.	(\$568)	-132#
3011080	Single Dana Spicer S21-172 Single Reduction Rear axle. Use with air brakes. Single rear axle 16K.	\$168	102#
3012025	Single Meritor MS17-13X3 Rear Axle 16K with air brakes.	(\$794)	-102#
3012026	Single Meritor RS23-240 2-Speed 16k	\$7,886	100#
3012027	Single Meritor MS17-13X3 Rear Axle rated at 17K with air brakes.	(\$794)	-102#
3021062	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ air brakes. Single rear axle 19K.	(\$245)	-15#
3021063	Single Dana Spicer P20060S Single Reduction Rear axle for T300 w/ air brakes. Single rear axle 18K.	(\$245)	-15#
3021070	Single Dana Spicer P22060S Single Reduction 18K rear axle. T300/K300: use with/air brakes	(\$171)	-15#
3021080	Dana S19-140 18K, Single Rear Axle w/ air brakes	(\$455)	-132#
3021082	Dana S19-140 19K Rated Capacity-Single Rear Axle w/air brakes.	(\$455)	-132#
3022108	Single Meritor MS19-13X3 Rear Axle 18K with air brakes.	(\$646)	-102#
3022109	Single Meritor MS19-14X4 Rear Axle 18K.	\$5	0#
3022110	Single Meritor MS19-13X3 Rear Axle rated at 19K with air brakes.	(\$646)	-102#
3022111	Single Meritor MS19-14X4 Rear Axle rated at 19K.	\$5	0#
3031000	Dana S20-140 20K Rated Capacity-Single Rear Axle w/air brakes.	(\$394)	-132#



T380: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Single Drive Rear Axles

20K & Under

3031052	Single Dana Spicer P20060S Single Reduction Rear axle, single rear axle rated at 20K.	(\$245)	-15#
3031096	Single Dana Spicer P22060S Single Reduction Rear axle. T300/K300: use with/air brakes. Single rear axle 20K.	(\$202)	-15#
3031097	Single Dana Spicer P22060S Single Reduction 19K rear axle. T300/K300: use with/air brakes	(\$171)	-15#
3031180	Single Dana Spicer S21-172 Single Reduction Rear axle. Single rear axle 20K.	\$703	102#
3032205	Single Meritor MS21-14x4 Rear Axle 20K	\$0	0#

21K to 23K

3031001	Dana S21-140 21K Rated Capacity-Single Rear Axle w/air brakes.	(\$367)	-126#
3031094	Single Dana Spicer P22060S Single Reduction Rear axle. T300/K300: use with/air brakes. Single rear axle 21K.	(\$171)	-15#
3031181	Single Dana Spicer S21-172 Single Reduction Rear axle. Single rear axle rated at 21K.	\$743	102#
3032200	Single Meritor MS21-14x4 Rear Axle rated at 21K.	STD	0#
3041180	Single Dana Spicer S23-172 Single Reduction Axle, single rear axle rated at 23K.	\$1,011	102#
3041181	Single Dana Spicer S23-172H Single Reduction Axle single rear axle rated at 23K. Heavy wall.	\$2,292	137#
3041190	Single Dana Spicer S23-190 Single Reduction Rear axle. Single rear axle rated at 23K.	\$1,367	240#
3042150	Single Meritor RS23-160 Rear Axle 21K	\$809	169#
3042152	Single Rear Axle Meritor RS23-240 2-Speed 21k	\$7,259	100#
3042153	Single Rear Axle Meritor RS23-240 2-Speed 23k	\$7,886	100#
3042160	Single Meritor RS23-160 Rear Axle rated at 23K.	\$747	169#

Single Axle Outer End Equipment

Brakes

3302000	Single Rear Brakes:Bendix ADB22X-LT Air Disc Brk for single rear axles to 20K capacity.	\$493	0#
3302001	Single Rear Brakes Bendix Air Disc Brakes for single rear axles to 23K capacity.	\$0	20#
3304010	Single Rear Brakes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. single axle drum brake, Max GAWR 23k.	(\$38)	10#



T380: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Brakes			
3306007	Single Rear Brakes Bendix RSD ADB22X-LT 20K Disc brake for single axle, tractor only	\$766	0#
3306012	Single Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for single axle, Max GAWR 23K.	\$135	20#
3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	STD	0#
3330019	Single Rear Brakes 15x8-5/8 in. Dana Spicer ES S-cam extended service for 19.5 in. wheels	\$1,427	0#
3350007	Single Rear Brakes 16-1/2x7 in., 23K. Meritor Q-Plus extended service S-cam.	\$103	8#
3352002	Single Rear Brakes: Meritor EX+LS Single to 23K	\$550	0#
3352003	Single Rear Brakes Meritor EX+L Optimized air disc brakes for single rear axles to 23K capacity.	\$593	0#
3354022	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x8.625 in., single axle drum brake, Max GAWR 21k.	\$248	24#
3354023	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x 7 in. single axle drum brake, Max GAWR 23k.	\$56	8#
3356021	Rear Air Disc Brakes: Meritor EX+LS Max 23K Single Reduced Stopping Distance Tractor Only	\$625	0#
3356022	Single Rear Air Disc Brakes: Meritor EX+L Optimized RSD Sing Max 23K. Reduced stopping distance tractor only.	\$668	0#
Brake Drums			
3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	STD	0#
3392116	Single Rear Brake Drums Meritor X30 Light weight. For use with 16.5X7" brake. Contact Applications Engineering for maximum GAWR.	\$98	-32#
Rotors			
3392042	U-Shaped Rotor for Single Rear Meritor Air Disc brakes.	\$898	0#
3392204	Splined Rotor for Single Rear Air Disc Brakes for use with aluminum hubs.	\$1,499	-104#
3392205	Splined Rotor for Single Rear Air Disc Brakes for use with iron hubs.	\$1,422	-104#
3392210	Rotor for Single Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	\$303	0#
Hubs			
3401010	Single Rear Hubs: Aluminum Hub Pilot 23K; 11.25" bolt circle. Requires "R" series outer ends.	\$159	-26#



T380: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Hubs			
3403019	Single Rear Hubs Iron Hub Pilot 10.83 in. BC 8 bolt requires 15x8-5/8 in. brakes	(\$6)	0#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	STD	0#
Oil Seals			
3441967	ConMet PreSet Hub Package; Single Rear Axle.	\$0	0#
3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	STD	0#
Spring Brakes & Parking Brakes			
3485001	Bosch Parking Brake 3x12 in. High Lever Actuated. Axle mounted for medium duty.	(\$66)	2#
3485004	Spring Brakes Included W/ Single Rear Air Disc brakes.	\$0	0#
3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	STD	0#
3485008	Spring Brake: 3036 Single. For drum brakes.	\$70	8#
3485019	Spring Brake: 2430 Single for Medium Duty; maximum capacity 17K. For drum brakes.	\$26	-2#
3485114	Spring Brakes Piston Type for Bendix Air Disc Brakes, Single. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$287	70#
3485214	Spring Brake: 3036 Long Stroke Single 30 Square inches; 36 square inches spring chamber. For drum brakes	\$90	0#
Slack Adjusters			
3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	STD	0#
Wheel Differential Locks & Limited Slip			
3511080	Meritor Driver Controlled Differential Lock for single rear axle.	\$848	0#
3531000	Wheel Differential Lock for Dana Spicer Axle P22060S; changes S to D to the axle part number.	\$1,149	15#
3531001	Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.	\$931	28#
3531021	Trac-Lok, Limited Slip Differential: S14-110/130, S17/S19/S20/S21-140.	\$1,047	3#
Miscellaneous			
3490901	Rear Air Disc Brake Dustshields for Single Axle; includes pads and rotor shields.	\$309	6#



T380: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Miscellaneous			
3490904	Rear Air Disc Brake Dustshields for Single Axle; includes pads only.	\$58	1#
3490911	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads and rotor shields.	\$112	0#
3490913	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads only.	\$18	0#
Anti-Lock Brake System			
4-Channel			
3495013	WABCO 4S/4M Anti-Lock Brake System. T300: w/ hydraulic brakes only. K300 all configurations.	\$1,458	0#
3495226	Bendix 4S/4M Anti-Lock Brake System.	STD	0#
3495228	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC).	\$599	2#
3495229	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability program (ESP) for tractor.	\$2,574	11#
3495233	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$2,039	0#
Other			
3495243	Bendix Side Object Detection Version 2 sensor on RH side, with increased field of view and enhanced detection.	\$997	0#
3500101	Bendix ABS Parameter Rail/Drilling Mode Programmable Option	\$0	0#
Body Builder ESP Information			
3500072	Tanker Height less than 75 in. from Top of Frame rail	\$0	0#
3500073	Tanker Height between 75 in. and 85 in. from Top of frame rail.	\$0	0#
3500096	Flatbed Top of Deck not more than 20 in. Above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
3500097	Van Body Top of Deck not more than 20 in. Above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
Miscellaneous			
3407046	Longer Studs for Aluminum Wheels W/ Steel Hub pilot wheels.	\$20	6#
3465900	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	\$0	0#



T380: REAR AXLE

Option	Description	Price	Weight
Miscellaneous			
3490046	Dustshields for Drum Brakes: All Rear Axles, required and only available with T270/T370 front drive axles	\$0	11#
3490047	Dustshields for Drum Brakes: All Rear Axles.	\$106	11#
3495332	Bendix Wingman Advanced Adaptive CC w/ Collision Mitigation (ACB)	\$884	22#
3495333	Adjustable Headway Distance For ACC	\$0	0#
3495335	Non-Adjustable Headway Distance For ACC at 2.8 Sec	\$0	0#
3495337	Non-Adjustable Extended Headway Distance For Acc (AT 3.5 Sec for BENDIX or AT 3.6 SEC for WABCO)	\$0	0#
3495338	Standard Headway Distance Warnings For Use with ACC (1.5, 1.0, 0.5 S)	\$0	0#
3495339	Extended Headway Distance Warnings For Use with ACC (2.0/1.5/1.0 S)	\$0	0#
3495340	Max Headway Distance Warnings For Use with ACC (3.0/2.0/1.5 S)	\$0	0#
3495380	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB W/O Video Recording	\$3,342	0#
3495381	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB with Video Recording	\$3,230	0#
3495382	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/ Adjacent Lane and Highway Departure AEB with Video Storage	\$3,618	0#
3495560	Electronic Park Brake	\$687	0#
3495561	Air Operated Park Brake	\$0	0#



T380: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3620018	Rear suspension: Kenworth AG180 single air leaf 18K.	\$513	-197#
3620403	Rear suspension: Kenworth TL180 18K single taperleaf.	(\$225)	-174#
3622215	Rear suspension: single Hendrickson HAS210L 21K. Welded steel crossmember and gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.	\$996	-121#
3622218	Rear suspension: single Hendrickson HAS210 21K. Steel crossmember and gussets w/shocks at 8.8 in. height. Medium-duty for use with air disc brakes only. Engine < 1351 Lb Ft. Includes air suspension dump valve.	\$1,554	-111#
3626432	Rear suspension: single Reyco 79KB multileaf 20K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.6 in. Laden height: 13.2 in. Not rear air disc brake compatible.	\$1,272	90#
3626433	Rear suspension: single Reyco 79KB multileaf 21K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.5 in. Laden height: 13.1 in. Not rear air disc brake compatible.	\$1,272	90#
3626479	Rear suspension: single Reyco 79KB taperleaf 20K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.6 in. Not rear air disc brake compatible.	\$0	0#
3626482	Rear suspension: single Reyco 79KB taperleaf 20K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 7.9 in.	\$1,082	17#
3626490	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 11.4 in. Laden Height: 9.8 in. Not available with rear air disc brakes.	\$388	0#
3630021	Rear suspension: single Kenworth Airglide 210L 21K. 6.5 in. ride height w/single leveling valve. Includes air suspension dump valve.	\$947	-145#
3632010	Rear suspension: Single Hendrickson Primaax EX232 23K, 8.5 in. ride height.	\$3,231	-10#
3632014	Rear suspension: Single Hendrickson Primaax EX232 23K, 14.5 in. ride height. For 2.1m medium duty with front drive axle only. Includes single leveling valve.	\$6,721	240#
3632277	Rear suspension: single Hendrickson HAS230L 23K. Welded steel crossmember & gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.	\$1,174	-59#
3632279	Rear suspension: single Hendrickson HAS230 23K. Welded crossmember and gussets w/shocks at 8.8 in. height. Medium-duty for use with air disc brakes only. Engine < 1351 Lb Ft. Includes air suspension dump valve.	\$1,647	-49#
3636421	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.5 in. Not rear air disc brake compatible.	STD	0#
3636422	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 9 in. Laden Height: 7.3 in. Not rear air disc brake compatible.	\$268	58#



T380: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3636424	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 7.8 in.	\$1,082	0#
3636425	Rear suspension: single Reyco 79KB taperleaf 23K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 8.0 in.	\$1,123	58#
3636427	Rear suspension: single Reyco 79KB taperleaf 23K. Medium duty. For use with rear air disc brakes. Unladen Height: 10.8 in. Laden Height: 9.0 in.	\$974	58#
3636430	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 11.4 in. Laden Height: 9.7 in. Not available with rear air disc brakes.	\$876	57#
3636434	Rear suspension: single Reyco 79KB multileaf 23K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.4 in. Laden height: 13.0 in. Not rear air disc brake compatible.	\$1,272	90#
3666435	Rear suspension: single Reyco 79KB multileaf 31K. 28K spring plus helper. Laden height 8.9 inches, unladen height 11.7 inches. Not available with shocks or swaybars. Not rear air disc brake compatible.	\$1,680	196#
Suspension Equipment			
3830313	Bolted Rear Suspension Crossmembers for AG210L. Replaces medium duty standard.	\$115	0#
3830502	Delete Dash Mounted Control for Air Suspension dump valve. Only available with an air suspension.	\$0	0#
3830505	Dual Leveling Valves for Single Air Suspension. Dual leveling valves on single rear suspensions on only available on Neway ADZ for class 8 or Hendrickson HAS for medium duty. Dual leveling valves will not be approved on any other suspensions on T3.	\$149	0#
3831999	Torque Rods for 23K or 26K PRIMAAX EX Single using disc brakes. Replacing standard.	\$382	13#
3832033	Inboard Mounted Shock Absorbers for Hendrickson HAS single or dual. Mounted outboard on forward rear & inboard on rear rear axle.	\$64	0#
3832100	Track Rods: Heavy Duty for Hendrickson PRIMAAX EX single. Replaces standard duty track rods.	\$76	12#
3832313	Bolted Rear Suspension Crossmembers for HAS 210/210L or 230/230L. Replaces medium duty standard.	\$228	4#
3832320	Bolted Rear Suspension Crossmember for PRIMAAX EX single. Replaces medium duty standard.	\$0	16#
3834100	Air Retention Kit for Rear Suspension for Use w/ outriggers.	\$172	4#
3836300	Rear Axle Stabilizer bar for Reyco 79KB.	\$1,237	66#
3836310	Rear Shock Absorbers for Reyco 79KB.	\$284	35#



T380: REAR SUSPENSION

Option	Description	Price	Weight
Suspension Equipment			
3836315	Bolted Rear Suspension Crossmembers for Reyco 79KB. Replaces medium duty standard.	\$304	41#

*See PremierSpec for Applicable Restrictions



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Apollo Front			
4080184	Front Tires: Apollo Enducombi RA 11R22.5 16PR	\$117	30#
Apollo Rear			
4280184	Rear Tires: Apollo Enducombi RA 11R22.5 16PR	\$117	30#
4280193	Rear Tires: Apollo Enducombi RD CS 11R22.5 16PR	\$262	50#
4280194	Rear Tires: Apollo Enducombi RD CS 11R22.5 14PR	\$150	50#
Bridgestone Front			
4070063	Front Tires: Bridgestone BR R213 ECOPIA 295/ 75R22.5 14PR	\$124	0#
4070064	Front Tires: Bridgestone R213 ECOPIA 295/75R22.5 16PR	\$123	0#
4070091	Front Tires: Bridgestone R213 Ecopia 11R22.5 14PR	\$154	-4#
4070092	Front Tires: Bridgestone R213 Ecopia 11R22.5 16PR	\$158	-4#
4079058	Front tires: Bridgestone R268 Ecopia 11R22.5 14PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified.	(\$147)	16#
4079059	Front tires: Bridgestone R268 Ecopia 11R22.5 16PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$176	18#
4079064	Front tires: Bridgestone R268 Ecopia 12R22.5 16PR 42.7in. diameter, Smartway certified. 19.9in. SLR.	\$373	50#
Bridgestone Rear			
4270042	Rear Tires: Bridgestone M771 11R22.5 14PR	\$703	16#
4270043	Rear tires: Bridgestone M771 295/75R22.5 14PR	\$359	58#
4270063	Rear Tires: Bridgestone R213 ECOPIA 295/75R22.5 14PR	\$97	0#
4270064	Rear Tires: Bridgestone R213 ECOPIA 295/75R22.5 16PR	\$123	0#
4270091	Rear Tires: Bridgestone R213 Ecopia 11R22.5 14PR	\$154	-4#
4270092	Rear Tires: Bridgestone R213 Ecopia 11R22.5 16PR	\$158	4#
4277444	Rear tires: Bridgestone M726ELA 11R22.5 14PR	\$519	10#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Bridgestone Rear			
4277487	Rear tires: Bridgestone M799 11R22.5 16PR. 42 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$400	20#
4277513	Rear tires: Bridgestone M760 Ecopia 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Smartway certified. Code is priced per pair of tires.	\$313	42#
4277545	Rear Tires: Bridgestone M713 Ecopia 11R22.5 14PR. Code is priced per pair of tires.	\$306	0#
4278111	Rear tires: Bridgestone L320 11R22.5 16PR. 42.5 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$747	58#
4279058	Rear Tires: Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$147)	16#
4279059	Rear Tires: Bridgestone R268 Ecopia 11R22.5 16PR 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$176	18#
4279064	Rear Tires: Bridgestone R268 Ecopia 12R22.5 16PR 42.7in. diameter, Smartway certified. 19.9in. SLR.	\$373	50#
Continental Front			
4080023	Front tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	\$397	12#
4080024	Front tires: Continental HSR2 SA 255/70R22.5 16PR	(\$61)	0#
4080034	Front tires: Continental Ecoplus HS3+11R22.5 16PR	\$209	14#
4080036	Front Tires: Continental HS3 Ecoplus 295/60R22.5 18 PR	\$312	-8#
4080047	Front tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$387	38#
4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	STD	0#
4080063	Front tires: Continental HSL3 11R22.5 14PR	\$32	8#
4080064	Front tires: Continental HSL3 11R22.5 16PR	\$130	10#
4080065	Front Tires: Continental Ecoplus HS3+11R22.5 14PR	\$166	10#
4080212	Front tires: Continental HSR3 295/75R22.5 14PR.	\$305	22#
4080213	Front tires: Continental HSR3 295/75R22.5 16PR	\$371	26#
4080214	Front tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	\$313	22#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Continental Front			
4080216	Front tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	\$432	26#
4080217	Front tires: Continental HSR3 11R22.5 14PR	\$349	34#
4080218	Front tires: Continental HSR3 11R22.5 16PR	\$381	38#
4080219	Front tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$473	34#
4080226	Front tires: Continental HSR2 SA 275/70R22.5 18PR	\$68	2#
Continental Rear			
4280009	Rear Tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	\$397	12#
4280010	Rear tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$387	38#
4280051	Rear tires: Continental HSL3 295/75 R22.5 16PR	\$210	2#
4280056	Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	STD	0#
4280057	Rear tires: Continental HDR2+ 11R22.5 14PR	\$120	44#
4280058	Rear tires: Continental HDR2+ 11R22.5 16PR	\$291	46#
4280059	Rear tires: Continental HDR2+ 295/75R22.5 14PR	\$107	28#
4280060	Rear tires: Continental HDR2+ 295/75R22.5 16PR	\$278	28#
4280063	Rear tires: Continental HSL3 11R22.5 14PR	\$32	8#
4280064	Rear tires: Continental HSL3 11R22.5 16PR	\$130	10#
4280065	Rear Tires: Continental Ecoplus HS3+11R22.5 14PR	\$166	10#
4280081	Rear Tires: Continental HDL3 LTL 295/75R22.5 14 PR	\$152	14#
4280083	Rear tires: Continental Ecoplus HS3+11R22.5 16PR	\$209	14#
4280085	Rear Tires: Continental HSR2 SA 255/70R22.5 16PR	(\$61)	0#
4280103	Rear tires: Continental HDL3 LTL 11R22.5 14PR	\$231	28#
4280212	Rear tires: Continental HSR3 295/75R22.5 14PR.	\$305	22#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Continental Rear			
4280214	Rear tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	\$313	22#
4280216	Rear tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	\$432	26#
4280217	Rear tires: Continental HSR3 11R22.5 14PR	\$349	34#
4280218	Rear tires: Continental HSR3 11R22.5 16PR	\$381	38#
4280219	Rear tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$473	34#
4280226	Rear tires: Continental HSR2 SA 275/70R22.5 18PR	\$68	0#
4280942	Rear Tires: Continental HDL 3 ECO+ 295/75R22.5 14PR	\$155	12#
4280943	Rear Tires: Continental HDL 3 ECO+ 295/75R22.5 16PR	\$195	14#
4280946	Rear Tires: Continental HDL 3 ECO+ 11R22.5 14PR	\$162	22#
Goodyear Front			
4030020	Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$449	2#
4030024	Front Tires: Goodyear Endurance RSA 11R22.5 16PR	\$433	14#
4038003	Front Tires: Goodyear Armor Max Pro Grade MSD 12R	\$1,171	84#
4038737	Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$445	4#
4038740	Front tires: Goodyear Fuel Max RTD 11R22.5 16PR. 42.1 in. diameter, all position. 19.6 in. SLR.	\$600	22#
4038823	Front tires: Goodyear Endurance LHS 11R22.5 16PR	\$445	-8#
Goodyear Rear			
4230024	Rear Tires: Goodyear Endurance RSA 11R22.5 16PR	\$433	14#
4230704	Rear Tires: Goodyear Endurance MSD 12R22.5 16PR 43.4" diameter, 20.4" SLR, CRR- 8.10	\$1,166	74#
4230712	Rear Tires: Goodyear Endurance MSD 11R22.5 16PR	\$1,104	0#
4238001	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR	\$840	54#
4238003	Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR	\$1,171	84#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Goodyear Rear			
4238737	Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$445	4#
4238740	Rear Tires: Goodyear Fuel Max RTD 11R22.5 16PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$600	22#
4238823	Rear Tires: Goodyear Endurance LHS 11R22.5 16PR	\$445	-8#
4238856	Rear tires: Goodyear Endurance LHD 11R22.5 14PR	\$549	33#
4238860	Rear tires: Goodyear Endurance RSA 12R22.5 16PR	\$801	48#
4238866	Rear tires: Goodyear Endurance LHD 11R22.5 16PR	\$584	40#
Michelin Front			
4010004	Front Tires: Michelin X Works Z 12R22.5 16PR	\$1,182	64#
4010136	Front Tires: Michelin X Line Energy Z 11R22.5 14P	\$603	118#
4010137	Front Tires: Michelin X Line Energy Z 11R22.5 16P	\$621	-1#
4010148	Front Tires: Michelin X Multi Energy Z 2 295/75R22.5 16PR	\$756	7#
4010149	Front Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	\$838	17#
4010340	Front Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR.	\$1,209	44#
4017062	FR MN X MULTI Z2 11R22.5 14PR	\$510	0#
Michelin Rear			
4210004	Rear Tires: Michelin X Works Z 12R22.5 16PR	\$1,182	64#
4210055	Rear Tires: Michelin X Multi D+ 275/80R22.5 14PR	\$924	0#
4210149	Rear Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	\$838	17#
4210340	Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$1,209	44#
4217094	Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$924	30#
4217112	RR MN X MULTI Z2 11R22.5 14PR	\$510	0#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Michelin Rear			
4217125	Rear tires: Michelin XDN2 12R22.5 16PR. 42.9in. Diameter. drive tire. 20 in. SLR. Code is priced per pair of tires.	\$1,069	68#
4217221	RR MN X LINE GRIP D 295/75R22.5 14PR	\$552	0#
4217225	Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$649	26#
4217235	RR MN X LINE GRIP D 11R22.5 14PR	\$803	0#
4217402	Rear tires: Michelin XDS2 11R22.5 16PR 41.9 in. diameter, drive. 19.6 in. SLR.DR. Code is priced per pair of tires.	\$1,253	38#
4217406	Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$1,091	34#
Yokohama Front			
4083242	Front Tires: Yokohama RY023 11R22.5 16PR	(\$169)	-2#
4083282	Front Tires: Yokohama RY617 11R22.5 14PR	(\$222)	-6#
Yokohama Rear			
4283242	Rear Tires: Yokohama RY023 11R22.5 16PR	(\$169)	0#
4283250	Rear Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$96)	10#
4283253	Rear Tires: Yokohama TY517 MC2 295/75R22.5 16PR	(\$49)	0#
4283261	Rear Tires: Yokohama 709ZL 11R22.5 14PR	(\$120)	24#
4283282	Rear Tires: Yokohama RY617 11R22.5 14PR	(\$222)	-6#
Tubeless Type Standard Profile 24.5			
Goodyear Front			
4038827	Front tires: Goodyear Endurance LHS 11R24.5 16PR	\$570	16#
Goodyear Rear			
4238002	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR	\$987	82#
4238675	Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$649	26#
4238858	Rear tires: Goodyear Endurance LHD 11R24.5 16PR	\$716	44#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Michelin Rear			
4210151	Rear Tires: Michelin X Works D 11R24.5 16PR	\$1,216	40#
Tubeless Type Low Profile 19.5			
Bridgestone Front			
4070024	FR BR R239 245/70R19.5 14PR	(\$35)	0#
4070700	FR BR R239 245/70R19.5 16PR	\$89	0#
Bridgestone Rear			
4270024	RR BR R239 245/70R19.5 14PR	(\$35)	0#
4270700	RR BR R239 245/70R19.5 16PR	\$89	0#
Continental Front			
4080052	Front Tires: Continental Hybrid HS3 245/70R19.5 14PR.	(\$373)	-78#
4080210	Front Tires: Continental Hybrid HS3 245/70R19.5 16PR	(\$195)	-72#
4080314	Front Tires: Continental Hybrid HS3 265/70R19.5 14PR	(\$282)	-64#
Continental Rear			
4280052	Rear Tires: Continental Hybrid HS3 245/70R19.5 14 PR.	(\$373)	-78#
4280210	Rear Tires: Continental Hybrid HS3 245/70R19.5 16PR	(\$195)	-72#
Goodyear Front			
4038007	Front Tires: Goodyear Endurance RSA 245/70R19.5	\$75	0#
4038011	Front Tires: Goodyear Rangemax RSE 245/70R19.5 16PR	\$86	-6#
Goodyear Rear			
4238007	Rear Tires: Goodyear Endurance RSA 245/70R19.5 16	\$75	0#
4238011	Rear tires: Goodyear Rangemax RSA 245/70R19.5 16PR	\$86	-6#
4238021	Rear tires: Goodyear Rangemax RTD 245/70R19.5 16PR	\$38	-6#
Michelin Front			
4010025	Front Tires: Michelin Agilis HD Z 245/70R19.5 16PR	\$60	0#
Michelin Rear			



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 19.5			
Michelin Rear			
4210025	Rear Tires: Michelin Agilis HD Z 245/70R19.5 16PR	\$160	0#
Yokohama Front			
4083255	Front Tires: Yokohama 104ZR 245/70R 19.5 14PR	(\$417)	-76#
Yokohama Rear			
4283255	Rear Tires: Yokohama 104ZR 245/70R 19.5 14PR	(\$417)	0#
Tubeless Type Low Profile 22.5			
Apollo Front			
4080185	Front Tires: Apollo Endutrax 315/80R22.5 20PR	\$775	78#
4080186	Front Tires: Apollo Enducombi 295/75R22.5 16PR	\$121	26#
4080191	Front Tires Apollo EnduMile LHft 295/75R22.5 14PR	\$121	0#
4080192	Front Tires Apollo EnduMile LHft 295/75R22.5 16PR	\$217	0#
Apollo Rear			
4280185	Rear Tires: Apollo Endutrax 315/80R22.5 20PR	\$775	78#
4280186	Rear Tires: Apollo Enducombi 295/75R22.5 16PR	\$121	26#
4280191	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 16PR	\$283	50#
4280192	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 14PR	\$150	50#
4280201	Rear Tires: Apollo Endumile LHD 295/75R22.5 14PR	\$125	0#
4280202	Rear Tires: Apollo Endumile LHD 295/75R22.5 16PR	\$125	0#
Bridgestone Front			
4070009	Front Tires: Bridgestone R249 315/80R 22.5 20PR	\$767	18#
4077537	Front tires: Bridgestone M870 315/80R22.5 20PR All Position	\$879	86#
Bridgestone Rear			
4270044	Rear tires: Bridgestone M771 11R22.5 16PR	\$721	16#
4270729	Rear Tires: Bridgestone M726ELA 295/75R22.5 14PR	\$172	24#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Bridgestone Rear			
4277408	Rear tires: Bridgestone M760 Ecopia 295/75R22.5 14PR 40.7in. diameter. 27 tread depth. 19.0in. SLR. EPA SmartWay verified.	\$264	24#
4277498	Rear Tires: Bridgestone M713 Ecopia 295/75R22.5 14PR. 40.5in. diameter, drive. 18.9 in. SLR. Smartway certified. Code is priced per pair of tires.	\$290	1#
4277537	Rear tires: Bridgestone M870 315/80R22.5 20PR All Position	\$879	94#
Continental Front			
4080051	Front Tires: Continental Conti HSL3 295/75R22.5 16PR	\$210	2#
4080062	Front Tires: Continental HS3+ 295/75R22.5 16PR	\$224	6#
4080254	Front Tires: Continental HSR2 SA 315/80R22.5 20PR	\$611	58#
Continental Rear			
4280000	Rear tires: Continental HDR 255/70R22.5 16PR	\$63	-36#
4280213	Rear tires: Continental HSR3 295/75R22.5 16PR	\$371	26#
4280940	Rear Tires: Continental HDL2 Eco Plus 445/50R22.5 20PR 2-4	(\$120)	-56#
Goodyear Front			
4030012	Front Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$1,246	54#
4030265	Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.	\$373	6#
4038263	Front tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$939	36#
4038678	Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.	\$1,140	78#
4038822	Front tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$437	-4#
4039945	Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR	\$367	-8#
Goodyear Rear			
4230012	Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$1,246	54#
4230020	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$449	4#
4230038	Rear Tires: Goodyear Fuel Max LHD2 295/75R22.5 14PR	\$716	26#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Goodyear Rear			
4238263	Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR	\$939	34#
4238265	Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.	\$373	6#
4238678	Rear tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR. Code is priced per pair of tires.	\$1,140	70#
4238717	Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLR	\$314	0#
4238741	Rear tires:Goodyear Fuel Max RTD 295/75R22.5 14PR 40.8 in. diameter, all position. 19.0 in. SLR. Code is priced per pair of tires.	\$477	8#
4238822	Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$437	-8#
4238859	Rear tire:Goodyear Endurance LHD 295/75R22.5 14PR	\$530	26#
4239945	Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR	\$367	-8#
Michelin Front			
4010006	Front Tires: Michelin X Works Z 315/80R22.5 20PR	\$1,370	88#
4010146	Front Tires: Michelin X Line Energy Z+ 295/ 75R22.5 16PR	\$698	-5#
4017063	FR MN X MULTI Z2 295/75R22.5 14PR	\$494	0#
4017167	FR MN X MULTI Z2 295/75R22.5 16PR	\$622	0#
4017217	Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.6 in. SLR.	\$1,563	98#
Michelin Rear			
4210006	Rear Tires: Michelin X Works Z 315/80R22.5 20PR	\$1,370	88#
4210056	RR MN X MULTI D+ 11R22.5 16PR	\$817	0#
4210389	Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4	\$925	138#
4210391	Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4	\$1,201	-65#
4211038	Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.	\$1,185	-50#
4211040	Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.	\$878	178#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Michelin Rear			
4217113	RR MN X MULTI Z2 295/75R22.5 14PR	\$494	0#
4217181	RR MN X MULTI Z2 295/75R22.5 16PR	\$622	0#
4217227	Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$527	16#
4217234	Rear tires: Michelin X Line Energy D+ 295/75R22.5 14PR	\$738	12#
4217288	Rear tires: Michelin X One Line Energy D 445/50R 22.5 20PR, 2-4 super single drive tire. 40.1 in. diameter. 18.6 in. SLR. Smartway certified. Not for use on single rear axles. Code is priced per pair of tires.	\$940	-104#
4217408	Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.	\$1,036	26#
4217415	Rear Tires: Michelin X Multi D 295/60R22.5 18PR	\$774	0#
Yokohama Front			
4083215	Front tires: Yokohama 101ZL 295/75R22.5 16PR	(\$30)	8#
4083247	Front Tires: Yokohama RY023 295/75R22.5 16PR	(\$170)	-6#
4083284	Front Tires: Yokohama RY617 295/75R22.5 16PR	(\$75)	-8#
Yokohama Rear			
4283247	Rear Tires: Yokohama RY023 295/75R22.5 16PR	(\$170)	-6#
4283260	Rear Tires: Yokohama 709ZL 295/75R22.5 14PR	(\$154)	18#
4283284	Rear Tires: Yokohama RY617 295/75R22.5 16PR	(\$75)	-8#
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 19.5			
Rear			
5245272	Rear wheel: Alcoa 76542 19.5x6.75RW aluminum, 8-bolt hub pilot mount. 5515lb. maximum rating. For use w/air brakes only.	\$829	-68#
5245281	Rear wheel: Alcoa 77349 19.5x7.50RW aluminum 8-bolt. Require 8 bolt hub.	\$868	-54#

Tubeless Type Steel 19.5

Front



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Steel 19.5			
Front			
5042236	Front Wheel: Accuride 29685 19.5x7.50 aluminum hub-pilot mount, required w/2x66 mm. 10-bolt mounting. For hydraulic brakes only. 6700lb. maximum rating.	\$586	-57#
5045272	Front wheel: Alcoa 76542 19.5x6.75RW aluminum, 8-bolt hub pilot mount. 5515lb. maximum rating. For use w/air brakes only.	\$829	-74#
Rear			
5242236	Rear Wheel: Accuride 29685 19.5x7.50 aluminum hub-pilot mount, required with 2x66 mm. 10-bolt mounting. For hydraulic brakes only. 6700lb. maximum rating.	\$586	-57#
Tubeless Type Aluminum 22.5			
Front			
5042104	Front Wheel: Accuride 50300 22.5x9 steel, Steel Armor[™] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$553	74#
5042299	Front Wheel: Accuride 29374 22.5x12.25 aluminum, Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$958	-2#
5042338	Front Wheel:Accuride 43644 22.5x8.25 AL hub-pilot mount Standard Polish	\$572	-52#
5045216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [™] finish High Polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$1,023	-11#
5045218	Front Wheel: Alcoa 82462 22.5x12.25 aluminum, with Lvl One [™] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$1,032	-3#
5045280	Front Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$882	-24#
5045283	Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One high polish finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$959	-40#
5045294	Front Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$865	-40#
5045306	Front Wheel: Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$855	-51#
Rear			
5242312	Rear Wheel:Accuride 43140 22.5x14.00 2-4;aluminum	\$1,089	-10#
5242314	Rear Wheel: Accuride 43142 22.5x14.00 2-4; aluminum. Standard polish finish, hub-pilot mount. 12,800 lb. maximum rating. 2 in. offset. Aluminum hubs will derate this super single wheel style to 17,000 lbs. per axle. Use iron hubs for a 20,000 lbs. per axle rating. Code is priced per pair of wheels. Air disc brake compatible.	\$1,056	-10#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 22.5			
Rear			
5242338	Rear Wheel: Accuride 43644 22.5X8.25 aluminum hub pilot mount standard polish	\$571	-52#
5242439	Rear Wheel: Accuride 43644 /Accuride 51487 heavy-duty steel 22.5x8.25, Standard Polish aluminum outside/Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$221	-58#
5245280	Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$832	-18#
5245283	Rear Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One, high polish finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.	\$939	-36#
5245284	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$486	-6#
5245289	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50885 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$478	-23#
5245292	Rear Wheel: Alcoa 84U61 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish High Polish	\$1,041	-158#
5245293	Rear Wheel: Alcoa 84U64 22.5X14.00 AL 2-4 Ultra ONE Wheel. High Polish	\$880	-158#
5245294	Rear Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$865	-40#
5245306	Rear Wheel: Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$855	-51#
5245307	Rear Wheel: Alcoa 88067/Accuride 50344 heavy-duty 22.5x8.25, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$542	-13#
5245308	Rear Wheel: Alcoa 88067/Accuride 51487 22.5x8.25, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$360	-26#
5245338	Rear Wheel: Accuride 43644 /Acc 50344 heavy-duty steel 22.5x8.25 Steel Armor[™] powder coat, Standard Polish aluminum outside / steel powder coat inside, hub pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$366	-58#

Tubeless Type Steel 22.5

Front



T380: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Steel 22.5			
Front			
5042259	Front Wheel: Accuride 50882 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$74	31#
5042268	Front Wheel: Accuride 50885 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$69	26#
5042272	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$19	0#
5042279	Front Wheel: Accuride 51422 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$17	4#
5042285	Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$79	20#
5042292	Front Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	STD	0#
5042293	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$15	0#
5042311	Front Wheel: Accuride 29039 22.5X9 steel Steel Armor[™] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes.	\$364	70#
Rear			
5242106	Rear Wheel: Accuride 50300 22.5x9 steel, Steel Armor[™] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.	\$553	74#
5242251	Rear Wheel: Accuride 29001 22.5x7.5 steel Steel Armor[™] powder coat, hub-pilot mount. 6610 lb. maximum rating. Code is priced per pair of wheels.	\$83	9#
5242259	Rear Wheel: Accuride 50882 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$74	29#
5242268	Rear Wheel: Accuride 50885 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$69	24#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$89	20#
5242376	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$19	0#
5242379	Rear Wheel: Accuride 51422 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$17	2#



T380: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Wheels & Rims

Tubeless Type Steel 22.5

Rear

5242390	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$15	0#
5242392	Rear Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	STD	0#
5245288	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51455 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$454	-30#
5246285	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$397	-18#

Tubeless Type Aluminum 24.5

Front

5042328	Front Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$585	-30#
---------	--	-------	------

Rear

5242321	Rear Wheel: Accuride 42362/50409 24.5x8.25 aluminum outside with Standard polish/ACCU-LTE Steel Armor powder coat inside, hub-pilot mount 7400lb. maximum rating. Includes wheel guards. Air disc brake compatible.	\$355	-2#
5242328	Rear Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating. Code is priced per pair of wheels.	\$585	-30#

Tubeless Type Steel 24.5

Rear

5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	\$85	35#
---------	---	------	-----

Miscellaneous Tires & Wheels

Tire Miscellaneous

4899104	Tire pressure monitoring system for tire/wheel count: 4.	(\$33)	0#
4899106	Tire pressure monitoring system for tire/wheel count: 6.	STD	0#
4899108	Tire pressure monitoring system for tire/wheel count: 8.	\$33	0#
4899110	Tire pressure monitoring system for tire/wheel count: 10.	\$65	0#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Tire Miscellaneous			
4899112	Tire pressure monitoring system for tire/wheel count: 12.	\$121	0#
4899114	Tire pressure monitoring system for tire/wheel count: 14.	\$131	0#
4899116	Tire pressure monitoring system for tire/wheel count: 16.	\$145	0#
Wheel Equipment			
Wheelguards			
5850040	Wheelguards: All Axles.	\$156	2#
Wheel Treatments			
5853906	Powder Coat White Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853907	Powder Coat Gray Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853908	Powder Coat Blacksteel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853909	Powder Coat Red Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5854010	Single Front Axle: 2 Polished Wheels. Mirror polished outboard surface of aluminum wheels.	\$139	0#
5854011	Single Rear Axle: 2 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$179	0#
5854045	Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$80	0#
5854047	Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2	\$20	0#
5856010	Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin)	\$251	0#
5856013	Single Rear Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin)	\$219	0#
5858010	Single Front Axle: 2 Wheels Dura-Flange	\$218	0#
5858011	Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.	\$507	0#
5859010	Single Front Axle: 2 wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of aluminum wheels.	\$238	0#
5859011	Single Rear Axle Wheels: 2 Wheels Dura-Bright Mirror Polish. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$357	0#



T380: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5859013	Single Rear: Dura-Bright Mirror Polish Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011	\$600	0#
5859014	Single Front Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of aluminum wheels.	\$357	0#
5859028	Single Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 2) -1DB.	\$248	0#
5859065	Single Front Axle: Dura-Black Both Surfaces (QTY 2)	\$850	0#
5859066	Single Rear Axle: Dura-Black Both Surfaces (Qty 4)	\$1,701	0#
Wheel Miscellaneous			
5890000	V2B Double Seal Cap Valves.	\$25	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.625 x 3.5 x 0.3125 Steel Frame			
6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	STD	0#
6054251	33K Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel. To 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
6054410	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 309 in. to 380 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$388	0#
6054411	33K Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. steel. 309 in. to 380 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$388	0#
6054630	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 381 in. to 428 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$756	0#
6054800	Frame Rails: 10-5/8 x 3-1/2 x 5/16in. Steel to 429 in. to 480 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,327	0#
10.75 x 3.5 x 0.375 Steel Frame			
6056200	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$247	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.75 x 3.5 x 0.375 Steel Frame			
6056400	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$500	0#
6056600	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,012	0#
6056680	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 417in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,530	0#
10.6875 x 3.5 x 0.5 Steel Frame			
6056705	Frame Rails: 10-11/16 x 3-1/2 x 1/2in. Steel to 336in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$3,222	0#
6056707	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 337 in. to 416 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$3,828	0#
6056709	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 417 in. to 455 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$4,547	0#
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 lb.-in. to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$1,600	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141400	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 285 in. to 336 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$1,718	0#
6141600	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,087	0#
6141615	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 417 in. to 480 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,381	0#
Bumpers			
Bumper Style			
Aerodynamic			
6308710	Bumper: Aerodynamic, Painted, Composite. Requires a bumper setting code.	\$67	0#
6308711	Bumper: Aerodynamic, Unpainted, in-mold color. Requires a bumper setting code.	STD	0#
6308715	Bumper: Aerodynamic Chrome Steel. Requires a bumper setting code.	\$1,112	68#
Steel Channel			
6302460	Bumper: Tapered Painted Steel Channel. Requires a bumper setting code.	\$601	65#
6302461	Bumper: Tapered Chrome Steel Channel. Requires a bumper setting code.	\$999	65#
Other Bumper Style			
6309910	Delete bumper: Requires a bumper setting code.	(\$161)	-27#
6309912	Delete Bumper: For Use With Provisions for customer-installed Braden winch bumper (2.1m MD) or heavy-duty front frame brackets for customer-installed winch bumper. Requires a bumper setting code.	\$0	0#
Bumper Setting			
6319040	40 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319064	64 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
Bumper Equipment			
6321010	Front Tow Loops: Two	STD	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Bumpers			
Bumper Equipment			
6324025	Front Tow Hook: Center Mounted, Cast. Requires iron front drive brackets.	\$47	3#
Front Frame Miscellaneous			
6390034	24 in. Frame Rail Extensions. Vocational Hoods only.	\$359	36#
6390077	Provisions for Customer-Installed Braden Winch bumper.	\$1,337	75#
Battery Boxes			
Parallel			
6404420	Battery Box: Steel Parallel Module under W/Step, natural aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$188	9#
6404421	Battery Box: Steel Parallel Module under W/Step, polished aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$411	9#
6404422	Battery Box: Steel Parallel Module under W/Step, plastic cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	STD	0#
6404423	Battery Box: Steel Parallel Module under W/Step, painted aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$131	5#
6404424	Battery Box: Steel Parallel Module under W/Step, natural aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$635	14#
6404425	Battery Box: Steel Parallel Module under W/Step, polished aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$867	14#
6404426	Battery Box: Steel Parallel Module under W/Step, painted aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$600	10#
Cantilever			
6400644	Battery Box Cantilever Aluminum BOC with Smooth natural finish aluminum cover.	\$542	19#
6400645	Battery Box Cantilever Aluminum BOC with Full polish.	\$864	19#
Across or Between Rails BOC			
6400500	Battery Box: Aluminum between the Rails BOC W/ FMCSR cover.	\$1,075	10#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Battery Boxes

Across or Between Rails BOC

6400508	Battery Box: Aluminum Between the Rails BOC with aluminum cover.	\$906	5#
6400631	Battery Box: Temporary Across the Rails.	\$222	-99#
6400633	Battery Box: Temporary Across the Rails. Includes maximum cable length available.	\$289	-99#

In-Cab

6405000	In-Cab Steel Battery Box: under Rider Seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	\$1,336	0#
---------	---	---------	----

Battery Box Locations

6409901	Battery Box Location: LH Side.	STD	0#
6409902	Battery Box Location: RH Side.	\$89	0#
6409903	Battery Box Location: BOC Between the Rails.	\$0	0#
6409906	In-Cab Battery Box Location: Under Rider Seat.	\$0	0#
6409908	Battery Box Location: BOC Across the Rails.	\$0	0#

Battery Box Equipment

6409101	Double Latch on Between Rails Battery Box.	\$34	0#
6409103	Severe Service Hold Down for Cantilever Battery box. Includes battery pad.	\$140	3#
6409210	Rubber Battery Pad in Bottom of Battery Box. For cantilever-style or between the rails battery boxes.	\$22	2#
6409708	Frame Access Step Mounted to LH BOC Cantilever battery box. Not full width step.	\$341	4#
6409709	Frame Access Step Mounted to RH BOC Cantilever battery box. Not full width step.	\$341	4#
6409710	Frame Access Full Width Step Mounted to LH BOC cantilever battery box.	\$364	5#
6409711	Frame Access Full Width Step Mounted to RH BOC cantilever battery box.	\$364	5#

Center Frame Equipment

Frame Access

Grabhandles

6410010	Frame Access Grabhandle(s) LH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$43	2#
---------	---	------	----



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Equipment			
Frame Access			
Grabhandles			
6410011	Frame Access Grabhandle(s) RH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$43	2#
6410028	Frame Access Grabhandle, Additional LH Mounted in side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$84	2#
6410029	Frame Access Grabhandle, Additional RH Mounted on side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$84	2#
6410092	Frame Access Grabhandle Horizontal Mounted at midpoint of sleeper or Daycab.	\$29	2#
Deckplate			
6414500	Flush Mounted Deck Plate, in Place of Frame mounted.	\$196	6#
6414521	Deck Plate: Up to and Including 21 in. Frame mounted.	\$121	12#
6414542	Deck Plate: Up to and Including 42 in. Frame mounted.	\$210	23#
6414563	Deck Plate: Up to and Including 63 in. Frame mounted.	\$307	34#
Steps			
6417002	Cab Access Step: RH under Mounted to Frame.	\$243	60#
6417007	Frame Access Steps: 2 Ladder-Type, RH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$178	15#
6417009	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$229	6#
6418002	Cab Access Step: LH Under Mounted to Frame.	\$243	60#
6418006	Frame Access Steps: 2 Ladder-Type, LH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$178	15#
6418008	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$229	6#
6419001	Polished Frame Access Ladder Step. Use with LH or RH frame access step codes.	\$102	0#
Box Step Options			
6409715	Ladder-Type Step LH under Cab Below Battery Box or toolbox.	\$244	11#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Equipment			
Box Step Options			
6409716	Ladder-Type Step RH under Cab Below Battery Box or toolbox or DPF - SCR.	\$244	11#
Toolboxes			
6474420	Tool Box: Steel Parallel Module Under W/ Step, natural aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$831	54#
6474421	Tool Box: Steel Parallel Module Under W/ Step, polished aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$1,055	54#
6474422	Tool Box: Steel Parallel Module Under W/ Step, plastic cover. Up to 2 air tanks may be mounted to bottom of box.	\$644	45#
6474423	Tool Box: Steel Parallel Module Under W/ Step, painted aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$774	51#
6474424	2nd Tool Box: Steel Parallel Module Under W/Step, natural aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$831	54#
6474425	2nd Tool Box: Steel Parallel Module Under W/Step, polished aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$1,055	54#
6474426	2nd Tool Box: Steel Parallel Module Under W/Step, plastic cover. Up to 2 air tanks may be mounted to bottom of box.	\$644	45#
6474427	2nd Tool Box: Steel Parallel Module Under W/Step, painted aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$774	51#
6474450	Tool Box: Aluminum Parallel Module BOC, Natural aluminum cover with step and lock. Up to 2 air tanks may be mounted to bottom of box.	\$991	82#
6474451	Tool Box: Aluminum Parallel Module BOC, Polished aluminum cover with step and lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,092	82#
6474454	Tool Box: Aluminum Parallel Module BOC, Natural aluminum cover with lock, without step. Up to 2 air tanks may be mounted to bottom of box.	\$727	58#
6474455	Tool Box: Aluminum Parallel Module BOC, Polished aluminum cover with lock, without step. Up to 2 air tanks may be mounted to bottom of box.	\$902	58#
Toolbox Locations			
6479901	Toolbox Location: LH Side.	\$0	0#
6479902	Toolbox Location: RH Side.	\$0	0#
6479905	Second Toolbox Location: LH Side.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Toolboxes

Toolbox Locations

6479915	Second Toolbox Location: RH Side.	\$0	0#
---------	-----------------------------------	-----	----

DPF-SCR Covers

6451125	DPF/SCR Box Natural End Plates and Natural cover.	\$0	0#
6451126	DPF/SCR Box Polished End Plates and Polished cover.	\$241	0#
6451127	DPF/SCR Box Polished End Plates and Diamond Plate cover.	\$224	0#
6451128	Muffler/Catalyst Box Cover: Natural end plates and natural cover. For B6.7 Octane.	\$0	0#
6451129	Muffler/Catalyst Box Cover: Polished end plates and polished cover. For B6.7 Octane.	\$241	0#
6451130	Muffler/Catalyst Box Cover: Polished end plates and diamond plate cover. For B6.7 Octane.	\$224	0#

Frame Crossmembers & Upgrades

6490138	Stamped Steel Intermediate/ Fill-In Crossmember.	STD	0#
6490139	Heavy-Duty One-PC Aluminum Intermediate/ Fill-In crossmember.	\$283	13#
6490432	Welded Rear Cab Support.	STD	0#
6490433	Heavy-Duty 5-Piece Rear Cab Support, Hucked assembly. Huck fastened to frame.	\$60	15#
6490434	Heavy-Duty 5-Piece Rear Cab Support, Bolted assembly. Huck fastened to frame.	\$60	15#

Center Frame Clear Space

6491011	One Clear Frame Space Area Without Custom Frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.	\$347	0#
6491012	Two Clear Frame Space Areas Without Custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.	\$695	0#
6497020	First Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
6497030	Second Clear Frame Space Dimensioned from Back of Cab.	\$0	0#

First Request Area

6497101	First - LH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	--	-----	----



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Area			
6497102	First - RH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497103	First - LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497104	First - RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497105	First - LH Outside and LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497106	First - RH Outside and RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497107	First - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497108	First - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
First Request Length			
6497310	First - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497312	First - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497314	First - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497316	First - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497318	First - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Length			
6497320	First - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497322	First - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497324	First - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497326	First - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497328	First - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497330	First - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497332	First - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497334	First - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497336	First - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497338	First - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497340	First - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497341	First - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497350	First - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497360	First - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
First Request Location			
6497200	Directly Behind the Under Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497201	Directly Behind the BOC Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497202	Directly Forward of the Rearmost Fuel/ Hydraulic tank. First clear frame space location.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Location			
6497203	Directly Behind DEF Tank. First clear frame space location.	\$0	0#
6497204	Directly Behind the Battery Box. First clear frame space location.	\$0	0#
6497205	Directly Behind the DPF/SCR Box. First clear frame space location.	\$0	0#
6497206	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. First clear frame space location.	\$0	0#
6497207	Directly Forward of the Rear Suspension/ Quarter fender. First clear frame space location.	\$0	0#
6497209	Directly Behind the Under Cab Component. First clear frame space location.	\$0	0#
6497210	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#
6497211	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#
Second Request Area			
6497109	Second - LH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497110	Second - RH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497111	Second - LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497112	Second - RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497113	Second - LH Outside and LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497114	Second - RH Outside and RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Area			
6497115	Second - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497116	Second - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
Second Request Length			
6497510	Second - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497512	Second - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497514	Second - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497516	Second - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497518	Second - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497520	Second - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497522	Second - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497524	Second - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497526	Second - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497528	Second - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497530	Second - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497532	Second - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497534	Second - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Length			
6497536	Second - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497538	Second - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497540	Second - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497541	Second - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497550	Second - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497560	Second - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
Second Request Location			
6497230	Directly Behind the Under Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497231	Directly Behind the BOC Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497232	Directly Forward of the Rearmost Fuel/ Hydraulic tank. Second clear frame space location.	\$0	0#
6497233	Directly Behind DEF Tank. Second clear frame space location.	\$0	0#
6497234	Directly Behind the Battery Box. Second clear frame space location.	\$0	0#
6497235	Directly Behind the DPF/SCR Box. Second clear frame space location.	\$0	0#
6497236	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. Second clear frame space location.	\$0	0#
6497237	Directly Forward of the Rear Suspension/ Quarter fender. Second clear frame space location.	\$0	0#
6497239	Directly Behind the Under Cab Component. Second clear frame space location.	\$0	0#
6497240	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#
6497241	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#
Miscellaneous Center Frame Equipment			
6397001	Huck Bolts Throughout Frame, where Possible.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Miscellaneous Center Frame Equipment			
6397016	Frame Holes without Fasteners for Body Builder.	\$0	0#
Body Builder Requirements			
6390091	Frame Layout Picture to Dealer Prior to Build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis.	\$695	0#
6390097	DXF Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.	\$695	0#
6391201	Custom Frame Layout: One Chassis	\$1,380	0#
6391202	Custom Frame Layout: Two Chassis	\$690	0#
6391203	Custom Frame Layout: 3-4 Chassis	\$375	0#
6391205	Custom Frame Layout: 5-9 Chassis	\$200	0#
6391210	Custom Frame Layout: 10-24 Chassis	\$100	0#
6391225	Custom Frame Layout: 25-49 Chassis	\$40	0#
6391250	Custom Frame Layout: 50 or more Chassis	\$30	0#
6679856	Final End-of-Frame Cut-Off Dimension Will be modified to less than or equal to 45 in.	\$0	0#
6679857	Final End-of-Frame Cut-Off Dimension Will be modified to 46 in. to 50 in.	\$0	0#
6679858	Final End-of-Frame Cut-Off Dimension Will be modified to 51 in. to 55 in.	\$0	0#
6679859	Final End-of-Frame Cut-Off Dimension Will be modified to 56 in. to 60 in.	\$0	0#
6679860	Final End-of-Frame Cut-Off Dimension Will be modified to 61 in. to 65 in.	\$0	0#
6679862	Final End-of-Frame Cut-Off Dimension Will be modified to 66 in. to 74 in.	\$0	0#
6679864	Final End-of-Frame Cut-Off Dimension Will be modified to greater than or equal to 75 in.	\$0	0#
6679914	Any Changes to Rear Cab/Sleeper Area Must Comply w/FMCSR 399.	\$0	0#
6679915	Customer-Installed Bulkhead and/or Headache rack.	\$0	0#
6679995	Customer Will Install Structural End-of-Frame crossmember before vehicle is placed in service.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Body Builder Requirements			
6790003	Special Frame Drill: Dealer to Provide Drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout.	\$1,390	0#
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541232	Fifth Wheel: Fixed, Holland FW17Y700XL00 7.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,665	378#
6541234	Fifth Wheel: Fixed, Holland FW17Y800XL00 8.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,666	383#
6541236	Fifth Wheel: Fixed, Holland FW17Y900XL00 9.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,668	388#
6541272	Fifth Wheel: Fixed, Holland FW17Z600XL00 5.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,783	333#
6541273	Fifth Wheel: Fixed, Holland FW17Z700XL00 6.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,785	341#
6541275	Fifth Wheel: Fixed, Holland FW17Z800XL00 7.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,787	351#
6541276	Fifth Wheel: Fixed, Holland FW17Z900XL00 8.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,786	343#
6541548	Fifth Wheel: Fixed, Holland FW35-S10268-XL 8.5 in. Inboard w/ .5in. angles 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,454	381#
6541551	Fifth Wheel: Fixed, Holland FW35-07690-1 9.5 in. Outboard mounting angles, heavy-duty mounting plate, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,397	351#
6541570	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height and Kompensator mechanism. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,761	721#
6541572	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,963	736#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541573	Fifth Wheel: Fixed, Holland FW35-7729XL19 9.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,731	672#
6541670	Fifth Wheel: Fixed, Holland FW35Y600XL00 6.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,992	396#
6541672	Fifth Wheel: Fixed, Holland FW35Y700XL00 7.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,994	355#
6541673	Fifth Wheel: Fixed, Holland FW35Y700XR00 7.00 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,994	391#
6541675	Fifth Wheel: Fixed, Holland FW35Y800XL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,995	401#
6541678	Fifth Wheel: Fixed, Holland FW35Y900XL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,997	412#
6541685	Fifth Wheel: Fixed, Holland FW35Z600XL00 5.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,873	370#
6541687	Fifth Wheel: Fixed, Holland FW35Z700XL00 6.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,876	363#
6541689	Fifth Wheel: Fixed, Holland FW35Z800XL00 7.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,877	363#
6541690	Fifth Wheel: Fixed, Holland FW35Z800XR00 7.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,919	363#
6541692	Fifth Wheel: Fixed, Holland FW35Z800XL80 7.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,307	388#
6541693	Fifth Wheel: Fixed, Holland FW35Z900XL00 8.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,876	375#
6541695	Fifth Wheel: Fixed, Holland FW35Z900XR00 8.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,942	381#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541752	Fifth Wheel: No-Tilt Fixed, Holland FW35N800YL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,641	489#
6541753	Fifth Wheel: No-Tilt Fixed, Holland FW35N900YL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,641	489#
6561554	Fifth Wheel: Aluminum Fixed, Holland FWALZ600XL00 6.3 in. height, plate mount.	\$5,581	278#
Jost Fixed Fifth Wheels			
6591043	Fifth Wheel: Fixed, Jost JSK37USB-PM7X 7.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,569	427#
6591046	Fifth Wheel: Fixed, Jost JSK37USB-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,584	438#
6591059	Fifth Wheel: Fixed, Jost JSK37USB-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,528	359#
6591060	Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,552	362#
6591061	Fifth Wheel: Fixed, Jost JSK37USB-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,570	365#
6591062	Fifth Wheel: Fixed, Jost JSK37USB-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,573	372#
6591076	Fifth Wheel: Fixed, Jost JSK37UBB-DB7X 6.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,790	370#
6591078	Fifth Wheel: Fixed, Jost JSK37UBB-DB8X 7.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,820	374#
6591079	Fifth Wheel: Fixed, Jost JSK37UBA-DB7X 6.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,095	369#
6591080	Fifth Wheel: Fixed, Jost JSK37UBA-DB8X 7.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,102	375#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Fixed Fifth Wheels			
6591081	Fifth Wheel: Fixed, Jost JSK37UBB-DB10X 9.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,943	433#
6591086	Fifth Wheel: Fixed, Jost JSK37UBA-DB9X 8.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,112	385#
6591087	Fifth Wheel: Fixed, Jost JSK37UBB-DB9X 8.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,811	381#
6591176	Fifth Wheel: Fixed, Jost JSK37USA-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,864	368#
6591206	Fifth Wheel: Fixed, Jost JSK3CNWL-DB6X 5.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,112	290#
6591207	Fifth Wheel: Fixed, Jost JSK3CNWL-DB7X 6.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,112	297#
6591208	Fifth Wheel: Fixed, Jost JSK3CNWL-DB8X 7.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,238	303#
6591209	Fifth Wheel: Fixed, Jost JSK3CNWL-DB9X 8.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,238	308#
6591210	Fifth Wheel: Fixed, Jost JSK3CNWL-DB10X 9.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,341	336#
6591211	Fifth Wheel: Fixed, Jost JSK3CNWL-DB11X 10.85 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,390	348#
Holland Air-Sliding Fifth Wheels			
6543021	Fifth Wheel: ILS<=40K air Hol FW35J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,322	473#
6543046	Fifth Wheel: ILS<=40K air Hol FW17J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,086	449#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543047	Fifth Wheel: ILS<=40K air Hol FW17J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,085	445#
6543210	Fifth Wheel: ILS<=40K air Hol FW35J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,478	521#
6543222	Fifth Wheel: ILS<=40K air Hol FW35J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,324	478#
6543226	Fifth Wheel: ILS<=40K air Hol FW35J824XL00 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,480	518#
6543240	Fifth Wheel: ILS<=40K air Hol FW35J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,394	475#
6543339	Fifth Wheel: ILS<=40K air Hol FW33J812XL00 12 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,684	496#
6543341	Fifth Wheel: ILS<=40K air Hol FW33J712XL00 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,684	488#
6543343	Fifth Wheel: ILS<=40K air Hol FW33J724XL00 24 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,890	538#
6543345	Fifth Wheel: ILS<=40K air Hol FW33J736XL00 36 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,920	586#
6543350	Fifth Wheel: ILS<=40K air Hol FW33J824XL00 24 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,890	543#
6543352	Fifth Wheel: ILS<=40K air Hol FW33J836XL00 36 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,983	591#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543356	Fifth Wheel: ILS<=40K air Hol FW33J912XL00 12 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,684	500#
6543358	Fifth Wheel: ILS<=40K air Hol FW33J924XL00 24 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,810	547#
6543360	Fifth Wheel: ILS<=40K air Hol FW33J936XL00 36 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,934	595#
6543400	Fifth Wheel: ILS<=40K air Hol FW17J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,105	441#
6543403	Fifth Wheel: ILS<=40K air Hol FW17J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,423	488#
6543415	Fifth Wheel: ILS<=40K air Hol FW17J824XL00 24 in. slider, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,264	493#
6543427	Fifth Wheel: ILS<=40K air Hol FW17J924XL00 24 in. slider, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,266	497#
6543897	Fifth Wheel: ILS Air, Hol FW33L918XL00 18.0 in. slide, 9.11 in. height. Low lube, inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,310	538#
6544021	Fifth Wheel: ILS Air, Hol FW35L718XL00 18.0 in. slide, 7.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,638	554#
6544026	Fifth Wheel: ILS Air, Hol FW35L918XL00 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,641	564#
6544027	Fifth Wheel: ILS Air, Hol FW35L924XL00 24.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,637	550#
6544030	Fifth Wheel: ILS Air, Hol FW35L018XL00 18.0 in. slide, 10.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,679	577#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6560002	Fifth Wheel: Air, ILS Holland, FWALJ712XL00 12in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$6,269	397#
6560003	Fifth Wheel: Air, ILS Holland, FWALJ724XL00 24in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$6,376	444#
6560006	Fifth Wheel: Air, ILS Holland, FWALJ812XL00 12in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$6,331	402#
6560007	Fifth Wheel: Air, ILS Holland, FWALJ824XL00 24in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$6,863	449#
6560055	Fifth Wheel: Air, ILS Holland, FWALJ912XL00 12in. slide, 9.0in. height. Aluminum, outboard mounted.	\$6,334	406#
6560056	Fifth Wheel: Air, ILS Holland, FWALJ924XL00 24in. slide, 9.0in. height. Aluminum, outboard mounted.	\$6,381	453#
Customer-Installed Fifth Wheels			
6600201	Fifth Wheel: Fixed, Dealer & Customer-Installed	\$0	0#
6600202	Fifth Wheel: Slide, Dealer & Customer-Installed 12 inches.	\$0	0#
6600205	Fifth Wheel: Slide, Dealer & Customer-Installed over 36 inches.	\$0	0#
Jost Air-Sliding Fifth Wheels			
6593071	Fifth Wheel: Air, Jost JSK37USB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,278	524#
6593072	Fifth Wheel: Air, Jost JSK37USB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,316	537#
6593073	Fifth Wheel: Air, Jost JSK37USB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,397	559#
6593082	Fifth Wheel: Air, Jost JSK37USB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,404	566#
6593087	Fifth Wheel: Air, Jost JSK37USB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,276	531#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593088	Fifth Wheel: Air, Jost JSK37USB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,324	542#
6593090	Fifth Wheel: Air, Jost JSK37USB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,275	520#
6593091	Fifth Wheel: Air, Jost JSK37USB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,314	531#
6593092	Fifth Wheel: Air, Jost JSK37USB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,413	555#
6593222	Fifth Wheel: Air, Jost JSK37UBA-A7PX12 12 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,933	530#
6593239	Fifth Wheel: Air, Jost JSK37UBA-A7PX16 16 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,149	528#
6593240	Fifth Wheel: Air, Jost JSK37UBA-A7PX24 24 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,201	557#
6593241	Fifth Wheel: Air, Jost JSK37UBA-A8PX16 16 in. slide, 7.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,142	540#
6593242	Fifth wheel: Air, Jost JSK37UBA-A8PX24 24 in. slide, 7.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,389	563#
6593243	Fifth Wheel: Air, Jost JSK37UBA-A9PX12 12 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,110	535#
6593244	Fifth Wheel: Air, Jost JSK37UBA-A9PX16 16 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,160	545#
6593245	Fifth Wheel: Air, Jost JSK37UBA-A9PX24 24 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,244	568#
6593246	Fifth Wheel: Air, Jost JSK37UBB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,514	531#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593247	Fifth Wheel: Air, Jost JSK37UBB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,552	542#
6593248	Fifth Wheel: Air, Jost JSK37UBB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,303	565#
6593249	Fifth Wheel: Air, Jost JSK37UBB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,514	537#
6593250	Fifth Wheel: Air, Jost JSK37UBB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,555	548#
6593251	Fifth Wheel: Air, Jost JSK37UBB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,635	571#
6593606	Fifth Wheel: Air, Jost JSK3CNWL-A7PX12 12 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,236	456#
6593607	Fifth Wheel: Air, Jost JSK3CNWL-A7PX16 16 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,299	467#
6593608	Fifth Wheel: Air, Jost JSK3CNWL-A7PX24 24 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,389	490#
6593614	Fifth Wheel: Air, Jost JSK3CNWL-A8PX12 12 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,236	462#
6593615	Fifth Wheel: Air, Jost JSK3CNWL-A8PX16 16 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,299	473#
6593616	Fifth Wheel: Air, Jost JSK3CNWL-A8PX24 24 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,389	496#
Fixed Fifth Wheel Placement			
6607023	Fifth Wheel: Fixed Angle Drilled for 4 Additional settings in 2 in. increments. Includes coded setting plus 2 settings ahead and 2 behind. Use with code 6670496-504 to determine the factory setting relative to the coded fixed setting.	\$695	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Fixed Fifth Wheel Placement			
6607024	Fifth Wheel: Fixed Angle Drilled for 8 Additional settings in 2 in. increments. Includes coded setting plus 4 settings ahead and 4 behind. Use with code 6670494-508 to determine the factory setting relative to the coded fixed setting.	\$695	0#
6670494	Fix Fifth Wheel Placement at -6 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670495	Fix Fifth Wheel Placement at -8 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670496	Fix Fifth Wheel Placement at -4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches behind the coded rear setting. That would allow for 4 optional settings ahead, each spaced 2 inches apart.	\$0	0#
6670498	Fix Fifth Wheel Placement at -2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches behind the coded rear setting. That would allow for 3 optional settings ahead and 1 optional setting behind, each spaced 2 inches apart.	\$0	0#
6670500	Fix Fifth Wheel Placement at 0 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel at the coded rear setting. That would allow for 2 optional settings ahead and two optional settings behind, each spaced 2 inches apart.	\$0	0#
6670502	Fix Fifth Wheel Placement at +2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches ahead the coded rear setting. That would allow for 1 optional setting ahead and 3 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670504	Fix Fifth Wheel Placement at +4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches ahead the coded rear setting. That would allow for 4 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670506	Fix Fifth Wheel Placement at +6 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
6670508	Fix Fifth Wheel Placement at +8 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
Fifth Wheel Equipment			
6600033	Aluminum Fifth Wheel Angles Replacing Steel on fixed or outboard mounted sliding fifth wheels.	\$346	-30#
6600052	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fixed or up to 36.7in. slide fifth wheel w/ o plate drill.	\$552	77#
6600053	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fifth wheel. Narrate fifth wheel model & slide; w/ plate drill.	\$790	77#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Fifth Wheel Equipment			
6602010	Fifth Wheel Ramps. Requires Standard or Short tractor taper bent and weld.	\$630	22#
6603011	Mounting Plate: Aluminum for Fixed Fifth Wheel replacing standard steel base plate. Adds 0.25 in. to height.	\$185	-35#
Rear Frame Equipment			
Quarter Fenders			
6734005	Quarter Fenders: Stainless Steel W/ Painted Steel brackets, single post mounted.	\$361	55#
6737120	Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted, 21 in. white top flap with logo.	\$193	43#
End-Of-Frame Configurations			
Non-Towing Configuration			
6741011	Square End-of-Frame W/ Crossmember; Non-Towing.	\$187	41#
6741023	Square End-of-Frame W/ Bolted Crossmember, non-towing.	\$220	41#
6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	STD	0#
6743109	Tractor Taper W/ Heavy-Duty Crossmember. Non-towing end-of-frame configuration.	\$305	63#
6743111	Tractor Taper W/ Crossmember. Non-Towing end-of-frame configuration.	\$143	29#
6744121	Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$45	0#
6744122	Short Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$35	0#
6744123	Short Tractor Taper Bent & Welded W/O Cross member. Non-towing end-of-frame configuration.	\$35	0#
6746131	Top Flange of Rear Frame Bent & Welded W/O crossmember. Non-towing end-of-frame configuration.	\$35	0#
Hooks & Chain Loops			
6490044	2 Pro-Tech Chain Hangers 35-5950CP W/ Cable Pins and removable lids.	\$781	30#
6490144	1 Pro-Tech Chain Hanger, 35-5950CP LH Rail With removable lid & cable pin.	\$391	15#
6490145	1 Pro-Tech Chain Hanger, 35-5950CP RH Rail with removable lid & cable pin.	\$391	15#
6710029	Premier 370 Air-Operated Hook, rated 90,000 LB horizontal, 18,000 lb vertical.	\$2,037	45#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Hooks & Chain Loops			
6710080	Two Rams Horn Open Rear Tow Hooks, Not for trailer towing.	\$123	17#
6710157	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$128	11#
6710158	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000 lb vertical rating.	\$231	11#
6792810	Safety Chain Loops - Dual.	\$122	2#
Pintle Hook Height			
6712024	Maximum Unladen Rear Hook Height is 24 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712025	Maximum Unladen Rear Hook Height is 25 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712026	Maximum Unladen Rear Hook Height is 26 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712027	Maximum Unladen Rear Hook Height is 27 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712028	Maximum Unladen Rear Hook Height is 28 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712029	Maximum Unladen Rear Hook Height is 29 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712030	Maximum Unladen Rear Hook Height is 30 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712031	Maximum Unladen Rear Hook Height is 31 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Pintle Hook Height			
6712032	Maximum Unladen Rear Hook Height is 32 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712033	Maximum Unladen Rear Hook Height is 33 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712034	Maximum Unladen Rear Hook Height is 34 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712035	Maximum Unladen Rear Hook Height is 35 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712036	Maximum Unladen Rear Hook Height is 36 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712037	Maximum Unladen Rear Hook Height is 37 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712038	Maximum Unladen Rear Hook Height is 38 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712039	Maximum Unladen Rear Hook Height is 39 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712040	Maximum Unladen Rear Hook Height is 40 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
Rear Mudflap Equipment			
Arms			
6721100	Rear Mudflap Arms: Betts B-23 Spring Loop Type, straight.	\$100	5#
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	\$81	12#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Rear Frame Equipment

Rear Mudflap Equipment

Arms

6721108	Rear Mudflap Arms: Betts B33, Spring Loop Type, angled.	\$104	19#
6721110	Rear Mudflap Arms: Betts B35, Shortened W/ 45 degree angle.	\$81	0#
6721144	Rear Mudflap Arms: Fleetline FF30SS, Tapered spring loaded & stainless steel.	\$306	20#
6721163	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.	\$118	22#

Shields

6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	\$63	9#
6722065	Rear Mudflap Shields: Black Rib Poly. Anti-Spray without logo.	\$57	2#
6722094	Rear Mudflap Shields: Black Rubber Anti-Sail without logo. 28 in. wide, 0.25 in. thick.	\$119	17#
6723287	Rear Mudflap Shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo.	\$95	4#
6728071	Rear mudflap shields:Eco Flaps, black, anti-spray without logo.	\$88	4#

Mudflap Equipment

6721030	Extra Set of Betts B-1732 Storage Brackets. mounted forward of drive axle(s).	\$31	3#
6722150	Mounting Adapter: Fleet Engineers, Black Primer.	\$77	5#

Delivery Restriction Notifications

6679804	Do Not Drive: Marker Lights are Deleted. Unit may be decked. Transporter review delivery options. Requires code 9029025.	\$0	0#
6679806	Do Not Drive: Bumper is Deleted. Unit may be decked. Transporter review delivery options. Requires code 6309910 or 6309912.	\$0	0#
6679812	Speed Limited Tires: Less than 65MPH. Dealer to review delivery options w/transporter.	\$0	0#
6679823	Dealer to Review Delivery Restrictions W/ transporter. Units equipped with transfer case.	\$0	0#
6679828	Chassis too Long for Delivery in Standard 3 Way due to long cutoff. Dealer to review delivery options w/ transporter.	\$0	0#
6679836	Dealer Review Delivery Restrictions W/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.	\$0	0#



T380: FRAME & EQUIPMENT

Option	Description	Price	Weight
Delivery Restriction Notifications			
6679911	Component Restriction: Do Not Drive- Unit May be decked.	\$0	0#



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Hydraulic			
Tank Location			
7889803	Hydraulic Tank Location Right Side Behind Cab.	\$0	0#
7889804	Hydraulic Tank Location Left Side Behind Cab.	\$0	0#
Rectangular Steel			
Behind - Replace			
7134545	Fuel Tank: 45 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,394	15#
7134570	Fuel Tank: 70 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,687	55#
7137045	Fuel Tank: 45 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system. For B6.7 Octane.	\$6,003	68#
7137060	Fuel Tank: 60 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system. For B6.7 Octane.	\$6,284	93#
7137080	Fuel Tank: 80 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system. For B6.7 Octane.	\$6,546	125#
D-Shape Rectangular			
Aluminum Diesel			
Under - Replace			
7140050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	STD	0#
7140060	60 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$33	0#
7140070	70 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$93	0#
7140080	80 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$289	30#
7140100	100 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$351	31#
Under - Add			
7142050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,313	115#
7142060	60 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,347	116#
7142070	70 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,406	116#



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
D-Shape Rectangular			
Aluminum Diesel			
Under - Add			
7142080	80 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,567	145#
7142100	100 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,629	146#
Behind - Replace			
7144050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	(\$76)	-22#
7144060	60 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	(\$42)	-21#
7144070	70 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$18	-21#
7144080	80 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$213	9#
7144100	100 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$275	10#
Behind - Add			
7146050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,238	93#
7146060	60 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,271	94#
7146070	70 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,332	94#
7146080	80 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,491	124#
7146100	100 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,553	125#
Aluminum Hydraulic			
Behind - Add			
7746050	50 US Gallon D-Shape Rectangular Aluminum BOC hydraulic tank, additional.	\$1,492	108#
7746070	70 US Gallon D-Shape Rectangular Aluminum BOC hydraulic tank, additional.	\$1,596	108#
Bright Finish			
Polished Aluminum			
7840015	Polish Only One Aluminum Tank.	\$131	0#
7840029	Polish Only Two Aluminum Tanks.	\$263	0#
Polished Stainless Steel			
7889061	Polished Stainless Steel Tank Straps for 1 Tank.	\$89	0#



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Bright Finish			
Polished Stainless Steel			
7889062	Polished Stainless Steel Tank Straps for 2 Tanks.	\$177	0#
Fuel Tank Equipment			
Fuel Tank Steps			
7839006	Polished Fuel Tank Steps.	\$78	0#
7839715	Ladder-Type Step Below Fuel Tank Under Cab - LH side.	\$232	9#
7839716	Ladder-Type Step Below Fuel Tank Under Cab - RH side.	\$232	9#
Tank Plumbing Equipment			
7889368	Fuel Tank Drain Plug.	\$8	0#
Tank Miscellaneous			
7884051	CNG BOC, BOS Cabinet Height - Low. Measurement is less than or equal to low roof range.	\$0	0#
7884052	CNG BOC, BOS Cabinet Height - Mid. Measurement is greater than low roof but less than high roof range.	\$0	0#
7884053	CNG BOC, BOS Cabinet Height - High. Measurement is greater than or equal to high roof range.	\$0	0#
7884054	CNG/LNG Frame Rail Mounted Tank Only.	\$0	0#
7884055	CNG Body Mounted Cabinet Only.	\$0	0#
7884056	CNG Body Mounted Cabinet with Frame Mounted Tank.	\$0	0#
7884057	CNG BOC, BOS Mounted Cabinet Only.	\$0	0#
7884058	CNG BOC, BOS Mounted Cabinet with Frame Mounted Tank.	\$0	0#
7889006	Fuel Fill Forward Tank(s) BOC.	\$0	0#
7889007	Fuel Fill: Center of Tank(s) BOC. Not available on fuel tanks with 3 supports or with full or partial chassis fairings.	\$0	0#
7889018	Fuel Fill: Rear, Tank(s) BOC	\$0	0#
7889021	Fuel Tank Locking Cap(s). Not Available W/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.	\$37	0#
7889245	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	\$46	1#



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7952045	Location: 45 Gal Fuel Tank Inframe Behind Rear axle.	\$0	0#
7952060	Location: 60 Gal Fuel Tank Inframe Behind Rear	\$0	0#
7952070	Location: 70 Gal Fuel Tank Inframe Behind Rear axle.	\$0	0#
7952080	Location: 80 Gal Fuel Tank Inframe Behind Rear	\$0	0#

DEF Tanks & Equipment

Tanks

7722061	Small Round DEF Tank. 11 Gallons of useable volume. Euro 4/5 engines only.	\$1,542	23#
7722062	Medium Round DEF Tank. 20.7 Gallons of useable volume. Euro 4 or 5 engines only.	\$1,457	30#
7722170	Small DEF Tank, 5.5 Gallons.	STD	0#
7722173	Large DEF Tank, 15 Gallons.	\$308	26#

DEF Tank Miscellaneous

7840038	Polished Cover for 1 DEF Tank Any Size.	\$247	3#
7889203	DEF to Fuel Fill Ratio 2:1 or Greater.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	STD	0#
7889206	Minimum Required DEF to Fuel Fill Ratio 1:1.	\$0	0#
7889208	DEF to fuel fill ratio between 1.25:1 and 2:1.	\$0	0#
7889217	DEF capacity ratio - Truck to be centrally fueled	\$0	0#
7889270	DEF pump vertical bracket (over DEF tank).	\$117	12#

DEF Tank Location

7889603	DEF Tank Location is RH.	\$0	0#
7889604	DEF Tank Location is LH.	\$0	0#
7889606	DEF Tank Location is LH Under Cab.	\$0	0#
7889613	DEF Tank Location is RH BOC. For 2.1M Medium-Duty	\$0	0#
7889614	DEF Tank Location is LH BOC. For 2.1M Medium-Duty	STD	0#



T380: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Miscellaneous			
7210000	Delete Standard Base Model Aluminum Fuel Tank. Hardware and plumbing are also deleted.	(\$953)	0#
7861010	CNG Prep Kit. Includes Pre-Wire Harness and regulator coolant loop.	\$867	5#



T380: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cabs

8024311	Cab: Stamped Aluminum with Curved Windshield LED markers. Requires seperate roof code.	STD	0#
---------	--	-----	----

Windows

Rear Cab

8871446	Rear Cab Stationary Window 19in x 36in	STD	0#
8871447	Rear Cab Stationary Window with Dark Tint 19in x 36in.	\$56	0#
8871448	Rear Cab Stationary Shatterproof Window 19in x 36in. Polycarbonate plastic window replacing standard glass window.	\$471	-6#
8871449	Rear Cab Stationary Shatterproof Window 19in x 36in with dark tint. Polycarbonate plastic window replacing standard glass window.	\$520	-6#
8873797	Rear Cab Sliding Window 19 in x 36 in	\$288	0#
8873798	Rear Cab Sliding Window with Dark Tint 19in x 36in	\$306	0#
8879922	Solid Rear Wall. Deletes Rear Cab Window.	\$0	-15#

Corner & Rear Cab

8879917	Two Additional Outboard Windows 19in x 12in	\$149	10#
8879918	Two Additional Outboard Windows with Dark Tint 19in x 12in	\$169	10#
8879921	Two Additional Outboard Shatterproof Windows 19in x 12in. Polycarbonate plastic windows replacing standard glass windows.	\$459	2#
8879923	Two Additional Outboard Shatterproof Windows 19in x 12in. with dark tint. Polycarbonate plastic windows replacing standard glass windows.	\$490	2#

Hoods, Fenders & Grilles

Hoods, Fenders & Grilles

8090151	Hood: Short Aero w/ Dark Gray Crown In-Mold Color	STD	0#
8090152	Hood: Med Aero w/ Dark Gray Crown In-Mold Color	\$58	0#
8090153	Hood: Sloped Vocational w/ Stationary Grille w/ Chrome Crown	\$1,755	-24#
8090154	Hood: Short Aero w/ Chrome Crown	\$130	0#
8090155	Hood: Med Aero w/ Chrome Crown	\$122	0#

Other

*See PremierSpec for Applicable Restrictions



T380: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Hoods, Fenders & Grilles

Other

8890356	4 1/4" Molded Wheelwell Fender Extension.	\$227	0#
---------	---	-------	----

Cab & Sleeper Aerodynamic Devices

Airshield Roof Fairing

8823014	Aero Roof Fairing Pick Up and Delivery Drop Shipped to Dealer for Medium Duty Models, HD Collapsed for Delivery	\$2,750	88#
---------	---	---------	-----

Other

8829616	Side Extenders: Daycab. Extends 19 inches from Back-of-cab. Panels extend 12 inches, and rubber trailing edge extends 7 inches.	\$843	0#
---------	---	-------	----

8829626	Side Extender(s): Daycab Extends 4 BOC	\$639	0#
---------	--	-------	----

Cab Structure Miscellaneous

8890874	Kenworth Cab Air Suspension.	\$167	0#
---------	------------------------------	-------	----

8890881	Direct Mount, Rubber Isolated Cab Suspension.	STD	0#
---------	---	-----	----

8890939	LH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$239	11#
---------	---	-------	-----

8890940	RH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$238	11#
---------	---	-------	-----

8891011	Roof: Raised Profile, Stamped Aluminum w/ Additional Head Room & Interior Overhead Storage	\$341	0#
---------	--	-------	----

8891012	Roof: Low Profile Stamped Steel	STD	0#
---------	---------------------------------	-----	----

Cab Access

8800260	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust.	\$34	2#
---------	---	------	----

8800261	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust. NFPA Compliant.	\$72	0#
---------	---	------	----

8800272	Grabhandle: RH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Right Hand Exterior Of The Cab For Entry and Exit.	\$124	3#
---------	---	-------	----

8800372	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	\$127	3#
---------	--	-------	----

8800380	Grabhandle: LH & RH SOC Non-Slip Ergonomic Grab Handles Mounted To The Left Hand and Right Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$253	6#
---------	---	-------	----

8800382	Grabhandle: LH SOC Non-Slip Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$139	3#
---------	--	-------	----



T380: CAB EXTERIOR

Option	Description	Price	Weight
Horns			
Air Horns			
8841411	Single Air Horn Under Cab.	\$110	0#
8841641	Air Horn: Sing Round 26" LH Roof Incl Air Horn Cover	\$221	0#
8841642	Air Horn: Dual Round 26" LH/RH Roof Incl Air Horn Cover	\$344	0#
8841643	Air Horn: Quad Round 23"/26" LH/RH Roof Incl Air Horn Cover	\$490	0#
Other			
8845106	Air Horn Valve, Pull Cord and Plumbing to the Firewall Bulkhead for C/I Air Horn. If the chassis has hydraulic brakes, it will require code 1000307 for Accessory air system for hydraulic brakes.	\$66	0#
Mirrors & Equipment			
8850831	Mirror: RH Hood Mounted, Dual View, Round CX Chrome	\$137	4#
8850832	Mirror: LH Hood Mounted, Dual View, Round Chrome	\$138	4#
8850877	Mirror: RH Hood Mounted Black Rectangle Convex	\$137	5#
8850878	Mirror: LH Hood Mounted Black Rectangle Convex	\$137	5#
Dual Rear View Mirrors			
8850841	Mirror Shell: Dual Aero Chrome	\$137	0#
8850842	Mirror Shell: Dual Aero In-Mold Black	STD	0#
8860851	Mirror: Dual KW Aero Rear View Non-Motor, heated with Integral CX	\$133	0#
8860852	Mirror: Dual KW Aero Rear View Motor, heated with Integral CX.	\$99	0#
8860853	Mirror: Dual KW Aero Rear View Non-Motor, Non-Heated with Integral CX	STD	0#
Diminishing Convex Mirror			
Rider Side			
8850139	Look-Down, Pass. Door, Black 11x6	STD	0#
8850144	Delete Pass. Door Look-Down Mirror	\$0	-2#
Hood Mounted			
8850812	Mirror: LH Hood Mounted, Round Convex, Chrome	\$128	4#



T380: CAB EXTERIOR

Option	Description	Price	Weight
Mirrors & Equipment			
Diminishing Convex Mirror			
Hood Mounted			
8850813	Mirror: RH Hood Mounted, Round Convex, Chrome	\$128	4#
Window Equipment			
Windshield & Equipment			
8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	STD	0#
Exterior Sunvisors			
8890135	Exterior Stainless Steel Sunvisor.	\$718	11#
Doors & Equipment			
Doors			
8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	STD	0#
Door Lock Options			
8203056	Unspecified Tumbler P/N. All Chassis Keyed Alike Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models, requires 2+ chassis. G key will not work on new P lock and ignition.	\$95	0#
8203060	5 Sets of Keys. Replaces Standard 2 Sets of Keys.	\$34	0#
8203191	Customer Specified Tumbler P/N. All Chassis keyed alike if applicable. Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models. G key will not work on new P lock and ignition.	\$347	0#
Other			
8080026	Door Kit For Bolt Crew Cab Conversion	\$5,152	0#
8700188	Remote Keyless Entry	\$387	0#
8700283	LH and RH Trip Ledge Rain Deflectors	STD	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Cabs & Sleepers			
Interior			
8330591	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	STD	0#
Interior Lights			
8700161	Footwell Light: Red Lens & Switch	\$13	0#
Heaters & Air Conditioning			
8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	STD	0#
Miscellaneous			
8108002	Fine Particulate Filter for Cabin Air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.	\$35	0#
8108003	Ember Filter For Cabin Air. Used to keep embers out of the HVAC filter element. Cannot be used with code 8108002.	\$33	2#
8190564	Air Conditioning Excise Tax: Canadian Registry	\$175	0#
Steering Wheels & Equipment			
8201013	Steering Wheel: 18 in. 4-Spoke.	STD	0#
8201047	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	\$143	0#
8201052	Column Mtd TMSN Control W/Retarder Cntrl, RH Side Use with Automated and Automated Manual Transmissions Only	\$399	0#
8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	STD	0#
Other			
8201200	Adjustable Telescoping Tilt Steering Column.	STD	0#
Instruments & Controls			
8240620	Canadian Instrument Package: KPH Speedometer replaces MPH.	\$0	0#
8282006	Odometer Units Locked to Match Speedometer Dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.	\$0	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
8282024	Main Instrument Package: 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	STD	0#
8282025	Main Instrument Package: Natural Gas Engine 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	\$0	0#
Gauges			
8220106	Gauge: Dash Mounted Air Filter Restriction Gauge.	\$123	0#
8221100	Gauge: 2 Air Suspension Pressure Gauges. For Use w/air suspension w/dual leveling valves.	\$257	0#
8221105	Gauge: Air Application Gauge.	\$46	0#
8221138	Gauge: Air Suspension Pressure Gauge. For dual leveling valves, not dual read.	\$265	0#
8221144	Gauge: Air Suspension Pressure Gauge.	\$129	0#
8222115	Gauge: All Metric Gauges, Except Digital Display pressure gauges in psi.	\$0	0#
8222400	Gauge: DD Virtual Gauge - Air Suspension Pressure 1	\$77	0#
8222402	Gauge: DD Virtual Gauge - Trailer Reservoir	\$74	0#
8222403	Gauge: DD Virtual Gauge - Trailer Brake Application	\$55	0#
8222407	Gauge: DD Virtual Gauge - Axle Temp Forward Rear Or Single Rear	\$100	0#
8222408	Gauge: DD Virtual Gauge - Axle Temp Rear Rear	\$101	0#
8222409	Gauge: DD Virtual Gauge - Air Filter Restriction	\$0	0#
8222410	Increased Air Filter Full Indication For Air Filter Restriction Gauge	\$0	0#
8222411	Gauge: DD Virtual Gauge - Eng Pto Hour	\$36	0#
8222412	Gauge: DD Virtual Gauge - Main Transmission Temp	\$55	0#
8222413	Gauge: DD Virtual Gauge - Manifold Pressure Boost	\$0	0#
8222414	Gauge: DD Virtual Gauge - Engine Percent Torque	\$0	0#
8222418	Gauge: DD Virtual Gauge - Engine Hours Instrument Cluster	\$0	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Instruments & Controls

Gauges

8222419	Gauge: DD Virtual Gauge - Volts Instrument Cluster	\$0	0#
8222420	Gauge: DD Virtual Gauge - Automated Trans Clutch Temp - Instrument Cluster	\$0	0#
8222707	Delete DEF Gage, Must Use Fuel Gage W/O ULSD Text Replace DEF Gauge With Plug, ULSD is Ultra Low Sulfur Diesel Fuel	(\$24)	0#
8222712	Gauge: Fuel Filter Restriction Gauge.	\$137	0#
8222722	Gauge: Manifold Pressure Gauge. The NavPlus HD unit includes a virtual manifold pressure gauge.	\$34	0#
8225626	Gauge: Axle Oil Temperature Gauge. Single Drive axle or forward rear axle w/integral warning light.	\$172	0#
8226667	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	\$58	0#
8282108	Modular Dash Options: RH Dash Storage Unit With two shelves. Reduces total gauge count; HD by 6 and MD by 4.	\$46	0#

Controls

8203044	Four Position Ignition Switch, Keyless. Available for fire truck service & EMT/emergency service only.	\$71	0#
8205082	Controls on Dash for Trailer Air Suspension. Includes piping & indicator light. * Dash controls for trailer functions require that you add trailer connections to the order. * This trailer air suspension valve provides an air control. There is an option for trailer hotwire that provides an electric control wired to a dash switch. * Optional speed interlock available on T660/T680 models.	\$135	0#
8205089	Park Brake Interlock for Air Suspension Dump. (Truck/Tractor). Parking brake interlock option for air suspensions other than Hendrickson HAS or Primaax. Air suspension will not dump unless park brakes are engaged. Trailer suspension dump interlock is available	\$129	0#
8205272	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Self-Returning.	\$335	0#
8205273	Dash Mounted - Compact Valve to Actuate All Service Brakes Self-Returning.	\$361	0#

PTO Related

8205087	Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. The intent of this feature is to deflate the air suspension air bags while the load is raised to help alleviate any imbalance or instability that can occur with the air bags inflated.	\$66	2#
8205096	Information for Customer-Installed PTO Muncie 8-BOLT	\$0	0#
8205103	Information for Customer-Installed PTO Chelsea 8-bolt.	\$0	0#
8205135	Information for Customer-Installed PTO Muncie 10-bolt.	\$0	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
PTO Related			
8205157	Park Brake Interlock for First PTO PTO will not engage without park brakes set. Not for use with PTOs with air controls (8205053,8205054,8205057)	\$124	0#
8205222	Park Brake Interlock for Second PTO * PTO No. 2 will not engage without park brakes set.	\$97	0#
8205227	Park Brake Interlock for PTO Air Controls * Controls will not charge with air unless park brakes are set.	\$97	0#
8205291	Info for C/I PTO: Muncie 6 Bolt	\$0	0#
8205292	Info for C/I PTO: Chelsea 6 Bolt	\$0	0#
PTO Controls			
8205052	PTO Air Control: On Dash W/ Indicator Light.	\$0	0#
8205053	PTO Air Control: Toolbox Mounted LH of Rider seat for customer-installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged is available on T680/T880	\$771	11#
8205055	PTO Air Control: On Dash W/Piping & Indicator Light For Customer-Installed Single-Speed PTO.	\$531	0#
8205164	Dash Switch: 1st Single-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 1st Eaton (single-acting) trans PTO.	\$100	0#
8205165	Dash Switch: 2nd Single-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 2nd Eaton (single-acting) trans PTO.	\$99	0#
8205168	Dash Switch: 1st Double-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (double-acting) trans PTO.	\$260	0#
8205171	Dash Switch: 2nd Double-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 2nd Eaton (double-acting) trans PTO.	\$101	0#
8205173	Dash Switch: 1st Reversible/dbl Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (reversible) trans PTO.	\$167	0#
8205177	Dash Switch:1st Allison-Mounted PTO. Electric switch and wiring are factory-installed to control the 1st Allison Trans mounted PTO.	\$167	0#
8205283	Info for C/I PTO: Chelsea 10 Bolt	\$0	0#
Dash Switches			
8202996	Manual Override Switch: For Fan Hub, W/O Warning lamp. For fire truck pumpers only. Option used to request fan on only. The engine may turn fan on and off on regardless of switch.	\$23	1#



T380: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8203161	Fan to Operate When Park Brake Set.	\$13	0#
8203196	Dash Mounted Compact Trailer Brake Valve. Self Returning.	\$0	0#
8205012	Off-Highway Dash Switch: For ABS System. Includes indicator light.	\$54	0#
8205158	Park Brake Interlock for First Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$115	0#
8205160	Dash SW: Bendix Work Brake Electric Over Air SW To Apply All Service Brakes	\$172	5#
8205221	Park Brake Interlock for Second Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$115	0#
8205228	One (1) Spare Accessory Electric-Over-Air Switch with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$95	0#
8205229	Two (2) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$160	0#
8205230	Three (3) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on ,while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$220	0#
8205231	Four (4) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$279	0#
8205280	Dash Switch: Rock Free Mode for PCAR TX-18 Pro, TX-12 Pro and Endurant XD Pro	\$35	0#
8208474	One Spare Switch: Wired to Power. BOC Wire termination.	\$53	0#
8208475	Two Spare Switches: Wired to Power. BOC Wire termination.	\$72	0#
8208476	Three Spare Switches: Wired to Power. BOC Wire termination.	\$106	0#
8208477	Four Spare Switches: Wired To Power. BOC Wire termination.	\$126	0#
8208478	Five Spare Switches: Wired to Power. BOC Wire termination.	\$145	0#
8208484	One Spare Switch: Wired to Power. EOF Wire termination.	\$58	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8208485	Two Spare Switches: Wired to Power. EOF Wire termination.	\$77	0#
8208486	Three Spare Switches: Wired to Power. EOF Wire termination.	\$111	0#
8208487	Four Spare Switches: Wired To Power. EOF Wire termination.	\$131	0#
8208488	Five Spare Switches: Wired to Power. EOF Wire termination.	\$150	0#
8208495	Two Spare Switches: Wired to Power.	\$67	0#
8208496	Three Spare Switches: Wired to Power.	\$101	0#
8208497	Four Spare Switches: Wired to Power.	\$121	0#
8208498	Five Spare Switches: Wired to Power.	\$140	0#
8208524	Seven-Way Plug: Wired to Dash Switch. For Trailer floodlight. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer floodlamps. Switch has an integral indicator lamp. Requires using a second ISO 3731.	\$32	0#
8208530	Seven-Way Plug: Wired to Dash Switch for Dumpgate Includes indicator light & guard. Center pin of standard 7-way connector (J560) will be wired to a switch for dumpgate (battery power). Includes a guard & integral indicator lamp.	\$32	0#
8208549	Seven-Way Plug: Wired to Dash Switch. For Trailer power. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch is wired to a battery circuit & has an integral indicator lamp.	\$35	0#
8208551	Seven-Way Plug: Wired to Dash Switch. For Trailer air suspension. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch has an integral indicator lamp & a guard.	\$32	0#
8208553	Seven-Way Plug: Wired Through Center Wire. For use w/overflow. Center pin of standard 7-way connector (J560) wired to a switch for overflow. Battery power for key off overflow operation. Switch includes integral indicator lamp. If ABS is required, must code for ABS through ISO 3731 connector.	\$28	0#
8208559	Controls on Dash for Forward and Rear Trailer Belly Dump Gates: Includes indicator light, guard & approx 3 meters of coiled wire BOC in LH rail. Use separate codes to add ISO 3731 spare circuit wiring & IDs, if desired.	\$215	0#
8208601	Switch: W/Light & Guard For Trailer Dump Gate. Includes Approximately 3 Meters of Coiled Wire BOC in LH Rail.	\$135	0#
8208626	Lytx DriveCam SF300 System: Video Trigger Dash Switch	\$20	0#
8291002	Mute Backup Alarm W/ Buzzer in Cab.	\$165	0#

Turn Signals



T380: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Instruments & Controls

Turn Signals

8700196	Turn Signal: Self-Cancelling	STD	0#
8700197	Turn Signal: Non-Self Cancelling	\$12	0#

Other

8203052	Remove Stop Position from Regeneration Switch.	\$0	0#
8209999	Spare Power Wiring For Customer Installed Devices Behind Dash Cluster. Includes 2 batt, 2 ign, 1 acc, 1 LVD at 20A each.	\$91	2#
8229005	Methane Detection System For Natural Gas Required For LNG Fueled Vehicles Optional For CNG Fueled Vehicles	\$1,468	0#
8282109	Large Flat Panel on Dash For C/I Controls. Replaces Storage Bucket.	\$14	0#
8291011	Warning Light and Audible: Drivers Side Seatbelt A telltale and audible warning activates when vehicle speed > 10 mph and driver side seatbelt is not buckled.	\$58	0#
8702224	Enable Inclement Driving Condition Interlock (IDCI). Wiper level 4 is the default for this system.	\$0	0#
8702232	Sensata Tire pressure monitoring system Requires 48991XX tire/wheel count code for sensors.	STD	0#

Seats

Driver Seats

8410101	Driver Seat: KW Air Seat IB Vinyl W/O Armrests /Susp Cover	STD	0#
8410102	Driver Seat: KW Air Seat HB Vinyl w/o Armrests w/ Susp Cover	\$92	0#
8410106	Driver Seat: KW Air Seat IB Tough Cloth w/o Armrests/Susp Cover	\$29	0#
8410107	Driver Seat : KW Air Seat HB Tough Cloth w/o Armrests w/ Susp Cover	\$111	0#
8410116	DR SEAT: KW Air Seat IB Tough Cloth w/ Dual Armrests	\$146	0#
8410117	DR SEAT: KW Air Seat HB Tough Cloth w/ Dual Armrests	\$147	0#
8410121	Driver Seat: KW Air Seat IB Vinyl w/ Dual Armrests/Susp Cover	\$191	0#
8410122	Driver Seat: KW Air Seat HB Vinyl w/ Dual Armrests/Susp Cover	\$201	0#
8410126	Driver Seat: KW Air Seat IB Tough Cloth w/ Dual Armrests/Susp Cover	\$222	0#
8410127	Driver Seat: KW Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover	\$233	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
8410142	Driver Seat: KW Air Seat HB Vinyl w/ Air Compressor/Dual Armrests/Susp Cover	\$403	0#
8410147	Driver Seat: KW Air Seat HB Tough Cloth w/ Air Compressor/Dual Armrests/Susp Cover	\$493	0#
8410161	Driver Seat: KW Air Seat IB Vinyl w/o Armrests with Susp Cover	\$110	0#
8410162	Driver Seat: KW Air Seat HB Vinyl w/o Armrests with Susp Cover	\$192	0#
8410212	Driver Seat: KW Premium Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Seat Heater	\$713	0#
8410217	Driver Seat: KW Premium Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Seat Heater	\$751	0#
8410361	Driver Seat: NFPA Compliant KW Air Seat HB Vinyl No Armrests, w/ Susp Bellows Cover.	\$234	0#
8410371	Driver Seat: Rolltek HB with Vinyl Material This seat incorporates a seatbelt tensioner, suspension cover, and side airbags. Includes dual folding armrests and headrest logo.	\$3,833	0#
Rider Seats			
8460101	Rider Seat: KW Air Seat IB Vinyl w/o Armrests/ Susp Cover	(\$26)	0#
8460102	Rider Seat: KW Air Seat IB Vinyl w/ Susp Cover/ Occupancy Sensor w/o Armrests	\$95	0#
8460103	Rider Seat: KW Air Seat HB Vinyl w/ Susp Cover/ Occupancy Sensor w/o Armrests	\$111	0#
8460106	Rider Seat: KW Air Seat IB Tough Cloth w/o Armrests/Susp Cover	(\$21)	0#
8460107	Rider Seat: KW Air Seat IB Tough Cloth w/ Susp Cover/Occupancy Sensor w/o Armrests	\$95	0#
8460108	Rider Seat: KW Air Seat HB Tough Cloth w/ Susp Cover/Occupancy Sensor w/o Armrests	\$166	0#
8460116	RD SEAT: KW Air Seat IB Tough Cloth w/ Dual Armrests	\$16	0#
8460117	RD SEAT: KW Air Seat HB Tough Cloth w/ Dual Armrests	\$17	0#
8460142	Rider Seat: KW Air Seat HB Vinyl Air Compressor/Dual Armrests/Susp Cover	\$240	0#
8460147	Rider Seat: KW Air Seat HB Tough Cloth Air Compressor/Dual Armrests/Susp Cover	\$277	0#
8460212	Rider Seat: KW Premium Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Seat Heater	\$482	0#
8460217	Rider Seat: KW Premium Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Seat Heater	\$481	0#
8460361	Rider Seat: NFPA Compliant KW Air Seat HB Vinyl No Armrests, w/ Susp Bellows Cover and Occupancy Sensor.	\$192	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
8478001	Rider Seat: KW Battery Box 2-Man Bench Vinyl	(\$223)	0#
8478016	Rider Seat: KW Battery Box 2-Man Bench Tough Cloth	(\$233)	0#
8478051	Rider Seat: KW Toolbox 2-Man Bench Vinyl	STD	0#
8478056	Rider Seat: KW Toolbox 2-Man Bench Tough Cloth	\$20	0#
8480201	Rider Seat: KW Toolbox Seat IB Vinyl w/o Armrests	(\$270)	0#
8480202	Rider Seat: KW Toolbox Seat HB Vinyl w/o Armrests	(\$296)	0#
8480206	Rider Seat: KW Toolbox Seat IB Tough Cloth w/o Armrests	(\$251)	0#
8480207	Rider Seat: KW Toolbox Seat HB Tough Cloth w/o Armrests	(\$280)	0#
8480221	Rider Seat: KW Toolbox Seat IB Vinyl w/ Dual Armrests	(\$261)	0#
8480227	Rider Seat: KW Toolbox Seat HB Tough Cloth w/ Dual Armrests	(\$204)	0#
8480231	Rider Seat: KW Toolbox Seat IB Vinyl w/ Dual Armrests/Record Holder/Occupancy Sensor	(\$153)	0#
8480232	Rider Seat: KW Toolbox Seat HB Vinyl w/ Dual Armrests/Record Holder/Occupancy Sensor	(\$141)	0#
8480236	Rider Seat: KW Toolbox Seat IB Tough Cloth w/ Dual Armrests/Record Holder/Occupancy Sensor	(\$109)	0#
8480237	Rider Seat: KW Toolbox Seat HB Tough Cloth w/ Dual Armrests/Record Holder/Occupancy Sensor	(\$176)	0#
Kenworth In-Cab Battery Box			
8450101	Rider Seat: KW Battery Box Seat IB Vinyl w/o Armrests	(\$353)	0#
8450102	Rider Seat: KW Battery Box Seat HB Vinyl w/o Armrests	(\$383)	0#
8450111	Rider Seat: KW Battery Box Seat IB Vinyl w/ Dual Armrests	(\$353)	0#
8450112	Rider Seat: KW Battery Box Seat HB Vinyl w/ Dual Armrests	(\$283)	0#
8450126	Rider Seat: KW Battery Box Seat IB Tough Cloth w/ Dual Armrests/Occupancy Sensor	(\$206)	0#
8450127	Rider Seat: KW Battery Box Seat HB Tough Cloth w/ Dual Armrests/Occupancy Sensor	(\$203)	0#
Rider Seat Other			
8489979	Delete Standard Rider Seat.	(\$595)	-30#



T380: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Seat Miscellaneous			
8489912	NFPA Compliance Kit: 2.1 m Includes Seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	\$709	5#
8490161	Seat Color: Black Replacing Standard Gray	\$0	0#
8496559	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	\$20	0#
8496561	Driver/ Rider Seat Belts: Lime Green Seat Belts Replace standard color.	\$15	0#
8496569	Driver & Rider Seat Belts: Red, Replace Standard. NOT NFPA Compliant.	\$25	0#
8496575	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts.	\$77	0#
8497005	Air Line Fitting: At Driver Seat. Customer-installed air chuck.	\$87	4#
Cab Accessories			
Storage			
8570011	Low Profile Roof Interior Overhead Storage	\$193	0#
8570012	Low Profile Roof Interior LH Overhead Storage	\$97	0#
8700091	Ashtray Insert: W/ Cigar Lighter Located in center console. Deletes 1 12V outlet & 1 cupholder.	\$33	0#
8890038	3.5in x 11.5in Plastic Records Holder: Mounted On Rear Cab Panel. Not available With Sleeper Or 2 Person Bench Seat.	\$54	0#
Cab Package			
8891009	Thermal/Sound Insulation Package	\$270	0#
Other			
8700152	Large Transmission Access Hole - Center Cab Floor	\$139	0#
8700158	Removable Plate For Direct REPTO Access Through Floor W/ Floormat/Carpet Cutout	\$87	0#
8700166	Cup Holder (Floor Mtd)	\$63	0#
8700501	Metal Int Door Panel Kick Plates	\$72	0#
8721405	Nameplates Shipped Loose: French. In Addition to standard or optional nameplates.	\$0	0#
8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	STD	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
Cab Accessories			
Other			
8800403	Dual Cab Interior Grabhandles:Yellow,A Pillar Mtd Dash Wrap and B Pillar Mounted Grabhandles	\$38	0#
9090102	Anti-Theft System Installed	\$103	0#
9090103	Anti-Theft Enabled with Driver Override Disabled	\$0	0#
9399996	Kenworth Operator Manual: Spanish.	\$0	0#
9399998	Kenworth Operator Manual: French Replacing English.	\$0	0#
Sound Systems			
Kenworth Radios			
8601429	Kenworth Radio DEA730 AM/FM/WB/USB, Bluetooth & Sirius-XM Satellite	\$562	0#
8601430	Kenworth Radio DEA700 AM/FM/WB	\$338	0#
8601431	Kenworth Radio DEA710 AM/FM/WB/USB, Phone Bluetooth Disabled	\$385	0#
8601432	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	\$405	0#
8601433	Kenworth Radio DEA730 AM/FM/WB/USB, Sirius-XM Satellite/Phone Bluetooth Disabled	\$542	0#
8601435	Kenworth Radio DEA707 AM/FM/WB/USB	\$391	0#
8601440	Kenworth Radio and Navigation: compatible with Apple Carplay	\$1,333	0#
Radios Miscellaneous			
8601495	Radio Mute When Lane Departure Detected. Required Bendix Fusion or Meritor OnAlert and Compatible Radio	\$0	0#
Sound System Speakers			
8698965	Speaker Package For Cab: (2) Speakers B-Pillar	\$62	0#
Sound System Equipment			
8698970	No Radio Or Speakers Selected: No Prewire & No Antenna Wiring. Not w/ Smart Wheel.	STD	0#
8698971	Wiring & Antenna Only - No Radio/Speakers Provided	\$37	0#
8699017	Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.	\$61	0#



T380: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Sound System Equipment

8699900	Metal Ground Plate: Two-Way Radio. For customer-installed antenna located in center of cab roof.	\$97	2#
---------	--	------	----

CB & Equipment

CB Radio

8601874	CB Radio: Cobra 29 W/Weatherband/ Single Ant. Transceiver/ Sound Tracker/ Illum Panel w/microphone clip mtd on side	\$550	0#
---------	---	-------	----

8601875	CB Radio: Cobra 29 W/Weatherband/DI Ant Transceiver/Sound Tracker/Illum Panel W/Microphone Clip Mtd On Side	\$599	0#
---------	---	-------	----

8601890	CB Radio: Bearcat 880. Includes Weatherband w/header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$457	0#
---------	---	-------	----

CB Installation Kit

8699933	CB Installation Kit: C/I Center Mtd of Header w/ Dual Antenna on LH/RH mirrors. One Jumper Harness.	\$235	2#
---------	---	-------	----

8699934	CB Installation Kit: C/I Center Mtd of Header w/ Single Antenna on LH Mirror, low mount.	\$178	0#
---------	--	-------	----

Information & Communication Systems

8700601	Global Telematics Unit	STD	0#
---------	------------------------	-----	----

8700604	TELEMATICS HW (MASS RIGHT TO REPAIR)	\$0	0#
---------	--------------------------------------	-----	----

8700625	Single 1.5" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$120	0#
---------	--	-------	----

8700626	Single 1" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$104	0#
---------	--	-------	----

8700627	Dual 1" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$193	0#
---------	--	-------	----

8700628	Single 1.5" Ram Ball Dash Mounted RH Side of Radio Opening	\$51	0#
---------	--	------	----

8700629	Single 1" Ram Ball Dash Mounted RH Side of Radio Opening	\$36	0#
---------	--	------	----

8700678	Driver Security Alert / Panic Switch Dash Switch Only	\$29	0#
---------	---	------	----

8700895	Exterior Initiation or Inhibition of Regen Thru J1939 BCan Communications.	\$35	0#
---------	--	------	----

8700927	Lytx DriveCam SF300 System Pre-Wire	\$378	0#
---------	-------------------------------------	-------	----

8700941	Omnitracs IVG Wiring Harness	\$190	0#
---------	------------------------------	-------	----

9090157	Prewire: Bendix Fusion Safety Direct SDP to PeopleNet with the back wall mount.	\$183	0#
---------	---	-------	----



T380: CAB INTERIOR

Option	Description	Price	Weight
Information & Communication Systems			
9212653	TruckTech+ RD - 5YR Sub Cummins Engines	\$799	0#
9212654	TruckTech+ RD - 6YR Sub Cummins Engines	\$949	0#
9212655	TruckTech+ RD - 7YR Sub Cummins Engines	\$1,099	0#
9212656	TruckTech+ RD - 8YR Sub Cummins Engines	\$1,249	0#
9212657	TruckTech+ RD - 9YR Sub Cummins Engines	\$1,399	0#
9212658	TruckTech+ RD - 10YR Sub Cummins Engines	\$1,549	0#
9212661	TruckTech+ RD - 5YR Sub PACCAR PX Engines	\$799	0#
9212662	TruckTech+ RD - 6YR Sub PACCAR PX Engines	\$949	0#
9212663	TruckTech+ RD - 7YR Sub PACCAR PX Engines	\$1,099	0#
9212664	TruckTech+ RD - 8YR Sub PACCAR PX Engines	\$1,249	0#
9212665	TruckTech+ RD - 9YR Sub PACCAR PX Engines	\$1,399	0#
9212666	TruckTech+ RD - 10YR Sub PACCAR PX Engines	\$1,549	0#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Headlamps			
9010803	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.	STD	0#
9010810	Headlamps: Sealed Beam Halogen Located in Bumper. Driven by Chassis Height.	\$116	0#
9010813	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and w/o DRL. Fender Mtd.	\$0	0#
9010814	Headlamps: LED low beam array, LED high beam, LED turn signal array, LED DRL/Park Lamp, LED side marker/side turn.	\$782	8#
Marker Lights			
9022130	Marker Lights: Five Rectangular LED. Chrome housing. For use with raised roof only. Required with exterior sunvisor.	\$65	0#
9022137	Marker Lights: Five Rectangular LED.	STD	0#
9027110	Marker Lights: Five LED Rectangular, Flush Mount.	\$0	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	\$12	0#
9090115	Reflectors: Two Midframe	\$24	0#
9090117	Marker Lights: Midframe & reflectors mounted standout. Required on tractors where overall length exceeds 30 feet.	\$183	22#
Turn Signal Lights			
9039014	Add Turn Signal Lamps Mounted BOC/BOS	\$243	2#
Other			
9030034	Wiring: Customer Installed Turn Signals, Mid Chassis.	\$940	0#
Foglights			
9042545	KW Fog Lights (2) Recessed in Bumper	\$278	2#
Other			
9049825	Customer-Installed Road/ Fog Lights Switch & wiring.	\$27	0#
Spotlights			
9060011	Halogen Spotlight: LH Mounted.	\$151	4#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Spotlights			
9060055	Halogen Spotlight: LH & RH Mounted. T680 and T880 models include dash switch for RH spot lamp as standard.	\$267	11#
Taillights			
9030051	LED Stop,Turn,Tail: With One Non LED Backup Light and With An LED License Plate.	\$0	-3#
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	STD	0#
9030053	LED Stop,Turn,Tail: With One LED Backup Light With One LED Backup Light and With An LED License Plate	\$128	1#
9030054	Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.	\$107	0#
9030055	Taillight,Stoplight:Trucklite Super 40 With 2 Backup lights and an LED License Plate	\$21	1#
9030056	Stop,Turn,Taillight: Trucklite 44 Series 6 LED red with two LED backup lights and LED License Plate. Grommet mounted. Taillights come on when fog lights are on.	\$118	3#
9030070	Delete Stop, Tail, Turn and Backup Lights: Only the lights and small jumper that connects the lights to the aft harness are deleted.	(\$108)	-8#
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	\$102	0#
9070144	Additional 6ft Taillamp Harness: In Frame.	\$70	0#
Miscellaneous			
8240020	City Horn to Honk if Door Opens and Park Brake not set.	\$62	0#
9010951	Daytime Running Lights Located in Bumper. Driven by Chassis Height.	\$303	3#
9020101	14-Pin RP170 Body Lighting Connector.	STD	0#
9020103	Delete Standard 14-Pin RP170 Body Lighting Connector.	(\$57)	0#
9090007	Override Switch: For Daytime Running Lamps.	\$44	0#
9090011	Add. 4-Way Receptacle To BOC: Wired To Three Dash Switches. Spare Switch 1 Is Wired To Pin TM, Spare Switch 2 Is Wired To Pin S and Spare Switch 3 Is Wired To Pin A.	\$279	2#
9090012	Add. 4-Way Receptacle: To End-Of-Frame:Wired To 3 Dash Switches.	\$265	2#
9090027	Headlamps to Turn on When Wipers are Active.	\$0	0#
9090043	Add. 4-Way Receptacle to BOC: Wired To 2 Spare Dash Switches.	\$269	2#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Miscellaneous			
9090046	Add. 4-Way Receptacle: To End-Of-Frame:Wired to 2 Spare Dash Switches	\$255	2#
9090049	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090052	Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090058	Switch & Wiring: For Customer-Installed Plow light. Includes circuit breaker.	\$158	0#
9090142	Wiring Only: For Customer-Installed Backup alarm.	\$58	0#
9090151	Wiring:Cust. Install Trlr Elec. Brake Controller. Class 8/T4 Content Includes Dash Signals: Ignition Power (20A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To EOF Junction Box. These Signals Are Located Near The NavPlus HD Area. No Need To Code For An Additional End of Frame Junction Box. EOF Junction Box Signals Are: Ground, Tail Lamp, Marker Lamp, Left Turn, Right Turn, Stop Lamp and Electric Trailer Brake Controller Wired To Dash. Medium Duty (not T4) Content Includes A MP 280 Series Connector In Dash Near Driver Door Connections With Signals: Battery Power (40A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To Chassis Connector. Medium Duty (not T4) 2 Way Deutsch Chassis Connector Located Near Back of Cab, With Signals: Ground and Electric Trailer Brake Controller Wired To Dash Connector.	\$213	4#
9090180	Backup Alarm: Tail Light Bracket Mounted Variable self-adjusting 82-102 DBA.	\$135	0#
9090221	Switch & Wiring: For Customer-Installed Sign lamp w/o insulators.	\$65	0#
9090301	Junction Box: Under Cab	\$153	1#
9090302	Junction Box: Mounted Behind Cab or Sleeper Not Mounted at End of Frame.	\$136	1#
9090312	Body Builder Lighting Harness Coiled End Of Frame For Additional Customer Installed Exterior Lighting. Harness Includes Circuits for Additional Customer Installed Tail Lamps, Turn Lamps, Stop Lamps, and Marker Lamps.	\$165	0#
9090316	Junction Box: End of Frame	\$243	1#
9090849	Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.	\$42	0#
Beacon Lights			
Dual			
9080125	Dual Rotating Roof Lights: Low-Profile LED Beacon lights w/ overhead switch.	\$786	7#
9080131	Dual Strobe Roof Lights: Low-Profile LED Beacon lights w/ overhead switch.	\$786	7#
Customer-Installed			
9080135	Stainless Steel Brackets, Switch & Wiring: Customer-installed dual beacon lights mounted over door of cab.	\$262	4#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Beacon Lights			
Customer-Installed			
9080206	Switch & Wiring: Customer-Installed Beacon Lights with additional 20 ft jumper harness shipped loose.	\$203	1#
Floodlights			
First Set			
9052008	Floodlights: Dual LED Flush First Set	\$139	0#
9052011	Dual Flush Floodlights: First Set	\$131	2#
9056140	Dual Pedestal Floodlights: First Set	\$236	2#
9056144	Floodlights: Dual LED Pedestal First Set	\$303	0#
Switches for Customer-Installed			
9058071	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 1st Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$119	1#
9058085	Switch,Wire,Indicator Light: C/I Flood 1st SW Thru Grommet Under Cab	\$129	0#
9058086	Switch,Wire,Indicator Light: C/I Flood 2nd SW Thru Grommet Under Cab	\$128	0#
9058087	Switch,Wire,Indicator Light: C/I Flood 3rd SW Thru Grommet Under Cab	\$128	0#
Location Codes			
9059901	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059908	Floodlight Location:High Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059909	Floodlight Location:High Outbd of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059921	Floodlight Location: Located Low - First Set . This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059927	Floodlight Location: Low Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059928	Floodlight Location:Low Outboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
Miscellaneous			
9058081	Cust. Installed Floodlights1st Set:Add 30ft Wire. Additional 30ft Jumper Harness Shipped Loose.	\$32	1#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
Second Set			
9052012	Dual Flush Floodlights: Second Set	\$139	2#
9052016	Floodlights: Dual LED Flush Second Set	\$179	0#
9056141	Dual Pedestal Floodlights: Second Set	\$174	2#
Switches for Customer-Installed			
9058072	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 2nd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$98	1#
Location Codes			
9059903	Floodlight Location: Located High - Second Set. This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059919	Floodlight Location:High Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059920	Floodlight Location:High Outbd of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059923	Floodlight Location: Located Low - Second Set . This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059929	Floodlight Location:Low Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059930	Floodlight Location:Low Outboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
Third Set			
9052013	Dual Flush Floodlights: Third Set	\$124	2#
9052017	Floodlights: Dual LED Flush Third Set	\$179	0#
9056142	Floodlights: Dual Pedestal Third Set	\$197	0#
Switches for Customer-Installed			
9058073	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 3rd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$108	1#
Location Codes			
9059904	Floodlight Location: Located High - Third Set. This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#



T380: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
Third Set			
Location Codes			
9059924	Floodlight Location: Located Low - Third Set . This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#
9059938	Floodlight Location:High Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059939	Floodlight Location: High Outbd of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059949	Floodlight Location:Low Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059950	Floodlight Location:Low Outboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#



T380: AIR EQUIPMENT

Option	Description	Price	Weight
Air Drying Equipment			
Moisture Ejection Valve			
9102009	Moisture Ejection Valve: Midland Automatic Use with AD-IS or AD-HF.	\$99	0#
9102040	Moisture Ejection Valve: Two Bendix DV-2 Heated drain valves on service tanks. Use w/ AD-IS or AD-HF.	\$201	0#
9108001	Moisture Ejection Valve W/ Pull Cable Drain.	STD	0#
Air Dryer			
9101022	Delete Standard Air Dryer.	(\$258)	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	STD	0#
9101219	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	\$30	0#
Air System Miscellaneous			
9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	STD	0#
9140092	Schrader Valve to Charge Air System.	\$45	0#
9140236	Locate Air Dryer Outside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140238	Locate Air Dryer Outside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140248	Locate Air Dryer Under LH Rail BOC This code requires the use of a custom frame layout code.	\$0	0#
9140249	Locate Air Dryer Under RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140252	Locate Air Dryer Inside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140254	Locate Air Dryer Inside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140267	Locate Air Dryer Inside RH Rail BOC	\$695	0#
9140268	Locate Air Dryer Inside LH Rail BOC	\$695	0#
9140269	Locate Air Dryer Outside LH Rail BOC	\$695	0#
9140270	Locate Air Dryer Outside RH Rail BOC	\$695	0#
9140271	Locate Air Dryer Under LH Rail BOC	\$695	0#
9140272	Locate Air Dryer Under RH Rail BOC	\$695	0#



T380: AIR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Air System Miscellaneous

Air Tank Locations

9140251	Air Tanks: Clear of Left Side of Transmission area. Clear area - forward of transmission yoke C/L	\$1,737	4#
9140253	Air Tanks: Clear of Right Side of Transmission area. Clear area - forward of transmission yoke C/L	\$1,737	4#
9140273	Air Tanks: Clear of Transmission Area Clear area - forward of transmission yoke C/L	\$1,737	4#
9140286	Air Tanks: Clear of Left Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140287	Air Tanks: Clear of Right Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140288	Air Tanks: Clear of Transmission Area. This code requires the use of a custom frame layout code.	\$0	0#
9140289	Air Tanks: Mounted Inside Frame Flanges where possible. This code requires the use of a custom frame layout code.	\$0	0#
9140290	Air Tanks: Mounted Inside Frame Flanges where possible.	\$1,737	0#

Air Tank Options

9150170	Air Tanks: Aluminum Replacing Steel All Tanks. *Not air tanks on lift axles.	\$378	-44#
---------	--	-------	------

Air & Electrical Supply Kits

Tractor

9110037	Air & Electrical Supply Kits: Tractor BOC-Mounted kit w/ slidebar, spring hanger and composite gladhand/light plug holder mounted on back of cab/sleeper. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$619	19#
9110068	Air & Electrical Supply Kits: Tractor LH Frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series.	\$779	24#
9110071	Tractor Kit: Center Frame-Mounted W/ Hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$786	24#
9110072	Tractor Kit: LH Outboard Frame-Mounted W/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option.	\$726	24#



T380: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Tractor			
9110081	Tractor Kit: BOC-Mounted Kit W/ Slidebar, Spring hanger and composite gladhand/light plug holder mounted on back of extended daycab. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Not available w/ dual independent exhaust.	\$840	19#
Full Truck			
9110020	Full Truck Kit Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$966	15#
9110034	Full Truck/Tractor Kit Combined: Center Frame mounted. 7-way female receptacle and air connection gladhands are mounted BOC on center frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.	\$1,066	15#
Air & Light Line Options			
9121008	Phillips 12 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$32	0#
9121043	Phillips 15 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$40	0#
9121047	Phillips 12 ft Straight Light Line W/ Metal Plugs & 12 in. lead. Must code for tractor kit.	\$15	0#
9121051	Philatron 15 ft Coiled Air Line. Must Code for tractor kit. use code 9121115	\$118	0#
9121112	Coiled Air & Light Lines Replacing Straight Lines . Included in tractor kit. 12ft working length.	\$30	0#
9121115	Coiled Air & Light Lines Replacing Straight Lines Included in tractor kit. 15ft working length.	\$24	0#
9121118	Phillips 11-5400 Air Lines. Requires Option: 9121115 Air/Light Lines: 15 feet Coiled. *The 11-5400 is a 15 ft. Polar Air pair with 40 in. leads.	\$25	0#
9140005	Straight Air & Light Lines: for Semitrailer application. Air lines detachable one end only; light line detachable both ends. Use w/ code 9110030. Note must code separately for straight air & light line lengths. Requires 12ft straight air & light.	\$229	0#
Kit Accessories			
9140188	Slide Bar: for Air & Light Lines, Cab/Sleeper mounted.	\$43	0#
9140193	Delete Hosetenna. Must Code for a Tractor Kit.	(\$15)	0#
9140196	Dual Ring Double Spring Hanger Replacing Single Ring Single Spring Hanger. Requires Trac Kit with Slide Bar.	\$32	0#
9140200	Delete Trailer Hand Valve--Req Full Truck or Trac Kit	(\$18)	0#



T380: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Trailer ABS Provisions			
9140321	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ o light line, for full truck & tractor.	\$155	6#
9140322	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ 15ft coiled light line, for full truck & tractor w/ dual light plug holders.	\$284	8#
9140326	Additional 7-Way Electrical Receptacle Mounted end-of-frame.	\$875	2#
9140328	Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).	\$0	0#
9140329	Trailer ABS Malfunction Lamp for Use W/ Second ISO 3731 connector For non-PLC trailers.	\$41	0#



T380: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Safety Equipment			
9490206	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	\$58	4#
9490213	Warning Triangle Reflector Kit: Floor Mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.	\$58	12#
9490404	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of driver seat. Class ABC.	\$136	11#
9490408	One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of rider seat. Class ABC.	\$132	11#
Build Notes			
6679990	*** This Vehicle Does Not Have Adequate Swing/Dip clearance when coupled to the trailer referenced on this order. See narrative line for maximum forward fifth wheel setting for this vehicle/trailer combination.***	\$0	0#
9210385	PACCAR Customized Fleet Service - Basic	\$250	0#
9210386	PACCAR Customized Fleet Service - Enhanced	\$500	0#
9210387	PACCAR Customized Fleet Service - Premier	\$4,800	0#
9212000	PACCAR International Dealer. International support fee does not apply.	\$0	0#
9409850	GHG Secondary Manufacturer: American Reliance Industries	\$0	0#
9409852	GHG Secondary Manufacturer: Does Not Apply	\$0	0#
9409862	GHG Secondary Manufacturer: Agility - Fontana, CA	\$0	0#
9409863	GHG Secondary Manufacturer: Agility - Salisbury, NC	\$0	0#
9409866	GHG Secondary Manufacturer: Labrie - Levis, QC	\$0	0#
9409867	GHG Secondary Manufacturer: Labrie - San Luis, AZ	\$0	0#
9409874	GHG Secondary Manufacturer: McNeilus Natural Gas Fuel System	\$0	0#
9409875	GHG Secondary Manufacturer: Heil Natural Gas Fuel System	\$0	0#
9490003	Additional Lead Time Required for Off Highway & /or specialty component truck.	\$0	0#
9490012	U.S. Certification Decals for Canadian Trucks.	\$0	0#
9490645	Zinc Phosphate Frame Rail Paint Processing. Requires frame rail code. Code is for 1 pair of rails.	\$314	0#



T380: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Build Notes			
9490647	Zinc Phosphate Frame Insert Paint Processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts.	\$314	0#
9491652	EMUX Architecture	STD	0#
9491659	VMUX Architecture	\$0	0#
9999945	Charge Chassis in United States Dollars.	\$0	0#
9999949	Do Not Drive.	\$1,000	0#
9999995	Cancel/ Reorder Chassis.	\$0	0#
International Support Fee			
9212001	International Support Fee, \$2700.	\$2,700	0#
9212003	International Support Fee, \$4355.	\$4,355	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Warranty			
9200007	Base Warranty - PACCAR PX-7 Engine 36 months / Unlimited miles & km / Unlimited hours.	STD	0#
9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	\$0	0#
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	STD	0#
9200113	Severe Service Medium-Duty Warranty: 12 months/ 50,000 miles & km	\$0	0#
9220001	Base Warranty: Emissions 5YR/100K MI	\$0	0#
9220008	Base Warranty: Emissions (CARB Operation) 5YR/100K MI - L9N Engine	\$0	0#
9220016	Base Warranty: Emissions (CARB Operation) PX-9 5YR/150K MI	\$2,186	0#
9220017	Base Warranty: Emissions (CARB Operation) PX-7 5YR/150K MI	\$1,454	0#

U.S. Extended Warranty

9201813	EW: US Basic Vehicle 2 year/100,000 miles, United States Only.	\$245	0#
9201814	EW: US Basic Vehicle 2 year/200,000 miles, United States only.	\$605	0#
9201815	EW: US Basic Vehicle 2 year/300,000 miles, United States only.	\$1,470	0#
9201816	EW: US Basic Vehicle 2 year/400,000 miles, United States only.	\$1,990	0#
9201817	EW: US Basic Vehicle 2 year/500,000 miles, United States only.	\$2,625	0#
9201818	EW: US Basic Vehicle 3 year/100,000 miles, United States only.	\$450	0#
9201819	EW: US Basic Vehicle 3 year/200,000 miles, United States only.	\$805	0#
9201820	EW: US Basic Vehicle 3 year/300,000 miles, United States only.	\$1,765	0#
9201821	EW: US Basic Vehicle 3 year/400,000 miles, United States only.	\$2,215	0#
9201822	EW: US Basic Vehicle 3 year/500,000 miles, United States only.	\$2,890	0#
9201823	EW: US Basic Vehicle 4 year/100,000 miles, United States only.	\$690	0#
9201824	EW: US Basic Vehicle 4 year/200,000 miles, United States only.	\$1,095	0#
9201825	EW: US Basic Vehicle 4 year/300,000 miles, United States only.	\$2,060	0#
9201826	EW: US Basic Vehicle 4 year/400,000 miles, United States only.	\$2,420	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201827	EW: US Basic Vehicle 4 year/500,000 miles, United States only.	\$3,105	0#
9201828	EW: US Basic Vehicle 5 year/100,000 miles, United States only.	\$1,150	0#
9201829	EW: US Basic Vehicle 5 year/200,000 miles, United States only.	\$1,585	0#
9201830	EW: US Basic Vehicle 5 year/300,000 miles, United States only.	\$2,500	0#
9201831	EW: US Basic Vehicle 5 year/400,000 miles, United States only.	\$2,975	0#
9201832	EW: US Basic Vehicle 5 year/500,000 miles, United States only.	\$3,485	0#
9201833	EW: US Basic Vehicle 6 year/100,000 miles, United States only.	\$1,235	0#
9201834	EW: US Basic Vehicle 6 year/200,000 miles, United States only.	\$1,630	0#
9201835	EW: US Basic Vehicle 6 year/300,000 miles, United States only.	\$2,755	0#
9201836	EW: US Basic Vehicle 6 year/400,000 miles, United States only.	\$3,430	0#
9201837	EW: US Basic Vehicle 6 year/600,000 miles - United States only.	\$4,125	0#
9201838	EW: US Basic Vehicle 7 year/200,000 miles, United States only.	\$1,710	0#
9201865	EW: US Radiator/CAAC 2 year/100,000 miles, United States only.	\$45	0#
9201866	EW: US Radiator/CAAC 2 year/200,000 miles, United States only.	\$125	0#
9201867	EW: US Radiator/CAAC 2 year/300,000 miles, United States only.	\$205	0#
9201868	EW: US Radiator/CAAC 2 year/400,000 miles, United States only.	\$285	0#
9201869	EW: US Radiator/CAAC 2 year/500,000 miles, United States only.	\$360	0#
9201870	EW: US Radiator/CAAC 3 year/100,000 miles, United States only.	\$85	0#
9201871	EW: US Radiator/CAAC 3 year/200,000 miles, United States only.	\$165	0#
9201872	EW: US Radiator/CAAC 3 year/300,000 miles, United States only.	\$245	0#
9201873	EW: US Radiator/CAAC 3 year/400,000 miles, United States only.	\$325	0#
9201874	EW: US Radiator/CAAC 3 year/500,000 miles, United States only.	\$405	0#
9201875	EW: US Radiator/CAAC 4 year/100,000 miles, United States only.	\$130	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201876	EW: US Radiator/CAAC 4 year/200,000 miles, United States only.	\$205	0#
9201877	EW: US Radiator/CAAC 4 year/300,000 miles, United States only.	\$290	0#
9201878	EW: US Radiator/CAAC 4 year/400,000 miles, United States only.	\$365	0#
9201879	EW: US Radiator/CAAC 4 year/500,000 miles, United States only.	\$450	0#
9201880	EW: US Radiator/CAAC 5 year/100,000 miles, United States only.	\$160	0#
9201881	EW: US Radiator/CAAC 5 year/200,000 miles, United States only.	\$245	0#
9201882	EW: US Radiator/CAAC 5 year/300,000 miles, United States only.	\$320	0#
9201883	EW: US Radiator/CAAC 5 year/400,000 miles, United States only.	\$400	0#
9201884	EW: US Radiator/CAAC 5 year/500,000 miles, United States only.	\$470	0#
9201885	EW: US Radiator/CAAC 6 year/100,000 miles, United States only.	\$200	0#
9201886	EW: US Radiator/CAAC 6 year/200,000 miles, United States only.	\$285	0#
9201887	EW: US Radiator/CAAC 7 year/200,000 miles, United States only.	\$325	0#
9201911	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$85	0#
9201912	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$160	0#
9201913	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$285	0#
9201914	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$405	0#
9201915	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$480	0#
9201916	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$130	0#
9201917	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$205	0#
9201918	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$325	0#
9201919	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$450	0#
9201920	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$525	0#
9201921	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$165	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201922	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$290	0#
9201923	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$410	0#
9201924	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$485	0#
9201925	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$570	0#
9201926	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$245	0#
9201927	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$320	0#
9201928	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$480	0#
9201929	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$560	0#
9201930	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$625	0#
9201931	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$285	0#
9201932	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$360	0#
9201933	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$410	0#
9201957	EW: US Starter & Alternator 2 year/200,000 miles, United States only.	\$85	0#
9201958	EW: US Starter & Alternator 2 year/300,000 miles, United States only.	\$160	0#
9201959	EW: US Starter & Alternator 3 year/300,000 miles, United States only.	\$245	0#
9201960	EW: US Starter & Alternator 3 year/400,000 miles, United States only.	\$405	0#
9201961	EW: US Starter & Alternator 4 year/500,000 miles, United States only.	\$595	0#
9201962	EW: US Starter & Alternator 5 year/500,000 miles, United States only.	\$785	0#
9201969	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$390	0#
9201970	EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$770	0#
9201971	EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,160	0#
9201972	EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,515	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201973	EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,290	0#
9201974	EW: US Towing For Warrantable Failures 6 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,000	0#
9201975	EW: US Towing For Warrantable Failures 7 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,800	0#
9201983	EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014	\$520	0#
9201984	EW: US Chassis/Frame Wiring 4 years/400,000 miles Per CA-014	\$795	0#
9201985	EW: US Chassis/Frame Wiring 4 years/500,000 miles Per CA-014	\$1,160	0#
9201986	EW: US Chassis/Frame Wiring 5 years/500,000 miles Per CA-014	\$1,715	0#
9201987	EW: US Chassis/Frame Wiring 5 years/600,000 miles Per CA-014	\$1,925	0#
9201988	EW: US Chassis/Frame Wiring 6 years/600,000 miles Per CA-014	\$2,135	0#
9202510	EW: US Basic Vehicle 2 year/100,000 miles,	\$413	0#
9202511	EW: US Basic Vehicle 2 year/200,000 miles,	\$561	0#
9202512	EW: US Basic Vehicle 2 year/300,000 miles,	\$620	0#
9202513	EW: US Basic Vehicle 2 year/400,000 miles,	\$684	0#
9202514	EW: US Basic Vehicle 2 year/500,000 miles,	\$743	0#
9202515	EW: US Basic Vehicle 3 year/100,000 miles,	\$785	0#
9202516	EW: US Basic Vehicle 3 year/200,000 miles,	\$867	0#
9202517	EW: US Basic Vehicle 3 year/300,000 miles,	\$932	0#
9202518	EW: US Basic Vehicle 3 year/400,000 miles,	\$991	0#
9202519	EW: US Basic Vehicle 3 year/500,000 miles,	\$1,056	0#
9202520	EW: US Basic Vehicle 4 year/100,000 miles,	\$1,156	0#
9202521	EW: US Basic Vehicle 4 year/200,000 miles,	\$1,269	0#
9202524	EW: US Basic Vehicle 4 year/300,000 miles,	\$1,363	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202525	EW: US Basic Vehicle 4 year/400,000 miles,	\$1,457	0#
9202526	EW: US Basic Vehicle 4 year/500,000 miles,	\$1,552	0#
9202527	EW: US Basic Vehicle 5 year/100,000 miles,	\$1,528	0#
9202528	EW: US Basic Vehicle 5 year/200,000 miles,	\$1,640	0#
9202529	EW: US Basic Vehicle 5 year/300,000 miles,	\$1,800	0#
9202530	EW: US Basic Vehicle 5 year/400,000 miles,	\$1,953	0#
9202531	EW: US Basic Vehicle 5 year/500,000 miles,	\$2,106	0#
9202532	EW: US Basic Vehicle 6 year/100,000 miles,	\$1,776	0#
9202535	EW: US Basic Vehicle 6 year/200,000 miles,	\$1,982	0#
9202536	EW: US Basic Vehicle 6 year/300,000 miles,	\$2,171	0#
9202537	EW: US Basic Vehicle 6 year/400,000 miles,	\$2,354	0#
9202538	EW: US Basic Vehicle 6 year/600,000 miles,	\$2,791	0#
9202539	EW: US Basic Vehicle 7 year/200,000 miles,	\$2,354	0#
9202566	EW: US Radiator/CAAC 2 year/100,000 miles,	\$47	0#
9202567	EW: US Radiator/CAAC 2 year/200,000 miles,	\$112	0#
9202568	EW: US Radiator/CAAC 2 year/300,000 miles,	\$124	0#
9202569	EW: US Radiator/CAAC 2 year/400,000 miles,	\$136	0#
9202570	EW: US Radiator/CAAC 2 year/500,000 miles,	\$148	0#
9202571	EW: US Radiator/CAAC 3 year/100,000 miles,	\$89	0#
9202572	EW: US Radiator/CAAC 3 year/200,000 miles,	\$153	0#
9202573	EW: US Radiator/CAAC 3 year/300,000 miles,	\$224	0#
9202574	EW: US Radiator/CAAC 3 year/400,000 miles,	\$242	0#
9202575	EW: US Radiator/CAAC 3 year/500,000 miles,	\$260	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202576	EW: US Radiator/CAAC 4 year/100,000 miles,	\$124	0#
9202577	EW: US Radiator/CAAC 4 year/200,000 miles,	\$195	0#
9202578	EW: US Radiator/CAAC 4 year/300,000 miles,	\$260	0#
9202579	EW: US Radiator/CAAC 4 year/400,000 miles,	\$283	0#
9202580	EW: US Radiator/CAAC 4 year/500,000 miles,	\$313	0#
9202581	EW: US Radiator/CAAC 5 year/100,000 miles,	\$159	0#
9202582	EW: US Radiator/CAAC 5 year/200,000 miles,	\$236	0#
9202583	EW: US Radiator/CAAC 5 year/300,000 miles,	\$319	0#
9202584	EW: US Radiator/CAAC 5 year/400,000 miles,	\$348	0#
9202585	EW: US Radiator/CAAC 5 year/500,000 miles,	\$378	0#
9202586	EW: US Radiator/CAAC 6 year/100,000 miles,	\$201	0#
9202587	EW: US Radiator/CAAC 6 year/200,000 miles,	\$301	0#
9202588	EW: US Radiator/CAAC 7 year/200,000 miles,	\$366	0#
9202616	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$65	0#
9202617	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$148	0#
9202618	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$189	0#
9202619	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$206	0#
9202620	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$224	0#
9202621	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$136	0#
9202624	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$212	0#
9202625	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$277	0#
9202626	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$313	0#
9202627	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$342	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202628	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$195	0#
9202629	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$295	0#
9202630	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$360	0#
9202631	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$395	0#
9202632	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$437	0#
9202635	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$248	0#
9202636	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$366	0#
9202637	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$437	0#
9202638	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$478	0#
9202639	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$519	0#
9202640	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$313	0#
9202641	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$437	0#
9202642	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$496	0#
9202666	EW: US Starter & Alternator 2 year/200,000 miles, United States only.	\$88	0#
9202667	EW: US Starter & Alternator 2 year/300,000 miles, United States only.	\$130	0#
9202672	EW: US Starter & Alternator 3 year/300,000 miles, United States only.	\$254	0#
9202673	EW: US Starter & Alternator 3 year/400,000 miles, United States only.	\$283	0#
9202674	EW: US Starter & Alternator 4 year/500,000 miles, United States only.	\$460	0#
9202675	EW: US Starter & Alternator 5 year/500,000 miles, United States only.	\$631	0#
9202736	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$557	0#
9202737	EW: US Towing For Warrantable Failures 2 year / Unlimited miles.	\$1,103	0#
9202738	EW: US Towing For Warrantable Failures 3 year / Unlimited miles.	\$1,660	0#
9202739	EW: US Towing For Warrantable Failures 4 year / Unlimited miles.	\$2,171	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202740	EW: US Towing For Warrantable Failures 5 year / Unlimited miles.	\$3,274	0#
9202890	EW: US Towing For Warrantable Failures 6 year / Unlimited miles.	\$4,278	0#
9202891	EW: US Towing For Warrantable Failures 7 year / Unlimited miles.	\$5,411	0#
9202899	EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014	\$496	0#
9203090	EW: US Chassis/Frame Wiring 4 years/400,000 mile Per CA-014	\$755	0#
9203091	EW: US Chassis/Frame Wiring 4 years/500,000 mile Per CA-014	\$932	0#
9203092	EW: US Chassis/Frame Wiring 5 years/500,000 mile Per CA-014	\$1,127	0#
9203093	EW: US Chassis/Frame Wiring 5 years/600,000 mile Per CA-014	\$1,363	0#
9203094	EW: US Chassis/Frame Wiring 6 years/600,000 mile Per CA-014	\$1,622	0#
9203101	EW: US Basic Vehicle 2 year/100,000 miles,	\$413	0#
9203102	EW: US Basic Vehicle 2 year/200,000 miles,	\$531	0#
9203103	EW: US Basic Vehicle 2 year/300,000 miles,	\$561	0#
9203104	EW: US Basic Vehicle 2 year/400,000 miles,	\$626	0#
9203105	EW: US Basic Vehicle 2 year/500,000 miles,	\$685	0#
9203106	EW: US Basic Vehicle 3 year/100,000 miles,	\$785	0#
9203107	EW: US Basic Vehicle 3 year/200,000 miles,	\$809	0#
9203108	EW: US Basic Vehicle 3 year/300,000 miles,	\$874	0#
9203109	EW: US Basic Vehicle 3 year/400,000 miles,	\$933	0#
9203110	EW: US Basic Vehicle 3 year/500,000 miles,	\$998	0#
9203111	EW: US Basic Vehicle 4 year/100,000 miles,	\$1,156	0#
9203112	EW: US Basic Vehicle 4 year/200,000 miles,	\$1,210	0#
9203113	EW: US Basic Vehicle 4 year/300,000 miles,	\$1,305	0#
9203114	EW: US Basic Vehicle 4 year/400,000 miles,	\$1,399	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9203115	EW: US Basic Vehicle 4 year/500,000 miles,	\$1,494	0#
9203116	EW: US Basic Vehicle 5 year/100,000 miles,	\$1,528	0#
9203117	EW: US Basic Vehicle 5 year/200,000 miles,	\$1,582	0#
9203118	EW: US Basic Vehicle 5 year/300,000 miles,	\$1,741	0#
9203119	EW: US Basic Vehicle 5 year/400,000 miles,	\$1,895	0#
9203120	EW: US Basic Vehicle 5 year/500,000 miles,	\$2,048	0#
9203135	EW: US Basic Vehicle 6 year/100,000 miles,	\$1,766	0#
9203136	EW: US Basic Vehicle 6 year/200,000 miles,	\$1,924	0#
9203137	EW: US Basic Vehicle 6 year/300,000 miles,	\$2,113	0#
9203138	EW: US Basic Vehicle 6 year/400,000 miles,	\$2,296	0#
9203139	EW: US Basic Vehicle 6 year/600,000 miles,	\$2,733	0#
9203140	EW: US Basic Vehicle 7 year/200,000 miles,	\$2,296	0#
Canada Extended Warranty			
9201839	EW: Canada Basic Vehicle 2 year/160,000 km - EPA Canada only.	\$445	0#
9201840	EW: Canada Basic Vehicle 2 year/320,000 km - EPA Canada only.	\$1,035	0#
9201841	EW: Canada Basic Vehicle 2 year/480,000 km - EPA Canada only.	\$1,630	0#
9201842	EW: Canada Basic Vehicle 2 year/640,000 km - EPA Canada only.	\$2,540	0#
9201843	EW: Canada Basic Vehicle 2 year/800,000 km - EPA Canada only.	\$3,060	0#
9201844	EW: Canada Basic Vehicle 3 year/160,000 km - EPA Canada only.	\$565	0#
9201845	EW: Canada Basic Vehicle 3 year/320,000 km - EPA Canada only.	\$1,165	0#
9201846	EW: Canada Basic Vehicle 3 year/480,000 km - EPA Canada only.	\$1,810	0#
9201847	EW: Canada Basic Vehicle 3 year/640,000 km - EPA Canada only.	\$2,695	0#
9201848	EW: Canada Basic Vehicle 3 year/800,000 km - EPA Canada only.	\$3,250	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201849	EW: Canada Basic Vehicle 4 year/160,000 km - EPA Canada only.	\$1,335	0#
9201850	EW: Canada Basic Vehicle 4 year/320,000 km - EPA Canada only.	\$1,980	0#
9201851	EW: Canada Basic Vehicle 4 year/480,000 km - EPA Canada only.	\$2,625	0#
9201852	EW: Canada Basic Vehicle 4 year/640,000 km - EPA Canada only.	\$3,430	0#
9201853	EW: Canada Basic Vehicle 4 year/800,000 km - EPA Canada only.	\$3,995	0#
9201854	EW: Canada Basic Vehicle 5 year/160,000 km - EPA Canada only.	\$1,945	0#
9201855	EW: Canada Basic Vehicle 5 year/320,000 km - EPA Canada only.	\$2,620	0#
9201856	EW: Canada Basic Vehicle 5 year/480,000 km - EPA Canada only.	\$3,330	0#
9201857	EW: Canada Basic Vehicle 5 year/640,000 km - EPA Canada only.	\$4,160	0#
9201858	EW: Canada Basic Vehicle 5 year/800,000 km - EPA Canada only.	\$4,520	0#
9201859	EW: Canada Basic Vehicle 6 year/160,000 km - EPA Canada only.	\$1,990	0#
9201860	EW: Canada Basic Vehicle 6 year/320,000 km - EPA Canada only.	\$2,665	0#
9201861	EW: Canada Basic Vehicle 6 year/480,000 km - EPA Canada only.	\$3,670	0#
9201862	EW: Canada Basic Vehicle 6 year/640,000 km - EPA Canada only.	\$4,795	0#
9201863	EW: Canada Basic Vehicle 6 year/960,000 km - EPA Canada only.	\$5,605	0#
9201864	EW: Canada Basic Vehicle 7 year/320,000 km - EPA Canada only.	\$2,760	0#
9201888	EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.	\$125	0#
9201889	EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.	\$285	0#
9201890	EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.	\$360	0#
9201891	EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.	\$480	0#
9201892	EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.	\$635	0#
9201893	EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.	\$165	0#
9201894	EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.	\$325	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201895	EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.	\$405	0#
9201896	EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.	\$525	0#
9201897	EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.	\$685	0#
9201898	EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.	\$250	0#
9201899	EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.	\$410	0#
9201900	EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.	\$530	0#
9201901	EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.	\$610	0#
9201902	EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.	\$775	0#
9201903	EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.	\$285	0#
9201904	EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.	\$445	0#
9201905	EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.	\$560	0#
9201906	EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.	\$635	0#
9201907	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$795	0#
9201908	EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.	\$320	0#
9201909	EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.	\$480	0#
9201910	EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.	\$530	0#
9201934	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$125	0#
9201935	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$285	0#
9201936	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$405	0#
9201937	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$520	0#
9201938	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$605	0#
9201939	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$165	0#
9201940	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$325	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201941	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$450	0#
9201942	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$565	0#
9201943	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$645	0#
9201944	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$290	0#
9201945	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$450	0#
9201946	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$610	0#
9201947	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$690	0#
9201948	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$775	0#
9201949	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$360	0#
9201950	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$560	0#
9201951	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$720	0#
9201952	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$795	0#
9201953	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$875	0#
9201954	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$400	0#
9201955	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$600	0#
9201956	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$650	0#
9201963	EW: Canada Starter & Alternator 2 year/320,000km, Canada only.	\$245	0#
9201964	EW: Canada Starter & Alternator 2 year/480,000km, Canada only.	\$320	0#
9201965	EW: Canada Starter & Alternator 3 year/480,000km, Canada only.	\$565	0#
9201966	EW: Canada Starter & Alternator 3 year/640,000km, Canada only.	\$805	0#
9201967	EW: Canada Starter & Alternator 4 year/800,000km, Canada only.	\$995	0#
9201968	EW: Canada Starter & Alternator 5 year/800,000km, Canada only.	\$1,185	0#
9201976	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$555	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201977	EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,100	0#
9201978	EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,655	0#
9201979	EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,165	0#
9201980	EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,265	0#
9201981	EW: CA Towing For Warrantable Failures 6 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$4,265	0#
9201982	EW: CA Towing For Warrantable Failures 7 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$5,395	0#
9201989	EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014	\$1,200	0#
9201990	EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014	\$1,850	0#
9201991	EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014	\$2,735	0#
9201992	EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014	\$3,220	0#
9201993	EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014	\$3,590	0#
9201994	EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014	\$3,830	0#
9202540	EW: Canada Basic Vehicle 2 year/160,000 km - EPA	\$472	0#
9202541	EW: Canada Basic Vehicle 2 year/320,000 km - EPA	\$1,092	0#
9202542	EW: Canada Basic Vehicle 2 year/480,000 km - EPA	\$1,151	0#
9202543	EW: Canada Basic Vehicle 2 year/640,000 km - EPA	\$1,215	0#
9202544	EW: Canada Basic Vehicle 2 year/800,000 km - EPA	\$1,274	0#
9202545	EW: Canada Basic Vehicle 3 year/160,000 km - EPA	\$1,056	0#
9202546	EW: Canada Basic Vehicle 3 year/320,000 km - EPA	\$1,552	0#
9202547	EW: Canada Basic Vehicle 3 year/480,000 km - EPA	\$1,611	0#
9202548	EW: Canada Basic Vehicle 3 year/640,000 km - EPA	\$1,676	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202549	EW: Canada Basic Vehicle 3 year/800,000 km - EPA	\$1,735	0#
9202550	EW: Canada Basic Vehicle 4 year/160,000 km - EPA	\$1,581	0#
9202551	EW: Canada Basic Vehicle 4 year/320,000 km - EPA	\$2,106	0#
9202552	EW: Canada Basic Vehicle 4 year/480,000 km - EPA	\$2,201	0#
9202553	EW: Canada Basic Vehicle 4 year/640,000 km - EPA	\$2,295	0#
9202554	EW: Canada Basic Vehicle 4 year/800,000 km - EPA	\$2,384	0#
9202555	EW: Canada Basic Vehicle 5 year/160,000 km - EPA	\$2,136	0#
9202556	EW: Canada Basic Vehicle 5 year/320,000 km - EPA	\$2,974	0#
9202557	EW: Canada Basic Vehicle 5 year/480,000 km - EPA	\$3,811	0#
9202558	EW: Canada Basic Vehicle 5 year/640,000 km - EPA	\$4,030	0#
9202559	EW: Canada Basic Vehicle 5 year/800,000 km - EPA	\$4,337	0#
9202560	EW: Canada Basic Vehicle 6 year/160,000 km - EPA	\$2,696	0#
9202561	EW: Canada Basic Vehicle 6 year/320,000 km - EPA	\$3,965	0#
9202562	EW: Canada Basic Vehicle 6 year/480,000 km - EPA	\$4,862	0#
9202563	EW: Canada Basic Vehicle 6 year/640,000 km - EPA	\$5,328	0#
9202564	EW: Canada Basic Vehicle 6 year/960,000 km - EPA	\$6,095	0#
9202565	EW: Canada Basic Vehicle 7 year/320,000 km - EPA	\$5,021	0#
9202589	EW: Canada Radiator/CAAC 2 year/160,000 km,	\$112	0#
9202590	EW: Canada Radiator/CAAC 2 year/320,000 km,	\$248	0#
9202591	EW: Canada Radiator/CAAC 2 year/480,000 km,	\$313	0#
9202592	EW: Canada Radiator/CAAC 2 year/640,000 km,	\$342	0#
9202593	EW: Canada Radiator/CAAC 2 year/800,000 km,	\$372	0#
9202594	EW: Canada Radiator/CAAC 3 year/160,000 km,	\$171	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202595	EW: Canada Radiator/CAAC 3 year/320,000 km,	\$336	0#
9202596	EW: Canada Radiator/CAAC 3 year/480,000 km,	\$378	0#
9202599	EW: Canada Radiator/CAAC 3 year/640,000 km,	\$395	0#
9202602	EW: Canada Radiator/CAAC 3 year/800,000 km,	\$413	0#
9202603	EW: Canada Radiator/CAAC 4 year/160,000 km,	\$236	0#
9202604	EW: Canada Radiator/CAAC 4 year/320,000 km,	\$395	0#
9202605	EW: Canada Radiator/CAAC 4 year/480,000 km,	\$419	0#
9202606	EW: Canada Radiator/CAAC 4 year/640,000 km,	\$443	0#
9202607	EW: Canada Radiator/CAAC 4 year/800,000 km,	\$460	0#
9202608	EW: Canada Radiator/CAAC 5 year/160,000 km,	\$295	0#
9202609	EW: Canada Radiator/CAAC 5 year/320,000 km,	\$472	0#
9202610	EW: Canada Radiator/CAAC 5 year/480,000 km,	\$537	0#
9202611	EW: Canada Radiator/CAAC 5 year/640,000 km,	\$566	0#
9202612	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$596	0#
9202613	EW: Canada Radiator/CAAC 6 year/160,000 km,	\$366	0#
9202614	EW: Canada Radiator/CAAC 6 year/320,000 km,	\$525	0#
9202615	EW: Canada Radiator/CAAC 7 year/320,000 km,	\$584	0#
9202643	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$118	0#
9202644	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$260	0#
9202645	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$295	0#
9202646	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$330	0#
9202647	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$360	0#
9202648	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$189	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202649	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$372	0#
9202650	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$437	0#
9202651	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$478	0#
9202652	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$525	0#
9202653	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$266	0#
9202654	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$490	0#
9202655	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$566	0#
9202656	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$614	0#
9202657	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$684	0#
9202658	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$366	0#
9202659	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$620	0#
9202660	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$714	0#
9202661	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$779	0#
9202662	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$856	0#
9202663	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$484	0#
9202664	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$749	0#
9202665	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$885	0#
9202688	EW: Canada Starter & Alternator 2 year/320,000km, Canada only.	\$130	0#
9202689	EW: Canada Starter & Alternator 2 year/480,000km, Canada only.	\$201	0#
9202690	EW: Canada Starter & Alternator 3 year/480,000km, Canada only.	\$372	0#
9202691	EW: Canada Starter & Alternator 3 year/640,000km, Canada only.	\$413	0#
9202734	EW: Canada Starter & Alternator 4 year/500,000km, Canada only.	\$572	0#
9202735	EW: Canada Starter & Alternator 5 year/500,000km, Canada only.	\$708	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202892	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$392	0#
9202893	EW: CA Towing For Warrantable Failures 2 year / Unlimited km.	\$773	0#
9202894	EW: CA Towing For Warrantable Failures 3 year / Unlimited km.	\$1,163	0#
9202895	EW: CA Towing For Warrantable Failures 4 year / Unlimited km.	\$1,520	0#
9202896	EW: CA Towing For Warrantable Failures 5 year / Unlimited km.	\$2,297	0#
9202897	EW: CA Towing For Warrantable Failures 6 year / Unlimited km.	\$3,009	0#
9202898	EW: CA Towing For Warrantable Failures 7 year / Unlimited km.	\$3,811	0#
9203095	EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014	\$791	0#
9203096	EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014	\$1,180	0#
9203097	EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014	\$1,451	0#
9203098	EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014	\$1,758	0#
9203099	EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014	\$2,106	0#
9203100	EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014	\$2,490	0#
9203141	EW: Canada Basic Vehicle 2 year/160,000 km	\$472	0#
9203142	EW: Canada Basic Vehicle 2 year/320,000 km	\$1,062	0#
9203143	EW: Canada Basic Vehicle 2 year/480,000 km	\$1,092	0#
9203144	EW: Canada Basic Vehicle 2 year/640,000 km	\$1,157	0#
9203145	EW: Canada Basic Vehicle 2 year/800,000 km	\$1,216	0#
9203146	EW: Canada Basic Vehicle 3 year/160,000 km	\$1,056	0#
9203147	EW: Canada Basic Vehicle 3 year/320,000 km	\$1,494	0#
9203148	EW: Canada Basic Vehicle 3 year/480,000 km	\$1,553	0#
9203149	EW: Canada Basic Vehicle 3 year/640,000 km	\$1,618	0#
9203150	EW: Canada Basic Vehicle 3 year/800,000 km	\$1,677	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9203151	EW: Canada Basic Vehicle 4 year/160,000 km	\$1,581	0#
9203152	EW: Canada Basic Vehicle 4 year/320,000 km	\$2,048	0#
9203153	EW: Canada Basic Vehicle 4 year/480,000 km	\$2,143	0#
9203154	EW: Canada Basic Vehicle 4 year/640,000 km	\$2,237	0#
9203155	EW: Canada Basic Vehicle 4 year/800,000 km	\$2,326	0#
9203156	EW: Canada Basic Vehicle 5 year/160,000 km	\$2,136	0#
9203157	EW: Canada Basic Vehicle 5 year/320,000 km	\$2,916	0#
9203158	EW: Canada Basic Vehicle 5 year/480,000 km	\$3,753	0#
9203159	EW: Canada Basic Vehicle 5 year/640,000 km	\$3,972	0#
9203160	EW: Canada Basic Vehicle 5 year/800,000 km	\$4,278	0#
9203161	EW: Canada Basic Vehicle 6 year/160,000 km	\$2,687	0#
9203162	EW: Canada Basic Vehicle 6 year/320,000 km	\$3,907	0#
9203163	EW: Canada Basic Vehicle 6 year/480,000 km	\$4,804	0#
9203164	EW: Canada Basic Vehicle 6 year/640,000 km	\$5,270	0#
9203165	EW: Canada Basic Vehicle 6 year/960,000 km	\$6,037	0#
9203166	EW: Canada Basic Vehicle 7 year/320,000 km	\$4,963	0#
Cummins Engine Extended Coverage Plans			
9202420	PACCAR EW: PX-7 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,640	0#
9202421	PACCAR EW: PX-7 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,790	0#
9202424	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,490	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202425	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,740	0#
9202426	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,040	0#
9202427	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,340	0#
9202428	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,390	0#
9202429	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,090	0#
9202430	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,490	0#
9202431	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,840	0#
9202432	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$930	0#
9202435	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,010	0#
9202436	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$930	0#
9202437	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,010	0#
9202438	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,125	0#
9202439	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,230	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202440	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,310	0#
9202441	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,110	0#
9202442	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,295	0#
9202443	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,405	0#
9202444	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,340	0#
9202445	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,590	0#
9202446	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,240	0#
9202447	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,040	0#
9202448	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,190	0#
9202449	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,630	0#
9202450	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,440	0#
9202451	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,440	0#
9202452	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,440	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202453	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,190	0#
9202454	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,990	0#
9202455	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,990	0#
9202456	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$855	0#
9202457	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,020	0#
9202458	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#
9202459	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,295	0#
9202460	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#
9202461	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,310	0#
9202462	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,480	0#
9202463	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,680	0#
9202464	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,955	0#
9202465	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,535	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202466	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,710	0#
9202467	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,960	0#
9202468	PACCAR EW: PX-7 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$875	0#
9202469	PACCAR EW: PX-7 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,025	0#
9202470	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$850	0#
9202471	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$900	0#
9202472	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,175	0#
9202473	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,475	0#
9202474	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,525	0#
9202475	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,225	0#
9202476	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,625	0#
9202477	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,975	0#
9202478	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$625	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202479	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$655	0#
9202480	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$765	0#
9202481	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$820	0#
9202482	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$635	0#
9202483	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$830	0#
9202484	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$910	0#
9202485	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9202486	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$970	0#
9202487	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9202488	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,920	0#
9202489	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,095	0#
9202490	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,195	0#
9202491	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,005	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202492	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,005	0#
9202493	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,005	0#
9202494	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,755	0#
9202495	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,555	0#
9202496	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,555	0#
9202497	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,030	0#
9202498	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,110	0#
9202499	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,270	0#
9202500	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,540	0#
9202502	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9202508	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,300	0#
9202509	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,545	0#
PACCAR Transmission Extended Warranty			
9202978	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$355	0#



T380: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Transmission Extended Warranty			
9202979	EW: PACCAR TX-8 Trans 8AP560 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$795	0#
9202980	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Standard Duty - PTO	\$635	0#
9202981	EW: PACCAR TX-8 Trans 8AP560 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,155	0#
9202982	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Severe Duty	\$1,130	0#
9202983	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$355	0#
9202984	EW: PACCAR TX-8 Trans 8AP660 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$795	0#
9202985	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Standard Duty - PTO	\$635	0#
9202986	EW: PACCAR TX-8 Trans 8AP660 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,155	0#
9202987	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Severe Duty	\$1,130	0#
9202988	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202989	EW: PACCAR TX-8 Trans 8AP760 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$915	0#
9202990	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202991	EW: PACCAR TX-8 Trans 8AP760 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,235	0#
9202992	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#
9202993	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202994	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202995	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#
9202996	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202997	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202998	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#



T380: PAINT

Option	Description	Price	Weight
9700000	Paint Color Number(s).	\$0	0#

Paint Style

9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	STD	0#
9944822	2 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,105	0#
9944824	2 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,302	0#

Paint Type

9943048	Day Cab Bulk Paint	\$0	0#
9943050	Day Cab Standard Paint	STD	0#
9943051	Day Cab Premium Paint	\$621	0#
9943052	Day Cab Pearl Metallic Paint	\$827	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	STD	0#

Paint Options

9960009	Fleet Paint – Dealer ECO Required	\$0	0#
9960021	Paint Design Continued BOC/BOS -Includes Front of side extenders, but does not include back of side extenders.	\$778	0#

Bumper Paint

9943001	Bumper Painted Color A	\$791	0#
9943002	Bumper Painted Other Than Color A: Specify Color	\$791	0#



T380: PAINT

Option	Description	Price	Weight
Paint Options			
Bumper Paint			
9943004	Bumper Unpainted	\$0	0#
9943014	Steel Bumper Painted Frame Color	\$0	0#
Fairing Paint			
9943011	Roof Fairing Painted A Color	\$754	0#
9943012	Roof Fairing Painted Other Than A Color, Specify Color	\$754	0#
Frame Paint			
9940044	Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.	\$1,647	0#
9999944	Chassis has Frame Paint Color other than Black. Taillight brackets not included, bracket painted black.	\$0	0#
Paint Color			
9960003	Non-Standard Paint Color.	\$295	0#
Hood Paint			
9960083	Paint Hood Top Anti-Glare Top of Hood will be painted with Flat-Black Paint	\$0	0#
Paint Designs			
9944839	Spectrum Design - Hood Top Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,812	0#
9944840	Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,914	0#
9944841	Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,337	0#



T380: PAINT

Option	Description	Price	Weight
Paint Designs			
9944843	Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,688	0#
9944845	Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,683	0#
9944847	Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,362	0#
9944849	Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,926	0#