



T480 Data Book
1/1/2026 Rev 0



TABLE OF CONTENTS

Section	Pages
STANDARD SPECIFICATIONS	F
REQUIRED INFORMATION	H
MOTORS	I
MOTOR EQUIPMENT	J
TRANSMISSIONS	K
FRONT AXLE	L
REAR AXLE	M
REAR SUSPENSION	N
TIRES & WHEELS	O
FRAME & EQUIPMENT	P
FUEL TANKS & EQUIPMENT	Q
CAB EXTERIOR	R
CAB INTERIOR	S
LIGHTS & SIGNALS	T
AIR EQUIPMENT	U
SPECIAL EQUIPMENT	V
EXTENDED WARRANTY	W
PAINT	X



T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

BASE MODEL PRICE

0000480	T480 Series Conventional	\$127,078	10,386#
---------	--------------------------	-----------	---------

MOTORS

PACCAR

0130216	PACCAR PX-9 260 260@1600 860@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$0	0#
---------	--	-----	----

MOTOR EQUIPMENT

Air Compressor

1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	\$0	0#
---------	---	-----	----

Air Intake System

1041399	Air Cleaner: MD Composite Engine Mounted	\$0	0#
---------	--	-----	----

1098003	Air Restriction Indicator: Mechanical Mounted on Air Cleaner.	\$0	0#
---------	---	-----	----

Cooling System

1121231	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches	\$0	0#
---------	--	-----	----

1105231	Fan Hub: Horton On/Off for PX-9 or L9N	\$0	0#
---------	--	-----	----

Aftertreatment Systems

1247247	EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail	\$0	0#
---------	--	-----	----

Filters

1321102	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	\$0	0#
---------	---	-----	----

1321200	Run Aid:None *For Fuel Filter	\$0	0#
---------	-------------------------------	-----	----

1321300	Start Aid:None *For Fuel Filter	\$0	0#
---------	---------------------------------	-----	----

Motor Equipment Miscellaneous

1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$0	0#
---------	--	-----	----

Starting & Recharging

1816260	Alternator: PACCAR 160 amp, Brush Type	\$0	0#
---------	--	-----	----

1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	\$0	0#
---------	--	-----	----

1840065	12V Low Voltage Disconnect for Battery Protection	\$0	0#
---------	---	-----	----

1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	\$0	0#
---------	---	-----	----

TRANSMISSIONS

PACCAR

2020107	Transmission: PACCAR TX-8, Without HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	\$0	0#
---------	--	-----	----

Clutch

2410808	Torque Converter: TP800N for PACCAR TX-8	\$0	0#
---------	--	-----	----

Driveline



T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
2409941	One Heavy-Duty One-Piece Aluminum Crossmember This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$0	0#
2406440	Driveline: 2 Dana SPL140 1 Centerbearing	\$0	0#

FRONT AXLE

Front Axles

2532108	Hendrickson Steertek Front Axle rated 12K Standard Track 3.32 in. drop.	\$0	0#
---------	---	-----	----

Outer End Equipment

2621310	Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	\$0	0#
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	\$0	0#
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	\$0	0#
2741970	ConMet PreSet Plus Hub Package; Front Axle.	\$0	0#
2750001	Hubcap: Front Vented.	\$0	0#
2765001	Front Auto Slack Adjuster for Drum Brakes.	\$0	0#

Front Springs

2864070	Front Springs: Taperleaf 13.2K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$0	0#
---------	--	-----	----

Power Steering

2895223	Single Power Steering Gear: 13.2K for Air Brakes.	\$0	0#
---------	---	-----	----

REAR AXLE

Single Drive Rear Axles

3042160	Single Meritor RS23-160 Rear Axle rated at 23K.	\$0	0#
---------	---	-----	----

Single Axle Outer End Equipment

3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	\$0	0#
3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	\$0	0#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	\$0	0#
3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	\$0	0#
3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	\$0	0#
3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$0	0#

Anti-Lock Brake System

3495226	Bendix 4S/4M Anti-Lock Brake System.	\$0	0#
---------	--------------------------------------	-----	----

REAR SUSPENSION

Single

3636422	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 9 in. Laden Height: 7.3 in. Not rear air disc brake compatible.	\$0	0#
---------	---	-----	----

Suspension Equipment

3836315	Bolted Rear Suspension Crossmembers for Reyco 79KB. Replaces medium duty standard.	\$0	0#
---------	--	-----	----

TIRES & WHEELS



T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
Front & Rear Axle Tires			
4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	\$0	0#
4280056	Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	\$0	0#
Front & Rear Axle Wheels & Rims			
5042292	Front Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$0	0#
5242392	Rear Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$0	0#
Miscellaneous Tires & Wheels			
4899106	Tire pressure monitoring system for tire/wheel count: 6.	\$0	0#

FRAME & EQUIPMENT

Rails & Inserts			
6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
Bumpers			
6308711	Bumper: Aerodynamic, Unpainted, in-mold color. Requires a bumper setting code.	\$0	0#
6321010	Front Tow Loops: Two	\$0	0#
Battery Boxes			
6404422	Battery Box: Steel Parallel Module under W/Step, plastic cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$0	0#
6409901	Battery Box Location: LH Side.	\$0	0#
DPF-SCR Covers			
6451125	DPF/SCR Box Natural End Plates and Natural cover.	\$0	0#
Frame Crossmembers & Upgrades			
6490139	Heavy-Duty One-PC Aluminum Intermediate/ Fill-In crossmember.	\$0	0#
6490433	Heavy-Duty 5-Piece Rear Cab Support, Hucked assembly. Huck fastened to frame.	\$0	0#
Rear Frame Equipment			
6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	\$0	0#
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	\$0	0#
6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	\$0	0#

FUEL TANKS & EQUIPMENT

D-Shape Rectangular			
7144050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$0	0#
DEF Tanks & Equipment			
7722170	Small DEF Tank, 5.5 Gallons.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	\$0	0#



T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
7889614	DEF Tank Location is LH BOC. For 2.1M Medium-Duty	\$0	0#

CAB EXTERIOR

Cabs

8024311	Cab: Stamped Aluminum with Curved Windshield LED markers. Requires separate roof code.	\$0	0#
---------	--	-----	----

Windows

8871446	Rear Cab Stationary Window 19in x 36in	\$0	0#
---------	--	-----	----

Hoods, Fenders & Grilles

8090151	Hood: Short Aero w/ Dark Gray Crown In-Mold Color	\$0	0#
---------	---	-----	----

Cab Structure Miscellaneous

8890881	Direct Mount, Rubber Isolated Cab Suspension.	\$0	0#
---------	---	-----	----

8891012	Roof: Low Profile Stamped Steel	\$0	0#
---------	---------------------------------	-----	----

Horns

8841411	Single Air Horn Under Cab.	\$0	0#
---------	----------------------------	-----	----

Mirrors & Equipment

8850842	Mirror Shell: Dual Aero In-Mold Black	\$0	0#
---------	---------------------------------------	-----	----

8860853	Mirror: Dual KW Aero Rear View Non-Motor, Non-Heated with Integral CX	\$0	0#
---------	---	-----	----

8850139	Look-Down, Pass. Door, Black 11x6	\$0	0#
---------	-----------------------------------	-----	----

Window Equipment

8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	\$0	0#
---------	---	-----	----

Doors & Equipment

8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	\$0	0#
---------	---	-----	----

8700283	LH and RH Trip Ledge Rain Deflectors	\$0	0#
---------	--------------------------------------	-----	----

CAB INTERIOR

Cabs & Sleepers

8330591	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	\$0	0#
---------	--	-----	----

Heaters & Air Conditioning

8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	\$0	0#
---------	--	-----	----

Steering Wheels & Equipment

8201013	Steering Wheel: 18 in. 4-Spoke.	\$0	0#
---------	---------------------------------	-----	----

8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	\$0	0#
---------	--	-----	----

8201200	Adjustable Telescoping Tilt Steering Column.	\$0	0#
---------	--	-----	----

Instruments & Controls



T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
8282024	Main Instrument Package: 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	\$0	0#
8700196	Turn Signal: Self-Cancelling	\$0	0#
8702232	Sensata Tire pressure monitoring system Requires 48991XX tire/wheel count code for sensors.	\$0	0#

Seats

8410101	Driver Seat: KW Air Seat IB Vinyl W/O Armrests /Susp Cover	\$0	0#
8480201	Rider Seat: KW Toolbox Seat IB Vinyl w/o Armrests	\$0	0#

Cab Accessories

8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	\$0	0#
---------	--	-----	----

Sound System Equipment

8698970	No Radio Or Speakers Selected: No Prewire & No Antenna Wiring. Not w/ Smart Wheel.	\$0	0#
---------	--	-----	----

Information & Communication Systems

8700601	Global Telematics Unit	\$0	0#
---------	------------------------	-----	----

LIGHTS & SIGNALS

Headlamps

9010803	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.	\$0	0#
---------	---	-----	----

Marker Lights

9022137	Marker Lights: Five Rectangular LED.	\$0	0#
---------	--------------------------------------	-----	----

Taillights

9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	\$0	0#
---------	---	-----	----

Miscellaneous

9020101	14-Pin RP170 Body Lighting Connector.	\$0	0#
---------	---------------------------------------	-----	----

AIR EQUIPMENT

Air Drying Equipment

9108001	Moisture Ejection Valve W/ Pull Cable Drain.	\$0	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	\$0	0#

Air System Miscellaneous

9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	\$0	0#
---------	--	-----	----

SPECIAL EQUIPMENT

Build Notes

9491652	EMUX Architecture	\$0	0#
---------	-------------------	-----	----

EXTENDED WARRANTY

Warranty

9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	\$0	0#
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	\$0	0#

PAINT



T480: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
Paint Style			
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	\$0	0#
Paint Type			
9943050	Day Cab Standard Paint	\$0	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	\$0	0#



T480: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Operating Area			
0080101	CARB Low NOX Omnibus Registration Guidelines Dealer/Customer acknowledges that this vehicle is NOT intended for registration or domicile/primary use in the State of California.	\$0	0#
State of Registry			
0098401	State of Registry: Alabama	\$0	0#
0098402	State of Registry: Alaska	\$0	0#
0098403	State of Registry: Arizona	\$0	0#
0098404	State of Registry: Arkansas	\$0	0#
0098405	State of Registry: California	\$0	0#
0098406	State of Registry: Colorado	\$0	0#
0098407	State of Registry: Connecticut	\$0	0#
0098408	State of Registry: Delaware	\$0	0#
0098409	State of Registry: Florida	\$0	0#
0098410	State of Registry: Georgia	\$0	0#
0098411	State of Registry: Hawaii	\$0	0#
0098412	State of Registry: Idaho	\$0	0#
0098413	State of Registry: Illinois	\$0	0#
0098414	State of Registry: Indiana	\$0	0#
0098415	State of Registry: Iowa	\$0	0#
0098416	State of Registry: Kansas	\$0	0#
0098417	State of Registry: Kentucky	\$0	0#
0098418	State of Registry: Louisiana	\$0	0#
0098419	State of Registry: Maine	\$0	0#
0098420	State of Registry: Maryland	\$0	0#



T480: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
State of Registry			
0098421	State of Registry: Massachusetts	\$0	0#
0098422	State of Registry: Michigan	\$0	0#
0098423	State of Registry: Minnesota	\$0	0#
0098424	State of Registry: Mississippi	\$0	0#
0098425	State of Registry: Missouri	\$0	0#
0098426	State of Registry: Montana	\$0	0#
0098427	State of Registry: Nebraska	\$0	0#
0098428	State of Registry: Nevada	\$0	0#
0098429	State of Registry: New Hampshire	\$0	0#
0098430	State of Registry: New Jersey	\$0	0#
0098431	State of Registry: New Mexico	\$0	0#
0098432	State of Registry: New York	\$0	0#
0098433	State of Registry: North Carolina	\$0	0#
0098434	State of Registry: North Dakota	\$0	0#
0098435	State of Registry: Ohio	\$0	0#
0098436	State of Registry: Oklahoma	\$0	0#
0098437	State of Registry: Oregon	\$0	0#
0098438	State of Registry: Pennsylvania	\$0	0#
0098439	State of Registry: Rhode Island	\$0	0#
0098440	State of Registry: South Carolina	\$0	0#
0098441	State of Registry: South Dakota	\$0	0#
0098442	State of Registry: Tennessee	\$0	0#



T480: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
State of Registry			
0098443	State of Registry: Texas	\$0	0#
0098444	State of Registry: Utah	\$0	0#
0098445	State of Registry: Vermont	\$0	0#
0098446	State of Registry: Virginia	\$0	0#
0098447	State of Registry: Washington	\$0	0#
0098448	State of Registry: West Virginia	\$0	0#
0098449	State of Registry: Wisconsin	\$0	0#
0098450	State of Registry: Wyoming	\$0	0#
0098451	State of Registry: District of Columbia	\$0	0#
0098452	State of Registry: Puerto Rico	\$0	0#
0098453	State of Registry: Guam	\$0	0#
0098454	State of Registry: American Samoa	\$0	0#
0098455	State of Registry: Mariana Islands	\$0	0#
0098456	State of Registry: US Virgin Islands	\$0	0#
0098460	State of Registry: Israel	\$0	0#
0098465	State of Registry: Mexico	\$0	0#
0098470	State of Registry: Canada	\$0	0#
0098490	State of Registry: International	\$0	0#
Export Destination			
9481000	Export Destination: Chile.	\$0	0#
9481004	Export Destination: Peru.	\$0	0#
9481012	Export Destination: China.	\$0	0#



T480: REQUIRED INFORMATION

Option	Description	Price	Weight
--------	-------------	-------	--------

Special Requirements

Export Destination

9481015	Export Destination: India.	\$0	0#
9481025	Export Destination: Kazakhstan.	\$0	0#
9481031	Export Destination: Argentina.	\$0	0#
9481032	Export Destination: Bahamas.	\$0	0#
9481033	Export Destination: Australia	\$0	0#
9481034	Export Destination: Brazil	\$0	0#
9481036	Export Destination: Philippines	\$0	0#
9481095	Export Destination: Jordan.	\$0	0#
9481196	Export Destination: Israel.	\$0	0#
9481197	Export Destination: Russia.	\$0	0#
9481198	Export Destination: Western Europe.	\$0	0#
9481199	Export Destination: Country not Specified. Export country not otherwise specified	\$0	0#

Stationary Application

0072000	Chassis Operation Will Not Incl. Stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072001	Chassis Operation Will Include Stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072002	Chassis Operation Will Include Stationary application used in Canada or Alaska. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072003	Chassis Operation Will Include Export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#

Model Series

0071000	T480 Aero Hood	\$0	0#
---------	----------------	-----	----



T480: REQUIRED INFORMATION

Option	Description	Price	Weight
Model Series			
0071001	T480 Vocational Hood	\$0	0#
Model Configurations			
0090161	T480 Single Rear	\$0	0#
0090162	T480 Tandem	\$0	0#
0090166	T480 with L9N	\$0	0#



T480: MOTORS

Option	Description	Price	Weight
Emission Idle Reduction Feature			
0080050	CARB Clean Idle Label - PACCAR PX Engines	\$36	0#
0080070	CARB Exempt Application Emergency Vehicle Only.	\$0	0#
0080085	CARB Idle - Alternative Fuel Exempt from CARB Anti-Idle.	\$0	0#
0080314	EPA Clean Idle Label - PACCAR PX Engines	\$36	0#

PACCAR

PX-7 Engine

0130115	PACCAR PX-7 200 200@2400 600@1300, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$7,926)	-694#
0130117	PACCAR PX-7 220 220@2400 600@1300, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$7,681)	-694#
0130118	PACCAR PX-7 240 240@2400 600@1300, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$7,420)	-694#
0130119	PACCAR PX-7 250 250@2400 660@1400, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$6,843)	-694#
0130120	PACCAR PX-7 260 260@2400 660@1400, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$6,599)	-694#
0130121	PACCAR PX-7 260EV 260@2400 660@1400, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$6,599)	-694#
0130122	PACCAR PX-7 280 280@2400 660@1400, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$6,041)	-694#
0130123	PACCAR PX-7 280EV 280@2400 660@1400, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$6,041)	-694#
0130124	PACCAR PX-7 300 300@2600 660@1400, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$5,620)	-694#
0130125	PACCAR PX-7 300EV 300@2600 660@1400, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$5,549)	-694#
0130126	PACCAR PX-7 325 325@2400 750@1600, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$5,189)	-694#
0130127	PACCAR PX-7 325EV 325@2400 750@1600, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$5,189)	-694#
0130128	PACCAR PX-7 340EV 340@2600 700@1500, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$4,909)	-694#
0130129	PACCAR PX-7 360EV 360@2600 800@1800, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$4,106)	-694#

PX-9 Engine



T480: MOTORS

Option	Description	Price	Weight
PACCAR			
PX-9 Engine			
0130216	PACCAR PX-9 260 260@1600 860@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	STD	0#
0130217	PACCAR PX-9 270 270@1650 860@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$283	0#
0130218	PACCAR PX-9 270EV 270@1650 860@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$283	0#
0130219	PACCAR PX-9 300 300@1850 860@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$927	0#
0130220	PACCAR PX-9 300EV 300@1850 860@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$927	0#
0130221	PACCAR PX-9 330 330@1750 1000@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$1,571	0#
0130222	PACCAR PX-9 330EV 330@1750 1000@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$1,571	0#
0130223	PACCAR PX-9 350 350@1750 1050@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$2,897	0#
0130224	PACCAR PX-9 360 360@1650 1150@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$4,239	0#
0130225	PACCAR PX-9 360EV 360@1650 1150@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$4,239	0#
0130226	PACCAR PX-9 370 370@1600 1250@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$8,568	0#
0130227	PACCAR PX-9 370EV 370@1900 1250@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$8,568	0#
0130228	PACCAR PX-9 380 380@1600 1250@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	\$9,034	0#
0130229	PACCAR PX-9 380EV 380@1750 1150@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$9,034	0#
0130230	PACCAR PX-9 400EV 400@1700 1250@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$9,948	0#
0130231	PACCAR PX-9 450EV 450@2100 1250@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	\$10,863	0#

Cummins

ISL, L9

0128109	Cummins ISL8.9E5 320 315@2100 996@1100, Euro 5	(\$384)	-232#
0128111	Cummins ISL8.9E5 340 335@2100 1106@1200, Euro 5	(\$309)	-232#



T480: MOTORS

Option	Description	Price	Weight
Cummins			
ISB, B6.7			
0120037	Cummins ISB6.7E5 225 222@2500 627@1100, Euro 5	(\$13,586)	-682#
0120042	Cummins ISB6.7E5 250 247@2500701@1200, Euro 5	(\$12,948)	-682#
0120043	Cummins ISB6.7E5 285 281@2500752@1200, Euro 5	(\$11,948)	-682#
0120044	Cummins ISB6.7 E5 300 296@2500 811@1200, Euro 5	(\$10,888)	-682#
Natural Gas			
0128902	L9N 300 2018 300@2100 860@1300 GOV@2200	\$32,341	33#
0128922	L9N 320 2018 320@2000 1000@1300 GOV @2200	\$33,347	33#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
1000234	Engine Parameter: Set Engine Fan to Not Engage when Exhaust/Compression Brake Engages	\$0	0#
Emissions			
1000046	EPA Emissions Warranty Engine	\$0	0#
1000047	CARB Emissions Warranty Engine	\$0	0#
Engine Idle Shutdown Timers			
1000857	Engine Idle Shutdown Timer Enabled	\$0	0#
1000858	Engine Idle Shutdown Timer Disabled	\$0	0#
1000859	Enable EIST Ambient Temp Override	\$0	0#
1000861	Enable Adjustable EIST Settings	\$0	0#
1000865	Eff EIST 3000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000870	Eff EIST 0 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000890	Eff EIST 1259000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	\$0	0#
1000912	Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000980	Eff EIST 3000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
Vehicle Speed Limiters			
1000611	Highest Efficiency VSL Settings	\$0	0#
1000624	Effective VSL Setting 51-51.9 MPH (USA)	\$0	0#
1000625	Effective VSL Setting 52-52.9 MPH (USA)	\$0	0#
1000626	Effective VSL Setting 53-53.9 MPH (USA)	\$0	0#
1000627	Effective VSL Setting 54-54.9 MPH (USA)	\$0	0#
1000628	Effective VSL Setting 55-55.9 MPH (USA)	\$0	0#
1000629	Effective VSL Setting 56-56.9 MPH (USA)	\$0	0#
1000630	Effective VSL Setting 57-57.9 MPH (USA)	\$0	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000631	Effective VSL Setting 58-58.9 MPH (USA)	\$0	0#
1000632	Effective VSL Setting 59-59.9 MPH (USA)	\$0	0#
1000633	Effective VSL Setting 60.0 MPH (USA)	\$0	0#
1000634	Effective VSL Setting 60.1 MPH (USA)	\$0	0#
1000635	Effective VSL Setting 60.2 MPH (USA)	\$0	0#
1000636	Effective VSL Setting 60.3 MPH (USA)	\$0	0#
1000637	Effective VSL Setting 60.4 MPH (USA)	\$0	0#
1000638	Effective VSL Setting 60.5 MPH (USA)	\$0	0#
1000639	Effective VSL Setting 60.6 MPH (USA)	\$0	0#
1000640	Effective VSL Setting 60.7 MPH (USA)	\$0	0#
1000641	Effective VSL Setting 60.8 MPH (USA)	\$0	0#
1000642	Effective VSL Setting 60.9 MPH (USA)	\$0	0#
1000643	Effective VSL Setting 61.0 MPH (USA)	\$0	0#
1000644	Effective VSL Setting 61.1 MPH (USA)	\$0	0#
1000645	Effective VSL Setting 61.2 MPH (USA)	\$0	0#
1000646	Effective VSL Setting 61.3 MPH (USA)	\$0	0#
1000647	Effective VSL Setting 61.4 MPH (USA)	\$0	0#
1000648	Effective VSL Setting 61.5 MPH (USA)	\$0	0#
1000649	Effective VSL Setting 61.6 MPH (USA)	\$0	0#
1000650	Effective VSL Setting 61.7 MPH (USA)	\$0	0#
1000651	Effective VSL Setting 61.8 MPH (USA)	\$0	0#
1000652	Effective VSL Setting 61.9 MPH (USA)	\$0	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000653	Effective VSL Setting 62.0 MPH (USA)	\$0	0#
1000654	Effective VSL Setting 62.1 MPH (USA)	\$0	0#
1000655	Effective VSL Setting 62.2 MPH (USA)	\$0	0#
1000656	Effective VSL Setting 62.3 MPH (USA)	\$0	0#
1000657	Effective VSL Setting 62.4 MPH (USA)	\$0	0#
1000658	Effective VSL Setting 62.5 MPH (USA)	\$0	0#
1000659	Effective VSL Setting 62.6 MPH (USA)	\$0	0#
1000660	Effective VSL Setting 62.7 MPH (USA)	\$0	0#
1000661	Effective VSL Setting 62.8 MPH (USA)	\$0	0#
1000662	Effective VSL Setting 62.9 MPH (USA)	\$0	0#
1000663	Effective VSL Setting 63.0 MPH (USA)	\$0	0#
1000664	Effective VSL Setting 63.1 MPH (USA)	\$0	0#
1000665	Effective VSL Setting 63.2 MPH (USA)	\$0	0#
1000666	Effective VSL Setting 63.3 MPH (USA)	\$0	0#
1000667	Effective VSL Setting 63.4 MPH (USA)	\$0	0#
1000668	Effective VSL Setting 63.5 MPH (USA)	\$0	0#
1000669	Effective VSL Setting 63.6 MPH (USA)	\$0	0#
1000670	Effective VSL Setting 63.7 MPH (USA)	\$0	0#
1000671	Effective VSL Setting 63.8 MPH (USA)	\$0	0#
1000672	Effective VSL Setting 63.9 MPH (USA)	\$0	0#
1000673	Effective VSL Setting 64.0 MPH (USA)	\$0	0#
1000674	Effective VSL Setting 64.1 MPH (USA)	\$0	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000675	Effective VSL Setting 64.2 MPH (USA)	\$0	0#
1000676	Effective VSL Setting 64.3 MPH (USA)	\$0	0#
1000677	Effective VSL Setting 64.4 MPH (USA)	\$0	0#
1000678	Effective VSL Setting 64.5 MPH (USA)	\$0	0#
1000679	Effective VSL Setting 64.6 MPH (USA)	\$0	0#
1000680	Effective VSL Setting 64.7 MPH (USA)	\$0	0#
1000681	Effective VSL Setting 64.8 MPH (USA)	\$0	0#
1000682	Effective VSL Setting 64.9 MPH (USA)	\$0	0#
1000683	Effective VSL Setting 65.0 MPH (USA)	\$0	0#
1000684	Effective VSL Setting NA	\$0	0#
1000685	Effective VSL Setting 51-51.9 MPH (CAN)	\$0	0#
1000686	Effective VSL Setting 52-52.9 MPH (CAN)	\$0	0#
1000687	Effective VSL Setting 53-53.9 MPH (CAN)	\$0	0#
1000688	Effective VSL Setting 54-54.9 MPH (CAN)	\$0	0#
1000689	Effective VSL Setting 55-55.9 MPH (CAN)	\$0	0#
1000690	Effective VSL Setting 56-56.9 MPH (CAN)	\$0	0#
1000691	Effective VSL Setting 57-57.9 MPH (CAN)	\$0	0#
1000692	Effective VSL Setting 58-58.9 MPH (CAN)	\$0	0#
1000693	Effective VSL Setting 59-59.9 MPH (CAN)	\$0	0#
1000694	Effective VSL Setting 60.0 MPH (CAN)	\$0	0#
1000695	Effective VSL Setting 60.1 MPH (CAN)	\$0	0#
1000696	Effective VSL Setting 60.2 MPH (CAN)	\$0	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000697	Effective VSL Setting 60.3 MPH (CAN)	\$0	0#
1000698	Effective VSL Setting 60.4 MPH (CAN)	\$0	0#
1000699	Effective VSL Setting 60.5 MPH (CAN)	\$0	0#
1000700	Effective VSL Setting 60.6 MPH (CAN)	\$0	0#
1000701	Effective VSL Setting 60.7 MPH (CAN)	\$0	0#
1000702	Effective VSL Setting 60.8 MPH (CAN)	\$0	0#
1000703	Effective VSL Setting 60.9 MPH (CAN)	\$0	0#
1000704	Effective VSL Setting 61.0 MPH (CAN)	\$0	0#
1000705	Effective VSL Setting 61.1 MPH (CAN)	\$0	0#
1000706	Effective VSL Setting 61.2 MPH (CAN)	\$0	0#
1000707	Effective VSL Setting 61.3 MPH (CAN)	\$0	0#
1000708	Effective VSL Setting 61.4 MPH (CAN)	\$0	0#
1000709	Effective VSL Setting 61.5 MPH (CAN)	\$0	0#
1000710	Effective VSL Setting 61.6 MPH (CAN)	\$0	0#
1000711	Effective VSL Setting 61.7 MPH (CAN)	\$0	0#
1000712	Effective VSL Setting 61.8 MPH (CAN)	\$0	0#
1000713	Effective VSL Setting 61.9 MPH (CAN)	\$0	0#
1000714	Effective VSL Setting 62.0 MPH (CAN)	\$0	0#
1000715	Effective VSL Setting 62.1 MPH (CAN)	\$0	0#
1000716	Effective VSL Setting 62.2 MPH (CAN)	\$0	0#
1000717	Effective VSL Setting 62.3 MPH (CAN)	\$0	0#
1000718	Effective VSL Setting 62.4 MPH (CAN)	\$0	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000719	Effective VSL Setting 62.5 MPH (CAN)	\$0	0#
1000720	Effective VSL Setting 62.6 MPH (CAN)	\$0	0#
1000721	Effective VSL Setting 62.7 MPH (CAN)	\$0	0#
1000722	Effective VSL Setting 62.8 MPH (CAN)	\$0	0#
1000723	Effective VSL Setting 62.9 MPH (CAN)	\$0	0#
1000724	Effective VSL Setting 63.0 MPH (CAN)	\$0	0#
1000725	Effective VSL Setting 63.1 MPH (CAN)	\$0	0#
1000726	Effective VSL Setting 63.2 MPH (CAN)	\$0	0#
1000727	Effective VSL Setting 63.3 MPH (CAN)	\$0	0#
1000728	Effective VSL Setting 63.4 MPH (CAN)	\$0	0#
1000729	Effective VSL Setting 63.5 MPH (CAN)	\$0	0#
1000730	Effective VSL Setting 63.6 MPH (CAN)	\$0	0#
1000731	Effective VSL Setting 63.7 MPH (CAN)	\$0	0#
1000732	Effective VSL Setting 63.8 MPH (CAN)	\$0	0#
1000733	Effective VSL Setting 63.9 MPH (CAN)	\$0	0#
1000734	Effective VSL Setting 64.0 MPH (CAN)	\$0	0#
1000735	Effective VSL Setting 64.1 MPH (CAN)	\$0	0#
1000736	Effective VSL Setting 64.2 MPH (CAN)	\$0	0#
1000737	Effective VSL Setting 64.3 MPH (CAN)	\$0	0#
1000738	Effective VSL Setting 64.4 MPH (CAN)	\$0	0#
1000739	Effective VSL Setting 64.5 MPH (CAN)	\$0	0#
1000740	Effective VSL Setting 64.6 MPH (CAN)	\$0	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000741	Effective VSL Setting 64.7 MPH (CAN)	\$0	0#
1000742	Effective VSL Setting 64.8 MPH (CAN)	\$0	0#
1000743	Effective VSL Setting 64.9 MPH (CAN)	\$0	0#
1000744	Effective VSL Setting 65.0 MPH (CAN)	\$0	0#
Air Compressor			
1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	STD	0#
1002065	Air Compressor: Cummins 30.4 CFM ISL, PX-8, PX-9 Replacing 18.7.	\$1,945	2#
Air Intake System			
Air Cleaner			
Engine-Mounted			
1041399	Air Cleaner: MD Composite Engine Mounted	STD	0#
Air Intake Equipment			
1093120	Inside/Outside Air Intake for Engine Mounted Air Cleaner	\$922	16#
1098003	Air Restriction Indicator: Mechanical Mounted on Air Cleaner.	STD	0#
1099300	Air Inlet Ember Separator NFPA Compliant for Fire Applications.	\$289	8#
Cooling System			
Cooling Module			
1121231	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches	STD	0#
1121232	Cooling Module: 2.1M MD Aero Hood, Clog Resistant 1000 Square Inches	(\$217)	0#
1121233	Cooling Module: 2.1M MD Vocation Hood 1000 Square Inches	\$751	10#
1121234	Cooling Module: 2.1M MD Vocational Hood, Clog Resistant, 1000 Square Inches	\$549	10#
2 Speed Fan Clutch			
1105230	Fan Hub: Horton 2-Speed for PX-9 or L9N or ISL	\$337	0#
1105250	Fan Hub: Horton 2-Speed for L9N only	(\$41)	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Cooling System			
2 Speed Fan Clutch			
1105260	Fan Hub: Horton 2-Speed for PX-7	\$255	0#
On_Off Fan Clutch			
1105231	Fan Hub: Horton On/Off for PX-9 or L9N	STD	0#
1105261	Fan Hub: Horton On/Off for PX-7 or B6.7N	(\$13)	0#
1107060	Fan Hub: Borg Warner On/Off for PX-9 or L9N	\$153	0#
1107170	Fan Hub: Borg Warner On/Off for PX-7 or B6.7N	\$99	0#
Variable Speed Fan Clutch			
1105232	Fan Hub: Horton Variable Speed For use with PX engines, L9N or B6.7N natural gas engines on 2.1M only.	\$702	0#
Cooling System Equipment			
1160105	Radiator Winterfront.	\$56	0#
1160213	Bug Screen: Front of Grille Mounted	\$131	2#
1160214	Bug Screen: Behind Grille	\$107	2#
Aftertreatment Systems			
RH under DPF-SCR			
1247247	EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail	STD	0#
1247263	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	\$1,229	0#
1247264	EXH: Single Can 2024 RH Under with Single Vertical RH Back-of-Cab Tailpipe	\$3,735	0#
Horizontal Under Rail			
1247278	EXH: Single Can 2024 PX-7 Horizontal Under Rail With Horizontal Tailpipe Below Rail RH Rail Back-of-Cab	(\$1,471)	0#
1247279	EXH: Single Can 2024 PX-9 Horizontal Under Rail With Horizontal Tailpipe Below RH Rail Back-of-Cab	(\$1,064)	0#
Natural Gas			
1247019	EXH: Single Horizontal CNG Catalyst With Single Horizontal Tailpipe	\$15,351	0#
1247033	EXH: Single Right Hand Under Cab Catalyst With Single Vertical Tailpipe Right Hand Side of Cab	\$15,664	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Aftertreatment Systems

Export

1241000	EXH: Euro 4/5 RH Inboard Horizontal EGP with Single Horizontal Tailpipe	(\$3,865)	0#
1241001	EXH: RH Under Rail EGP W/ Single Horizontal Pipe, Euro 4/5	(\$4,823)	0#

Aftertreatment Accessories

Single Tailpipes

1290124	Tailpipe: 5 in. single 24 in. 45 degree curved.	\$163	6#
1290130	Tailpipe: 5 in. single 30 in. 45 degree curved.	\$199	12#
1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	\$222	15#
1290142	Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$247	17#
1290148	Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$270	20#
1290154	Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$295	22#
1290160	Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$331	25#
1290336	Tailpipe: 7 in. single 36 in. 45 degree curved.	\$340	15#
1290342	Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$365	17#
1290348	Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$387	20#
1290354	Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$409	22#
1290360	Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$430	25#
1291736	Tailpipe: single 36 in. curved vertical polished.	\$223	10#

Filters

Fuel-Water Separator

1321102	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	STD	0#
1321103	Fuel Filter: PACCAR 2.1M MD for B6.7N or L9N Fuel/Water separator	\$206	0#
1321107	Fuel Filter: Unheated, ISB Euro 3/4/5 With Fuel/Water Separator and WIF Sensor	\$285	0#
1321114	Fuel Filter: Heated, ISB Euro 3/4/5 With Fuel/Water Separator and WIF Sensor	\$384	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Filters			
Fuel-Water Separator			
1321200	Run Aid:None *For Fuel Filter	STD	0#
1321205	Run Aid:Fuel Heat *For Fuel Filter	\$41	0#
1321300	Start Aid:None *For Fuel Filter	STD	0#
1321305	Start Aid:12V Heat *For Fuel Filter	\$22	1#
Heating & Starting Aids			
Block Heater			
1504006	Block Heater: PACCAR 750 watt 120V for PX-7 and B6.7N. 1000 watt for PX-9 and ISL9 Engines.	\$26	2#
Oil Pan Heater			
1506055	Engine Oil Pan Heater, 120V / 300W Includes plug. For use with EPA 2007+ engines.	\$246	0#
In-tank Fuel Heater			
1509058	Fuel Tank Heater: Single Arctic Fox W/ Thermostat	\$577	0#
1509065	Fuel Tank Heater: Dual Arctic Fox W/ Thermostat	\$1,086	0#
1509088	Fuel Tank Heater:Customer Installed - Single Tank 2.1M Medium Duty only	\$10	7#
1509089	Fuel Tank Heater: Customer Installed - Dual Tanks 2.1M Medium Duty only	\$19	14#
Fuel Cooler			
1500029	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	\$238	0#
Front Engine PTO - FEPTO			
2429038	PTO Adapter For Front Engine PTO (FEPTO)	\$1,465	8#
Rear Engine PTO - REPTO			
6340040	Rear Engine PTO: PX-9, ISL9 Torque Capacity 435 lb-ft continuous, Drive ratio 1.15:1. Includes access provision in toe board.	\$4,138	150#

Governors & Controls



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Governors & Controls			
1405074	Ambient Temperature Sensor for Idle Shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX Engines.	\$0	0#
Motor Equipment Miscellaneous			
0080020	Chassis to use LNG Fuel System.	\$0	0#
0080021	Chassis to use CNG Fuel System.	\$0	0#
1000170	Enable Engine Regeneration in PTO Mode Cummins	\$0	0#
1000242	Gearing Analysis: Fuel Economy fuel efficiency results.	\$0	0#
1000243	Gearing Analysis: Performance power before economy results.	\$0	0#
1000244	Gearing Analysis: Balance power/economy blend results.	\$0	0#
1000245	Customer's Typical Operating Spd: 50 MPH	\$0	0#
1000247	Customer's Typical Operating Spd: 40 MPH	\$0	0#
1000248	Customer's Typical Operating Spd: 55 MPH	\$0	0#
1000249	Customer's Typical Operating Spd: 52 MPH	\$0	0#
1000250	Customer's Typical Operating Spd: 58 MPH	\$0	0#
1000251	Customer's Typical Operating Spd: 60 MPH	\$0	0#
1000252	Customer's Typical Operating Spd: 62 MPH	\$0	0#
1000253	Customer's Typical Operating Spd: 63 MPH	\$0	0#
1000254	Customer's Typical Operating Spd: 65 MPH	\$0	0#
1000255	Customer's Typical Operating Spd: 68 MPH	\$0	0#
1000256	Customer's Typical Operating Spd: 64 MPH	\$0	0#
1000257	Customer's Typical Operating Spd: 70 MPH	\$0	0#
1000275	Customer's Typical Operating Spd: 75 MPH	\$0	0#
1600713	Oil Pressure Sender for Pump Panel Gauge VDO 360-009.	\$54	0#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Motor Equipment Miscellaneous			
1901016	Delete Standard Remote PTO/Throttle Connections	(\$54)	0#
1901017	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	\$34	0#
1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	STD	0#
1901019	Remote PTO/Throttle, 12-Pin, 250K End of Frame, J1939, Remote Control Provision	\$21	0#
1901020	Remote PTO/Throttle, 12-Pin, 500K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$125	0#
1901021	Remote PTO/Throttle, 12-Pin, 500K End of Frame J1939, Remote Control Provision	\$120	0#
1901084	Body Builder Battery Power Prewire	\$54	0#
Retarders			
1700149	Retarder: Jacobs for PX-9 and ISL With 3-way switch. Replaces the standard turbo brake for PX-9 engines.	\$2,483	57#
1700349	RETARDER: JAKE EXTARDER CUMMINS ISB NOT 10-2002	\$1,134	0#
Starting & Recharging			
Alternator			
1812162	Alternator: 160 amp Brushless with battery voltage sense. *This code replaced 1812160.	\$69	0#
1812163	Alternator: PACCAR HDS 160 AMP Brushed	\$286	0#
1812164	Alternator: SEG HDS 200 AMP Brushed	(\$45)	0#
1812451	Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	\$773	0#
1816160	Alternator: 160 amp Brush Type T3	(\$192)	0#
1816200	Alternator: SEG 200 amp, Brush Type Formerly Bosch.	(\$101)	0#
1816260	Alternator: PACCAR 160 amp, Brush Type	STD	0#
Battery			
1821003	Batteries: 4 AGM GP31 THR (925) 3700 CCA	\$919	198#
1821004	Batteries: 3 AGM GP31 THR (925) 2775 CCA	\$604	62#



T480: MOTOR EQUIPMENT

Option	Description	Price	Weight
Starting & Recharging			
Battery			
1821210	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	\$172	62#
1821215	Batteries: 4 PACCAR GP31 Threaded Post (700-730) 2800-2920 CCA dual purpose.	\$407	123#
1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	STD	0#
1821225	Batteries: 2 PACCAR GP31 Threaded Post (1000) 2000 CCA starting.	\$18	4#
1821271	Batteries: 2 AGM GP31 threaded post 1850 CCA For 2.1m with In Cab Battery Box (ICBB) only	\$269	0#
1821275	Batteries: 3 AGM GP31 THR (925) 2775 CCA. For T680, T880, or W990 in cab battery box only.	\$557	62#
Battery Equipment			
1840024	Battery Disconnect Switch: 1 Cab Floor Locking	\$143	0#
1840065	12V Low Voltage Disconnect for Battery Protection	STD	0#
1840066	Cab Power Cutoff SW on Cab Floor NFPA Compliant - Engine Shut off. Includes gauge.	\$350	2#
1840067	Battery Disconnect Switch Mounted on Battery Box Provides One (1) Switch	\$450	0#
1900996	Jump Start Terminals Under Hood.	\$86	0#
1901005	Jump Start Terminals Frame Mounted BOC Below Top of Frame Flange.	\$379	0#
Starter			
1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	STD	0#
1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	\$37	0#



T480: TRANSMISSIONS

Option	Description	Price	Weight
Eaton			
6-Speed			
2051122	Transmission: Fuller FSO8406A 6-speed synchro. *Torque Limit: 860 pound-feet.	(\$3,400)	152#
2051123	Transmission: Fuller FS6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	(\$4,195)	152#
10-Speed			
2058354	Fuller FRW15210B 10-Speed Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1550 pound-feet.	(\$750)	414#
2058361	Transmission: Fuller FRO16210C 10-speed with pump, without external oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	(\$751)	408#
2058365	Transmission: Fuller RTO16908LL 10-speed with pump, without oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	\$290	501#
11-Speed			
2058401	Transmission: Fuller RTO16909ALL 11-speed Without oil cooler. With pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	\$1,738	509#
13-Speed			
2058424	Transmission: Fuller RTLO18913A 13-speed with pump, without oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet.	\$2,088	527#
18-Speed			
2058798	Transmission: Fuller RTLO20918B 18-speed Without oil cooler, with pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 2050 pound-feet.	\$4,279	535#
Allison			
5-Speed			
2011610	Transmission: Allison 3000HS 5-speed, No PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,911	396#
2011612	Transmission: Allison 3000RDS 5-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,508	443#
2011614	Transmission: Allison 3000EVS 5-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,029	443#



T480: TRANSMISSIONS

Option	Description	Price	Weight
Allison			
5-Speed			
2011630	Transmission: Allison 3500RDS 5-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,215	443#
2016611	Transmission: Allison 4000RDS 5-speed, With PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$26,083	799#
2016625	Transmission: Allison 4500RDS 5-speed, With PTO drive gear. No retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$27,748	799#
6-Speed			
2011611	Transmission: Allison 3000HS 6-speed, No PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,911	396#
2011613	Transmission: Allison 3000RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,508	443#
2011615	Transmission: Allison 3000EVS 6-speed, With PTO Provisions at 4 and 8 o'clock. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,029	443#
2011631	Transmission: Allison 3500RDS 6-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,215	443#
2011632	Transmission: Allison 3500EVS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$10,519	443#
2016612	Transmission: Allison 4000RDS 6-speed, With PTO drive gear. No retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$26,083	799#
2016627	Transmission: Allison 4500RDS 6-speed, With PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$23,712	799#

PACCAR

8-Speed



T480: TRANSMISSIONS

Option	Description	Price	Weight
PACCAR			
8-Speed			
2020101	Transmission: PACCAR TX-8, Without HSA, 560 LB FT Automatic, 8 Speed, With PTO Provision, 8AP560	(\$1,726)	0#
2020103	Transmission: PACCAR TX-8, Without HSA, 660 LB FT Automatic, 8 Speed, With PTO Provision, 8AP660	(\$1,077)	0#
2020105	Transmission: PACCAR TX-8, Without HSA, 760 LB FT Automatic, 8 Speed, With PTO Provision, 8AP760	(\$194)	0#
2020107	Transmission: PACCAR TX-8, Without HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	STD	0#
2020108	Transmission: PACCAR TX-8, Without HSA, 1000 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1000	\$838	0#
2020109	Transmission: PACCAR TX-8, Without HSA, 1050 LBFT Automatic, 8 Speed, With PTO Provision, 8AP1050	\$1,494	0#
2020111	Transmission: PACCAR TX-8, With HSA, 560 LB FT Automatic, 8 Speed, With PTO Provision, 8AP560	(\$1,542)	0#
2020113	Transmission: PACCAR TX-8, With HSA, 660 LB FT Automatic, 8 Speed, With PTO Provision, 8AP660	(\$792)	0#
2020115	Transmission: PACCAR TX-8, With HSA, 760 LB FT Automatic, 8 Speed, With PTO Provision, 8AP760	\$90	0#
2020117	Transmission: PACCAR TX-8, With HSA, 860 LB FT Automatic, 8 Speed, With PTO Provision, 8AP860	\$285	0#
2020118	Transmission: PACCAR TX-8, With HSA, 1000 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1000	\$1,123	0#
2020119	Transmission: PACCAR TX-8, With HSA, 1050 LB FT Automatic, 8 Speed, With PTO Provision, 8AP1050	\$1,778	0#
12-Speed			
2058601	PACCAR TX-12: PO-14F112C, 12-speed, 1450 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$1,528	321#
2058621	PACCAR TX-12: PO-14F112C, 12 Speed, 1450 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$1,826	321#
2058626	PACCAR TX-12 PRO:PHDP14F112C, 12 Speed, 1450LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$4,028	321#

Transmission Equipment



T480: TRANSMISSIONS

Option	Description	Price	Weight
Transmission Equipment			
2410047	High Capacity Input Shaft Bearing for High PTO Duty Cycle	\$23	0#
2410129	Seat Mounted Lever Shifter for Allison Trans	\$181	0#
2410153	Push Button Shifter Controls, Center Console Mounted for Allison Transmission. 2.1m Medium Duty only.	\$0	0#
2412301	Mixer With Sustained Low Speed Operation: Curbing, Slip Form, etc.	\$0	0#
2412302	Mixer Without Sustained Low Speed Operation: Transit Mixer.	\$0	0#
2444000	Chrome Shift Lever for Main Transmission.	\$80	0#
Allison Software			
2410072	Auto Neutral not Required this Application.	\$0	0#
2410204	Allison Fuel Sense: Delete	\$0	0#
2410212	Allison Transmission Mobile PTO Operation - Change max output speed to 4500 RPM	\$0	0#
2410244	J1939 Park Brake Auto Neutral	\$0	0#
2410310	Allison Neutral at Stop	\$0	0#
2410312	Allison Neutral at Stop Not Applicable	\$0	0#
2410319	Allison Fuel Sense: Dynactive Includes Dynamic Shift Sensing	\$244	0#
2410325	Allison Fuel Sense: ARM Base Economy	\$248	0#
2410326	Allison Fuel Sense: ARM High Economy	\$248	0#
2410327	Allison Fuel Sense: ARM Super Economy	\$248	0#
Eaton Software			
2410231	Manual hold set at 5th gear for Eaton Automated Transmissions.	\$0	0#
2410706	Tanker Shift Calibration (Unbaffled)	\$0	0#
2410708	Performance Shift Calibration	\$0	0#
2410753	Second Shift Calibration: Off Road PACCAR TX PRO And Endurant XD PRO	\$0	0#
2410754	Enable Second Shift Calibration PACCAR TX PRO And Endurant XD PRO	\$0	0#



T480: TRANSMISSIONS

Option	Description	Price	Weight
Transmission Equipment			
Eaton Software			
2410756	Second Shift Calibration: Performance PACCAR TX PRO And Endurant XD PRO	\$0	0#
2410757	Second Shift Calibration: Tanker (unbaffled) PACCAR TX PRO And Endurant XD PRO	\$0	0#
PACCAR Software			
2429092	Park Lock: PACCAR TX-8 Automatic Transmission	\$163	16#
Auxiliary Transmissions			
2154321	Aux: AT1202 2-speed Electric Over Air Shift 3-position Rocker Switch Dash Mounted and Includes Synthetic Lubricant	\$18,819	522#
Transfer Case			
2321327	Transfer Case: Fabco TC-137, 873-2146-010 1-Speed W/O PTO, W/O Neutral	\$20,064	388#
2322238	Transfer Case: Fabco TC-237, 873-1144-004 2-Speed W/O PTO, W/O Neutral.	\$19,662	388#
2322239	Transfer Case: Fabco TC-237, 873-2144-004 2-Speed W/O PTO, W/O Neutral.	\$19,992	388#
2322302	Transfer Case: Fabco TC-548C, 548C2-2-1 1-Speed With Lube Pump, Without PTO, With Neutral	\$25,347	490#
2322303	Transfer Case: FABCO TC-548B, 548B-2-2-1 Two Speed, W/O PTO Provision, With Lube Pump. Use with SPL170. Neutral Capable (not provided).	\$27,569	550#
2323006	Transfer Case: Meritor MTC-4210AC, 2 Speed Without PTO, Without Neutral. For use with Single RR Axle and Meritor FDA.	\$19,013	0#
2323011	Transfer Case: Meritor MTC-4213AC, 2 speed Without PTO, Without Neutral. For use with Dual RR Axle and Meritor FDA.	\$20,507	0#
2349006	Jackshaft Installation: Includes 2 Centerbearings and 2 Crossmembers to Support the Jackshaft.	\$2,654	386#
2349059	Namco Transfer Case 106-2SR-SXSPXS-Y-174 2-speed without PTO and without Neutral W/ Pump, 12" drop	\$20,911	580#
2349060	Namco Trans Case 105-2SR-SXSPXS-Y-174 2-Speed w/o PTO & Neutral for SPL140/SPL170	\$20,116	594#
Split-Shaft PTO			
2329430	Fabco PTO-180 Split Shaft 873-0116-030	\$27,089	755#
2410073	Customer-Installed Split Shaft PTO Informational only, nothing additional is provided.	\$0	0#

Clutch

*See PremierSpec for Applicable Restrictions



T480: TRANSMISSIONS

Option	Description	Price	Weight
Clutch			
2240208	Clutch: 430mm Self-Adjust Organic, Max Torque 1850 ft-lbs	\$978	0#
2240211	Clutch: 430mm Self-Adjust, High Capacity Organic, Max Torque 2050 ft-lbs	\$1,147	0#
2250496	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1750 ft-lb, Ceramic, 4-Paddle, Predamper	\$2,023	0#
Manually Adjusting			
2240013	Clutch: Eaton 14" 2 Plate Ceramic Dampened Up to 860 LBFT Engine torque	\$1,638	0#
2240025	Clutch: Eaton 14" 1 Plate Ceramic Dampened Up to 660 LBFT Engine torque	\$1,637	0#
2250385	Clutch: UltraShift Plus Or Fuller Advantage Series Automated transmissions.	\$1,538	147#
Solo			
2240023	Clutch: Fuller 14 in. solo severe 606 to 860 lb-ft. For severe service. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$1,618	0#
2240040	Clutch: Fuller 14 in. MD solo 606-1050 lb-ft. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$1,702	0#
Miscellaneous			
2294080	Air-Assisted Hydraulic Clutch	\$0	0#
2294081	Clutch: Hydraulic Assist For use with 2.1M Medium Duty only	\$542	10#
Torque Converter			
2410018	Torque Converter Included W/ Allison Transmission.	\$0	0#
2410806	Torque Converter: TP1150N for PACCAR TX-8	\$0	0#
2410807	Torque Converter: TP650N for PACCAR TX-8	\$0	0#
2410808	Torque Converter: TP800N for PACCAR TX-8	STD	0#
PTO			
Chelsea			
2421386	PTO: Chelsea 280GGFJP-B5SV, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison	\$5,077	52#
Muncie			
2424048	PTO: Muncie A20-A1005-HX31XPX, 10 Bolt LH Mounted, Electric over Hydraulic shift, for Allison Transmission	\$3,613	47#



T480: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
Muncie			
2424049	PTO: Muncie A20-A1007-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$4,617	47#
2424050	PTO: Muncie A20-A1008-HX3BPBX, 10 Bolt LH Side mounted, Electric over Hydraulic shift, SAE output, for Allison transmissions	\$4,708	47#
2424055	PTO: Muncie A20-A1005-HX11XPX, 10 Bolt RH Side Mounted, Electric over Hydraulic shift, for use with Allison transmission	\$4,349	47#
2424056	PTO: Muncie A20-A1005-HX3BBPX, 10 Bolt LH Side mounted, Electric over hydraulic shift, SAE output for Allison transmissions	\$4,617	47#
2424057	PTO: Muncie A20-A1005-HX3IIPX, 10 Bolt LH Side Mounted, Electric over hydraulic shift, for Allison transmissions	\$4,931	47#
2424058	PTO: Muncie A20-A1005-HX51XBX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$3,695	47#
2424059	PTO: Muncie A20-A1006-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$4,931	47#
2424060	PTO: Muncie A20-A1006-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$4,617	47#
2424061	PTO: Muncie A20-A1006-HX3BPBX, 10 Bolt LH Side Mounted, Electric over Hydraulic, SAE output for Allison transmissions	\$4,708	47#
2424062	PTO: Muncie A20-A1006-HX3X2PX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,617	47#
2424063	PTO: Muncie A20-A1006-HX5BSPX, 10 Bolt Top Mounted, Electric over Hydraulic shift for Allison transmissions	\$4,617	47#
2424064	PTO: Muncie A20-A1007-HX31XPX, 10 Bolt LH Side Mounted, Electric over Hydraulic for Allison transmissions	\$4,349	47#
2424065	PTO: Muncie A20-A1007-HX5X4BX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,617	47#
2424066	PTO: Muncie A20-A1008-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$4,931	47#
2424067	PTO: Muncie A20-A1008-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift with SAE output for Allison Transmissions	\$4,617	47#
2424081	PTO: Muncie A20-A1010-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$4,617	0#

PTO Misc



T480: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
PTO Misc			
2410044	Thru-Shaft PTO Provision (PTO not Included) 10-speed RTO14908LL.	\$273	6#
2429084	F/I First PACCAR TX-8 PTO 3 O'Clock Position	\$0	0#
2429085	F/I First PACCAR TX-8 PTO 9 O'Clock Position	\$0	0#
2429086	F/I 1st Allison 1000/2000 Transmission PTO 3 O'Clock Position	\$0	0#
2429087	F/I 1st Allison 1000/2000 Transmission PTO 9 O'Clock Position	\$0	0#
2429094	C/I First PACCAR TX-8 PTO 3 O'Clock Position	\$0	0#
2429095	C/I First PACCAR TX-8 PTO 9 O'Clock Position	\$0	0#
2429100	Chassis will be Fitted with LH Transmission PTO. (Prevents ECU From Interfering With PTO Only)	\$0	0#
2429101	Chassis will be Fitted with RH Transmission PTO. (Prevents ECU From Interfering With PTO Only)	\$0	0#
2429351	First Transmission PTO Compatibility - Chelsea 230/236/238/442/489/660/680-V3 or Muncie CS8/SH8/TG8S-P1 bottom mounted 6 or 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	\$0	0#
2429358	Rear Transmission Support Springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	\$93	0#
2429361	First Customer Installed Eaton/PACCAR Trans PTO.	\$0	0#
2429362	Second Customer Installed Eaton Transmission PTO.	\$0	0#
2429374	Factory Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTO to be installed by the factory. Create NPO for specific PTO to be installed by the factory. Not available with Rear Engine PTO (REPTO)	\$0	0#
2429375	Factory Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429376	Factory Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429377	Customer Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#
2429378	Customer Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.	\$42	0#



T480: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
PTO Misc			
2429379	Customer Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions.	\$0	0#
2429393	C/I Rear Transmission PTO Compatibility Dual - Transmission PTO applications using customer installed rear mounted 4-bolt PTOs for Eaton Endurant/PACCAR 12 speed transmissions as a second transmission PTO in conjunction with approved Chelsea or Muncie bottom mounted 8-bolt PTOs. This option should only be used with SPL250 driveline.	\$0	0#
Driveline			
Driveline Equipment			
2406005	45 degree Yokes on Interaxle Drivelines.	\$81	0#
2410100	Two Guards for Dual Drivelines.	\$314	8#
2410103	Guards: (3) for 3 Drivelines.	\$472	12#
2410105	One Guard for Single Driveline.	\$96	4#
Centerbearing Crossmembers			
2409941	One Heavy-Duty One-Piece Aluminum Crossmember This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	STD	0#
2409942	Two Heavy-Duty One-Piece Aluminum Crossmembers This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember locations will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$0	0#
2409943	Three Heavy-Duty One-Piece Aluminum Crossmembers This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember locations will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$0	0#
Dana			
2401205	Driveline:1 Dana Standard-Duty; No Centerbearing. *Standard duty is 1710 series.	(\$811)	-79#
2401405	Driveline: 2 Dana Standard-Duty; 1 Centerbearing. *Standard duty is 1710 series.	\$57	-1#
2401605	Driveline: 2 Standard Duty; No Center Bearing Use w/ AUX Transmission, Transfer Case, or Jackshaft	(\$323)	8#
2401905	Driveline: 3 Dana Standard-Duty; 2 Centerbearing. *Standard duty is 1710 series.	\$829	77#
2401915	Driveline: 4 Dana Standard-Duty 3 Centerbearings *Standard duty is 1710 series.	\$1,650	154#



T480: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2405205	Driveline:1 Dana 1810 Heavy-Duty No Centerbearing *Heavy duty is 1810HD series.	(\$559)	-55#
2405405	Driveline: 2 Dana 1810 Heavy-Duty 1 Centerbearing *Heavy duty is 1810HD series.	\$400	38#
2405425	Driveline: 3 Dana 1810 Heavy-Duty W/2 Centerbearings *Heavy duty is 1810HD series.	\$1,543	131#
2405427	Driveline:4 Dana 1810 Heavy-Duty 3 Centerbearings *Heavy duty is 1810HD series.	\$2,387	223#
2405430	Driveline:4 Dana 1810 Heavy-Duty 2 Centerbearings for Use W/ Auxiliary Transmission or Jackshaft.	\$2,125	241#
2405433	Driveline:5 Dana 1810 Heavy-Duty 3 Centerbearings for Use W/ Auxiliary Transmission, Jackshaft. *Heavy duty is 1810HD series.	\$3,126	334#
2405605	Driveline:2 Dana 1810 Heavy-Duty No Centerbearing for Use W/ Auxiliary Transmission, Jackshaft, or Transfer Case. *Heavy duty is 1810 series.	\$162	56#
2405815	Driveline:3 Dana 1810 Heavy-Duty; 1 Centerbearing for Use W/ Auxiliary Transmission or Jackshaft. *Heavy duty is 1810HD series.	\$1,220	148#
2406204	Driveline: 1 Dana SPL170XL No Centerbearing	(\$615)	-69#
2406205	Driveline: 1 Dana SPL250XL W/ No Centerbearing Low maintenance offering from Spicer. On- highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	(\$540)	-51#
2406207	Driveline: 1 Dana SPL250SF with No Centerbearing.	(\$545)	-51#
2406209	Driveline: 2 Dana SPL140 with No Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$361	90#
2406210	Driveline: 3 Dana SPL140 with One Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$657	170#
2406211	Driveline: 4 Dana SPL140 with Two Centerbearings and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$1,998	250#
2406215	Driveline: 2 Dana SPL170XL with No Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$657	112#
2406216	Driveline: 3 Dana SPL170XL with One Centerbearing and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$1,600	197#
2406217	Driveline:4 Dana SPL170XL with Two Centerbearings and 1 SPL140 with no centerbearing to FDA for use with transfer case.	\$3,211	281#
2406218	Driveline: 2 SPL140 without Centerbearings Foward of transfer case and 1 Dana SPL170XL with no centerbearings to rear axle.	\$510	101#



T480: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406219	Driveline: 2 SPL140 without Centerbearings Foward of transfer case and 2 Dana SPL170XL with 1 centerbearing to rear axle.	\$1,450	185#
2406220	Driveline: 2 SPL140 without Centerbearings Foward of transfer case and 3 Dana SPL170XL with 2 centerbearings to rear axle.	\$2,393	270#
2406240	Driveline: 1 Dana SPL140 No Centerbearing	(\$776)	-80#
2406241	Driveline: 1 Dana SPL140SF no centerbearing	(\$751)	-244#
2406254	Driveline: 2 SPL250XL No Centerbearing for use w/auxiliary transmission, jackshaft, or transfer case. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$210	63#
2406303	Driveline: 2 Dana SPL250 LITE; W/ 1 C/B	\$328	58#
2406304	Driveline: 3 Dana SPL250 LITE; W/ 2 C/B	\$1,298	156#
2406305	Driveline: 4 Dana SPL250 LITE; W/ 3 C/B	\$2,200	254#
2406311	Driveline: 2 Dana SPL250SF Lite, 1 Centerbearing	\$353	58#
2406312	Driveline: 3 Dana SPL250SF Lite, 2 Centerbearings	\$1,271	156#
2406313	Driveline: 4 Dana SPL250SF Lite, 3 Centerbearings	\$2,129	254#
2406314	Driveline: 2 SPL250SF No Centerbearing For use with auxiliary transmission, jackshaft, or transfer case.	\$260	63#
2406315	Driveline: 3 SPL250SF with 1 Centerbearing For use with auxiliary transmission, jackshaft, or transfer case.	\$1,206	281#
2406316	Driveline: 4 SPL250SF with 2 Centerbearings For use with auxiliary transmission, jackshaft, or transfer case.	\$2,091	499#
2406317	Driveline: 5 SPL250SF with 3 Centerbearings For use with auxiliary transmission, jackshaft, or transfer case.	\$3,023	717#
2406318	Driveline: 4 SPL250SF with 3 centerbearings	\$2,177	261#
2406440	Driveline: 2 Dana SPL140 1 Centerbearing	STD	0#
2406441	Driveline: 2 Dana SPL140SF 1 centerbearing	\$22	-164#
2406451	Driveline: 4 SPL170XL 2 centerbearing for use w/auxiliary transmission	\$2,043	196#



T480: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406452	Driveline: 2 Dana SPL170XL 1 Centerbearing	\$441	16#
2406453	Driveline: 2 Dana SPL250XL 1 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$351	53#
2406454	Driveline: 4 Dana SPL250XL 3 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,299	261#
2406455	Driveline: 2 SPL170XL; No Centerbearing Medium-Duty: for Use W/ Auxiliary Transmission or Jackshaft.	\$81	27#
2406457	Driveline: 3 SPL170XL for Use W/ Auxiliary Transmission or Jackshaft, W/ 1 Centerbearing.	\$1,350	112#
2406461	Driveline: 4 Dana SPL250XL 2 Centerbearing for use w/auxiliary transmission or jackshaft, requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,094	271#
2406465	Driveline: 2 Dana SPL250SF 1 Centerbearing	\$351	53#
2406466	Driveline: 2 Dana SPL170SF With 1 Centerbearing	\$299	16#
2406467	Driveline: 3 Dana SPL250SF 2 Centerbearing	\$1,268	157#
2406468	Driveline: 1 SPL170SF With 0 Centerbearings	(\$604)	-69#
2406469	Driveline: 3 SPL170SF With 2 Centerbearings	\$1,228	100#
2406470	Driveline: 4 SPL170SF With 3 Centerbearings	\$2,147	184#
2406802	Driveline: 3 Dana SPL170XL 2 Centerbearing	\$1,305	100#
2406803	Driveline: 3 Dana SPL250XL W/ 2 Centerbearings Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$1,342	157#
2406806	Driveline: 3 Dana SPL250XL 1 Centerbearing for use w/auxiliary transmission or jackshaft, requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$1,205	167#
2406809	Driveline: 5 Dana SPL250XL,3 C/B For use with Aux Trans or Jackshaft	\$3,025	375#
2406820	Driveline: 4 Dana SPL170XL 3 Centerbearing	\$2,145	184#
2406840	Driveline: 3 Dana SPL140 2 centerbearing	\$979	80#



T480: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406841	Driveline: 3 Dana SPL140SF 2 centerbearing	\$903	-84#
2406850	Driveline: 4 Dana SPL140 With 3 Centerbearings	\$1,614	160#
2406851	Driveline: 4 Dana SPL140SF With 3 Centerbearings	\$1,716	-4#
2406860	Driveline: 2 Dana SPL140 with 0 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$1,305	170#
2406862	Driveline: 3 Dana SPL140 with 1 Centerbearing for Transfer case & 1 SPL170 to rear axle.	\$1,538	181#
2406865	Driveline: 3 Dana SPL140 with 1 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$2,136	250#
2406867	Driveline:3 SPL140 for T/C w/1 C/B & 2 SPL170 with one centerbearing to rear axle.	\$2,541	265#
2406870	Driveline: 4 Dana SPL140 with 2 CB with Transfer Case & 2 SPL140 with 1 CB to FDA	\$2,867	330#
2406872	Driveline:3 SPL140 for T/C w/1 C/B & 3 SPL170 with two centerbearing to rear axle.	\$3,378	350#
Meritor			
2408201	Driveline: 1 Meritor RPL25; No Center Bearing	(\$653)	-53#
2408302	Driveline: 1 Meritor RPL25 SD; No Centerbearing	(\$596)	-45#
2408401	Driveline: 2 Meritor RPL25; 1 Centerbearing	\$38	41#
2408502	Driveline: 2 Meritor RPL25 SD; 1 Centerbearing	\$158	59#
2408602	Driveline: 3 Meritor RPL25; 2 Centerbearing	\$927	135#
2408703	Driveline: 3 Meritor RPL25 SD; 2 Centerbearing	\$827	163#
2408740	DRIVELINE:4 MERITOR RPL25 SD; 3 CTRBRG	\$1,758	266#
Interaxle Driveline			
3500037	Interaxle Driveline:1 Dana 1710 Series Tandem Rear Axles Only.	\$461	86#
3500057	Interaxle Driveline: 1 Dana SPL170XL Tandem Rear Axles Only	\$561	96#
3500058	Interaxle Driveline: 1 Meritor RPL20 Replacing I/A *Use W/ RPL(SD) 25 Main D/L	\$576	88#
3500062	Interaxle Driveline: 1 Dana SPL170SF Not For Tridem Axles.	\$529	96#

Transmission Oil Cooler



T480: TRANSMISSIONS

Option	Description	Price	Weight
Transmission Oil Cooler			
2460021	Oil to Water Cooler for Transfer Case to 8500 LB-FT	\$454	13#
2460043	TDI Oil to Air Auxiliary Cooler 400HP or Greater	\$1,386	0#
2460069	Transmission Cooler: Automatic Transmission For use with 2.1M MD with Vocational Hood. Includes cooler protector.	\$1,257	38#
2460070	Supplemental Allison Oil to Water Trans Cooler	\$605	16#



T480: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
10K & Under			
2501012	Dana Spicer D-1001IL Front Axle Rated 10K 3.5" drop. Use With Air Disc Brakes Only	\$186	6#
12K to 13.2K			
2502012	Dana Spicer D-1201IL Front Axle rated 12K 3-1/2in. drop. Use with Air Disc Brakes Only.	\$196	6#
2502014	Dana Spicer D-1251IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5. Use With Air Disc Brakes Only	\$196	6#
2502015	Dana Spicer D-1251LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5. Use w/ Air Disc Brakes Only.	\$239	6#
2502016	Dana Spicer D-1301IL Front Axle rated 13K 3.5" drop. Use With Air Disc Brakes Only.	\$238	-20#
2502017	Dana Spicer D-1321IL Front Axle rated 13.2K 3.5" drop. Use With Air Disc Brakes Only	\$238	-20#
2502230	Dana Spicer E-1202IL Front Axle rated 12K 3-1/2in. drop. Use W/Air Brakes Only. Medium Duty Only.	\$193	42#
2502240	Dana Spicer E-1252IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5.	\$251	42#
2502243	Dana Spicer E-1252LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5.	\$300	42#
2502335	Dana Spicer E-1322IL Front Axle rated 13.2K 3-1/2in. drop.	\$307	94#
2502336	Dana Spicer E-1322LW Front Axle rated 13.2K 3-1/2in. drop, wide track for better turning radius.	\$352	22#
2502338	Dana Spicer E-1302IL Front Axle rated 13K 3-1/2in. drop.	\$307	16#
2505018	Dana Spicer D-1321LW Front Axle rated 13.2K 3.5" drop Wide Track Use W/ Air Disc Brakes Only	\$300	-14#
2512042	Meritor MFS12E PLUS 12.5K 3.5in. Drop Standard Track	\$209	27#
2512043	Meritor MFS12E PLUS 12.5K 3.5n. Drop Wide Track	\$239	46#
2512044	Meritor MFS12E PLUS 12K 3.5in. drop standard track.	\$211	27#
2512048	Meritor MFS13 PLUS 13.2K 3.5in. Drop Standard Track.	\$389	27#
2512049	Meritor MFS13 PLUS 13.2K 3.5in. Drop Wide Track.	\$417	46#
2512050	Meritor MFS13 PLUS 13K 3.5 in. Drop standard track.	\$315	27#
2532108	Hendrickson Steertek Front Axle rated 12K Standard Track 3.32 in. drop.	STD	0#



T480: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
12K to 13.2K			
2532110	Hendrickson Steertek Front Axle rated 12.5K Standard Track 3.32 in. drop	\$0	0#
2532111	Hendrickson Steertek Front Axle 13K 3.32in Drop Standard Track	\$150	6#
2532112	Hendrickson Steertek Front Axle rated 13.2k Standard Track 3.32 in. drop	\$150	6#
2532121	Hendrickson Steertek Front Axle 12K 3.32 in drop Wide Track	\$50	0#
2532122	Hendrickson Steertek Front Axle rated 12.5K Wide Track 3.32 in. drop	\$50	3#
2532123	Hendrickson Steertek Front Axle 13K 3.32in drop Wide Track	\$200	9#
2532124	Hendrickson Steertek Front Axle rated 13.2k Wide Track 3.32 in. drop	\$200	9#
14.6K to 18K			
2503461	Dana Spicer E-1462I Front Axle 14K 3-1/2in drop	\$604	94#
2503463	Dana Spicer E-1462I Front Axle rated 14.6K 3-1/2in. drop.	\$603	94#
2503471	Dana Spicer D-1461I Front Axle rated 14.6K 3-1/2in. drop, use with air disc brake only.	\$516	82#
2503475	Dana Spicer D-1461I Front Axle 14K 3-1/2in drop use with air disc brake only.	\$516	88#
2505171	Dana Spicer D2000 Front Axle rated 18K	\$2,022	147#
2513030	Meritor MFS14 Plus 14.6K 3.74in. Drop Wide Track.	\$827	35#
2513031	Meritor MFS14 Plus 14.6K 3.5in. Drop Standard Track.	\$681	9#
2513032	Meritor MFS14Plus 14K 3-1/2 in Drop Standard Track	\$681	9#
2517016	Meritor MFS20 Front Axle 16K 3-1/2in drop standard track.	\$2,439	167#
2517018	Meritor MFS20 Front Axle 18K 3-1/2 in drop standard track.	\$2,459	167#
2533110	Hendrickson Steertek Front Axle 14K 3.32in drop Standard Track	\$195	57#
2533111	Hendrickson Steertek Front Axle rated 14.6k Standard Track 3.32 in. drop.	\$195	57#
2533120	Hendrickson Steertek Front Axle 14K 3.32in drop Wide Track	\$245	61#
2533121	Hendrickson Steertek Front Axle rated 14.6k Wide Track 3.32 in. drop.	\$245	61#



T480: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
14.6K to 18K			
2534001	PACCAR FX-20 ST Front Axle 16K 4" drop	\$2,396	174#
2535001	PACCAR FX-20 ST Front Axle 18K 4" drop	\$2,396	174#
20K & Over			
2506181	Dana Spicer D2000 Front Axle rated 20K standard track.	\$2,022	147#
2516006	Meritor MFS20 20K 3.74in. Drop Wide Track.	\$2,646	167#
2517020	Meritor MFS20 Front Axle rated 20K 3.5 in. drop, standard track.	\$2,484	167#
2536002	PACCAR FX-20 Front Axle rated at 20K 4" drop standard track	\$2,396	174#
2536004	PACCAR FX-20 Front Axle rated at 20K 4" drop wide track	\$3,299	205#
Front Drive Axles			
2571007	Meritor MX-120 Front Drive Axle 10K 16.5X5 Q+	\$16,062	1,072#
2572007	Meritor MX-120 Front Drive Axle 12K 16.5X5 Q+	\$16,389	1,072#
2573007	Meritor MX-120 Front Drive Axle 14K 16.5X5 Q+	\$17,551	1,072#
2574007	Meritor MX-120 Front Drive Axle Rated 16K 16.5X6 Q+	\$17,657	1,382#
2575007	Meritor MX-120 Front Drive Axle 18K 16.5x6 Q+	\$21,060	1,382#
2589900	Dealer/Customer Acknowledges Specified Components Fail Supplier Blanket Approvals	\$0	0#
Axle Ratios			
2590307	Front Drive Axle Ratio: 3.07	\$0	0#
2590331	Front Drive Axle Ratio: 3.31	\$0	0#
2590358	Front Drive Axle Ratio: 3.58	\$0	0#
2590373	Front Drive Axle Ratio: 3.73	\$0	0#
2590391	Front Drive Axle Ratio: 3.91	\$0	0#
2590410	Front Drive Axle Ratio: 4.10	\$0	0#
2590430	Front Drive Axle Ratio: 4.30	\$0	0#



T480: FRONT AXLE

Option	Description	Price	Weight
Front Drive Axles			
Axle Ratios			
2590456	Front Drive Axle Ratio: 4.56.	\$0	0#
2590478	Front Drive Axle Ratio: 4.78.	\$0	0#
2590488	Front Drive Axle Ratio: 4.88.	\$0	0#
2590513	Front Drive Axle Ratio: 5.13.	\$0	0#
2590529	Front Drive Axle Ratio: 5.29.	\$0	0#
2590538	Front Drive Axle Ratio: 5.38.	\$0	0#
2590557	Front Drive Axle Ratio: 5.57	\$0	0#
2590586	Front Drive Axle Ratio: 5.86.	\$0	0#
2590614	Front Drive Axle Ratio: 6.14.	\$0	0#
2590650	Front Drive Axle Ratio: 6.50.	\$0	0#
Outer End Equipment			
Brakes			
2659007	Front Brakes: Included W/ Front Drive Axles	\$0	-166#
10K & Under			
2621187	Front Brakes: 10K Bendix ES S- Cam 15x4 in.	\$247	0#
12K to 13.2K			
2601605	Front Brakes: 13.2K Bendix RSD HP-ES S-Cam 16.5x5 in. drum brake.	(\$74)	0#
2607005	Front Brakes: 13.2K Bendix Air Disc BRK ADB22X-LT	\$175	13#
2607013	Front Brakes: 13.2K Bendix ADB22X-LT RSD Disc Brk	\$40	13#
14K to 18K			
2601608	Front Brakes: 18K Bendix RSD HP-ES S-Cam 16.5x6 in. drum brake , Max GAWR 18K, with Cast Spider.	\$347	0#
2607001	Front Brakes: 14.6K Bendix Air Disc Brakes Lube Free.	\$192	13#
2607011	Front Brakes: 14.6K Bendix RSD ADB22X Disc Brake.	\$47	13#



T480: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brakes			
14K to 18K			
2621076	Front Brakes: 18K Bendix ES S Cam 16.5x6 in.	\$21	0#
2621310	Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	STD	0#
2641113	Front Brakes: 14.6K Meritor Q+ RSD S-Cam 16.5x5 in. drum brake.	\$32	0#
2641141	Front Brakes: 14.6K Meritor Q-Plus 16.5x5 in. Not for fire truck/EMT/rescue service.	\$155	0#
2647002	Front Brakes: 14.6K Meritor EX+LS air disc brakes	\$45	-11#
2647003	Front Brakes: 14.6K Meritor EX+L Optimized air disc brakes.	\$84	-2#
2647009	Front Air Disc Brakes: 14.6K Meritor EX+L Optimized RSD reduced stopping distance tractor only.	\$84	-2#
2647010	Front Air Disc Brakes: 14.6K Meritor EX+LS Reduced Stopping Distance Tractor Only	\$45	-11#
20K & Over			
2601609	Front Brakes: 22K Bendix RSD HP-ES S-Cam 16.5x7 in. drum brake.	\$739	0#
2601612	Front Brakes: Bendix HP-ES 16.5X6, Max Cap 22K.	\$429	0#
2607002	Front Brakes: 14,601-22K Bendix Air Disc Brakes.	\$227	13#
2641137	Front Brakes: 20K Meritor Q-Plus 16.5x6 in.	\$190	0#
2647004	Front Brakes: 14,601-22K Meritor EX+L Optimized air disc brakes.	\$200	24#
2647011	Front Air Disc Brakes: 14,601-22K Meritor RSD EX+L Optimized. Reduced stopping distance tractor only.	\$200	24#
Brake Drums			
12K to 13.2K			
2690030	Front Brake Drums: 13.2K 15x4 in. cast.	(\$16)	0#
14.6K			
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	STD	0#
2690016	Front Brake Drums: 14.6K Meritor X30 light weight 16.5x5 in.	\$269	-8#
2690031	Front Brake Drum: Tru Turn Lite 16.5X5, max rating 14.6K	\$66	0#
20K & Over			



T480: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brake Drums			
20K & Over			
2690013	Front Brake Drum: 20K Meritor X30 light weight 16.5x6 in.	\$319	-8#
2690017	Front Brake Drum: Cast 16.5x7 in., Max rating 22k.	\$96	94#
2690032	Front Brake Drum: Tru Turn Lite 16.5X6, max rating 20K	\$69	80#
2690035	Front Brake Drum: 22K 16.5x6 in. cast.	\$39	104#
2690050	Front Brake Drum Included W/ Front Axles.	\$0	-183#
Rotors			
2690024	Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.	\$592	0#
2690025	Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.	\$501	0#
2690042	U-Shaped Rotor for Meritor Air Disc Brakes.	\$309	0#
2690060	Rotor for Front Air Disc Brakes for use with aluminum hubs. For Meritor front air disc brakes.	\$433	0#
Hubs			
12K to 13.2K			
2701300	Front Hub: Aluminum Hub Pilot 13,200 lbs. 10-Bolt, 11-1/4 in. bolt circle .	\$59	0#
14.6K to 16K			
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	STD	0#
2707050	Front Hub: 14,600 lbs. Aluminum Hub Pilot 10-bolt, 11.25 in. bolt circle.	\$82	-48#
18K & Over			
2701319	Front Hubs Aluminum Hub Pilot 20,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	\$618	16#
2702018	Front Hubs Iron Hub Pilot 18,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	\$345	80#
2702020	Front Hubs Iron Hub Pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	\$288	80#
2702022	Front Hubs Iron Hub Pilot 22,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	\$345	80#
2707003	Front Hub: Hub Pilot 10 Hole Mount Hub Included w/ Meritor front drive axles. 11.25 in. bolt circle.	\$0	-106#



T480: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Outer End Equipment

Oil Seals

2741970	ConMet PreSet Plus Hub Package; Front Axle.	STD	0#
2741975	ConMet PreSet Hub Package; Front Axle.	\$0	0#
2748550	Front Axle Oil Seal: Included W/ Axle or Brakes.	\$0	0#

Hubcaps

2750001	Hubcap: Front Vented.	STD	0#
2750900	Hubcaps Included W/ Front Axle.	\$0	-1#

Miscellaneous

2659047	Front Dustshield: for Drum Brakes: All Front Axles.	\$58	6#
2659065	Front Dustshield: Included W/ Meritor or Sisu Front Drive Axle.	\$0	0#
2690028	Integral Knuckle for Air Disc Brake, for use on Meritor MFS PLUS Steer Axle	\$0	20#
2690029	Drum Brake Knuckle for Use on Meritor MFS Plus Steer Axle	\$0	20#
2690039	Integral Knuckle for Air Disc Brake, for use on PACCAR FX Steer Axle	\$0	-33#
2900903	Front Bendix Air Disc Brake Dustshield includes pad air disc brakes only.	\$48	0#
2900916	Front Disc Brake Pad/Rotor Dust Shields Air Disc Brakes Only.	\$293	0#
2900919	Front Air Disc Brake Dustshield Includes Pads.	\$55	0#
2900920	Front Disc Brake: Meritor Pad/Rotor Dust Shields.	\$101	0#

Slack Adjusters

2765001	Front Auto Slack Adjuster for Drum Brakes.	STD	0#
2769000	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	\$0	0#

Front Springs

8K to 10K Capacity

2862010	Front Springs: Taperleaf 10K W/ Shock Absorbers. For use on medium duty with FDA only.	\$348	-35#
2882001	Front Springs: Mono-leaf 10K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	(\$400)	-114#



T480: FRONT AXLE

Option	Description	Price	Weight
Front Springs			
12K to 14.6K Capacity			
2863010	Front Springs: Taperleaf 12K W/ Shock Absorbers. For use on medium duty with FDA only.	\$348	-35#
2863019	Front Springs: Taperleaf 12K w/ shock absorbers. With maintenance-free elastomer spring pin bushings.	(\$290)	-53#
2864030	Front Springs: Taperleaf 13K W/ Shock Absorbers. For use on medium duty with FDA only.	\$433	47#
2864040	Front Springs: Taperleaf 14K W/ Shock Absorbers. For use on medium duty with FDA only.	\$433	47#
2864070	Front Springs: Taperleaf 13.2K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	STD	0#
2864072	Front Springs: Taperleaf 14.6K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$0	0#
2883002	Front Springs: Mono-leaf 12K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings.	(\$304)	-110#
15K & Over Capacity			
2864060	Front Springs: Taperleaf 16K W/ Shock Absorbers. For use on medium duty with FDA only.	\$433	47#
2864074	Front Springs: Taperleaf 16K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$249	99#
2865020	Front Springs: Taperleaf 18-20K W/ Shock Absorbers For use on medium duty with FDA only.	\$417	77#
2865025	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings.	\$249	99#
Front Spring Equipment			
2900055	5 mm Front Suspension Spacer Block	\$0	0#
2900058	30 mm Front Suspension Spacer Block	\$0	0#
2900059	40 mm Front Suspension Spacer Block	\$0	0#
2900061	50 mm Front Suspension Spacer Block	\$0	0#
2900062	60 mm Front Suspension Spacer Block	\$0	0#
2900063	70 mm Front Suspension Spacer Block	\$0	0#
2900064	80 mm Front Suspension Spacer Block	\$0	0#
2900075	Required Front Suspension Spacer, Aero Hood, PX-7 and 10K/12K FDA.	\$0	0#



T480: FRONT AXLE

Option	Description	Price	Weight
Front Springs			
Front Spring Equipment			
2900612	Threaded Front Spring Bushings in Place of elastomeric.	\$68	0#
Power Steering			
Single Gear			
2895091	Single Power Steering Gear: 14.6K.	\$507	20#
2895096	Single Power Steering Gear: 16K.	\$507	20#
2895223	Single Power Steering Gear: 13.2K for Air Brakes.	STD	0#
Dual Gear			
2895300	Dual Power Steering Gears: 16K.	\$1,184	75#
2895305	Dual Power Steering Gears: 18/20K	\$1,167	75#
Miscellaneous			
2899336	Power Steering Cooler:Radiator Mounted Air-to-Oil	\$363	11#
Miscellaneous			
2790035	Maximum Length Wheel Studs for Hub Pilot Wheels only. Option is standard length w/ dual aluminum wheels, code not required.	\$13	2#
2900936	Meritor MX-120 FDA HR Option Req'd for Snowplow.	\$1,679	0#



T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Single Drive Rear Axles

20K & Under

3012026	Single Meritor RS23-240 2-Speed 16k	\$8,290	-69#
---------	-------------------------------------	---------	------

21K to 23K

3031001	Dana S21-140 21K Rated Capacity-Single Rear Axle w/air brakes.	(\$582)	-295#
---------	--	---------	-------

3031094	Single Dana Spicer P22060S Single Reduction Rear axle. T300/K300: use with/air brakes. Single rear axle 21K.	(\$386)	-184#
---------	--	---------	-------

3031181	Single Dana Spicer S21-172 Single Reduction Rear axle. Single rear axle rated at 21K.	\$487	-67#
---------	---	-------	------

3041180	Single Dana Spicer S23-172 Single Reduction Axle, single rear axle rated at 23K.	\$196	-67#
---------	--	-------	------

3041181	Single Dana Spicer S23-172H Single Reduction Axle single rear axle rated at 23K. Heavy wall.	\$2,077	-32#
---------	--	---------	------

3041190	Single Dana Spicer S23-190 Single Reduction Rear axle. Single rear axle rated at 23K.	\$996	71#
---------	---	-------	-----

3042150	Single Meritor RS23-160 Rear Axle 21K	\$975	0#
---------	---------------------------------------	-------	----

3042152	Single Rear Axle Meritor RS23-240 2-Speed 21k	\$8,290	-69#
---------	---	---------	------

3042153	Single Rear Axle Meritor RS23-240 2-Speed 23k	\$8,290	-69#
---------	---	---------	------

3042160	Single Meritor RS23-160 Rear Axle rated at 23K.	STD	0#
---------	---	-----	----

24K & Above

3061190	Single Dana Spicer S26-190 Rear Axle; 26K capacity rated at 26K. Single rear axle.	\$1,554	141#
---------	--	---------	------

3062186	Single Meritor RS26-185 Rear Axle rated at 26K.	\$2,314	72#
---------	---	---------	-----

3081093	Single Dana Spicer S30-190 Rear Axle; 30K capacity rated at 30K. Single rear axle with 74in. track, outer ends included w/ axle 16.5x7 brakes, iron hubs and dustshields	\$5,508	655#
---------	--	---------	------

Tandem Drive Rear Axle

40K & Under

3121444	Dual Dana Spicer DSH40 Rear Axle rated at 40K w/ 11mm housing. Tandem rear axles.	\$9,765	732#
---------	---	---------	------

3121446	Dual Dana Spicer DSH40P Rear Axle rated at 40K w/ 11mm housing and 1.81in. shaft diameter. Includes pump. Tandem rear axles.	\$10,859	750#
---------	--	----------	------

3122162	Dual Rear Axle 40,000 lbs. Meritor RT40-160	\$10,822	1,066#
---------	---	----------	--------

3122164	Dual Rear Axle 40,000 lbs. Meritor RT40-160P with pump	\$12,883	1,066#
---------	--	----------	--------



T480: REAR AXLE

Option	Description	Price	Weight
Tandem Drive Rear Axle			
40K & Under			
3122245	Dual Meritor MT40-14X3 Hypoid Rear Axle rated at 40K. Tandem rear axle.	\$9,434	658#
3122246	Dual Meritor MT40-14X3 Hypoid DualTrac Rear Axle rated at 40K. Tandem rear axles.	\$9,154	690#
3122247	Dual Meritor MT40-14x4 Hypoid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.	\$9,965	698#
3122248	Dual Meritor MT40-14x4 Hypoid DualTrac Rear Axle rated at 40K. w/heavy-wall housing. Tandem rear axles.	\$9,329	730#
3122250	Dual Meritor MP40-14x3 Rear Axle rated at 40K. Tandem rear axles with pump.	\$8,823	668#
3122251	Dual Meritor MP40-14x3 DualTrac Rear Axle rated at 40K. Tandem rear axles with pump.	\$9,411	700#
3122252	Dual Meritor MP40-14x4 Rear Axle rated at 40K. w/ heavy-wall housing with pump. Tandem rear axles.	\$9,438	714#
3123001	Dual PACCAR DX-40 Axle 40K 9.5 mm housing standard track	\$8,441	575#
3123003	Dual PACCAR DX-40 Rear Axle 40K 9.5 mm housing mid track	\$8,952	595#
3124400	Dual Dana Spicer DSP40 Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Tandem rear axles.	\$8,873	657#
3124401	Dual Dana Spicer DSP40P Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$8,754	675#
3124403	Dual Dana Spicer DSP41 Rear Axle rated at 40K. (DSP40 w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Tandem rear axles.	\$9,073	688#
3124404	Dual Dana Spicer DSP41P Rear Axle rated at 40K. (DSP40P w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$8,959	706#
44K			
3131446	Dual Dana Spicer DSH44P Rear Axle rated at 44K w/ 12.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$10,610	782#
3132246	Dual Meritor MT44-14x5 Plus Rear Axle Rated At 44K. W/ 12.7MM Housin. Tandem Rear Axles.	\$11,927	767#
46K			
3142160	Dual Meritor RT46-160 Rear Axle rated at 46K. Tandem rear axles.	\$11,085	1,109#
3142161	Dual Meritor RT46-160P Rear Axle rated at 46K. Tandem rear axles. With pump	\$11,158	1,139#
3142170	Dual Meritor RT46-164EH Rear Axle rated at 46K. Tandem rear axles. Heavy wall housing	\$10,780	1,186#



T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Tandem Drive Rear Axle

46K

3142171	Dual Meritor RT46-164PEH Rear Axle rated at 46K w/ heavy wall housing. Tandem rear axles.	\$12,942	1,216#
---------	---	----------	--------

Single Axle Outer End Equipment

Brakes

3302000	Single Rear Brakes:Bendix ADB22X-LT Air Disc Brk for single rear axles to 20K capacity.	\$493	0#
3302001	Single Rear Brakes Bendix Air Disc Brakes for single rear axles to 23K capacity.	\$0	20#
3302002	Single Rear Brakes Bendix Air Disc Brakes for single rear axles 23,001 to 26K capacity.	\$0	20#
3304010	Single Rear Brakes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. single axle drum brake, Max GAWR 23k.	(\$75)	10#
3306007	Single Rear Brakes Bendix RSD ADB22X-LT 20K Disc brake for single axle, tractor only	\$766	0#
3306012	Single Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for single axle, Max GAWR 23K.	\$0	20#
3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	STD	0#
3350007	Single Rear Brakes 16-1/2x7 in., 23K. Meritor Q-Plus extended service S-cam.	\$103	8#
3352002	Single Rear Brakes: Meritor EX+LS Single to 23K	\$550	0#
3352003	Single Rear Brakes Meritor EX+L Optimized air disc brakes for single rear axles to 23K capacity.	\$593	0#
3354022	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x8.625 in., single axle drum brake, Max GAWR 21k.	\$248	24#
3354023	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x 7 in. single axle drum brake, Max GAWR 23k.	\$56	8#
3354029	Single Rear Brakes 16.5X7" , 23,0001-26K; Meritor P Series S-cam requires cast drums	\$267	0#
3356021	Rear Air Disc Brakes: Meritor EX+LS Max 23K Single Reduced Stopping Distance Tractor Only	\$625	0#
3356022	Single Rear Air Disc Brakes: Meritor EX+L Optimized RSD Sing Max 23K. Reduced stopping distance tractor only.	\$668	0#

Brake Drums

3392001	Single Rear Brake Heavy Duty Brake Drums: Cast. Use HD Gunite Drum when single axle with GAWR over 23,000 lbs is selected. With 16.5X7" or 16.5X8.625" brake.	\$53	0#
3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	STD	0#



T480: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Brake Drums			
3392116	Single Rear Brake Drums Meritor X30 Light weight. For use with 16.5X7" brake. Contact Applications Engineering for maximum GAWR.	\$98	-32#
Rotors			
3392042	U-Shaped Rotor for Single Rear Meritor Air Disc brakes.	\$898	0#
3392204	Splined Rotor for Single Rear Air Disc Brakes for use with aluminum hubs.	\$1,499	-104#
3392205	Splined Rotor for Single Rear Air Disc Brakes for use with iron hubs.	\$1,422	-104#
3392210	Rotor for Single Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	\$303	0#
Hubs			
3401010	Single Rear Hubs: Aluminum Hub Pilot 23K; 11.25" bolt circle. Requires "R" series outer ends.	\$159	-26#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	STD	0#
Oil Seals			
3441967	ConMet PreSet Hub Package; Single Rear Axle.	\$0	0#
3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	STD	0#
Spring Brakes & Parking Brakes			
3485004	Spring Brakes Included W/ Single Rear Air Disc brakes.	\$0	0#
3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	STD	0#
3485008	Spring Brake: 3036 Single. For drum brakes.	\$70	8#
3485114	Spring Brakes Piston Type for Bendix Air Disc Brakes, Single. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$287	70#
3485214	Spring Brake: 3036 Long Stroke Single 30 Square inches; 36 square inches spring chamber. For drum brakes	\$90	0#
Slack Adjusters			
3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	STD	0#
Wheel Differential Locks & Limited Slip			
3511080	Meritor Driver Controlled Differential Lock for single rear axle.	\$812	0#



T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Single Axle Outer End Equipment

Wheel Differential Locks & Limited Slip

3531000	Wheel Differential Lock for Dana Spicer Axle P22060S; changes S to D to the axle part number.	\$1,366	15#
3531001	Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.	\$1,154	28#

Miscellaneous

3490901	Rear Air Disc Brake Dustshields for Single Axle; includes pads and rotor shields.	\$316	6#
3490904	Rear Air Disc Brake Dustshields for Single Axle; includes pads only.	\$58	1#
3490905	Rear Air Disc Brake Dustshields for Dual Axle; includes pads only.	\$116	2#
3490911	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads and rotor shields.	\$112	0#
3490913	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads only.	\$18	0#

Tandem Axle Outer End Equipment

Brakes

46K & Under

3304012	Dual Rear Brake: Bendix RSD 16.5X7 46K Capacity Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	\$812	24#
3304016	Dual Rear Brake: Bendix RSD 16.5X8.625 46K Capacity, Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	\$924	32#
3306001	Dual Rear Bendix Air Disc Brakes for Dual rear axles to 46K capacity.	\$0	40#
3306006	Dual Rear Bendix Air Disc Brakes ADB22X-LT for Dual rear axles to 40K capacity.	(\$722)	0#
3306008	Dual Rear:BrakesBendix RSD ADB22X-LT dual max 40K Disc brake for tandem axle	\$1,768	0#
3306014	Dual Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for tandem axle, Max GAWR 46k.	\$1,813	40#
3334004	Dual Rear Brakes 16-1/2x7 in. to 46K; Bendix ES-extended service S-cam.	\$0	0#
3334050	Dual Rear Brakes 16-1/2x8-5/8 in. to 44K; Bendix ES-extended service S-cam.	\$430	32#
3354004	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q-Plus S-cam stamped spider.	\$117	16#
3354007	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q- plus-extended service S-cam.	\$209	16#
3354046	Dual Rear Brakes Meritor Q+ RSD-Compliant S-Cam 16.5x8.625 in. tandem axle drum brake, Max GAWR 46k.	\$1,114	48#



T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Tandem Axle Outer End Equipment

Brakes

46K & Under

3356007	Dual rear Meritor EX+L Optimized Air Disc Brakes for dual rear axles to 46K capacity.	\$2,251	0#
3356008	Dual Rear Meritor EX+LS Max 46K	\$2,184	0#
3356023	Rear Air Disc Brakes: Meritor EX+LS Max 46K Dual Reduced Stopping Distance Tractor Only	\$2,259	0#
3356024	Rear Air Disc Brakes: Meritor EX+L Optimized RSD Dual Max 46K. Reduced stopping distance tractor only.	\$2,326	0#

Brake Drums

3392005	Dual Rear Brake Drums: Cast. For use with 16.5X7" or 16.5X8.625" brake.	\$0	0#
3392010	Rear Brake Drums: Cast Included W/ Axle or brake.	\$0	0#
3392130	Dual Rear Brake Drums Meritor X30 Light Weight. Use with 16.5X7" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels	\$293	-64#
3392131	Dual Rear Brake Drums Meritor X30 Light Weight. Use w/ 16.5X8.625" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels.	\$442	-32#

Rotors

3392043	U-Shaped Rotor for Dual Rear Meritor Air Disc brakes.	\$2,501	0#
3392604	Splined Rotor for Dual Rear Air Disc Brake for use with aluminum hubs.	\$2,496	-208#
3392605	Splined Rotor for Dual Rear Air Disc Brakes for use with iron hubs.	\$3,206	-208#
3392606	Rotor for Tandem Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	\$1,298	0#

Hubs

3403460	Dual Rear Hubs: Iron Hub Pilot 52K; 11.25" Bolt circle. Requires "R" series outer ends.	\$5	104#
3407050	Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.	\$0	0#

Oil Seals

3441968	ConMet PreSet Hub Package; Dual Rear Axle.	\$0	0#
3441972	ConMet PreSet Plus Hub Package; Dual Rear Axle.	\$0	0#

Spring Brake & Service Chambers

Single on Dual



T480: REAR AXLE

Option	Description	Price	Weight
Tandem Axle Outer End Equipment			
Spring Brake & Service Chambers			
Single on Dual			
3485101	Spring Brake: 3030 Long Stroke Single Spring brake on dual axle. For drum brakes, also known as spring brake delete. This option reduces rear tandem GAWR to 36,000 lbs.	\$102	-20#
3485103	Spring Brakes Included W/ Rear Air Disc Brakes single spring brake on dual axle installation. Derates tandem to 36,000 lbs. AKA spring brake delete.	\$118	-20#
Dual			
3485002	Spring Brakes Included W/ Dual Rear Air Disc brakes.	\$0	0#
3485013	Spring Brakes Piston Type for Bendix Air Disc Brakes, Dual. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$1,241	140#
3485207	Spring Brake: 3030 Long Stroke Dual 30 Square inches travel. For drum brakes. Helps keep brakes in adjustment longer.	\$102	4#
3485208	Spring Brake: 3036 Dual 30 Square Inches; 36 square inches spring chamber. For drum brakes.	\$296	16#
3485209	Spring Brake: 3030 High Output Dual. For drum brakes.	\$115	0#
3485213	Spring Brake: 3036 Long Stroke Dual 30 Square inches; 36 square inches spring chamber. For drum brakes.	\$343	16#
Brake Equipment			
3500006	Inverted Chambers for 16-1/2 x 7 in. Brakes; Replaces standard mount w/ higher mount.	\$12	0#
3500021	Brake Cam Tube Bracket Required W/ Wide Base tires w/ Airglide 380, 400, 400L, 460, 690 & Primaax suspension.	\$0	0#
Differential Lock & Crosslock			
3511400	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear axle. Under Speed Interlock is standard on T680.	\$1,279	19#
3511401	Driver Controlled Differential Lock (Crosslock) for FUELite MA40-165.	\$1,207	0#
3511410	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 58K rear rear axle. Under Speed Interlock is standard on T680.	\$1,289	19#
3511420	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	\$2,231	39#
3511500	Driver Controlled Differential Lock (Crosslock) for Paccar Axles 40K rated, forward rear axle, with cab control.	\$1,163	19#



T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Tandem Axle Outer End Equipment

Differential Lock & Crosslock

3532120	Wheel Differential Lock for Dana Spicer Axles DSH40(P)/DSH44(P)/DSP40(P)/DSP41(P)/D40-145(P)(H)(S)/D40-155 forward rear axle. Under Speed Interlock is standard on T680.	\$1,156	22#
3532125	Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 rear rear axle. Under Speed Interlock is standard on T680.	\$1,230	15#
3532130	Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 forward rear axle & rear rear. Under Speed Interlock is standard on T680.	\$2,336	37#
3532191	Wheel Differential Lock for Dana Spicer Axles D52-190P or D46-590HP forward rear axle.	\$1,013	19#
3532193	Wheel Differential Lock for Dana Spicer Axles D52-190P or D46-590HP rear rear axle. Under Speed Interlock is standard on T680.	\$1,239	20#
3532195	Wheel Differential Lock for Dana Spicer Axles D52-190P, D46-590HP or D52-590P forward rear axle & rear rear axle.	\$1,938	39#

Slack Adjusters

3465002	Tandem Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$0	0#
---------	---	-----	----

Miscellaneous

3490902	Rear Air Disc Brake Dustshields for Tandem axles; includes pads and rotor shields.	\$632	12#
3490912	Rear Air Disc Brake Meritor Dustshields for tandem axles; includes pads and rotor shields.	\$184	0#
3490914	Rear Air Disc Brake Meritor Dustshields for dual axle; includes pads only.	\$36	2#
3500022	Brake Cam Tube Bracket W/ Dual Tires	\$58	4#

Anti-Lock Brake System

4-Channel

3495226	Bendix 4S/4M Anti-Lock Brake System.	STD	0#
3495228	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC).	\$554	2#
3495229	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability program (ESP) for tractor.	\$1,896	11#
3495233	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$1,894	0#

6-Channel

3495227	Bendix 6S/6M Anti-Lock Brake System.	\$822	5#
---------	--------------------------------------	-------	----



T480: REAR AXLE

Option	Description	Price	Weight
Anti-Lock Brake System			
6-Channel			
3495230	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC).	\$1,029	6#
3495231	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for tractor.	\$2,926	15#
3495232	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$1,927	15#
Other			
3495243	Bendix Side Object Detection Version 2 sensor on RH side, with increased field of view and enhanced detection.	\$1,064	0#
3500101	Bendix ABS Parameter Rail/Drilling Mode Programmable Option	\$0	0#
Body Builder ESP Information			
3500070	20-33 Cubic Yard Dump/Roll On-Off/Volumetric Mixer.	\$0	0#
3500072	Tanker Height less than 75 in. from Top of Frame rail	\$0	0#
3500073	Tanker Height between 75 in. and 85 in. from Top of frame rail.	\$0	0#
3500096	Flatbed Top of Deck not more than 20 in. Above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
3500097	Van Body Top of Deck not more than 20 in. Above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
Miscellaneous			
3367001	Rear Brake Included W/ Rear Axle.	\$0	0#
3407026	Rear Hub: Included W/ Axles 11-1/4 in. B.C. hub-pilot.	\$0	0#
3407046	Longer Studs for Aluminum Wheels W/ Steel Hub pilot wheels.	\$20	6#
3440100	Oil Seals Included W/ Axle.	\$0	0#
3465900	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	\$0	0#
3490046	Dustshields for Drum Brakes: All Rear Axles, required and only available with T270/T370 front drive axles	\$0	11#
3490047	Dustshields for Drum Brakes: All Rear Axles.	\$106	11#



T480: REAR AXLE

Option	Description	Price	Weight
Miscellaneous			
3495332	Bendix Wingman Advanced Adaptive CC w/ Collision Mitigation (ACB)	\$888	22#
3495333	Adjustable Headway Distance For ACC	\$0	0#
3495335	Non-Adjustable Headway Distance For ACC at 2.8 Sec	\$0	0#
3495337	Non-Adjustable Extended Headway Distance For Acc (AT 3.5 Sec for BENDIX or AT 3.6 SEC for WABCO)	\$0	0#
3495338	Standard Headway Distance Warnings For Use with ACC (1.5, 1.0, 0.5 S)	\$0	0#
3495339	Extended Headway Distance Warnings For Use with ACC (2.0/1.5/1.0 S)	\$0	0#
3495340	Max Headway Distance Warnings For Use with ACC (3.0/2.0/1.5 S)	\$0	0#
3495380	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB W/O Video Recording	\$3,342	0#
3495381	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB with Video Recording	\$3,230	0#
3495382	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/ Adjacent Lane and Highway Departure AEB with Video Storage	\$3,618	0#
3495560	Electronic Park Brake	\$687	0#
3495561	Air Operated Park Brake	\$0	0#
3510000	Tapered Axle Shaft Holes.	\$55	0#
3533000	Raised Oil Levels for Rear Rear Axle for use on 12% or greater continuous grades.	\$68	20#
3573111	Separate Switch for Dual Axles: differential lock or crosslock.	\$16	0#

Pusher Axles

Non-Steerable Pushers

Suspensions

3808025	Non-Steerable Pusher Axle: Watson Chalin AL2200 23K Standard track.	\$11,752	2,296#
---------	---	----------	--------

Brakes

3820348	16.5x7 in. Bendix Non-RSD Brakes for Use With 21K or 23K non-steerable pusher assembly (included w/ axle).	\$0	0#
3820353	16.5x7 in. Bendix RSD brakes for use with 21K or 23K axle non-steerable pusher assembly.	\$107	0#

Brake Drums

*See PremierSpec for Applicable Restrictions



T480: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Non-Steerable Pushers			
Brake Drums			
3820698	Cast Brake Drums 16.5x7 for Non-Steerable 21K or 23K pusher axle.	\$0	0#
Hubs			
3821703	Non-Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	0#
3821704	Non-Steerable Pusher Hubs Aluminum Hub Pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$486	0#
Miscellaneous			
3825011	Non-Steerable Pusher: Optional Dustshields.	\$43	3#
Steerable Pushers			
Suspensions			
3808027	1 Steerable Pusher: Watson Chalin Tru Track 23K SL2200 includes axle.	\$23,377	1,594#
3808111	1 Steerable Pusher: Watson Chalin 8K SL08	\$11,499	941#
3808124	1 Steerable Pusher: Watson Chalin 10K SL10	\$11,240	962#
3808131	1 Steerable Pusher: Watson-Chalin 13.5K SL13	\$12,610	1,245#
3808802	1 Steerable Pusher: Watson Chalin Tru Track 20K; SL2065	\$15,773	2,086#
Brakes			
3820027	1 Steerable Pusher Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820036	1 Steerable Pusher Brakes: Bendix Non-RSD 15x4 Use with 13.5K axle.	\$0	0#
3820041	16.5x5 in. Bendix RSD brakes for use with 13.5K 1 steerable pusher assembly (included w/ axle).	\$44	0#
3820042	16.5x7 in. Bendix Non-RSD Brakes for Use With 23K 1 steerable pusher assembly (included w/ axle).	\$0	0#
3820044	16.5x7 in. Bendix RSD Brakes for Use with 23K 1 steerable pusher assembly (included w/ axle)	\$107	0#
3820045	1 Steerable Pusher Brakes: 16.5x7 in. Meritor Non-RSD brakes for use with 23K 1 steerable pusher assembly (included w/ axle).	\$0	0#
3820048	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix RSD Use With 13.5K Axle	\$4,281	42#
3820050	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$4,281	42#



T480: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Steerable Pushers			
Brakes			
3820083	1 Steerable Pusher Brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#
3820087	1 Steerable Pusher Brakes: Bendix RSD 16.5x6 in. Use with 20K axle.	\$63	0#
3820101	1 Steerable Pusher Brake: Meritor Q+ 16.5x6 in.; Use with 20K axle.	\$686	48#
3820211	1 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$890	0#
Brake Drums			
3820500	1 Steerable Pusher Cast Brake Drums. 16.5X7 in. for use with 23K axle.	\$0	0#
3820501	1 Steerable Pusher Brake Drums 325x100 included with 8K axle 205mm BC.	\$0	0#
3820511	1 Steerable Pusher Brake Drums 325x100 included with 10K axle 275mm BC.	\$0	0#
3820523	1 Steerable Pusher Brake Drum 15x4 for Use With 13.5K axle.	\$246	0#
3820533	1 Steerable Pusher Cast Brake Drums. 16.5X5 in. for use with 13.5K axle.	\$40	0#
3820562	1 Steerable Pusher Cast Brake Drums. 16.5X6 in. for use with 20K axle.	\$246	0#
Hubs			
3821003	1 Steerable Pusher Iron Hubs Included for 10K axle.	\$0	0#
3821112	1 Steerable Pusher Iron Hubs Included for 8K axle.	\$0	0#
3821121	1 Steerable Pusher Hubs Aluminum Hub Pilot for use with 13.5K axle.	\$0	0#
3821152	1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$481	0#
3821153	1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$257	78#
3821156	1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11-.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821157	1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$278	0#
Miscellaneous			
3825047	Steerable Pusher: Optional Dustshields.	\$73	6#
Pusher Axle Locations			
3841043	1st Pusher Location: 43 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841044	1st Pusher Location: 44 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841045	1st Pusher Location: 45 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841046	1st Pusher Location: 46 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841047	1st Pusher Location: 47 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841048	1st Pusher Location: 48 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841049	1st Pusher Location: 49 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841050	1st Pusher Location: 50 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841051	1st Pusher Location: 51 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841052	1st Pusher Location: 52 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841053	1st Pusher Location: 53 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841054	1st Pusher Location: 54 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841055	1st Pusher Location: 55 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841056	1st Pusher Location: 56 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841057	1st Pusher Location: 57 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841058	1st Pusher Location: 58 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841059	1st Pusher Location: 59 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841060	1st Pusher Location: 60 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841061	1st Pusher Location: 61 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841062	1st Pusher Location: 62 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841063	1st Pusher Location: 63 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841064	1st Pusher Location: 64 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841065	1st Pusher Location: 65 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841066	1st Pusher Location: 66 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841067	1st Pusher Location: 67 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841068	1st Pusher Location: 68 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841069	1st Pusher Location: 69 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841070	1st Pusher Location: 70 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841071	1st Pusher Location: 71 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841072	1st Pusher Location: 72 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841073	1st Pusher Location: 73 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841074	1st Pusher Location: 74 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841075	1st Pusher Location: 75 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841076	1st Pusher Location: 76 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841077	1st Pusher Location: 77 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841078	1st Pusher Location: 78 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841079	1st Pusher Location: 79 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841080	1st Pusher Location: 80 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841081	1st Pusher Location: 81 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841082	1st Pusher Location: 82 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841083	1st Pusher Location: 83 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841084	1st Pusher Location: 84 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841085	1st Pusher Location: 85 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841086	1st Pusher Location: 86 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841088	1st Pusher Location: 88 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841089	1st Pusher Location: 89 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841090	1st Pusher Location: 90 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841091	1st Pusher Location: 91 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841092	1st Pusher Location: 92 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841093	1st Pusher Location: 93 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841094	1st Pusher Location: 94 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841095	1st Pusher Location: 95 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841096	1st Pusher Location: 96 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841097	1st Pusher Location: 97 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841098	1st Pusher Location: 98 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841099	1st Pusher Location: 99 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841100	1st Pusher Location: 100 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841101	1st Pusher Location: 101 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841102	1st Pusher Location: 102 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841103	1st Pusher Location: 103 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841104	1st Pusher Location: 104 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841105	1st Pusher Location: 105 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841106	1st Pusher Location: 106 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841107	1st Pusher Location: 107 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841108	1st Pusher Location: 108 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841109	1st Pusher Location: 109 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841110	1st Pusher Location: 110 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841112	1st Pusher Location: 112 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841113	1st Pusher Location: 113 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841114	1st Pusher Location: 114 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841115	1st Pusher Location: 115 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841116	1st Pusher Location: 116 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841118	1st Pusher Location: 118 in. From C/I Forward forward rear/single rear axle.	\$0	0#
3841119	1st Pusher Location: 119 in. From C/I Forward forward rear/single rear axle.	\$0	0#
3841121	1st Pusher Location: 121 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841122	1st Pusher Location: 122 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841123	1st Pusher Location: 123 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841124	1st Pusher Location: 124 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841129	1st Pusher Location: 129 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841130	1st Pusher Location: 130 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841136	1st Pusher Location: 136 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841137	1st Pusher Location: 137 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841147	1st Pusher Location: 147 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841148	1st Pusher Location: 149 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841154	1st Pusher Location: 154 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841156	1st Pusher Location: 156 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841165	1st Pusher Location: 165 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841202	1st Pusher Location: 202 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841209	1st Pusher Location: 209 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841235	1st Pusher Location: 235 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841240	1st Pusher Location: 240 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
Tag Axles			
Non-Steerable Tags			
Suspensions			
3818025	Non-Steerable Tag Axle: Watson Chalin AL2200 23K Standard track.	\$11,752	2,296#
Brakes			
3820349	16.5x7 in. Bendix Non-RSD Brakes for Use With 21K or 23K non-steerable tag assembly (included w/ axle).	\$0	0#
Brake Drums			
3820699	Cast Brake Drums 16.5x7 for Non-Steerable 21K or 23K tag axle.	\$0	0#
Hubs			
3821708	Non-Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	0#
3821709	Non-Steerable Tag Hubs Aluminum Hub Pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$482	0#
Miscellaneous			
3825009	Non-Steerable Tag: Optional Dustshields.	\$43	2#
Steerable Tags			
Suspensions			
3818124	1 Steerable Tag: Watson Chalin 10K SL10	\$11,805	962#
3818131	1 Steerable Tag: Watson-Chalin 13.5K SL13	\$12,272	1,245#
3818211	1 Steerable Tag: Watson Chalin 8K SL08	\$11,832	941#
Brakes			
3820030	1 Steerable Tag Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820039	1 Steerable Tag Brakes: Bendix Non-RSD15X4 Use with 13.5K axle.	\$0	0#
3820043	1 Steerable Tag Brakes: 16.5x7 in. Bendix Non-RSD brakes for use with 23K 1 steerable tag assembly (included w/ axle)	\$0	0#
3820053	1 Steerable Tag Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$4,281	42#



T480: REAR AXLE

Option	Description	Price	Weight
Tag Axles			
Steerable Tags			
Brakes			
3820084	1 Steerable Tag Brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#
Brake Drums			
3820504	1 Steerable Tag Brake Drums 325X100 included with 8K axle 205mm BC.	\$0	0#
3820508	1 Steerable Tag Cast Brake Drums. 16.5X7 in. for use with 23K axle.	\$0	0#
3820514	1 Steerable Tag Brake Drums 325X100 included with 10K axle 275mm BC.	\$0	0#
3820526	1 Steerable Tag Cast Drum 15x4 for Use With 13.5K axle.	\$246	0#
3820563	1 Steerable Tag Brake Drums. 16.5X6 in. for use with 20K axle.	\$0	0#
Hubs			
3821009	1 Steerable Tag Iron Hubs Included for 10K axle 8-bolt	\$0	0#
3821116	1 Steerable Tag Iron Hubs Included for 8K axle 6-bolt	\$0	0#
3821124	1 Steerable Tag Hubs Aluminum Hub Pilot 10-Bolt for use with 13.5K axle.	\$0	0#
3821154	1 Steerable Tag Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$501	0#
3821155	1 Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$25	16#
3821158	1 Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821159	1 Steerable Tag Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$278	0#
Miscellaneous			
3825070	Steerable Tag: Optional Dustshields.	\$71	6#
3827220	Locking Tag Kit: Required W/ Multiple Axles.	\$496	30#
Tag Axle Locations			
3844052	Tag Location: 52 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844053	Tag Location: 53 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844054	Tag Location: 54 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844055	Tag Location: 55 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
Tag Axles			
Tag Axle Locations			
3844056	Tag Location: 56 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844057	Tag Location: 57 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844058	Tag Location: 58 in. From C/I of Rearmost Axle or single rear XL	\$0	0#
3844059	Tag Location: 59 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844060	Tag Location: 60 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844061	Tag Location: 61 in. From C/I of Rearmost Axle single rear axle.	\$0	0#
3844062	Tag Location: 62 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844063	Tag Location: 63 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844064	Tag Location: 64 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844065	Tag Location: 65 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844066	Tag Location: 66 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844067	Tag Location: 67 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844068	Tag Location: 68 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844069	Tag Location: 69 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844070	Tag Location: 70 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844071	Tag Location: 71 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844072	Tag Location: 72 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844073	Tag Location: 73 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844074	Tag Location: 74 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844075	Tag Location: 75 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844076	Tag Location: 76 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844077	Tag Location: 77 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
Tag Axles			
Tag Axle Locations			
3844080	Tag Location: 80 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844081	Tag Location: 81 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844082	Tag Location: 82 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844083	Tag Location: 83 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844085	Tag Location: 85 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844089	Tag Location: 89 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844096	Tag Location: 96 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844101	Tag Location:101 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844109	Tag Location:109 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844132	Tag Location:132 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#

Customer-Installed Lift Axles

Kenworth-Offered Lift Axles

Customer-Installed Information Codes

3840111	Customer-Installed: Steerable Pusher Information. Watson Chalin 8K SL08	\$0	0#
3840116	Customer-Installed: Steerable Pusher Information. Watson Chalin 8K Tru Track Super Lite. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840124	Customer-Installed: Steerable Pusher Information. Watson Chalin 10K SL10	\$0	0#
3840126	Customer-Installed: Steerable Pusher Information. Watson Chalin 20K Tru Track.	\$0	0#
3840127	Customer-Installed: Steerable Pusher Information. Watson Chalin 23K SL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840128	Customer-Installed: Steerable Tag Information. Watson Chalin 23K SL2200. The rail will be drilled for the installation.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Customer-Installed Lift Axles

Kenworth-Offered Lift Axles

Customer-Installed Information Codes

3840132	Customer-Installed: Steerable Pusher Information. Watson Chalin 13.2K Tru Track Alumilite. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840145	Customer-Installed: Steerable Pusher Information. Hendrickson Paralift Ultra. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840214	Customer-Installed: Steerable Tag Information. Watson Chalin 1800.	\$0	0#
3840218	Customer-Installed: Steerable Pusher Information. Watson Chalin 20K SL2065. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840219	Customer-Installed: Non-Steerable Pusher information. Watson Chalin AL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840220	Customer-Installed: Non-Steerable Tag information. Watson Chalin AL2200. The rail will be drilled for the installation.	\$0	0#
3840231	Customer-Installed: Steerable Pusher Information. Watson Chalin 13.5K SL13	\$0	0#

Clear Frame Request

3840005	Clear Frame: For 1 Customer-Installed Steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,042	0#
3840020	Clear Frame: For 1 Customer-Installed non-steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,042	0#

Non-Kenworth-Offered Lift Axles

Clear Frame Request

3840300	Clear Frame: For 1 Customer-Installed non-Kenworth offered steerable pusher. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,042	0#
3840350	Clear Frame: For 1 Customer-Installed Non steerable, non-Kenworth offered pusher. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,042	0#



T480: REAR AXLE

Option	Description	Price	Weight
Customer-Installed Lift Axles			
Non-Kenworth-Offered Lift Axles			
Clear Frame Request			
3840400	Clear Frame: For 1 Customer-Installed Steerable non-Kenworth offered tag axle. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,042	0#
3840411	Clear Frame: For 1 Customer-Installed non-steerable, non-Kenworth offered tag axle. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,042	0#
Air System For Customer-Installed Lift Axles			
3828801	Kenworth-Installed: Air System & Controls for 1 customer-installed lift axle. Must Code 38283XX Location.	\$1,109	68#
3828802	Kenworth-Installed: Air System & Controls for 2 customer-installed lift axles. Must Code 38283XX Location.	\$2,221	136#
3828803	Kenworth-Installed: Air System & Controls for 3 customer-installed lift axles. Must Code 38283XX Location.	\$3,321	204#
Lift Axle Capacity			
3840708	Customer-Installed Steerable Tag Information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840709	Customer-Installed Steerable Tag Information: Maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840710	Customer-Installed Steerable Tag Information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840712	Customer-Installed Steerable Tag Information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840713	Customer-Installed Steerable Tag Information: Maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840718	Customer-Installed Steerable Tag Information: Maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840720	Customer-Installed Steerable Tag Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
Customer-Installed Lift Axles			
Lift Axle Capacity			
3840721	Customer-Installed Non-Steerable Tag Information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840722	Customer-Installed Non-Steerable Tag Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840723	Customer-Installed Non-Steerable Tag Information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3860608	Customer-Installed Steerable Pusher Information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860609	Customer-Installed Steerable Pusher Information: maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860610	Customer-Installed Steerable Pusher Information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860612	Customer-Installed Steerable Pusher Information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860613	Customer-Installed Steerable Pusher Information: maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860618	Customer-Installed Steerable Pusher Information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860620	Customer-Installed Steerable Pusher Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860621	Customer-Installed Non-Steerable Pusher information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles, enter a capacity which represents a single pusher installation.	\$0	0#
3860622	Customer-Installed Non-Steerable Pusher information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860623	Customer-Installed Non-Steerable Pusher information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#



T480: REAR AXLE

Option	Description	Price	Weight
Lift Axle Control Locations			
3828332	Pusher or Tag: Gauge Dash-Mounted; Switch, pressure regulator and gauge mounted BOC lower LH side.	\$0	0#
3828333	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted BOC lower LH side.	\$0	0#
3828335	Pusher or Tag: Gauge, Switch & Pressure Regulator mounted BOC lower LH side.	\$0	0#
3828336	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator tie-strapped to rail.	\$0	0#
3828339	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted left of driver.	\$0	0#
3828370	Info for Cust.Inst. Controls for C/I Pusher/ Tag: (Regulator installed inside of cab)	\$0	0#
3828371	Info for Cust.Inst. Controls for C/I Pusher/ Tag (Regulator installed outside of cab)	\$0	0#
3828401	Pusher: Gauge Digital Display Single Pusher 1	\$0	0#
3828402	Pusher: Gauge Digital Display Single Pusher 2	\$0	0#
3828403	Pusher: Gauge Digital Display Single Pusher 3	\$0	0#
3828411	Pusher: Gauge Digital Display Tag	\$0	0#



T480: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3632010	Rear suspension: Single Hendrickson Primaax EX232 23K, 8.5 in. ride height.	\$2,770	-68#
3632014	Rear suspension: Single Hendrickson Primaax EX232 23K, 14.5 in. ride height. For 2.1m medium duty with front drive axle only. Includes single leveling valve.	\$6,260	182#
3632277	Rear suspension: single Hendrickson HAS230L 23K. Welded steel crossmember & gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.	\$701	-59#
3632279	Rear suspension: single Hendrickson HAS230 23K. Welded crossmember and gussets w/shocks at 8.8 in. height. Medium-duty for use with air disc brakes only. Engine < 1351 Lb Ft. Includes air suspension dump valve.	\$1,186	-49#
3636421	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.5 in. Not rear air disc brake compatible.	(\$461)	-58#
3636422	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 9 in. Laden Height: 7.3 in. Not rear air disc brake compatible.	STD	0#
3636424	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 7.8 in.	\$620	-58#
3636425	Rear suspension: single Reyco 79KB taperleaf 23K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 8.0 in.	\$855	58#
3636427	Rear suspension: single Reyco 79KB taperleaf 23K. Medium duty. For use with rear air disc brakes. Unladen Height: 10.8 in. Laden Height: 9.0 in.	\$706	58#
3636430	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 11.4 in. Laden Height: 9.7 in. Not available with rear air disc brakes.	\$608	57#
3636434	Rear suspension: single Reyco 79KB multileaf 23K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.4 in. Laden height: 13.0 in. Not rear air disc brake compatible.	\$1,004	32#
3646417	Rear suspension: single Reyco 79KB multileaf 26K with helper spring. Medium duty. Unladen Height: 10.8 in. Laden Height: 8.1 in. Not rear air disc brake compatible.	\$413	119#
3652012	Rear suspension: Single Hendrickson Primaax EX262 26K, 8.5 in. ride height.	\$3,328	-68#
3656428	Rear suspension: single Reyco 79KB multileaf 26K. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.1 in. Laden height: 12.7 in. Not rear air disc brake compatible.	\$1,004	90#
3656429	Rear suspension: single Reyco 79KB multileaf 26K with helper spring. For use with rear air disc brakes. Unladen Height: 10.7 in. Laden Height: 8.4 in.	\$1,068	129#
3666435	Rear suspension: single Reyco 79KB multileaf 31K. 28K spring plus helper. Laden height 8.9 inches, unladen height 11.7 inches. Not available with shocks or swaybars. Not rear air disc brake compatible.	\$1,219	138#



T480: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3666437	Rear suspension: single Reyco 79KB multileaf 31K with 16 leaf springs. 2.1M medium duty FDA only. Without helper spring. Unladen height: 15.4 in. Laden height: 13.0 in. Not rear air disc brake compatible.	\$1,131	220#
Tandem			
40K & Under			
Kenworth			
3730026	Rear suspension: Tandem Kenworth Airglide 400L 40K. 54 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	\$2,791	200#
3730028	Rear suspension: Tandem Kenworth Airglide 400L 40K. 52 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	\$2,791	200#
3730053	Rear suspension: Tandem Kenworth Airglide 380 38K 52 in. axle spacing. Air suspension with 8.5 in. ride height. Includes single leveling valve and air suspension dump valve. Compatible with drum or air disc brakes.	\$4,357	97#
Reyco			
3726416	Rear suspension: Tandem Reyco 102 40K 4-spring multileaf. 52 in. axle spacing. Steel crossmembers & gussets. 9.6 in. low mount. Unladen height: 9.6 in. Laden height: 8 in. Not rear air disc brake compatible.	\$4,316	424#
3736418	Rear suspension: Tandem Reyco 102 40K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.	\$3,410	424#
Chalmers			
3739202	Rear suspension: Tandem Chalmers 854-40-XL-HS 40K 54 in. axle spacing. Underslung. Unladen Height: 9.3 in. Laden Height: 7.6 in. Not rear air disc brake compatible.	\$5,481	419#
3739203	Rear suspension: Tandem Chalmers 854-40-XL 40K. 54 in. axle spacing. Underslung. Unladen Height: 9.3 in. Laden Height: 6.9 in. Standard restrictor can. Not rear air disc brake compatible.	\$5,481	419#
3739204	Rear suspension: Tandem Chalmers 854-40-H 40K. 54 in. axle spacing. Standard restrictor can.	\$6,839	405#
3739205	Rear suspension: Tandem Chalmers 854-40-L 40K. 54 in. axle spacing. Laden height 8.9 inches, unladen height 11.1 inches. Standard restrictor can.	\$6,839	405#
3739207	Rear suspension: Tandem Chalmers 854-40-H-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.4 in. Laden Height: 10.9 in.	\$6,839	404#
3739208	Rear suspension: Tandem Chalmers 854-40-L-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.1 in. Laden Height: 9.6 in.	\$6,831	404#
3739213	Rear suspension: Tandem Chalmers 854-40-XH-HS 40K. 54 in. axle spacing. High center of gravity application. For 2.1m medium duty with front drive axle only.	\$8,033	462#
Hendrickson			



T480: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
40K & Under			
Hendrickson			
3732100	Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing. Steel crossmember & gussets with shocks at 7.9 in. height. Includes air suspension dump valve. Not rear air disc brake compatible.	\$4,737	392#
3732104	Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing, 8.8 in. ride height. Steel crossmember and gussets. With shocks. Includes air suspension dump valve. For use with rear air disc brakes only.	\$4,999	431#
3732114	Rear suspension: Tandem Hendrickson HAS402 40K. 54 in. axle space, 10 in. ride height. Aluminum crossmember and gussets with shocks. Includes air suspension dump valve. Not rear air disc brake compatible.	\$4,821	392#
3732976	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 16.5 in. saddle height. With shocks. Unladen Height: 11.5 in. Laden Height: 9.5 in.	\$4,685	455#
3732977	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 17.5 in. saddle height. With shocks. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$4,825	461#
3737455	Rear suspension: Tandem Hendrickson RT403 40K. 52 in. axle spacing. 7.19 in. saddle height w/barpin bushing. Unladen Height: 10.7 in. Laden Height: 9.7 in. Advertised axle spacing for this rear suspension is a nominal value. Actual spacing may be up to two inches greater than noted. This is important in situations where the body is likely to be pre-built before the chassis is delivered. Tire to body or bracket to body interference may be encountered. Communicate clear space requirements on the sales order. DSP40/P rear axles are not for use with Hendrickson HAS 402, Hendrickson Primaax, or Hendrickson beam-type rear suspensions. Hendrickson RT403 rear suspension for use with tandem axles up to 46K on T8 series. Hendrickson RT403 rear suspension requires bronze center bushings when used in refuse loader or packer applications.	\$5,893	461#
3737456	Rear suspension: Tandem Hendrickson RT403 40K. 52 in. axle spacing. 6 in. saddle height w/ barpin bushing. Unladen Height: 8.6 in. Laden Height: 7.6 in.	\$5,985	449#
44K to 52K			
Chalmers			
3749201	Rear suspension: Tandem Chalmers 854-46-L 46K. 54 in. axle spacing. Unladen Height: 11.3 in. Laden Height: 8.9 in. Standard restrictor can.	\$7,575	534#
3749203	Rear suspension: Tandem Chalmers 854-46-L-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$7,575	534#
3749204	Rear suspension: Tandem Chalmers 854-46-H-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$7,598	534#
3749209	Rear suspension: Tandem Chalmers 854-46-H 46K. 54 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$7,598	706#
Hendrickson			
3742020	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 54 in. axle spacing. 10 in. ride height.	\$7,683	511#



T480: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
44K to 52K			
Hendrickson			
3742030	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 72 in. axle spacing. 10 in. ride height.	\$7,983	511#
3742940	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 16.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 11.5 in. Laden Height: 9.5 in.	\$5,529	463#
3742941	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$5,670	488#
3742942	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 13.5 in. Laden Height: 11.5 in.	\$5,789	469#
3742943	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 20.25 in. saddle height. For 2.1m medium duty with front drive axle only. With shocks, track rods and rubber bolster bushings. Unladen Height: 15.3 in. Laden Height: 13.3 in.	\$8,406	469#
3742947	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 60 in. axle spacing. 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$6,177	469#
3742948	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 60 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 13.5 in. Laden Height: 11.5 in.	\$6,296	469#
3747460	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 6 in. saddle height. Unladen Height: 11.1 in. Laden Height: 10 in.	\$6,044	997#
3747461	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 7.19 in. saddle height. Unladen Height: 12.5 in. Laden Height: 11.2 in.	\$6,137	997#
Suspension Equipment			
3830502	Delete Dash Mounted Control for Air Suspension dump valve. Only available with an air suspension.	\$0	0#
3830505	Dual Leveling Valves for Single Air Suspension. Dual leveling valves on single rear suspensions on only available on Neway ADZ for class 8 or Hendrickson HAS for medium duty. Dual leveling valves will not be approved on any other suspensions on T3.	\$149	0#
3830510	Dual Leveling Valves for Tandem Air Suspension.	\$170	2#
3831999	Torque Rods for 23K or 26K PRIMAAX EX Single using disc brakes. Replacing standard.	\$382	13#
3832001	Torque Rods for 46K PRIMAAX EX Using Disc Brakes. Replacing standard.	\$433	23#
3832004	Heavy-Duty Track Rods for Hendrickson Beam suspensions rated up to 46K or Neway AD tandem suspensions.	\$182	0#
3832008	Heavy-Duty Torque Rods for Hendrickson Beam. 46K and under suspensions.	\$310	15#



T480: REAR SUSPENSION

Option	Description	Price	Weight
Suspension Equipment			
3832018	Delete Shock Absorbers: Hendrickson HAULMAAX EX rear suspension.	(\$307)	-30#
3832020	Edge Kit for HAS Single or Tandem Rear Suspension	\$121	10#
3832026	Chalmers Shock Absorbers. 52K and Under suspension.	\$490	35#
3832030	Bronze Center Bushings for Hendrickson 403.	\$123	6#
3832033	Inboard Mounted Shock Absorbers for Hendrickson HAS single or dual. Mounted outboard on forward rear & inboard on rear rear axle.	\$64	0#
3832072	Transverse Track Rods for Hendrickson RT/RTE suspensions w/52 or 54 in. axle spacing.	\$432	108#
3832098	Track Rods: Heavy Duty for Hendrickson Primaax EX tandem. Replaces standard duty track rods.	\$133	37#
3832100	Track Rods: Heavy Duty for Hendrickson PRIMAAX EX single. Replaces standard duty track rods.	\$76	12#
3832105	Hendrickson TRAAX Track Rods. Replaces Standard track rods for Hendrickson HAULMAAX EX suspensions rated below 46K.	\$115	0#
3832161	Double Rebound Strap Kit: Hendrickson HAULMAAX EX rear suspension.	\$465	6#
3832313	Bolted Rear Suspension Crossmembers for HAS 210/210L or 230/230L. Replaces medium duty standard.	\$0	0#
3832315	Bolted Rear Suspension Crossmembers for RT403 or HAS402. Replaces medium duty standard.	\$0	0#
3832320	Bolted Rear Suspension Crossmember for PRIMAAX EX single. Replaces medium duty standard.	\$0	16#
3834100	Air Retention Kit for Rear Suspension for Use w/ outriggers.	\$172	4#
3836300	Rear Axle Stabilizer bar for Reyco 79KB.	\$1,237	66#
3836310	Rear Shock Absorbers for Reyco 79KB.	\$284	35#
3836315	Bolted Rear Suspension Crossmembers for Reyco 79KB. Replaces medium duty standard.	STD	0#
3839140	Chalmers 40K Severe Service Upgrade. Use with Chalmers 8xx-40 series suspensions. Separate suspension code required.	\$747	16#
3839146	Chalmers 46K Severe Service Upgrade. Use with Chalmers 8xx-46 series suspensions. Separate suspension code required.	\$1,095	30#
Suspension Miscellaneous			
3830152	Air Springs: Heavy-Duty for Airglide 460. Replaces standard duty air springs.	\$52	28#



T480: REAR SUSPENSION

Option	Description	Price	Weight
Suspension Miscellaneous			
3839046	Heavy Duty Barpin Brackets for Tandem Hendrickson beam rear suspensions.	\$486	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tube Type			
Continental Front			
4080053	Front Tires: Continental HAC 3 385/65R22.5 20PR w/ pressure sensor included	\$1,080	112#
Continental Rear			
4280053	Rear tires: Continental HAC 3 385/65R22.5 20PR 2-4	(\$253)	0#
Tubeless Type Standard Profile 22.5			
Apollo Front			
4080184	Front Tires: Apollo Enducombi RA 11R22.5 16PR	\$117	30#
Apollo Rear			
4280184	Rear Tires: Apollo Enducombi RA 11R22.5 16PR	\$117	30#
4280193	Rear Tires: Apollo Enducombi RD CS 11R22.5 16PR	\$262	50#
4280194	Rear Tires: Apollo Enducombi RD CS 11R22.5 14PR	\$150	50#
Bridgestone Front			
4070045	Front Tires: Bridgestone R283S Ecopia 295/75R22.5 16PR	\$39	0#
4070063	Front Tires: Bridgestone BR R213 ECOPIA 295/ 75R22.5 14PR	\$124	0#
4070064	Front Tires: Bridgestone R213 ECOPIA 295/75R22.5 16PR	\$123	0#
4070091	Front Tires: Bridgestone R213 Ecopia 11R22.5 14PR	\$154	-4#
4070092	Front Tires: Bridgestone R213 Ecopia 11R22.5 16PR	\$158	-4#
4077546	Front tires: Bridgestone M870 425/65R22.5 20PR 44.9in. diameter, all position. On/Off highway. Wide-base tire. 20.76in SLR.	\$1,191	156#
4079058	Front tires: Bridgestone R268 Ecopia 11R22.5 14PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified.	(\$147)	16#
4079059	Front tires: Bridgestone R268 Ecopia 11R22.5 16PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$176	18#
4079064	Front tires: Bridgestone R268 Ecopia 12R22.5 16PR 42.7in. diameter, Smartway certified. 19.9in. SLR.	\$373	50#
Bridgestone Rear			
4270042	Rear Tires: Bridgestone M771 11R22.5 14PR	\$703	16#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Bridgestone Rear			
4270043	Rear tires: Bridgestone M771 295/75R22.5 14PR	\$359	58#
4270063	Rear Tires: Bridgestone R213 ECOPIA 295/75R22.5 14PR	\$97	0#
4270064	Rear Tires: Bridgestone R213 ECOPIA 295/75R22.5 16PR	\$123	0#
4270091	Rear Tires: Bridgestone R213 Ecopia 11R22.5 14PR	\$154	-4#
4270092	Rear Tires: Bridgestone R213 Ecopia 11R22.5 16PR	\$158	4#
4277444	Rear tires: Bridgestone M726ELA 11R22.5 14PR	\$519	10#
4277487	Rear tires: Bridgestone M799 11R22.5 16PR. 42 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$400	20#
4277513	Rear tires: Bridgestone M760 Ecopia 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Smartway certified. Code is priced per pair of tires.	\$313	42#
4277545	Rear Tires: Bridgestone M713 Ecopia 11R22.5 14PR. Code is priced per pair of tires.	\$306	0#
4278111	Rear tires: Bridgestone L320 11R22.5 16PR. 42.5 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$747	58#
4279058	Rear Tires: Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$147)	16#
4279059	Rear Tires: Bridgestone R268 Ecopia 11R22.5 16PR 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$176	18#
4279064	Rear Tires: Bridgestone R268 Ecopia 12R22.5 16PR 42.7in. diameter, Smartway certified. 19.9in. SLR.	\$373	50#
Continental Front			
4080023	Front tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	\$397	12#
4080024	Front tires: Continental HSR2 SA 255/70R22.5 16PR	(\$61)	0#
4080034	Front tires: Continental Ecoplus HS3+11R22.5 16PR	\$209	14#
4080036	Front Tires: Continental HS3 Ecoplus 295/60R22.5 18 PR	\$312	-8#
4080047	Front tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$387	38#
4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	STD	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Continental Front			
4080063	Front tires: Continental HSL3 11R22.5 14PR	\$32	8#
4080064	Front tires: Continental HSL3 11R22.5 16PR	\$130	10#
4080065	Front Tires: Continental Ecoplus HS3+11R22.5 14PR	\$166	10#
4080212	Front tires: Continental HSR3 295/75R22.5 14PR.	\$305	22#
4080213	Front tires: Continental HSR3 295/75R22.5 16PR	\$371	26#
4080214	Front tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	\$313	22#
4080216	Front tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	\$432	26#
4080217	Front tires: Continental HSR3 11R22.5 14PR	\$349	34#
4080218	Front tires: Continental HSR3 11R22.5 16PR	\$381	38#
4080219	Front tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$473	34#
4080220	Front tires: Continental HSR3 12R22.5 16PR	\$474	66#
4080221	Front tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.	\$599	66#
4080226	Front tires: Continental HSR2 SA 275/70R22.5 18PR	\$68	2#
Continental Rear			
4280009	Rear Tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	\$397	12#
4280010	Rear tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$387	38#
4280051	Rear tires: Continental HSL3 295/75 R22.5 16PR	\$210	2#
4280056	Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	STD	0#
4280057	Rear tires: Continental HDR2+ 11R22.5 14PR	\$120	44#
4280058	Rear tires: Continental HDR2+ 11R22.5 16PR	\$291	46#
4280059	Rear tires: Continental HDR2+ 295/75R22.5 14PR	\$107	28#
4280060	Rear tires: Continental HDR2+ 295/75R22.5 16PR	\$278	28#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Continental Rear			
4280063	Rear tires: Continental HSL3 11R22.5 14PR	\$32	8#
4280064	Rear tires: Continental HSL3 11R22.5 16PR	\$130	10#
4280065	Rear Tires: Continental Ecoplus HS3+11R22.5 14PR	\$166	10#
4280081	Rear Tires: Continental HDL3 LTL 295/75R22.5 14 PR	\$152	14#
4280083	Rear tires: Continental Ecoplus HS3+11R22.5 16PR	\$209	14#
4280085	Rear Tires: Continental HSR2 SA 255/70R22.5 16PR	(\$61)	0#
4280103	Rear tires: Continental HDL3 LTL 11R22.5 14PR	\$231	28#
4280212	Rear tires: Continental HSR3 295/75R22.5 14PR.	\$305	22#
4280214	Rear tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	\$313	22#
4280216	Rear tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	\$432	26#
4280217	Rear tires: Continental HSR3 11R22.5 14PR	\$349	34#
4280218	Rear tires: Continental HSR3 11R22.5 16PR	\$381	38#
4280219	Rear tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$473	34#
4280220	Rear tires: Continental HSR3 12R22.5 16PR	\$474	66#
4280221	Rear tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.	\$599	66#
4280942	Rear Tires: Continental HDL 3 ECO+ 295/75R22.5 14PR	\$155	12#
4280943	Rear Tires: Continental HDL 3 ECO+ 295/75R22.5 16PR	\$195	14#
4280946	Rear Tires: Continental HDL 3 ECO+ 11R22.5 14PR	\$162	22#
Goodyear Front			
4030020	Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$449	2#
4030024	Front Tires: Goodyear Endurance RSA 11R22.5 16PR	\$433	14#
4038737	Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$445	4#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Goodyear Front			
4038823	Front tires: Goodyear Endurance LHS 11R22.5 16PR	\$445	0#
Goodyear Rear			
4230024	Rear Tires: Goodyear Endurance RSA 11R22.5 16PR	\$433	15#
4230704	Rear Tires: Goodyear Endurance MSD 12R22.5 16PR 43.4" diameter, 20.4" SLR, CRR- 8.10	\$1,166	74#
4230712	Rear Tires: Goodyear Endurance MSD 11R22.5 16PR	\$1,104	42#
4230725	Rear Tires: Goodyear Endurance MSD 11R24.5 16PR	\$792	58#
4238001	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR	\$840	64#
4238003	Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR	\$1,171	84#
4238737	Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$445	4#
4238823	Rear Tires: Goodyear Endurance LHS 11R22.5 16PR	\$445	0#
4238856	Rear tires: Goodyear Endurance LHD 11R22.5 14PR	\$549	33#
4238860	Rear tires: Goodyear Endurance RSA 12R22.5 16PR	\$801	56#
4238866	Rear tires: Goodyear Endurance LHD 11R22.5 16PR	\$584	40#
Michelin Front			
4010004	Front Tires: Michelin X Works Z 12R22.5 16PR	\$1,182	64#
4010136	Front Tires: Michelin X Line Energy Z 11R22.5 14P	\$603	118#
4010137	Front Tires: Michelin X Line Energy Z 11R22.5 16P	\$621	7#
4010148	Front Tires: Michelin X Multi Energy Z 2 295/75R22.5 16PR	\$756	7#
4010149	Front Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	\$838	17#
4010340	Front Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR.	\$1,209	52#
4017062	FR MN X MULTI Z2 11R22.5 14PR	\$510	0#
Michelin Rear			
4210004	Rear Tires: Michelin X Works Z 12R22.5 16PR	\$1,182	64#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Michelin Rear			
4210055	Rear Tires: Michelin X Multi D+ 275/80R22.5 14PR	\$924	0#
4210340	Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$1,209	52#
4217094	Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$924	38#
4217112	RR MN X MULTI Z2 11R22.5 14PR	\$510	0#
4217125	Rear tires: Michelin XDN2 12R22.5 16PR. 42.9in. Diameter. drive tire. 20 in. SLR. Code is priced per pair of tires.	\$1,069	68#
4217221	RR MN X LINE GRIP D 295/75R22.5 14PR	\$552	0#
4217225	Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$649	26#
4217235	RR MN X LINE GRIP D 11R22.5 14PR	\$803	0#
4217402	Rear tires: Michelin XDS2 11R22.5 16PR 41.9 in. diameter, drive. 19.6 in. SLR.DR. Code is priced per pair of tires.	\$1,253	46#
4217406	Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$1,091	42#
Yokohama Front			
4083242	Front Tires: Yokohama RY023 11R22.5 16PR	(\$169)	6#
4083282	Front Tires: Yokohama RY617 11R22.5 14PR	(\$222)	2#
Yokohama Rear			
4283242	Rear Tires: Yokohama RY023 11R22.5 16PR	(\$169)	6#
4283250	Rear Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$96)	18#
4283253	Rear Tires: Yokohama TY517 MC2 295/75R22.5 16PR	(\$49)	0#
4283261	Rear Tires: Yokohama 709ZL 11R22.5 14PR	(\$120)	32#
4283282	Rear Tires: Yokohama RY617 11R22.5 14PR	(\$222)	2#

Tubeless Type Standard Profile 24.5

Apollo Front



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Apollo Front			
4080193	Front Tires: Apollo EnduTrax MA 11R24.5 16PR	\$450	56#
Apollo Rear			
4280203	Rear Tires: Apollo Enducombi RD CS 11R24.5 16PR	\$419	68#
4280204	Rear tires: Apollo Enducombi RD CS 11R24.5 14PR	\$293	68#
4280205	Rear tires: Apollo Enducombi RD OS 11R24.5 16PR	\$419	66#
4280206	Rear tires: Apollo Enducombi RD OS 11R24.5 14PR	\$293	54#
4280207	Rear tires: Apollo Endutrax MA 11R24.5 16PR	\$450	56#
Bridgestone Front			
4070636	Front Tires: Bridgestone R213 Ecopia 11R24.5 16PR	\$314	20#
4071637	Front Tires: Bridgestone R213 Ecopia 11R24.5 14PR	\$248	20#
4079060	Front tires: Bridgestone R268 Ecopia 11R24.5 14PR. 43.5 in. diameter all position. Side wall protector bar. 20.3 in. SLR.	\$17	34#
4079062	Front tires: Bridgestone R268 Ecopia 11R24.5 16PR. 43.5 in. diameter all position. Side wall protector bar. 20.3 in. SLR.	\$272	36#
Bridgestone Rear			
4277449	Rear Tires: Bridgestone M726ELA 11R24.5 16PR 44.2 in. diameter, highway drive tire. 20.6 in. SLR. Code is priced per pair of tires.	\$581	64#
4277456	Rear Tires: Bridgestone M726ELA 11R24.5 14PR. 44.2 in. diameter. Long haul or P & D drive tire. 20.6 in. SLR. Code is priced per pair of tires.	\$852	56#
4277491	Rear Tires: Bridgestone M799 11R24.5 16PR. 44 in. diameter, all position. 20.5 in. SLR. Code is priced per pair of tires.	\$654	50#
4277538	Rear Tires: Bridgestone M713 Ecopia 11R24.5 14PR. Code is priced per pair of tires.	\$401	3#
4278133	Rear tires: Bridgestone L320 11R24.5 16PR. 44.4 in. diameter, drive. 20.7 in. SLR. Code is priced per pair of tires.	\$1,186	84#
4279060	Rear Tires: Bridgestone R268 Ecopia 11R24.5 14PR 43.3 in. diameter all position. Side wall protector bar. 20.3 in. SLR. Code is priced per pair of tires.	\$17	34#
4279062	Rear Tires: Bridgestone R268 Ecopia 11R24.5 16PR 43.3 in. diameter all position. Side wall protector bar. 20.3 in. SLR.	\$272	36#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Continental Front			
4080084	Front tires: Continental HSC3 12R24.5 16PR. With pressure sensor included.	\$735	98#
4080222	Front tires: Continental HSR3 11R24.5 16PR	\$435	58#
4080223	Front tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.	\$560	58#
Continental Rear			
4280084	Rear tires: Continental HSC3 12R24.5 16PR. With pressure sensor included.	\$735	98#
4280104	Rear tires: Continental HDL3 LTL 11R24.5 16PR	\$290	50#
4280222	Rear tires: Continental HSR3 11R24.5 16PR	\$435	58#
4280223	Rear tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.	\$560	58#
Goodyear Front			
4030022	Front Tires: Goodyear Fuel Max RSA 11R24.5 16PR	\$537	22#
4038662	Front tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$649	34#
4038807	Front tires: Goodyear G751 MSA 11R24.5 16PR 44.0in. diameter. Steer/all position on/off highway tire. 20.7 SLR.	\$924	60#
4038827	Front tires: Goodyear Endurance LHS 11R24.5 16PR	\$570	16#
Goodyear Rear			
4230022	Rear Tires: Goodyear Fuel Max RSA 11R24.5 16PR	\$537	22#
4238002	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR	\$987	82#
4238675	Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$649	34#
4238700	Rear tires: Goodyear G182 RSD 11R24.5 16PR. 44.1 in. diameter. drive tire. 20.8 in. SLR. Code is priced per pair of tires	\$969	68#
4238807	Rear Tires: 2 Goodyear G751 MSA 11R24.5 16PR 44.0in. Diameter. Steer/All Position On/Off Highway Tire. 20.7 SLR.	\$924	60#
4238827	Rear tires: Goodyear Endurance LHS 11R24.5 16PR	\$570	16#
4238857	Rear tires: Goodyear Endurance LHD 11R24.5 14PR	\$651	55#
4238858	Rear tires: Goodyear Endurance LHD 11R24.5 16PR	\$716	44#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Michelin Front			
4010003	Front Tires: Michelin X Works Z 11R24.5 16PR	\$1,041	54#
4010139	Front Tires: Michelin X Line Energy Z 11R24.5 16P	\$797	26#
4017157	Front Tires: Michelin XZE2 11R24.5 14PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	\$641	26#
4017158	Front Tires: Michelin XZE2 11R24.5 16PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	\$855	34#
Michelin Rear			
4210003	Rear Tires: Michelin X Works Z 11R24.5 16PR	\$1,041	54#
4210054	Rear Tires: Michelin X Multi D+ 11R24.5 16PR	\$933	0#
4210151	Rear Tires: Michelin X Works D 11R24.5 16PR	\$1,216	80#
4217157	Rear tires: Michelin XZE2 11R24.5 14PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	\$641	26#
4217158	Rear tires: Michelin XZE2 11R24.5 16PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	\$855	0#
4217226	Rear tires: Michelin XMultiEnergyD 11R24.5 16PR 43.4 in. diameter, drive. 20.4 in. SLR. Smartway certified. Code is priced per pair of tires.	\$864	58#
4217404	Rear tires: Michelin XDS2 11R24.5 16PR 43.9 in. diameter, drive. 20.5 SLR. Code is priced per pair of tires.	\$1,319	54#
4217411	Rear tires: Michelin XDA5+ 11R24.5 16PR. 43.8 in. diameter, drive. 20.6 in. SLR. Code is priced per pair of tires.	\$1,282	63#
Yokohama Front			
4083241	Front Tires: Yokohama RY023 11R24.5 16PR	(\$56)	22#
4083283	Front Tires: Yokohama RY617 11R24.5 14PR	(\$161)	18#
Yokohama Rear			
4283241	Rear Tires: Yokohama RY023 11R24.5 16PR	(\$56)	22#
4283262	Rear Tires: Yokohama 709ZL 11R24.5 14PR	(\$97)	46#
4283283	Rear Tires: Yokohama RY617 11R24.5 14PR	(\$161)	18#

Tubeless Type Low Profile 22.5

Apollo Front

*See PremierSpec for Applicable Restrictions



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Apollo Front			
4080185	Front Tires: Apollo Endutrax 315/80R22.5 20PR	\$775	78#
4080186	Front Tires: Apollo Enducombi 295/75R22.5 16PR	\$121	26#
4080191	Front Tires Apollo EnduMile LHft 295/75R22.5 14PR	\$121	0#
4080192	Front Tires Apollo EnduMile LHft 295/75R22.5 16PR	\$217	0#
Apollo Rear			
4280185	Rear Tires: Apollo Endutrax 315/80R22.5 20PR	\$775	78#
4280186	Rear Tires: Apollo Enducombi 295/75R22.5 16PR	\$121	26#
4280191	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 16PR	\$283	50#
4280192	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 14PR	\$150	50#
4280201	Rear Tires: Apollo Endumile LHD 295/75R22.5 14PR	\$125	0#
4280202	Rear Tires: Apollo Endumile LHD 295/75R22.5 16PR	\$125	0#
Bridgestone Front			
4070009	Front Tires: Bridgestone R249 315/80R 22.5 20PR	\$767	18#
4077406	Front tires: Bridgestone M864 385/65R22.5 18PR All position. On/Off highway. Wide-base tire.	\$776	114#
4077533	Front tires: Bridgestone M864 425/65R22.5 20PR All Position, On/Off Highway, Wide-base tire.	\$1,918	152#
4077537	Front tires: Bridgestone M870 315/80R22.5 20PR All Position	\$879	94#
Bridgestone Rear			
4270044	Rear tires: Bridgestone M771 11R22.5 16PR	\$721	16#
4270729	Rear Tires: Bridgestone M726ELA 295/75R22.5 14PR	\$172	24#
4277408	Rear tires: Bridgestone M760 Ecopia 295/75R22.5 14PR 40.7in. diameter. 27 tread depth. 19.0in. SLR. EPA SmartWay verified.	\$264	24#
4277498	Rear Tires: Bridgestone M713 Ecopia 295/75R22.5 14PR. 40.5in. diameter, drive. 18.9 in. SLR. Smartway certified. Code is priced per pair of tires.	\$290	1#
4277516	Rear Tires: Bridgestone M864 385/65R22.5 18PR 2-4 All position. On/Off Highway. Wide-base Tire.	(\$577)	364#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Bridgestone Rear			
4277537	Rear tires: Bridgestone M870 315/80R22.5 20PR All Position	\$879	94#
Continental Front			
4080019	Front tires: Continental HAC3 425/65R22.5 20PR with pressure sensor included	\$0	0#
4080029	Front tires: Continental HAU 3 WT 315/80R22.5 20PR	\$873	98#
4080051	Front Tires: Continental Conti HSL3 295/75R22.5 16PR	\$210	2#
4080062	Front Tires: Continental HS3+ 295/75R22.5 16PR	\$224	6#
4080252	Front Tires: Continental HAC3 445/65R22.5 22PR. Includes pressure sensor.	\$1,347	192#
4080254	Front Tires: Continental HSR2 SA 315/80R22.5 20PR	\$611	58#
Continental Rear			
4280000	Rear tires: Continental HDR 255/70R22.5 16PR	\$63	-36#
4280213	Rear tires: Continental HSR3 295/75R22.5 16PR	\$371	26#
4280252	Rear Tires: Continental HAC3 445/65R22.5 22PR. Includes pressure sensor.	\$1,347	192#
4280940	Rear Tires: Continental HDL2 Eco Plus 445/50R22.5 20PR 2-4	(\$120)	-56#
Goodyear Front			
4030012	Front Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$1,246	62#
4030265	Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.	\$373	14#
4038263	Front tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$939	36#
4038678	Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.	\$1,140	78#
4038822	Front tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$437	-4#
4039945	Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR	\$367	-8#
Goodyear Rear			
4230012	Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$1,246	54#
4230020	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$449	4#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Goodyear Rear			
4230038	Rear Tires: Goodyear Fuel Max LHD2 295/75R22.5 14PR	\$716	26#
4238263	Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR	\$939	34#
4238265	Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.	\$373	14#
4238678	Rear tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR. Code is priced per pair of tires.	\$1,140	70#
4238717	Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLR	\$314	0#
4238718	Rear tires: Goodyear G278 MSD 445/65R22.5 20PR 46.2 in. diameter, all position. 21.1 in. SLR. On/Off highway. Wide-base tire 2 replacing 4. Code is priced per pair of tires.	\$1,065	-12#
4238720	Rear tires: Goodyear G278 MSD 425/65R22.5 20PR Wide-base tire 2 replacing 4. Code is priced per pair of tires.	\$634	-50#
4238751	Rear tires: Goodyear Armormax MSA 445/65R22.5 20PR. 2-4. 45.5 in. diameter 20.9 in. SLR. all position. On/Off highway. Wide-base tire.	\$381	-52#
4238822	Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$437	-8#
4238859	Rear tire:Goodyear Endurance LHD 295/75R22.5 14PR	\$530	26#
4239945	Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR	\$367	-8#
Michelin Front			
4010006	Front Tires: Michelin X Works Z 315/80R22.5 20PR	\$1,370	96#
4010146	Front Tires: Michelin X Line Energy Z+ 295/ 75R22.5 16PR	\$698	-5#
4017063	FR MN X MULTI Z2 295/75R22.5 14PR	\$494	0#
4017167	FR MN X MULTI Z2 295/75R22.5 16PR	\$622	0#
4017183	Front Tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. Diameter, All Position. 20.6in. SLR.	\$2,070	190#
4017217	Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.6 in. SLR.	\$1,563	98#
Michelin Rear			
4210006	Rear Tires: Michelin X Works Z 315/80R22.5 20PR	\$1,370	88#
4210056	RR MN X MULTI D+ 11R22.5 16PR	\$817	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Michelin Rear			
4210389	Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4	\$925	138#
4210391	Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4	\$1,201	-65#
4211038	Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.	\$1,185	-50#
4211040	Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.	\$878	178#
4217113	RR MN X MULTI Z2 295/75R22.5 14PR	\$494	0#
4217181	RR MN X MULTI Z2 295/75R22.5 16PR	\$622	0#
4217184	Rear tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. diameter, all position, 2-4 mounting. 20.6 in. SLR. Code is priced per pair of tires.	\$737	-38#
4217217	Rear tires: Michelin XZUS2 315/80R22.5 20PR AP. 42.8 in. diameter, all position.. 19.8 in. SLR. Code is priced per pair of tires.	\$1,563	98#
4217227	Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$527	22#
4217234	Rear tires: Michelin X Line Energy D+ 295/75R22.5 14PR	\$738	12#
4217288	Rear tires: Michelin X One Line Energy D 445/50R 22.5 20PR, 2-4 super single drive tire. 40.1 in. diameter. 18.6 in. SLR. Smartway certified. Not for use on single rear axles. Code is priced per pair of tires.	\$940	-104#
4217408	Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.	\$1,036	34#
Yokohama Front			
4083215	Front tires: Yokohama 101ZL 295/75R22.5 16PR	(\$30)	8#
4083247	Front Tires: Yokohama RY023 295/75R22.5 16PR	(\$170)	0#
4083284	Front Tires: Yokohama RY617 295/75R22.5 16PR	(\$75)	-8#
Yokohama Rear			
4283247	Rear Tires: Yokohama RY023 295/75R22.5 16PR	(\$170)	0#
4283260	Rear Tires: Yokohama 709ZL 295/75R22.5 14PR	(\$154)	26#
4283284	Rear Tires: Yokohama RY617 295/75R22.5 16PR	(\$75)	-8#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 24.5			
Bridgestone Rear			
4270730	Rear Tires: Bridgestone M726ELA 285/75R24.5 14PR	\$687	42#
Continental Front			
4080085	Front tires: Continental Ecoplus HS3+285/75R24.5 16PR	\$153	16#
Goodyear Rear			
4238861	Rear tire:Goodyear Endurance LHD 285/75R24.5 14PR	\$621	49#
Yokohama Front			
4083240	Front Tires: Yokohama RY023 285/75R24.5 14PR	(\$110)	6#
4083281	Front Tires: Yokohama RY617 285/75R24.5 14PR	(\$199)	-4#
Yokohama Rear			
4283240	Rear Tires: Yokohama RY023 285/75R24.5 14PR	(\$110)	6#
4283252	Rear Tires: Yokohama TY517 MC2 285/75R24.5 14PR	(\$57)	18#
4283263	Rear Tires: Yokohama 709ZL 285/75R24.5 14PR	(\$119)	30#
4283281	Rear Tires: Yokohama RY617 285/75R24.5 14PR	(\$199)	-4#
Pusher Axle Tires			
Steerable Pushers			
4781002	1 Steerable Pusher: 2 Bridgestone R238 215/75R 17.5 16PR	(\$136)	-96#
4781028	STRBL PSHR: 2 BR R239 245/70R19.5 16PR	\$89	0#
4781066	STRBL PSHR: 2 MN X MULTI Z2 11R22.5 14PR	\$510	0#
4781069	STRBL PSHR: 4 MN X MULTI Z2 11R22.5 14PR 4-4	\$2,343	0#
4781083	Steerable Pusher: 2 Apollo Endutrax MA 11R24.5 16PR	\$450	56#
4781084	1 Steerable Pusher: 2 Apollo Enducombi RA 11R22.5 16PR	\$117	30#
4781085	1 Steerable Pusher: 2 Apollo Endutrax MA 315/ 80R22.5 20PR	\$775	78#
4781103	1 Steerable Pusher: 2 Michelin X WORKS Z 11R24.5 16PR	\$1,041	54#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781127	1 Steerable Pusher: 2 Michelin XMulti Z 265/ 70R19.5 14PR	\$262	-62#
4781135	1 Steerable Pusher: 2 Michelin Agilis HD Z 245/ 70R19.5 16PR	\$160	0#
4781203	STRBL PSHR: 2 MN X MULTI Z2 295/75R22.5 16PR	\$622	0#
4781205	STRBL PSHR: 2 MN X MULTI Z2 295/75R22.5 14PR	\$494	0#
4781212	1 Steerable Pusher: 4 Continental HSR3 295/ 75R 22.5 14PR 4-4	\$899	14#
4781213	1 Steerable Pusher: 4 Continental HSR3 295/ 75R22.5 16PR 4-4	\$1,031	0#
4781216	2 Steerable Pusher: 4 Continental HSR3 11R22.5 14PR	\$687	68#
4781217	1 Steerable Pusher: 4 Continental HSR3 11R22.5 14PR 4-4	\$687	0#
4781220	1 Steerable Pusher: 2 Continental HSR2 SA 255/70R 22.5 16PR	(\$61)	0#
4781261	STRBL PSHR: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4	\$2,311	0#
4781326	1 Steerable Pusher: 2 Goodyear G114 LHT 215/ 75R17.5 16PR	(\$149)	-108#
4781332	1 Steerable Pusher: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR.	\$1,246	62#
4781410	1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR. Includes pressure sensor.	\$387	0#
4781412	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR	\$305	0#
4781413	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR	\$371	0#
4781414	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR. Includes pressure sensor.	\$313	0#
4781416	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR. Includes pressure sensor.	\$432	0#
4781417	1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR	\$349	0#
4781418	1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR	\$381	0#
4781419	1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR. Includes pressure sensor.	\$473	0#
4781422	1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR	\$435	58#
4781423	1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR. Includes pressure sensor.	\$560	58#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781510	1 Steerable Pusher: 2 Continental Hybrid HS3 245/ 70R19.5 16PR	(\$195)	0#
4781533	1 Steerable Pusher: 2 Bridgestone M864 425/65R 22.5 20PR All Position, On/Off Highway. Wide-base Tire.	\$1,918	152#
4781542	1 Steerable Pusher: 2 Yokohama RY023 11R22.5 16PR	(\$169)	6#
4781559	1 Steerable Pusher: 2 Yokohama RY023 295/75R22.25 16PR	(\$170)	2#
4781565	1 Steerable Pusher: 4 Yokohama RY023 295/75R22.5 16PR 4-4	(\$351)	4#
4781612	2 Steerable Pusher: 4 Continental HSR3 295/75R; 22.5 14P	\$599	28#
4781814	1 Steerable Pusher: 2 Continental Hybrid HS3 265/ 70R19.5 14PR	(\$282)	-64#
4781855	1 Steerable Pusher: 2 Bridgestone R268 Ecopia 11R 24.5. 14PR.	\$17	34#
4781858	1 Steerable Pusher: 2 Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$147)	16#
4781859	1 Steerable Pusher: 2 Bridgestone R268 Ecopia 11R22.5 16PR. 41.2 in. diameter, 19.5 in. SLR. all position.	\$176	18#
4781885	1 Steerable Pusher: 2 Yokohama RY617 11R22.5 14PR	(\$222)	2#
4781886	1 Steerable Pusher: 2 Yokohama RY617 11R24.5 14PR	(\$161)	18#
4781959	1 Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 16PR, All Position, 4-4	\$341	18#
4784028	STRBL TAG: 2 BR R239 245/70R19.5 16PR	\$1,501	0#
Non-Steerable Pushers 2-4			
4782059	1 Non-Steerable Pusher: Bridgestone R268 Ecopia 11R22.5 16PR 2-4 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$1,157)	18#
4782131	NSTRBL PSHR: 2 MN X MULTI Z2 11R22.5 14PR 2-4	\$510	0#
4782158	NSTRBL PSHR: 2 MN X MULTI Z2 295/75R22.5 14PR 2-4	\$494	0#
4782212	1 Non-Steerable Pusher: 2 Contintental HSR3 295/75R; 22.5 14PR 2-4	(\$1,028)	-214#
4782216	1 Non-Steerable Pusher: 2 Continental HSR2 SA 255 70R22.5 16PR 2-4	(\$61)	0#
4782848	1 Non-Steerable Pusher: 2 Yokohama RY023 295/75R 22.5 16PR 2-4	(\$1,503)	2#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Non-Steerable Pushers 2-4			
4782858	1 Non-Steerable Pusher: Bridgestone R268 Ecopia 11R22.5 14PR 2-4 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$1,480)	18#
4783312	1 Non-Steerable Pusher: Goodyear Endurance WHA 315/80R22.5 20PR 2-4.	(\$87)	-166#
Non-Steerable Pushers 4-4			
4783059	1 Non-Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 16PR 4-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	\$341	18#
4783084	1 Non-Steerable Pusher: 4 Apollo Enducombi RA 11R22.5 16PR AP 4-4	\$224	30#
4783089	Non-steerable Pusher: 4 Apollo Endutrax MA 11R24.5 16PR 4-4	\$890	56#
4783102	1 Non-Steerable Pusher: 4 Michelin X Works Z 11R24.5 16PR 4-4	\$2,072	128#
4783157	NSTRBL PSHR: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4	\$2,311	0#
4783208	NSTRBL PSHR: 4 MN X MULTI Z2 11R22.5 14PR 4-4	\$2,343	0#
4783211	1 Non-Steerable Pusher: 4 Continental HSR2 SA 255 /70R22.5 16PR 4-4	\$1,200	0#
4783212	1 Non-Steerable Pusher: 4 Continental HSR3 295/75R22.5 14PR 4-4	\$599	28#
4783217	1 Non-Steerable Pusher: 4 Continental HSR3 11R22.5 14PR 4-4	\$687	68#
4783218	1 Non-Steerable Pusher: 4 Continental HSR3 11R 22.5 16PR 4-4	\$1,051	0#
4783365	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 295/75R22.5 14PR 4-4. 40.6 in. diameter, all position. 19.0 in. SLR.	\$735	12#
4783656	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 11R24.5 16PR. 43.9in. diameter, all positions, 20.6SLR. 4-4	\$1,287	34#
4783842	1 Non-Steerable Pusher: 4 Yokohama RY023 11R22.5 16PR 4-4	(\$350)	12#
4783844	1 Non-Steerable Pusher: 4 Yokohama RY023 295/75R 22.5 16PR 4-4	(\$351)	4#
4783858	1 Non-Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 14PR 4-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$305)	32#
4783882	1 Non-Steerable Pusher: 4 Yokohama RY617 285/75R 24.5 14PR 4-4.	(\$409)	-8#
4783885	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 22.5 14PR 4-4.	(\$455)	4#
4783886	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 24.5 14PR 4-4.	(\$332)	36#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Tag Axle Tires			
Steerable Tags			
4780849	1 Steerable Tag: 2 Yokohama RY023 295/75R22.5 16PR	(\$170)	2#
4784002	1 Steerable Tag: 2 Bridgestone R238 215/75R17.5 16PR	(\$136)	-96#
4784143	STRBL TAG: 2 MN X MULTI Z2 11R22.5 14PR	\$510	0#
4784144	STRBL TAG: 4 MN X MULTI Z2 11R22.5 14PR 4-4	\$2,343	0#
4784180	STRBL TAG: 2 MN X MULTI Z2 295/75R22.5 14PR	\$494	0#
4784212	1 Steerable Tag: 2 Continental HSR3 295/75R; 22.5 14PR	\$305	14#
4784213	1 Steerable Tag: 2 Continental HSR3 295/75R22.5 16PR	\$621	26#
4784214	1 Steerable Tag: 2 Continental HSR2 SA 255/70R 22.5 16PR AP	(\$61)	0#
4784217	1 Steerable Tag: 2 Continental HSR3 11R22.5 14PR	\$349	34#
4784218	1 Steerable Tag: 2 Continental HSR3 11R 22.5 16PR	\$381	0#
4784312	1 Steerable Tag: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR	\$1,246	62#
4784326	1 Steerable Tag: 2 Goodyear G114 LHT 215/75R17.5 16PR	(\$149)	-108#
4784365	1 Steerable Tag: 2 Goodyear Endurance RSA 295/75R22.5 14PR	\$373	17#
4784414	1 Steerable Tag: 2 Continental Hybrid HS3 265/ 70R19.5 14PR	(\$282)	-64#
4784510	1 Steerable Tag: 2 Continental Hybrid HS3 245/ 70R19.5 16PR	(\$195)	0#
4784842	1 Steerable Tag: 2 Yokohama RY023 11R22.5 16PR	(\$169)	0#
4784843	1 Steerable Tag: 4 Yokohama RY023 295/75R22.5 16PR 4-4	(\$351)	4#
4784844	STRBL TAG: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4	\$2,311	0#
4784885	1 Steerable Tag: 2 Yokohama RY617 11R22.5 14PR	(\$222)	2#
Non-Steerable Tags 2-4			
4784145	NSTRBL TAG: 2 MN X MULTI Z2 11R22.5 14PR 2-4	\$510	0#
4788157	NSTRBL TAG: 2 MN X MULTI Z2 295/75R22.5 14PR 2-4	\$494	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Tag Axle Tires

Non-Steerable Tags 2-4

4788417	1 Non-Steerable Tag: 4 Continental HSR3 11R22.5 14PR 4-4	\$687	68#
4789412	1 Non-steerable tag: 2 Continental HSR3 295/ 75R 22.5 14PR 2-4	(\$1,028)	-214#
4789858	1 Non-Steerable Tag:4 Bridge R268 Ecopia 11R22.5 14PR 2-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$1,480)	16#

Non-Steerable Tags 4-4

4788158	NSTRBL TAG: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4	\$2,311	0#
4788200	NSTRBL TAG: 4 MN X MULTI Z2 11R22.5 14PR 4-4	\$2,343	0#
4788412	1 Non-Steerable Tag: 4 Continental HSR3 295/ 75R 22.5 14PR 4-4	\$899	28#
4788418	1 Non-Steerable Tag: 4 Continental HSR3 11R 22.5 16PR 4-4	\$751	68#
4788849	1 Non-Steerable Tag: 4 Yokohama RY023 295/75R22.5 16PR 4-4	(\$351)	0#
4788858	NS TAG BR R268ECOPIA 11R22.5 14PR 4-4 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR. For P&D & construction vocations.	(\$305)	16#
4788882	1 Non-Steerable Tag: 4 Yokohama RY617 11R 22.5 14PLY 4-4	(\$455)	4#

Front & Rear Axle Wheels & Rims

Tubeless Type Aluminum 22.5

Front

5042104	Front Wheel: Accuride 50300 22.5x9 steel, Steel Armor[™] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$553	74#
5042298	Front Wheel: Accuride 29683 22.5x12.25 aluminum, Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$964	-12#
5042299	Front Wheel: Accuride 29374 22.5x12.25 aluminum, Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$958	-2#
5042324	Front Wheel: Accuride 41730 22.5X9 aluminum	\$685	-20#
5042338	Front Wheel:Accuride 43644 22.5x8.25 AL hub-pilot mount Standard Polish	\$572	-52#
5045216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [™] finish High Polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$1,073	-11#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 22.5			
Front			
5045218	Front Wheel: Alcoa 82462 22.5x12.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$1,082	-3#
5045263	Front Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	\$892	-36#
5045268	Front Wheel: Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.	\$847	-39#
5045280	Front Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$882	0#
5045283	Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One high polish finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$959	-40#
5045294	Front Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$865	-40#
5045306	Front Wheel: Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$855	-51#
Rear			
5242312	Rear Wheel:Accuride 43140 22.5x14.00 2-4;aluminum	\$1,089	-10#
5242314	Rear Wheel: Accuride 43142 22.5x14.00 2-4; aluminum. Standard polish finish, hub-pilot mount. 12,800 lb. maximum rating. 2 in. offset. Aluminum hubs will derate this super single wheel style to 17,000 lbs. per axle. Use iron hubs for a 20,000 lbs. per axle rating. Code is priced per pair of wheels. Air disc brake compatible.	\$1,056	-10#
5242324	Rear Wheel: Accuride 41730 22.5X9 aluminum	\$685	-20#
5242338	Rear Wheel: Accuride 43644 22.5X8.25 aluminum hub pilot mount standard polish	\$571	-52#
5242439	Rear Wheel: Accuride 43644 /Accuride 51487 heavy-duty steel 22.5x8.25, Standard Polish aluminum outside/Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$221	-58#
5245215	Rear Wheel: Alcoa 82262 22.5x12.25 2-4; aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 12300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$1,026	-148#
5245263	Rear Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible. Code is priced per pair of wheels.	\$842	-30#
5245280	Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$882	-18#
5245283	Rear Wheel: Kenworth 7-spoke 88u68 22.5x8.25 aluminum with Ultra One, high polish finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.	\$939	-36#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 22.5			
Rear			
5245284	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$486	-6#
5245289	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50885 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$478	-23#
5245292	Rear Wheel: Alcoa 84U61 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish High Polish	\$1,041	-158#
5245293	Rear Wheel: Alcoa 84U64 22.5X14.00 AL 2-4 Ultra ONE Wheel. High Polish	\$880	-158#
5245294	Rear Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$865	-40#
5245306	Rear Wheel: Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$855	-51#
5245307	Rear Wheel: Alcoa 88067/Accuride 50344 heavy-duty 22.5x8.25, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$542	-13#
5245308	Rear Wheel: Alcoa 88067/Accuride 51487 22.5x8.25, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$360	-26#
5245338	Rear Wheel: Accuride 43644 /Acc 50344 heavy-duty steel 22.5x8.25 Steel Armor[™] powder coat, Standard Polish aluminum outside / steel powder coat inside, hub pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$366	-58#
Tubeless Type Steel 22.5			
Front			
5042258	Front Wheel: Accuride 50291 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$121	22#
5042259	Front Wheel: Accuride 50882 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$74	31#
5042268	Front Wheel: Accuride 50885 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$69	26#
5042272	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$19	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Steel 22.5			
Front			
5042279	Front Wheel: Accuride 51422 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$17	4#
5042285	Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$79	20#
5042292	Front Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	STD	0#
5042293	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$15	0#
5042310	Front Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole.	\$85	36#
5042311	Front Wheel: Accuride 29039 22.5X9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes.	\$364	70#
Rear			
5242106	Rear Wheel: Accuride 50300 22.5x9 steel, Steel Armor[TM] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.	\$553	74#
5242258	Rear Wheel: Accuride 50291 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$121	22#
5242259	Rear Wheel: Accuride 50882 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$74	29#
5242268	Rear Wheel: Accuride 50885 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$69	24#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$89	20#
5242376	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$19	0#
5242379	Rear Wheel: Accuride 51422 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$17	2#
5242390	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$15	0#
5242392	Rear Wheel: Accuride 51455 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	STD	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Steel 22.5			
Rear			
5245288	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51455 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$454	-30#
5246285	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$397	-18#
Tubeless Type Aluminum 24.5			
Front			
5042328	Front Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$585	-30#
5044193	Front Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.	\$980	-21#
5045265	Front Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	\$950	-2#
5045275	Front Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$825	-34#
Rear			
5242328	Rear Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating. Code is priced per pair of wheels.	\$585	-30#
5244193	Rear Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$980	-21#
5244194	Rear Wheel: Kenworth 98U68 7-Spoke/Accuride 50409 Steel 24.5x8.25, aluminum with Ultra One High Polish finish outside/ACCU-LTE Steel Armor[TM] powder coat inside, hub pilot mount. 7300 lb. maximum rating. Includes wheel guards.	\$519	3#
5245265	Rear Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Code is priced per pair of wheels. Air disc brake compatible.	\$1,000	-6#
5245275	Rear Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$875	-28#
5245276	Rear Wheel: Alcoa 98U63 Out/ACC 50409 INS 24.5X8. AL/STL High Polish.	\$398	0#
Tubeless Type Steel 24.5			
Front			
5042315	Front Wheel: Accuride 50641 24.5X8.25 Stl ACCU-LTE Steel Armor[TM] powder coat, hub pilot mount. 7400lb. maximum rating. 5-hand holes.	\$68	16#



T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Wheels & Rims

Tubeless Type Steel 24.5

Front

5042330	Front Wheel: Accuride 50409 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	\$71	20#
---------	---	------	-----

Rear

5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	\$85	35#
5242315	Rear Wheel: Accuride 50641 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$68	16#
5242330	Rear-Wheel: Accuride 50409 24.5X8.25 steel ACCU-LITE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	\$71	20#
5245277	Rear Wheel: Alcoa 98U63 Out/ACC 28827 INS 24.5X8. AL/STL. High Polish	\$414	1#

Pusher Axle Wheels

Steerable Pushers

5781176	1 Steerable Pusher Wheel: 2 Accuride 51408 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$19	5#
5781179	1 Steerable Pusher Wheel: 2 Accuride 51422 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$17	2#
5781185	1 Steerable Pusher Wheel: 2 Accuride 50344 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$79	26#
5781188	1 Steerable Pusher Wheel: 2 Accuride 51487 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$15	0#
5781190	1 Steerable Pusher Wheel: 2 Alcoa 83462 22.5x13 aluminum, hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] High Polish finish, hub Level 1 finish.	\$1,022	14#
5781192	1 Steerable Pusher Wheel: 2 Accuride 51455 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5781193	1 Steerable Pusher Wheel: 2 Kenworth 7-spoke 98U68 24.5x8.25; aluminum with Ultra One High Publish finish. Hub-pilot mount. 7300lb. maximum rating. Level 1 finish.	\$928	0#
5781204	1 Steerable Pusher Wheel: 2 Accuride 50300 steel, 22.5x9, Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$553	72#
5781210	1 Steerable Pusher Wheel: 2 Accuride 28827 steel 24.5X8.25. Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$85	42#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Steerable Pushers			
5781218	2 Steerable Pusher Wheel:4 Accuride 50300 steel, 22.5x9, Steel Armor(TM) powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$0	0#
5781220	1 Steerable Pusher Wheel:4 Accuride 50300 steel, 22.5x9, Steel Armor(TM) powder coat, 4-4. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$1,495	148#
5781229	1 Steerable Pusher Wheel: 2 Accuride 50409 steel 24.5X8.25. ACCU-LTE. Steel Armor(TM) powder coat, hub-pilot mount. 7400lb. maximum rating.	\$71	26#
5781258	1 Steerable Pusher Wheel: 2 Accuride 50291 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor(TM) powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$121	28#
5781259	1 Steerable Pusher Wheel: 2 Accuride 50882 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor(TM) powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$74	31#
5781261	1 Steerable Pusher Wheel: 2 Accuride 50885 22.5x8.25. Steel Armor(TM) powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$69	26#
5781263	1 Steerable Pusher: 2 Alcoa 88565 22.5X8.25 AL with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service.	\$842	-30#
5781281	1 Steerable Pusher Wheel:2 Alcoa77349 19.5x7 50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$718	-54#
5781294	1 Steerable Pusher Wheel: KW100 2 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 7300lb max rating. Level 1 finish.	\$865	-44#
5781298	1 Steerable Pusher Wheel: 2 Accuride 29683 22.5x 12.25 aluminumStandard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.FR WHL:Accuride 29683 22.5X12.25 AL	\$952	-12#
5781299	1 Steerable Pusher Wheel: 2 Accuride 29374 22.5X12.25; aluminum Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$958	-2#
5781324	1 Steerable Pusher Wheel: 2 Accuride 41730 22.5X9 AL	\$685	-20#
5781338	1 Steerable Pusher Wheel: 2 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$581	-52#
5781372	1 Steerable Pusher Wheel: 2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$829	-68#
5781383	1 Steerable Pusher: 2 Kenworth 7-spoke 88U68 22.5x8.25 aluminum, hub pilot mount. 7300lb max rating Ultra One High Polish	\$859	-36#
5781510	1 Steerable Pusher Wheel: 2 Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$855	-51#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Steerable Pushers			
5781516	1 Steerable Pusher Wheel: 2 Alcoa 82362 22.5x12.25; aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$1,073	-4#
5781518	1 Steerable Pusher Wheel: 2 Alcoa 82462 22.5X12.25; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$1,082	4#
5781568	1 Steerable Pusher Wheel: 2 Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.	\$847	-34#
5781575	1 Steerable Pusher: 2 Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$875	-28#
5781580	1 Steerable Pusher: 2 Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$882	-18#
5781774	1 Steerable pusher wheel: 2 Alcoa 66480 17.5x6 aluminum, hub pilot mount. For use with 8K Super Lite pushers.	\$777	-76#
5785288	1 Steerable Pusher Wheel: 4 Accuride 51487 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$420	0#
5785292	1 Steerable Pusher Wheel: 4 Accuride 51455 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$389	128#
5789328	2 Steerable Pusher Wheel: 4 Accuride 42362 24.5X8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$1,465	50#
5789338	2 Steerable Pusher Wheel: 4 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$1,367	-102#
Non-Steerable Pushers 2-4			
5782204	Non-Steerable Pusher Wheel: Accuride 50300 steel, 22.5x9, 2-4. Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$165	74#
5782268	Non-Steerable Pusher Wheel: Accuride 50885 heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot moun. 8000lb. maximum rating. 5-hand hole.	(\$254)	26#
5782285	Non-Steerable Pusher Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot moun. 8000lb. maximum rating. 5-hand hole.	(\$239)	-104#
5782292	Non-Steerable Pusher Wheel: Accuride 51455 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	(\$302)	0#
5782293	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	(\$295)	-130#
5782300	Non-Steerable Pusher Wheel: Accuride 29683 22.5x 12.25, 2-4; aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$662	-148#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Non-Steerable Pushers 2-4			
5782515	Non-Steerable Pusher: Alcoa 82262 22.5x12.25 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 12300 lb. maximum rating. Not air disc compatible. Code is priced per pair of wheels.	\$688	-140#
5782516	Non-Steerable Pusher Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$834	-134#
5782568	Non-Steerable Pusher Wheel: Alcoa 89U63 22.5X9 AL 2-4. Ultra One High Polish Wheel.	\$450	-164#
5782575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 2-4. Ultra One High Polish Wheel.	\$472	-158#
5782580	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 2-4. Ultra One High Polish Wheel.	\$343	-148#
5782591	Non-Steerable Pusher Wheel: Alcoa 84U64 22.5X14.0 aluminum 2-4. Ultra ONE Wheel. High Polish	\$725	-32#
Non-Steerable Pushers 4-4			
5783176	Non-Steerable Pusher Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$37	0#
5783179	Non-Steerable Pusher Wheel: Accuride 51422 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$33	2#
5783185	Non-Steerable Pusher Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$158	52#
5783193	Non-Steerable Pusher Wheel: Kenworth 7-spoke 98U68 24.5x8.25, 4-4; aluminum with Ultra One High Polish finish. Hub-pilot mount. 7300lb. maximum rating. Level 1 finish.	\$1,767	0#
5783204	Non-Steerable Pusher Wheel: Accuride 50300 steel, 22.5x9, 4-4. Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$1,106	144#
5783229	Non-Steerable Pusher Wheel: Accuride 50409 24.5X8.25, 4-4; ACCU-LTE. Steel Armor[TM]. Hub-pilot mount. 7400lb. maximum rating.	\$142	52#
5783258	Non-Steerable Pusher Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$242	56#
5783259	Non-Steerable Pusher Wheel: Accuride 50882 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$148	190#
5783261	Non-Steerable Pusher Wheel: Accuride 50885 STL heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$138	181#
5783288	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$31	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Pusher Axle Wheels

Non-Steerable Pushers 4-4

5783292	Non-Steerable Pusher Wheel: Accuride 51455 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5783294	Non-Steerable Pusher Wheel: KW100 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 4-4. 7300lb max rating. Level 1 finish.	\$1,730	-44#
5783338	Non-Steerable Pusher Wheel: Accuride 43644 22.5x8.25, 4-4; aluminum Standard Polish. Hub-pilot mount. 7400lb. maximum rating.	\$1,127	-104#
5783505	Non-Steerable Pusher: Alcoa 88067 22.5x8.25 4-4 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$1,410	-102#
5783575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 4-4. Ultra One High Polish Wheel.	\$1,450	-56#
5783581	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 4-4. Ultra One High Polish Wheel.	\$1,463	-36#
5783583	Non-Steerable Pusher Wheel: Kenworth 7-spoke 88U68 22.5X8.25, 4-4; aluminum, hub-pilot mount. 7300lb. maximum rating. Ultra One High Polish	\$1,718	-72#

Tag Axle Wheels

Steerable Tags

5780292	1 Steerable Tag Wheel: 4 Accuride 51455 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$389	128#
5784204	1 Steerable Tag Wheel: 2 Accuride 50300 steel, 22.5x9, Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$553	74#
5784506	1 Steerable Tag Wheel: 2 Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$705	-50#
5788258	1 Steerable Tag Wheel: 2 Accuride 50291 22.5X8.25 STL, HD 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb maximum rating. 2-hand holes.	\$121	28#
5788259	1 Steerable Tag Wheel: 2 Accuride 50882 22.5X8.25 STL, HD 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb maximum rating. 2-hand holes.	\$74	31#
5788268	1 Steerable Tag Wheel: 2 Accuride 50885 HD steel 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb maximum rating. 5-hand holes.	\$69	26#
5788272	1 Steerable Tag Wheel: 2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$730	-68#
5788276	1 Steerable Tag Wheel: 2 Accuride 51408 STL 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$19	0#
5788279	1 Steerable Tag Wheel: 2 Accuride 51422 STL 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$17	2#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Tag Axle Wheels			
Steerable Tags			
5788281	1 steerable tag wheel: 2 Alcoa 77349 19.5x7.50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K tag.	\$718	-54#
5788285	1 Steerable Tag Wheel: 2 Accuride 50344 HD steel 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb maximum rating. 5-hand holes.	\$79	26#
5788288	1 Steerable Tag Wheel: 2 Accuride 51487 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$15	0#
5788292	1 Steerable Tag Wheel: 2 Accuride 51455 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5788299	1 Steerable Tag Wheel: 2 Accuride 29374 22.5X12.25; aluminum Semi-polished finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$912	-2#
5788568	1 Steerable Tag Wheel: 2 Alcoa 89U63 22.5X9 aluminum. Ultra One High Polish Wheel.	\$751	-34#
5788774	1 Steerable Tag Wheel: 2 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. For use with 8K Super Lite tags.	\$833	-76#
Non-Steerable Tags 2-4			
5784206	Non-Steerable Tag Wheel: 2 Accuride 50300 steel, 22.5x9, 2-4, Steel Armor[™] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$165	74#
5784510	Non-Steerable Tag: Alcoa 88067 22.5x8.25 2-4 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$316	-50#
5785276	Non-Steerable Tag Wheel: Accuride 51408 ST 22.5x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	(\$295)	0#
5785279	Non-Steerable Tag Wheel: Accuride 51422 ST 22.5x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	(\$288)	2#
5786258	Non-Steerable Tag Wheel: Accuride 50291 STL heavy-duty 22.5x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	(\$201)	-102#
5786259	Non-Steerable Tag Wheel: Accuride 50882 STL heavy-duty 22.5x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	(\$253)	31#
5786268	Non-Steerable Tag Wheel: Accuride 50885 STL heavy-duty 22.5 x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	(\$254)	26#
5786285	Non-Steerable Tag Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	(\$239)	-104#
5786288	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	(\$295)	-130#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Tag Axle Wheels			
Non-Steerable Tags 2-4			
5786292	Non-Steerable Tag Wheel: Accuride 51455 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	(\$302)	0#
5786298	Non-Steerable Tag Wheel: Accuride 29683 22.5x 12.25, 2-4; aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$640	-148#
5786516	Non-Steerable Tag Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$688	-134#
Non-Steerable Tags 4-4			
5784207	Non-Steerable Tag Wheel: 4 Accuride 50300 steel, 22.5x9, 4-4, Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$1,369	0#
5784258	Non-Steerable Tag Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$242	56#
5784259	Non-Steerable Tag Wheel: Accuride 50882 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$148	190#
5784268	Non-Steerable Tag Wheel: Accuride 50885 heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$138	181#
5784272	Non-Steerable Tag Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount.7400lb. maximum rating. 2-hand holes.	\$37	8#
5784279	Non-Steerable Tag Wheel: Accuride 51422 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount.7400lb. maximum rating. 2-hand holes.	\$33	2#
5784285	Non-Steerable Tag Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$158	52#
5784292	Non-Steerable Tag Wheel: Accuride 51455 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5784293	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$31	0#
5784338	Non-Steerable Tag Wheel: Accuride 43644 22.5x8.25, 4-4; aluminum Standard Polish. Hub-pilot mount. 7400lb. maximum rating.	\$1,092	-104#
5784575	Non Steerable Tag Wheel: Alcoa 98U63 24.5X8.25 aluminum 4-4 Ultra One High Polish Wheel.	\$1,548	-56#

Miscellaneous Tires & Wheels

Tire Miscellaneous



T480: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Miscellaneous Tires & Wheels

Tire Miscellaneous

4880000	Tires Selected Limit Top Vehicle Speed Delivery requirements may apply see TE-1127/1045. Speed restricted tires.	\$0	0#
4899104	Tire pressure monitoring system for tire/wheel count: 4.	(\$33)	0#
4899106	Tire pressure monitoring system for tire/wheel count: 6.	STD	0#
4899108	Tire pressure monitoring system for tire/wheel count: 8.	\$33	0#
4899110	Tire pressure monitoring system for tire/wheel count: 10.	\$65	0#
4899112	Tire pressure monitoring system for tire/wheel count: 12.	\$121	0#
4899114	Tire pressure monitoring system for tire/wheel count: 14.	\$131	0#
4899116	Tire pressure monitoring system for tire/wheel count: 16.	\$145	0#

Wheel Equipment

Wheelguards

5850040	Wheelguards: All Axles.	\$156	2#
---------	-------------------------	-------	----

Wheel Treatments

5853906	Powder Coat White Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853907	Powder Coat Gray Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853908	Powder Coat Blacksteel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853909	Powder Coat Red Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5854010	Single Front Axle: 2 Polished Wheels. Mirror polished outboard surface of aluminum wheels.	\$139	0#
5854011	Single Rear Axle: 2 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$179	0#
5854012	Dual Rear Axle: 4 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$339	0#
5854031	1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axle with single wheel.	\$139	0#
5854034	1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axle with single wheel.	\$139	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5854041	1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels. For use on 1 non-steerable pusher axle with single or dual wheel.	\$179	0#
5854044	1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$179	0#
5854045	Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$80	0#
5854047	Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2	\$20	0#
5854048	Dual Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only Quantity 4	\$159	0#
5854051	1 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$80	0#
5854052	2 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$159	0#
5854054	1 Tag Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$80	0#
5856010	Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin)	\$251	0#
5856012	Dual Rear Axle: Dura-Bright Brushed (QTY 4) -0DB (Satin)	\$694	0#
5856056	Single Front Accuride-Finish: XGT Both Surfaces 2 Wheels, Aluminum Only	\$270	0#
5856057	Dual Rear Accuride-Finish: XGT Both Surfaces 4 Wheels, Aluminum Only	\$540	0#
5856058	Dual Rear Accuride-Finish: XGT Both Surfaces 8 Wheels, Aluminum Only	\$1,081	0#
5856060	1 Pusher Accuride-Finish: XGT Both Surfaces. 2 Wheels, aluminum Only (Steerable or Non-Steerable)	\$270	0#
5856061	2 Pusher Accuride-Finish: XGT Both Surfaces. 4 Wheels, aluminum Only (Steerable or Non-Steerable)	\$540	0#
5856063	1 Tag Accuride-Finish: XGT Both Surfaces 2 Wheels, Aluminum Only (Steerable or Non-Steerable)	\$270	0#
5858009	Dual Rear Axle: Dura-Flange (quantity 4) -DF. For super single 2-4 wheels. Not available with Dura-Bright, except 88367.	\$437	0#
5858010	Single Front Axle: 2 Wheels Dura-Flange	\$218	0#
5858011	Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.	\$507	0#
5858012	Dual Rear Axle: Dura-Flange (quantity 8) -DF	\$874	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5858014	1 Tag Dura-Flange; Steerable or Non-Steerable Tag N/A with super singles (quantity 2) -DF.	\$218	0#
5858015	1 Tag Dura-Flange; Non-Steerable Tag Without super singles (quantity 4) -DF.	\$437	0#
5858018	1 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 2) -DF.	\$218	0#
5858019	1 Pusher Dura-Flange; Non-Steerable Pusher without super singles (quantity 4) -DF. Not available with Dura-Bright.	\$437	0#
5859006	Tridem Rear Axle Wheels: Dura-Bright Mirror Polish inboard surface of inner dual aluminum wheels.	\$900	0#
5859007	Tridem Rear Axle Wheels: 6 Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$970	0#
5859010	Single Front Axle: 2 wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of aluminum wheels.	\$238	0#
5859011	Single Rear Axle Wheels: 2 Wheels Dura-Bright Mirror Polish. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$357	0#
5859012	Dual Rear Axle Wheels: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$735	0#
5859013	Single Rear: Dura-Bright Mirror Polish Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011	\$600	0#
5859014	Single Front Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of aluminum wheels.	\$357	0#
5859015	Dual Rear Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$766	0#
5859016	Dual Rear Axle Wheels: Dura-Bright Mirror Polish inboard surface of inner dual aluminum wheels.	\$644	0#
5859017	Dual Rear Axle Wheels: Dura-Bright Mirror Polish both inboard and outboard surface of inner dual aluminum wheels.	\$715	0#
5859024	Tridem Rear Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$1,072	0#
5859025	2 Pusher or Tag wheels: Dura-Bright Mirror Polish outboard surface of outboard wheels mounted same as rear axle. For use on 2 non-steerable lift axles.	\$556	0#
5859027	Dual Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 4) -1DB.	\$548	0#
5859028	Single Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 2) -1DB.	\$248	0#



T480: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5859031	1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axles w/ single wheel.	\$248	0#
5859033	3 Pushers: 3 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 3 steerable or 3 non-steerable pusher axle w/ single wheel.	\$743	0#
5859034	1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axles w/ single wheel.	\$248	0#
5859040	1 Non-Steerable: Dura-Bright Mirror Polish Inner Wheels - Non-steerable (quantity 2) -1DB.	\$248	0#
5859041	1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright surface of outboard wheels.	\$278	0#
5859042	2 Pushers: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use 2 non-steerable pusher axle with single or dual wheel.	\$556	0#
5859044	1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$278	0#
5859045	1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of outer - Non-steerable (quantity 2) -3DB.	\$715	0#
5859046	1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of inner - Non-steerable (quantity 2) -3DB.	\$715	0#
5859065	Single Front Axle: Dura-Black Both Surfaces (QTY 2)	\$850	0#
5859066	Single Rear Axle: Dura-Black Both Surfaces (Qty 4)	\$1,701	0#
5859067	Dual Rear Axle: Dura-Black Both Surfaces (Qty 8)	\$3,402	0#
5859069	1 Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 2)	\$850	0#
5859070	1 Non-Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 4)	\$1,701	0#
5859072	Dual Rear Axle Wheels: Dura-Black Both Surfaces of Outer Wheels Only (Qty 4)	\$1,701	0#
Wheel Miscellaneous			
5800000	Pusher or Tag Wheels Mounted Inboard 2-4 Only. Mounted Same As Front Axle.	\$0	0#
5800001	Pusher Or Tag Wheels Mounted Outboard, 2-4 Only. Mounted Same As Drive Axle.	\$0	0#
5880000	Wheels Selected Limit Top Vehicle Speed. Wheels are speed restricted, special delivery requirements may apply.	\$0	0#
5890000	V2B Double Seal Cap Valves.	\$25	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.625 x 3.5 x 0.3125 Steel Frame			
6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	STD	0#
6054410	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 309 in. to 380 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$388	0#
6054630	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 381 in. to 428 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$756	0#
6054800	Frame Rails: 10-5/8 x 3-1/2 x 5/16in. Steel to 429 in. to 480 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required, Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,327	0#
10.75 x 3.5 x 0.375 Steel Frame			
6056200	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$247	0#
6056400	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$500	0#
6056600	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,012	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.75 x 3.5 x 0.375 Steel Frame			
6056680	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 417in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,530	0#
10.6875 x 3.5 x 0.5 Steel Frame			
6056705	Frame Rails: 10-11/16 x 3-1/2 x 1/2in. Steel to 336in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$3,222	0#
6056707	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 337 in. to 416 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$3,828	0#
6056709	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel 417 in. to 455 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$4,547	0#
11.625 x 3.875 x 0.375 Steel Frame			
6057600	Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel to 447 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,451	0#
6057680	Frame Rails: 11-5/8 x 3-7/8 x 3/8in. Steel 448in. to 480 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,802	0#
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 lb.-in. to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$1,600	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141400	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 285 in. to 336 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$1,718	0#
6141600	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,087	0#
6141615	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 417 in. to 480 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,381	0#
10.75 x 3.5 x 0.375 Steel Insert			
6144615	Full Steel Insert: for 11-5/8 in. Steel Rail to 480 in. Adds 2,132,000 in-lb to main rail RBM. 120K PSI. 11-5/8 in. primary insert RBM 4,704,000 in-lbs, section modulus is 39.20. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$3,582	0#
Bumpers			
Bumper Style			
Aerodynamic			
6308710	Bumper: Aerodynamic, Painted, Composite. Requires a bumper setting code.	\$67	0#
6308711	Bumper: Aerodynamic, Unpainted, in-mold color. Requires a bumper setting code.	STD	0#
6308715	Bumper: Aerodynamic Chrome Steel. Requires a bumper setting code.	\$1,112	68#
Steel Channel			
6302460	Bumper: Tapered Painted Steel Channel. Requires a bumper setting code.	\$601	65#
6302461	Bumper: Tapered Chrome Steel Channel. Requires a bumper setting code.	\$999	65#
Other Bumper Style			
6309910	Delete bumper: Requires a bumper setting code.	(\$161)	-27#
6309912	Delete Bumper: For Use With Provisions for customer-installed Braden winch bumper (2.1m MD) or heavy-duty front frame brackets for customer-installed winch bumper. Requires a bumper setting code.	\$0	0#
Bumper Setting			
6319040	40 in. Bumper Setting. Requires a Bumper Code.	\$0	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Bumpers			
Bumper Setting			
6319064	64 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
Bumper Equipment			
6321010	Front Tow Loops: Two	STD	0#
6324025	Front Tow Hook: Center Mounted, Cast. Requires iron front drive brackets.	\$47	3#
Front Frame Miscellaneous			
6390034	24 in. Frame Rail Extensions. Vocational Hoods only.	\$359	36#
6390077	Provisions for Customer-Installed Braden Winch bumper.	\$1,337	75#
Battery Boxes			
Parallel			
6404420	Battery Box: Steel Parallel Module under W/Step, natural aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$188	9#
6404421	Battery Box: Steel Parallel Module under W/Step, polished aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$411	9#
6404422	Battery Box: Steel Parallel Module under W/Step, plastic cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	STD	0#
6404423	Battery Box: Steel Parallel Module under W/Step, painted aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$131	5#
6404424	Battery Box: Steel Parallel Module under W/Step, natural aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$635	14#
6404425	Battery Box: Steel Parallel Module under W/Step, polished aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$867	14#
6404426	Battery Box: Steel Parallel Module under W/Step, painted aluminum cover. Use with 4 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$600	10#
Cantilever			
6400644	Battery Box Cantilever Aluminum BOC with Smooth natural finish aluminum cover.	\$542	19#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Battery Boxes			
Cantilever			
6400645	Battery Box Cantilever Aluminum BOC with Full polish.	\$864	19#
Across or Between Rails BOC			
6400500	Battery Box: Aluminum between the Rails BOC W/ FMCSR cover.	\$1,075	10#
6400508	Battery Box: Aluminum Between the Rails BOC with aluminum cover.	\$906	5#
6400631	Battery Box: Temporary Across the Rails.	\$222	-99#
6400633	Battery Box: Temporary Across the Rails. Includes maximum cable length available.	\$289	-99#
In-Cab			
6405000	In-Cab Steel Battery Box: under Rider Seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	\$1,336	0#
Battery Box Locations			
6409901	Battery Box Location: LH Side.	STD	0#
6409902	Battery Box Location: RH Side.	\$89	0#
6409903	Battery Box Location: BOC Between the Rails.	\$0	0#
6409906	In-Cab Battery Box Location: Under Rider Seat.	\$0	0#
6409908	Battery Box Location: BOC Across the Rails.	\$0	0#
Battery Box Equipment			
6409101	Double Latch on Between Rails Battery Box.	\$34	0#
6409103	Severe Service Hold Down for Cantilever Battery box. Includes battery pad.	\$140	3#
6409210	Rubber Battery Pad in Bottom of Battery Box. For cantilever-style or between the rails battery boxes.	\$22	2#
6409708	Frame Access Step Mounted to LH BOC Cantilever battery box. Not full width step.	\$341	4#
6409709	Frame Access Step Mounted to RH BOC Cantilever battery box. Not full width step.	\$341	4#
6409710	Frame Access Full Width Step Mounted to LH BOC cantilever battery box.	\$364	5#
6409711	Frame Access Full Width Step Mounted to RH BOC cantilever battery box.	\$364	5#

Center Frame Equipment



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Equipment			
Frame Access			
Grabhandles			
6410010	Frame Access Grabhandle(s) LH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$43	2#
6410011	Frame Access Grabhandle(s) RH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$43	2#
6410028	Frame Access Grabhandle, Additional LH Mounted in side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$84	2#
6410029	Frame Access Grabhandle, Additional RH Mounted on side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$84	2#
6410092	Frame Access Grabhandle Horizontal Mounted at midpoint of sleeper or Daycab.	\$29	2#
Deckplate			
6414500	Flush Mounted Deck Plate, in Place of Frame mounted.	\$196	6#
6414521	Deck Plate: Up to and Including 21 in. Frame mounted.	\$121	12#
6414542	Deck Plate: Up to and Including 42 in. Frame mounted.	\$210	23#
6414563	Deck Plate: Up to and Including 63 in. Frame mounted.	\$307	34#
Steps			
6417002	Cab Access Step: RH under Mounted to Frame.	\$243	60#
6417007	Frame Access Steps: 2 Ladder-Type, RH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$178	15#
6417009	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$229	6#
6418002	Cab Access Step: LH Under Mounted to Frame.	\$243	60#
6418006	Frame Access Steps: 2 Ladder-Type, LH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$178	15#
6418008	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$229	6#
6419001	Polished Frame Access Ladder Step. Use with LH or RH frame access step codes.	\$102	0#

Box Step Options

*See PremierSpec for Applicable Restrictions



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Equipment			
Box Step Options			
6409715	Ladder-Type Step LH under Cab Below Battery Box or toolbox.	\$244	11#
6409716	Ladder-Type Step RH under Cab Below Battery Box or toolbox or DPF - SCR.	\$244	11#
Toolboxes			
6474420	Tool Box: Steel Parallel Module Under W/ Step, natural aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$831	54#
6474421	Tool Box: Steel Parallel Module Under W/ Step, polished aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$1,055	54#
6474422	Tool Box: Steel Parallel Module Under W/ Step, plastic cover. Up to 2 air tanks may be mounted to bottom of box.	\$644	45#
6474423	Tool Box: Steel Parallel Module Under W/ Step, painted aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$774	51#
6474424	2nd Tool Box:Steel Parallel Module Under W/Step, natural aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$831	54#
6474425	2nd Tool Box:Steel Parallel Module Under W/Step, polished aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$1,055	54#
6474426	2nd Tool Box:Steel Parallel Module Under W/Step, plastic cover. Up to 2 air tanks may be mounted to bottom of box.	\$644	45#
6474427	2nd Tool Box:Steel Parallel Module Under W/Step, painted aluminum cover. Up to 2 air tanks may be mounted to bottom of box.	\$774	51#
6474450	Tool Box: Aluminum Parallel Module BOC, Natural aluminum cover with step and lock. Up to 2 air tanks may be mounted to bottom of box.	\$991	82#
6474451	Tool Box: Aluminum Parallel Module BOC, Polished aluminum cover with step and lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,092	82#
6474454	Tool Box: Aluminum Parallel Module BOC, Natural aluminum cover with lock, without step. Up to 2 air tanks may be mounted to bottom of box.	\$727	58#
6474455	Tool Box: Aluminum Parallel Module BOC, Polished aluminum cover with lock, without step. Up to 2 air tanks may be mounted to bottom of box.	\$902	58#
Toolbox Locations			
6479901	Toolbox Location: LH Side.	\$0	0#
6479902	Toolbox Location: RH Side.	\$0	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Toolboxes			
Toolbox Locations			
6479905	Second Toolbox Location: LH Side.	\$0	0#
6479915	Second Toolbox Location: RH Side.	\$0	0#
DPF-SCR Covers			
6451125	DPF/SCR Box Natural End Plates and Natural cover.	STD	0#
6451126	DPF/SCR Box Polished End Plates and Polished cover.	\$241	0#
6451127	DPF/SCR Box Polished End Plates and Diamond Plate cover.	\$224	0#
Frame Crossmembers & Upgrades			
6490139	Heavy-Duty One-PC Aluminum Intermediate/ Fill-In crossmember.	STD	0#
6490433	Heavy-Duty 5-Piece Rear Cab Support, Hucked assembly. Huck fastened to frame.	STD	0#
6490434	Heavy-Duty 5-Piece Rear Cab Support, Bolted assembly. Huck fastened to frame.	\$0	0#
Center Frame Clear Space			
6491011	One Clear Frame Space Area Without Custom Frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.	\$347	0#
6491012	Two Clear Frame Space Areas Without Custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.	\$695	0#
6497020	First Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
6497030	Second Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
First Request Area			
6497101	First - LH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497102	First - RH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497103	First - LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Area			
6497104	First - RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497105	First - LH Outside and LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497106	First - RH Outside and RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497107	First - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497108	First - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
First Request Length			
6497310	First - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497312	First - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497314	First - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497316	First - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497318	First - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497320	First - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497322	First - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497324	First - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Length			
6497326	First - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497328	First - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497330	First - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497332	First - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497334	First - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497336	First - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497338	First - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497340	First - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497341	First - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497350	First - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497360	First - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
First Request Location			
6497200	Directly Behind the Under Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497201	Directly Behind the BOC Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497202	Directly Forward of the Rearmost Fuel/ Hydraulic tank. First clear frame space location.	\$0	0#
6497203	Directly Behind DEF Tank. First clear frame space location.	\$0	0#
6497204	Directly Behind the Battery Box. First clear frame space location.	\$0	0#
6497205	Directly Behind the DPF/SCR Box. First clear frame space location.	\$0	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Location			
6497206	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. First clear frame space location.	\$0	0#
6497207	Directly Forward of the Rear Suspension/ Quarter fender. First clear frame space location.	\$0	0#
6497209	Directly Behind the Under Cab Component. First clear frame space location.	\$0	0#
6497210	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#
6497211	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#
Second Request Area			
6497109	Second - LH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497110	Second - RH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497111	Second - LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497112	Second - RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497113	Second - LH Outside and LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497114	Second - RH Outside and RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497115	Second - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497116	Second - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#

Second Request Length

*See PremierSpec for Applicable Restrictions



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Length			
6497510	Second - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497512	Second - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497514	Second - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497516	Second - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497518	Second - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497520	Second - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497522	Second - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497524	Second - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497526	Second - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497528	Second - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497530	Second - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497532	Second - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497534	Second - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497536	Second - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497538	Second - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497540	Second - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Center Frame Clear Space

Second Request Length

6497541	Second - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497550	Second - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497560	Second - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#

Second Request Location

6497230	Directly Behind the Under Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497231	Directly Behind the BOC Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497232	Directly Forward of the Rearmost Fuel/ Hydraulic tank. Second clear frame space location.	\$0	0#
6497233	Directly Behind DEF Tank. Second clear frame space location.	\$0	0#
6497234	Directly Behind the Battery Box. Second clear frame space location.	\$0	0#
6497235	Directly Behind the DPF/SCR Box. Second clear frame space location.	\$0	0#
6497236	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. Second clear frame space location.	\$0	0#
6497237	Directly Forward of the Rear Suspension/ Quarter fender. Second clear frame space location.	\$0	0#
6497239	Directly Behind the Under Cab Component. Second clear frame space location.	\$0	0#
6497240	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#
6497241	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#

Miscellaneous Center Frame Equipment

6397001	Huck Bolts Throughout Frame, where Possible.	\$0	0#
6397016	Frame Holes without Fasteners for Body Builder.	\$0	0#

Body Builder Requirements

6390091	Frame Layout Picture to Dealer Prior to Build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis.	\$695	0#
---------	--	-------	----



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Body Builder Requirements			
6390097	DXF Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.	\$695	0#
6391201	Custom Frame Layout: One Chassis	\$1,380	0#
6391202	Custom Frame Layout: Two Chassis	\$690	0#
6391203	Custom Frame Layout: 3-4 Chassis	\$375	0#
6391205	Custom Frame Layout: 5-9 Chassis	\$200	0#
6391210	Custom Frame Layout: 10-24 Chassis	\$100	0#
6391225	Custom Frame Layout: 25-49 Chassis	\$40	0#
6391250	Custom Frame Layout: 50 or more Chassis	\$30	0#
6679856	Final End-of-Frame Cut-Off Dimension Will be modified to less than or equal to 45 in.	\$0	0#
6679857	Final End-of-Frame Cut-Off Dimension Will be modified to 46 in. to 50 in.	\$0	0#
6679858	Final End-of-Frame Cut-Off Dimension Will be modified to 51 in. to 55 in.	\$0	0#
6679859	Final End-of-Frame Cut-Off Dimension Will be modified to 56 in. to 60 in.	\$0	0#
6679860	Final End-of-Frame Cut-Off Dimension Will be modified to 61 in. to 65 in.	\$0	0#
6679862	Final End-of-Frame Cut-Off Dimension Will be modified to 66 in. to 74 in.	\$0	0#
6679864	Final End-of-Frame Cut-Off Dimension Will be modified to greater than or equal to 75 in.	\$0	0#
6679914	Any Changes to Rear Cab/Sleeper Area Must Comply w/FMCSR 399.	\$0	0#
6679915	Customer-Installed Bulkhead and/or Headache rack.	\$0	0#
6679995	Customer Will Install Structural End-of-Frame crossmember before vehicle is placed in service.	\$0	0#
6790003	Special Frame Drill: Dealer to Provide Drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout.	\$1,390	0#

Fifth Wheels

Holland Fixed Fifth Wheels



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541232	Fifth Wheel: Fixed, Holland FW17Y700XL00 7.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,665	378#
6541234	Fifth Wheel: Fixed, Holland FW17Y800XL00 8.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,666	383#
6541236	Fifth Wheel: Fixed, Holland FW17Y900XL00 9.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,668	388#
6541272	Fifth Wheel: Fixed, Holland FW17Z600XL00 5.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,783	333#
6541273	Fifth Wheel: Fixed, Holland FW17Z700XL00 6.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,785	341#
6541275	Fifth Wheel: Fixed, Holland FW17Z800XL00 7.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,787	351#
6541276	Fifth Wheel: Fixed, Holland FW17Z900XL00 8.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,786	343#
6541548	Fifth Wheel: Fixed, Holland FW35-S10268-XL 8.5 in. Inboard w/ .5in. angles 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,454	381#
6541551	Fifth Wheel: Fixed, Holland FW35-07690-1 9.5 in. Outboard mounting angles, heavy-duty mounting plate, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,397	351#
6541570	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height and Kompensator mechanism. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,761	721#
6541572	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,963	736#
6541573	Fifth Wheel: Fixed, Holland FW35-7729XL19 9.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,731	672#
6541670	Fifth Wheel: Fixed, Holland FW35Y600XL00 6.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,992	396#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541672	Fifth Wheel: Fixed, Holland FW35Y700XL00 7.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,994	355#
6541673	Fifth Wheel: Fixed, Holland FW35Y700XR00 7.00 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,994	391#
6541675	Fifth Wheel: Fixed, Holland FW35Y800XL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,995	401#
6541678	Fifth Wheel: Fixed, Holland FW35Y900XL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,997	412#
6541685	Fifth Wheel: Fixed, Holland FW35Z600XL00 5.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,873	370#
6541687	Fifth Wheel: Fixed, Holland FW35Z700XL00 6.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,876	363#
6541689	Fifth Wheel: Fixed, Holland FW35Z800XL00 7.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,877	363#
6541690	Fifth Wheel: Fixed, Holland FW35Z800XR00 7.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,919	363#
6541692	Fifth Wheel: Fixed, Holland FW35Z800XL80 7.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,307	388#
6541693	Fifth Wheel: Fixed, Holland FW35Z900XL00 8.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,876	375#
6541695	Fifth Wheel: Fixed, Holland FW35Z900XR00 8.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,942	381#
6541752	Fifth Wheel: No-Tilt Fixed, Holland FW35N800YL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,641	489#
6541753	Fifth Wheel: No-Tilt Fixed, Holland FW35N900YL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,641	489#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6551060	Fifth Wheel: Fixed, Holland FW0070-7601XL03 9.50 in. height & 3-1/2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$3,125	604#
6551061	Fifth Wheel: Fixed, Holland FW0070-7603XL 7.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$3,123	593#
6551320	Fifth Wheel: Fixed, Holland FW0070-7601XL 9.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$3,102	604#
6551322	Fifth Wheel: Fixed, Holland FW0070-7602XL 8.50in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$3,126	597#
6561554	Fifth Wheel: Aluminum Fixed, Holland FWALZ600XL00 6.3 in. height, plate mount.	\$5,581	278#
6561556	Fifth Wheel: Aluminum Fixed, Holland FWALZ700XL00 7.3 in height, plate mount.	\$5,585	286#
6561558	Fifth Wheel: Aluminum Fixed, Holland FWALZ800XL00 8.3 in. height, plate mount.	\$5,588	293#
6561560	Fifth Wheel: Aluminum Fixed, Holland FWALZ900XL00 9.3 in. height, plate mount.	\$5,586	289#
Jost Fixed Fifth Wheels			
6591006	Fifth Wheel: Fixed, Jost JSK37UWB-PM7X 7.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,988	432#
6591007	Fifth Wheel: Fixed, Jost JSK37UWB-PM9X 9.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,017	440#
6591008	Fifth Wheel: Fixed, Jost JSK37UWB-PM8X 8.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,007	434#
6591031	Fifth Wheel: No-Tilt Fixed, Jost JSK37USLN-DB8X 7.85 in. height. No tilt, outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,825	397#
6591036	Fifth Wheel: No-Tilt Fixed, Jost JSK37USLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,848	385#
6591043	Fifth Wheel: Fixed, Jost JSK37USB-PM7X 7.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,569	427#
6591045	Fifth Wheel: Fixed, Jost JSK37USB-PM8X 8.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,569	438#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Fixed Fifth Wheels			
6591046	Fifth Wheel: Fixed, Jost JSK37USB-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,584	438#
6591059	Fifth Wheel: Fixed, Jost JSK37USB-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,528	359#
6591060	Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,552	362#
6591061	Fifth Wheel: Fixed, Jost JSK37USB-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,570	365#
6591062	Fifth Wheel: Fixed, Jost JSK37USB-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,573	372#
6591076	Fifth Wheel: Fixed, Jost JSK37UBB-DB7X 6.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,790	370#
6591078	Fifth Wheel: Fixed, Jost JSK37UBB-DB8X 7.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,820	374#
6591079	Fifth Wheel: Fixed, Jost JSK37UBA-DB7X 6.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,095	369#
6591080	Fifth Wheel: Fixed, Jost JSK37UBA-DB8X 7.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,102	375#
6591081	Fifth Wheel: Fixed, Jost JSK37UBB-DB10X 9.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,943	433#
6591086	Fifth Wheel: Fixed, Jost JSK37UBA-DB9X 8.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,112	385#
6591087	Fifth Wheel: Fixed, Jost JSK37UBB-DB9X 8.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,811	381#
6591135	Fifth Wheel: No-Tilt Fixed, Jost JSK37UWLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, w/ low lube, no-tilt. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,213	385#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Fixed Fifth Wheels			
6591172	Fifth Wheel: Fixed, Jost JSK37USA-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,821	367#
6591173	Fifth Wheel: Fixed, Jost JSK37UWA-DB7X 6.85in height. Outboard mounting angles, 50K vertical rating, low lube plate, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,247	363#
6591174	Fifth Wheel: Fixed, Jost JSK37UWA-DB8X 7.85in height. Outboard mounting angles, 50K vertical rating, low lube plate, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,265	365#
6591175	Fifth Wheel: Fixed, Jost JSK37USA-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,846	365#
6591176	Fifth Wheel: Fixed, Jost JSK37USA-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,864	368#
6591177	Fifth Wheel: Fixed, Jost JSK37USA-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,873	384#
6591178	Fifth Wheel: Fixed, Jost JSK37UWA-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, low lube plate, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,274	370#
6591206	Fifth Wheel: Fixed, Jost JSK3CNWL-DB6X 5.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,112	290#
6591207	Fifth Wheel: Fixed, Jost JSK3CNWL-DB7X 6.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,112	297#
6591208	Fifth Wheel: Fixed, Jost JSK3CNWL-DB8X 7.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,238	303#
6591209	Fifth Wheel: Fixed, Jost JSK3CNWL-DB9X 8.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,238	308#
6591210	Fifth Wheel: Fixed, Jost JSK3CNWL-DB10X 9.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,341	336#
6591211	Fifth Wheel: Fixed, Jost JSK3CNWL-DB11X 10.85 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$3,390	348#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543021	Fifth Wheel: ILS<=40K air Hol FW35J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,322	473#
6543040	Fifth Wheel: ILS<=40K air Hol FW35J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,763	471#
6543046	Fifth Wheel: ILS<=40K air Hol FW17J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,086	449#
6543047	Fifth Wheel: ILS<=40K air Hol FW17J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,085	445#
6543052	Fifth Wheel: ILS<=40K air Hol FW35J836XL00 36 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,631	566#
6543054	Fifth Wheel: ILS<=40K air Hol FW35J924XL00 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,481	530#
6543083	Fifth Wheel: ILS<=40K air Hol FW35J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,980	523#
6543207	Fifth Wheel: ILS<=40K air Hol FW35J718XL80 18 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,984	538#
6543210	Fifth Wheel: ILS<=40K air Hol FW35J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,478	521#
6543213	Fifth Wheel: ILS<=40K air Hol FW35J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,996	518#
6543214	Fifth Wheel: ILS<=40K air Hol FW35J736XL00 36 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,584	561#
6543217	Fifth Wheel: ILS<=40K air Hol FW35J736XL80 36 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,058	546#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543218	Fifth Wheel: ILS<=40K air Hol FW35J748XL00 48 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,701	609#
6543221	Fifth Wheel: ILS<=40K air Hol FW35J748XL80 48 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,328	614#
6543222	Fifth Wheel: ILS<=40K air Hol FW35J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,324	478#
6543225	Fifth Wheel: ILS<=40K air Hol FW35J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,814	476#
6543226	Fifth Wheel: ILS<=40K air Hol FW35J824XL00 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,480	518#
6543235	Fifth Wheel: ILS<=40K air Hol FW35J836XL80 36 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,125	571#
6543236	Fifth Wheel: ILS<=40K air Hol FW35J848XL00 48 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,829	614#
6543239	Fifth Wheel: ILS<=40K air Hol FW35J848XL80 48 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,292	619#
6543240	Fifth Wheel: ILS<=40K air Hol FW35J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,394	475#
6543243	Fifth Wheel: ILS<=40K air Hol FW35J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,920	480#
6543246	Fifth Wheel: ILS<=40K air Hol FW35J924XL24 24 in. slide, 8.8 in. height. Includes drills and taps for auto lube. Outboard, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,704	522#
6543247	Fifth Wheel: ILS<=40K air Hol FW35J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,977	527#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543248	Fifth Wheel: ILS<=40K air Hol FW35J936XL00 36 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,717	570#
6543251	Fifth Wheel: ILS<=40K air Hol FW35J936XL80 36 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,273	575#
6543252	Fifth Wheel: ILS<=40K air Hol FW35J948XL00 48 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,812	618#
6543255	Fifth Wheel: ILS<=40K air Hol FW35J948XL80 48 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,283	623#
6543260	Fifth Wheel: ILS<=40K air Hol FW35J024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions.	\$2,794	539#
6543263	Fifth Wheel: ILS<=40K air Hol FW35J036XL00 36 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,736	596#
6543267	Fifth Wheel: ILS<=40K air Hol FW35J048XL00 48 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,907	643#
6543339	Fifth Wheel: ILS<=40K air Hol FW33J812XL00 12 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,684	496#
6543341	Fifth Wheel: ILS<=40K air Hol FW33J712XL00 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,684	488#
6543342	Fifth Wheel: ILS<=40K air Hol FW33J712XL80 12 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,477	493#
6543343	Fifth Wheel: ILS<=40K air Hol FW33J724XL00 24 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,890	538#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543344	Fifth Wheel: ILS<=40K air Hol FW33J724XL80 24 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,615	543#
6543345	Fifth Wheel: ILS<=40K air Hol FW33J736XL00 36 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,920	586#
6543346	Fifth Wheel: ILS<=40K air Hol FW33J736XL80 36 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,646	591#
6543347	Fifth Wheel: ILS<=40K air Hol FW33J748XL00 48 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,325	634#
6543349	Fifth Wheel: ILS<=40K air Hol FW33J812XL80 12 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,498	501#
6543350	Fifth Wheel: ILS<=40K air Hol FW33J824XL00 24 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,890	543#
6543352	Fifth Wheel: ILS<=40K air Hol FW33J836XL00 36 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,983	591#
6543354	Fifth Wheel: ILS<=40K air Hol FW33J848XL00 48 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,389	639#
6543355	Fifth Wheel: ILS<=40K air Hol FW33J848XL80 48 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,923	644#
6543356	Fifth Wheel: ILS<=40K air Hol FW33J912XL00 12 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,684	500#
6543357	Fifth Wheel: ILS<=40K air Hol FW33J912XL80 12 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,523	505#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543358	Fifth Wheel: ILS<=40K air Hol FW33J924XL00 24 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,810	547#
6543359	Fifth Wheel: ILS<=40K air Hol FW33J924XL80 24 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,678	552#
6543360	Fifth Wheel: ILS<=40K air Hol FW33J936XL00 36 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,934	595#
6543361	Fifth Wheel: ILS<=40K air Hol FW33J936XL80 36 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,810	601#
6543364	Fifth Wheel: ILS<=40K air Hol FW33J024XL00 24 in. slide, 10.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,296	548#
6543400	Fifth Wheel: ILS<=40K air Hol FW17J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,105	441#
6543402	Fifth Wheel: ILS<=40K air Hol FW17J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,641	446#
6543403	Fifth Wheel: ILS<=40K air Hol FW17J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,423	488#
6543405	Fifth Wheel: ILS<=40K air Hol FW17J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,796	493#
6543414	Fifth Wheel: ILS<=40K air Hol FW17J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,833	450#
6543415	Fifth Wheel: ILS<=40K air Hol FW17J824XL00 24 in. slider, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,264	493#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543417	Fifth Wheel: ILS<=40K air Hol FW17J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,797	498#
6543426	Fifth Wheel: ILS<=40K air Hol FW17J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,666	454#
6543427	Fifth Wheel: ILS<=40K air Hol FW17J924XL00 24 in. slider, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,266	497#
6543429	Fifth Wheel: ILS<=40K air Hol FW17J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,790	502#
6543500	Fifth Wheel: ILS>40K air Hol FW33M712XL00 12 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,973	528#
6543501	Fifth Wheel: ILS>40K air Hol FW33M712XL80 12 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,519	544#
6543502	Fifth Wheel: ILS>40K air Hol FW33M724XL00 24 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,971	576#
6543504	Fifth Wheel: ILS>40K air Hol FW33M736XL00 36 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,494	624#
6543505	Fifth Wheel: ILS>40K air Hol FW33M736XL80 36 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,024	629#
6543506	Fifth Wheel: ILS>40K air Hol FW33M748XL00 48 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,580	672#
6543507	Fifth Wheel: ILS>40K air Hol FW33M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,158	677#
6543508	Fifth Wheel: ILS>40K air Hol FW33M812XL00 12 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,979	554#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543509	Fifth Wheel: ILS>40K air Hol FW33M812XL80 12 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,525	538#
6543510	Fifth Wheel: ILS>40K air Hol FW33M824XL80 24 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,631	586#
6543511	Fifth Wheel: ILS>40K air Hol FW33M836XL00 36 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,115	630#
6543512	Fifth Wheel: ILS>40K air Hol FW33M836XL80 36 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,795	634#
6543513	Fifth Wheel: ILS>40K air Hol FW33M848XL00 48 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,445	669#
6543515	Fifth Wheel: ILS>40K air Hol FW33M912XL00 12 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,059	562#
6543517	Fifth Wheel: ILS>40K air Hol FW33M924XL00 24 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,932	600#
6543519	Fifth Wheel: ILS>40K air Hol FW33M948XL00 48 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,107	680#
6543521	Fifth Wheel: ILS>40K air Hol FW33M024XL00 24 in. slide, 10 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,204	606#
6543610	Fifth Wheel: ILS No-Tilt Air, Hol FW35N918YL00 18 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,357	629#
6543612	Fifth Wheel: ILS No-Tilt Air, Hol FW35N930YL00 30 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,530	605#
6543614	Fifth Wheel: ILS No-Tilt Air, Hol FW35N942YL00 42 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,588	697#
6543630	Fifth Wheel: Air, Holland FW35K324ZL00 24.0 in. slide, 13.2 in. height. Kompensator mechanism, inboard mounted, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$7,155	992#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543633	Fifth Wheel: Air, Holland FW35K336ZL19 36.0 in. slide, 13.2 in. height. Kompensator with lockout feature, inboard mounted, 55K. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$7,052	1,055#
6543642	Fifth Wheel: ILS>40K air Hol FW33M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,500	596#
6543644	Fifth Wheel: ILS>40K air Hol FW33M936XL00 36 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,964	641#
6543645	Fifth Wheel: ILS>40K air Hol FW33M824XL00 24 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,955	596#
6543646	Fifth Wheel: ILS>40K air Hol FW33M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,698	681#
6543897	Fifth Wheel: ILS Air, Hol FW33L918XL00 18.0 in. slide, 9.11 in. height. Low lube, inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,310	538#
6543935	Fifth Wheel: ILS>40K air Hol FW35M712XL00 12 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,432	503#
6543936	Fifth Wheel: ILS>40K air Hol FW35M712XL80 12 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,958	517#
6543937	Fifth Wheel: ILS>40K air Hol FW35M718XL80 18 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,888	564#
6543938	Fifth Wheel: ILS>40K air Hol FW35M724XL00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,582	561#
6543939	Fifth Wheel: ILS>40K air Hol FW35M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,108	556#
6543940	Fifth Wheel: ILS>40K air Hol FW35M724XR00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,581	562#
6543941	Fifth Wheel: ILS>40K air Hol FW35M736XL00 36 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,736	608#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543942	Fifth Wheel: ILS>40K air Hol FW35M736XL80 36 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,262	613#
6543943	Fifth Wheel: ILS>40K air Hol FW35M748XL00 48 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,880	657#
6543944	Fifth Wheel: ILS>40K air Hol FW35M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,406	662#
6543945	Fifth Wheel: ILS>40K air Hol FW35M812XL00 12 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,433	517#
6543946	Fifth Wheel: ILS>40K air Hol FW35M812XL80 12 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,959	522#
6543949	Fifth Wheel: ILS>40K air Hol FW35M824XL00 24 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,583	566#
6543951	Fifth Wheel: ILS>40K air Hol FW35M824XL80 24 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,109	571#
6543952	Fifth Wheel: ILS>40K air Hol FW35M824XR24 24 in. slide, 8 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,657	567#
6543953	Fifth Wheel: ILS>40K air Hol FW35M836XL00 36 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,738	613#
6543954	Fifth Wheel: ILS>40K air Hol FW35M836XL80 36 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,264	618#
6543955	Fifth Wheel: ILS>40K air Hol FW35M848XL00 48 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,881	662#
6543956	Fifth Wheel: ILS>40K air Hol FW35M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,407	667#
6543957	Fifth Wheel: ILS>40K air Hol FW35M912XL00 12 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,434	521#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543958	Fifth Wheel: ILS>40K air Hol FW35M912XL80 12 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,005	526#
6543961	Fifth Wheel: ILS>40K air Hol FW35M924XL00 24 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,584	570#
6543963	Fifth Wheel: ILS>40K air Hol FW35M924XL24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,658	570#
6543964	Fifth Wheel: ILS>40K air Hol FW35M924XL80 24 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,110	575#
6543965	Fifth Wheel: ILS>40K air Hol FW35M924XR24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,658	571#
6543966	Fifth Wheel: ILS>40K air Hol FW35M936XL00 36 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,739	617#
6543967	Fifth Wheel: ILS>40K air Hol FW35M936XL80 36 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,265	622#
6543968	Fifth Wheel: ILS>40K air Hol FW35M948XL00 48 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,882	666#
6543969	Fifth Wheel: ILS>40K air Hol FW35M948XL80 48 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,408	671#
6543975	Fifth Wheel: ILS>40K air Hol FW35M024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,650	592#
6543977	Fifth Wheel: ILS>40K air Hol FW35M036XL00 36 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,543	639#
6543979	Fifth Wheel: ILS>40K air Hol FW35M048XL00 48 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,646	688#
6544021	Fifth Wheel: ILS Air, Hol FW35L718XL00 18.0 in. slide, 7.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,638	554#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6544024	Fifth Wheel: ILS Air, Hol FW35L836XL00 36.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,861	587#
6544025	Fifth Wheel: ILS Air, Hol FW35L848XL00 48.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,929	629#
6544026	Fifth Wheel: ILS Air, Hol FW35L918XL00 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,641	564#
6544027	Fifth Wheel: ILS Air, Hol FW35L924XL00 24.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,637	550#
6544030	Fifth Wheel: ILS Air, Hol FW35L018XL00 18.0 in. slide, 10.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,679	577#
6553760	Fifth Wheel: Air, Holland FW70S924XL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,278	847#
6553761	Fifth Wheel: Air, Holland FW70S948XL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,659	981#
6553764	Fifth Wheel: Air, Holland FW70S960XL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,430	1,048#
6553765	Fifth Wheel: Air, Holland FW70S848XL00 48.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,764	976#
6553766	Fifth Wheel: Air, Holland FW70S972XL00 72.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,931	1,115#
6553768	Fifth Wheel: Air, Holland FW70S824XL00 24.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,277	842#
6553773	Fifth Wheel: Air, Holland FW70S872XL00 72.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,037	1,110#
6560002	Fifth Wheel: Air, ILS Holland, FWALJ712XL00 12in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$6,269	397#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6560003	Fifth Wheel: Air, ILS Holland, FWALJ724XL00 24in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$6,376	444#
6560004	Fifth Wheel: Air, ILS Holland, FWALJ736XL00 36in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$6,766	492#
6560005	Fifth Wheel: Air, ILS Holland, FWALJ748XL00 48in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$6,914	540#
6560006	Fifth Wheel: Air, ILS Holland, FWALJ812XL00 12in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$6,331	402#
6560007	Fifth Wheel: Air, ILS Holland, FWALJ824XL00 24in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$6,863	449#
6560008	Fifth Wheel: Air, ILS Holland, FWALJ836XL00 36in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$6,808	497#
6560009	Fifth Wheel: Air, ILS Holland, FWALJ848XL00 48in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$7,155	545#
6560055	Fifth Wheel: Air, ILS Holland, FWALJ912XL00 12in. slide, 9.0in. height. Aluminum, outboard mounted.	\$6,334	406#
6560056	Fifth Wheel: Air, ILS Holland, FWALJ924XL00 24in. slide, 9.0in. height. Aluminum, outboard mounted.	\$6,381	453#
6560057	Fifth Wheel: Air, ILS Holland, FWALJ936XL00 36in. slide, 9.0in. height. Aluminum, outboard mounted.	\$6,668	501#
6560058	Fifth Wheel: Air, ILS Holland, FWALJ948XL00 48 in. slide, 9.0 in. height. Aluminum, outboard mounted.	\$6,918	549#
Customer-Installed Fifth Wheels			
6600201	Fifth Wheel: Fixed, Dealer & Customer-Installed	\$0	0#
6600202	Fifth Wheel: Slide, Dealer & Customer-Installed 12 inches.	\$0	0#
6600203	Fifth Wheel: Slide, Dealer & Customer-Installed 13 inches to 24 inches.	\$0	0#
6600204	Fifth Wheel: Slide, Dealer & Customer-Installed 25 inches to 36 inches.	\$0	0#
6600205	Fifth Wheel: Slide, Dealer & Customer-Installed over 36 inches.	\$0	0#

Jost Air-Sliding Fifth Wheels



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593071	Fifth Wheel: Air, Jost JSK37USB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,278	524#
6593072	Fifth Wheel: Air, Jost JSK37USB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,316	537#
6593073	Fifth Wheel: Air, Jost JSK37USB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,397	559#
6593074	Fifth Wheel: Air, Jost JSK37USB-A8PX36 36.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,528	597#
6593075	Fifth Wheel: Air, Jost JSK37USB-A8PX48 48.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,633	634#
6593081	Fifth Wheel: Air, Jost JSK37USB-A9PX48 48.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,640	639#
6593082	Fifth Wheel: Air, Jost JSK37USB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,404	566#
6593085	Fifth Wheel: Air, Jost JSK37USB-A9PX36 36.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,535	606#
6593087	Fifth Wheel: Air, Jost JSK37USB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,276	531#
6593088	Fifth Wheel: Air, Jost JSK37USB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,324	542#
6593090	Fifth Wheel: Air, Jost JSK37USB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,275	520#
6593091	Fifth Wheel: Air, Jost JSK37USB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,314	531#
6593092	Fifth Wheel: Air, Jost JSK37USB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,413	555#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593170	Fifth Wheel: Air, Jost JSK37USA-A8PX16 16 in. 7.75 in. Air kingpin release/outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,904	536#
6593174	Fifth Wheel: Air, Jost JSK37USA-A8PX36 36.0 in. slide, 7.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,064	596#
6593176	Fifth Wheel: Air, Jost JSK37UWA-A7PX24 24.0 in. slide, 6.75 in. height. Air-operated kingpin release, low lube, outboard mounting angles, 50K vertical rating.	\$3,404	558#
6593182	Fifth Wheel: Air, Jost JSK37UWA-A8PX24 24.0 in. slide, 7.75 in. height. Air-operated kingpin release, low lube, outboard mounting angles, 50K vertical rating.	\$3,414	563#
6593217	Fifth Wheel: Air, Jost JSK37USA-A9PX12 12.0 in. slide, 8.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,872	537#
6593221	Fifth Wheel: Air, Jost JSK37USA-A7PX36 36.0 in. slide, 6.75 in. height. Air kingpin release, outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,128	599#
6593222	Fifth Wheel: Air, Jost JSK37UBA-A7PX12 12 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,933	530#
6593239	Fifth Wheel: Air, Jost JSK37UBA-A7PX16 16 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,149	528#
6593240	Fifth Wheel: Air, Jost JSK37UBA-A7PX24 24 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,201	557#
6593241	Fifth Wheel: Air, Jost JSK37UBA-A8PX16 16 in. slide, 7.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,142	540#
6593242	Fifth wheel: Air, Jost JSK37UBA-A8PX24 24 in. slide, 7.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,389	563#
6593243	Fifth Wheel: Air, Jost JSK37UBA-A9PX12 12 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,110	535#
6593244	Fifth Wheel: Air, Jost JSK37UBA-A9PX16 16 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,160	545#
6593245	Fifth Wheel: Air, Jost JSK37UBA-A9PX24 24 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,244	568#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593246	Fifth Wheel: Air, Jost JSK37UBB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,514	531#
6593247	Fifth Wheel: Air, Jost JSK37UBB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,552	542#
6593248	Fifth Wheel: Air, Jost JSK37UBB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,303	565#
6593249	Fifth Wheel: Air, Jost JSK37UBB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,514	537#
6593250	Fifth Wheel: Air, Jost JSK37UBB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,555	548#
6593251	Fifth Wheel: Air, Jost JSK37UBB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,635	571#
6593255	Fifth Wheel: Air, Jost JSK37UBLN-A8PX12 12.0 in. slide, 7.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, steel wear ring. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,941	539#
6593256	Fifth Wheel: Air, Jost JSK37UBLN-A9PX12 12.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, steel wear ring. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,962	546#
6593257	Fifth Wheel: Air, Jost JSK37UBLN-A9PX16 16.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, steel wear ring. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,996	557#
6593606	Fifth Wheel: Air, Jost JSK3CNWL-A7PX12 12 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,236	456#
6593607	Fifth Wheel: Air, Jost JSK3CNWL-A7PX16 16 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,299	467#
6593608	Fifth Wheel: Air, Jost JSK3CNWL-A7PX24 24 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,389	490#
6593614	Fifth Wheel: Air, Jost JSK3CNWL-A8PX12 12 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,236	462#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593615	Fifth Wheel: Air, Jost JSK3CNWL-A8PX16 16 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,299	473#
6593616	Fifth Wheel: Air, Jost JSK3CNWL-A8PX24 24 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,389	496#
Fixed Fifth Wheel Placement			
6607023	Fifth Wheel: Fixed Angle Drilled for 4 Additional settings in 2 in. increments. Includes coded setting plus 2 settings ahead and 2 behind. Use with code 6670496-504 to determine the factory setting relative to the coded fixed setting.	\$695	0#
6607024	Fifth Wheel: Fixed Angle Drilled for 8 Additional settings in 2 in. increments. Includes coded setting plus 4 settings ahead and 4 behind. Use with code 6670494-508 to determine the factory setting relative to the coded fixed setting.	\$695	0#
6670494	Fix Fifth Wheel Placement at -6 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670495	Fix Fifth Wheel Placement at -8 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670496	Fix Fifth Wheel Placement at -4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches behind the coded rear setting. That would allow for 4 optional settings ahead, each spaced 2 inches apart.	\$0	0#
6670498	Fix Fifth Wheel Placement at -2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches behind the coded rear setting. That would allow for 3 optional settings ahead and 1 optional setting behind, each spaced 2 inches apart.	\$0	0#
6670500	Fix Fifth Wheel Placement at 0 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel at the coded rear setting. That would allow for 2 optional settings ahead and two optional settings behind, each spaced 2 inches apart.	\$0	0#
6670502	Fix Fifth Wheel Placement at +2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches ahead the coded rear setting. That would allow for 1 optional setting ahead and 3 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670504	Fix Fifth Wheel Placement at +4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches ahead the coded rear setting. That would allow for 4 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670506	Fix Fifth Wheel Placement at +6 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Fixed Fifth Wheel Placement			
6670508	Fix Fifth Wheel Placement at +8 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
Fifth Wheel Equipment			
6600033	Aluminum Fifth Wheel Angles Replacing Steel on fixed or outboard mounted sliding fifth wheels.	\$346	-30#
6600052	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fixed or up to 36.7in. slide fifth wheel w/ o plate drill.	\$552	77#
6600053	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fifth wheel. Narrate fifth wheel model & slide; w/ plate drill.	\$790	77#
6602010	Fifth Wheel Ramps. Requires Standard or Short tractor taper bent and weld.	\$630	22#
6603011	Mounting Plate: Aluminum for Fixed Fifth Wheel replacing standard steel base plate. Adds 0.25 in. to height.	\$185	-35#
Rear Frame Equipment			
Quarter Fenders			
6734005	Quarter Fenders: Stainless Steel W/ Painted Steel brackets, single post mounted.	\$361	55#
6737120	Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted, 21 in. white top flap with logo.	\$193	43#
End-Of-Frame Configurations			
Non-Towing Configuration			
6741023	Square End-of-Frame W/ Bolted Crossmember, non-towing.	\$220	41#
6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	STD	0#
6743109	Tractor Taper W/ Heavy-Duty Crossmember. Non-towing end-of-frame configuration.	\$305	63#
6743111	Tractor Taper W/ Crossmember. Non-Towing end-of-frame configuration.	\$143	29#
6744121	Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$45	0#
6744122	Short Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$35	0#
6744123	Short Tractor Taper Bent & Welded W/O Cross member. Non-towing end-of-frame configuration.	\$35	0#
6746131	Top Flange of Rear Frame Bent & Welded W/O crossmember. Non-towing end-of-frame configuration.	\$35	0#
Towing Configuration			



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
End-Of-Frame Configurations			
Towing Configuration			
6700005	Drop-Type Crossmember Below Frame Pintle Hook; square end-of-frame towing configuration. This crossmember limits hitch capacity to 68K.	\$1,569	155#
6741005	Straight Crossmember for Pintle Hook Mounting; square end-of-frame towing configuration. This crossmember limits hitch capacity to 78K.	\$721	135#
Hooks & Chain Loops			
6490044	2 Pro-Tech Chain Hangers 35-5950CP W/ Cable Pins and removable lids.	\$781	30#
6490144	1 Pro-Tech Chain Hanger, 35-5950CP LH Rail With removable lid & cable pin.	\$391	15#
6490145	1 Pro-Tech Chain Hanger, 35-5950CP RH Rail with removable lid & cable pin.	\$391	15#
6710029	Premier 370 Air-Operated Hook, rated 90,000 LB horizontal, 18,000 lb vertical.	\$2,037	45#
6710080	Two Rams Horn Open Rear Tow Hooks, Not for trailer towing.	\$123	17#
6710157	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$128	11#
6710158	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000 lb vertical rating.	\$231	11#
6792810	Safety Chain Loops - Dual.	\$122	2#
Pintle Hook Height			
6712024	Maximum Unladen Rear Hook Height is 24 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712025	Maximum Unladen Rear Hook Height is 25 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712026	Maximum Unladen Rear Hook Height is 26 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712027	Maximum Unladen Rear Hook Height is 27 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Pintle Hook Height			
6712028	Maximum Unladen Rear Hook Height is 28 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712029	Maximum Unladen Rear Hook Height is 29 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712030	Maximum Unladen Rear Hook Height is 30 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712031	Maximum Unladen Rear Hook Height is 31 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712032	Maximum Unladen Rear Hook Height is 32 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712033	Maximum Unladen Rear Hook Height is 33 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712034	Maximum Unladen Rear Hook Height is 34 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712035	Maximum Unladen Rear Hook Height is 35 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712036	Maximum Unladen Rear Hook Height is 36 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712037	Maximum Unladen Rear Hook Height is 37 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712038	Maximum Unladen Rear Hook Height is 38 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Pintle Hook Height			
6712039	Maximum Unladen Rear Hook Height is 39 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712040	Maximum Unladen Rear Hook Height is 40 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
Rear Mudflap Equipment			
Arms			
6721100	Rear Mudflap Arms: Betts B-23 Spring Loop Type, straight.	\$22	5#
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	STD	0#
6721108	Rear Mudflap Arms: Betts B33, Spring Loop Type, angled.	\$31	19#
6721110	Rear Mudflap Arms: Betts B35, Shortened W/ 45 degree angle.	\$13	0#
6721125	Delete Mudflap Arms: Dealer/ Customer Responsible for installation of arms.	(\$33)	-12#
6721144	Rear Mudflap Arms: Fleetline FF30SS, Tapered spring loaded & stainless steel.	\$229	13#
6721163	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.	\$40	22#
Shields			
6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	STD	0#
6722065	Rear Mudflap Shields: Black Rib Poly. Anti-Spray without logo.	\$23	-7#
6722094	Rear Mudflap Shields: Black Rubber Anti-Sail without logo. 28 in. wide, 0.25 in. thick.	\$56	9#
6723000	Delete Mudflap Shields-Dealer/Customer responsible for installation of shields.	\$0	-8#
6723287	Rear Mudflap Shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo.	\$32	0#
6728071	Rear mudflap shields:Eco Flaps, black, anti-spray without logo.	\$25	0#
Mudflap Equipment			
6721030	Extra Set of Betts B-1732 Storage Brackets. mounted forward of drive axle(s).	\$31	3#



T480: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Rear Mudflap Equipment			
Mudflap Equipment			
6722150	Mounting Adapter: Fleet Engineers, Black Primer.	\$77	5#
Delivery Restriction Notifications			
6679804	Do Not Drive: Marker Lights are Deleted. Unit may be decked. Transporter review delivery options. Requires code 9029025.	\$0	0#
6679806	Do Not Drive: Bumper is Deleted. Unit may be decked. Transporter review delivery options. Requires code 6309910 or 6309912.	\$0	0#
6679812	Speed Limited Tires: Less than 65MPH. Dealer to review delivery options w/transporter.	\$0	0#
6679823	Dealer to Review Delivery Restrictions W/ transporter. Units equipped with transfer case.	\$0	0#
6679828	Chassis too Long for Delivery in Standard 3 Way due to long cutoff. Dealer to review delivery options w/ transporter.	\$0	0#
6679836	Dealer Review Delivery Restrictions W/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.	\$0	0#
6679911	Component Restriction: Do Not Drive- Unit May be decked.	\$0	0#



T480: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Hydraulic			
Tank Location			
7889803	Hydraulic Tank Location Right Side Behind Cab.	\$0	0#
7889804	Hydraulic Tank Location Left Side Behind Cab.	\$0	0#
Rectangular Steel			
Behind - Replace			
7134545	Fuel Tank: 45 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,470	15#
7134570	Fuel Tank: 70 US Gallon Rectangular Steel Inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,763	45#
D-Shape Rectangular			
Aluminum Diesel			
Under - Replace			
7140050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$76	22#
7140060	60 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$109	23#
7140070	70 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$169	23#
7140080	80 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$364	52#
7140100	100 US Gallon D-Shape Rectangular Aluminum Under fuel tank, replace. With non-slip step.	\$426	53#
Under - Add			
7142050	50 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,313	115#
7142060	60 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,347	116#
7142070	70 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,406	116#
7142080	80 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,567	145#
7142100	100 US Gallon D-Shape Rectangular Aluminum Under fuel tank, additional. With non-slip step.	\$1,629	146#
Behind - Replace			
7144050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	STD	0#
7144060	60 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$61	0#



T480: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
D-Shape Rectangular			
Aluminum Diesel			
Behind - Replace			
7144070	70 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$94	0#
7144080	80 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$289	31#
7144100	100 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, replace.	\$351	32#
Behind - Add			
7146050	50 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,238	93#
7146060	60 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,271	94#
7146070	70 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,332	94#
7146080	80 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,491	124#
7146100	100 US Gallon D-Shape Rectangular Aluminum BOC fuel tank, additional.	\$1,553	125#
Aluminum Hydraulic			
Behind - Add			
7746050	50 US Gallon D-Shape Rectangular Aluminum BOC hydraulic tank, additional.	\$1,492	108#
7746070	70 US Gallon D-Shape Rectangular Aluminum BOC hydraulic tank, additional.	\$1,596	108#
Bright Finish			
Polished Aluminum			
7840015	Polish Only One Aluminum Tank.	\$131	0#
7840029	Polish Only Two Aluminum Tanks.	\$263	0#
Polished Stainless Steel			
7889061	Polished Stainless Steel Tank Straps for 1 Tank.	\$89	0#
7889062	Polished Stainless Steel Tank Straps for 2 Tanks.	\$177	0#
Fuel Tank Equipment			
Fuel Tank Steps			
7839006	Polished Fuel Tank Steps.	\$78	0#
7839715	Ladder-Type Step Below Fuel Tank Under Cab - LH side.	\$232	9#



T480: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Fuel Tank Equipment

Fuel Tank Steps

7839716	Ladder-Type Step Below Fuel Tank Under Cab - RH side.	\$232	9#
---------	---	-------	----

Tank Plumbing Equipment

7889368	Fuel Tank Drain Plug.	\$8	0#
---------	-----------------------	-----	----

Tank Miscellaneous

7884051	CNG BOC, BOS Cabinet Height - Low. Measurement is less than or equal to low roof range.	\$0	0#
---------	---	-----	----

7884052	CNG BOC, BOS Cabinet Height - Mid. Measurement is greater than low roof but less than high roof range.	\$0	0#
---------	--	-----	----

7884053	CNG BOC, BOS Cabinet Height - High. Measurement is greater than or equal to high roof range.	\$0	0#
---------	--	-----	----

7884054	CNG/LNG Frame Rail Mounted Tank Only.	\$0	0#
---------	---------------------------------------	-----	----

7884055	CNG Body Mounted Cabinet Only.	\$0	0#
---------	--------------------------------	-----	----

7884056	CNG Body Mounted Cabinet with Frame Mounted Tank.	\$0	0#
---------	---	-----	----

7884057	CNG BOC, BOS Mounted Cabinet Only.	\$0	0#
---------	------------------------------------	-----	----

7884058	CNG BOC, BOS Mounted Cabinet with Frame Mounted Tank.	\$0	0#
---------	---	-----	----

7889006	Fuel Fill Forward Tank(s) BOC.	\$0	0#
---------	--------------------------------	-----	----

7889007	Fuel Fill: Center of Tank(s) BOC. Not available on fuel tanks with 3 supports or with full or partial chassis fairings.	\$0	0#
---------	---	-----	----

7889018	Fuel Fill: Rear, Tank(s) BOC	\$0	0#
---------	------------------------------	-----	----

7889021	Fuel Tank Locking Cap(s). Not Available W/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.	\$37	0#
---------	---	------	----

7889245	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	\$46	1#
---------	--	------	----

Tank Location

7952045	Location: 45 Gal Fuel Tank Inframe Behind Rear axle.	\$0	0#
---------	--	-----	----

7952070	Location: 70 Gal Fuel Tank Inframe Behind Rear axle.	\$0	0#
---------	--	-----	----

DEF Tanks & Equipment

Tanks



T480: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
DEF Tanks & Equipment			
Tanks			
7722061	Small Round DEF Tank. 11 Gallons of useable volume. Euro 4/5 engines only.	\$1,542	23#
7722062	Medium Round DEF Tank. 20.7 Gallons of useable volume. Euro 4 or 5 engines only.	\$1,457	30#
7722064	Large Round DEF Tank. 31.1 Gallons of useable volume. Euro 4 or 5 engines only.	\$1,598	36#
7722170	Small DEF Tank, 5.5 Gallons.	STD	0#
7722173	Large DEF Tank, 15 Gallons.	\$308	26#
DEF Tank Miscellaneous			
7840038	Polished Cover for 1 DEF Tank Any Size.	\$247	3#
7889203	DEF to Fuel Fill Ratio 2:1 or Greater.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	STD	0#
7889206	Minimum Required DEF to Fuel Fill Ratio 1:1.	\$0	0#
7889208	DEF to fuel fill ratio between 1.25:1 and 2:1.	\$0	0#
7889217	DEF capacity ratio - Truck to be centrally fueled	\$0	0#
7889270	DEF pump vertical bracket (over DEF tank).	\$117	12#
DEF Tank Location			
7889603	DEF Tank Location is RH.	\$0	0#
7889604	DEF Tank Location is LH.	\$0	0#
7889606	DEF Tank Location is LH Under Cab.	\$0	0#
7889613	DEF Tank Location is RH BOC. For 2.1M Medium-Duty	\$0	0#
7889614	DEF Tank Location is LH BOC. For 2.1M Medium-Duty	STD	0#
Tank Miscellaneous			
7210000	Delete Standard Base Model Aluminum Fuel Tank. Hardware and plumbing are also deleted.	(\$877)	0#
7861010	CNG Prep Kit. Includes Pre-Wire Harness and regulator coolant loop.	\$867	5#



T480: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cabs

8024311	Cab: Stamped Aluminum with Curved Windshield LED markers. Requires seperate roof code.	STD	0#
---------	--	-----	----

Windows

Rear Cab

8871446	Rear Cab Stationary Window 19in x 36in	STD	0#
8871447	Rear Cab Stationary Window with Dark Tint 19in x 36in.	\$56	0#
8871448	Rear Cab Stationary Shatterproof Window 19in x 36in. Polycarbonate plastic window replacing standard glass window.	\$471	-6#
8871449	Rear Cab Stationary Shatterproof Window 19in x 36in with dark tint. Polycarbonate plastic window replacing standard glass window.	\$520	-6#
8873797	Rear Cab Sliding Window 19 in x 36 in	\$288	0#
8873798	Rear Cab Sliding Window with Dark Tint 19in x 36in	\$306	0#
8879922	Solid Rear Wall. Deletes Rear Cab Window.	\$0	-15#

Corner & Rear Cab

8879917	Two Additional Outboard Windows 19in x 12in	\$149	10#
8879918	Two Additional Outboard Windows with Dark Tint 19in x 12in	\$169	10#
8879921	Two Additional Outboard Shatterproof Windows 19in x 12in. Polycarbonate plastic windows replacing standard glass windows.	\$459	2#
8879923	Two Additional Outboard Shatterproof Windows 19in x 12in. with dark tint. Polycarbonate plastic windows replacing standard glass windows.	\$490	2#

Hoods, Fenders & Grilles

Hoods, Fenders & Grilles

8090151	Hood: Short Aero w/ Dark Gray Crown In-Mold Color	STD	0#
8090152	Hood: Med Aero w/ Dark Gray Crown In-Mold Color	\$58	0#
8090153	Hood: Sloped Vocational w/ Stationary Grille w/ Chrome Crown	\$1,755	-24#
8090154	Hood: Short Aero w/ Chrome Crown	\$130	0#
8090155	Hood: Med Aero w/ Chrome Crown	\$122	0#

Other

*See PremierSpec for Applicable Restrictions



T480: CAB EXTERIOR

Option	Description	Price	Weight
Hoods, Fenders & Grilles			
Other			
8890356	4 1/4" Molded Wheelwell Fender Extension.	\$227	0#
Cab & Sleeper Aerodynamic Devices			
Airshield Roof Fairing			
8823014	Aero Roof Fairing Pick Up and Delivery Drop Shipped to Dealer for Medium Duty Models, HD Collapsed for Delivery	\$2,750	88#
Other			
8829616	Side Extenders: Daycab. Extends 19 inches from Back-of-cab. Panels extend 12 inches, and rubber trailing edge extends 7 inches.	\$843	0#
8829626	Side Extender(s): Daycab Extends 4 BOC	\$639	0#
Cab Structure Miscellaneous			
8890874	Kenworth Cab Air Suspension.	\$167	0#
8890881	Direct Mount, Rubber Isolated Cab Suspension.	STD	0#
8890939	LH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$239	11#
8890940	RH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$238	11#
8891011	Roof: Raised Profile, Stamped Aluminum w/ Additional Head Room & Interior Overhead Storage	\$341	0#
8891012	Roof: Low Profile Stamped Steel	STD	0#
Cab Access			
8800260	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust.	\$34	2#
8800261	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust. NFPA Compliant.	\$72	0#
8800272	Grabhandle: RH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Right Hand Exterior Of The Cab For Entry and Exit.	\$124	3#
8800372	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	\$127	3#
8800380	Grabhandle: LH & RH SOC Non-Slip Ergonomic Grab Handles Mounted To The Left Hand and Right Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$253	6#
8800382	Grabhandle: LH SOC Non-Slip Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$139	3#



T480: CAB EXTERIOR

Option	Description	Price	Weight
Horns			
Air Horns			
8841411	Single Air Horn Under Cab.	STD	0#
8841641	Air Horn: Sing Round 26" LH Roof Incl Air Horn Cover	\$111	0#
8841642	Air Horn: Dual Round 26" LH/RH Roof Incl Air Horn Cover	\$234	0#
8841643	Air Horn: Quad Round 23"/26" LH/RH Roof Incl Air Horn Cover	\$375	0#
Other			
8845106	Air Horn Valve, Pull Cord and Plumbing to the Firewall Bulkhead for C/I Air Horn. If the chassis has hydraulic brakes, it will require code 1000307 for Accessory air system for hydraulic brakes.	\$66	0#
Mirrors & Equipment			
8850831	Mirror: RH Hood Mounted, Dual View, Round CX Chrome	\$137	4#
8850832	Mirror: LH Hood Mounted, Dual View, Round Chrome	\$138	4#
8850877	Mirror: RH Hood Mounted Black Rectangle Convex	\$137	5#
8850878	Mirror: LH Hood Mounted Black Rectangle Convex	\$137	5#
Dual Rear View Mirrors			
8850841	Mirror Shell: Dual Aero Chrome	\$137	0#
8850842	Mirror Shell: Dual Aero In-Mold Black	STD	0#
8860851	Mirror: Dual KW Aero Rear View Non-Motor, heated with Integral CX	\$133	0#
8860852	Mirror: Dual KW Aero Rear View Motor, heated with Integral CX.	\$99	0#
8860853	Mirror: Dual KW Aero Rear View Non-Motor, Non-Heated with Integral CX	STD	0#
Diminishing Convex Mirror			
Rider Side			
8850139	Look-Down, Pass. Door, Black 11x6	STD	0#
8850144	Delete Pass. Door Look-Down Mirror	\$0	-2#
Hood Mounted			
8850812	Mirror: LH Hood Mounted, Round Convex, Chrome	\$128	4#



T480: CAB EXTERIOR

Option	Description	Price	Weight
Mirrors & Equipment			
Diminishing Convex Mirror			
Hood Mounted			
8850813	Mirror: RH Hood Mounted, Round Convex, Chrome	\$128	4#
Window Equipment			
Windshield & Equipment			
8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	STD	0#
Exterior Sunvisors			
8890135	Exterior Stainless Steel Sunvisor.	\$718	11#
Doors & Equipment			
Doors			
8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	STD	0#
Door Lock Options			
8203056	Unspecified Tumbler P/N. All Chassis Keyed Alike Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models, requires 2+ chassis. G key will not work on new P lock and ignition.	\$95	0#
8203060	5 Sets of Keys. Replaces Standard 2 Sets of Keys.	\$34	0#
8203191	Customer Specified Tumbler P/N. All Chassis keyed alike if applicable. Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models. G key will not work on new P lock and ignition.	\$347	0#
Other			
8080026	Door Kit For Bolt Crew Cab Conversion	\$5,152	0#
8700188	Remote Keyless Entry	\$387	0#
8700283	LH and RH Trip Ledge Rain Deflectors	STD	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Cabs & Sleepers			
Interior			
8330591	Interior Trim Package: 2.1M MD Gray Foam Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	STD	0#
Interior Lights			
8700161	Footwell Light: Red Lens & Switch	\$13	0#
Heaters & Air Conditioning			
8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	STD	0#
Miscellaneous			
8108002	Fine Particulate Filter for Cabin Air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.	\$35	0#
8108003	Ember Filter For Cabin Air. Used to keep embers out of the HVAC filter element. Cannot be used with code 8108002.	\$33	2#
8190564	Air Conditioning Excise Tax: Canadian Registry	\$175	0#
Steering Wheels & Equipment			
8201013	Steering Wheel: 18 in. 4-Spoke.	STD	0#
8201047	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	\$143	0#
8201052	Column Mtd TMSN Control W/Retarder Cntrl, RH Side Use with Automated and Automated Manual Transmissions Only	\$399	0#
8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	STD	0#
Other			
8201200	Adjustable Telescoping Tilt Steering Column.	STD	0#
Instruments & Controls			
8240620	Canadian Instrument Package: KPH Speedometer replaces MPH.	\$0	0#
8282006	Odometer Units Locked to Match Speedometer Dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.	\$0	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
8282024	Main Instrument Package: 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	STD	0#
8282025	Main Instrument Package: Natural Gas Engine 7" Digital Display Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil Pressure, and Coolant Temp; and Digital: Fuel Level #1, Volts Telltale, OAT and Primary Air Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	\$0	0#
Gauges			
8220106	Gauge: Dash Mounted Air Filter Restriction Gauge.	\$123	0#
8221100	Gauge: 2 Air Suspension Pressure Gauges. For Use w/air suspension w/dual leveling valves.	\$257	0#
8221105	Gauge: Air Application Gauge.	\$46	0#
8221138	Gauge: Air Suspension Pressure Gauge. For dual leveling valves, not dual read.	\$265	0#
8221144	Gauge: Air Suspension Pressure Gauge.	\$129	0#
8222115	Gauge: All Metric Gauges, Except Digital Display pressure gauges in psi.	\$0	0#
8222400	Gauge: DD Virtual Gauge - Air Suspension Pressure 1	\$77	0#
8222402	Gauge: DD Virtual Gauge - Trailer Reservoir	\$74	0#
8222403	Gauge: DD Virtual Gauge - Trailer Brake Application	\$55	0#
8222407	Gauge: DD Virtual Gauge - Axle Temp Forward Rear Or Single Rear	\$100	0#
8222408	Gauge: DD Virtual Gauge - Axle Temp Rear Rear	\$101	0#
8222409	Gauge: DD Virtual Gauge - Air Filter Restriction	\$0	0#
8222410	Increased Air Filter Full Indication For Air Filter Restriction Gauge	\$0	0#
8222411	Gauge: DD Virtual Gauge - Eng Pto Hour	\$36	0#
8222412	Gauge: DD Virtual Gauge - Main Transmission Temp	\$55	0#
8222413	Gauge: DD Virtual Gauge - Manifold Pressure Boost	\$0	0#
8222414	Gauge: DD Virtual Gauge - Engine Percent Torque	\$0	0#
8222418	Gauge: DD Virtual Gauge - Engine Hours Instrument Cluster	\$0	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Gauges			
8222419	Gauge: DD Virtual Gauge - Volts Instrument Cluster	\$0	0#
8222420	Gauge: DD Virtual Gauge - Automated Trans Clutch Temp - Instrument Cluster	\$0	0#
8222707	Delete DEF Gage, Must Use Fuel Gage W/O ULSD Text Replace DEF Gauge With Plug, ULSD is Ultra Low Sulfur Diesel Fuel	(\$24)	0#
8222712	Gauge: Fuel Filter Restriction Gauge.	\$137	0#
8222722	Gauge: Manifold Pressure Gauge. The NavPlus HD unit includes a virtual manifold pressure gauge.	\$34	0#
8225626	Gauge: Axle Oil Temperature Gauge. Single Drive axle or forward rear axle w/integral warning light.	\$172	0#
8225658	Gauge: Axle Oil Temperature, Dual-Drive Axle. (2 gauges) w/integral warning light.	\$199	0#
8226667	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	\$58	0#
8282108	Modular Dash Options: RH Dash Storage Unit With two shelves. Reduces total gauge count; HD by 6 and MD by 4.	\$46	0#
Controls			
8203044	Four Position Ignition Switch, Keyless. Available for fire truck service & EMT/emergency service only.	\$71	0#
8205038	Controls on Dash for Pintle Hook. Includes piping to the end of frame.	\$49	2#
8205067	Controls on Dash for Trailer Dump Gate. Includes piping & indicator light. * T680/T880 available with speed interlock (8208603)	\$63	0#
8205069	Dash Controls: Tailgate or Dump Gate, Includes Piping and Telltale	\$175	1#
8205076	Controls On Dash (Qty. 2) For Forward and Rear Trailer Dump Gates. For A Straight Truck. Includes Piping & Indicator Lights. Optional Speed Interlock Available With T680/T880. See Databook for Code.	\$139	0#
8205082	Controls on Dash for Trailer Air Suspension. Includes piping & indicator light. * Dash controls for trailer functions require that you add trailer connections to the order. * This trailer air suspension valve provides an air control. There is an option for trailer hotwire that provides an electric control wired to a dash switch. * Optional speed interlock available on T660/T680 models.	\$135	0#
8205089	Park Brake Interlock for Air Suspension Dump. (Truck/Tractor). Parking brake interlock option for air suspensions other than Hendrickson HAS or Primaax. Air suspension will not dump unless park brakes are engaged. Trailer suspension dump interlock is available	\$129	0#
8205272	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Self-Returning.	\$335	0#
8205273	Dash Mounted - Compact Valve to Actuate All Service Brakes Self-Returning.	\$361	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
PTO Related			
8205087	Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. The intent of this feature is to deflate the air suspension air bags while the load is raised to help alleviate any imbalance or instability that can occur with the air bags inflated.	\$66	2#
8205096	Information for Customer-Installed PTO Muncie 8-BOLT	\$0	0#
8205103	Information for Customer-Installed PTO Chelsea 8-bolt.	\$0	0#
8205135	Information for Customer-Installed PTO Muncie 10-bolt.	\$0	0#
8205157	Park Brake Interlock for First PTO PTO will not engage without park brakes set. Not for use with PTOs with air controls (8205053,8205054,8205057)	\$124	0#
8205222	Park Brake Interlock for Second PTO * PTO No. 2 will not engage without park brakes set.	\$97	0#
8205227	Park Brake Interlock for PTO Air Controls * Controls will not charge with air unless park brakes are set.	\$97	0#
8205291	Info for C/I PTO: Muncie 6 Bolt	\$0	0#
8205292	Info for C/I PTO: Chelsea 6 Bolt	\$0	0#
PTO Controls			
8205052	PTO Air Control: On Dash W/ Indicator Light.	\$0	0#
8205053	PTO Air Control: Toolbox Mounted LH of Rider seat for customer-installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged is available on T680/T880	\$771	11#
8205055	PTO Air Control: On Dash W/Piping & Indicator Light For Customer-Installed Single-Speed PTO.	\$531	0#
8205164	Dash Switch: 1st Single-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 1st Eaton (single-acting) trans PTO.	\$100	0#
8205165	Dash Switch: 2nd Single-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 2nd Eaton (single-acting) trans PTO.	\$99	0#
8205168	Dash Switch: 1st Double-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (double-acting) trans PTO.	\$260	0#
8205171	Dash Switch: 2nd Double-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 2nd Eaton (double-acting) trans PTO.	\$101	0#
8205173	Dash Switch: 1st Reversible/dbl Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (reversible) trans PTO.	\$167	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
PTO Related			
PTO Controls			
8205177	Dash Switch:1st Allison-Mounted PTO. Electric switch and wiring are factory-installed to control the 1st Allison Trans mounted PTO.	\$167	0#
8205283	Info for C/I PTO: Chelsea 10 Bolt	\$0	0#
Dash Switches			
8202996	Manual Override Switch: For Fan Hub, W/O Warning lamp. For fire truck pumpers only. Option used to request fan on only. The engine may turn fan on and off on regardless of switch.	\$23	1#
8203161	Fan to Operate When Park Brake Set.	\$13	0#
8203196	Dash Mounted Compact Trailer Brake Valve. Self Returning.	\$0	0#
8205012	Off-Highway Dash Switch: For ABS System. Includes indicator light.	\$54	0#
8205158	Park Brake Interlock for First Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$115	0#
8205160	Dash SW: Bendix Work Brake Electric Over Air SW To Apply All Service Brakes	\$172	5#
8205221	Park Brake Interlock for Second Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$115	0#
8205228	One (1) Spare Accessory Electric-Over-Air Switch with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$95	0#
8205229	Two (2) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$160	0#
8205230	Three (3) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on ,while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$220	0#
8205231	Four (4) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$279	0#
8205280	Dash Switch: Rock Free Mode for PCAR TX-18 Pro, TX-12 Pro and Endurant XD Pro	\$35	0#
8208474	One Spare Switch: Wired to Power. BOC Wire termination.	\$53	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8208475	Two Spare Switches: Wired to Power. BOC Wire termination.	\$72	0#
8208476	Three Spare Switches: Wired to Power. BOC Wire termination.	\$106	0#
8208477	Four Spare Switches: Wired To Power. BOC Wire termination.	\$126	0#
8208478	Five Spare Switches: Wired to Power. BOC Wire termination.	\$145	0#
8208484	One Spare Switch: Wired to Power. EOF Wire termination.	\$58	0#
8208485	Two Spare Switches: Wired to Power. EOF Wire termination.	\$77	0#
8208486	Three Spare Switches: Wired to Power. EOF Wire termination.	\$111	0#
8208487	Four Spare Switches: Wired To Power. EOF Wire termination.	\$131	0#
8208488	Five Spare Switches: Wired to Power. EOF Wire termination.	\$150	0#
8208494	One Spare Switch: Wired to Power.	\$48	0#
8208495	Two Spare Switches: Wired to Power.	\$67	0#
8208496	Three Spare Switches: Wired to Power.	\$101	0#
8208497	Four Spare Switches: Wired to Power.	\$121	0#
8208498	Five Spare Switches: Wired to Power.	\$140	0#
8208524	Seven-Way Plug: Wired to Dash Switch. For Trailer floodlight. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer floodlamps. Switch has an integral indicator lamp. Requires using a second ISO 3731.	\$32	0#
8208530	Seven-Way Plug: Wired to Dash Switch for Dumpgate Includes indicator light & guard. Center pin of standard 7-way connector (J560) will be wired to a switch for dumpgate (battery power). Includes a guard & integral indicator lamp.	\$32	0#
8208549	Seven-Way Plug: Wired to Dash Switch. For Trailer power. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch is wired to a battery circuit & has an integral indicator lamp.	\$35	0#
8208551	Seven-Way Plug: Wired to Dash Switch. For Trailer air suspension. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch has an integral indicator lamp & a guard.	\$32	0#
8208553	Seven-Way Plug: Wired Through Center Wire. For use w/overfill. Center pin of standard 7-way connector (J560) wired to a switch for overfill. Battery power for key off overfill operation. Switch includes integral indicator lamp. If ABS is required, must code for ABS through ISO 3731 connector.	\$28	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Instruments & Controls

Dash Switches

8208559	Controls on Dash for Forward and Rear Trailer Belly Dump Gates: Includes indicator light, guard & approx 3 meters of coiled wire BOC in LH rail. Use separate codes to add ISO 3731 spare circuit wiring & IDs, if desired.	\$215	0#
8208601	Switch: W/Light & Guard For Trailer Dump Gate. Includes Approximately 3 Meters of Coiled Wire BOC in LH Rail.	\$135	0#
8208626	LytX DriveCam SF300 System: Video Trigger Dash Switch	\$20	0#
8291002	Mute Backup Alarm W/ Buzzer in Cab.	\$165	0#

Turn Signals

8700196	Turn Signal: Self-Cancelling	STD	0#
8700197	Turn Signal: Non-Self Cancelling	\$12	0#

Other

8203052	Remove Stop Position from Regeneration Switch.	\$0	0#
8209999	Spare Power Wiring For Customer Installed Devices Behind Dash Cluster. Includes 2 batt, 2 ign, 1 acc, 1 LVD at 20A each.	\$91	2#
8229005	Methane Detection System For Natural Gas Required For LNG Fueled Vehicles Optional For CNG Fueled Vehicles	\$1,468	0#
8282109	Large Flat Panel on Dash For C/I Controls. Replaces Storage Bucket.	\$14	0#
8291011	Warning Light and Audible: Drivers Side Seatbelt A telltale and audible warning activates when vehicle speed > 10 mph and driver side seatbelt is not buckled.	\$58	0#
8702224	Enable Inclement Driving Condition Interlock (IDCI). Wiper level 4 is the default for this system.	\$0	0#
8702232	Sensata Tire pressure monitoring system Requires 48991XX tire/wheel count code for sensors.	STD	0#

Seats

Driver Seats

8410101	Driver Seat: KW Air Seat IB Vinyl W/O Armrests /Susp Cover	STD	0#
8410102	Driver Seat: KW Air Seat HB Vinyl w/o Armrests w/ Susp Cover	\$92	0#
8410106	Driver Seat: KW Air Seat IB Tough Cloth w/o Armrests/Susp Cover	\$29	0#
8410107	Driver Seat : KW Air Seat HB Tough Cloth w/o Armrests w/ Susp Cover	\$111	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
8410116	DR SEAT: KW Air Seat IB Tough Cloth w/ Dual Armrests	\$146	0#
8410117	DR SEAT: KW Air Seat HB Tough Cloth w/ Dual Armrests	\$147	0#
8410121	Driver Seat: KW Air Seat IB Vinyl w/ Dual Armrests/Susp Cover	\$191	0#
8410122	Driver Seat: KW Air Seat HB Vinyl w/ Dual Armrests/Susp Cover	\$201	0#
8410126	Driver Seat: KW Air Seat IB Tough Cloth w/ Dual Armrests/Susp Cover	\$222	0#
8410127	Driver Seat: KW Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover	\$233	0#
8410161	Driver Seat: KW Air Seat IB Vinyl w/o Armrests with Susp Cover	\$110	0#
8410162	Driver Seat: KW Air Seat HB Vinyl w/o Armrests with Susp Cover	\$192	0#
8410212	Driver Seat: KW Premium Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Seat Heater	\$713	0#
8410217	Driver Seat: KW Premium Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Seat Heater	\$751	0#
8410361	Driver Seat: NFPA Compliant KW Air Seat HB Vinyl No Armrests, w/ Susp Bellows Cover.	\$234	0#
8410371	Driver Seat: Rolltek HB with Vinyl Material This seat incorporates a seatbelt tensioner, suspension cover, and side airbags. Includes dual folding armrests and headrest logo.	\$3,833	0#
Rider Seats			
8460101	Rider Seat: KW Air Seat IB Vinyl w/o Armrests/ Susp Cover	\$242	0#
8460102	Rider Seat: KW Air Seat IB Vinyl w/ Susp Cover/ Occupancy Sensor w/o Armrests	\$338	0#
8460103	Rider Seat: KW Air Seat HB Vinyl w/ Susp Cover/ Occupancy Sensor w/o Armrests	\$338	0#
8460106	Rider Seat: KW Air Seat IB Tough Cloth w/o Armrests/Susp Cover	\$267	0#
8460107	Rider Seat: KW Air Seat IB Tough Cloth w/ Susp Cover/Occupancy Sensor w/o Armrests	\$362	0#
8460108	Rider Seat: KW Air Seat HB Tough Cloth w/ Susp Cover/Occupancy Sensor w/o Armrests	\$418	0#
8460116	RD SEAT: KW Air Seat IB Tough Cloth w/ Dual Armrests	\$384	0#
8460117	RD SEAT: KW Air Seat HB Tough Cloth w/ Dual Armrests	\$384	0#
8460212	Rider Seat: KW Premium Air Seat HB Vinyl w/ Dual Armrests/Susp Cover/Seat Heater	\$737	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
8460217	Rider Seat: KW Premium Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Seat Heater	\$743	0#
8460361	Rider Seat: NFPA Compliant KW Air Seat HB Vinyl No Armrests, w/ Susp Bellows Cover and Occupancy Sensor.	\$486	0#
8478001	Rider Seat: KW Battery Box 2-Man Bench Vinyl	\$73	0#
8478016	Rider Seat: KW Battery Box 2-Man Bench Tough Cloth	\$38	0#
8478051	Rider Seat: KW Toolbox 2-Man Bench Vinyl	\$367	0#
8478056	Rider Seat: KW Toolbox 2-Man Bench Tough Cloth	\$387	0#
8480201	Rider Seat: KW Toolbox Seat IB Vinyl w/o Armrests	STD	0#
8480202	Rider Seat: KW Toolbox Seat HB Vinyl w/o Armrests	\$12	0#
8480206	Rider Seat: KW Toolbox Seat IB Tough Cloth w/o Armrests	\$35	0#
8480207	Rider Seat: KW Toolbox Seat HB Tough Cloth w/o Armrests	\$47	0#
8480221	Rider Seat: KW Toolbox Seat IB Vinyl w/ Dual Armrests	\$107	0#
8480227	Rider Seat: KW Toolbox Seat HB Tough Cloth w/ Dual Armrests	\$93	0#
8480231	Rider Seat: KW Toolbox Seat IB Vinyl w/ Dual Armrests/Record Holder/Occupancy Sensor	\$135	0#
8480232	Rider Seat: KW Toolbox Seat HB Vinyl w/ Dual Armrests/Record Holder/Occupancy Sensor	\$146	0#
8480236	Rider Seat: KW Toolbox Seat IB Tough Cloth w/ Dual Armrests/Record Holder/Occupancy Sensor	\$180	0#
8480237	Rider Seat: KW Toolbox Seat HB Tough Cloth w/ Dual Armrests/Record Holder/Occupancy Sensor	\$192	0#
Kenworth In-Cab Battery Box			
8450101	Rider Seat: KW Battery Box Seat IB Vinyl w/o Armrests	(\$122)	0#
8450102	Rider Seat: KW Battery Box Seat HB Vinyl w/o Armrests	(\$142)	0#
8450111	Rider Seat: KW Battery Box Seat IB Vinyl w/ Dual Armrests	(\$102)	0#
8450112	Rider Seat: KW Battery Box Seat HB Vinyl w/ Dual Armrests	(\$37)	-25#
8450126	Rider Seat: KW Battery Box Seat IB Tough Cloth w/ Dual Armrests/Occupancy Sensor	\$21	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Kenworth In-Cab Battery Box			
8450127	Rider Seat: KW Battery Box Seat HB Tough Cloth w/ Dual Armrests/Occupancy Sensor	\$33	0#
Rider Seat Other			
8489979	Delete Standard Rider Seat.	(\$409)	-64#
Seat Miscellaneous			
8489912	NFPA Compliance Kit: 2.1 m Includes Seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	\$709	5#
8490161	Seat Color: Black Replacing Standard Gray	\$0	0#
8496559	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	\$20	0#
8496561	Driver/ Rider Seat Belts: Lime Green Seat Belts Replace standard color.	\$15	0#
8496569	Driver & Rider Seat Belts: Red, Replace Standard. NOT NFPA Compliant.	\$25	0#
8496575	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts.	\$77	0#
8497005	Air Line Fitting: At Driver Seat. Customer-installed air chuck.	\$87	4#
Cab Accessories			
Storage			
8570011	Low Profile Roof Interior Overhead Storage	\$193	0#
8570012	Low Profile Roof Interior LH Overhead Storage	\$97	0#
8700091	Ashtray Insert: W/ Cigar Lighter Located in center console. Deletes 1 12V outlet & 1 cupholder.	\$33	0#
8890038	3.5in x 11.5in Plastic Records Holder: Mounted On Rear Cab Panel. Not available With Sleeper Or 2 Person Bench Seat.	\$54	0#
Cab Package			
8891009	Thermal/Sound Insulation Package	\$270	0#
Other			
8700152	Large Transmission Access Hole - Center Cab Floor	\$139	0#
8700158	Removable Plate For Direct REPTO Access Through Floor W/ Floormat/Carpet Cutout	\$87	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Cab Accessories			
Other			
8700166	Cup Holder (Floor Mtd)	\$63	0#
8700501	Metal Int Door Panel Kick Plates	\$72	0#
8721405	Nameplates Shipped Loose: French. In Addition to standard or optional nameplates.	\$0	0#
8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	STD	0#
8800403	Dual Cab Interior Grabhandles: Yellow, A Pillar Mtd Dash Wrap and B Pillar Mounted Grabhandles	\$38	0#
9090102	Anti-Theft System Installed	\$103	0#
9090103	Anti-Theft Enabled with Driver Override Disabled	\$0	0#
9399996	Kenworth Operator Manual: Spanish.	\$0	0#
9399998	Kenworth Operator Manual: French Replacing English.	\$0	0#
Sound Systems			
Kenworth Radios			
8601429	Kenworth Radio DEA730 AM/FM/WB/USB, Bluetooth & Sirius-XM Satellite	\$562	0#
8601430	Kenworth Radio DEA700 AM/FM/WB	\$338	0#
8601431	Kenworth Radio DEA710 AM/FM/WB/USB, Phone Bluetooth Disabled	\$385	0#
8601432	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	\$405	0#
8601433	Kenworth Radio DEA730 AM/FM/WB/USB, Sirius-XM Satellite/Phone Bluetooth Disabled	\$542	0#
8601435	Kenworth Radio DEA707 AM/FM/WB/USB	\$391	0#
8601440	Kenworth Radio and Navigation: compatible with Apple Carplay	\$1,333	0#
Radios Miscellaneous			
8601495	Radio Mute When Lane Departure Detected. Required Bendix Fusion or Meritor OnAlert and Compatible Radio	\$0	0#
Sound System Speakers			
8698965	Speaker Package For Cab: (2) Speakers B-Pillar	\$62	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Sound System Equipment			
8698970	No Radio Or Speakers Selected: No Prewire & No Antenna Wiring. Not w/ Smart Wheel.	STD	0#
8698971	Wiring & Antenna Only - No Radio/Speakers Provided	\$37	0#
8699017	Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.	\$61	0#
8699900	Metal Ground Plate: Two-Way Radio. For customer-installed antenna located in center of cab roof.	\$97	2#

CB & Equipment

CB Radio

8601874	CB Radio: Cobra 29 W/Weatherband/ Single Ant. Transceiver/ Sound Tracker/ Illum Panel w/microphone clip mtd on side	\$550	0#
8601875	CB Radio: Cobra 29 W/Weatherband/DI Ant Transceiver/Sound Tracker/Illum Panel W/Microphone Clip Mtd On Side	\$599	0#
8601890	CB Radio: Bearcat 880. Includes Weatherband w/header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$457	0#

CB Installation Kit

8699933	CB Installation Kit: C/I Center Mtd of Header w/ Dual Antenna on LH/RH mirrors. One Jumper Harness.	\$235	2#
8699934	CB Installation Kit: C/I Center Mtd of Header w/ Single Antenna on LH Mirror, low mount.	\$178	0#

Information & Communication Systems

8700601	Global Telematics Unit	STD	0#
8700604	TELEMATICS HW (MASS RIGHT TO REPAIR)	\$0	0#
8700625	Single 1.5" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$120	0#
8700626	Single 1" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$104	0#
8700627	Dual 1" Ram Ball Dash Mounted IPO Storage Bin W/ Pass thru	\$193	0#
8700628	Single 1.5" Ram Ball Dash Mounted RH Side of Radio Opening	\$51	0#
8700629	Single 1" Ram Ball Dash Mounted RH Side of Radio Opening	\$36	0#
8700678	Driver Security Alert / Panic Switch Dash Switch Only	\$29	0#
8700895	Exterior Initiation or Inhibition of Regen Thru J1939 BCan Communications.	\$35	0#



T480: CAB INTERIOR

Option	Description	Price	Weight
Information & Communication Systems			
8700927	Lytx DriveCam SF300 System Pre-Wire	\$378	0#
8700941	Omnitracs IVG Wiring Harness	\$190	0#
9090157	Prewire: Bendix Fusion Safety Direct SDP to PeopleNet with the back wall mount.	\$183	0#
9212653	TruckTech+ RD - 5YR Sub Cummins Engines	\$799	0#
9212654	TruckTech+ RD - 6YR Sub Cummins Engines	\$949	0#
9212655	TruckTech+ RD - 7YR Sub Cummins Engines	\$1,099	0#
9212656	TruckTech+ RD - 8YR Sub Cummins Engines	\$1,249	0#
9212657	TruckTech+ RD - 9YR Sub Cummins Engines	\$1,399	0#
9212658	TruckTech+ RD - 10YR Sub Cummins Engines	\$1,549	0#
9212661	TruckTech+ RD - 5YR Sub PACCAR PX Engines	\$799	0#
9212662	TruckTech+ RD - 6YR Sub PACCAR PX Engines	\$949	0#
9212663	TruckTech+ RD - 7YR Sub PACCAR PX Engines	\$1,099	0#
9212664	TruckTech+ RD - 8YR Sub PACCAR PX Engines	\$1,249	0#
9212665	TruckTech+ RD - 9YR Sub PACCAR PX Engines	\$1,399	0#
9212666	TruckTech+ RD - 10YR Sub PACCAR PX Engines	\$1,549	0#



T480: LIGHTS & SIGNALS

Option	Description	Price	Weight
Headlamps			
9010803	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.	STD	0#
9010810	Headlamps: Sealed Beam Halogen Located in Bumper. Driven by Chassis Height.	\$116	0#
9010813	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and w/o DRL. Fender Mtd.	\$0	0#
9010814	Headlamps: LED low beam array, LED high beam, LED turn signal array, LED DRL/Park Lamp, LED side marker/side turn.	\$782	8#
Marker Lights			
9022130	Marker Lights: Five Rectangular LED. Chrome housing. For use with raised roof only. Required with exterior sunvisor.	\$65	0#
9022137	Marker Lights: Five Rectangular LED.	STD	0#
9027110	Marker Lights: Five LED Rectangular, Flush Mount.	\$0	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	\$12	0#
9090115	Reflectors: Two Midframe	\$24	0#
9090117	Marker Lights: Midframe & reflectors mounted standout. Required on tractors where overall length exceeds 30 feet.	\$183	22#
Turn Signal Lights			
9039014	Add Turn Signal Lamps Mounted BOC/BOS	\$243	2#
Other			
9030034	Wiring: Customer Installed Turn Signals, Mid Chassis.	\$940	0#
Foglights			
9042545	KW Fog Lights (2) Recessed in Bumper	\$278	2#
Other			
9049825	Customer-Installed Road/ Fog Lights Switch & wiring.	\$27	0#
Spotlights			
9060011	Halogen Spotlight: LH Mounted.	\$151	4#



T480: LIGHTS & SIGNALS

Option	Description	Price	Weight
Spotlights			
9060055	Halogen Spotlight: LH & RH Mounted. T680 and T880 models include dash switch for RH spot lamp as standard.	\$267	11#
Taillights			
9030051	LED Stop,Turn,Tail: With One Non LED Backup Light and With An LED License Plate.	\$0	-3#
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	STD	0#
9030053	LED Stop,Turn,Tail: With One LED Backup Light With One LED Backup Light and With An LED License Plate	\$128	1#
9030054	Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.	\$107	0#
9030055	Taillight,Stoplight:Trucklite Super 40 With 2 Backup lights and an LED License Plate	\$21	1#
9030056	Stop,Turn,Taillight: Trucklite 44 Series 6 LED red with two LED backup lights and LED License Plate. Grommet mounted. Taillights come on when fog lights are on.	\$118	3#
9030070	Delete Stop, Tail, Turn and Backup Lights: Only the lights and small jumper that connects the lights to the aft harness are deleted.	(\$108)	-8#
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	\$102	0#
9070144	Additional 6ft Taillamp Harness: In Frame.	\$70	0#
Miscellaneous			
8240020	City Horn to Honk if Door Opens and Park Brake not set.	\$62	0#
9010951	Daytime Running Lights Located in Bumper. Driven by Chassis Height.	\$303	3#
9020101	14-Pin RP170 Body Lighting Connector.	STD	0#
9020103	Delete Standard 14-Pin RP170 Body Lighting Connector.	(\$57)	0#
9090007	Override Switch: For Daytime Running Lamps.	\$44	0#
9090011	Add. 4-Way Receptacle To BOC: Wired To Three Dash Switches. Spare Switch 1 Is Wired To Pin TM, Spare Switch 2 Is Wired To Pin S and Spare Switch 3 Is Wired To Pin A.	\$279	2#
9090012	Add. 4-Way Receptacle: To End-Of-Frame:Wired To 3 Dash Switches.	\$265	2#
9090027	Headlamps to Turn on When Wipers are Active.	\$0	0#
9090043	Add. 4-Way Receptacle to BOC: Wired To 2 Spare Dash Switches.	\$269	2#



T480: LIGHTS & SIGNALS

Option	Description	Price	Weight
Miscellaneous			
9090046	Add. 4-Way Receptacle: To End-Of-Frame:Wired to 2 Spare Dash Switches	\$255	2#
9090049	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090052	Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090058	Switch & Wiring: For Customer-Installed Plow light. Includes circuit breaker.	\$158	0#
9090142	Wiring Only: For Customer-Installed Backup alarm.	\$58	0#
9090151	Wiring:Cust. Install Trlr Elec. Brake Controller. Class 8/T4 Content Includes Dash Signals: Ignition Power (20A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To EOF Junction Box. These Signals Are Located Near The NavPlus HD Area. No Need To Code For An Additional End of Frame Junction Box. EOF Junction Box Signals Are: Ground, Tail Lamp, Marker Lamp, Left Turn, Right Turn, Stop Lamp and Electric Trailer Brake Controller Wired To Dash. Medium Duty (not T4) Content Includes A MP 280 Series Connector In Dash Near Driver Door Connections With Signals: Battery Power (40A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To Chassis Connector. Medium Duty (not T4) 2 Way Deutsch Chassis Connector Located Near Back of Cab, With Signals: Ground and Electric Trailer Brake Controller Wired To Dash Connector.	\$213	4#
9090180	Backup Alarm: Tail Light Bracket Mounted Variable self-adjusting 82-102 DBA.	\$135	0#
9090221	Switch & Wiring: For Customer-Installed Sign lamp w/o insulators.	\$65	0#
9090301	Junction Box: Under Cab	\$153	1#
9090302	Junction Box: Mounted Behind Cab or Sleeper Not Mounted at End of Frame.	\$136	1#
9090312	Body Builder Lighting Harness Coiled End Of Frame For Additional Customer Installed Exterior Lighting. Harness Includes Circuits for Additional Customer Installed Tail Lamps, Turn Lamps, Stop Lamps, and Marker Lamps.	\$165	0#
9090316	Junction Box: End of Frame	\$243	1#
9090849	Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.	\$42	0#
Beacon Lights			
Dual			
9080125	Dual Rotating Roof Lights: Low-Profile LED Beacon lights w/ overhead switch.	\$786	7#
9080131	Dual Strobe Roof Lights: Low-Profile LED Beacon lights w/ overhead switch.	\$786	7#
Customer-Installed			
9080135	Stainless Steel Brackets, Switch & Wiring: Customer-installed dual beacon lights mounted over door of cab.	\$262	4#



T480: LIGHTS & SIGNALS

Option	Description	Price	Weight
Beacon Lights			
Customer-Installed			
9080206	Switch & Wiring: Customer-Installed Beacon Lights with additional 20 ft jumper harness shipped loose.	\$203	1#
Floodlights			
First Set			
9052008	Floodlights: Dual LED Flush First Set	\$139	0#
9052011	Dual Flush Floodlights: First Set	\$131	2#
9056140	Dual Pedestal Floodlights: First Set	\$236	2#
Switches for Customer-Installed			
9058071	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 1st Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$119	1#
9058085	Switch,Wire,Indicator Light: C/I Flood 1st SW Thru Grommet Under Cab	\$129	0#
9058086	Switch,Wire,Indicator Light: C/I Flood 2nd SW Thru Grommet Under Cab	\$128	0#
9058087	Switch,Wire,Indicator Light: C/I Flood 3rd SW Thru Grommet Under Cab	\$128	0#
Location Codes			
9059901	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059908	Floodlight Location:High Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059909	Floodlight Location:High Outbd of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059921	Floodlight Location: Located Low - First Set . This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059927	Floodlight Location: Low Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059928	Floodlight Location:Low Outboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
Miscellaneous			
9058081	Cust. Installed Floodlights1st Set:Add 30ft Wire. Additional 30ft Jumper Harness Shipped Loose.	\$32	1#

Second Set



T480: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
Second Set			
9052012	Dual Flush Floodlights: Second Set	\$139	2#
9052016	Floodlights: Dual LED Flush Second Set	\$179	0#
9056141	Dual Pedestal Floodlights: Second Set	\$174	2#
Switches for Customer-Installed			
9058072	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 2nd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$98	1#
Location Codes			
9059903	Floodlight Location: Located High - Second Set. This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059919	Floodlight Location:High Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059920	Floodlight Location:High Outbd of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059923	Floodlight Location: Located Low - Second Set . This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059929	Floodlight Location:Low Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059930	Floodlight Location:Low Outboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
Third Set			
9052013	Dual Flush Floodlights: Third Set	\$124	2#
9052017	Floodlights: Dual LED Flush Third Set	\$179	0#
9056142	Floodlights: Dual Pedestal Third Set	\$197	0#
Switches for Customer-Installed			
9058073	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 3rd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$108	1#
Location Codes			
9059904	Floodlight Location: Located High - Third Set. This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#



T480: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
Third Set			
Location Codes			
9059924	Floodlight Location: Located Low - Third Set . This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#
9059938	Floodlight Location:High Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059939	Floodlight Location: High Outbd of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059949	Floodlight Location:Low Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059950	Floodlight Location:Low Outboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#



T480: AIR EQUIPMENT

Option	Description	Price	Weight
Air Drying Equipment			
Moisture Ejection Valve			
9102009	Moisture Ejection Valve: Midland Automatic Use with AD-IS or AD-HF.	\$99	0#
9102040	Moisture Ejection Valve: Two Bendix DV-2 Heated drain valves on service tanks. Use w/ AD-IS or AD-HF.	\$201	0#
9108001	Moisture Ejection Valve W/ Pull Cable Drain.	STD	0#
Air Dryer			
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	STD	0#
9101219	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	\$30	0#
Air System Miscellaneous			
9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	STD	0#
9140085	Bendix LQ-5 Ratio Valve: for Kenworth-Installed pusher/tag. LQ-5 valve limits the amount of air applied to the pusher brakes. Helps prevent lockup in lightly loaded conditions.	\$147	0#
9140092	Schrader Valve to Charge Air System.	\$45	0#
9140236	Locate Air Dryer Outside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140238	Locate Air Dryer Outside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140248	Locate Air Dryer Under LH Rail BOC This code requires the use of a custom frame layout code.	\$0	0#
9140249	Locate Air Dryer Under RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140252	Locate Air Dryer Inside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140254	Locate Air Dryer Inside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140267	Locate Air Dryer Inside RH Rail BOC	\$695	0#
9140268	Locate Air Dryer Inside LH Rail BOC	\$695	0#
9140269	Locate Air Dryer Outside LH Rail BOC	\$695	0#
9140270	Locate Air Dryer Outside RH Rail BOC	\$695	0#
9140271	Locate Air Dryer Under LH Rail BOC	\$695	0#
9140272	Locate Air Dryer Under RH Rail BOC	\$695	0#



T480: AIR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Air System Miscellaneous

Air Tank Locations

9140251	Air Tanks: Clear of Left Side of Transmission area. Clear area - forward of transmission yoke C/L	\$1,737	4#
9140253	Air Tanks: Clear of Right Side of Transmission area. Clear area - forward of transmission yoke C/L	\$1,737	4#
9140273	Air Tanks: Clear of Transmission Area Clear area - forward of transmission yoke C/L	\$1,737	4#
9140286	Air Tanks: Clear of Left Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140287	Air Tanks: Clear of Right Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140288	Air Tanks: Clear of Transmission Area. This code requires the use of a custom frame layout code.	\$0	0#
9140289	Air Tanks: Mounted Inside Frame Flanges where possible. This code requires the use of a custom frame layout code.	\$0	0#
9140290	Air Tanks: Mounted Inside Frame Flanges where possible.	\$1,737	0#

Air Tank Options

9150170	Air Tanks: Aluminum Replacing Steel All Tanks. *Not air tanks on lift axles.	\$378	-44#
---------	--	-------	------

Air & Electrical Supply Kits

Tractor

9110037	Air & Electrical Supply Kits: Tractor BOC-Mounted kit w/ slidebar, spring hanger and composite gladhand/light plug holder mounted on back of cab/sleeper. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$619	19#
9110068	Air & Electrical Supply Kits: Tractor LH Frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series.	\$779	24#
9110071	Tractor Kit: Center Frame-Mounted W/ Hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$786	24#
9110072	Tractor Kit: LH Outboard Frame-Mounted W/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option.	\$726	24#



T480: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Tractor			
9110081	Tractor Kit: BOC-Mounted Kit W/ Slidebar, Spring hanger and composite gladhand/light plug holder mounted on back of extended daycab. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Not available w/ dual independent exhaust.	\$840	19#
Full Truck			
9110020	Full Truck Kit Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$966	15#
9110034	Full Truck/Tractor Kit Combined: Center Frame mounted. 7-way female receptacle and air connection gladhands are mounted BOC on center frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.	\$1,066	15#
Air & Light Line Options			
9121008	Phillips 12 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$32	0#
9121043	Phillips 15 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$40	0#
9121047	Phillips 12 ft Straight Light Line W/ Metal Plugs & 12 in. lead. Must code for tractor kit.	\$15	0#
9121051	Philatron 15 ft Coiled Air Line. Must Code for tractor kit. use code 9121115	\$118	0#
9121112	Coiled Air & Light Lines Replacing Straight Lines . Included in tractor kit. 12ft working length.	\$30	0#
9121115	Coiled Air & Light Lines Replacing Straight Lines Included in tractor kit. 15ft working length.	\$24	0#
9121118	Phillips 11-5400 Air Lines. Requires Option: 9121115 Air/Light Lines: 15 feet Coiled. *The 11-5400 is a 15 ft. Polar Air pair with 40 in. leads.	\$25	0#
9140005	Straight Air & Light Lines: for Semitrailer application. Air lines detachable one end only; light line detachable both ends. Use w/ code 9110030. Note must code separately for straight air & light line lengths. Requires 12ft straight air & light.	\$229	0#
Kit Accessories			
9140188	Slide Bar: for Air & Light Lines, Cab/Sleeper mounted.	\$43	0#
9140193	Delete Hosetenna. Must Code for a Tractor Kit.	(\$15)	0#
9140196	Dual Ring Double Spring Hanger Replacing Single Ring Single Spring Hanger. Requires Trac Kit with Slide Bar.	\$32	0#
9140200	Delete Trailer Hand Valve--Req Full Truck or Trac Kit	(\$18)	0#



T480: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Trailer ABS Provisions			
9140321	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ o light line, for full truck & tractor.	\$155	6#
9140322	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ 15ft coiled light line, for full truck & tractor w/ dual light plug holders.	\$284	8#
9140326	Additional 7-Way Electrical Receptacle Mounted end-of-frame.	\$875	2#
9140328	Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).	\$0	0#
9140329	Trailer ABS Malfunction Lamp for Use W/ Second ISO 3731 connector For non-PLC trailers.	\$41	0#
Miscellaneous			
9127026	Trailer Battery Charging Circuit W/ 125 amp Fuse w/ detach trailer charge line.	\$172	8#



T480: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Safety Equipment			
9490206	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	\$58	4#
9490213	Warning Triangle Reflector Kit: Floor Mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.	\$58	12#
9490404	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of driver seat. Class ABC.	\$136	11#
9490408	One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of rider seat. Class ABC.	\$132	11#
Build Notes			
6679893	Customer to Install Structural Crossmembers if removing the factory installed jackshaft crossmembers. Maximum spacing between structural centerframe crossmembers to be 51 in. (measured from the web of channel type crossmembers, or from the centerline of cast crossmembers). The customer is responsible for meeting minimum crossmember spacing requirements if the factory supplied jackshaft C/M's are removed.	\$0	0#
6679990	*** This Vehicle Does Not Have Adequate Swing/Dip clearance when coupled to the trailer referenced on this order. See narrative line for maximum forward fifth wheel setting for this vehicle/trailer combination.***	\$0	0#
9210385	PACCAR Customized Fleet Service - Basic	\$250	0#
9210386	PACCAR Customized Fleet Service - Enhanced	\$500	0#
9210387	PACCAR Customized Fleet Service - Premier	\$4,800	0#
9212000	PACCAR International Dealer. International support fee does not apply.	\$0	0#
9409850	GHG Secondary Manufacturer: American Reliance Industries	\$0	0#
9409852	GHG Secondary Manufacturer: Does Not Apply	\$0	0#
9409862	GHG Secondary Manufacturer: Agility - Fontana, CA	\$0	0#
9409863	GHG Secondary Manufacturer: Agility - Salisbury, NC	\$0	0#
9409866	GHG Secondary Manufacturer: Labrie - Levis, QC	\$0	0#
9409867	GHG Secondary Manufacturer: Labrie - San Luis, AZ	\$0	0#
9409874	GHG Secondary Manufacturer: McNeilus Natural Gas Fuel System	\$0	0#
9409875	GHG Secondary Manufacturer: Heil Natural Gas Fuel System	\$0	0#
9490003	Additional Lead Time Required for Off Highway & /or specialty component truck.	\$0	0#



T480: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Build Notes			
9490012	U.S. Certification Decals for Canadian Trucks.	\$0	0#
9490645	Zinc Phosphate Frame Rail Paint Processing. Requires frame rail code. Code is for 1 pair of rails.	\$314	0#
9490647	Zinc Phosphate Frame Insert Paint Processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts.	\$314	0#
9491652	EMUX Architecture	STD	0#
9491659	VMUX Architecture	\$0	0#
9999945	Charge Chassis in United States Dollars.	\$0	0#
9999949	Do Not Drive.	\$1,000	0#
9999995	Cancel/ Reorder Chassis.	\$0	0#
International Support Fee			
9212001	International Support Fee, \$2700.	\$2,700	0#
9212002	International Support Fee, \$3531.	\$3,531	0#
9212003	International Support Fee, \$4355.	\$4,355	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Warranty			
9200007	Base Warranty - PACCAR PX-7 Engine 36 months / Unlimited miles & km / Unlimited hours.	\$0	0#
9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	STD	0#
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	STD	0#
9200113	Severe Service Medium-Duty Warranty: 12 months/ 50,000 miles & km	\$0	0#
9220001	Base Warranty: Emissions 5YR/100K MI	\$0	0#
9220008	Base Warranty: Emissions (CARB Operation) 5YR/100K MI - L9N Engine	\$0	0#
9220016	Base Warranty: Emissions (CARB Operation) PX-9 5YR/150K MI	\$2,186	0#
9220017	Base Warranty: Emissions (CARB Operation) PX-7 5YR/150K MI	\$1,454	0#

U.S. Extended Warranty

9201813	EW: US Basic Vehicle 2 year/100,000 miles, United States Only.	\$245	0#
9201814	EW: US Basic Vehicle 2 year/200,000 miles, United States only.	\$605	0#
9201815	EW: US Basic Vehicle 2 year/300,000 miles, United States only.	\$1,470	0#
9201816	EW: US Basic Vehicle 2 year/400,000 miles, United States only.	\$1,990	0#
9201817	EW: US Basic Vehicle 2 year/500,000 miles, United States only.	\$2,625	0#
9201818	EW: US Basic Vehicle 3 year/100,000 miles, United States only.	\$450	0#
9201819	EW: US Basic Vehicle 3 year/200,000 miles, United States only.	\$805	0#
9201820	EW: US Basic Vehicle 3 year/300,000 miles, United States only.	\$1,765	0#
9201821	EW: US Basic Vehicle 3 year/400,000 miles, United States only.	\$2,215	0#
9201822	EW: US Basic Vehicle 3 year/500,000 miles, United States only.	\$2,890	0#
9201823	EW: US Basic Vehicle 4 year/100,000 miles, United States only.	\$690	0#
9201824	EW: US Basic Vehicle 4 year/200,000 miles, United States only.	\$1,095	0#
9201825	EW: US Basic Vehicle 4 year/300,000 miles, United States only.	\$2,060	0#
9201826	EW: US Basic Vehicle 4 year/400,000 miles, United States only.	\$2,420	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201827	EW: US Basic Vehicle 4 year/500,000 miles, United States only.	\$3,105	0#
9201828	EW: US Basic Vehicle 5 year/100,000 miles, United States only.	\$1,150	0#
9201829	EW: US Basic Vehicle 5 year/200,000 miles, United States only.	\$1,585	0#
9201830	EW: US Basic Vehicle 5 year/300,000 miles, United States only.	\$2,500	0#
9201831	EW: US Basic Vehicle 5 year/400,000 miles, United States only.	\$2,975	0#
9201832	EW: US Basic Vehicle 5 year/500,000 miles, United States only.	\$3,485	0#
9201833	EW: US Basic Vehicle 6 year/100,000 miles, United States only.	\$1,235	0#
9201834	EW: US Basic Vehicle 6 year/200,000 miles, United States only.	\$1,630	0#
9201835	EW: US Basic Vehicle 6 year/300,000 miles, United States only.	\$2,755	0#
9201836	EW: US Basic Vehicle 6 year/400,000 miles, United States only.	\$3,430	0#
9201837	EW: US Basic Vehicle 6 year/600,000 miles - United States only.	\$4,125	0#
9201838	EW: US Basic Vehicle 7 year/200,000 miles, United States only.	\$1,710	0#
9201865	EW: US Radiator/CAAC 2 year/100,000 miles, United States only.	\$45	0#
9201866	EW: US Radiator/CAAC 2 year/200,000 miles, United States only.	\$125	0#
9201867	EW: US Radiator/CAAC 2 year/300,000 miles, United States only.	\$205	0#
9201868	EW: US Radiator/CAAC 2 year/400,000 miles, United States only.	\$285	0#
9201869	EW: US Radiator/CAAC 2 year/500,000 miles, United States only.	\$360	0#
9201870	EW: US Radiator/CAAC 3 year/100,000 miles, United States only.	\$85	0#
9201871	EW: US Radiator/CAAC 3 year/200,000 miles, United States only.	\$165	0#
9201872	EW: US Radiator/CAAC 3 year/300,000 miles, United States only.	\$245	0#
9201873	EW: US Radiator/CAAC 3 year/400,000 miles, United States only.	\$325	0#
9201874	EW: US Radiator/CAAC 3 year/500,000 miles, United States only.	\$405	0#
9201875	EW: US Radiator/CAAC 4 year/100,000 miles, United States only.	\$130	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201876	EW: US Radiator/CAAC 4 year/200,000 miles, United States only.	\$205	0#
9201877	EW: US Radiator/CAAC 4 year/300,000 miles, United States only.	\$290	0#
9201878	EW: US Radiator/CAAC 4 year/400,000 miles, United States only.	\$365	0#
9201879	EW: US Radiator/CAAC 4 year/500,000 miles, United States only.	\$450	0#
9201880	EW: US Radiator/CAAC 5 year/100,000 miles, United States only.	\$160	0#
9201881	EW: US Radiator/CAAC 5 year/200,000 miles, United States only.	\$245	0#
9201882	EW: US Radiator/CAAC 5 year/300,000 miles, United States only.	\$320	0#
9201883	EW: US Radiator/CAAC 5 year/400,000 miles, United States only.	\$400	0#
9201884	EW: US Radiator/CAAC 5 year/500,000 miles, United States only.	\$470	0#
9201885	EW: US Radiator/CAAC 6 year/100,000 miles, United States only.	\$200	0#
9201886	EW: US Radiator/CAAC 6 year/200,000 miles, United States only.	\$285	0#
9201887	EW: US Radiator/CAAC 7 year/200,000 miles, United States only.	\$325	0#
9201911	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$85	0#
9201912	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$160	0#
9201913	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$285	0#
9201914	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$405	0#
9201915	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$480	0#
9201916	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$130	0#
9201917	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$205	0#
9201918	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$325	0#
9201919	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$450	0#
9201920	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$525	0#
9201921	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$165	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201922	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$290	0#
9201923	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$410	0#
9201924	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$485	0#
9201925	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$570	0#
9201926	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$245	0#
9201927	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$320	0#
9201928	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$480	0#
9201929	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$560	0#
9201930	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$625	0#
9201931	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$285	0#
9201932	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$360	0#
9201933	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$410	0#
9201957	EW: US Starter & Alternator 2 year/200,000 miles, United States only.	\$85	0#
9201958	EW: US Starter & Alternator 2 year/300,000 miles, United States only.	\$160	0#
9201959	EW: US Starter & Alternator 3 year/300,000 miles, United States only.	\$245	0#
9201960	EW: US Starter & Alternator 3 year/400,000 miles, United States only.	\$405	0#
9201961	EW: US Starter & Alternator 4 year/500,000 miles, United States only.	\$595	0#
9201962	EW: US Starter & Alternator 5 year/500,000 miles, United States only.	\$785	0#
9201969	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$390	0#
9201970	EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$770	0#
9201971	EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,160	0#
9201972	EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,515	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201973	EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,290	0#
9201974	EW: US Towing For Warrantable Failures 6 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,000	0#
9201975	EW: US Towing For Warrantable Failures 7 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,800	0#
9201983	EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014	\$520	0#
9201984	EW: US Chassis/Frame Wiring 4 years/400,000 miles Per CA-014	\$795	0#
9201985	EW: US Chassis/Frame Wiring 4 years/500,000 miles Per CA-014	\$1,160	0#
9201986	EW: US Chassis/Frame Wiring 5 years/500,000 miles Per CA-014	\$1,715	0#
9201987	EW: US Chassis/Frame Wiring 5 years/600,000 miles Per CA-014	\$1,925	0#
9201988	EW: US Chassis/Frame Wiring 6 years/600,000 miles Per CA-014	\$2,135	0#
9202510	EW: US Basic Vehicle 2 year/100,000 miles,	\$413	0#
9202511	EW: US Basic Vehicle 2 year/200,000 miles,	\$561	0#
9202512	EW: US Basic Vehicle 2 year/300,000 miles,	\$620	0#
9202513	EW: US Basic Vehicle 2 year/400,000 miles,	\$684	0#
9202514	EW: US Basic Vehicle 2 year/500,000 miles,	\$743	0#
9202515	EW: US Basic Vehicle 3 year/100,000 miles,	\$785	0#
9202516	EW: US Basic Vehicle 3 year/200,000 miles,	\$867	0#
9202517	EW: US Basic Vehicle 3 year/300,000 miles,	\$932	0#
9202518	EW: US Basic Vehicle 3 year/400,000 miles,	\$991	0#
9202519	EW: US Basic Vehicle 3 year/500,000 miles,	\$1,056	0#
9202520	EW: US Basic Vehicle 4 year/100,000 miles,	\$1,156	0#
9202521	EW: US Basic Vehicle 4 year/200,000 miles,	\$1,269	0#
9202524	EW: US Basic Vehicle 4 year/300,000 miles,	\$1,363	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202525	EW: US Basic Vehicle 4 year/400,000 miles,	\$1,457	0#
9202526	EW: US Basic Vehicle 4 year/500,000 miles,	\$1,552	0#
9202527	EW: US Basic Vehicle 5 year/100,000 miles,	\$1,528	0#
9202528	EW: US Basic Vehicle 5 year/200,000 miles,	\$1,640	0#
9202529	EW: US Basic Vehicle 5 year/300,000 miles,	\$1,800	0#
9202530	EW: US Basic Vehicle 5 year/400,000 miles,	\$1,953	0#
9202531	EW: US Basic Vehicle 5 year/500,000 miles,	\$2,106	0#
9202532	EW: US Basic Vehicle 6 year/100,000 miles,	\$1,776	0#
9202535	EW: US Basic Vehicle 6 year/200,000 miles,	\$1,982	0#
9202536	EW: US Basic Vehicle 6 year/300,000 miles,	\$2,171	0#
9202537	EW: US Basic Vehicle 6 year/400,000 miles,	\$2,354	0#
9202538	EW: US Basic Vehicle 6 year/600,000 miles,	\$2,791	0#
9202539	EW: US Basic Vehicle 7 year/200,000 miles,	\$2,354	0#
9202566	EW: US Radiator/CAAC 2 year/100,000 miles,	\$47	0#
9202567	EW: US Radiator/CAAC 2 year/200,000 miles,	\$112	0#
9202568	EW: US Radiator/CAAC 2 year/300,000 miles,	\$124	0#
9202569	EW: US Radiator/CAAC 2 year/400,000 miles,	\$136	0#
9202570	EW: US Radiator/CAAC 2 year/500,000 miles,	\$148	0#
9202571	EW: US Radiator/CAAC 3 year/100,000 miles,	\$89	0#
9202572	EW: US Radiator/CAAC 3 year/200,000 miles,	\$153	0#
9202573	EW: US Radiator/CAAC 3 year/300,000 miles,	\$224	0#
9202574	EW: US Radiator/CAAC 3 year/400,000 miles,	\$242	0#
9202575	EW: US Radiator/CAAC 3 year/500,000 miles,	\$260	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202576	EW: US Radiator/CAAC 4 year/100,000 miles,	\$124	0#
9202577	EW: US Radiator/CAAC 4 year/200,000 miles,	\$195	0#
9202578	EW: US Radiator/CAAC 4 year/300,000 miles,	\$260	0#
9202579	EW: US Radiator/CAAC 4 year/400,000 miles,	\$283	0#
9202580	EW: US Radiator/CAAC 4 year/500,000 miles,	\$313	0#
9202581	EW: US Radiator/CAAC 5 year/100,000 miles,	\$159	0#
9202582	EW: US Radiator/CAAC 5 year/200,000 miles,	\$236	0#
9202583	EW: US Radiator/CAAC 5 year/300,000 miles,	\$319	0#
9202584	EW: US Radiator/CAAC 5 year/400,000 miles,	\$348	0#
9202585	EW: US Radiator/CAAC 5 year/500,000 miles,	\$378	0#
9202586	EW: US Radiator/CAAC 6 year/100,000 miles,	\$201	0#
9202587	EW: US Radiator/CAAC 6 year/200,000 miles,	\$301	0#
9202588	EW: US Radiator/CAAC 7 year/200,000 miles,	\$366	0#
9202616	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$65	0#
9202617	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$148	0#
9202618	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$189	0#
9202619	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$206	0#
9202620	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$224	0#
9202621	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$136	0#
9202624	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$212	0#
9202625	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$277	0#
9202626	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$313	0#
9202627	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$342	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202628	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$195	0#
9202629	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$295	0#
9202630	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$360	0#
9202631	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$395	0#
9202632	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$437	0#
9202635	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$248	0#
9202636	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$366	0#
9202637	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$437	0#
9202638	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$478	0#
9202639	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$519	0#
9202640	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$313	0#
9202641	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$437	0#
9202642	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$496	0#
9202666	EW: US Starter & Alternator 2 year/200,000 miles, United States only.	\$88	0#
9202667	EW: US Starter & Alternator 2 year/300,000 miles, United States only.	\$130	0#
9202672	EW: US Starter & Alternator 3 year/300,000 miles, United States only.	\$254	0#
9202673	EW: US Starter & Alternator 3 year/400,000 miles, United States only.	\$283	0#
9202674	EW: US Starter & Alternator 4 year/500,000 miles, United States only.	\$460	0#
9202675	EW: US Starter & Alternator 5 year/500,000 miles, United States only.	\$631	0#
9202736	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$557	0#
9202737	EW: US Towing For Warrantable Failures 2 year / Unlimited miles.	\$1,103	0#
9202738	EW: US Towing For Warrantable Failures 3 year / Unlimited miles.	\$1,660	0#
9202739	EW: US Towing For Warrantable Failures 4 year / Unlimited miles.	\$2,171	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202740	EW: US Towing For Warrantable Failures 5 year / Unlimited miles.	\$3,274	0#
9202890	EW: US Towing For Warrantable Failures 6 year / Unlimited miles.	\$4,278	0#
9202891	EW: US Towing For Warrantable Failures 7 year / Unlimited miles.	\$5,411	0#
9202899	EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014	\$496	0#
9203090	EW: US Chassis/Frame Wiring 4 years/400,000 mile Per CA-014	\$755	0#
9203091	EW: US Chassis/Frame Wiring 4 years/500,000 mile Per CA-014	\$932	0#
9203092	EW: US Chassis/Frame Wiring 5 years/500,000 mile Per CA-014	\$1,127	0#
9203093	EW: US Chassis/Frame Wiring 5 years/600,000 mile Per CA-014	\$1,363	0#
9203094	EW: US Chassis/Frame Wiring 6 years/600,000 mile Per CA-014	\$1,622	0#
9203101	EW: US Basic Vehicle 2 year/100,000 miles,	\$413	0#
9203102	EW: US Basic Vehicle 2 year/200,000 miles,	\$531	0#
9203103	EW: US Basic Vehicle 2 year/300,000 miles,	\$561	0#
9203104	EW: US Basic Vehicle 2 year/400,000 miles,	\$626	0#
9203105	EW: US Basic Vehicle 2 year/500,000 miles,	\$685	0#
9203106	EW: US Basic Vehicle 3 year/100,000 miles,	\$785	0#
9203107	EW: US Basic Vehicle 3 year/200,000 miles,	\$809	0#
9203108	EW: US Basic Vehicle 3 year/300,000 miles,	\$874	0#
9203109	EW: US Basic Vehicle 3 year/400,000 miles,	\$933	0#
9203110	EW: US Basic Vehicle 3 year/500,000 miles,	\$998	0#
9203111	EW: US Basic Vehicle 4 year/100,000 miles,	\$1,156	0#
9203112	EW: US Basic Vehicle 4 year/200,000 miles,	\$1,210	0#
9203113	EW: US Basic Vehicle 4 year/300,000 miles,	\$1,305	0#
9203114	EW: US Basic Vehicle 4 year/400,000 miles,	\$1,399	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9203115	EW: US Basic Vehicle 4 year/500,000 miles,	\$1,494	0#
9203116	EW: US Basic Vehicle 5 year/100,000 miles,	\$1,528	0#
9203117	EW: US Basic Vehicle 5 year/200,000 miles,	\$1,582	0#
9203118	EW: US Basic Vehicle 5 year/300,000 miles,	\$1,741	0#
9203119	EW: US Basic Vehicle 5 year/400,000 miles,	\$1,895	0#
9203120	EW: US Basic Vehicle 5 year/500,000 miles,	\$2,048	0#
9203135	EW: US Basic Vehicle 6 year/100,000 miles,	\$1,766	0#
9203136	EW: US Basic Vehicle 6 year/200,000 miles,	\$1,924	0#
9203137	EW: US Basic Vehicle 6 year/300,000 miles,	\$2,113	0#
9203138	EW: US Basic Vehicle 6 year/400,000 miles,	\$2,296	0#
9203139	EW: US Basic Vehicle 6 year/600,000 miles,	\$2,733	0#
9203140	EW: US Basic Vehicle 7 year/200,000 miles,	\$2,296	0#
Canada Extended Warranty			
9201839	EW: Canada Basic Vehicle 2 year/160,000 km - EPA Canada only.	\$445	0#
9201840	EW: Canada Basic Vehicle 2 year/320,000 km - EPA Canada only.	\$1,035	0#
9201841	EW: Canada Basic Vehicle 2 year/480,000 km - EPA Canada only.	\$1,630	0#
9201842	EW: Canada Basic Vehicle 2 year/640,000 km - EPA Canada only.	\$2,540	0#
9201843	EW: Canada Basic Vehicle 2 year/800,000 km - EPA Canada only.	\$3,060	0#
9201844	EW: Canada Basic Vehicle 3 year/160,000 km - EPA Canada only.	\$565	0#
9201845	EW: Canada Basic Vehicle 3 year/320,000 km - EPA Canada only.	\$1,165	0#
9201846	EW: Canada Basic Vehicle 3 year/480,000 km - EPA Canada only.	\$1,810	0#
9201847	EW: Canada Basic Vehicle 3 year/640,000 km - EPA Canada only.	\$2,695	0#
9201848	EW: Canada Basic Vehicle 3 year/800,000 km - EPA Canada only.	\$3,250	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201849	EW: Canada Basic Vehicle 4 year/160,000 km - EPA Canada only.	\$1,335	0#
9201850	EW: Canada Basic Vehicle 4 year/320,000 km - EPA Canada only.	\$1,980	0#
9201851	EW: Canada Basic Vehicle 4 year/480,000 km - EPA Canada only.	\$2,625	0#
9201852	EW: Canada Basic Vehicle 4 year/640,000 km - EPA Canada only.	\$3,430	0#
9201853	EW: Canada Basic Vehicle 4 year/800,000 km - EPA Canada only.	\$3,995	0#
9201854	EW: Canada Basic Vehicle 5 year/160,000 km - EPA Canada only.	\$1,945	0#
9201855	EW: Canada Basic Vehicle 5 year/320,000 km - EPA Canada only.	\$2,620	0#
9201856	EW: Canada Basic Vehicle 5 year/480,000 km - EPA Canada only.	\$3,330	0#
9201857	EW: Canada Basic Vehicle 5 year/640,000 km - EPA Canada only.	\$4,160	0#
9201858	EW: Canada Basic Vehicle 5 year/800,000 km - EPA Canada only.	\$4,520	0#
9201859	EW: Canada Basic Vehicle 6 year/160,000 km - EPA Canada only.	\$1,990	0#
9201860	EW: Canada Basic Vehicle 6 year/320,000 km - EPA Canada only.	\$2,665	0#
9201861	EW: Canada Basic Vehicle 6 year/480,000 km - EPA Canada only.	\$3,670	0#
9201862	EW: Canada Basic Vehicle 6 year/640,000 km - EPA Canada only.	\$4,795	0#
9201863	EW: Canada Basic Vehicle 6 year/960,000 km - EPA Canada only.	\$5,605	0#
9201864	EW: Canada Basic Vehicle 7 year/320,000 km - EPA Canada only.	\$2,760	0#
9201888	EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.	\$125	0#
9201889	EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.	\$285	0#
9201890	EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.	\$360	0#
9201891	EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.	\$480	0#
9201892	EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.	\$635	0#
9201893	EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.	\$165	0#
9201894	EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.	\$325	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201895	EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.	\$405	0#
9201896	EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.	\$525	0#
9201897	EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.	\$685	0#
9201898	EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.	\$250	0#
9201899	EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.	\$410	0#
9201900	EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.	\$530	0#
9201901	EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.	\$610	0#
9201902	EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.	\$775	0#
9201903	EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.	\$285	0#
9201904	EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.	\$445	0#
9201905	EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.	\$560	0#
9201906	EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.	\$635	0#
9201907	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$795	0#
9201908	EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.	\$320	0#
9201909	EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.	\$480	0#
9201910	EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.	\$530	0#
9201934	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$125	0#
9201935	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$285	0#
9201936	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$405	0#
9201937	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$520	0#
9201938	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$605	0#
9201939	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$165	0#
9201940	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$325	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201941	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$450	0#
9201942	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$565	0#
9201943	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$645	0#
9201944	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$290	0#
9201945	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$450	0#
9201946	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$610	0#
9201947	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$690	0#
9201948	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$775	0#
9201949	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$360	0#
9201950	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$560	0#
9201951	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$720	0#
9201952	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$795	0#
9201953	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$875	0#
9201954	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$400	0#
9201955	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$600	0#
9201956	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$650	0#
9201963	EW: Canada Starter & Alternator 2 year/320,000km, Canada only.	\$245	0#
9201964	EW: Canada Starter & Alternator 2 year/480,000km, Canada only.	\$320	0#
9201965	EW: Canada Starter & Alternator 3 year/480,000km, Canada only.	\$565	0#
9201966	EW: Canada Starter & Alternator 3 year/640,000km, Canada only.	\$805	0#
9201967	EW: Canada Starter & Alternator 4 year/800,000km, Canada only.	\$995	0#
9201968	EW: Canada Starter & Alternator 5 year/800,000km, Canada only.	\$1,185	0#
9201976	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$555	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201977	EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,100	0#
9201978	EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,655	0#
9201979	EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,165	0#
9201980	EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,265	0#
9201981	EW: CA Towing For Warrantable Failures 6 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$4,265	0#
9201982	EW: CA Towing For Warrantable Failures 7 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$5,395	0#
9201989	EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014	\$1,200	0#
9201990	EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014	\$1,850	0#
9201991	EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014	\$2,735	0#
9201992	EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014	\$3,220	0#
9201993	EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014	\$3,590	0#
9201994	EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014	\$3,830	0#
9202540	EW: Canada Basic Vehicle 2 year/160,000 km - EPA	\$472	0#
9202541	EW: Canada Basic Vehicle 2 year/320,000 km - EPA	\$1,092	0#
9202542	EW: Canada Basic Vehicle 2 year/480,000 km - EPA	\$1,151	0#
9202543	EW: Canada Basic Vehicle 2 year/640,000 km - EPA	\$1,215	0#
9202544	EW: Canada Basic Vehicle 2 year/800,000 km - EPA	\$1,274	0#
9202545	EW: Canada Basic Vehicle 3 year/160,000 km - EPA	\$1,056	0#
9202546	EW: Canada Basic Vehicle 3 year/320,000 km - EPA	\$1,552	0#
9202547	EW: Canada Basic Vehicle 3 year/480,000 km - EPA	\$1,611	0#
9202548	EW: Canada Basic Vehicle 3 year/640,000 km - EPA	\$1,676	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202549	EW: Canada Basic Vehicle 3 year/800,000 km - EPA	\$1,735	0#
9202550	EW: Canada Basic Vehicle 4 year/160,000 km - EPA	\$1,581	0#
9202551	EW: Canada Basic Vehicle 4 year/320,000 km - EPA	\$2,106	0#
9202552	EW: Canada Basic Vehicle 4 year/480,000 km - EPA	\$2,201	0#
9202553	EW: Canada Basic Vehicle 4 year/640,000 km - EPA	\$2,295	0#
9202554	EW: Canada Basic Vehicle 4 year/800,000 km - EPA	\$2,384	0#
9202555	EW: Canada Basic Vehicle 5 year/160,000 km - EPA	\$2,136	0#
9202556	EW: Canada Basic Vehicle 5 year/320,000 km - EPA	\$2,974	0#
9202557	EW: Canada Basic Vehicle 5 year/480,000 km - EPA	\$3,811	0#
9202558	EW: Canada Basic Vehicle 5 year/640,000 km - EPA	\$4,030	0#
9202559	EW: Canada Basic Vehicle 5 year/800,000 km - EPA	\$4,337	0#
9202560	EW: Canada Basic Vehicle 6 year/160,000 km - EPA	\$2,696	0#
9202561	EW: Canada Basic Vehicle 6 year/320,000 km - EPA	\$3,965	0#
9202562	EW: Canada Basic Vehicle 6 year/480,000 km - EPA	\$4,862	0#
9202563	EW: Canada Basic Vehicle 6 year/640,000 km - EPA	\$5,328	0#
9202564	EW: Canada Basic Vehicle 6 year/960,000 km - EPA	\$6,095	0#
9202565	EW: Canada Basic Vehicle 7 year/320,000 km - EPA	\$5,021	0#
9202589	EW: Canada Radiator/CAAC 2 year/160,000 km,	\$112	0#
9202590	EW: Canada Radiator/CAAC 2 year/320,000 km,	\$248	0#
9202591	EW: Canada Radiator/CAAC 2 year/480,000 km,	\$313	0#
9202592	EW: Canada Radiator/CAAC 2 year/640,000 km,	\$342	0#
9202593	EW: Canada Radiator/CAAC 2 year/800,000 km,	\$372	0#
9202594	EW: Canada Radiator/CAAC 3 year/160,000 km,	\$171	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202595	EW: Canada Radiator/CAAC 3 year/320,000 km,	\$336	0#
9202596	EW: Canada Radiator/CAAC 3 year/480,000 km,	\$378	0#
9202599	EW: Canada Radiator/CAAC 3 year/640,000 km,	\$395	0#
9202602	EW: Canada Radiator/CAAC 3 year/800,000 km,	\$413	0#
9202603	EW: Canada Radiator/CAAC 4 year/160,000 km,	\$236	0#
9202604	EW: Canada Radiator/CAAC 4 year/320,000 km,	\$395	0#
9202605	EW: Canada Radiator/CAAC 4 year/480,000 km,	\$419	0#
9202606	EW: Canada Radiator/CAAC 4 year/640,000 km,	\$443	0#
9202607	EW: Canada Radiator/CAAC 4 year/800,000 km,	\$460	0#
9202608	EW: Canada Radiator/CAAC 5 year/160,000 km,	\$295	0#
9202609	EW: Canada Radiator/CAAC 5 year/320,000 km,	\$472	0#
9202610	EW: Canada Radiator/CAAC 5 year/480,000 km,	\$537	0#
9202611	EW: Canada Radiator/CAAC 5 year/640,000 km,	\$566	0#
9202612	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$596	0#
9202613	EW: Canada Radiator/CAAC 6 year/160,000 km,	\$366	0#
9202614	EW: Canada Radiator/CAAC 6 year/320,000 km,	\$525	0#
9202615	EW: Canada Radiator/CAAC 7 year/320,000 km,	\$584	0#
9202643	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$118	0#
9202644	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$260	0#
9202645	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$295	0#
9202646	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$330	0#
9202647	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$360	0#
9202648	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$189	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202649	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$372	0#
9202650	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$437	0#
9202651	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$478	0#
9202652	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$525	0#
9202653	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$266	0#
9202654	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$490	0#
9202655	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$566	0#
9202656	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$614	0#
9202657	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$684	0#
9202658	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$366	0#
9202659	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$620	0#
9202660	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$714	0#
9202661	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$779	0#
9202662	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$856	0#
9202663	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$484	0#
9202664	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$749	0#
9202665	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$885	0#
9202688	EW: Canada Starter & Alternator 2 year/320,000km, Canada only.	\$130	0#
9202689	EW: Canada Starter & Alternator 2 year/480,000km, Canada only.	\$201	0#
9202690	EW: Canada Starter & Alternator 3 year/480,000km, Canada only.	\$372	0#
9202691	EW: Canada Starter & Alternator 3 year/640,000km, Canada only.	\$413	0#
9202734	EW: Canada Starter & Alternator 4 year/500,000km, Canada only.	\$572	0#
9202735	EW: Canada Starter & Alternator 5 year/500,000km, Canada only.	\$708	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202892	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$392	0#
9202893	EW: CA Towing For Warrantable Failures 2 year / Unlimited km.	\$773	0#
9202894	EW: CA Towing For Warrantable Failures 3 year / Unlimited km.	\$1,163	0#
9202895	EW: CA Towing For Warrantable Failures 4 year / Unlimited km.	\$1,520	0#
9202896	EW: CA Towing For Warrantable Failures 5 year / Unlimited km.	\$2,297	0#
9202897	EW: CA Towing For Warrantable Failures 6 year / Unlimited km.	\$3,009	0#
9202898	EW: CA Towing For Warrantable Failures 7 year / Unlimited km.	\$3,811	0#
9203095	EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014	\$791	0#
9203096	EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014	\$1,180	0#
9203097	EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014	\$1,451	0#
9203098	EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014	\$1,758	0#
9203099	EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014	\$2,106	0#
9203100	EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014	\$2,490	0#
9203141	EW: Canada Basic Vehicle 2 year/160,000 km	\$472	0#
9203142	EW: Canada Basic Vehicle 2 year/320,000 km	\$1,062	0#
9203143	EW: Canada Basic Vehicle 2 year/480,000 km	\$1,092	0#
9203144	EW: Canada Basic Vehicle 2 year/640,000 km	\$1,157	0#
9203145	EW: Canada Basic Vehicle 2 year/800,000 km	\$1,216	0#
9203146	EW: Canada Basic Vehicle 3 year/160,000 km	\$1,056	0#
9203147	EW: Canada Basic Vehicle 3 year/320,000 km	\$1,494	0#
9203148	EW: Canada Basic Vehicle 3 year/480,000 km	\$1,553	0#
9203149	EW: Canada Basic Vehicle 3 year/640,000 km	\$1,618	0#
9203150	EW: Canada Basic Vehicle 3 year/800,000 km	\$1,677	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9203151	EW: Canada Basic Vehicle 4 year/160,000 km	\$1,581	0#
9203152	EW: Canada Basic Vehicle 4 year/320,000 km	\$2,048	0#
9203153	EW: Canada Basic Vehicle 4 year/480,000 km	\$2,143	0#
9203154	EW: Canada Basic Vehicle 4 year/640,000 km	\$2,237	0#
9203155	EW: Canada Basic Vehicle 4 year/800,000 km	\$2,326	0#
9203156	EW: Canada Basic Vehicle 5 year/160,000 km	\$2,136	0#
9203157	EW: Canada Basic Vehicle 5 year/320,000 km	\$2,916	0#
9203158	EW: Canada Basic Vehicle 5 year/480,000 km	\$3,753	0#
9203159	EW: Canada Basic Vehicle 5 year/640,000 km	\$3,972	0#
9203160	EW: Canada Basic Vehicle 5 year/800,000 km	\$4,278	0#
9203161	EW: Canada Basic Vehicle 6 year/160,000 km	\$2,687	0#
9203162	EW: Canada Basic Vehicle 6 year/320,000 km	\$3,907	0#
9203163	EW: Canada Basic Vehicle 6 year/480,000 km	\$4,804	0#
9203164	EW: Canada Basic Vehicle 6 year/640,000 km	\$5,270	0#
9203165	EW: Canada Basic Vehicle 6 year/960,000 km	\$6,037	0#
9203166	EW: Canada Basic Vehicle 7 year/320,000 km	\$4,963	0#
Cummins Engine Extended Coverage Plans			
9202420	PACCAR EW: PX-7 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,640	0#
9202421	PACCAR EW: PX-7 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,790	0#
9202424	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,490	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202425	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,740	0#
9202426	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,040	0#
9202427	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,340	0#
9202428	PACCAR EW: PX-7 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,390	0#
9202429	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,090	0#
9202430	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,490	0#
9202431	PACCAR EW: PX-7 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,840	0#
9202432	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$930	0#
9202435	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,010	0#
9202436	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$930	0#
9202437	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,010	0#
9202438	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,125	0#
9202439	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,230	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202440	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,310	0#
9202441	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,110	0#
9202442	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,295	0#
9202443	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,405	0#
9202444	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,340	0#
9202445	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,590	0#
9202446	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,240	0#
9202447	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,040	0#
9202448	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,190	0#
9202449	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,630	0#
9202450	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,440	0#
9202451	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,440	0#
9202452	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,440	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202453	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,190	0#
9202454	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,990	0#
9202455	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,990	0#
9202456	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$855	0#
9202457	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,020	0#
9202458	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#
9202459	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,295	0#
9202460	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#
9202461	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,310	0#
9202462	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,480	0#
9202463	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,680	0#
9202464	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,955	0#
9202465	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,535	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202466	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,710	0#
9202467	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,960	0#
9202468	PACCAR EW: PX-7 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$875	0#
9202469	PACCAR EW: PX-7 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,025	0#
9202470	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$850	0#
9202471	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$900	0#
9202472	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,175	0#
9202473	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,475	0#
9202474	PACCAR EW: PX-7 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,525	0#
9202475	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,225	0#
9202476	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,625	0#
9202477	PACCAR EW: PX-7 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,975	0#
9202478	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$625	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202479	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$655	0#
9202480	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$765	0#
9202481	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$820	0#
9202482	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$635	0#
9202483	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$830	0#
9202484	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$910	0#
9202485	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9202486	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$970	0#
9202487	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9202488	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,920	0#
9202489	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,095	0#
9202490	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,195	0#
9202491	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,005	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202492	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,005	0#
9202493	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,005	0#
9202494	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,755	0#
9202495	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,555	0#
9202496	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,555	0#
9202497	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,030	0#
9202498	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,110	0#
9202499	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,270	0#
9202500	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,540	0#
9202502	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9202508	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,300	0#
9202509	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,545	0#
PACCAR Transmission Extended Warranty			
9202978	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$355	0#



T480: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Transmission Extended Warranty			
9202979	EW: PACCAR TX-8 Trans 8AP560 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$795	0#
9202980	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Standard Duty - PTO	\$635	0#
9202981	EW: PACCAR TX-8 Trans 8AP560 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,155	0#
9202982	EW: PACCAR TX-8 Trans 8AP560 5YR/Unlimited MI/KM - Severe Duty	\$1,130	0#
9202983	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$355	0#
9202984	EW: PACCAR TX-8 Trans 8AP660 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$795	0#
9202985	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Standard Duty - PTO	\$635	0#
9202986	EW: PACCAR TX-8 Trans 8AP660 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,155	0#
9202987	EW: PACCAR TX-8 Trans 8AP660 5YR/Unlimited MI/KM - Severe Duty	\$1,130	0#
9202988	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202989	EW: PACCAR TX-8 Trans 8AP760 7YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$915	0#
9202990	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202991	EW: PACCAR TX-8 Trans 8AP760 7YR/Unlimited MI/KM - Standard Duty - PTO	\$1,235	0#
9202992	EW: PACCAR TX-8 Trans 8AP760 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#
9202993	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202994	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202995	EW: PACCAR TX-8 Trans 8AP860 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#
9202996	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Standard Duty - Non-PTO	\$385	0#
9202997	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Standard Duty - PTO	\$675	0#
9202998	EW: PACCAR TX-8 Trans 8AP1000 5YR/Unlimited MI/KM - Severe Duty	\$1,425	0#



T480: PAINT

Option	Description	Price	Weight
9700000	Paint Color Number(s).	\$0	0#

Paint Style

9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	STD	0#
9944822	2 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,105	0#
9944824	2 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,302	0#

Paint Type

9943048	Day Cab Bulk Paint	\$0	0#
9943050	Day Cab Standard Paint	STD	0#
9943051	Day Cab Premium Paint	\$621	0#
9943052	Day Cab Pearl Metallic Paint	\$827	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	STD	0#

Paint Options

9960009	Fleet Paint – Dealer ECO Required	\$0	0#
9960021	Paint Design Continued BOC/BOS -Includes Front of side extenders, but does not include back of side extenders.	\$778	0#

Bumper Paint

9943001	Bumper Painted Color A	\$791	0#
9943002	Bumper Painted Other Than Color A: Specify Color	\$791	0#



T480: PAINT

Option	Description	Price	Weight
Paint Options			
Bumper Paint			
9943004	Bumper Unpainted	\$0	0#
9943014	Steel Bumper Painted Frame Color	\$0	0#
Fairing Paint			
9943011	Roof Fairing Painted A Color	\$754	0#
9943012	Roof Fairing Painted Other Than A Color, Specify Color	\$754	0#
Frame Paint			
9940044	Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.	\$1,647	0#
9940056	Frame Paint Other Than Standard Black, Metallic . Metallic Paint, Imron Elite.	\$1,927	0#
9999944	Chassis has Frame Paint Color other than Black. Taillight brackets not included, bracket painted black.	\$0	0#
Paint Color			
9960003	Non-Standard Paint Color.	\$295	0#
Hood Paint			
9960083	Paint Hood Top Anti-Glare Top of Hood will be painted with Flat-Black Paint	\$0	0#
Paint Designs			
9944839	Spectrum Design - Hood Top Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,812	0#
9944840	Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,914	0#
9944841	Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,337	0#



T480: PAINT

Option	Description	Price	Weight
Paint Designs			
9944843	Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,688	0#
9944845	Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,683	0#
9944847	Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,362	0#
9944849	Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,926	0#