



**T680 Data Book**  
**1/1/2026 Rev 0**



---

## TABLE OF CONTENTS

| Section                 | Pages |
|-------------------------|-------|
| STANDARD SPECIFICATIONS | F     |
| REQUIRED INFORMATION    | H     |
| MOTORS                  | I     |
| MOTOR EQUIPMENT         | J     |
| TRANSMISSIONS           | K     |
| FRONT AXLE              | L     |
| REAR AXLE               | M     |
| REAR SUSPENSION         | N     |
| TIRES & WHEELS          | O     |
| FRAME & EQUIPMENT       | P     |
| FUEL TANKS & EQUIPMENT  | Q     |
| CAB EXTERIOR            | R     |
| CAB INTERIOR            | S     |
| LIGHTS & SIGNALS        | T     |
| AIR EQUIPMENT           | U     |
| SPECIAL EQUIPMENT       | V     |
| EXTENDED WARRANTY       | W     |
| PAINT                   | X     |

---



## T680: STANDARD SPECIFICATIONS

| Option                           | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Price     | Weight  |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------|
| <b>BASE MODEL PRICE</b>          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 0000610                          | T680 Series Conventional Primarily for On-highway tractor applications, it features superior aerodynamics, excellent forward lighting and advanced ergonomics. Elastomer bushed front spring pins & heavy-duty shock absorber brackets. 16mm fasteners from rear cab support to end-of-frame, except tractor taper crossmember. Three vinyl inside sunvisors for LH, RH, and center. Under-dash center console with (2) cup holders, (2) 12V outlets & a storage compartment. Glove box door with locking latch. | \$238,661 | 14,892# |
| <b>MOTORS</b>                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| <b>PACCAR</b>                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 0701209                          | PACCAR MX-13 455 455@1600 1650@900, 2024 With Engine Brake                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$0       | 0#      |
| <b>MOTOR EQUIPMENT</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| <b>Air Compressor</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 1006003                          | Air Compressor: WABCO 25.9 CFM PACCAR MX 2017+ 440cc Air Compressor                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$0       | 0#      |
| <b>Air Intake System</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 1041398                          | Air Cleaner: Engine Mounted                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$0       | 0#      |
| <b>Cooling System</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 1121456                          | Cooling Module: 1456 Square Inches                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$0       | 0#      |
| 1105281                          | Fan Hub: Horton Variable Spd Direct Drive for MX engines.                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$0       | 0#      |
| <b>Aftertreatment Systems</b>    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 1247268                          | EXH: Single Can 2024 RH Under Fairing with RH Horizontal Tailpipe Mounted Below Rail.                                                                                                                                                                                                                                                                                                                                                                                                                            | \$0       | 0#      |
| <b>Filters</b>                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 1321101                          | Fuel Filter: PACCAR Extended Service Interval On-Engine Fuel/Water Separator. 2021 and Later Emissions MX Engines only.                                                                                                                                                                                                                                                                                                                                                                                          | \$0       | 0#      |
| 1321205                          | Run Aid:Fuel Heat *For Fuel Filter                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$0       | 0#      |
| 1321305                          | Start Aid:12V Heat *For Fuel Filter                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$0       | 0#      |
| <b>Starting &amp; Recharging</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 1812163                          | Alternator: PACCAR HDS 160 AMP Brushed                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$0       | 0#      |
| 1821220                          | Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$0       | 0#      |
| 1836102                          | PACCAR Premium 12V Starter with PACCAR MX Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.                                                                                                                                                                                                                                      | \$0       | 0#      |
| <b>TRANSMISSIONS</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| <b>PACCAR</b>                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 2058603                          | PACCAR TX-12: PO-16F112C, 12-speed, 1650 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                                                                                                                                                                                                                                                                                                                                             | \$0       | 0#      |
| <b>Clutch</b>                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 2240208                          | Clutch: 430mm Self-Adjust Organic, Max Torque 1850 ft-lbs                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$0       | 0#      |
| <b>Driveline</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |           |         |
| 2408302                          | Driveline: 1 Meritor RPL25 SD; No Centerbearing                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$0       | 0#      |
| 3500058                          | Interaxle Driveline: 1 Meritor RPL20 Replacing I/A *Use W/ RPL(SD) 25 Main D/L                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$0       | 0#      |

## FRONT AXLE

\*See PremierSpec for Applicable Restrictions



## T680: STANDARD SPECIFICATIONS

| Option                                 | Description                                                                                                                                                                                   | Price | Weight |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Front Axles</b>                     |                                                                                                                                                                                               |       |        |
| 2512042                                | Meritor MFS12E PLUS 12.5K 3.5in. Drop Standard Track                                                                                                                                          | \$0   | 0#     |
| <b>Outer End Equipment</b>             |                                                                                                                                                                                               |       |        |
| 2607013                                | Front Brakes: 13.2K Bendix ADB22X-LT RSD Disc Brk                                                                                                                                             | \$0   | 0#     |
| 2690024                                | Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.                                                                                                                           | \$0   | 0#     |
| 2701300                                | Front Hub: Aluminum Hub Pilot 13,200 lbs. 10-Bolt, 11-1/4 in. bolt circle .                                                                                                                   | \$0   | 0#     |
| 2741970                                | ConMet PreSet Plus Hub Package; Front Axle.                                                                                                                                                   | \$0   | 0#     |
| 2750001                                | Hubcap: Front Vented.                                                                                                                                                                         | \$0   | 0#     |
| 2769000                                | Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.                                                                                                                  | \$0   | 0#     |
| <b>Front Springs</b>                   |                                                                                                                                                                                               |       |        |
| 2863012                                | Front Springs: Taperleaf 12K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. | \$0   | 0#     |
| <b>Power Steering</b>                  |                                                                                                                                                                                               |       |        |
| 2893671                                | Single Power Steering Gear: 13.2K TRW THP60                                                                                                                                                   | \$0   | 0#     |
| <b>REAR AXLE</b>                       |                                                                                                                                                                                               |       |        |
| <b>Tandem Drive Rear Axle</b>          |                                                                                                                                                                                               |       |        |
| 3123001                                | Dual PACCAR DX-40 Axle 40K 9.5 mm housing standard track                                                                                                                                      | \$0   | 0#     |
| <b>Tandem Axle Outer End Equipment</b> |                                                                                                                                                                                               |       |        |
| 3306008                                | Dual Rear:BrakesBendix RSD ADB22X-LT dual max 40K Disc brake for tandem axle                                                                                                                  | \$0   | 0#     |
| 3392604                                | Splined Rotor for Dual Rear Air Disc Brake for use with aluminum hubs.                                                                                                                        | \$0   | 0#     |
| 3407050                                | Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.                                                                                                   | \$0   | 0#     |
| 3441972                                | ConMet PreSet Plus Hub Package; Dual Rear Axle.                                                                                                                                               | \$0   | 0#     |
| 3485002                                | Spring Brakes Included W/ Dual Rear Air Disc brakes.                                                                                                                                          | \$0   | 0#     |
| <b>Anti-Lock Brake System</b>          |                                                                                                                                                                                               |       |        |
| 3495229                                | Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability program (ESP) for tractor.                                                                           | \$0   | 0#     |
| <b>Miscellaneous</b>                   |                                                                                                                                                                                               |       |        |
| 3465900                                | Rear Slack Adjusters Included W/ Axle or Air disc brakes.                                                                                                                                     | \$0   | 0#     |
| 3495333                                | Adjustable Headway Distance For ACC                                                                                                                                                           | \$0   | 0#     |
| 3495391                                | ADAS: Bendix Fusion 3.0 ACC Stop and Auto Go, Collision mitigation system, Lane departure warning, High beam assist and Safety Direct without video recording.                                | \$0   | 0#     |
| <b>REAR SUSPENSION</b>                 |                                                                                                                                                                                               |       |        |
| <b>Tandem</b>                          |                                                                                                                                                                                               |       |        |
| 3730028                                | Rear suspension: Tandem Kenworth Airglide 400L 40K. 52 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.           | \$0   | 0#     |
| <b>TIRES &amp; WHEELS</b>              |                                                                                                                                                                                               |       |        |
| <b>Front &amp; Rear Axle Tires</b>     |                                                                                                                                                                                               |       |        |
| 4080056                                | Front tires: Continental HSL3 295/75R22.5 14PR.                                                                                                                                               | \$0   | 0#     |
| 4280063                                | Rear tires: Continental HSL3 11R22.5 14PR                                                                                                                                                     | \$0   | 0#     |



## T680: STANDARD SPECIFICATIONS

| Option                                         | Description                                                                                                                                                                                 | Price | Weight |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Front &amp; Rear Axle Wheels &amp; Rims</b> |                                                                                                                                                                                             |       |        |
| 5042293                                        | Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.                                   | \$0   | 0#     |
| 5242390                                        | Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels. | \$0   | 0#     |

### FRAME & EQUIPMENT

#### Rails & Inserts

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |     |    |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 6054200 | Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 284 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail. | \$0 | 0# |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|

#### Bumpers

|         |                                                                                                                |     |    |
|---------|----------------------------------------------------------------------------------------------------------------|-----|----|
| 6308706 | Bumper: Aerodynamic, Unpainted, In-Mold Color. With air dams, tow hook covers. Requires a bumper setting code. | \$0 | 0# |
|---------|----------------------------------------------------------------------------------------------------------------|-----|----|

#### Front Frame Miscellaneous

|         |                 |     |    |
|---------|-----------------|-----|----|
| 6390103 | Front Mudflaps. | \$0 | 0# |
|---------|-----------------|-----|----|

#### Battery Boxes

|         |                                                                                                                                                                         |     |    |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 6405045 | T680 Battery Box Module: Short Length, Aluminum parallel, with polymer cover. Located LH under cab behind the chassis fairing. For use only w/ 2010+ SCR style exhaust. | \$0 | 0# |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|

#### Center Frame Equipment

|         |                                                                           |     |    |
|---------|---------------------------------------------------------------------------|-----|----|
| 6419450 | Chassis Fairings: Under Cab. Includes Inspection panel for the batteries. | \$0 | 0# |
|---------|---------------------------------------------------------------------------|-----|----|

#### Fifth Wheels

|         |                                                                                                                                                                                                                                                                            |     |    |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 6591060 | Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$0 | 0# |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|

#### Rear Frame Equipment

|         |                                                                                                      |     |    |
|---------|------------------------------------------------------------------------------------------------------|-----|----|
| 6744123 | Short Tractor Taper Bent & Welded W/O Cross member. Non-towing end-of-frame configuration.           | \$0 | 0# |
| 6721102 | Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard. | \$0 | 0# |
| 6722000 | Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.                                       | \$0 | 0# |

### FUEL TANKS & EQUIPMENT

#### Round

|         |                                                                                                                                               |     |    |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 7214100 | Fuel Tank: 100 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. | \$0 | 0# |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----|----|

#### Fuel Tank Equipment

|         |                                                                            |     |    |
|---------|----------------------------------------------------------------------------|-----|----|
| 7889245 | Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks. | \$0 | 0# |
|---------|----------------------------------------------------------------------------|-----|----|

#### DEF Tanks & Equipment

|         |                                                                                                                                                                                                                                                                                                                                   |     |    |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 7722159 | Medium Aerodynamic Round Rear Fill DEF Tank, 20.2 gallons. The tank will be located just rearward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204. | \$0 | 0# |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|

### CAB EXTERIOR

#### Cabs



## T680: STANDARD SPECIFICATIONS

| Option  | Description                                                                                                                                                                                                                                                                            | Price | Weight |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| 8025301 | Cab: Stamped Aluminum Cab with Panoramic Curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals. | \$0   | 0#     |

### Windows

|         |                                        |     |    |
|---------|----------------------------------------|-----|----|
| 8871446 | Rear Cab Stationary Window 19in x 36in | \$0 | 0# |
|---------|----------------------------------------|-----|----|

### Hoods, Fenders & Grilles

|         |                                                                           |     |    |
|---------|---------------------------------------------------------------------------|-----|----|
| 8090618 | Hood: T680 Next Gen MX 119" BBC W/ Side of Hood Air Intake and fairings   | \$0 | 0# |
| 8890301 | Wheel Well Closeouts. Rubber Shields That Close Out The Front Wheel Well. | \$0 | 0# |

### Cab & Sleeper Aerodynamic Devices

|         |                                                                                                                                 |     |    |
|---------|---------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 8829616 | Side Extenders: Daycab. Extends 19 inches from Back-of-cab. Panels extend 12 inches, and rubber trailing edge extends 7 inches. | \$0 | 0# |
| 8829670 | Turning Vane for Improved Air Flow, Painted                                                                                     | \$0 | 0# |

### Cab Structure Miscellaneous

|         |                                      |     |    |
|---------|--------------------------------------|-----|----|
| 8890876 | Kenworth Cab/Sleeper Air Suspension. | \$0 | 0# |
|---------|--------------------------------------|-----|----|

### Horns

|         |                            |     |    |
|---------|----------------------------|-----|----|
| 8841411 | Single Air Horn Under Cab. | \$0 | 0# |
|---------|----------------------------|-----|----|

### Mirrors & Equipment

|         |                                                                                                                                                                                                                                                                                   |     |    |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 8865002 | Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad. | \$0 | 0# |
| 8850139 | Look-Down, Pass. Door, Black 11x6                                                                                                                                                                                                                                                 | \$0 | 0# |

### Window Equipment

|         |                                                             |     |    |
|---------|-------------------------------------------------------------|-----|----|
| 8890101 | One-Piece Bonded-In Windshield With Curved Glass. Standard. | \$0 | 0# |
|---------|-------------------------------------------------------------|-----|----|

### Doors & Equipment

|         |                                                                                                   |     |    |
|---------|---------------------------------------------------------------------------------------------------|-----|----|
| 8832113 | Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls. | \$0 | 0# |
|---------|---------------------------------------------------------------------------------------------------|-----|----|

## CAB INTERIOR

### Cabs & Sleepers

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |     |    |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 8330102 | Interior Package: Vantage Daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap. | \$0 | 0# |
| 8300008 | Interior Color: Slate Gray                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$0 | 0# |

### Heaters & Air Conditioning

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |     |    |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 8108011 | Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper. | \$0 | 0# |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|

### Steering Wheels & Equipment

|         |                                                                                                              |     |    |
|---------|--------------------------------------------------------------------------------------------------------------|-----|----|
| 8201047 | Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.                           | \$0 | 0# |
| 8201052 | Column Mtd TMSN Control W/Retarder Cntrl, RH Side Use with Automated and Automated Manual Transmissions Only | \$0 | 0# |



## T680: STANDARD SPECIFICATIONS

| Option  | Description                                  | Price | Weight |
|---------|----------------------------------------------|-------|--------|
| 8201200 | Adjustable Telescoping Tilt Steering Column. | \$0   | 0#     |

### Instruments & Controls

|         |                                                                                                                                                                                                                                                              |     |    |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 8282027 | Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application. | \$0 | 0# |
| 8222404 | Gauge: DD Virtual Gauge - Oil Temp Engine                                                                                                                                                                                                                    | \$0 | 0# |
| 8222409 | Gauge: DD Virtual Gauge - Air Filter Restriction                                                                                                                                                                                                             | \$0 | 0# |
| 8222413 | Gauge: DD Virtual Gauge - Manifold Pressure Boost                                                                                                                                                                                                            | \$0 | 0# |
| 8222414 | Gauge: DD Virtual Gauge - Engine Percent Torque                                                                                                                                                                                                              | \$0 | 0# |
| 8700197 | Turn Signal: Non-Self Cancelling                                                                                                                                                                                                                             | \$0 | 0# |
| 8201044 | Predictive Cruise Control                                                                                                                                                                                                                                    | \$0 | 0# |

### Seats

|         |                                                                                                                                                                                                                                                                                                                                                                                               |     |    |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 8410206 | Driver Seat: GT701 HB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests. | \$0 | 0# |
| 8480120 | Rider Seat: GT100 Toolbox HB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                                                                                                                                                                                                         | \$0 | 0# |
| 8490181 | Seat Color: Black                                                                                                                                                                                                                                                                                                                                                                             | \$0 | 0# |

### Cab Accessories

|         |                                                                                            |     |    |
|---------|--------------------------------------------------------------------------------------------|-----|----|
| 8390634 | Rubber Floormat                                                                            | \$0 | 0# |
| 8800402 | Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles | \$0 | 0# |

### Sound Systems

|         |                                    |     |    |
|---------|------------------------------------|-----|----|
| 8601435 | Kenworth Radio DEA707 AM/FM/WB/USB | \$0 | 0# |
|---------|------------------------------------|-----|----|

### Sound System Speakers

|         |                                                                  |     |    |
|---------|------------------------------------------------------------------|-----|----|
| 8698974 | Base Level Audio System - Daycab:High Performance Door Speakers. | \$0 | 0# |
|---------|------------------------------------------------------------------|-----|----|

### Information & Communication Systems

|         |                        |     |    |
|---------|------------------------|-----|----|
| 8700601 | Global Telematics Unit | \$0 | 0# |
|---------|------------------------|-----|----|

## LIGHTS & SIGNALS

### Headlamps

|         |                                                                                             |     |    |
|---------|---------------------------------------------------------------------------------------------|-----|----|
| 9010811 | Headlamps: Halogen Projector Low Beam, Halogen Complex Reflector High Beam w/ Integral DRL. | \$0 | 0# |
|---------|---------------------------------------------------------------------------------------------|-----|----|

### Marker Lights

|         |                                                                                                                    |     |    |
|---------|--------------------------------------------------------------------------------------------------------------------|-----|----|
| 9022137 | Marker Lights: Five Rectangular LED.                                                                               | \$0 | 0# |
| 9090039 | Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash. | \$0 | 0# |

### Turn Signal Lights

|         |                                                            |     |    |
|---------|------------------------------------------------------------|-----|----|
| 9030002 | Turn Signal Lights: LED Side Turn Indicator, Hood mounted. | \$0 | 0# |
|---------|------------------------------------------------------------|-----|----|

### Taillights

|         |                                                                               |     |    |
|---------|-------------------------------------------------------------------------------|-----|----|
| 9030052 | LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate. | \$0 | 0# |
|---------|-------------------------------------------------------------------------------|-----|----|

## AIR EQUIPMENT



## T680: STANDARD SPECIFICATIONS

| Option                                  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Price | Weight |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Air Drying Equipment</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |        |
| 9108001                                 | Moisture Ejection Valve W/ Pull Cable Drain.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 9101218                                 | Air Dryer: Bendix AD-HF Puraguard Heated                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| <b>Air System Miscellaneous</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |        |
| 9140020                                 | Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$0   | 0#     |
| <b>Air &amp; Electrical Supply Kits</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |        |
| 9110068                                 | Air & Electrical Supply Kits: Tractor LH Frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series. | \$0   | 0#     |

## SPECIAL EQUIPMENT

### Build Notes

|         |                   |     |    |
|---------|-------------------|-----|----|
| 9491652 | EMUX Architecture | \$0 | 0# |
|---------|-------------------|-----|----|

## EXTENDED WARRANTY

### Warranty

|         |                                                                                     |     |    |
|---------|-------------------------------------------------------------------------------------|-----|----|
| 9200021 | Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km. | \$0 | 0# |
|---------|-------------------------------------------------------------------------------------|-----|----|

## PAINT

### Paint Style

|         |                                                                               |     |    |
|---------|-------------------------------------------------------------------------------|-----|----|
| 9944820 | 1 - Color Paint - Day Cab Color will be White if no other color is specified. | \$0 | 0# |
|---------|-------------------------------------------------------------------------------|-----|----|

### Paint Type

|         |                                                                                                                                                                                                                               |     |    |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 9943050 | Day Cab Standard Paint                                                                                                                                                                                                        | \$0 | 0# |
| 9965510 | Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint. | \$0 | 0# |

### Paint Options

|         |                                           |     |    |
|---------|-------------------------------------------|-----|----|
| 9943004 | Bumper Unpainted                          | \$0 | 0# |
| 9943006 | Chassis Fairings Unpainted, In Mold Color | \$0 | 0# |



## T680: REQUIRED INFORMATION

| Option                      | Description                                                                                                                                                                      | Price | Weight |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Special Requirements</b> |                                                                                                                                                                                  |       |        |
| <b>Operating Area</b>       |                                                                                                                                                                                  |       |        |
| 0080101                     | CARB Low NOX Omnibus Registration Guidelines Dealer/Customer acknowledges that this vehicle is NOT intended for registration or domicile/primary use in the State of California. | \$0   | 0#     |
| <b>State of Registry</b>    |                                                                                                                                                                                  |       |        |
| 0098401                     | State of Registry: Alabama                                                                                                                                                       | \$0   | 0#     |
| 0098402                     | State of Registry: Alaska                                                                                                                                                        | \$0   | 0#     |
| 0098403                     | State of Registry: Arizona                                                                                                                                                       | \$0   | 0#     |
| 0098404                     | State of Registry: Arkansas                                                                                                                                                      | \$0   | 0#     |
| 0098405                     | State of Registry: California                                                                                                                                                    | \$0   | 0#     |
| 0098406                     | State of Registry: Colorado                                                                                                                                                      | \$0   | 0#     |
| 0098407                     | State of Registry: Connecticut                                                                                                                                                   | \$0   | 0#     |
| 0098408                     | State of Registry: Delaware                                                                                                                                                      | \$0   | 0#     |
| 0098409                     | State of Registry: Florida                                                                                                                                                       | \$0   | 0#     |
| 0098410                     | State of Registry: Georgia                                                                                                                                                       | \$0   | 0#     |
| 0098411                     | State of Registry: Hawaii                                                                                                                                                        | \$0   | 0#     |
| 0098412                     | State of Registry: Idaho                                                                                                                                                         | \$0   | 0#     |
| 0098413                     | State of Registry: Illinois                                                                                                                                                      | \$0   | 0#     |
| 0098414                     | State of Registry: Indiana                                                                                                                                                       | \$0   | 0#     |
| 0098415                     | State of Registry: Iowa                                                                                                                                                          | \$0   | 0#     |
| 0098416                     | State of Registry: Kansas                                                                                                                                                        | \$0   | 0#     |
| 0098417                     | State of Registry: Kentucky                                                                                                                                                      | \$0   | 0#     |
| 0098418                     | State of Registry: Louisiana                                                                                                                                                     | \$0   | 0#     |
| 0098419                     | State of Registry: Maine                                                                                                                                                         | \$0   | 0#     |
| 0098420                     | State of Registry: Maryland                                                                                                                                                      | \$0   | 0#     |



## T680: REQUIRED INFORMATION

| Option               | Description                       | Price | Weight |
|----------------------|-----------------------------------|-------|--------|
| Special Requirements |                                   |       |        |
| State of Registry    |                                   |       |        |
| 0098421              | State of Registry: Massachusetts  | \$0   | 0#     |
| 0098422              | State of Registry: Michigan       | \$0   | 0#     |
| 0098423              | State of Registry: Minnesota      | \$0   | 0#     |
| 0098424              | State of Registry: Mississippi    | \$0   | 0#     |
| 0098425              | State of Registry: Missouri       | \$0   | 0#     |
| 0098426              | State of Registry: Montana        | \$0   | 0#     |
| 0098427              | State of Registry: Nebraska       | \$0   | 0#     |
| 0098428              | State of Registry: Nevada         | \$0   | 0#     |
| 0098429              | State of Registry: New Hampshire  | \$0   | 0#     |
| 0098430              | State of Registry: New Jersey     | \$0   | 0#     |
| 0098431              | State of Registry: New Mexico     | \$0   | 0#     |
| 0098432              | State of Registry: New York       | \$0   | 0#     |
| 0098433              | State of Registry: North Carolina | \$0   | 0#     |
| 0098434              | State of Registry: North Dakota   | \$0   | 0#     |
| 0098435              | State of Registry: Ohio           | \$0   | 0#     |
| 0098436              | State of Registry: Oklahoma       | \$0   | 0#     |
| 0098437              | State of Registry: Oregon         | \$0   | 0#     |
| 0098438              | State of Registry: Pennsylvania   | \$0   | 0#     |
| 0098439              | State of Registry: Rhode Island   | \$0   | 0#     |
| 0098440              | State of Registry: South Carolina | \$0   | 0#     |
| 0098441              | State of Registry: South Dakota   | \$0   | 0#     |
| 0098442              | State of Registry: Tennessee      | \$0   | 0#     |



## T680: REQUIRED INFORMATION

| Option                        | Description                                                                                                                                                                                                                                                                        | Price | Weight |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Special Requirements</b>   |                                                                                                                                                                                                                                                                                    |       |        |
| <b>State of Registry</b>      |                                                                                                                                                                                                                                                                                    |       |        |
| 0098443                       | State of Registry: Texas                                                                                                                                                                                                                                                           | \$0   | 0#     |
| 0098444                       | State of Registry: Utah                                                                                                                                                                                                                                                            | \$0   | 0#     |
| 0098445                       | State of Registry: Vermont                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 0098446                       | State of Registry: Virginia                                                                                                                                                                                                                                                        | \$0   | 0#     |
| 0098447                       | State of Registry: Washington                                                                                                                                                                                                                                                      | \$0   | 0#     |
| 0098448                       | State of Registry: West Virginia                                                                                                                                                                                                                                                   | \$0   | 0#     |
| 0098449                       | State of Registry: Wisconsin                                                                                                                                                                                                                                                       | \$0   | 0#     |
| 0098450                       | State of Registry: Wyoming                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 0098451                       | State of Registry: District of Columbia                                                                                                                                                                                                                                            | \$0   | 0#     |
| 0098452                       | State of Registry: Puerto Rico                                                                                                                                                                                                                                                     | \$0   | 0#     |
| 0098453                       | State of Registry: Guam                                                                                                                                                                                                                                                            | \$0   | 0#     |
| 0098454                       | State of Registry: American Samoa                                                                                                                                                                                                                                                  | \$0   | 0#     |
| 0098455                       | State of Registry: Mariana Islands                                                                                                                                                                                                                                                 | \$0   | 0#     |
| 0098456                       | State of Registry: US Virgin Islands                                                                                                                                                                                                                                               | \$0   | 0#     |
| 0098460                       | State of Registry: Israel                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 0098465                       | State of Registry: Mexico                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 0098470                       | State of Registry: Canada                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 0098490                       | State of Registry: International                                                                                                                                                                                                                                                   | \$0   | 0#     |
| <b>Stationary Application</b> |                                                                                                                                                                                                                                                                                    |       |        |
| 0072003                       | Chassis Operation Will Include Export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes). | \$0   | 0#     |

## Model Series



## T680: REQUIRED INFORMATION

| Option               | Description                                                                          | Price | Weight |
|----------------------|--------------------------------------------------------------------------------------|-------|--------|
| Model Series         |                                                                                      |       |        |
| 0070043              | T680                                                                                 | \$0   | 0#     |
| 0070084              | T680 Natural Gas Engine                                                              | \$0   | 0#     |
| Model Configurations |                                                                                      |       |        |
| 0090110              | X15N Non-sleeper                                                                     | \$0   | 0#     |
| 0090111              | X15N Sleeper                                                                         | \$0   | 0#     |
| 0090151              | Non-Sleeper, Next Gen With Rear Axle Capacity Less Than 59K                          | \$0   | 0#     |
| 0090152              | 40 in. Low-Roof Sleeper, Next Gen With Rear Axle Capacity Less Than 59K              | \$0   | 0#     |
| 0090153              | 52 in. Mid or Low-Roof Sleeper, Next Gen With Rear Axle Capacity Less Than 59K       | \$0   | 0#     |
| 0090154              | 76 in. High-Roof or Mid-Roof Sleeper, Next Gen With Rear Axle Capacity Less Than 59K | \$0   | 0#     |
| 0090155              | T680 With PX-9, Next Gen                                                             | \$0   | 0#     |
| 0090156              | ISX12N Non-Sleeper, Next Gen                                                         | \$0   | 0#     |
| 0090157              | ISX12N Sleeper, Next Gen                                                             | \$0   | 0#     |



## T680: MOTORS

| Option                                 | Description                                              | Price | Weight |
|----------------------------------------|----------------------------------------------------------|-------|--------|
| <b>Emission Idle Reduction Feature</b> |                                                          |       |        |
| 0080050                                | CARB Clean Idle Label - PACCAR PX Engines                | \$46  | 0#     |
| 0080055                                | CARB Clean Idle Label - Cummins Engines                  | \$106 | 0#     |
| 0080066                                | CARB Clean Idle Label - PACCAR MX Engines                | \$0   | 0#     |
| 0080070                                | CARB Exempt Application Emergency Vehicle Only.          | \$0   | 0#     |
| 0080074                                | Clean Idle Label Located Rear of Hood                    | \$0   | 0#     |
| 0080085                                | CARB Idle - Alternative Fuel Exempt from CARB Anti-Idle. | \$0   | 0#     |
| 0080310                                | EPA Clean Idle Label - Cummins Engines                   | \$107 | 0#     |
| 0080312                                | EPA Clean Idle Label - PACCAR MX Engines                 | \$100 | 0#     |
| 0080314                                | EPA Clean Idle Label - PACCAR PX Engines                 | \$36  | 0#     |

## PACCAR

### MX-13 Engine

|         |                                                                                  |          |      |
|---------|----------------------------------------------------------------------------------|----------|------|
| 0701208 | PACCAR MX-13 405MT 405@1600 1650/1750@900, 2024 With Engine Brake                | (\$196)  | 0#   |
| 0701209 | PACCAR MX-13 455 455@1600 1650@900, 2024 With Engine Brake                       | STD      | 0#   |
| 0701210 | PACCAR MX-13 455MT 455@1600 1650/1850@900, 2024 With Engine Brake                | \$1,683  | 0#   |
| 0701211 | PACCAR MX-13 485 485@1600 1650@1000, 2024 With Engine Brake                      | \$773    | 0#   |
| 0701212 | PACCAR MX-13 510 510@1600 1850@1000, 2024 With Engine Brake                      | \$1,571  | 0#   |
| 0701213 | PACCAR MX-13 510EV 510@1600 1850@1000, 2024 Emergency Vehicle, with Engine Brake | \$1,571  | 0#   |
| 0701214 | PACCAR MX-13 455, CARB 2024 455@1600 1650@900, with Engine Brake                 | \$20,651 | 490# |
| 0701215 | PACCAR MX-13 510, CARB 2024 510@1600 1850@1000, with Engine Brake                | \$23,221 | 490# |
| 0701216 | PACCAR MX-13 455MT 455@1600 1550/1750@900, 2024 With Engine Brake                | \$1,191  | 0#   |

### MX-11 Engine

|         |                                                                                   |         |       |
|---------|-----------------------------------------------------------------------------------|---------|-------|
| 0701111 | PACCAR MX-11 355 355@1600 1250@900, 2024 With Engine Brake                        | \$3,454 | -262# |
| 0701112 | PACCAR MX-11 355R 355@1600 1250@900, 2024 Available for Refuse, with Engine Brake | \$3,454 | -262# |



## T680: MOTORS

| Option              | Description                                                                        | Price      | Weight |
|---------------------|------------------------------------------------------------------------------------|------------|--------|
| <b>PACCAR</b>       |                                                                                    |            |        |
| <b>MX-11 Engine</b> |                                                                                    |            |        |
| 0701113             | PACCAR MX-11 355EV 355@1600 1250@900, 2024 Emergency Vehicle, with Engine Brake    | \$3,454    | -262#  |
| 0701114             | PACCAR MX-11 400 400@1600 1450@900, 2024 With Engine Brake                         | \$3,620    | -262#  |
| 0701115             | PACCAR MX-11 400R 400@1600 1450@900, 2024 Available for Refuse, with Engine Brake  | \$3,620    | -262#  |
| 0701116             | PACCAR MX-11 430 430@1600 1650@900, 2024 With Engine Brake                         | \$3,770    | -262#  |
| 0701117             | PACCAR MX-11 430EV 430@1600 1650@900, 2024 Emergency Vehicle, with Engine Brake    | \$3,770    | -262#  |
| 0701118             | PACCAR MX-11 445 445@1600 1700@900, 2024 With Engine Brake                         | \$3,885    | -262#  |
| <b>PX-9 Engine</b>  |                                                                                    |            |        |
| 0130221             | PACCAR PX-9 330 330@1750 1000@1200, 2024 With Turbo Exhaust Brake (VGT Brake)      | (\$12,370) | -761#  |
| 0130223             | PACCAR PX-9 350 350@1750 1050@1200, 2024 With Turbo Exhaust Brake (VGT Brake)      | (\$10,617) | -761#  |
| 0130224             | PACCAR PX-9 360 360@1650 1150@1200, 2024 With Turbo Exhaust Brake (VGT Brake)      | (\$10,407) | -761#  |
| 0130226             | PACCAR PX-9 370 370@1600 1250@1200, 2024 With Turbo Exhaust Brake (VGT Brake)      | (\$8,671)  | -761#  |
| 0130228             | PACCAR PX-9 380 380@1600 1250@1200, 2024 With Turbo Exhaust Brake (VGT Brake)      | (\$8,568)  | -761#  |
| <b>Cummins</b>      |                                                                                    |            |        |
| <b>X15</b>          |                                                                                    |            |        |
| 0130341             | Cummins X15 450 450@1700 1650@900, 2024 with Intakebrake, Efficiency Series        | \$9,541    | 470#   |
| 0130342             | Cummins X15 450 450@1700 1750@900, 2024 with Intakebrake, Efficiency Series        | \$9,642    | 470#   |
| 0130343             | Cummins X15 450 450@1700 1850@900, 2024 with Intakebrake, Efficiency Series        | \$9,652    | 470#   |
| 0130344             | Cummins X15 450ST 450@1700 1450/1650@900, 2024 with Intakebrake, Efficiency Series | \$11,017   | 470#   |
| 0130345             | Cummins X15 450ST 450@1700 1550/1750@900, 2024 with Intakebrake, Efficiency Series | \$11,123   | 470#   |
| 0130346             | Cummins X15 450ST 450@1700 1650/1850@900, 2024 with Intakebrake, Efficiency Series | \$11,223   | 470#   |
| 0130347             | Cummins X15 450EX 450@1700 1750@900, 2024 with Intakebrake, Efficiency Series      | \$11,006   | 470#   |
| 0130348             | Cummins X15 450EX 450@1700 1850@900, 2024 with Intakebrake, Efficiency Series      | \$11,017   | 470#   |
| 0130349             | Cummins X15 450V 450@1900 1650@900, 2024 with Intakebrake, Productivity Series     | \$9,541    | 470#   |



## T680: MOTORS

| Option         | Description                                                                      | Price    | Weight |
|----------------|----------------------------------------------------------------------------------|----------|--------|
| <b>Cummins</b> |                                                                                  |          |        |
| <b>X15</b>     |                                                                                  |          |        |
| 0130350        | Cummins X15 450V 450@1900 1750@900, 2024 with Intebrake, Productivity Series     | \$9,642  | 470#   |
| 0130351        | Cummins X15 470V 470@1900 1750@900, 2024 with Intebrake, Productivity Series     | \$10,924 | 470#   |
| 0130352        | Cummins X15 500 500@1700 1650@900, 2024 with Intebrake, Efficiency Series        | \$11,716 | 470#   |
| 0130353        | Cummins X15 500 500@1700 1850@900, 2024 with Intebrake, Efficiency Series        | \$12,005 | 470#   |
| 0130354        | Cummins X15 500ST 500@1700 1650/1850@900, 2024 with Intebrake, Efficiency Series | \$13,513 | 470#   |
| 0130355        | Cummins X15 500EX 500@1700 1850@900, 2024 with Intebrake, Efficiency Series      | \$13,388 | 470#   |
| 0130356        | Cummins X15 500V 500@1900 1650@900, 2024 with Intebrake, Productivity Series     | \$11,716 | 470#   |
| 0130357        | Cummins X15 500V 500@1900 1850@900, 2024 with Intebrake, Productivity Series     | \$12,005 | 470#   |
| 0130358        | Cummins X15 505EV 505@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle     | \$11,380 | 470#   |
| 0130359        | Cummins X15 525 525@1900 1850@1000, 2024 with Intebrake, Performance Series      | \$12,206 | 470#   |
| 0130360        | Cummins X15 525EX 525@1900 1850@1000, 2024 with Intebrake, Performance Series    | \$13,589 | 470#   |
| 0130361        | Cummins X15 525V 525@1900 1850@1000, 2024 with Intebrake, Productivity Series    | \$12,206 | 470#   |
| 0130362        | Cummins X15 565 565@1900 1850@1000, 2024 with Intebrake, Performance Series      | \$13,561 | 470#   |
| 0130363        | Cummins X15 565 565@1900 2050@1000, 2024 with Intebrake, Performance Series      | \$15,496 | 470#   |
| 0130364        | Cummins X15 565EX 565@1900 1850@1000, 2024 with Intebrake, Performance Series    | \$14,944 | 470#   |
| 0130365        | Cummins X15 565EX 565@1900 2050@1000, 2024 with Intebrake, Performance Series    | \$16,879 | 470#   |
| 0130366        | Cummins X15 565V 565@2000 1850@1150, 2024 with Intebrake, Productivity Series    | \$13,561 | 470#   |
| 0130367        | Cummins X15 565EV 565@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle     | \$13,561 | 470#   |
| 0130368        | Cummins X15 605V 605@1950 1850@1150, 2024 with Intebrake, Productivity Series    | \$18,230 | 470#   |
| 0130369        | Cummins X15 605V 605@1950 2050@1150, 2024 with Intebrake, Productivity Series    | \$22,466 | 470#   |
| 0130370        | Cummins X15 605EV 605@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle     | \$18,230 | 470#   |
| 0130371        | Cummins X15 605EV 605@1950 2050@1000 2024 with Intebrake, Emergency Vehicle      | \$22,466 | 470#   |

### Natural Gas

\*See PremierSpec for Applicable Restrictions



## T680: MOTORS

| Option             | Description                                                              | Price    | Weight |
|--------------------|--------------------------------------------------------------------------|----------|--------|
| <b>Cummins</b>     |                                                                          |          |        |
| <b>Natural Gas</b> |                                                                          |          |        |
| 0125723            | ISX12N 320 2018 320@1700 1150@1200 Gov@ 2100 w/Retarder Replaces 0125722 | \$39,479 | 129#   |
| 0125736            | ISX12N 330 2018 330@2100 1250@1200 GOV@ 2100 w/Retarder Replaces 0125734 | \$40,309 | 129#   |
| 0125758            | ISX12N 350 2018 350@1700 1450@1200 GOV@ 2100 w/Retarder Replaces 0125756 | \$41,407 | 129#   |
| 0125792            | ISX12N 385 2018 385@1700 1350@1200 GOV@ 2100 w/Retarder Replaces 0125789 | \$42,436 | 129#   |
| 0125810            | ISX12N 400 2018 400@1800 1450@1200 GOV@ 2100 w/Retarder Replaces 0125806 | \$44,895 | 129#   |
| 0130372            | Cummins X15N 500 500@1900 1850@1100, 2024 with Intebrake                 | \$69,651 | 470#   |
| 0130373            | Cummins X15N 450 450@1900 1650@900, 2024 with Intebrake                  | \$67,138 | 470#   |
| 0130374            | Cummins X15N 400 400@1900 1650@900, 2024 with Intebrake                  | \$67,212 | 470#   |
| 0130375            | Cummins X15N 400 400@1900 1450@900, 2024 with Intebrake                  | \$66,570 | 470#   |
| 0130376            | Cummins X15N 400R 400@1900 1450@900, 2024 with Intebrake                 | \$66,570 | 470#   |
| 0130377            | Cummins X15N 400R 400@1900 1650@900, 2024 with Intebrake                 | \$67,212 | 470#   |
| 0130378            | Cummins X15N 450EX 450@1900 1850@1100, 2024 with Intebrake               | \$69,495 | 470#   |
| 0130380            | Cummins X15N 400EX 400@1900 1650@900, 2024 with Intebrake                | \$68,512 | 470#   |
| 0130381            | Cummins X15N 400EX 400@1900 1750@1000, 2024 with Intebrake               | \$68,612 | 470#   |
| 0130382            | Cummins X15N 400EX 400@1900 1850@1100, 2024 with Intebrake               | \$68,712 | 470#   |
| 0130383            | Cummins X15N 450, 450@1900 1750@1000, 2024 with Intebrake                | \$69,238 | 470#   |
| 0130384            | Cummins X15N 450 450@1900 1850@1100, 2024 with Intebrake                 | \$69,338 | 470#   |
| 0130385            | Cummins X15N 450EX, 450@1900 1750@1000, 2024 with Intebrake              | \$69,438 | 470#   |
| 0130389            | Cummins X15N 500, 500@1900 1650@900, 2024 with Intebrake                 | \$69,551 | 470#   |
| 0130391            | Cummins X15N 500EX, 500@1900 1850@1100, 2024 with Intebrake              | \$70,951 | 470#   |



## T680: MOTOR EQUIPMENT

| Option                             | Description                                                                                                                                                                                                                                                                                                                                                                                 | Price | Weight |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Engine Information</b>          |                                                                                                                                                                                                                                                                                                                                                                                             |       |        |
| 1000109                            | Load-Based Torque Management For X15 Smart Torque (ST). This code enables the Load Based Torque Management parameter for ST rated engines. EX rated engines already have this feature enabled by default. The ST rated Engines are disabled by default. The Smart Advantage Engines had the feature enabled by default and the feature was carried over into the MY20 ST rated X15 engines. | \$0   | 0#     |
| 1000233                            | Powertrain Protect with SmartAccel - X15 Torque Rate Limiting                                                                                                                                                                                                                                                                                                                               | \$0   | 0#     |
| <b>Emissions</b>                   |                                                                                                                                                                                                                                                                                                                                                                                             |       |        |
| 1000046                            | EPA Emissions Warranty Engine                                                                                                                                                                                                                                                                                                                                                               | \$0   | 0#     |
| 1000047                            | CARB Emissions Warranty Engine                                                                                                                                                                                                                                                                                                                                                              | \$0   | 0#     |
| <b>Engine Idle Shutdown Timers</b> |                                                                                                                                                                                                                                                                                                                                                                                             |       |        |
| 1000856                            | Enable Most Fuel Efficient EIST                                                                                                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| 1000857                            | Engine Idle Shutdown Timer Enabled                                                                                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 1000858                            | Engine Idle Shutdown Timer Disabled                                                                                                                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 1000859                            | Enable EIST Ambient Temp Override                                                                                                                                                                                                                                                                                                                                                           | \$0   | 0#     |
| 1000860                            | Enable EIST in PTO Mode Use only with MX and Cummins engines                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000861                            | Enable Adjustable EIST Settings                                                                                                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| 1000865                            | Eff EIST 3000 Expiration Miles (USA) Use only with MX and Cummins engines                                                                                                                                                                                                                                                                                                                   | \$0   | 0#     |
| 1000870                            | Eff EIST 0 Expiration Miles (USA) Use only with MX and Cummins engines                                                                                                                                                                                                                                                                                                                      | \$0   | 0#     |
| 1000890                            | Eff EIST 1259000 Expiration Miles (USA) Use only with MX and Cummins engines                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000891                            | Eff EIST NA Expiration Miles Use only with MX and Cummins engines                                                                                                                                                                                                                                                                                                                           | \$0   | 0#     |
| 1000892                            | Eff EIST 0 Expiration Miles (CAN) Use only with MX and Cummins engines                                                                                                                                                                                                                                                                                                                      | \$0   | 0#     |
| 1000912                            | Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000980                            | Eff EIST 3000 Expiration Miles (CAN) Use only with MX and Cummins engines                                                                                                                                                                                                                                                                                                                   | \$0   | 0#     |
| <b>Vehicle Speed Limiters</b>      |                                                                                                                                                                                                                                                                                                                                                                                             |       |        |
| 1000611                            | Highest Efficiency VSL Settings                                                                                                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| 1000624                            | Effective VSL Setting 51-51.9 MPH (USA)                                                                                                                                                                                                                                                                                                                                                     | \$0   | 0#     |



## T680: MOTOR EQUIPMENT

| Option                        | Description                             | Price | Weight |
|-------------------------------|-----------------------------------------|-------|--------|
| <b>Engine Information</b>     |                                         |       |        |
| <b>Vehicle Speed Limiters</b> |                                         |       |        |
| 1000625                       | Effective VSL Setting 52-52.9 MPH (USA) | \$0   | 0#     |
| 1000626                       | Effective VSL Setting 53-53.9 MPH (USA) | \$0   | 0#     |
| 1000627                       | Effective VSL Setting 54-54.9 MPH (USA) | \$0   | 0#     |
| 1000628                       | Effective VSL Setting 55-55.9 MPH (USA) | \$0   | 0#     |
| 1000629                       | Effective VSL Setting 56-56.9 MPH (USA) | \$0   | 0#     |
| 1000630                       | Effective VSL Setting 57-57.9 MPH (USA) | \$0   | 0#     |
| 1000631                       | Effective VSL Setting 58-58.9 MPH (USA) | \$0   | 0#     |
| 1000632                       | Effective VSL Setting 59-59.9 MPH (USA) | \$0   | 0#     |
| 1000633                       | Effective VSL Setting 60.0 MPH (USA)    | \$0   | 0#     |
| 1000634                       | Effective VSL Setting 60.1 MPH (USA)    | \$0   | 0#     |
| 1000635                       | Effective VSL Setting 60.2 MPH (USA)    | \$0   | 0#     |
| 1000636                       | Effective VSL Setting 60.3 MPH (USA)    | \$0   | 0#     |
| 1000637                       | Effective VSL Setting 60.4 MPH (USA)    | \$0   | 0#     |
| 1000638                       | Effective VSL Setting 60.5 MPH (USA)    | \$0   | 0#     |
| 1000639                       | Effective VSL Setting 60.6 MPH (USA)    | \$0   | 0#     |
| 1000640                       | Effective VSL Setting 60.7 MPH (USA)    | \$0   | 0#     |
| 1000641                       | Effective VSL Setting 60.8 MPH (USA)    | \$0   | 0#     |
| 1000642                       | Effective VSL Setting 60.9 MPH (USA)    | \$0   | 0#     |
| 1000643                       | Effective VSL Setting 61.0 MPH (USA)    | \$0   | 0#     |
| 1000644                       | Effective VSL Setting 61.1 MPH (USA)    | \$0   | 0#     |
| 1000645                       | Effective VSL Setting 61.2 MPH (USA)    | \$0   | 0#     |
| 1000646                       | Effective VSL Setting 61.3 MPH (USA)    | \$0   | 0#     |



## T680: MOTOR EQUIPMENT

| Option                        | Description                          | Price | Weight |
|-------------------------------|--------------------------------------|-------|--------|
| <b>Engine Information</b>     |                                      |       |        |
| <b>Vehicle Speed Limiters</b> |                                      |       |        |
| 1000647                       | Effective VSL Setting 61.4 MPH (USA) | \$0   | 0#     |
| 1000648                       | Effective VSL Setting 61.5 MPH (USA) | \$0   | 0#     |
| 1000649                       | Effective VSL Setting 61.6 MPH (USA) | \$0   | 0#     |
| 1000650                       | Effective VSL Setting 61.7 MPH (USA) | \$0   | 0#     |
| 1000651                       | Effective VSL Setting 61.8 MPH (USA) | \$0   | 0#     |
| 1000652                       | Effective VSL Setting 61.9 MPH (USA) | \$0   | 0#     |
| 1000653                       | Effective VSL Setting 62.0 MPH (USA) | \$0   | 0#     |
| 1000654                       | Effective VSL Setting 62.1 MPH (USA) | \$0   | 0#     |
| 1000655                       | Effective VSL Setting 62.2 MPH (USA) | \$0   | 0#     |
| 1000656                       | Effective VSL Setting 62.3 MPH (USA) | \$0   | 0#     |
| 1000657                       | Effective VSL Setting 62.4 MPH (USA) | \$0   | 0#     |
| 1000658                       | Effective VSL Setting 62.5 MPH (USA) | \$0   | 0#     |
| 1000659                       | Effective VSL Setting 62.6 MPH (USA) | \$0   | 0#     |
| 1000660                       | Effective VSL Setting 62.7 MPH (USA) | \$0   | 0#     |
| 1000661                       | Effective VSL Setting 62.8 MPH (USA) | \$0   | 0#     |
| 1000662                       | Effective VSL Setting 62.9 MPH (USA) | \$0   | 0#     |
| 1000663                       | Effective VSL Setting 63.0 MPH (USA) | \$0   | 0#     |
| 1000664                       | Effective VSL Setting 63.1 MPH (USA) | \$0   | 0#     |
| 1000665                       | Effective VSL Setting 63.2 MPH (USA) | \$0   | 0#     |
| 1000666                       | Effective VSL Setting 63.3 MPH (USA) | \$0   | 0#     |
| 1000667                       | Effective VSL Setting 63.4 MPH (USA) | \$0   | 0#     |
| 1000668                       | Effective VSL Setting 63.5 MPH (USA) | \$0   | 0#     |



## T680: MOTOR EQUIPMENT

| Option                        | Description                             | Price | Weight |
|-------------------------------|-----------------------------------------|-------|--------|
| <b>Engine Information</b>     |                                         |       |        |
| <b>Vehicle Speed Limiters</b> |                                         |       |        |
| 1000669                       | Effective VSL Setting 63.6 MPH (USA)    | \$0   | 0#     |
| 1000670                       | Effective VSL Setting 63.7 MPH (USA)    | \$0   | 0#     |
| 1000671                       | Effective VSL Setting 63.8 MPH (USA)    | \$0   | 0#     |
| 1000672                       | Effective VSL Setting 63.9 MPH (USA)    | \$0   | 0#     |
| 1000673                       | Effective VSL Setting 64.0 MPH (USA)    | \$0   | 0#     |
| 1000674                       | Effective VSL Setting 64.1 MPH (USA)    | \$0   | 0#     |
| 1000675                       | Effective VSL Setting 64.2 MPH (USA)    | \$0   | 0#     |
| 1000676                       | Effective VSL Setting 64.3 MPH (USA)    | \$0   | 0#     |
| 1000677                       | Effective VSL Setting 64.4 MPH (USA)    | \$0   | 0#     |
| 1000678                       | Effective VSL Setting 64.5 MPH (USA)    | \$0   | 0#     |
| 1000679                       | Effective VSL Setting 64.6 MPH (USA)    | \$0   | 0#     |
| 1000680                       | Effective VSL Setting 64.7 MPH (USA)    | \$0   | 0#     |
| 1000681                       | Effective VSL Setting 64.8 MPH (USA)    | \$0   | 0#     |
| 1000682                       | Effective VSL Setting 64.9 MPH (USA)    | \$0   | 0#     |
| 1000683                       | Effective VSL Setting 65.0 MPH (USA)    | \$0   | 0#     |
| 1000684                       | Effective VSL Setting NA                | \$0   | 0#     |
| 1000685                       | Effective VSL Setting 51-51.9 MPH (CAN) | \$0   | 0#     |
| 1000686                       | Effective VSL Setting 52-52.9 MPH (CAN) | \$0   | 0#     |
| 1000687                       | Effective VSL Setting 53-53.9 MPH (CAN) | \$0   | 0#     |
| 1000688                       | Effective VSL Setting 54-54.9 MPH (CAN) | \$0   | 0#     |
| 1000689                       | Effective VSL Setting 55-55.9 MPH (CAN) | \$0   | 0#     |
| 1000690                       | Effective VSL Setting 56-56.9 MPH (CAN) | \$0   | 0#     |



## T680: MOTOR EQUIPMENT

| Option                        | Description                             | Price | Weight |
|-------------------------------|-----------------------------------------|-------|--------|
| <b>Engine Information</b>     |                                         |       |        |
| <b>Vehicle Speed Limiters</b> |                                         |       |        |
| 1000691                       | Effective VSL Setting 57-57.9 MPH (CAN) | \$0   | 0#     |
| 1000692                       | Effective VSL Setting 58-58.9 MPH (CAN) | \$0   | 0#     |
| 1000693                       | Effective VSL Setting 59-59.9 MPH (CAN) | \$0   | 0#     |
| 1000694                       | Effective VSL Setting 60.0 MPH (CAN)    | \$0   | 0#     |
| 1000695                       | Effective VSL Setting 60.1 MPH (CAN)    | \$0   | 0#     |
| 1000696                       | Effective VSL Setting 60.2 MPH (CAN)    | \$0   | 0#     |
| 1000697                       | Effective VSL Setting 60.3 MPH (CAN)    | \$0   | 0#     |
| 1000698                       | Effective VSL Setting 60.4 MPH (CAN)    | \$0   | 0#     |
| 1000699                       | Effective VSL Setting 60.5 MPH (CAN)    | \$0   | 0#     |
| 1000700                       | Effective VSL Setting 60.6 MPH (CAN)    | \$0   | 0#     |
| 1000701                       | Effective VSL Setting 60.7 MPH (CAN)    | \$0   | 0#     |
| 1000702                       | Effective VSL Setting 60.8 MPH (CAN)    | \$0   | 0#     |
| 1000703                       | Effective VSL Setting 60.9 MPH (CAN)    | \$0   | 0#     |
| 1000704                       | Effective VSL Setting 61.0 MPH (CAN)    | \$0   | 0#     |
| 1000705                       | Effective VSL Setting 61.1 MPH (CAN)    | \$0   | 0#     |
| 1000706                       | Effective VSL Setting 61.2 MPH (CAN)    | \$0   | 0#     |
| 1000707                       | Effective VSL Setting 61.3 MPH (CAN)    | \$0   | 0#     |
| 1000708                       | Effective VSL Setting 61.4 MPH (CAN)    | \$0   | 0#     |
| 1000709                       | Effective VSL Setting 61.5 MPH (CAN)    | \$0   | 0#     |
| 1000710                       | Effective VSL Setting 61.6 MPH (CAN)    | \$0   | 0#     |
| 1000711                       | Effective VSL Setting 61.7 MPH (CAN)    | \$0   | 0#     |
| 1000712                       | Effective VSL Setting 61.8 MPH (CAN)    | \$0   | 0#     |



## T680: MOTOR EQUIPMENT

| Option                        | Description                          | Price | Weight |
|-------------------------------|--------------------------------------|-------|--------|
| <b>Engine Information</b>     |                                      |       |        |
| <b>Vehicle Speed Limiters</b> |                                      |       |        |
| 1000713                       | Effective VSL Setting 61.9 MPH (CAN) | \$0   | 0#     |
| 1000714                       | Effective VSL Setting 62.0 MPH (CAN) | \$0   | 0#     |
| 1000715                       | Effective VSL Setting 62.1 MPH (CAN) | \$0   | 0#     |
| 1000716                       | Effective VSL Setting 62.2 MPH (CAN) | \$0   | 0#     |
| 1000717                       | Effective VSL Setting 62.3 MPH (CAN) | \$0   | 0#     |
| 1000718                       | Effective VSL Setting 62.4 MPH (CAN) | \$0   | 0#     |
| 1000719                       | Effective VSL Setting 62.5 MPH (CAN) | \$0   | 0#     |
| 1000720                       | Effective VSL Setting 62.6 MPH (CAN) | \$0   | 0#     |
| 1000721                       | Effective VSL Setting 62.7 MPH (CAN) | \$0   | 0#     |
| 1000722                       | Effective VSL Setting 62.8 MPH (CAN) | \$0   | 0#     |
| 1000723                       | Effective VSL Setting 62.9 MPH (CAN) | \$0   | 0#     |
| 1000724                       | Effective VSL Setting 63.0 MPH (CAN) | \$0   | 0#     |
| 1000725                       | Effective VSL Setting 63.1 MPH (CAN) | \$0   | 0#     |
| 1000726                       | Effective VSL Setting 63.2 MPH (CAN) | \$0   | 0#     |
| 1000727                       | Effective VSL Setting 63.3 MPH (CAN) | \$0   | 0#     |
| 1000728                       | Effective VSL Setting 63.4 MPH (CAN) | \$0   | 0#     |
| 1000729                       | Effective VSL Setting 63.5 MPH (CAN) | \$0   | 0#     |
| 1000730                       | Effective VSL Setting 63.6 MPH (CAN) | \$0   | 0#     |
| 1000731                       | Effective VSL Setting 63.7 MPH (CAN) | \$0   | 0#     |
| 1000732                       | Effective VSL Setting 63.8 MPH (CAN) | \$0   | 0#     |
| 1000733                       | Effective VSL Setting 63.9 MPH (CAN) | \$0   | 0#     |
| 1000734                       | Effective VSL Setting 64.0 MPH (CAN) | \$0   | 0#     |



## T680: MOTOR EQUIPMENT

| Option                        | Description                                                                            | Price   | Weight |
|-------------------------------|----------------------------------------------------------------------------------------|---------|--------|
| <b>Engine Information</b>     |                                                                                        |         |        |
| <b>Vehicle Speed Limiters</b> |                                                                                        |         |        |
| 1000735                       | Effective VSL Setting 64.1 MPH (CAN)                                                   | \$0     | 0#     |
| 1000736                       | Effective VSL Setting 64.2 MPH (CAN)                                                   | \$0     | 0#     |
| 1000737                       | Effective VSL Setting 64.3 MPH (CAN)                                                   | \$0     | 0#     |
| 1000738                       | Effective VSL Setting 64.4 MPH (CAN)                                                   | \$0     | 0#     |
| 1000739                       | Effective VSL Setting 64.5 MPH (CAN)                                                   | \$0     | 0#     |
| 1000740                       | Effective VSL Setting 64.6 MPH (CAN)                                                   | \$0     | 0#     |
| 1000741                       | Effective VSL Setting 64.7 MPH (CAN)                                                   | \$0     | 0#     |
| 1000742                       | Effective VSL Setting 64.8 MPH (CAN)                                                   | \$0     | 0#     |
| 1000743                       | Effective VSL Setting 64.9 MPH (CAN)                                                   | \$0     | 0#     |
| 1000744                       | Effective VSL Setting 65.0 MPH (CAN)                                                   | \$0     | 0#     |
| <b>Air Compressor</b>         |                                                                                        |         |        |
| 1002060                       | Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.                    | (\$67)  | 0#     |
| 1002070                       | Air Compressor: Cummins 37.4 CFM *For C500 Twin Steer use 1002075                      | \$2,868 | 15#    |
| 1002080                       | Air Compressor: Cummins 18.7 CFM, Naturally Aspirated for Cummins X15 and X15N engines | \$206   | 0#     |
| 1006003                       | Air Compressor: WABCO 25.9 CFM PACCAR MX 2017+ 440cc Air Compressor                    | STD     | 0#     |
| 1006037                       | Air Compressor: WABCO 37.4 CFM PACCAR MX.                                              | \$2,121 | 0#     |
| <b>Air Intake System</b>      |                                                                                        |         |        |
| <b>Air Cleaner</b>            |                                                                                        |         |        |
| <b>Engine-Mounted</b>         |                                                                                        |         |        |
| 1041398                       | Air Cleaner: Engine Mounted                                                            | STD     | 0#     |
| <b>Firewall-Mounted</b>       |                                                                                        |         |        |
| 1051200                       | Air Cleaner: Composite Firewall Mounted PACCAR or Cummins Engines                      | \$0     | 0#     |

### Air Intake Equipment



## T680: MOTOR EQUIPMENT

| Option                           | Description                                                                                                                                                                                                                                                           | Price   | Weight |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Air Intake System</b>         |                                                                                                                                                                                                                                                                       |         |        |
| <b>Air Intake Equipment</b>      |                                                                                                                                                                                                                                                                       |         |        |
| 1093110                          | In/Outside Air Intake for Firewall Mounted Air Cleaner. Special air intake door allows driver to select outside air or warm air from under the hood for engine combustion. Aids in cold weather operation. Helps prevent air cleaner from becoming clogged with snow. | \$1,849 | 0#     |
| 1600116                          | Cummins Air Intake Throttle Overspeed Shutdown for Cummins X15 Engines.                                                                                                                                                                                               | \$5,620 | 0#     |
| 1600220                          | PACCAR MX Overspeed Shutdown. Includes manual switch and test switch                                                                                                                                                                                                  | \$9,174 | 25#    |
| 1600221                          | Parking Brake Interlock for Over Speed Shutdown for 2010+ engine requires code 1600110, 120, 130 or 220                                                                                                                                                               | \$18    | 0#     |
| <b>Cooling System</b>            |                                                                                                                                                                                                                                                                       |         |        |
| <b>Cooling Module</b>            |                                                                                                                                                                                                                                                                       |         |        |
| 1121456                          | Cooling Module: 1456 Square Inches                                                                                                                                                                                                                                    | STD     | 0#     |
| 1121457                          | Cooling Module:1456 square inches, Clog Resistant                                                                                                                                                                                                                     | \$64    | 0#     |
| 1123555                          | Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.                                                                                 | \$365   | 0#     |
| <b>2 Speed Fan Clutch</b>        |                                                                                                                                                                                                                                                                       |         |        |
| 1105220                          | Fan Hub: Horton 2-Speed for X15/X15N                                                                                                                                                                                                                                  | \$302   | 0#     |
| 1105230                          | Fan Hub: Horton 2-Speed for PX-9 or L9N or ISL                                                                                                                                                                                                                        | \$245   | 0#     |
| <b>On_Off Fan Clutch</b>         |                                                                                                                                                                                                                                                                       |         |        |
| 1105221                          | Fan Hub: Horton On/Off for X15/X15N                                                                                                                                                                                                                                   | \$58    | 0#     |
| 1105231                          | Fan Hub: Horton On/Off for PX-9 or L9N                                                                                                                                                                                                                                | \$36    | 0#     |
| 1105241                          | Fan Hub: Horton On/Off for ISX12N                                                                                                                                                                                                                                     | \$69    | 0#     |
| <b>Variable Speed Fan Clutch</b> |                                                                                                                                                                                                                                                                       |         |        |
| 1105207                          | Fan Hub: Horton Variable Speed Cummins X15/X15N This belt driven fan drive is available on all X15 and X15N powered units over 500 HP                                                                                                                                 | \$494   | 0#     |
| 1105208                          | Fan Hub: Horton Variable Speed for ISX12N *This belt driven fan hub is available on ISX12N engines with all Intended Services except with Stationary Application or Split-shaft PTO's.                                                                                | \$518   | 0#     |
| 1105209                          | Fan Hub: Variable Speed for MX-11 Belt Driven                                                                                                                                                                                                                         | \$358   | 0#     |
| 1105212                          | Fan Hub: Variable Speed for MX-13 This belt driven fan drive is available on all MX-13 engines with greater than 455 HP. All Intended Services except with Stationary Application or Split-shaft PTO's                                                                | \$587   | 0#     |



## T680: MOTOR EQUIPMENT

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Cooling System

#### Variable Speed Fan Clutch

|         |                                                           |     |    |
|---------|-----------------------------------------------------------|-----|----|
| 1105281 | Fan Hub: Horton Variable Spd Direct Drive for MX engines. | STD | 0# |
|---------|-----------------------------------------------------------|-----|----|

#### Cooling System Equipment

|         |                                                                                                      |         |    |
|---------|------------------------------------------------------------------------------------------------------|---------|----|
| 1160105 | Radiator Winterfront.                                                                                | \$333   | 4# |
| 1160107 | Radiator Winterfront: Easy Install Hooks                                                             | \$202   | 4# |
| 1160214 | Bug Screen: Behind Grille                                                                            | \$275   | 2# |
| 1160727 | Low Profile Lower Radiator Drain Valve with T-Handle (Petcock)                                       | \$1,141 | 0# |
| 1160728 | Lower Radiator Drain Valve For use with 2010+ engine cooling modules, other than 1780 square inches. | \$15    | 0# |

### Aftertreatment Systems

#### RH under DPF-SCR

|         |                                                                                                    |         |      |
|---------|----------------------------------------------------------------------------------------------------|---------|------|
| 1247226 | EXH: Single Can 2024 RH Under With Single Vertical Back-of-Sleeper Tailpipe RH Independent Mounted | \$2,120 | 9#   |
| 1247245 | EXH: Single Can 2024 RH Under with Dual Vertical Back-of-Sleeper Tailpipes Independent Mounted     | \$2,949 | 35#  |
| 1247247 | EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail                               | \$541   | 20#  |
| 1247251 | EXH: Single Can 2024 RH Under with Dual Side-of-Cab Tailpipes                                      | \$3,684 | 55#  |
| 1247263 | EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe                                | \$2,534 | 37#  |
| 1247264 | EXH: Single Can 2024 RH Under with Single Vertical RH Back-of-Cab Tailpipe                         | \$2,406 | -40# |

#### RH Under Fairing DPF-SCR

|         |                                                                                                            |         |     |
|---------|------------------------------------------------------------------------------------------------------------|---------|-----|
| 1247266 | EXH: Single Can 2024 RH Under Fairing with Single Vertical Back-of-Sleeper Tailpipe Mounted RH Independent | \$833   | 42# |
| 1247267 | EXH: Single Can 2024 RH Under Fairing with Dual Vertical Back-of-Sleeper Tailpipes Independent Mounted     | \$2,985 | 55# |
| 1247268 | EXH: Single Can 2024 RH Under Fairing with RH Horizontal Tailpipe Mounted Below Rail.                      | STD     | 0#  |
| 1247269 | EXH: Single Can 2024 RH Under Fairing with Single Vertical RH Back-of-Cab Tailpipe                         | \$936   | 22# |

#### Horizontal Under Rail

|         |                                                                                                                 |         |      |
|---------|-----------------------------------------------------------------------------------------------------------------|---------|------|
| 1247275 | EXH: Single Can 2024 Horizontal Under Rail With Single Vertical Back-of-Sleeper Tailpipe Mounted RH Independent | \$1,809 | -44# |
|---------|-----------------------------------------------------------------------------------------------------------------|---------|------|



## T680: MOTOR EQUIPMENT

| Option                            | Description                                                                                                 | Price    | Weight |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------|----------|--------|
| <b>Aftertreatment Systems</b>     |                                                                                                             |          |        |
| <b>Horizontal Under Rail</b>      |                                                                                                             |          |        |
| 1247276                           | EXH: Single Can 2024 Horizontal Under Rail With Single Horizontal Tailpipe Mounted Below RH Rail            | (\$477)  | -110#  |
| 1247277                           | EXH: Single Can 2024 Horizontal Under Rail With Dual Vertical Back-of-Sleeper Tailpipes Mounted Independent | \$5,233  | -71#   |
| <b>Transverse</b>                 |                                                                                                             |          |        |
| 1247270                           | EXH: Single Can 2024 Transverse Back-of-Cab with Single LH Back-of-Cab Tailpipe                             | \$6,548  | -246#  |
| 1247271                           | EXH: Single Can 2024 Transverse Back-of-Cab with Dual Back-of-Cab Tailpipes                                 | \$7,984  | -196#  |
| <b>Compact Twin (CARB Diesel)</b> |                                                                                                             |          |        |
| 1247305                           | EXH: Compact Twin 2024 RH Under with Single Vertical Back-of-Sleeper Tailpipe Mounted RH Independent        | \$25,006 | 51#    |
| 1247306                           | EXH: Compact Twin 2024 RH Under with Dual Vertical Back-of-Sleeper Tailpipes Mounted Independent            | \$20,751 | 66#    |
| 1247307                           | EXH: Compact Twin 2024 RH Under With RH Horizontal Tailpipe Below Rail                                      | \$18,344 | 36#    |
| 1247308                           | EXH: Compact Twin 2024 RH Under with Dual Side-of-Cab Tailpipes                                             | \$20,556 | 58#    |
| 1247309                           | EXH: Compact Twin 2024 RH Under with LH Horizontal Tailpipe Below Rail                                      | \$17,893 | 43#    |
| 1247310                           | EXH: Compact Twin 2024 RH Under with RH Side-of-Cab Vertical Tailpipe                                       | \$19,170 | 41#    |
| 1247311                           | EXH: Compact Twin 2024 RH Under with Single Vertical RH Back-of-Cab Tailpipe                                | \$19,916 | 81#    |
| 1247312                           | EXH: Compact Twin 2024 RH Under with Dual Vertical Back-of-Cab Tailpipes                                    | \$24,320 | 57#    |
| 1247313                           | EXH: Compact Twin 2024 RH Under Fairing with Single Vertical Back-of-Sleeper Tailpipe Mounted Independent   | \$18,599 | 121#   |
| 1247314                           | EXH: Compact Twin 2024 RH Under Fairing with Dual Vertical Back-of-Sleeper Tailpipes Mounted Independent    | \$20,936 | 139#   |
| 1247315                           | EXH: Compact Twin 2024 RH Under Fairing with RH Horizontal Tailpipe Mounted Below Rail                      | \$17,968 | 107#   |
| 1247316                           | EXH: Compact Twin 2024 RH Under Fairing with Single Vertical RH Back-of-Cab Tailpipe                        | \$18,346 | 112#   |
| <b>Natural Gas</b>                |                                                                                                             |          |        |
| 1227053                           | EXH: Single Independent CNG Catalyst, Right Hand With Back of Cab Vertical Mounted Muffler                  | \$23,015 | -84#   |
| 1247019                           | EXH: Single Horizontal CNG Catalyst With Single Horizontal Tailpipe                                         | \$25,688 | -284#  |



## T680: MOTOR EQUIPMENT

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Aftertreatment Systems

#### Natural Gas

|         |                                                                                                |          |       |
|---------|------------------------------------------------------------------------------------------------|----------|-------|
| 1247033 | EXH: Single Right Hand Under Cab Catalyst With Single Vertical Tailpipe Right Hand Side of Cab | \$21,621 | -117# |
|---------|------------------------------------------------------------------------------------------------|----------|-------|

### Aftertreatment Accessories

#### Single Tailpipes

|         |                                                                                                      |       |     |
|---------|------------------------------------------------------------------------------------------------------|-------|-----|
| 1290124 | Tailpipe: 5 in. single 24 in. 45 degree curved.                                                      | \$210 | 6#  |
| 1290130 | Tailpipe: 5 in. single 30 in. 45 degree curved.                                                      | \$257 | 12# |
| 1290136 | Tailpipe: 5 in. single 36 in. 45 degree curved.                                                      | \$287 | 15# |
| 1290142 | Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent. | \$319 | 17# |
| 1290148 | Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent. | \$349 | 20# |
| 1290154 | Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent. | \$381 | 22# |
| 1290160 | Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent. | \$427 | 25# |
| 1290336 | Tailpipe: 7 in. single 36 in. 45 degree curved.                                                      | \$440 | 15# |
| 1290342 | Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent. | \$472 | 17# |
| 1290348 | Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent. | \$500 | 20# |
| 1290354 | Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent. | \$528 | 22# |
| 1290360 | Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent. | \$557 | 25# |

#### Dual Tailpipes

|         |                                               |       |     |
|---------|-----------------------------------------------|-------|-----|
| 1290224 | Tailpipe: 5 in. dual 24 in. 45 degree curved. | \$421 | 12# |
| 1290230 | Tailpipe: 5 in. dual 30 in. 45 degree curved. | \$514 | 25# |
| 1290236 | Tailpipe: 5 in. dual 36 in. 45 degree curved. | \$574 | 30# |
| 1290242 | Tailpipe: 5 in. dual 42 in. 45 degree curved. | \$638 | 34# |
| 1290248 | Tailpipe: 5 in. dual 48 in. 45 degree curved. | \$699 | 40# |
| 1290254 | Tailpipe: 5 in. dual 54 in. 45 degree curved. | \$762 | 44# |
| 1290260 | Tailpipe: 5 in. dual 60 in. 45 degree curved. | \$855 | 49# |



## T680: MOTOR EQUIPMENT

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Aftertreatment Accessories

#### Dual Tailpipes

|         |                                               |         |     |
|---------|-----------------------------------------------|---------|-----|
| 1290436 | Tailpipe: 7 in. dual 36 in. 45 degree curved. | \$880   | 30# |
| 1290442 | Tailpipe: 7 in. dual 42 in. 45 degree curved. | \$943   | 34# |
| 1290448 | Tailpipe: 7 in. dual 48 in. 45 degree curved. | \$1,000 | 40# |
| 1290454 | Tailpipe: 7 in. dual 54 in. 45 degree curved. | \$1,057 | 44# |
| 1290460 | Tailpipe: 7 in. Dual 60 in. 45 degree curved. | \$1,113 | 49# |

#### Miscellaneous

|         |                                                                                                                             |       |    |
|---------|-----------------------------------------------------------------------------------------------------------------------------|-------|----|
| 1291944 | Single Lower Chrome Exhaust Elbow                                                                                           | \$255 | 0# |
| 1292329 | Exhaust Shield: Dual W/ Kenworth Name Cutout Full length perforated stainless steel. For side mounted exhaust AeroCab only. | \$373 | 0# |
| 1292944 | Dual Lower Chrome Exhaust Elbow                                                                                             | \$676 | 0# |

### Filters

#### Fuel-Water Separator

|         |                                                                                                                         |        |     |
|---------|-------------------------------------------------------------------------------------------------------------------------|--------|-----|
| 1321100 | Fuel Filter: Customer Supplied or None Fuel/Water Separator. ISX12N Only.                                               | (\$95) | 0#  |
| 1321101 | Fuel Filter: PACCAR Extended Service Interval On-Engine Fuel/Water Separator. 2021 and Later Emissions MX Engines only. | STD    | 0#  |
| 1321109 | Fuel Filter:PACCAR Standard Service Interval Fuel/Water Separator. 2017 and Later Emissions                             | \$153  | 0#  |
| 1321110 | Fuel Filter:PACCAR Extended Service Interval Fuel/Water Separator, 2017 and Later Emissions                             | \$176  | 0#  |
| 1321125 | Fuel Filter:Davco 382 Fuel/Water Separator                                                                              | \$470  | 8#  |
| 1321130 | Fuel Filter: Davco 483 Fuel/Water Separator                                                                             | \$834  | 11# |
| 1321155 | Fuel Filter: Rail Mounted for Natural Gas Engines Fuel/Water Separator                                                  | \$57   | 0#  |
| 1321200 | Run Aid:None *For Fuel Filter                                                                                           | \$0    | 0#  |
| 1321204 | Run Aid: Cummins TRV + Coolant Heat for Davco *For Fuel Filter, X15 and 2.1M only                                       | \$489  | 0#  |
| 1321205 | Run Aid:Fuel Heat *For Fuel Filter                                                                                      | STD    | 0#  |
| 1321210 | Run Aid:PACCAR Fuel Blend and Coolant Heat *For Fuel Filter, MX with 2.1 m models, 2017+ Emissions                      | \$122  | 1#  |



## T680: MOTOR EQUIPMENT

| Option                             | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Price   | Weight |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Filters</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| <b>Fuel-Water Separator</b>        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 1321220                            | Run Aid:Cummins TRV for Davco only *For Fuel Filter, X15 AND 2.1 m models                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$234   | 2#     |
| 1321225                            | Run Aid:Coolant Heat *For Fuel Filter                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$228   | 1#     |
| 1321300                            | Start Aid:None *For Fuel Filter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$0     | 0#     |
| 1321305                            | Start Aid:12V Heat *For Fuel Filter                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | STD     | 0#     |
| 1321320                            | Start Aid:120V Heat *For Fuel Filter                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$205   | 1#     |
| 1321325                            | Start Aid:12V AND 120V Heat *For Fuel Filter                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | \$329   | 2#     |
| <b>Heating &amp; Starting Aids</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| <b>Block Heater</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 1504002                            | Immersion Block Heater120V 1000W W/ Plug Under Door on C500 and T800                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$176   | 0#     |
| 1504005                            | Immersion Block Heater 120V 1500W W/ Plug Under Door on C500, T660, T800 & W900.                                                                                                                                                                                                                                                                                                                                                                                                                                | \$150   | 2#     |
| <b>Oil Pan Heater</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 1506035                            | Engine Oil Pan Heater 240V 150W With Plug UnderDoor on C500, T800 & W900.                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$119   | 2#     |
| 1506055                            | Engine Oil Pan Heater, 120V / 300W Includes plug. For use with EPA 2007+ engines.                                                                                                                                                                                                                                                                                                                                                                                                                               | \$364   | 2#     |
| <b>In-tank Fuel Heater</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 1509058                            | Fuel Tank Heater: Single Arctic Fox W/ Thermostat                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$563   | 6#     |
| 1509065                            | Fuel Tank Heater: Dual Arctic Fox W/ Thermostat                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$1,243 | 15#    |
| <b>Heater Accessories</b>          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 1507008                            | Block Heater & Oil Pan Heater Wired to Separate Plugs.                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$0     | 0#     |
| 1509029                            | Shutoff Valves for Trailer Heat with Hoses Routed at minimum 3 feet BOC/BOS. Installation includes shutoff valves on a loop of hose routed to 3' BOC/BOS. Trailer heat application not to exceed 12 kW (680 BTU/min) of heat draw from the engine. For applications requiring a significant amount of heat (6-12 kW, Ex: heating a tanker), the engine must be warmed up before opening shutoff valves allowing coolant to flow. A separate coolant heater is recommended for applications requiring more heat. | \$354   | 0#     |
| 1509035                            | Coolant Hoses and 2 Shut-Off Valves for C/I APU                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$232   | 0#     |

## Fuel Cooler



## T680: MOTOR EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                                                                                                                                                | Price | Weight |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Fuel Cooler</b>                   |                                                                                                                                                                                                                                                                                                                                                                                                            |       |        |
| 1500029                              | Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.                                                                                                                                                | \$317 | 6#     |
| <b>Governors &amp; Controls</b>      |                                                                                                                                                                                                                                                                                                                                                                                                            |       |        |
| 1405074                              | Ambient Temperature Sensor for Idle Shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX Engines.                                                                                                                                                                                                                                                                                                  | \$0   | 0#     |
| <b>Motor Equipment Miscellaneous</b> |                                                                                                                                                                                                                                                                                                                                                                                                            |       |        |
| 0080020                              | Chassis to use LNG Fuel System.                                                                                                                                                                                                                                                                                                                                                                            | \$0   | 0#     |
| 0080021                              | Chassis to use CNG Fuel System.                                                                                                                                                                                                                                                                                                                                                                            | \$0   | 0#     |
| 1000051                              | One MX Remote PTO Speed Control Preset Engine Speed                                                                                                                                                                                                                                                                                                                                                        | \$0   | 0#     |
| 1000052                              | Two MX Remote PTO Speed Control Preset Engine Speeds                                                                                                                                                                                                                                                                                                                                                       | \$0   | 0#     |
| 1000170                              | Enable Engine Regeneration in PTO Mode Cummins                                                                                                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| 1000174                              | Enable Engine Regeneration in PTO Mode PACCAR MX Fan Assist - Off                                                                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 1000176                              | Enable Fan Assist with Engine Regeneration in PTO Mode PACCAR MX *Use with code 1000174 if Fan Assist is Desired.                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 1000202                              | Engine Monitoring Protection -Warning- PACCAR MX Engine Parameter.                                                                                                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 1000204                              | Engine Monitoring Protection -Derate- PACCAR MX Engine Parameter.                                                                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 1000206                              | Engine Monitoring Protection -Shutdown- PACCAR MX Engine Parameter.                                                                                                                                                                                                                                                                                                                                        | \$0   | 0#     |
| 1000238                              | Enable Auto-Retard w/ Latch Mode Retarder Control PACCAR MX engine parameter. Selecting this code will program the engine controller to auto retard when cruise control is set. When cruise control is not set w/ button on you have latch mode. Latch mode means the engine retarder is activated when the brake pedal is depressed and does not deactivate until the operator depresses the accelerator. | \$0   | 0#     |
| 1000239                              | Engine Parameter: Driveline Protect - Torque Limiting PACCAR MX.                                                                                                                                                                                                                                                                                                                                           | \$0   | 0#     |
| 1000241                              | PT Optimization Analysis: Downsped Economy                                                                                                                                                                                                                                                                                                                                                                 | \$0   | 0#     |
| 1000242                              | Gearing Analysis: Fuel Economy fuel efficiency results.                                                                                                                                                                                                                                                                                                                                                    | \$0   | 0#     |
| 1000243                              | Gearing Analysis: Performance power before economy results.                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000244                              | Gearing Analysis: Balance power/economy blend results.                                                                                                                                                                                                                                                                                                                                                     | \$0   | 0#     |



## T680: MOTOR EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                                                                                                                                                             | Price | Weight |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Motor Equipment Miscellaneous</b> |                                                                                                                                                                                                                                                                                                                                                                                                                         |       |        |
| 1000245                              | Customer's Typical Operating Spd: 50 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000247                              | Customer's Typical Operating Spd: 40 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000248                              | Customer's Typical Operating Spd: 55 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000249                              | Customer's Typical Operating Spd: 52 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000250                              | Customer's Typical Operating Spd: 58 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000251                              | Customer's Typical Operating Spd: 60 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000252                              | Customer's Typical Operating Spd: 62 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000253                              | Customer's Typical Operating Spd: 63 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000254                              | Customer's Typical Operating Spd: 65 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000255                              | Customer's Typical Operating Spd: 68 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000256                              | Customer's Typical Operating Spd: 64 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000257                              | Customer's Typical Operating Spd: 70 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000260                              | Dealer Declines PT Optimization Results Rear Axle Ratio Selected does not Meet Opt Goal.                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000275                              | Customer's Typical Operating Spd: 75 MPH                                                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 1000276                              | Speed Control Management:Enable Progressive Shift for PACCAR MX engines. Progressive Shift is a feature which encourages a driver to shift at reduced engine speed (RPM) while in lower gears. This is a PACCAR MX Engine Parameter w/ Default Setting. Default settings are optimized for 10-speed transmissions & line haul applications.                                                                             | \$0   | 0#     |
| 1000277                              | Speed Control Management: Enable Gear Down Protection for PACCAR MX engines. Gear Down Protection is a feature which encourages a driver to shift into higher gears in order to use the engine at lower engine speed (RPM) when the vehicle is at higher road speed (MPH). This is a PACCAR MX Engine Parameter w/ Default Setting. Default settings are optimized for 10-speed transmissions & line haul applications. | \$0   | 0#     |
| 1000281                              | MX Engine: Fast Stop Recorder Disable Disables MX Fast Stop recorder functionality, which logs key vehicle parameters whenever vehicle deceleration rates exceed a specified value. See engine ordering and programming guides for further details. 2013+                                                                                                                                                               | \$0   | 0#     |
| 1000282                              | MX Retarder State Cruise Control On Manual Mode Selecting this code will program the engine controller to make manual mode available when cruise control is on, but not set, and the engine brake switch is on. Manual mode means the engine retarder activates whenever the throttle pedal is not depressed. 2013+                                                                                                     | \$0   | 0#     |



## T680: MOTOR EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Price     | Weight |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| <b>Motor Equipment Miscellaneous</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |           |        |
| 1000283                              | MX Retarder State Cruise Control On Coast Mode Selecting this code will program the engine controller to make coast mode available when cruise control is on, but not set, and the engine brake switch is on. Coast mode means the engine retarder is only activated when the brake pedal is depressed. 2013+                                                                                                                                                                                                                                                     | \$0       | 0#     |
| 1000284                              | MX Retarder State Cruise Control On Latch Mode Selecting this code will program the engine controller to make latch mode available when cruise control is on, but not set, and the engine brake switch is on. Latch mode means the engine retarder is activated when the brake pedal is depressed and does not deactivate until the operator depresses the accelerator pedal. This sales code cannot be selected if either Code 5 or Code 6 are selected. 2013+                                                                                                   | \$0       | 0#     |
| 1000285                              | Enable MX Retarder Auto-Retard Selecting this code will program the engine to utilize the auto retard mode whenever cruise control speed has been set and the engine brake switch is on. The auto-retard mode will control the vehicle speed to an offset from the cruise control set speed via the engine retarder. The offset speed shall be dependent upon customer inputs via the electronic programming work screen. 2013+                                                                                                                                   | \$0       | 0#     |
| 1000287                              | Enable MX Retarder Downhill Speed Limiter Selecting this code will program the engine to utilize the Downhill Speed Limiter functionality. The Downhill Speed Limiter functionality will control the vehicle to a customer-programmed maximum speed when the engine brake switch is in the ON position, whether or not cruise control is active. 2013+                                                                                                                                                                                                            | \$0       | 0#     |
| 1000288                              | Disable MX Retarder Selecting this code will program the engine to never actuate the engine brake, regardless of switch input. This code will be reflected as a programmable parameter on the engine, so customers can re-enable the MX engine retarder via aftermarket programming at their local Kenworth or Peterbilt dealership. A restriction must be put in place to not allow the selection of this code on trucks with any type of adaptive cruise braking or collision mitigation system as they use the engine brake in their base functionality. 2013+ | \$0       | 0#     |
| 1000289                              | Delete MX-11 Retarder (Engine Brake)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | (\$1,893) | 0#     |
| 1000341                              | PTO Mode Control - Cab Station.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$0       | 0#     |
| 1000342                              | PTO Mode Control - Remote Station.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$0       | 0#     |
| 1000343                              | PTO Mode Control - Cab and Remote Station.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$0       | 0#     |
| 1901017                              | Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$180     | 0#     |
| 1901018                              | Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$180     | 0#     |
| 1901019                              | Remote PTO/Throttle, 12-Pin, 250K End of Frame, J1939, Remote Control Provision                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$198     | 0#     |
| 1901020                              | Remote PTO/Throttle, 12-Pin, 500K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$198     | 0#     |
| 1901021                              | Remote PTO/Throttle, 12-Pin, 500K End of Frame J1939, Remote Control Provision                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | \$198     | 0#     |
| 1901022                              | Remote Presets and Interlock, 8-Pin, Engine Bay; Requires Code 1901017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$53      | 0#     |



## T680: MOTOR EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                                                                                                                    | Price   | Weight |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Motor Equipment Miscellaneous</b> |                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| 1901023                              | Remote Presets and Interlock, 8-Pin, Back of Cab OR Back of Sleeper; Requires Code 1901018 OR 1901020                                                                                                                                                                                                                                                                          | \$164   | 2#     |
| 1901024                              | Remote Presets and Interlock, 8-Pin, End of Frame Requires Code 1901019 or 1901021                                                                                                                                                                                                                                                                                             | \$218   | 0#     |
| 1901083                              | J1939 Harness (read only) to EOF for Body Builder This option allows the customer to read EPA 2010+ engine parameters from their remote station. "Read Only" means you cannot write information to any components on this harness but can only "Read" information from it.                                                                                                     | \$122   | 0#     |
| 1903008                              | Steel Oil Pan for PACCAR MX Engines                                                                                                                                                                                                                                                                                                                                            | \$1,101 | 10#    |
| 1903010                              | Enable Driver Performance Assistant (DPA) Enables the overall Driver Performance Assistant functionality, which provides visual feedback to the driver that helps improve their fuel economy, minimize wear on the service brakes, and provides long-term scores indicative of how well the driver is performing against both goals.                                           | \$0     | 0#     |
| 1903011                              | DPA - Enable Driver Coaching Enables popups that will actively coach the driver to improve their performance if they are performing poorly, or congratulate them if they are doing well. Frequency of the popups are conditioned upon the driver's overall, long-term score. A better score leads to less frequent popups, while a poorer score leads to more frequent popups. | \$0     | 0#     |
| 1903012                              | DPA - Enable Anticipation Score Enables the Driver Performance Assistant's Anticipation Score functionality that encourages the driver to anticipate braking events earlier and coast longer in order to increase fuel economy.                                                                                                                                                | \$0     | 0#     |
| 1903013                              | DPA - Enable Brake Saving Score Enables the Driver Performance Assistant's Brake Saving Score functionality that encourages the driver to use engine brakes to avoid service brake wear.                                                                                                                                                                                       | \$0     | 0#     |
| 1903014                              | DPA - Enable Reset by Driver Indicates whether or not the customer wants the driver to have the ability to reset the long-term scoring within the DPA functionality. Customers always have the ability to reset the scoring via a service tool.                                                                                                                                | \$0     | 0#     |
| 1903015                              | DPA - Enable Tire Pressure Reminder Enables reminders related to low tire pressures that can negatively impact fuel economy. These warnings would occur prior to typical TPMS system warnings that are focused on critically low tire pressures that can lead to tire damage.                                                                                                  | \$0     | 0#     |
| 1903016                              | DPA - Enable Automated Transmission Reminder Enables reminders to the driver to put an automated transmission back into automated mode after it has been left in manual mode for an extended period of time.                                                                                                                                                                   | \$0     | 0#     |
| 1903018                              | DPA - Recommended Settings                                                                                                                                                                                                                                                                                                                                                     | \$0     | 0#     |
| 1903019                              | DPA - Custom Settings                                                                                                                                                                                                                                                                                                                                                          | \$0     | 0#     |
| 1903020                              | Decline Driver Performance Assistant (DPA)                                                                                                                                                                                                                                                                                                                                     | \$0     | 0#     |
| 1903030                              | Enable Driver Reward                                                                                                                                                                                                                                                                                                                                                           | \$0     | 0#     |
| 1903031                              | Enable Ton MPG                                                                                                                                                                                                                                                                                                                                                                 | \$0     | 0#     |



## T680: MOTOR EQUIPMENT

| Option                               | Description                                                                            | Price     | Weight |
|--------------------------------------|----------------------------------------------------------------------------------------|-----------|--------|
| <b>Motor Equipment Miscellaneous</b> |                                                                                        |           |        |
| 1903032                              | Enable Fuel Economy                                                                    | \$0       | 0#     |
| 1903033                              | Enable Idle Time Percentage                                                            | \$0       | 0#     |
| 1903034                              | Enable Driver Shift Aid                                                                | \$0       | 0#     |
| 8240004                              | Throttle Input Ignored When Park Brake Engaged.                                        | \$110     | 0#     |
| <b>Retarders</b>                     |                                                                                        |           |        |
| 1700122                              | Delete Retarder: Cummins ISX12N Engines                                                | (\$2,031) | -40#   |
| 1700123                              | Retarder: Cummins ISX12N                                                               | \$0       | 40#    |
| <b>Starting &amp; Recharging</b>     |                                                                                        |           |        |
| <b>Alternator</b>                    |                                                                                        |           |        |
| 1812162                              | Alternator: 160 amp Brushless with battery voltage sense. *This code replaced 1812160. | \$379     | 9#     |
| 1812163                              | Alternator: PACCAR HDS 160 AMP Brushed                                                 | STD       | 0#     |
| 1812164                              | Alternator: SEG HDS 200 AMP Brushed                                                    | \$133     | 0#     |
| 1812430                              | Alternator: Delco 40SI 240 amp Brushless with battery voltage sense                    | \$1,102   | 0#     |
| 1812440                              | Alternator: Delco 40SI 275 amp Brushless with battery voltage sense.                   | \$1,242   | 0#     |
| 1812450                              | Alternator: Delco 40SI 300 amp Brushless with battery voltage sense.                   | \$1,369   | 18#    |
| 1812451                              | Alternator: Delco 40SI 320 amp Brushless with battery voltage sense                    | \$1,442   | 14#    |
| 1816200                              | Alternator: SEG 200 amp, Brush Type Formerly Bosch.                                    | \$77      | 0#     |
| 1816260                              | Alternator: PACCAR 160 amp, Brush Type                                                 | \$1       | 0#     |
| 1816261                              | Alternator: Mitsubishi 160 Amp Brushless                                               | \$121     | 0#     |
| <b>Battery</b>                       |                                                                                        |           |        |
| 1821003                              | Batteries: 4 AGM GP31 THR (925) 3700 CCA                                               | \$1,160   | 140#   |
| 1821004                              | Batteries: 3 AGM GP31 THR (925) 2775 CCA                                               | \$752     | 74#    |
| 1821210                              | Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.           | \$233     | 62#    |



## T680: MOTOR EQUIPMENT

| Option                           | Description                                                                                                                                                                                                                                                                                               | Price   | Weight |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Starting &amp; Recharging</b> |                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Battery</b>                   |                                                                                                                                                                                                                                                                                                           |         |        |
| 1821215                          | Batteries: 4 PACCAR GP31 Threaded Post (700-730) 2800-2920 CCA dual purpose.                                                                                                                                                                                                                              | \$469   | 124#   |
| 1821220                          | Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.                                                                                                                                                                                                                              | STD     | 0#     |
| 1821225                          | Batteries: 2 PACCAR GP31 Threaded Post (1000) 2000 CCA starting.                                                                                                                                                                                                                                          | \$4     | 0#     |
| 1821271                          | Batteries: 2 AGM GP31 threaded post 1850 CCA For 2.1m with In Cab Battery Box (ICBB) only                                                                                                                                                                                                                 | \$270   | 0#     |
| 1821275                          | Batteries: 3 AGM GP31 THR (925) 2775 CCA. For T680, T880, or W990 in cab battery box only.                                                                                                                                                                                                                | \$640   | 62#    |
| 1825006                          | Batteries: 4 Odyssey GP 31 AGM Threaded Post (1150) 4600 CCA                                                                                                                                                                                                                                              | \$1,996 | 192#   |
| 1825007                          | Batteries: 3 Odyssey GP 31 AGM Threaded Post (1150) 3450 CCA                                                                                                                                                                                                                                              | \$1,529 | 113#   |
| <b>Battery Equipment</b>         |                                                                                                                                                                                                                                                                                                           |         |        |
| 1840006                          | Battery Disconnect Switches 2, Mounted in Cab Requires battery box LH under.                                                                                                                                                                                                                              | \$426   | 2#     |
| 1840024                          | Battery Disconnect Switch: 1 Cab Floor Locking                                                                                                                                                                                                                                                            | \$361   | 0#     |
| 1840065                          | 12V Low Voltage Disconnect for Battery Protection                                                                                                                                                                                                                                                         | \$0     | 0#     |
| 1900996                          | Jump Start Terminals Under Hood.                                                                                                                                                                                                                                                                          | \$320   | 12#    |
| 1901003                          | Jump Start Terminals Frame Mounted BOC or Sleeper.                                                                                                                                                                                                                                                        | \$364   | 12#    |
| <b>Starter</b>                   |                                                                                                                                                                                                                                                                                                           |         |        |
| 1836102                          | PACCAR Premium 12V Starter with PACCAR MX Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.                               | STD     | 0#     |
| 1836103                          | PACCAR Premium 12V Starter W/ Cummins X15 Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system with circuit protection circuits number & color coded.                            | \$94    | 0#     |
| 1836106                          | Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines. | \$0     | 0#     |



## T680: TRANSMISSIONS

| Option          | Description                                                                                                                                                                                         | Price     | Weight |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| <b>Eaton</b>    |                                                                                                                                                                                                     |           |        |
| <b>10-Speed</b> |                                                                                                                                                                                                     |           |        |
| 2058359         | Transmission: Fuller FRM15210B 10-speed w/pump & external oil cooler. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1550 pound-feet.                                     | (\$5,665) | 93#    |
| 2058362         | Transmission: Fuller FRO16210C 10-speed w/pump & external oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.  | (\$5,511) | 87#    |
| 2058372         | Transmission: Fuller RTO16908LL 10-speed w/pump & oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.          | (\$4,166) | 180#   |
| 2058384         | Transmission: Fuller FRO18210C 10-speed w/external oil cooler; w pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet. | (\$3,663) | 97#    |
| <b>11-Speed</b> |                                                                                                                                                                                                     |           |        |
| 2058402         | Transmission: Fuller RTO16909ALL 11-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.         | (\$2,293) | 188#   |
| <b>12-Speed</b> |                                                                                                                                                                                                     |           |        |
| 2058775         | Eaton EEO-16F112C Endurant 12-speed, 1650 LB FT with Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.                      | \$385     | 0#     |
| 2058776         | Eaton EEO-17F112C Endurant 12-speed, 1750 LB FT with Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.                      | \$822     | 0#     |
| 2058784         | Eaton EEO-18F112C Endurant 12-speed, 1850 LB FT with Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.                      | \$1,207   | 0#     |
| 2058790         | Eaton EHD-14F112C-N Endurant HD 12-speed 1450 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. No rear PTO. Natural Gas Engines only.                          | \$3,345   | 0#     |
| 2058791         | Eaton EEO-14F112C Endurant 12-speed, 1450 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                               | (\$624)   | 0#     |
| 2058792         | Eaton EEO-15F112C Endurant 12-speed, 1550 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                               | (\$282)   | 0#     |
| 2058793         | Eaton EEO-16F112C Endurant 12-speed, 1650 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                               | \$0       | 0#     |
| 2058794         | Eaton EEO-17F112C Endurant 12-speed, 1750 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                               | \$436     | 0#     |
| 2058795         | Eaton EEO-18F112C Endurant 12-speed, 1850 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                               | \$822     | 0#     |
| 2058796         | Eaton EHD-16F112C-N Endurant HD 12-speed 1650 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. No rear PTO. Natural Gas Engines only.                          | \$4,148   | 0#     |



## T680: TRANSMISSIONS

| Option          | Description                                                                                                                                                                                | Price     | Weight |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| <b>Eaton</b>    |                                                                                                                                                                                            |           |        |
| <b>12-Speed</b> |                                                                                                                                                                                            |           |        |
| 2058797         | Eaton EHD-18F112C-N Endurant HD 12-speed 1850 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. No rear PTO. Natural Gas Engines only.                 | \$4,918   | 0#     |
| <b>13-Speed</b> |                                                                                                                                                                                            |           |        |
| 2058446         | Transmission: Fuller RTLO18913A 13-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet. | (\$1,754) | 206#   |
| <b>18-Speed</b> |                                                                                                                                                                                            |           |        |
| 2058741         | Transmission: Fuller RTLO22918B 18-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 2250 pound-feet. | \$3,254   | 214#   |
| 2058771         | Transmission: Fuller RTLO20918B 18-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 2050 pound-feet. | \$992     | 214#   |
| 2058785         | Eaton EXDP-16F118D Endurant XD Pro 18 Speed 1650 LB FT, With Hill Start Aid and provisions for rear and bottom mounted PTO.                                                                | \$11,709  | 0#     |
| 2058786         | Eaton EXDP-18F118D Endurant XD Pro 18 Speed 1850 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.                                                                | \$13,065  | 0#     |
| 2058787         | Eaton EXDP-20F118D Endurant XD Pro 18 Speed 2050 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.                                                                | \$15,442  | 0#     |
| 2058788         | Eaton EXD16F118D Endurant XD 18 Speed 1650 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.                                                                      | \$9,052   | 0#     |
| 2058789         | Eaton EXD18F118D Endurant XD 18 Speed 1850 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.                                                                      | \$10,157  | 0#     |
| 2058799         | Eaton XD-N EXD-18F118D-N Endurant 18-speed 1850 LB FT with Hill Start Aid. Natural Gas Engines only.                                                                                       | \$16,622  | 0#     |
| <b>PACCAR</b>   |                                                                                                                                                                                            |           |        |
| <b>12-Speed</b> |                                                                                                                                                                                            |           |        |
| 2058601         | PACCAR TX-12: PO-14F112C, 12-speed, 1450 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                       | (\$624)   | 0#     |
| 2058602         | PACCAR TX-12: PO-15F112C, 12-speed, 1550 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                       | (\$282)   | 0#     |
| 2058603         | PACCAR TX-12: PO-16F112C, 12-speed, 1650 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                       | STD       | 0#     |
| 2058604         | PACCAR TX-12: PO-17F112C, 12-speed, 1750 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.                       | \$436     | 0#     |



## T680: TRANSMISSIONS

| Option                        | Description                                                                                                                                                                      | Price    | Weight |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| <b>PACCAR</b>                 |                                                                                                                                                                                  |          |        |
| <b>12-Speed</b>               |                                                                                                                                                                                  |          |        |
| 2058605                       | PACCAR TX-12: PO-18F112C, 12-speed, 1850 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.             | \$822    | 0#     |
| 2058621                       | PACCAR TX-12: PO-14F112C, 12 Speed, 1450 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.    | (\$239)  | 0#     |
| 2058622                       | PACCAR TX-12: PO-15F112C, 12 Speed, 1550 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.    | \$103    | 0#     |
| 2058623                       | PACCAR TX-12: PO-16F112C, 12 Speed, 1650 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.    | \$385    | 0#     |
| 2058624                       | PACCAR TX-12: PO-17F112C, 12 Speed, 1750 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.    | \$822    | 0#     |
| 2058625                       | PACCAR TX-12: PO-18F112C, 12 Speed, 1850 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.    | \$1,207  | 0#     |
| 2058626                       | PACCAR TX-12 PRO:PHDP14F112C, 12 Speed, 1450LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. | \$2,332  | 0#     |
| 2058627                       | PACCAR TX-12 PRO:PHDP16F112C, 12 Speed, 1650LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. | \$3,009  | 0#     |
| <b>18-Speed</b>               |                                                                                                                                                                                  |          |        |
| 2058610                       | PACCAR TX-18 Pro: PXDP-16F118D, 18 Speed 1650 LB FT, With Hill Start Aid and provisions for rear and bottom mounted PTO.                                                         | \$11,709 | 0#     |
| 2058611                       | PACCAR TX-18 Pro: PXDP-18F118D, 18 Speed 1850 LB FT, With Hill Start Aid and provisions for rear and bottom mounted PTO.                                                         | \$13,065 | 0#     |
| 2058613                       | PACCAR TX-18: PXD-16F118D, 18 Speed, 1650 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO.                                                              | \$9,052  | 0#     |
| 2058614                       | PACCAR TX-18: PXD-18F118D, 18 Speed, 1850 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO.                                                              | \$10,157 | 0#     |
| <b>Transmission Equipment</b> |                                                                                                                                                                                  |          |        |
| 2410005                       | Optional Neutral Start Switch.                                                                                                                                                   | \$63     | 0#     |
| 2410047                       | High Capacity Input Shaft Bearing for High PTO Duty Cycle                                                                                                                        | \$29     | 0#     |
| 2412301                       | Mixer With Sustained Low Speed Operation: Curbing, Slip Form, etc.                                                                                                               | \$0      | 0#     |
| 2412302                       | Mixer Without Sustained Low Speed Operation: Transit Mixer.                                                                                                                      | \$0      | 0#     |



## T680: TRANSMISSIONS

| Option                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Price | Weight |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Transmission Equipment</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |        |
| 2444000                       | Chrome Shift Lever for Main Transmission.                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$111 | 0#     |
| 2450114                       | Add Transmission Filter: Eaton UltraShift Plus *Optional. Filter is installed on the transmission by Eaton.                                                                                                                                                                                                                                                                                                                                                                            | \$262 | 0#     |
| 2480315                       | Severe Service Rear Transmission Support Spring(s).                                                                                                                                                                                                                                                                                                                                                                                                                                    | \$92  | 15#    |
| <b>Allison Software</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |        |
| 2410244                       | J1939 Park Brake Auto Neutral                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| <b>Eaton Software</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |        |
| 2038252                       | Eaton AMT LSM Package - Linehaul Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.   | \$0   | 0#     |
| 2038253                       | Eaton AMT LSM Package - Vocational Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options. | \$0   | 0#     |
| 2050008                       | Neutral Coast Mode Cruise Only Automated Transmission Programming.                                                                                                                                                                                                                                                                                                                                                                                                                     | \$0   | 0#     |
| 2050009                       | Neutral Coast Mode Pedal Only For Automated Transmission Programming.                                                                                                                                                                                                                                                                                                                                                                                                                  | \$0   | 0#     |
| 2050010                       | Neutral Coast Mode Pedal and Cruise For Automated Transmission Programming.                                                                                                                                                                                                                                                                                                                                                                                                            | \$0   | 0#     |
| 2410231                       | Manual hold set at 5th gear for Eaton Automated Transmissions.                                                                                                                                                                                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 2410233                       | Manual hold set at 6th gear for Eaton Automated Transmissions                                                                                                                                                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 2410234                       | Manual hold set at 7th gear for Eaton Automated Transmissions.                                                                                                                                                                                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 2410235                       | Manual hold set at 3rd gear for Eaton Automated Transmissions.                                                                                                                                                                                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 2410236                       | Manual hold set at 10th gear for automated transmissions.                                                                                                                                                                                                                                                                                                                                                                                                                              | \$0   | 0#     |
| 2410241                       | 1st Gear Start for Eaton UltraShift.                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$0   | 0#     |
| 2410704                       | Standard Shift Calibration                                                                                                                                                                                                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| 2410706                       | Tanker Shift Calibration (Unbaffled)                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$0   | 0#     |



## T680: TRANSMISSIONS

| Option                        | Description                                                                                    | Price   | Weight |
|-------------------------------|------------------------------------------------------------------------------------------------|---------|--------|
| <b>Transmission Equipment</b> |                                                                                                |         |        |
| <b>Eaton Software</b>         |                                                                                                |         |        |
| 2410708                       | Performance Shift Calibration                                                                  | \$0     | 0#     |
| 2410753                       | Second Shift Calibration: Off Road PACCAR TX PRO And Endurant XD PRO                           | \$0     | 0#     |
| 2410754                       | Enable Second Shift Calibration PACCAR TX PRO And Endurant XD PRO                              | \$0     | 0#     |
| 2410755                       | Second Shift Calibration: Standard PACCAR TX PRO And Endurant XD PRO                           | \$0     | 0#     |
| 2410756                       | Second Shift Calibration: Performance PACCAR TX PRO And Endurant XD PRO                        | \$0     | 0#     |
| 2410757                       | Second Shift Calibration: Tanker (unbaffled) PACCAR TX PRO And Endurant XD PRO                 | \$0     | 0#     |
| <b>Transfer Case</b>          |                                                                                                |         |        |
| 2349006                       | Jackshaft Installation: Includes 2 Centerbearings and 2 Crossmembers to Support the Jackshaft. | \$3,445 | 100#   |
| <b>Split-Shaft PTO</b>        |                                                                                                |         |        |
| 2349018                       | Split Shaft PTO: C/I Namco 174C Series Info code for compatibility only.                       | \$0     | 0#     |
| <b>Clutch</b>                 |                                                                                                |         |        |
| 2240208                       | Clutch: 430mm Self-Adjust Organic, Max Torque 1850 ft-lbs                                      | STD     | 0#     |
| 2240211                       | Clutch: 430mm Self-Adjust, High Capacity Organic, Max Torque 2050 ft-lbs                       | \$915   | 0#     |
| 2250496                       | Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1750 ft-lb, Ceramic, 4-Paddle, Predamper     | \$910   | 0#     |
| 2250497                       | Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1850 ft-lb, Ceramic, 6-Paddle, Predamper     | \$1,559 | 6#     |
| 2250498                       | Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 2050 ft-lb, Ceramic, 6-Paddle, Predamper     | \$1,617 | 6#     |
| 2250499                       | Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 2250 ft-lb, Ceramic, 6-Paddle, Predamper     | \$1,937 | 6#     |
| <b>Manually Adjusting</b>     |                                                                                                |         |        |
| 2250385                       | Clutch:UltraShift Plus Or Fuller Advantage Series Automated transmissions.                     | \$918   | 0#     |
| <b>Miscellaneous</b>          |                                                                                                |         |        |
| 2294080                       | Air-Assisted Hydraulic Clutch                                                                  | \$0     | 0#     |
| 2493009                       | Aluminum Clutch Housing                                                                        | \$0     | 0#     |
| 2494050                       | Grease Bank for Clutch Throwout Bearing                                                        | \$119   | 4#     |



## T680: TRANSMISSIONS

| Option  | Description                                                                                                         | Price   | Weight |
|---------|---------------------------------------------------------------------------------------------------------------------|---------|--------|
| PTO     |                                                                                                                     |         |        |
| Chelsea |                                                                                                                     |         |        |
| 2421414 | PTO: Chelsea 489QFLZX-D3RK, 8 Bolt Bottom mounted, Electric over air shift, SAE output                              | \$4,743 | 32#    |
| 2421415 | PTO: Chelsea 489QHLZX-D3RK, 8 Bolt Bottom Mounted, Electric over Air Shift, SAE output                              | \$4,743 | 32#    |
| 2421416 | PTO: Chelsea 489QCLZX-D3RK, 8 Bolt Bottom mounted, Electric over Air Shift, SAE output                              | \$4,743 | 32#    |
| 2421417 | PTO: Chelsea 489GFAHX-V5RK, 8 Bolt Bottom mounted, Air shift, SAE output                                            | \$3,971 | 32#    |
| 2421428 | PTO: Chelsea 489GQAHX-V3RK, 8 Bolt Bottom Mounted, Air Shift, SAE output                                            | \$3,971 | 32#    |
| 2421430 | PTO: Chelsea 489XLAHX-V3RK, 8 Bolt Bottom Mounted, Air Shift, SAE output                                            | \$3,865 | 32#    |
| 2421431 | PTO: Chelsea 489XQAHX-V3RK, 8 Bolt Bottom mounted, Air Shift, SAE output                                            | \$3,865 | 32#    |
| 2421432 | PTO: Chelsea 489XRAHX-V3RK, 8 Bolt Bottom mounted, Air Shift, SAE output                                            | \$3,865 | 32#    |
| Muncie  |                                                                                                                     |         |        |
| 2424004 | PTO: Muncie TG8F-E7004-P2BX, 8 Bolt Bottom Mounted, Air Shift                                                       | \$3,302 | 22#    |
| 2424006 | PTO: Muncie TG8F-E7006-P2BX, 8 Bolt Bottom Mounted, Air Shift                                                       | \$3,378 | 22#    |
| 2424008 | PTO: Muncie TG8F-E7008-P2BX, 8 Bolt Bottom Mounted, Air Shift                                                       | \$3,678 | 22#    |
| 2424014 | PTO: Muncie TG8F-E7012-P2BX, 8 Bolt Bottom Mounted, Air Shift                                                       | \$3,319 | 22#    |
| 2424044 | PTO: Muncie TG8F-E8007-P1KX, 8 Bolt Bottom mounted, air shift, SAE output                                           | \$3,578 | 22#    |
| 2424407 | PTO:MUNCIE TG8S-U6808-A1KX BTM MTD                                                                                  | \$3,361 | 22#    |
| 2424420 | PTO:Muncie TG8S-U6807-P1BX BTM MTD 8BLT SINGLE ACTION, NO CONTROLS, SAE                                             | \$2,948 | 22#    |
| 2424424 | PTO: Muncie TG8F-E8005-P1BX Bottom Mounted, Air Shift, 8 Bolt, Single Acting                                        | \$3,378 | 22#    |
| 2424426 | PTO:Muncie TG8S-U6807-P1PG BTM MTD 8BLT Single Acting, No Controls, SAE                                             | \$3,430 | 22#    |
| 2424428 | PTO: Muncie TG8F-E8006-P1KX Bottom Mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only. | \$3,494 | 22#    |
| 2424429 | PTO: Muncie TG8F-E8007-P3KX bottom mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only. | \$3,494 | 0#     |
| 2424430 | PTO: Muncie TG8F-E8008-P1KX Bottom Mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only. | \$3,494 | 22#    |



## T680: TRANSMISSIONS

| Option          | Description                                                                                                         | Price   | Weight |
|-----------------|---------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>PTO</b>      |                                                                                                                     |         |        |
| <b>Muncie</b>   |                                                                                                                     |         |        |
| 2424431         | PTO: Muncie TG8F-E8012-P1PH Bottom Mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only. | \$3,577 | 22#    |
| 2425107         | PTO: MUNCIE TG8S-U6807-P1KX BTM MTD 8BLT SINGLE ACTING, NO CONTROLS, SAE                                            | \$3,148 | 22#    |
| 2425159         | PTO:MUNCIE CS8B-U6005-E3BX BTM MTD 8BLT W/12V ELEC/AIR SHFT, W/METRIC STUDS                                         | \$5,500 | 47#    |
| 2425172         | PTO: Muncie CS8B-U6807-P1KX Bottom Mounted 8-bolt Single Acting, No controls, Metric Studs                          | \$5,472 | 49#    |
| 2425219         | PTO: Muncie TG8B-U6806-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, Metric Studs                       | \$3,229 | 22#    |
| 2425220         | PTO: Muncie TG8B-U6808-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, Metric Studs                       | \$3,229 | 22#    |
| 2425221         | PTO: Muncie TG8S-U6806-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs                          | \$3,148 | 22#    |
| 2425223         | PTO: Muncie TG8S-U6808-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs                          | \$3,148 | 22#    |
| 2425224         | PTO: Muncie TG8S-U6812-P1PH, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs                          | \$3,234 | 22#    |
| 2425242         | PTO:Muncie TG8S-U6805-P1BX BTM MTD 8BLT SNGL ACT, SAE                                                               | \$2,948 | 22#    |
| 2425244         | PTO:Muncie TG8S-U6804-P1BX BTM MTD 8BLT SNGL ACT, SAE                                                               | \$2,948 | 22#    |
| 2425377         | PTO:MUNCIE CS8S-U6807-P1ZX BOTTOM MTD 8 BLT, NO CNTRLs                                                              | \$5,692 | 0#     |
| 2425379         | PTO: MUNCIE CS8S-U6005-E3BX BTM MTD 8BLT 12V ELEC/AIR SHIFT                                                         | \$5,414 | 49#    |
| <b>PTO Misc</b> |                                                                                                                     |         |        |
| 2410044         | Thru-Shaft PTO Provision (PTO not Included) 10-speed RTO14908LL.                                                    | \$349   | 6#     |
| 2429061         | Angled PTO Adapter for Chelsea Right Hand 6-Bolt Eaton FR(O) transmissions                                          | \$1,655 | 15#    |
| 2429062         | Angled PTO Adapter for Muncie Right Hand 6-Bolt PTO with Eaton FR(O) transmissions                                  | \$1,338 | 0#     |
| 2429063         | Angled PTO Adapter for Chelsea RH 6-Bolt RT and Ultrashift Plus transmissions                                       | \$1,300 | 0#     |
| 2429064         | Angled PTO Adapter for Muncie RH 6-Bolt RT and Ultrashift Plus transmissions                                        | \$1,235 | 0#     |
| 2429100         | Chassis will be Fitted with LH Transmission PTO. (Prevents ECU From Interfering With PTO Only)                      | \$0     | 0#     |
| 2429101         | Chassis will be Fitted with RH Transmission PTO. (Prevents ECU From Interfering With PTO Only)                      | \$0     | 0#     |



## T680: TRANSMISSIONS

| Option          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Price | Weight |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>PTO</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |       |        |
| <b>PTO Misc</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |       |        |
| 2429351         | First Transmission PTO Compatibility - Chelsea 230/236/238/442/489/660/680-V3 or Muncie CS8/SH8/TG8S-P1 bottom mounted 6 or 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.                                                                                                                                                                                                                  | \$0   | 0#     |
| 2429352         | First Transmission PTO Compatibility - Chelsea 823-V3 or Muncie 828S-U1 bottom mounted 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation.                                                                                                                                                                                                                                                             | \$0   | 0#     |
| 2429353         | First Transmission PTO Compatibility - Chelsea 885-V3 bottom mounted 8-Bolt PTO's for all Eaton transmissions. This application includes use of the optional hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.                                                                                                                                                                                                                                                                                  | \$0   | 0#     |
| 2429354         | First Transmission PTO Compatibility - Chelsea 880-V3 bottom mounted 8-Bolt PTO's for Eaton all transmissions. This application includes use of the optional hydraulic clutch actuator on Eaton & PACCAR RT & FR transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation.                                                                                                                                                                                                                                                                               | \$0   | 0#     |
| 2429355         | First Transmission PTO Compatibility - Chelsea 230/236/ 442/660-V3 or Muncie CS/SH/TG6-P1 RH mounted 6-Bolt PTO's for Eaton transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports RH mounted 6-Bolt PTO's with single acting air actuation.                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 2429356         | Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 442/660 RH mounted 6-Bolt PTO's for Eaton RT transmissions as second transmission PTO in conjunction with Chelsea 880/885 bottom mounted 8-Bolt PTO's. This application includes use of the optional hydraulic clutch actuator and supports RH mounted 6-Bolt PTO's with single acting air actuation.                                                                                                                                                                                          | \$0   | 0#     |
| 2429357         | First Transmission PTO Compatibility Chelsea 541 Thru-Shaft PTO's for Eaton transmissions. This PTO requires double acting air actuation.                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$0   | 0#     |
| 2429358         | Rear Transmission Support Springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.                                                                                                                                                                                                                                                                                                                                                                                                      | \$92  | 0#     |
| 2429359         | First Factory Installed Eaton/PACCAR Trans PTO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 2429360         | Second Factory Installed Eaton Transmission PTOs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$0   | 0#     |
| 2429361         | First Customer Installed Eaton/PACCAR Trans PTO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$0   | 0#     |
| 2429362         | Second Customer Installed Eaton Transmission PTO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$0   | 0#     |
| 2429363         | Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 230/236/238/442/489/660/680 or Muncie CS8/SH8/TG8S bottom mounted 6 or 8-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation. Includes LH under cab clear space to ensure PTO access. • Not available for Eaton Ultrashift Plus transmissions using CS8/SH8 bottom mounted 8-Bolt PTO's. | \$0   | 0#     |



## T680: TRANSMISSIONS

| Option          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Price | Weight |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>PTO</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |       |        |
| <b>PTO Misc</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |       |        |
| 2429364         | Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 823 or Muncie 828 bottom mounted 8-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on RT & FR Eaton transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access. • Not available for Eaton Ultrashift Plus transmissions using 828S bottom mounted 8-Bolt PTO's.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$0   | 0#     |
| 2429365         | Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 885 bottom mounted 8-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the optional hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation. Includes LH under cab clear space to ensure PTO access. Not available for RT transmissions with dual transmission PTO's using Chelsea 230/236 or 340 RH mounted 6-Bolt PTO's. Not available for FR transmissions with dual transmission PTO's using Chelsea 230/236/442/660 RH mounted 6-Bolt PTO's.                                                                                                                                                                                                                                                                                                                                                                      | \$0   | 0#     |
| 2429366         | Second Transmission PTO Compatibility - Dual transmission PTO applications using Muncie 880 bottom mounted 8-Bolt PTO's for Eaton all transmissions as second transmission PTO. This application includes use of the optional hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access. Not available for RT transmissions with dual transmission PTO's using Chelsea 230/236 or 340 RH mounted 6-Bolt PTO's. Not available for FR transmissions with dual transmission PTO's using Chelsea 230/236/442/660 RH mounted 6-Bolt PTO's.                                                                                                                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| 2429367         | Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 230/236/442/660 or Muncie CS/SH/TG6 RH mounted 6-Bolt PTO's for Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports RH mounted 6-Bolt PTO's with single acting air actuation. Not available with RH Behind Fairing DPF-SCR exhaust systems (S/C's 1247156, 1247175, 1247180 & 1247185). Not available with Horizontal Crossover SCR exhaust systems (S/C's 1247110, 1247115 or 1247120). Restricted access with RH Cab Step Assembly DPF-SCR exhaust systems with Vertical BOS tailpipes or RH Horizontal Tailpipe Below Rail (S/C's 1247176, 1247181 & 1247186). Not available with Vertical Independent SCR exhaust systems (S/C 1227110). Not available for Eaton RT or FR transmissions with dual transmissions PTO's using Chelsea 880/885 bottom mounted 8-Bolt PTO's. Not available with AG130 Front Air Suspension (S/C 2884000). | \$0   | 0#     |
| 2429368         | Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 541 Thru-Shaft PTO's for Eaton transmissions as second transmission PTO. This PTO requires double acting air actuation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$0   | 0#     |
| 2429369         | First Transmission PTO Compatibility Chelsea 340 bottom mounted reversible 6-Bolt PTO's for all Eaton transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access. Requires 2429358 for transmission support springs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$0   | 0#     |
| 2429370         | First Transmission PTO Compatibility - Chelsea 340 RH mounted reversible 6-Bolt PTO's for Eaton transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports PTO's with double acting air actuation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 2429371         | Second Transmission PTO Compatibility - Dual Dual transmission PTO applications using Chelsea 340 bottom mounted reversible 6-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on RT & FR Eaton transmissions and supports PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$0   | 0#     |



## T680: TRANSMISSIONS

| Option          | Description                                                                                                                                                                                                                                                                                                                                                                         | Price | Weight |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>PTO</b>      |                                                                                                                                                                                                                                                                                                                                                                                     |       |        |
| <b>PTO Misc</b> |                                                                                                                                                                                                                                                                                                                                                                                     |       |        |
| 2429372         | Second Transmission PTO Compatibility - Dual Dual transmission PTO applications using Chelsea 340 RH mounted reversible 6-Bolt PTO's for Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports PTO's with double acting air actuation.                                | \$0   | 0#     |
| 2429373         | Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 340 RH mounted reversible 6-Bolt PTO's for Eaton FR transmissions as second transmission PTO in conjunction with Chelsea 880/885 bottom mounted 8-Bolt PTO's. This application includes use of the optional hydraulic clutch actuator and supports PTO's with double acting air actuation. | \$0   | 0#     |
| 2429374         | Factory Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTO to be installed by the factory. Create NPO for specific PTO to be installed by the factory. Not available with Rear Engine PTO (REPTO)                                                                                                | \$0   | 0#     |
| 2429375         | Factory Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTOs to be installed by the factory.                                                                                                                                                                                                       | \$0   | 0#     |
| 2429376         | Factory Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions. Create NPO for specific PTOs to be installed by the factory.                                                                                                                                                                                                              | \$0   | 0#     |
| 2429380         | Factory Installed Chelsea 230/236/238/442/489/ 660/680/885 or Muncie CS/SH/TG6/8 6 or 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with single acting air actuation.                                                                                                                                                          | \$0   | 0#     |
| 2429381         | Customer Installed Chelsea 230/236/238/442/489/ 660/680/885 or Muncie CS/SH/TG6/8 6 or 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with single acting air actuation.                                                                                                                                                         | \$0   | 0#     |
| 2429382         | Factory Installed Chelsea 823/880 or Muncie 828 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with double acting air actuation.                                                                                                                                                                                                | \$0   | 0#     |
| 2429383         | Customer Installed Chelsea 823/880 or Muncie 828 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with double acting air actuation.                                                                                                                                                                                               | \$0   | 0#     |
| 2429393         | C/I Rear Transmission PTO Compatibility Dual - Transmission PTO applications using customer installed rear mounted 4-bolt PTOs for Eaton Endurant/PACCAR 12 speed transmissions as a second transmission PTO in conjunction with approved Chelsea or Muncie bottom mounted 8-bolt PTOs. This option should only be used with SPL250 driveline.                                      | \$0   | 0#     |

## Driveline

### Driveline Equipment

|         |                                          |       |     |
|---------|------------------------------------------|-------|-----|
| 2406005 | 45 degree Yokes on Interaxle Drivelines. | \$606 | 11# |
| 2410100 | Two Guards for Dual Drivelines.          | \$453 | 8#  |
| 2410105 | One Guard for Single Driveline.          | \$120 | 4#  |

### Dana



## T680: TRANSMISSIONS

| Option           | Description                                                                                                                                                                                                                        | Price   | Weight |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Driveline</b> |                                                                                                                                                                                                                                    |         |        |
| <b>Dana</b>      |                                                                                                                                                                                                                                    |         |        |
| 2405205          | Driveline:1 Dana 1810 Heavy-Duty No Centerbearing *Heavy duty is 1810HD series.                                                                                                                                                    | (\$5)   | -10#   |
| 2405405          | Driveline: 2 Dana 1810 Heavy-Duty 1 Centerbearing *Heavy duty is 1810HD series.                                                                                                                                                    | \$1,245 | 83#    |
| 2405425          | Driveline: 3 Dana 1810 Heavy-Duty W/2 Centerbearings *Heavy duty is 1810HD series.                                                                                                                                                 | \$2,499 | 176#   |
| 2405427          | Driveline:4 Dana 1810 Heavy-Duty 3 Centerbearings *Heavy duty is 1810HD series.                                                                                                                                                    | \$3,772 | 268#   |
| 2406204          | Driveline: 1 Dana SPL170XL No Centerbearing                                                                                                                                                                                        | (\$62)  | -24#   |
| 2406205          | Driveline: 1 Dana SPL250XL W/ No Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps. | \$36    | -6#    |
| 2406207          | Driveline: 1 Dana SPL250SF with No Centerbearing.                                                                                                                                                                                  | \$36    | -6#    |
| 2406303          | Driveline: 2 Dana SPL250 LITE; W/ 1 C/B                                                                                                                                                                                            | \$1,154 | 103#   |
| 2406304          | Driveline: 3 Dana SPL250 LITE; W/ 2 C/B                                                                                                                                                                                            | \$2,341 | 201#   |
| 2406305          | Driveline: 4 Dana SPL250 LITE; W/ 3 C/B                                                                                                                                                                                            | \$3,564 | 299#   |
| 2406311          | Driveline: 2 Dana SPL250SF Lite, 1 Centerbearing                                                                                                                                                                                   | \$1,154 | 103#   |
| 2406312          | Driveline: 3 Dana SPL250SF Lite, 2 Centerbearings                                                                                                                                                                                  | \$2,300 | 201#   |
| 2406313          | Driveline: 4 Dana SPL250SF Lite, 3 Centerbearings                                                                                                                                                                                  | \$3,463 | 299#   |
| 2406318          | Driveline: 4 SPL250SF with 3 centerbearings                                                                                                                                                                                        | \$3,501 | 306#   |
| 2406452          | Driveline: 2 Dana SPL170XL 1 Centerbearing                                                                                                                                                                                         | \$1,133 | 61#    |
| 2406453          | Driveline: 2 Dana SPL250XL 1 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.     | \$1,187 | 98#    |
| 2406454          | Driveline: 4 Dana SPL250XL 3 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.     | \$3,518 | 306#   |
| 2406465          | Driveline: 2 Dana SPL250SF 1 Centerbearing                                                                                                                                                                                         | \$1,187 | 98#    |
| 2406466          | Driveline: 2 Dana SPL170SF With 1 Centerbearing                                                                                                                                                                                    | \$1,141 | 61#    |
| 2406467          | Driveline: 3 Dana SPL250SF 2 Centerbearing                                                                                                                                                                                         | \$2,343 | 202#   |



## T680: TRANSMISSIONS

| Option           | Description                                                                                                                                                                                                                        | Price   | Weight |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Driveline</b> |                                                                                                                                                                                                                                    |         |        |
| <b>Dana</b>      |                                                                                                                                                                                                                                    |         |        |
| 2406468          | Driveline: 1 SPL170SF With 0 Centerbearings                                                                                                                                                                                        | (\$41)  | -24#   |
| 2406469          | Driveline: 3 SPL170SF With 2 Centerbearings                                                                                                                                                                                        | \$2,332 | 145#   |
| 2406470          | Driveline: 4 SPL170SF With 3 Centerbearings                                                                                                                                                                                        | \$3,549 | 229#   |
| 2406472          | Driveline:1 Dana SPL350 LITE HT; W/ No C/B Heavy Duty                                                                                                                                                                              | \$215   | -33#   |
| 2406475          | Driveline:2 Dana SPL350 LITE HT; W/ 1 C/B Heavy Duty                                                                                                                                                                               | \$1,693 | 60#    |
| 2406477          | Driveline: 3 Dana SPL350 LITE HT; W/ 2 C/B Heavy Duty                                                                                                                                                                              | \$3,172 | 154#   |
| 2406478          | Driveline: 4 Dana SPL350 LITE HT; W/ 3 C/B Heavy Duty                                                                                                                                                                              | \$4,544 | 247#   |
| 2406479          | Driveline:1 Dana SPL350SF LITE HT; W/ No C/B *Heavy Duty                                                                                                                                                                           | \$215   | -168#  |
| 2406480          | Driveline: 2 Dana SPL350SF LITE HT; W/ 1 C/B Heavy Duty                                                                                                                                                                            | \$1,716 | 60#    |
| 2406481          | Driveline: 3 Dana SPL350SF LITE HT; W/ 2 C/B Heavy Duty                                                                                                                                                                            | \$3,273 | 154#   |
| 2406482          | Driveline: 4 Dana SPL350SF LITE HT; W/ 3 C/B Heavy Duty                                                                                                                                                                            | \$4,762 | 247#   |
| 2406802          | Driveline: 3 Dana SPL170XL 2 Centerbearing                                                                                                                                                                                         | \$2,274 | 145#   |
| 2406803          | Driveline: 3 Dana SPL250XL W/ 2 Centerbearings Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps. | \$2,343 | 202#   |
| 2406820          | Driveline: 4 Dana SPL170XL 3 Centerbearing                                                                                                                                                                                         | \$3,505 | 229#   |
| <b>Meritor</b>   |                                                                                                                                                                                                                                    |         |        |
| 2408201          | Driveline: 1 Meritor RPL25; No Center Bearing                                                                                                                                                                                      | (\$70)  | -8#    |
| 2408302          | Driveline: 1 Meritor RPL25 SD; No Centerbearing                                                                                                                                                                                    | STD     | 0#     |
| 2408401          | Driveline: 2 Meritor RPL25; 1 Centerbearing                                                                                                                                                                                        | \$820   | 86#    |
| 2408502          | Driveline: 2 Meritor RPL25 SD; 1 Centerbearing                                                                                                                                                                                     | \$975   | 104#   |
| 2408602          | Driveline: 3 Meritor RPL25; 2 Centerbearing                                                                                                                                                                                        | \$1,979 | 180#   |
| 2408703          | Driveline: 3 Meritor RPL25 SD; 2 Centerbearing                                                                                                                                                                                     | \$1,850 | 208#   |
| 2408740          | DRIVELINE:4 MERITOR RPL25 SD; 3 CTRBRG                                                                                                                                                                                             | \$2,944 | 311#   |



## T680: TRANSMISSIONS

| Option                         | Description                                                                                                | Price   | Weight |
|--------------------------------|------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Driveline</b>               |                                                                                                            |         |        |
| <b>Meritor</b>                 |                                                                                                            |         |        |
| 2408802                        | Driveline:1 Meritor RPL35; No Centerbearing                                                                | \$338   | 44#    |
| 2408803                        | Driveline:1 Meritor RPL35SD; No Centerbearing                                                              | \$593   | 53#    |
| 2408902                        | Driveline: 2 Meritor RPL35; 1 Centerbearing                                                                | \$1,520 | 167#   |
| 2408903                        | Driveline: 2 Meritor RPL35SD; 1 Centerbearing                                                              | \$1,982 | 184#   |
| 2409003                        | Driveline: 3 Meritor RPL35; 2 Centerbearings                                                               | \$2,813 | 289#   |
| 2409004                        | Driveline: 3 Meritor RPL35SD; 2 Centerbearing                                                              | \$3,375 | 315#   |
| 2409050                        | Driveline: 4 Meritor RPL35SD; 3 Centerbearings                                                             | \$4,787 | 445#   |
| <b>Interaxle Driveline</b>     |                                                                                                            |         |        |
| 3500037                        | Interaxle Driveline:1 Dana 1710 Series Tandem Rear Axles Only.                                             | (\$92)  | -1#    |
| 3500048                        | Interaxle Driveline: 1 Dana SPL250SF Tandem Only                                                           | \$412   | -72#   |
| 3500057                        | Interaxle Driveline: 1 Dana SPL170XL Tandem Rear Axles Only                                                | (\$65)  | 8#     |
| 3500058                        | Interaxle Driveline: 1 Meritor RPL20 Replacing I/A *Use W/ RPL(SD) 25 Main D/L                             | STD     | 0#     |
| 3500062                        | Interaxle Driveline: 1 Dana SPL170SF Not For Tridem Axles.                                                 | (\$65)  | 8#     |
| 3500063                        | Interaxle Driveline: 2 Dana SPL170SF Only For Tridem Axles.                                                | \$1,241 | 104#   |
| 3500065                        | Interaxle Driveline: 1 Meritor RPL25 Replacing I/A *USE W/ RPL 35 Main D/L                                 | \$304   | 24#    |
| 3500068                        | Interaxle Driveline: 1 Dana SPL250XL *Use with Tandem Axles Only                                           | \$212   | 26#    |
| <b>Transmission Oil Cooler</b> |                                                                                                            |         |        |
| 2460042                        | 14" Eaton High Capacity Standard Cooler Oil to Water. For Transmission 1550-2250 LBFT, 18-speed AutoShift. | \$0     | 0#     |
| 2460048                        | 14" Eaton High Capacity Optional Cooler Oil to Water. For transmission under 1550 LBFT, pump included.     | \$876   | 22#    |
| 2460054                        | Additional KW Oil to Water Transmission Cooler For use with Endurant XD/PACCAR TX-18 Transmissions         | \$506   | 10#    |



## T680: FRONT AXLE

| Option              | Description                                                                                                     | Price | Weight |
|---------------------|-----------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Front Axles</b>  |                                                                                                                 |       |        |
| <b>12K to 13.2K</b> |                                                                                                                 |       |        |
| 2502014             | Dana Spicer D-1251IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5. Use With Air Disc Brakes Only            | \$310 | -21#   |
| 2502015             | Dana Spicer D-1251LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5. Use w/ Air Disc Brakes Only. | \$375 | -21#   |
| 2502017             | Dana Spicer D-1321IL Front Axle rated 13.2K 3.5" drop. Use With Air Disc Brakes Only                            | \$264 | -47#   |
| 2502240             | Dana Spicer E-1252IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5.                                          | \$216 | 15#    |
| 2502243             | Dana Spicer E-1252LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5.                              | \$445 | 15#    |
| 2502335             | Dana Spicer E-1322IL Front Axle rated 13.2K 3-1/2in. drop.                                                      | \$323 | 67#    |
| 2502336             | Dana Spicer E-1322LW Front Axle rated 13.2K 3-1/2in. drop, wide track for better turning radius.                | \$412 | -5#    |
| 2505018             | Dana Spicer D-1321LW Front Axle rated 13.2K 3.5" drop Wide Track Use W/ Air Disc Brakes Only                    | \$344 | -41#   |
| 2512042             | Meritor MFS12E PLUS 12.5K 3.5in. Drop Standard Track                                                            | STD   | 0#     |
| 2512043             | Meritor MFS12E PLUS 12.5K 3.5in. Drop Wide Track                                                                | \$50  | 19#    |
| 2512044             | Meritor MFS12E PLUS 12K 3.5in. drop standard track.                                                             | \$3   | 0#     |
| 2512048             | Meritor MFS13 PLUS 13.2K 3.5in. Drop Standard Track.                                                            | \$233 | 0#     |
| 2512049             | Meritor MFS13 PLUS 13.2K 3.5in. Drop Wide Track.                                                                | \$302 | 19#    |
| <b>14.6K to 18K</b> |                                                                                                                 |       |        |
| 2503463             | Dana Spicer E-1462I Front Axle rated 14.6K 3-1/2in. drop.                                                       | \$738 | 67#    |
| 2503467             | Dana Spicer E-1462W Front Axle rated 14.6K 3-1/2in. drop, wide track for better turning radius.                 | \$899 | 67#    |
| 2503471             | Dana Spicer D-1461I Front Axle rated 14.6K 3-1/2in. drop, use with air disc brake only.                         | \$624 | 55#    |
| 2503473             | Dana Spicer D-1461W Front Axle rated 14.6K 3-1/2in. drop, wide track for use with air disc brake only.          | \$682 | 55#    |
| 2513030             | Meritor MFS14 Plus 14.6K 3.74in. Drop Wide Track.                                                               | \$896 | 8#     |
| 2513031             | Meritor MFS14 Plus 14.6K 3.5in. Drop Standard Track.                                                            | \$708 | -18#   |
| 2513032             | Meritor MFS14 Plus 14K 3-1/2 in Drop Standard Track                                                             | \$550 | -18#   |



## T680: FRONT AXLE

| Option                     | Description                                                                                      | Price   | Weight |
|----------------------------|--------------------------------------------------------------------------------------------------|---------|--------|
| <b>Outer End Equipment</b> |                                                                                                  |         |        |
| <b>Brakes</b>              |                                                                                                  |         |        |
| <b>12K to 13.2K</b>        |                                                                                                  |         |        |
| 2601605                    | Front Brakes: 13.2K Bendix RSD HP-ES S-Cam 16.5x5 in. drum brake.                                | (\$111) | -62#   |
| 2607005                    | Front Brakes: 13.2K Bendix Air Disc BRK ADB22X-LT                                                | \$288   | 0#     |
| 2607013                    | Front Brakes: 13.2K Bendix ADB22X-LT RSD Disc Brk                                                | STD     | 0#     |
| 2621190                    | Front Brakes: 13.2K Bendix ES S- Cam 15x4 in.                                                    | (\$736) | -86#   |
| <b>14K to 18K</b>          |                                                                                                  |         |        |
| 2601608                    | Front Brakes: 18K Bendix RSD HP-ES S-Cam 16.5x6 in. drum brake , Max GAWR 18K, with Cast Spider. | \$425   | -44#   |
| 2607001                    | Front Brakes: 14.6K Bendix Air Disc Brakes Lube Free.                                            | \$160   | 0#     |
| 2607011                    | Front Brakes: 14.6K Bendix RSD ADB22X Disc Brake.                                                | \$0     | 0#     |
| 2621310                    | Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.                                                   | \$179   | -62#   |
| 2641113                    | Front Brakes: 14.6K Meritor Q+ RSD S-Cam 16.5x5 in. drum brake.                                  | (\$58)  | -44#   |
| 2641141                    | Front Brakes: 14.6K Meritor Q-Plus 16.5x5 in. Not for fire truck/EMT/rescue service.             | (\$188) | -44#   |
| 2647002                    | Front Brakes: 14.6K Meritor EX+LS air disc brakes                                                | (\$46)  | 0#     |
| 2647003                    | Front Brakes: 14.6K Meritor EX+L Optimized air disc brakes.                                      | (\$37)  | 0#     |
| 2647009                    | Front Air Disc Brakes: 14.6K Meritor EX+L Optimized RSD reduced stopping distance tractor only.  | \$13    | 0#     |
| 2647010                    | Front Air Disc Brakes: 14.6K Meritor EX+LS Reduced Stopping Distance Tractor Only                | \$20    | 0#     |
| <b>20K &amp; Over</b>      |                                                                                                  |         |        |
| 2601612                    | Front Brakes: Bendix HP-ES 16.5X6, Max Cap 22K.                                                  | \$381   | -24#   |
| <b>Brake Drums</b>         |                                                                                                  |         |        |
| <b>12K to 13.2K</b>        |                                                                                                  |         |        |
| 2690030                    | Front Brake Drums: 13.2K 15x4 in. cast.                                                          | (\$747) | 0#     |
| <b>14.6K</b>               |                                                                                                  |         |        |
| 2690002                    | Front Brake Drums: 14.6K 16.5x5 in. cast.                                                        | (\$307) | 78#    |
| 2690016                    | Front Brake Drums: 14.6K Meritor X30 light weight 16.5x5 in.                                     | \$59    | 42#    |



## T680: FRONT AXLE

| Option                     | Description                                                                                                                                  | Price   | Weight |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Outer End Equipment</b> |                                                                                                                                              |         |        |
| <b>Brake Drums</b>         |                                                                                                                                              |         |        |
| <b>14.6K</b>               |                                                                                                                                              |         |        |
| 2690031                    | Front Brake Drum: Tru Turn Lite 16.5X5, max rating 14.6K                                                                                     | (\$236) | 56#    |
| <b>20K &amp; Over</b>      |                                                                                                                                              |         |        |
| 2690013                    | Front Brake Drum: 20K Meritor X30 light weight 16.5x6 in.                                                                                    | \$58    | 42#    |
| 2690032                    | Front Brake Drum: Tru Turn Lite 16.5X6, max rating 20K                                                                                       | (\$207) | 80#    |
| 2690035                    | Front Brake Drum: 22K 16.5x6 in. cast.                                                                                                       | (\$231) | 104#   |
| <b>Rotors</b>              |                                                                                                                                              |         |        |
| 2690024                    | Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.                                                                          | STD     | 0#     |
| 2690025                    | Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.                                                                              | (\$140) | 0#     |
| 2690042                    | U-Shaped Rotor for Meritor Air Disc Brakes.                                                                                                  | (\$336) | 0#     |
| 2690060                    | Rotor for Front Air Disc Brakes for use with aluminum hubs. For Meritor front air disc brakes.                                               | \$48    | 0#     |
| <b>Hubs</b>                |                                                                                                                                              |         |        |
| <b>12K to 13.2K</b>        |                                                                                                                                              |         |        |
| 2701300                    | Front Hub: Aluminum Hub Pilot 13,200 lbs. 10-Bolt, 11-1/4 in. bolt circle .                                                                  | STD     | 0#     |
| <b>14.6K to 16K</b>        |                                                                                                                                              |         |        |
| 2702500                    | Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels. | (\$7)   | 48#    |
| 2707050                    | Front Hub: 14,600 lbs. Aluminum Hub Pilot 10-bolt, 11.25 in. bolt circle.                                                                    | \$70    | 0#     |
| <b>Oil Seals</b>           |                                                                                                                                              |         |        |
| 2741961                    | Front Axle Oil Seal: for 335 mm. Bolt Circles, ball seat hubs or spoke wheels.                                                               | \$0     | 0#     |
| 2741970                    | ConMet PreSet Plus Hub Package; Front Axle.                                                                                                  | STD     | 0#     |
| <b>Hubcaps</b>             |                                                                                                                                              |         |        |
| 2750001                    | Hubcap: Front Vented.                                                                                                                        | STD     | 0#     |
| <b>Miscellaneous</b>       |                                                                                                                                              |         |        |
| 2659047                    | Front Dustshield: for Drum Brakes: All Front Axles.                                                                                          | \$85    | 6#     |
| 2659144                    | Front Meritor Platinum Shield Brakes Add-on. Platinum Shield is only a shoe change.                                                          | \$49    | 0#     |



## T680: FRONT AXLE

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Outer End Equipment

#### Miscellaneous

|         |                                                                             |       |     |
|---------|-----------------------------------------------------------------------------|-------|-----|
| 2690028 | Integral Knuckle for Air Disc Brake, for use on Meritor MFS PLUS Steer Axle | \$0   | 0#  |
| 2690029 | Drum Brake Knuckle for Use on Meritor MFS Plus Steer Axle                   | \$0   | 20# |
| 2900903 | Front Bendix Air Disc Brake Dustshield includes pad air disc brakes only.   | \$70  | 1#  |
| 2900916 | Front Disc Brake Pad/Rotor Dust Shields Air Disc Brakes Only.               | \$376 | 0#  |
| 2900919 | Front Air Disc Brake Dustshield Includes Pads.                              | \$61  | 1#  |
| 2900920 | Front Disc Brake: Meritor Pad/Rotor Dust Shields.                           | \$121 | 1#  |

#### Slack Adjusters

|         |                                                                              |     |    |
|---------|------------------------------------------------------------------------------|-----|----|
| 2765001 | Front Auto Slack Adjuster for Drum Brakes.                                   | \$0 | 0# |
| 2769000 | Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes. | STD | 0# |

### Front Springs

#### 12K to 14.6K Capacity

|         |                                                                                                                                                                                               |         |      |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------|
| 2863012 | Front Springs: Taperleaf 12K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. | STD     | 0#   |
| 2863017 | Front Springs: Taperleaf 12.35K W/ Shock absorbers w/ maintenance-free elastomer spring pin bushings.                                                                                         | \$0     | 0#   |
| 2863020 | Front Springs: Taperleaf Lightweight 12.5K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins.                                                   | \$257   | -29# |
| 2864008 | Front Springs: Taperleaf Lightweight 13.2K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins.                                                   | \$279   | -22# |
| 2864012 | Front Springs: Taperleaf 13.2K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L.                                       | \$48    | 9#   |
| 2864019 | Front Springs: Taperleaf 14.6K W/ Shock Absorbers 2-leaf. With maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L or W900S.                    | \$467   | 25#  |
| 2884000 | Kenworth AG 130 Front Air Suspension 13.2K w/ shock absorbers. Standard with rubber pins.                                                                                                     | \$1,487 | -13# |

#### Front Spring Equipment

|         |                                               |     |    |
|---------|-----------------------------------------------|-----|----|
| 2790015 | Front End Lowered: 1 in. Not Available W9B/L. | \$0 | 0# |
| 2790017 | Front End Lowered: 1.5in.                     | \$0 | 0# |



## T680: FRONT AXLE

| Option                        | Description                                                                                                                                                                      | Price | Weight |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Front Springs</b>          |                                                                                                                                                                                  |       |        |
| <b>Front Spring Equipment</b> |                                                                                                                                                                                  |       |        |
| 2900615                       | Threaded Bushings for Taperleaf Springs 12K - 14.6K replacing rubber: T6/T8, W900B, W990. W9L gets as standard: code not required. Not available with W9S. 13K - 14.6K for T370. | \$89  | 0#     |
| 2900616                       | Threaded Bushings for Taperleaf Spring 16K, 18/20K, 22K, 40K replacing rubber.                                                                                                   | \$107 | 0#     |
| <b>Power Steering</b>         |                                                                                                                                                                                  |       |        |
| <b>Single Gear</b>            |                                                                                                                                                                                  |       |        |
| 2893671                       | Single Power Steering Gear: 13.2K TRW THP60                                                                                                                                      | STD   | 0#     |
| 2893881                       | Single Power Steering Gear: 16K TRW TAS85                                                                                                                                        | \$399 | 27#    |
| 2895221                       | Single Power Steering Gear: 13.2K Sheppard HD94.                                                                                                                                 | \$349 | 0#     |
| <b>Miscellaneous</b>          |                                                                                                                                                                                  |       |        |
| 2899336                       | Power Steering Cooler:Radiator Mounted Air-to-Oil                                                                                                                                | \$369 | 11#    |
| <b>Miscellaneous</b>          |                                                                                                                                                                                  |       |        |
| 2790035                       | Maximum Length Wheel Studs for Hub Pilot Wheels only. Option is standard length w/ dual aluminum wheels, code not required.                                                      | \$13  | 2#     |



## T680: REAR AXLE

| Option                         | Description                                                                                                                                                                          | Price      | Weight |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------|
| <b>Single Drive Rear Axles</b> |                                                                                                                                                                                      |            |        |
| <b>21K to 23K</b>              |                                                                                                                                                                                      |            |        |
| 3031181                        | Single Dana Spicer S21-172 Single Reduction Rear axle. Single rear axle rated at 21K.                                                                                                | (\$9,925)  | -642#  |
| 3041180                        | Single Dana Spicer S23-172 Single Reduction Axle, single rear axle rated at 23K.                                                                                                     | (\$10,150) | -642#  |
| 3041190                        | Single Dana Spicer S23-190 Single Reduction Rear axle. Single rear axle rated at 23K.                                                                                                | (\$9,843)  | -504#  |
| 3042160                        | Single Meritor RS23-160 Rear Axle rated at 23K.                                                                                                                                      | (\$10,613) | -575#  |
| 3042161                        | Single Rear Axle 23,000 lbs. Meritor RS23-161                                                                                                                                        | (\$9,121)  | -551#  |
| <b>24K &amp; Above</b>         |                                                                                                                                                                                      |            |        |
| 3061190                        | Single Dana Spicer S26-190 Rear Axle; 26K capacity rated at 26K. Single rear axle.                                                                                                   | (\$8,001)  | -434#  |
| <b>Tandem Drive Rear Axle</b>  |                                                                                                                                                                                      |            |        |
| <b>40K &amp; Under</b>         |                                                                                                                                                                                      |            |        |
| 3103173                        | Meritor FUELite MA40-165 34K DualTrac; dead axle tandem; rear axle rated at 34K. with 12.7 mm heavy-wall housing. Use with 3511401 Driver Controlled Differential Lock (cross lock). | \$926      | -343#  |
| 3121180                        | Dual Dana Spicer D40-172 Rear Axle rated at 40K. (Super 40) w/ 11mm housing and 2.06in. shaft diameter. Tandem rear axles.                                                           | \$3,536    | 317#   |
| 3121181                        | Dual Dana Spicer D40-172P Rear Axle rated at 40K. (Super 40) w/ 11mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.                                           | \$4,388    | 317#   |
| 3121444                        | Dual Dana Spicer DSH40 Rear Axle rated at 40K w/ 11mm housing. Tandem rear axles.                                                                                                    | \$1,894    | 157#   |
| 3121446                        | Dual Dana Spicer DSH40P Rear Axle rated at 40K w/ 11mm housing and 1.81in. shaft diameter. Includes pump. Tandem rear axles.                                                         | \$2,665    | 175#   |
| 3122162                        | Dual Rear Axle 40,000 lbs. Meritor RT40-160                                                                                                                                          | \$4,419    | 491#   |
| 3122164                        | Dual Rear Axle 40,000 lbs. Meritor RT40-160P with pump                                                                                                                               | \$6,970    | 491#   |
| 3122245                        | Dual Meritor MT40-14X3 Hypoid Rear Axle rated at 40K. Tandem rear axle.                                                                                                              | \$358      | 83#    |
| 3122246                        | Dual Meritor MT40-14X3 Hypoid DualTrac Rear Axle rated at 40K. Tandem rear axles.                                                                                                    | \$1,336    | 115#   |
| 3122247                        | Dual Meritor MT40-14x4 Hypoid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.                                                                                    | \$680      | 123#   |
| 3122248                        | Dual Meritor MT40-14x4 Hypoid DualTrac Rear Axle rated at 40K. w/heavy-wall housing. Tandem rear axles.                                                                              | \$1,575    | 155#   |
| 3122250                        | Dual Meritor MP40-14x3 Rear Axle rated at 40K. Tandem rear axles with pump.                                                                                                          | \$786      | 93#    |



## T680: REAR AXLE

| Option                        | Description                                                                                                                    | Price   | Weight |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Tandem Drive Rear Axle</b> |                                                                                                                                |         |        |
| <b>40K &amp; Under</b>        |                                                                                                                                |         |        |
| 3122251                       | Dual Meritor MP40-14x3 DualTrac Rear Axle rated at 40K. Tandem rear axles with pump.                                           | \$1,500 | 125#   |
| 3122252                       | Dual Meritor MP40-14x4 Rear Axle rated at 40K. w/ heavy-wall housing with pump. Tandem rear axles.                             | \$1,079 | 139#   |
| 3122254                       | Dual Meritor MT40-14X3 Amboid Rear Axle rated at 40K. Tandem rear axle.                                                        | \$257   | 77#    |
| 3122255                       | Dual Meritor MT40-14X3 Amboid DualTrac Rear Axle rated at 40K. Tandem rear axles.                                              | \$1,414 | 109#   |
| 3122257                       | Dual Meritor MT40-14x4 Amboid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.                              | \$680   | 117#   |
| 3122258                       | Dual Meritor MT40-14x4 Amboid DualTrac Rear Axle rated at 40K. w/heavy-wall housing. Tandem rear axles.                        | \$1,336 | 149#   |
| 3122265                       | Dual Meritor MT40-14X3HE Rear Axle rated at 40k 9.5 MM HSG                                                                     | \$2,234 | 59#    |
| 3122266                       | Dual Meritor MT40-14X3HE 40K DualTrac Rear Axle rated at 40K. 9.5 MM HSG                                                       | \$3,033 | 79#    |
| 3122267                       | Dual Meritor MT40-14X4HE Rear Axle rated at 40k 11 MM HSG                                                                      | \$2,641 | 99#    |
| 3122268                       | Dual Meritor MT40-14X4HE DualTrac Rear Axle rated at 40K. 11 MM HSG                                                            | \$2,029 | 119#   |
| 3122269                       | Meritor MT40-14X4 Plus Hypoid Dual Rear Axle rated at 40K. 11 MM HSG                                                           | \$3,658 | 133#   |
| 3122270                       | Dual Meritor MT40-14x4 Plus Hypoid DualTrac Rear Axle Rated At 40k. W/ 11MM Housing. Tandem Rear Axles.                        | \$3,984 | 165#   |
| 3122271                       | Dual Meritor MP40-14x4 Plus Rear Axle Rated 40K W/ 11MM Housing, With Pump. Tandem Rear Axles.                                 | \$3,834 | 143#   |
| 3122273                       | Dual Meritor MT40-14x4 Plus Amboid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.                         | \$3,301 | 117#   |
| 3122274                       | Dual Meritor MT40-14x4 Plus Amboid DualTrac Rear Axle Rated At 40K. W/ 11MM housing. Tandem rear axles.                        | \$3,984 | 149#   |
| 3123001                       | Dual PACCAR DX-40 Axle 40K 9.5 mm housing standard track                                                                       | STD     | 0#     |
| 3123003                       | Dual PACCAR DX-40 Rear Axle 40K 9.5 mm housing mid track                                                                       | \$927   | 20#    |
| 3124400                       | Dual Dana Spicer DSP40 Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Tandem rear axles.                 | \$1,100 | 82#    |
| 3124401                       | Dual Dana Spicer DSP40P Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles. | \$320   | 100#   |



## T680: REAR AXLE

| Option                        | Description                                                                                                                                                  | Price   | Weight |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Tandem Drive Rear Axle</b> |                                                                                                                                                              |         |        |
| <b>40K &amp; Under</b>        |                                                                                                                                                              |         |        |
| 3124403                       | Dual Dana Spicer DSP41 Rear Axle rated at 40K. (DSP40 w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Tandem rear axles.                  | \$328   | 113#   |
| 3124404                       | Dual Dana Spicer DSP41P Rear Axle rated at 40K. (DSP40P w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles. | \$581   | 131#   |
| 3124416                       | Dual Dana Spicer D40-155 ADVANTEK40 Rear Axle rated at 40K. w/ 9.5mm housing. Tandem rear axles.                                                             | \$293   | 67#    |
| 3124417                       | Dual Dana Spicer D40-155P ADVANTEK40 Rear Axle rated at 40K w/ 9.5mm housing. Tandem rear axles.                                                             | \$1,049 | 85#    |
| 3124418                       | Dual Dana Spicer D40-155H ADVANTEK40 Rear Axle rated at 40K w/ 11mm housing. Tandem rear axles.                                                              | \$571   | 98#    |
| 3124420                       | Dual Dana Spicer D40-155HP ADVANTEK 40 Rear Axle rated at 40K w/ 11mm housing with pump. Tandem rear axles.                                                  | \$1,327 | 116#   |
| 3124421                       | Dual Dana Spicer D40-155HS ADVANTEK40 Rear Axle rated at 40K w/ 11mm housing with SELECTRAC. Tandem rear axles.                                              | \$1,283 | 115#   |
| 3124423                       | Dual Dana Spicer D40-155HPS ADVANTEK40 Rear Axle rated at 40K w/ 11mm housing with pump/SELECTRAC. Tandem rear axles.                                        | \$1,789 | 133#   |
| <b>44K</b>                    |                                                                                                                                                              |         |        |
| 3131446                       | Dual Dana Spicer DSH44P Rear Axle rated at 44K w/ 12.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.                               | \$3,217 | 207#   |
| 3132246                       | Dual Meritor MT44-14x5 Plus Rear Axle Rated At 44K. W/ 12.7MM Housin. Tandem Rear Axles.                                                                     | \$4,423 | 192#   |
| 3132251                       | Dual Meritor MP44-14x5 Plus Rear Axle Rated At 44k. 12.7MM Housing W/ Pump. Tandem Rear Axles.                                                               | \$4,735 | 201#   |
| <b>46K</b>                    |                                                                                                                                                              |         |        |
| 3142160                       | Dual Meritor RT46-160 Rear Axle rated at 46K. Tandem rear axles.                                                                                             | \$3,557 | 534#   |
| 3142161                       | Dual Meritor RT46-160P Rear Axle rated at 46K. Tandem rear axles. With pump                                                                                  | \$3,606 | 564#   |
| 3142170                       | Dual Meritor RT46-164EH Rear Axle rated at 46K. Tandem rear axles. Heavy wall housing                                                                        | \$3,068 | 611#   |
| 3142171                       | Dual Meritor RT46-164PEH Rear Axle rated at 46K w/ heavy wall housing. Tandem rear axles.                                                                    | \$4,494 | 641#   |
| 3144180                       | Dual Dana Spicer D46-172 Rear Axle rated at 46K. Tandem rear axles. w/ 12.5mm housing and 2.06in. shaft diameter. Tandem rear axles.                         | \$2,603 | 337#   |



## T680: REAR AXLE

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Tandem Drive Rear Axle

#### 46K

|         |                                                                                                                  |         |      |
|---------|------------------------------------------------------------------------------------------------------------------|---------|------|
| 3144182 | Dual Dana Spicer D46-172H Rear Axle rated at 46K. w/ 16mm housing and 2.06in. shaft diameter. Tandem rear axles. | \$3,782 | 376# |
|---------|------------------------------------------------------------------------------------------------------------------|---------|------|

### Single Axle Outer End Equipment

#### Brakes

|         |                                                                                                               |         |      |
|---------|---------------------------------------------------------------------------------------------------------------|---------|------|
| 3302000 | Single Rear Brakes:Bendix ADB22X-LT Air Disc Brk for single rear axles to 20K capacity.                       | \$245   | 0#   |
| 3302001 | Single Rear Brakes Bendix Air Disc Brakes for single rear axles to 23K capacity.                              | \$224   | 0#   |
| 3302002 | Single Rear Brakes Bendix Air Disc Brakes for single rear axles 23,001 to 26K capacity.                       | \$224   | 0#   |
| 3304010 | Single Rear Brakes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. single axle drum brake, Max GAWR 23k.          | (\$900) | -10# |
| 3306007 | Single Rear Brakes Bendix RSD ADB22X-LT 20K Disc brake for single axle, tractor only                          | (\$794) | 0#   |
| 3306012 | Single Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for single axle, Max GAWR 23K.                      | \$0     | 0#   |
| 3330004 | Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.                                            | (\$803) | -20# |
| 3350007 | Single Rear Brakes 16-1/2x7 in., 23K. Meritor Q-Plus extended service S-cam.                                  | (\$678) | -12# |
| 3352002 | Single Rear Brakes: Meritor EX+LS Single to 23K                                                               | \$240   | 0#   |
| 3352003 | Single Rear Brakes Meritor EX+L Optimized air disc brakes for single rear axles to 23K capacity.              | \$296   | 0#   |
| 3354022 | Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x8.625 in., single axle drum brake, Max GAWR 21k.          | (\$491) | 4#   |
| 3354023 | Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x 7 in. single axle drum brake, Max GAWR 23k.              | (\$723) | -12# |
| 3356021 | Rear Air Disc Brakes: Meritor EX+LS Max 23K Single Reduced Stopping Distance Tractor Only                     | \$4     | 0#   |
| 3356022 | Single Rear Air Disc Brakes: Meritor EX+L Optimized RSD Sing Max 23K. Reduced stopping distance tractor only. | \$57    | 0#   |

#### Brake Drums

|         |                                                                                                                                  |         |      |
|---------|----------------------------------------------------------------------------------------------------------------------------------|---------|------|
| 3392007 | Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.                                 | (\$631) | 104# |
| 3392116 | Single Rear Brake Drums Meritor X30 Light weight. For use with 16.5X7" brake. Contact Applications Engineering for maximum GAWR. | (\$568) | 72#  |

#### Rotors

\*See PremierSpec for Applicable Restrictions



## T680: REAR AXLE

| Option                                             | Description                                                                                                                                                                                      | Price   | Weight |
|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Single Axle Outer End Equipment</b>             |                                                                                                                                                                                                  |         |        |
| <b>Rotors</b>                                      |                                                                                                                                                                                                  |         |        |
| 3392042                                            | U-Shaped Rotor for Single Rear Meritor Air Disc brakes.                                                                                                                                          | (\$126) | 0#     |
| 3392204                                            | Splined Rotor for Single Rear Air Disc Brakes for use with aluminum hubs.                                                                                                                        | \$0     | 0#     |
| 3392205                                            | Splined Rotor for Single Rear Air Disc Brakes for use with iron hubs.                                                                                                                            | \$138   | 0#     |
| 3392210                                            | Rotor for Single Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.                                                                                      | (\$128) | 0#     |
| <b>Hubs</b>                                        |                                                                                                                                                                                                  |         |        |
| 3401010                                            | Single Rear Hubs: Aluminum Hub Pilot 23K; 11.25" bolt circle. Requires "R" series outer ends.                                                                                                    | \$0     | 0#     |
| 3403220                                            | Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.                                                                                                        | (\$21)  | 52#    |
| <b>Oil Seals</b>                                   |                                                                                                                                                                                                  |         |        |
| 3441971                                            | ConMet PreSet Plus Hub Package; Single Rear Axle.                                                                                                                                                | \$0     | 0#     |
| <b>Spring Brakes &amp; Parking Brakes</b>          |                                                                                                                                                                                                  |         |        |
| 3485004                                            | Spring Brakes Included W/ Single Rear Air Disc brakes.                                                                                                                                           | \$0     | 0#     |
| 3485007                                            | Spring Brake: 3030 Long Stroke Single 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.                                                                                     | \$178   | 44#    |
| 3485008                                            | Spring Brake: 3036 Single. For drum brakes.                                                                                                                                                      | \$267   | 50#    |
| 3485114                                            | Spring Brakes Piston Type for Bendix Air Disc Brakes, Single. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10% | \$554   | 70#    |
| <b>Slack Adjusters</b>                             |                                                                                                                                                                                                  |         |        |
| 3465001                                            | Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.                                                                                                                            | \$118   | 0#     |
| <b>Wheel Differential Locks &amp; Limited Slip</b> |                                                                                                                                                                                                  |         |        |
| 3511080                                            | Meritor Driver Controlled Differential Lock for single rear axle.                                                                                                                                | \$1,049 | 0#     |
| 3531001                                            | Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.                                          | \$1,420 | 0#     |
| <b>Miscellaneous</b>                               |                                                                                                                                                                                                  |         |        |
| 3490901                                            | Rear Air Disc Brake Dustshields for Single Axle; includes pads and rotor shields.                                                                                                                | \$398   | 6#     |
| 3490911                                            | Rear Air Disc Brake Meritor Dustshields for single axle; includes pads and rotor shields.                                                                                                        | \$141   | 3#     |



## T680: REAR AXLE

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Single Axle Outer End Equipment

#### Miscellaneous

|         |                                                                              |      |    |
|---------|------------------------------------------------------------------------------|------|----|
| 3490913 | Rear Air Disc Brake Meritor Dustshields for single axle; includes pads only. | \$23 | 1# |
|---------|------------------------------------------------------------------------------|------|----|

### Tandem Axle Outer End Equipment

#### Brakes

##### 46K & Under

|         |                                                                                                                                            |         |     |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|
| 3304012 | Dual Rear Brake: Bendix RSD 16.5X7 46K Capacity Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake. | (\$732) | 24# |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|

|         |                                                                                                                                                 |         |     |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|
| 3304016 | Dual Rear Brake: Bendix RSD 16.5X8.625 46K Capacity, Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake. | (\$583) | -8# |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|

|         |                                                                       |       |    |
|---------|-----------------------------------------------------------------------|-------|----|
| 3306001 | Dual Rear Bendix Air Disc Brakes for Dual rear axles to 46K capacity. | \$751 | 0# |
|---------|-----------------------------------------------------------------------|-------|----|

|         |                                                                                 |       |    |
|---------|---------------------------------------------------------------------------------|-------|----|
| 3306006 | Dual Rear Bendix Air Disc Brakes ADB22X-LT for Dual rear axles to 40K capacity. | \$441 | 0# |
|---------|---------------------------------------------------------------------------------|-------|----|

|         |                                                                              |     |    |
|---------|------------------------------------------------------------------------------|-----|----|
| 3306008 | Dual Rear:BrakesBendix RSD ADB22X-LT dual max 40K Disc brake for tandem axle | STD | 0# |
|---------|------------------------------------------------------------------------------|-----|----|

|         |                                                                                        |     |    |
|---------|----------------------------------------------------------------------------------------|-----|----|
| 3306014 | Dual Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for tandem axle, Max GAWR 46k. | \$0 | 0# |
|---------|----------------------------------------------------------------------------------------|-----|----|

|         |                                                                         |         |      |
|---------|-------------------------------------------------------------------------|---------|------|
| 3334004 | Dual Rear Brakes 16-1/2x7 in. to 46K; Bendix ES-extended service S-cam. | (\$844) | -40# |
|---------|-------------------------------------------------------------------------|---------|------|

|         |                                                                             |         |     |
|---------|-----------------------------------------------------------------------------|---------|-----|
| 3334050 | Dual Rear Brakes 16-1/2x8-5/8 in. to 44K; Bendix ES-extended service S-cam. | (\$322) | -8# |
|---------|-----------------------------------------------------------------------------|---------|-----|

|         |                                                                            |         |      |
|---------|----------------------------------------------------------------------------|---------|------|
| 3354004 | Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q-Plus S-cam stamped spider. | (\$755) | -24# |
|---------|----------------------------------------------------------------------------|---------|------|

|         |                                                                               |         |      |
|---------|-------------------------------------------------------------------------------|---------|------|
| 3354007 | Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q- plus-extended service S-cam. | (\$626) | -24# |
|---------|-------------------------------------------------------------------------------|---------|------|

|         |                                                                                                      |         |    |
|---------|------------------------------------------------------------------------------------------------------|---------|----|
| 3354046 | Dual Rear Brakes Meritor Q+ RSD-Compliant S-Cam 16.5x8.625 in. tandem axle drum brake, Max GAWR 46k. | (\$366) | 8# |
|---------|------------------------------------------------------------------------------------------------------|---------|----|

|         |                                                                                       |       |    |
|---------|---------------------------------------------------------------------------------------|-------|----|
| 3356007 | Dual rear Meritor EX+L Optimized Air Disc Brakes for dual rear axles to 46K capacity. | \$744 | 0# |
|---------|---------------------------------------------------------------------------------------|-------|----|

|         |                                 |       |    |
|---------|---------------------------------|-------|----|
| 3356008 | Dual Rear Meritor EX+LS Max 46K | \$659 | 0# |
|---------|---------------------------------|-------|----|

|         |                                                                                         |       |    |
|---------|-----------------------------------------------------------------------------------------|-------|----|
| 3356023 | Rear Air Disc Brakes: Meritor EX+LS Max 46K Dual Reduced Stopping Distance Tractor Only | \$944 | 0# |
|---------|-----------------------------------------------------------------------------------------|-------|----|

|         |                                                                                                        |         |    |
|---------|--------------------------------------------------------------------------------------------------------|---------|----|
| 3356024 | Rear Air Disc Brakes: Meritor EX+L Optimized RSD Dual Max 46K. Reduced stopping distance tractor only. | \$1,031 | 0# |
|---------|--------------------------------------------------------------------------------------------------------|---------|----|

##### 52K

|         |                                                                                                                                                        |         |     |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|
| 3304013 | Rear Brake: Bendix RSD 16.5X7S Dual 46,001-52K Reduced Stopping Distance Tractor Only, RSD-Compliant HP-ES S-Cam, (Heavy Duty) tandem axle drum brake. | \$1,118 | -8# |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|

|         |                                                                              |         |    |
|---------|------------------------------------------------------------------------------|---------|----|
| 3306002 | Dual Rear Bendix Air Disc Brakes for Dual rear axles 46,001 to 52K capacity. | \$1,198 | 0# |
|---------|------------------------------------------------------------------------------|---------|----|



## T680: REAR AXLE

| Option                                     | Description                                                                                                                                                              | Price   | Weight |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Tandem Axle Outer End Equipment</b>     |                                                                                                                                                                          |         |        |
| <b>Brakes</b>                              |                                                                                                                                                                          |         |        |
| <b>52K</b>                                 |                                                                                                                                                                          |         |        |
| 3306015                                    | Rear Brakes, Bendix RSD-Compliant ADB22X Disc brake for tandem axle, GAWR 46,001 - 52K.                                                                                  | \$1,230 | 0#     |
| 3354050                                    | Rear Brakes, Meritor Q+ RSD-Compliant S-Cam 16.5x7 in.tandem axle drum brake, Max GAWR 50K.                                                                              | (\$746) | -24#   |
| <b>Brake Drums</b>                         |                                                                                                                                                                          |         |        |
| 3392005                                    | Dual Rear Brake Drums: Cast. For use with 16.5X7" or 16.5X8.625" brake.                                                                                                  | (\$485) | 208#   |
| 3392130                                    | Dual Rear Brake Drums Meritor X30 Light Weight. Use with 16.5X7" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels                   | (\$387) | -64#   |
| 3392131                                    | Dual Rear Brake Drums Meritor X30 Light Weight. Use w/ 16.5X8.625" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels.                | (\$66)  | 176#   |
| <b>Rotors</b>                              |                                                                                                                                                                          |         |        |
| 3392043                                    | U-Shaped Rotor for Dual Rear Meritor Air Disc brakes.                                                                                                                    | (\$152) | 0#     |
| 3392604                                    | Splined Rotor for Dual Rear Air Disc Brake for use with aluminum hubs.                                                                                                   | STD     | 0#     |
| 3392605                                    | Splined Rotor for Dual Rear Air Disc Brakes for use with iron hubs.                                                                                                      | \$326   | 0#     |
| 3392606                                    | Rotor for Tandem Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.                                                              | (\$106) | 0#     |
| <b>Hubs</b>                                |                                                                                                                                                                          |         |        |
| 3403460                                    | Dual Rear Hubs: Iron Hub Pilot 52K; 11.25" Bolt circle. Requires "R" series outer ends.                                                                                  | \$10    | 104#   |
| 3407050                                    | Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.                                                                              | STD     | 0#     |
| <b>Oil Seals</b>                           |                                                                                                                                                                          |         |        |
| 3441972                                    | ConMet PreSet Plus Hub Package; Dual Rear Axle.                                                                                                                          | STD     | 0#     |
| <b>Spring Brake &amp; Service Chambers</b> |                                                                                                                                                                          |         |        |
| <b>Single on Dual</b>                      |                                                                                                                                                                          |         |        |
| 3485101                                    | Spring Brake: 3030 Long Stroke Single Spring brake on dual axle. For drum brakes, also known as spring brake delete. This option reduces rear tandem GAWR to 36,000 lbs. | \$289   | 88#    |
| 3485103                                    | Spring Brakes Included W/ Rear Air Disc Brakes single spring brake on dual axle installation. Derates tandem to 36,000 lbs. AKA spring brake delete.                     | \$260   | 0#     |
| <b>Dual</b>                                |                                                                                                                                                                          |         |        |
| 3485002                                    | Spring Brakes Included W/ Dual Rear Air Disc brakes.                                                                                                                     | STD     | 0#     |



## T680: REAR AXLE

| Option                                     | Description                                                                                                                                                                                    | Price   | Weight |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Tandem Axle Outer End Equipment</b>     |                                                                                                                                                                                                |         |        |
| <b>Spring Brake &amp; Service Chambers</b> |                                                                                                                                                                                                |         |        |
| <b>Dual</b>                                |                                                                                                                                                                                                |         |        |
| 3485013                                    | Spring Brakes Piston Type for Bendix Air Disc Brakes, Dual. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10% | \$1,711 | 140#   |
| 3485207                                    | Spring Brake: 3030 Long Stroke Dual 30 Square inches travel. For drum brakes. Helps keep brakes in adjustment longer.                                                                          | \$356   | 88#    |
| 3485208                                    | Spring Brake: 3036 Dual 30 Square Inches; 36 square inches spring chamber. For drum brakes.                                                                                                    | \$533   | 100#   |
| 3485209                                    | Spring Brake: 3030 High Output Dual. For drum brakes.                                                                                                                                          | \$331   | 84#    |
| 3485213                                    | Spring Brake: 3036 Long Stroke Dual 30 Square inches; 36 square inches spring chamber. For drum brakes.                                                                                        | \$534   | 100#   |
| 3485223                                    | Spring Brake: Bendix Endurasure Pro 3030 Long Stroke Dual. For drum brakes.                                                                                                                    | \$544   | 0#     |
| <b>Brake Equipment</b>                     |                                                                                                                                                                                                |         |        |
| 3500006                                    | Inverted Chambers for 16-1/2 x 7 in. Brakes; Replaces standard mount w/ higher mount.                                                                                                          | \$6     | 0#     |
| 3500021                                    | Brake Cam Tube Bracket Required W/ Wide Base tires w/ Airglide 380, 400, 400L, 460, 690 & Primaax suspension.                                                                                  | \$0     | 4#     |
| <b>Differential Lock &amp; Crosslock</b>   |                                                                                                                                                                                                |         |        |
| 3511400                                    | Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear axle. Under Speed Interlock is standard on T680.                                                     | \$1,494 | 19#    |
| 3511401                                    | Driver Controlled Differential Lock (Crosslock) for FUELite MA40-165.                                                                                                                          | \$1,446 | 0#     |
| 3511410                                    | Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 58K rear rear axle. Under Speed Interlock is standard on T680.                                                        | \$1,541 | 19#    |
| 3511420                                    | Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.                                         | \$2,767 | 39#    |
| 3511500                                    | Driver Controlled Differential Lock (Crosslock) for Paccar Axles 40K rated, forward rear axle, with cab control.                                                                               | \$1,409 | 19#    |
| 3532120                                    | Wheel Differential Lock for Dana Spicer Axles DSH40(P)/DSH44(P)/DSP40(P)/DSP41(P)/D40-145(P)(H)(S)/D40-155 forward rear axle. Under Speed Interlock is standard on T680.                       | \$1,430 | 22#    |
| 3532125                                    | Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 rear rear axle. Under Speed Interlock is standard on T680.                                              | \$1,506 | 15#    |
| 3532130                                    | Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 forward rear axle & rear rear. Under Speed Interlock is standard on T680.                               | \$2,747 | 37#    |



## T680: REAR AXLE

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Tandem Axle Outer End Equipment

#### Differential Lock & Crosslock

|         |                                                                                                                                                  |         |      |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------|------|
| 3532190 | Wheel Differential Lock for Dana Spicer Axles D40-170/172(P)/D46-170/172(H)(P)(WT) forward rear axle. Under Speed Interlock is standard on T680. | \$1,471 | 55#  |
| 3532192 | Wheel Differential Lock for Dana Spicer Axles D40-170/172(P)/D46-170/172(H)(P)(WT) rear rear axle. Under Speed Interlock is standard on T680.    | \$1,511 | 55#  |
| 3532194 | Wheel Differential Lock for Dana Spicer Axles D40-170(P)/D46-170(H)(P)(WT) forward rear axle & rear rear axle.                                   | \$2,829 | 112# |

#### Slack Adjusters

|         |                                                                       |       |    |
|---------|-----------------------------------------------------------------------|-------|----|
| 3465002 | Tandem Rear Axle Automatic Slack Adjusters. For use with drum brakes. | \$286 | 0# |
|---------|-----------------------------------------------------------------------|-------|----|

#### Miscellaneous

|         |                                                                                            |       |     |
|---------|--------------------------------------------------------------------------------------------|-------|-----|
| 3490902 | Rear Air Disc Brake Dustshields for Tandem axles; includes pads and rotor shields.         | \$798 | 12# |
| 3490912 | Rear Air Disc Brake Meritor Dustshields for tandem axles; includes pads and rotor shields. | \$231 | 5#  |
| 3490914 | Rear Air Disc Brake Meritor Dustshields for dual axle; includes pads only.                 | \$46  | 2#  |
| 3500022 | Brake Cam Tube Bracket W/ Dual Tires                                                       | \$77  | 4#  |

### Tridem Axle Outer End Equipment

#### Spring Brakes & Service Chambers

|         |                                                                               |       |    |
|---------|-------------------------------------------------------------------------------|-------|----|
| 3485304 | Spring Brake: Bendix Endurasure Pro 3030 Long Stroke Tridem. For drum brakes. | \$816 | 0# |
|---------|-------------------------------------------------------------------------------|-------|----|

### Anti-Lock Brake System

#### 4-Channel

|         |                                                                                                                                                                     |           |    |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|
| 3495226 | Bendix 4S/4M Anti-Lock Brake System.                                                                                                                                | (\$2,693) | 0# |
| 3495228 | Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC).                                                                                                  | (\$1,508) | 2# |
| 3495229 | Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability program (ESP) for tractor.                                                 | STD       | 0# |
| 3495233 | Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information. | \$28      | 0# |
| 3495529 | Wabco 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability control (ESC).                                                              | \$57      | 0# |

#### 6-Channel

|         |                                      |           |    |
|---------|--------------------------------------|-----------|----|
| 3495227 | Bendix 6S/6M Anti-Lock Brake System. | (\$1,539) | 5# |
|---------|--------------------------------------|-----------|----|



## T680: REAR AXLE

| Option                              | Description                                                                                                                                                                                                         | Price   | Weight |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Anti-Lock Brake System</b>       |                                                                                                                                                                                                                     |         |        |
| <b>6-Channel</b>                    |                                                                                                                                                                                                                     |         |        |
| 3495230                             | Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC).                                                                                                                                                  | (\$966) | 6#     |
| 3495231                             | Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for tractor.                                                                                               | \$1,094 | 15#    |
| 3495232                             | Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.                                                 | \$920   | 15#    |
| 3495538                             | Wabco 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability control (ESC).                                                                                                              | \$1,359 | 0#     |
| <b>Other</b>                        |                                                                                                                                                                                                                     |         |        |
| 3495242                             | Bendix eTrac Traction Enhancement                                                                                                                                                                                   | \$972   | 9#     |
| 3495243                             | Bendix Side Object Detection Version 2 sensor on RH side, with increased field of view and enhanced detection.                                                                                                      | \$2,141 | 0#     |
| 3500101                             | Bendix ABS Parameter Rail/Drilling Mode Programmable Option                                                                                                                                                         | \$0     | 0#     |
| <b>Body Builder ESP Information</b> |                                                                                                                                                                                                                     |         |        |
| 3500070                             | 20-33 Cubic Yard Dump/Roll On-Off/Volumetric Mixer.                                                                                                                                                                 | \$0     | 0#     |
| 3500072                             | Tanker Height less than 75 in. from Top of Frame rail                                                                                                                                                               | \$0     | 0#     |
| 3500073                             | Tanker Height between 75 in. and 85 in. from Top of frame rail.                                                                                                                                                     | \$0     | 0#     |
| 3500074                             | 10.5-11 Yard Rear Discharge Non-Bridge Formula mixer.                                                                                                                                                               | \$0     | 0#     |
| 3500075                             | 10.5-11 Yard Rear Discharge Bridge Formula mixer.                                                                                                                                                                   | \$0     | 0#     |
| 3500096                             | Flatbed Top of Deck not more than 20 in. Above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet. | \$0     | 0#     |
| 3500097                             | Van Body Top of Deck not more than 20 in. Above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.               | \$0     | 0#     |
| <b>Miscellaneous</b>                |                                                                                                                                                                                                                     |         |        |
| 3407001                             | Rear Hub: Included W/ Rear Axle or Brake.                                                                                                                                                                           | \$0     | 0#     |
| 3407046                             | Longer Studs for Aluminum Wheels W/ Steel Hub pilot wheels.                                                                                                                                                         | \$18    | 6#     |
| 3465900                             | Rear Slack Adjusters Included W/ Axle or Air disc brakes.                                                                                                                                                           | STD     | 0#     |



## T680: REAR AXLE

| Option               | Description                                                                                                                                                                     | Price     | Weight |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| <b>Miscellaneous</b> |                                                                                                                                                                                 |           |        |
| 3486000              | Spring Brake Location: Forward Rear, Code Separately For Spring Break                                                                                                           | \$0       | 0#     |
| 3490047              | Dustshields for Drum Brakes: All Rear Axles.                                                                                                                                    | \$128     | 11#    |
| 3495144              | Rear Meritor Platinum Shield Brakes Addon Platinum shield is only a shoe change.                                                                                                | \$97      | 0#     |
| 3495145              | Wear Sensor for Bendix Disc Brakes-Tandem Rear & Steer Axle                                                                                                                     | \$610     | 0#     |
| 3495146              | Wear Sensor for Bendix Disc Brakes-Front Axle Only                                                                                                                              | \$382     | 0#     |
| 3495147              | Wear Sensor for Bendix Disc Brakes-Front & Single Rear Axle                                                                                                                     | \$496     | 0#     |
| 3495225              | FMVSS-136 Stability Control Schedule Review Chassis meets FMVSS-136 requirements and must be equipped with Electronic Stability Control. Reference Option code placed on order. | \$0       | 0#     |
| 3495332              | Bendix Wingman Advanced Adaptive CC w/ Collision Mitigation (ACB)                                                                                                               | (\$125)   | 0#     |
| 3495333              | Adjustable Headway Distance For ACC                                                                                                                                             | STD       | 0#     |
| 3495335              | Non-Adjustable Headway Distance For ACC at 2.8 Sec                                                                                                                              | \$0       | 0#     |
| 3495337              | Non-Adjustable Extended Headway Distance For Acc (AT 3.5 Sec for BENDIX or AT 3.6 SEC for WABCO)                                                                                | \$0       | 0#     |
| 3495338              | Standard Headway Distance Warnings For Use with ACC (1.5, 1.0, 0.5 S)                                                                                                           | \$0       | 0#     |
| 3495339              | Extended Headway Distance Warnings For Use with ACC (2.0/1.5/1.0 S)                                                                                                             | \$0       | 0#     |
| 3495340              | Max Headway Distance Warnings For Use with ACC (3.0/2.0/1.5 S)                                                                                                                  | \$0       | 0#     |
| 3495349              | Delete Bendix Wingman Advanced ACB / Fusion Adaptive CC W/ ACB                                                                                                                  | (\$1,200) | 0#     |
| 3495363              | Bendix Fusion Adaptive CC W/ACB rel 2.0 W/Adjacent Lane and Highway Departure AEB with Video Recording                                                                          | (\$120)   | 0#     |
| 3495364              | Bendix Fusion Adaptive CC W/ACB rel 2.0 W/Adjacent Lane and Highway Departure AEB W/O Video Recording                                                                           | (\$120)   | 0#     |
| 3495365              | Improved Adaptive Cruise Control (Auto Resume with Automatic Transmission Only)                                                                                                 | \$0       | 0#     |
| 3495380              | Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB W/O Video Recording                                                                           | (\$117)   | 0#     |
| 3495381              | Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB with Video Recording                                                                          | (\$209)   | 0#     |



## T680: REAR AXLE

| Option               | Description                                                                                                                                                          | Price   | Weight |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Miscellaneous</b> |                                                                                                                                                                      |         |        |
| 3495382              | Bendix Fusion Adaptive CC W/ACB rel 2.2 W/ Adjacent Lane and Highway Departure AEB with Video Storage                                                                | \$318   | 0#     |
| 3495391              | ADAS: Bendix Fusion 3.0 ACC Stop and Auto Go, Collision mitigation system, Lane departure warning, High beam assist and Safety Direct without video recording.       | STD     | 0#     |
| 3495392              | ADAS: Bendix Fusion 3.0 ACC Stop and Auto Go, Collision mitigation system, Lane departure warning, High beam assist and Safety Direct with video recording with DVR. | \$354   | 0#     |
| 3495410              | Torque Assisted Steering w/o Lane Keeping Assist                                                                                                                     | \$2,351 | 0#     |
| 3495412              | Lane Keeping Assist w/ Torque Assisted Steering                                                                                                                      | \$2,952 | 0#     |
| 3495541              | WABCO OnGuard Active Adaptive CC with Collision Mitigation (ACB)                                                                                                     | (\$199) | 0#     |
| 3495560              | Electronic Park Brake                                                                                                                                                | \$1,128 | 0#     |
| 3495561              | Air Operated Park Brake                                                                                                                                              | \$0     | 0#     |
| 3510000              | Tapered Axle Shaft Holes.                                                                                                                                            | \$65    | 0#     |
| 3533000              | Raised Oil Levels for Rear Rear Axle for use on 12% or greater continuous grades.                                                                                    | \$82    | 20#    |
| 3573001              | Park Brake Interlock for Two-Speed Rear Axle                                                                                                                         | \$110   | 0#     |
| 3573111              | Separate Switch for Dual Axles: differential lock or crosslock.                                                                                                      | \$15    | 0#     |

### Pusher Axles

#### Non-Steerable Pushers

##### Suspensions

|         |                                                                     |          |        |
|---------|---------------------------------------------------------------------|----------|--------|
| 3808025 | Non-Steerable Pusher Axle: Watson Chalin AL2200 23K Standard track. | \$15,346 | 2,296# |
| 3808026 | Non-Steerable Pusher Axle: Watson Chalin AL2200 21K Wide track.     | \$17,156 | 2,309# |

##### Brakes

|         |                                                                                                             |       |    |
|---------|-------------------------------------------------------------------------------------------------------------|-------|----|
| 3820348 | 16.5x7 in. Bendix Non-RSD Brakes for Use With 21K or 23K non-steerable pusher assembly (included w/ axle).  | \$0   | 0# |
| 3820353 | 16.5x7 in. Bendix RSD brakes for use with 21K or 23K axle non-steerable pusher assembly.                    | \$138 | 0# |
| 3820364 | 16.5x7 in. Meritor Non-RSD Brakes for Use With 21K or 23K non-steerable pusher assembly (included w/ axle). | \$0   | 0# |

##### Brake Drums

|         |                                                                   |     |    |
|---------|-------------------------------------------------------------------|-----|----|
| 3820698 | Cast Brake Drums 16.5x7 for Non-Steerable 21K or 23K pusher axle. | \$0 | 0# |
|---------|-------------------------------------------------------------------|-----|----|



## T680: REAR AXLE

| Option                       | Description                                                                                              | Price    | Weight |
|------------------------------|----------------------------------------------------------------------------------------------------------|----------|--------|
| <b>Pusher Axles</b>          |                                                                                                          |          |        |
| <b>Non-Steerable Pushers</b> |                                                                                                          |          |        |
| <b>Hubs</b>                  |                                                                                                          |          |        |
| 3821703                      | Non-Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle for use with 21K or 23K axle.     | \$0      | 30#    |
| 3821704                      | Non-Steerable Pusher Hubs Aluminum Hub Pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle. | \$630    | 0#     |
| 3821710                      | Non-Steerable Pusher Hubs Iron Hub Pilot 10-Hole ASSY*335MM bolt circle for use with 21K or 23K axle.    | \$653    | 0#     |
| <b>Miscellaneous</b>         |                                                                                                          |          |        |
| 3825011                      | Non-Steerable Pusher: Optional Dustshields.                                                              | \$56     | 3#     |
| <b>Steerable Pushers</b>     |                                                                                                          |          |        |
| <b>Suspensions</b>           |                                                                                                          |          |        |
| 3808027                      | 1 Steerable Pusher: Watson Chalin Tru Track 23K SL2200 includes axle.                                    | \$30,704 | 2,086# |
| 3808111                      | 1 Steerable Pusher: Watson Chalin 8K SL08                                                                | \$14,777 | 941#   |
| 3808124                      | 1 Steerable Pusher: Watson Chalin 10K SL10                                                               | \$14,760 | 962#   |
| 3808131                      | 1 Steerable Pusher: Watson-Chalin 13.5K SL13                                                             | \$16,038 | 1,245# |
| 3808511                      | 2 Steerable Pusher: Watson Chalin 8K SL08                                                                | \$28,858 | 1,881# |
| 3808524                      | 2 Steerable Pusher: Watson Chalin 10K SL10                                                               | \$28,804 | 1,923# |
| 3808531                      | 2 Steerable Pusher: Watson-Chalin13.5K SL13                                                              | \$31,482 | 2,489# |
| 3808611                      | 3 Steerable Pusher: Watson Chalin 8K SL08                                                                | \$43,118 | 2,823# |
| 3808624                      | 3 Steerable Pusher: Watson Chalin 10K SL10                                                               | \$43,732 | 2,886# |
| 3808631                      | 3 Steerable Pusher: Watson-Chalin 13.5K SL13                                                             | \$47,227 | 3,735# |
| 3808802                      | 1 Steerable Pusher: Watson Chalin Tru Track 20K; SL2065                                                  | \$20,571 | 1,594# |
| <b>Brakes</b>                |                                                                                                          |          |        |
| 3820036                      | 1 Steerable Pusher Brakes: Bendix Non-RSD 15x4 Use with 13.5Kaxle.                                       | \$0      | 0#     |
| 3820041                      | 16.5x5 in.Bendix RSD brakes for use with 13.5K 1 steerable pusher assembly (included w/ axle).           | \$57     | 0#     |
| 3820042                      | 16.5x7 in. Bendix Non-RSD Brakes for Use With 23K 1 steerable pusher assembly (included w/ axle).        | \$0      | 0#     |



## T680: REAR AXLE

| Option                   | Description                                                                                                                   | Price   | Weight |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Pusher Axles</b>      |                                                                                                                               |         |        |
| <b>Steerable Pushers</b> |                                                                                                                               |         |        |
| <b>Brakes</b>            |                                                                                                                               |         |        |
| 3820044                  | 16.5x7 in. Bendix RSD Brakes for Use with 23K 1 steerable pusher assembly (included w/ axle)                                  | \$138   | 0#     |
| 3820045                  | 1 Steerable Pusher Brakes: 16.5x7 in. Meritor Non-RSD brakes for use with 23K 1 steerable pusher assembly (included w/ axle). | \$0     | 0#     |
| 3820048                  | 1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix RSD Use With 13.5K Axle                                              | \$5,536 | 42#    |
| 3820050                  | 1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle                                          | \$5,536 | 42#    |
| 3820083                  | 1 Steerable Pusher Brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.                                                      | \$0     | 0#     |
| 3820087                  | 1 Steerable Pusher Brakes: Bendix RSD 16.5x6 in. Use with 20K axle.                                                           | \$82    | 0#     |
| 3820101                  | 1 Steerable Pusher Brake: Meritor Q+ 16.5x6 in.; Use with 20K axle.                                                           | \$686   | 48#    |
| 3820211                  | 1 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.                                                           | \$374   | 0#     |
| 3820212                  | 2 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.                                                           | \$593   | 0#     |
| 3820213                  | 3 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.                                                           | \$819   | 0#     |
| <b>Brake Drums</b>       |                                                                                                                               |         |        |
| 3820500                  | 1 Steerable Pusher Cast Brake Drums. 16.5X7 in. for use with 23K axle.                                                        | \$0     | 0#     |
| 3820523                  | 1 Steerable Pusher Brake Drum 15x4 for Use With 13.5K axle.                                                                   | \$0     | 0#     |
| 3820533                  | 1 Steerable Pusher Cast Brake Drums. 16.5X5 in. for use with 13.5K axle.                                                      | \$51    | 0#     |
| 3820562                  | 1 Steerable Pusher Cast Brake Drums. 16.5X6 in. for use with 20K axle.                                                        | \$0     | 0#     |
| <b>Hubs</b>              |                                                                                                                               |         |        |
| 3821121                  | 1 Steerable Pusher Hubs Aluminum Hub Pilot for use with 13.5K axle.                                                           | \$0     | 0#     |
| 3821152                  | 1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.                                  | \$537   | 0#     |
| 3821153                  | 1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.                                  | \$235   | 16#    |
| 3821156                  | 1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11-.25 in. bolt circle. For use with 23K axle.                                 | \$0     | 0#     |
| 3821157                  | 1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.                                  | \$359   | 0#     |

### Miscellaneous



## T680: REAR AXLE

| Option                       | Description                                                                   | Price | Weight |
|------------------------------|-------------------------------------------------------------------------------|-------|--------|
| <b>Pusher Axles</b>          |                                                                               |       |        |
| <b>Steerable Pushers</b>     |                                                                               |       |        |
| <b>Miscellaneous</b>         |                                                                               |       |        |
| 3825047                      | Steerable Pusher: Optional Dustshields.                                       | \$85  | 6#     |
| <b>Pusher Axle Locations</b> |                                                                               |       |        |
| 3841043                      | 1st Pusher Location: 43 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841044                      | 1st Pusher Location: 44 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841045                      | 1st Pusher Location: 45 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841046                      | 1st Pusher Location: 46 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841047                      | 1st Pusher Location: 47 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841048                      | 1st Pusher Location: 48 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841049                      | 1st Pusher Location: 49 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841050                      | 1st Pusher Location: 50 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841051                      | 1st Pusher Location: 51 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841052                      | 1st Pusher Location: 52 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841053                      | 1st Pusher Location: 53 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841054                      | 1st Pusher Location: 54 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841055                      | 1st Pusher Location: 55 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841056                      | 1st Pusher Location: 56 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841057                      | 1st Pusher Location: 57 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841058                      | 1st Pusher Location: 58 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841059                      | 1st Pusher Location: 59 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841060                      | 1st Pusher Location: 60 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841061                      | 1st Pusher Location: 61 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841062                      | 1st Pusher Location: 62 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |



## T680: REAR AXLE

| Option                       | Description                                                                   | Price | Weight |
|------------------------------|-------------------------------------------------------------------------------|-------|--------|
| <b>Pusher Axles</b>          |                                                                               |       |        |
| <b>Pusher Axle Locations</b> |                                                                               |       |        |
| 3841063                      | 1st Pusher Location: 63 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841064                      | 1st Pusher Location: 64 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841065                      | 1st Pusher Location: 65 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841066                      | 1st Pusher Location: 66 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841067                      | 1st Pusher Location: 67 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841068                      | 1st Pusher Location: 68 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841069                      | 1st Pusher Location: 69 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841070                      | 1st Pusher Location: 70 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841071                      | 1st Pusher Location: 71 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841072                      | 1st Pusher Location: 72 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841073                      | 1st Pusher Location: 73 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841074                      | 1st Pusher Location: 74 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841075                      | 1st Pusher Location: 75 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841076                      | 1st Pusher Location: 76 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841077                      | 1st Pusher Location: 77 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841078                      | 1st Pusher Location: 78 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841079                      | 1st Pusher Location: 79 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841080                      | 1st Pusher Location: 80 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841081                      | 1st Pusher Location: 81 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841082                      | 1st Pusher Location: 82 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841083                      | 1st Pusher Location: 83 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841084                      | 1st Pusher Location: 84 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |



## T680: REAR AXLE

| Option                       | Description                                                                    | Price | Weight |
|------------------------------|--------------------------------------------------------------------------------|-------|--------|
| <b>Pusher Axles</b>          |                                                                                |       |        |
| <b>Pusher Axle Locations</b> |                                                                                |       |        |
| 3841085                      | 1st Pusher Location: 85 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841086                      | 1st Pusher Location: 86 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841088                      | 1st Pusher Location: 88 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841089                      | 1st Pusher Location: 89 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841090                      | 1st Pusher Location: 90 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841091                      | 1st Pusher Location: 91 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841092                      | 1st Pusher Location: 92 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841093                      | 1st Pusher Location: 93 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841094                      | 1st Pusher Location: 94 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841095                      | 1st Pusher Location: 95 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841096                      | 1st Pusher Location: 96 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841097                      | 1st Pusher Location: 97 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841098                      | 1st Pusher Location: 98 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841099                      | 1st Pusher Location: 99 in. From C/I Forward tandem axle or single rear axle.  | \$0   | 0#     |
| 3841100                      | 1st Pusher Location: 100 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841101                      | 1st Pusher Location: 101 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841102                      | 1st Pusher Location: 102 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841103                      | 1st Pusher Location: 103 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841104                      | 1st Pusher Location: 104 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841105                      | 1st Pusher Location: 105 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841106                      | 1st Pusher Location: 106 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841107                      | 1st Pusher Location: 107 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |



## T680: REAR AXLE

| Option                       | Description                                                                    | Price | Weight |
|------------------------------|--------------------------------------------------------------------------------|-------|--------|
| <b>Pusher Axles</b>          |                                                                                |       |        |
| <b>Pusher Axle Locations</b> |                                                                                |       |        |
| 3841108                      | 1st Pusher Location: 108 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841109                      | 1st Pusher Location: 109 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841110                      | 1st Pusher Location: 110 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841112                      | 1st Pusher Location: 112 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841113                      | 1st Pusher Location: 113 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841114                      | 1st Pusher Location: 114 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841115                      | 1st Pusher Location: 115 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841116                      | 1st Pusher Location: 116 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841118                      | 1st Pusher Location: 118 in. From C/I Forward forward rear/single rear axle.   | \$0   | 0#     |
| 3841119                      | 1st Pusher Location: 119 in. From C/I Forward forward rear/single rear axle.   | \$0   | 0#     |
| 3841121                      | 1st Pusher Location: 121 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841122                      | 1st Pusher Location: 122 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841123                      | 1st Pusher Location: 123 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841124                      | 1st Pusher Location: 124 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841129                      | 1st Pusher Location: 129 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841130                      | 1st Pusher Location: 130 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841136                      | 1st Pusher Location: 136 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841137                      | 1st Pusher Location: 137 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841147                      | 1st Pusher Location: 147 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841148                      | 1st Pusher Location: 149 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841154                      | 1st Pusher Location: 154 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |
| 3841156                      | 1st Pusher Location: 156 in. From C/I Forward tandem axle or single rear axle. | \$0   | 0#     |



## T680: REAR AXLE

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Pusher Axles

#### Pusher Axle Locations

|         |                                                                                |     |    |
|---------|--------------------------------------------------------------------------------|-----|----|
| 3841165 | 1st Pusher Location: 165 in. From C/I Forward tandem axle or single rear axle. | \$0 | 0# |
| 3841202 | 1st Pusher Location: 202 in. From C/I Forward tandem axle or single rear axle. | \$0 | 0# |
| 3841209 | 1st Pusher Location: 209 in. From C/I Forward tandem axle or single rear axle. | \$0 | 0# |
| 3841235 | 1st Pusher Location: 235 in. From C/I Forward tandem axle or single rear axle. | \$0 | 0# |
| 3841240 | 1st Pusher Location: 240 in. From C/I Forward tandem axle or single rear axle. | \$0 | 0# |

### Tag Axles

#### Non-Steerable Tags

##### Brakes

|         |                                                                                                          |     |    |
|---------|----------------------------------------------------------------------------------------------------------|-----|----|
| 3820365 | 16.5x7 in. Meritor Non-RSD Brakes for Use With 21K or 23K non-steerable tag assembly (included w/ axle). | \$0 | 0# |
|---------|----------------------------------------------------------------------------------------------------------|-----|----|

#### Steerable Tags

##### Suspensions

|         |                                           |          |        |
|---------|-------------------------------------------|----------|--------|
| 3818124 | 1 Steerable Tag: Watson Chalin 10K SL10   | \$15,135 | 962#   |
| 3818131 | 1 Steerable Tag: Watson-Chalin 13.5K SL13 | \$15,675 | 1,245# |
| 3818211 | 1 Steerable Tag: Watson Chalin 8K SL08    | \$15,053 | 941#   |

##### Brakes

|         |                                                                                                                         |       |     |
|---------|-------------------------------------------------------------------------------------------------------------------------|-------|-----|
| 3820046 | 1 Steerable Tag Brakes: 16.5x7 in. Meritor Non-RSD brakes for use with 23K 1 steerable tag assembly (included w/ axle). | \$0   | 0#  |
| 3820102 | 1 Steerable Tag Brake: Meritor Q+ 16.5x6 in.; Use with 20K axle.                                                        | \$686 | 48# |
| 3820214 | 1 Steerable Tag Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.                                                        | \$374 | 0#  |

### Customer-Installed Lift Axles

#### Kenworth-Offered Lift Axles

##### Customer-Installed Information Codes

|         |                                                                          |     |    |
|---------|--------------------------------------------------------------------------|-----|----|
| 3840111 | Customer-Installed: Steerable Pusher Information. Watson Chalin 8K SL08  | \$0 | 0# |
| 3840124 | Customer-Installed: Steerable Pusher Information. Watson Chalin 10K SL10 | \$0 | 0# |



## T680: REAR AXLE

| Option                                              | Description                                                                                                                                                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Customer-Installed Lift Axles</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Kenworth-Offered Lift Axles</b>                  |                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Customer-Installed Information Codes</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 3840127                                             | Customer-Installed: Steerable Pusher Information. Watson Chalin 23K SL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.                                                                                                                                | \$0     | 0#     |
| 3840218                                             | Customer-Installed: Steerable Pusher Information. Watson Chalin 20K SL2065. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.                                                                                                                                | \$0     | 0#     |
| 3840219                                             | Customer-Installed: Non-Steerable Pusher information. Watson Chalin AL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.                                                                                                                                | \$0     | 0#     |
| 3840231                                             | Customer-Installed: Steerable Pusher Information. Watson Chalin 13.5K SL13                                                                                                                                                                                                                                                                                                                                                                | \$0     | 0#     |
| <b>Clear Frame Request</b>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 3840005                                             | Clear Frame: For 1 Customer-Installed Steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.                                                            | \$1,348 | 0#     |
| 3840020                                             | Clear Frame: For 1 Customer-Installed non-steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.                                                        | \$1,348 | 0#     |
| <b>Non-Kenworth-Offered Lift Axles</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Clear Frame Request</b>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 3840300                                             | Clear Frame: For 1 Customer-Installed non-Kenworth offered steerable pusher. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.      | \$1,348 | 0#     |
| 3840350                                             | Clear Frame: For 1 Customer-Installed Non steerable, non-Kenworth offered pusher. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues. | \$1,348 | 0#     |
| <b>Air System For Customer-Installed Lift Axles</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 3828801                                             | Kenworth-Installed: Air System & Controls for 1 customer-installed lift axle. Must Code 38283XX Location.                                                                                                                                                                                                                                                                                                                                 | \$1,385 | 68#    |

### Lift Axle Capacity

| Option                               | Description                                                                                                                                                                                                                                                                        | Price | Weight |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Customer-Installed Lift Axles</b> |                                                                                                                                                                                                                                                                                    |       |        |
| <b>Lift Axle Capacity</b>            |                                                                                                                                                                                                                                                                                    |       |        |
| 3860608                              | Customer-Installed Steerable Pusher Information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.       | \$0   | 0#     |
| 3860609                              | Customer-Installed Steerable Pusher Information: maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.       | \$0   | 0#     |
| 3860610                              | Customer-Installed Steerable Pusher Information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.      | \$0   | 0#     |
| 3860612                              | Customer-Installed Steerable Pusher Information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.      | \$0   | 0#     |
| 3860613                              | Customer-Installed Steerable Pusher Information: maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.    | \$0   | 0#     |
| 3860621                              | Customer-Installed Non-Steerable Pusher information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles, enter a capacity which represents a single pusher installation. | \$0   | 0#     |
| 3860622                              | Customer-Installed Non-Steerable Pusher information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.  | \$0   | 0#     |
| 3860623                              | Customer-Installed Non-Steerable Pusher information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.  | \$0   | 0#     |
| 3860627                              | Customer-Installed Steerable Pusher Information: maximum capacity 23K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.      | \$0   | 0#     |
| <b>Lift Axle Control Locations</b>   |                                                                                                                                                                                                                                                                                    |       |        |
| 3828331                              | Pusher or Tag: Gauge/ Switch and Pressure regulator dash-mounted. Reduces gauge count by 7 (1-gauge, 6-regulator mounting panel)                                                                                                                                                   | \$0   | 0#     |
| 3828332                              | Pusher or Tag: Gauge Dash-Mounted; Switch, pressure regulator and gauge mounted BOC lower LH side.                                                                                                                                                                                 | \$0   | 0#     |
| 3828333                              | Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted BOC lower LH side.                                                                                                                                                                                 | \$0   | 0#     |
| 3828334                              | Pusher or Tag: Gauge/ Switch Dash-Mounted, Gauge LH drivers seat, regulator under driver door.                                                                                                                                                                                     | \$0   | 0#     |
| 3828335                              | Pusher or Tag: Gauge, Switch & Pressure Regulator mounted BOC lower LH side.                                                                                                                                                                                                       | \$0   | 0#     |



## T680: REAR AXLE

| Option                             | Description                                                                                                  | Price | Weight |
|------------------------------------|--------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Lift Axle Control Locations</b> |                                                                                                              |       |        |
| 3828336                            | Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator tie-strapped to rail.                | \$0   | 0#     |
| 3828337                            | Pusher or Tag: Gauge Dash-Mounted; Gauge LH of driver's seat, switch/pressure regulator under driver's door. | \$0   | 0#     |
| 3828339                            | Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted left of driver.              | \$0   | 0#     |
| 3828370                            | Info for Cust.Inst. Controls for C/I Pusher/ Tag: (Regulator installed inside of cab)                        | \$0   | 0#     |
| 3828371                            | Info for Cust.Inst. Controls for C/I Pusher/ Tag (Regulator installed outside of cab)                        | \$0   | 0#     |
| 3828401                            | Pusher: Gauge Digital Display Single Pusher 1                                                                | \$0   | 0#     |
| 3828402                            | Pusher: Gauge Digital Display Single Pusher 2                                                                | \$0   | 0#     |
| 3828403                            | Pusher: Gauge Digital Display Single Pusher 3                                                                | \$0   | 0#     |
| 3828411                            | Pusher: Gauge Digital Display Tag                                                                            | \$0   | 0#     |



## T680: REAR SUSPENSION

| Option                 | Description                                                                                                                                                                                                            | Price     | Weight |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| <b>Single</b>          |                                                                                                                                                                                                                        |           |        |
| <b>31K &amp; Under</b> |                                                                                                                                                                                                                        |           |        |
| 3630023                | Rear suspension: Single Kenworth Airglide 230 23K 4-bag air suspension w/10.5 in. ride height. Includes shocks and torque rods. Includes air suspension dump valve.                                                    | (\$1,032) | -371#  |
| 3632270                | Rear suspension: single Hendrickson HAS230 23K. W/aluminum crossmembers & gussets. Air suspension w/10 in. height. Maximum torque is 1350 lb-ft. Includes air suspension dump valve.                                   | (\$2,573) | -341#  |
| 3636480                | Rear suspension: single Reyco 79KB taperleaf 23K. Steel crossmembers & gussets, Kenworth longlife spring w/helper. Unladen Height: 11.0 in. Laden Height: 9.3 in. Not available with shocks or swaybars.               | (\$2,912) | -190#  |
| 3666435                | Rear suspension: single Reyco 79KB multileaf 31K. 28K spring plus helper. Laden height 8.9 inches, unladen height 11.7 inches. Not available with shocks or swaybars. Not rear air disc brake compatible.              | (\$2,119) | -62#   |
| <b>Tandem</b>          |                                                                                                                                                                                                                        |           |        |
| <b>40K &amp; Under</b> |                                                                                                                                                                                                                        |           |        |
| <b>Kenworth</b>        |                                                                                                                                                                                                                        |           |        |
| 3730022                | Rear suspension: Tandem KW Airglide 400L 6.5 in. height 40K. 52 in. axle spacing. Low ride height air suspension. Includes single leveling valve. Includes air suspension dump valve.                                  | \$162     | 0#     |
| 3730026                | Rear suspension: Tandem Kenworth Airglide 400L 40K. 54 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.                                    | \$0       | 0#     |
| 3730028                | Rear suspension: Tandem Kenworth Airglide 400L 40K. 52 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.                                    | STD       | 0#     |
| 3730030                | Rear suspension: Tandem Kenworth Airglide 400 40K 52 in. axle spacing. Air suspension w/ 9 in. ride height. Includes air suspension dump valve.                                                                        | \$2,698   | -28#   |
| 3730032                | Rear suspension: Tandem Kenworth Airglide 400 40K 54 in. axle spacing. Air suspension w/ 9 in. ride height. Includes air suspension dump valve.                                                                        | \$2,750   | -26#   |
| 3730053                | Rear suspension: Tandem Kenworth Airglide 380 38K 52 in. axle spacing. Air suspension with 8.5 in. ride height. Includes single leveling valve and air suspension dump valve. Compatible with drum or air disc brakes. | \$1,844   | -104#  |
| <b>Reyco</b>           |                                                                                                                                                                                                                        |           |        |
| 3726405                | Rear suspension: Tandem Reyco 102 38K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.                                                          | \$832     | 224#   |
| 3736418                | Rear suspension: Tandem Reyco 102 40K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.                                                          | \$832     | 224#   |
| <b>Hendrickson</b>     |                                                                                                                                                                                                                        |           |        |
| 3732105                | Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing. Aluminum crossmember & gussets w/shocks at 10 in. height. Includes air suspension dump valve.                                                     | \$2,662   | 192#   |



## T680: REAR SUSPENSION

| Option                          | Description                                                                                                                                               | Price   | Weight |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Tandem</b>                   |                                                                                                                                                           |         |        |
| <b>40K &amp; Under</b>          |                                                                                                                                                           |         |        |
| <b>Hendrickson</b>              |                                                                                                                                                           |         |        |
| 3732976                         | Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 16.5 in. saddle height. With shocks. Unladen Height: 11.5 in. Laden Height: 9.5 in.    | \$2,937 | 255#   |
| 3732977                         | Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 17.5 in. saddle height. With shocks. Unladen Height: 12.5 in. Laden Height: 10.5 in.   | \$3,118 | 261#   |
| <b>44K to 52K</b>               |                                                                                                                                                           |         |        |
| <b>Kenworth</b>                 |                                                                                                                                                           |         |        |
| 3740130                         | Rear suspension: Tandem Kenworth Airglide 460 46K 54 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.                          | \$2,905 | 108#   |
| 3740132                         | Rear suspension: Tandem Kenworth Airglide 460 46K 60 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.                          | \$5,029 | 236#   |
| <b>Suspension Equipment</b>     |                                                                                                                                                           |         |        |
| 3830510                         | Dual Leveling Valves for Tandem Air Suspension.                                                                                                           | \$220   | 2#     |
| 3832001                         | Torque Rods for 46K PRIMAAAX EX Using Disc Brakes. Replacing standard.                                                                                    | \$564   | 23#    |
| 3832004                         | Heavy-Duty Track Rods for Hendrickson Beam suspensions rated up to 46K or Neway AD tandem suspensions.                                                    | \$206   | 0#     |
| 3832008                         | Heavy-Duty Torque Rods for Hendrickson Beam. 46K and under suspensions.                                                                                   | \$426   | 15#    |
| 3832018                         | Delete Shock Absorbers: Hendrickson HAULMAAX EX rear suspension.                                                                                          | (\$398) | -30#   |
| 3832020                         | Edge Kit for HAS Single or Tandem Rear Suspension                                                                                                         | \$147   | 10#    |
| 3832105                         | Hendrickson TRAAX Track Rods. Replaces Standard track rods for Hendrickson HAULMAAX EX suspensions rated below 46K.                                       | \$137   | 0#     |
| 3832161                         | Double Rebound Strap Kit: Hendrickson HAULMAAX EX rear suspension.                                                                                        | \$602   | 6#     |
| 3836500                         | Heavy-Duty Gussets for Forward Suspension crossmember on Airglide 400/460, Chalmers, or Hendrickson beam suspensions. This replaces the standard gussets. | \$142   | 12#    |
| 3839002                         | Air Suspension Over-Inflation Valve W/ Warning light to temporarily raise the frame.                                                                      | \$316   | 0#     |
| <b>Suspension Miscellaneous</b> |                                                                                                                                                           |         |        |
| 3830152                         | Air Springs: Heavy-Duty for Airglide 460. Replaces standard duty air springs.                                                                             | \$63    | 28#    |



## T680: TIRES & WHEELS

| Option                                     | Description                                                                                                                                      | Price   | Weight |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>         |                                                                                                                                                  |         |        |
| <b>Tubeless Type Standard Profile 22.5</b> |                                                                                                                                                  |         |        |
| <b>Apollo Front</b>                        |                                                                                                                                                  |         |        |
| 4080184                                    | Front Tires: Apollo Enducombi RA 11R22.5 16PR                                                                                                    | \$151   | 30#    |
| <b>Apollo Rear</b>                         |                                                                                                                                                  |         |        |
| 4280184                                    | Rear Tires: Apollo Enducombi RA 11R22.5 16PR                                                                                                     | \$111   | 28#    |
| 4280193                                    | Rear Tires: Apollo Enducombi RD CS 11R22.5 16PR                                                                                                  | \$298   | 48#    |
| 4280194                                    | Rear Tires: Apollo Enducombi RD CS 11R22.5 14PR                                                                                                  | \$154   | 48#    |
| <b>Bridgestone Front</b>                   |                                                                                                                                                  |         |        |
| 4070045                                    | Front Tires: Bridgestone R283S Ecopia 295/75R22.5 16PR                                                                                           | \$50    | 0#     |
| 4070063                                    | Front Tires: Bridgestone BR R213 ECOPIA 295/ 75R22.5 14PR                                                                                        | \$126   | 0#     |
| 4070064                                    | Front Tires: Bridgestone R213 ECOPIA 295/75R22.5 16PR                                                                                            | \$159   | 0#     |
| 4070091                                    | Front Tires: Bridgestone R213 Ecopia 11R22.5 14PR                                                                                                | \$199   | 4#     |
| 4070092                                    | Front Tires: Bridgestone R213 Ecopia 11R22.5 16PR                                                                                                | \$204   | 4#     |
| 4079058                                    | Front tires: Bridgestone R268 Ecopia 11R22.5 14PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified. | (\$190) | 16#    |
| 4079059                                    | Front tires: Bridgestone R268 Ecopia 11R22.5 16PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.                     | \$227   | 18#    |
| 4079064                                    | Front tires: Bridgestone R268 Ecopia 12R22.5 16PR 42.7in. diameter, Smartway certified. 19.9in. SLR.                                             | \$483   | 50#    |
| <b>Bridgestone Rear</b>                    |                                                                                                                                                  |         |        |
| 4270042                                    | Rear Tires: Bridgestone M771 11R22.5 14PR                                                                                                        | \$868   | 4#     |
| 4270043                                    | Rear tires: Bridgestone M771 295/75R22.5 14PR                                                                                                    | \$423   | 46#    |
| 4270063                                    | Rear Tires: Bridgestone R213 ECOPIA 295/75R22.5 14PR                                                                                             | \$85    | 0#     |
| 4270064                                    | Rear Tires: Bridgestone R213 ECOPIA 295/75R22.5 16PR                                                                                             | \$118   | 0#     |
| 4270091                                    | Rear Tires: Bridgestone R213 Ecopia 11R22.5 14PR                                                                                                 | \$158   | 4#     |
| 4270092                                    | Rear Tires: Bridgestone R213 Ecopia 11R22.5 16PR                                                                                                 | \$164   | -8#    |
| 4277444                                    | Rear tires: Bridgestone M726ELA 11R22.5 14PR                                                                                                     | \$542   | -2#    |



## T680: TIRES & WHEELS

| Option                                     | Description                                                                                                                                                                      | Price   | Weight |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>         |                                                                                                                                                                                  |         |        |
| <b>Tubeless Type Standard Profile 22.5</b> |                                                                                                                                                                                  |         |        |
| <b>Bridgestone Rear</b>                    |                                                                                                                                                                                  |         |        |
| 4277487                                    | Rear tires: Bridgestone M799 11R22.5 16PR. 42 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.                                                               | \$476   | 8#     |
| 4277513                                    | Rear tires: Bridgestone M760 Ecopia 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Smartway certified. Code is priced per pair of tires.                                  | \$364   | 30#    |
| 4277545                                    | Rear Tires: Bridgestone M713 Ecopia 11R22.5 14PR. Code is priced per pair of tires.                                                                                              | \$355   | 14#    |
| 4278111                                    | Rear tires: Bridgestone L320 11R22.5 16PR. 42.5 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.                                                      | \$793   | 46#    |
| 4279058                                    | Rear Tires: Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires. | (\$231) | 4#     |
| 4279059                                    | Rear Tires: Bridgestone R268 Ecopia 11R22.5 16PR 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.                                                       | \$186   | 6#     |
| 4279064                                    | Rear Tires: Bridgestone R268 Ecopia 12R22.5 16PR 42.7in. diameter, Smartway certified. 19.9in. SLR.                                                                              | \$442   | 38#    |
| <b>Continental Front</b>                   |                                                                                                                                                                                  |         |        |
| 4080023                                    | Front tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.                                                                                                            | \$514   | 12#    |
| 4080024                                    | Front tires: Continental HSR2 SA 255/70R22.5 16PR                                                                                                                                | (\$79)  | 0#     |
| 4080034                                    | Front tires: Continental Ecoplus HS3+11R22.5 16PR                                                                                                                                | \$270   | 14#    |
| 4080047                                    | Front tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.                                                                                                            | \$501   | 38#    |
| 4080056                                    | Front tires: Continental HSL3 295/75R22.5 14PR.                                                                                                                                  | STD     | 0#     |
| 4080063                                    | Front tires: Continental HSL3 11R22.5 14PR                                                                                                                                       | \$41    | 8#     |
| 4080064                                    | Front tires: Continental HSL3 11R22.5 16PR                                                                                                                                       | \$168   | 10#    |
| 4080065                                    | Front Tires: Continental Ecoplus HS3+11R22.5 14PR                                                                                                                                | \$215   | 10#    |
| 4080212                                    | Front tires: Continental HSR3 295/75R22.5 14PR.                                                                                                                                  | \$394   | 22#    |
| 4080213                                    | Front tires: Continental HSR3 295/75R22.5 16PR                                                                                                                                   | \$479   | 26#    |
| 4080214                                    | Front tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.                                                                                                        | \$405   | 22#    |
| 4080216                                    | Front tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.                                                                                                        | \$559   | 26#    |



## T680: TIRES & WHEELS

| Option                                     | Description                                                                      | Price  | Weight |
|--------------------------------------------|----------------------------------------------------------------------------------|--------|--------|
| <b>Front &amp; Rear Axle Tires</b>         |                                                                                  |        |        |
| <b>Tubeless Type Standard Profile 22.5</b> |                                                                                  |        |        |
| <b>Continental Front</b>                   |                                                                                  |        |        |
| 4080217                                    | Front tires: Continental HSR3 11R22.5 14PR                                       | \$451  | 34#    |
| 4080218                                    | Front tires: Continental HSR3 11R22.5 16PR                                       | \$492  | 38#    |
| 4080219                                    | Front tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.            | \$611  | 34#    |
| 4080220                                    | Front tires: Continental HSR3 12R22.5 16PR                                       | \$613  | 66#    |
| 4080221                                    | Front tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.            | \$774  | 66#    |
| <b>Continental Rear</b>                    |                                                                                  |        |        |
| 4280009                                    | Rear Tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.             | \$473  | 10#    |
| 4280010                                    | Rear tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.             | \$460  | 36#    |
| 4280051                                    | Rear tires: Continental HSL3 295/75 R22.5 16PR                                   | \$231  | 2#     |
| 4280056                                    | Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires. | (\$41) | 0#     |
| 4280057                                    | Rear tires: Continental HDR2+ 11R22.5 14PR                                       | \$114  | 44#    |
| 4280058                                    | Rear tires: Continental HDR2+ 11R22.5 16PR                                       | \$336  | 46#    |
| 4280059                                    | Rear tires: Continental HDR2+ 295/75R22.5 14PR                                   | \$98   | 28#    |
| 4280060                                    | Rear tires: Continental HDR2+ 295/75R22.5 16PR                                   | \$319  | 28#    |
| 4280063                                    | Rear tires: Continental HSL3 11R22.5 14PR                                        | STD    | 0#     |
| 4280064                                    | Rear tires: Continental HSL3 11R22.5 16PR                                        | \$127  | 10#    |
| 4280065                                    | Rear Tires: Continental Ecoplus HS3+11R22.5 14PR                                 | \$174  | 8#     |
| 4280081                                    | Rear Tires: Continental HDL3 LTL 295/75R22.5 14 PR                               | \$172  | 14#    |
| 4280083                                    | Rear tires: Continental Ecoplus HS3+11R22.5 16PR                                 | \$230  | 14#    |
| 4280085                                    | Rear Tires: Continental HSR2 SA 255/70R22.5 16PR                                 | (\$79) | 0#     |
| 4280103                                    | Rear tires: Continental HDL3 LTL 11R22.5 14PR                                    | \$257  | 26#    |
| 4280212                                    | Rear tires: Continental HSR3 295/75R22.5 14PR.                                   | \$353  | 20#    |



## T680: TIRES & WHEELS

| Option                                     | Description                                                                          | Price   | Weight |
|--------------------------------------------|--------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>         |                                                                                      |         |        |
| <b>Tubeless Type Standard Profile 22.5</b> |                                                                                      |         |        |
| <b>Continental Rear</b>                    |                                                                                      |         |        |
| 4280214                                    | Rear tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.             | \$364   | 20#    |
| 4280216                                    | Rear tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.             | \$518   | 24#    |
| 4280217                                    | Rear tires: Continental HSR3 11R22.5 14PR                                            | \$410   | 32#    |
| 4280218                                    | Rear tires: Continental HSR3 11R22.5 16PR                                            | \$452   | 36#    |
| 4280219                                    | Rear tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.                 | \$570   | 32#    |
| 4280220                                    | Rear tires: Continental HSR3 12R22.5 16PR                                            | \$572   | 64#    |
| 4280221                                    | Rear tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.                 | \$733   | 64#    |
| 4280942                                    | Rear Tires: Continental HDL 3 ECO+ 295/75R22.5 14PR                                  | \$160   | 0#     |
| 4280943                                    | Rear Tires: Continental HDL 3 ECO+ 295/75R22.5 16PR                                  | \$211   | 0#     |
| 4280946                                    | Rear Tires: Continental HDL 3 ECO+ 11R22.5 14PR                                      | \$168   | 10#    |
| <b>Goodyear Front</b>                      |                                                                                      |         |        |
| 4030020                                    | Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR                                  | \$580   | 2#     |
| 4030024                                    | Front Tires: Goodyear Endurance RSA 11R22.5 16PR                                     | \$560   | 15#    |
| 4038737                                    | Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR                                      | \$585   | 4#     |
| 4038823                                    | Front tires: Goodyear Endurance LHS 11R22.5 16PR                                     | \$575   | 0#     |
| <b>Goodyear Rear</b>                       |                                                                                      |         |        |
| 4230024                                    | Rear Tires: Goodyear Endurance RSA 11R22.5 16PR                                      | \$519   | 15#    |
| 4230704                                    | Rear Tires: Goodyear Endurance MSD 12R22.5 16PR 43.4" diameter, 20.4" SLR, CRR- 8.10 | \$1,409 | 74#    |
| 4230712                                    | Rear Tires: Goodyear Endurance MSD 11R22.5 16PR                                      | \$1,255 | 30#    |
| 4230725                                    | Rear Tires: Goodyear Endurance MSD 11R24.5 16PR                                      | \$983   | 46#    |
| 4238001                                    | Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR                            | \$1,045 | 64#    |
| 4238003                                    | Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR                            | \$1,473 | 84#    |



## T680: TIRES & WHEELS

| Option                                     | Description                                                                                                                     | Price   | Weight |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>         |                                                                                                                                 |         |        |
| <b>Tubeless Type Standard Profile 22.5</b> |                                                                                                                                 |         |        |
| <b>Goodyear Rear</b>                       |                                                                                                                                 |         |        |
| 4238737                                    | Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR                                                                                  | \$535   | 4#     |
| 4238740                                    | Rear Tires: Goodyear Fuel Max RTD 11R22.5 16PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires. | \$736   | 30#    |
| 4238823                                    | Rear Tires: Goodyear Endurance LHS 11R22.5 16PR                                                                                 | \$535   | 0#     |
| 4238856                                    | Rear tires: Goodyear Endurance LHD 11R22.5 14PR                                                                                 | \$668   | 33#    |
| 4238860                                    | Rear tires: Goodyear Endurance RSA 12R22.5 16PR                                                                                 | \$994   | 56#    |
| 4238866                                    | Rear tires: Goodyear Endurance LHD 11R22.5 16PR                                                                                 | \$715   | 40#    |
| <b>Michelin Front</b>                      |                                                                                                                                 |         |        |
| 4010004                                    | Front Tires: Michelin X Works Z 12R22.5 16PR                                                                                    | \$1,528 | 75#    |
| 4010136                                    | Front Tires: Michelin X Line Energy Z 11R22.5 14P                                                                               | \$780   | 9#     |
| 4010137                                    | Front Tires: Michelin X Line Energy Z 11R22.5 16P                                                                               | \$803   | 7#     |
| 4010148                                    | Front Tires: Michelin X Multi Energy Z 2 295/75R22.5 16PR                                                                       | \$977   | 1#     |
| 4010149                                    | Front Tires: Michelin X Multi Energy Z 2 11R22.5 16PR                                                                           | \$1,084 | 17#    |
| 4010340                                    | Front Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR.                                           | \$1,563 | 52#    |
| 4017062                                    | FR MN X MULTI Z2 11R22.5 14PR                                                                                                   | \$660   | 0#     |
| <b>Michelin Rear</b>                       |                                                                                                                                 |         |        |
| 4210004                                    | Rear Tires: Michelin X Works Z 12R22.5 16PR                                                                                     | \$1,487 | 64#    |
| 4210055                                    | Rear Tires: Michelin X Multi D+ 275/80R22.5 14PR                                                                                | \$1,154 | 0#     |
| 4210148                                    | Rear Tires: Michelin X Multi Energy Z 2 295/75R22.5 16PR                                                                        | \$936   | 7#     |
| 4210149                                    | Rear Tires: Michelin X Multi Energy Z 2 11R22.5 16PR                                                                            | \$1,043 | 17#    |
| 4210340                                    | Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.          | \$1,522 | 52#    |
| 4217094                                    | Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.               | \$1,096 | 38#    |



## T680: TIRES & WHEELS

| Option                                     | Description                                                                                                                                   | Price   | Weight |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>         |                                                                                                                                               |         |        |
| <b>Tubeless Type Standard Profile 22.5</b> |                                                                                                                                               |         |        |
| <b>Michelin Rear</b>                       |                                                                                                                                               |         |        |
| 4217112                                    | RR MN X MULTI Z2 11R22.5 14PR                                                                                                                 | \$619   | 0#     |
| 4217221                                    | RR MN X LINE GRIP D 295/75R22.5 14PR                                                                                                          | \$672   | 0#     |
| 4217225                                    | Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires. | \$798   | 34#    |
| 4217235                                    | RR MN X LINE GRIP D 11R22.5 14PR                                                                                                              | \$997   | 0#     |
| 4217402                                    | Rear tires: Michelin XDS2 11R22.5 16PR 41.9 in. diameter, drive. 19.6 in. SLR.DR. Code is priced per pair of tires.                           | \$1,492 | 46#    |
| 4217406                                    | Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.                | \$1,281 | 42#    |
| <b>Yokohama Front</b>                      |                                                                                                                                               |         |        |
| 4083242                                    | Front Tires: Yokohama RY023 11R22.5 16PR                                                                                                      | (\$219) | 6#     |
| 4083282                                    | Front Tires: Yokohama RY617 11R22.5 14PR                                                                                                      | (\$287) | 2#     |
| <b>Yokohama Rear</b>                       |                                                                                                                                               |         |        |
| 4283242                                    | Rear Tires: Yokohama RY023 11R22.5 16PR                                                                                                       | (\$260) | 6#     |
| 4283250                                    | Rear Tires: Yokohama TY517 MC2 11R22.5 14PR                                                                                                   | (\$164) | 18#    |
| 4283253                                    | Rear Tires: Yokohama TY517 MC2 295/75R22.5 16PR                                                                                               | (\$104) | 0#     |
| 4283261                                    | Rear Tires: Yokohama 709ZL 11R22.5 14PR                                                                                                       | (\$196) | 32#    |
| 4283282                                    | Rear Tires: Yokohama RY617 11R22.5 14PR                                                                                                       | (\$328) | 2#     |
| <b>Tubeless Type Standard Profile 24.5</b> |                                                                                                                                               |         |        |
| <b>Apollo Front</b>                        |                                                                                                                                               |         |        |
| 4080193                                    | Front Tires: Apollo EnduTrax MA 11R24.5 16PR                                                                                                  | \$582   | 56#    |
| <b>Apollo Rear</b>                         |                                                                                                                                               |         |        |
| 4280203                                    | Rear Tires: Apollo Enducombi RD CS 11R24.5 16PR                                                                                               | \$501   | 56#    |
| 4280204                                    | Rear tires: Apollo Enducombi RD CS 11R24.5 14PR                                                                                               | \$338   | 54#    |
| 4280205                                    | Rear tires: Apollo Enducombi RD OS 11R24.5 16PR                                                                                               | \$501   | 54#    |



## T680: TIRES & WHEELS

| Option                                     | Description                                                                                                                                               | Price   | Weight |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>         |                                                                                                                                                           |         |        |
| <b>Tubeless Type Standard Profile 24.5</b> |                                                                                                                                                           |         |        |
| <b>Apollo Rear</b>                         |                                                                                                                                                           |         |        |
| 4280206                                    | Rear tires: Apollo Enducombi RD OS 11R24.5 14PR                                                                                                           | \$338   | 54#    |
| 4280207                                    | Rear tires: Apollo Endutrax MA 11R24.5 16PR                                                                                                               | \$541   | 44#    |
| <b>Bridgestone Front</b>                   |                                                                                                                                                           |         |        |
| 4070636                                    | Front Tires: Bridgestone R213 Ecopia 11R24.5 16PR                                                                                                         | \$406   | 20#    |
| 4071637                                    | Front Tires: Bridgestone R213 Ecopia 11R24.5 14PR                                                                                                         | \$321   | 20#    |
| 4079060                                    | Front tires: Bridgestone R268 Ecopia 11R24.5 14PR. 43.5 in. diameter all position. Side wall protector bar. 20.3 in. SLR.                                 | \$22    | 34#    |
| 4079062                                    | Front tires: Bridgestone R268 Ecopia 11R24.5 16PR. 43.5 in. diameter all position. Side wall protector bar. 20.3 in. SLR.                                 | \$352   | 36#    |
| <b>Bridgestone Rear</b>                    |                                                                                                                                                           |         |        |
| 4277449                                    | Rear Tires: Bridgestone M726ELA 11R24.5 16PR 44.2 in. diameter, highway drive tire. 20.6 in. SLR. Code is priced per pair of tires.                       | \$666   | 52#    |
| 4277456                                    | Rear Tires: Bridgestone M726ELA 11R24.5 14PR. 44.2 in. diameter. Long haul or P & D drive tire. 20.6 in. SLR. Code is priced per pair of tires.           | \$1,002 | 44#    |
| 4277491                                    | Rear Tires: Bridgestone M799 11R24.5 16PR. 44 in. diameter, all position. 20.5 in. SLR. Code is priced per pair of tires.                                 | \$1,755 | 38#    |
| 4277538                                    | Rear Tires: Bridgestone M713 Ecopia 11R24.5 14PR. Code is priced per pair of tires.                                                                       | \$477   | 32#    |
| 4278133                                    | Rear tires: Bridgestone L320 11R24.5 16PR. 44.4 in. diameter, drive. 20.7 in. SLR. Code is priced per pair of tires.                                      | \$1,434 | 72#    |
| 4279060                                    | Rear Tires: Bridgestone R268 Ecopia 11R24.5 14PR 43.3 in. diameter all position. Side wall protector bar. 20.3 in. SLR. Code is priced per pair of tires. | (\$19)  | 22#    |
| 4279062                                    | Rear Tires: Bridgestone R268 Ecopia 11R24.5 16PR 43.3 in. diameter all position. Side wall protector bar. 20.3 in. SLR.                                   | \$311   | 24#    |
| <b>Continental Front</b>                   |                                                                                                                                                           |         |        |
| 4080084                                    | Front tires: Continental HSC3 12R24.5 16PR. With pressure sensor included.                                                                                | \$951   | 98#    |
| 4080222                                    | Front tires: Continental HSR3 11R24.5 16PR                                                                                                                | \$562   | 58#    |
| 4080223                                    | Front tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.                                                                                     | \$724   | 58#    |
| <b>Continental Rear</b>                    |                                                                                                                                                           |         |        |



## T680: TIRES & WHEELS

| Option                                     | Description                                                                                                               | Price   | Weight |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>         |                                                                                                                           |         |        |
| <b>Tubeless Type Standard Profile 24.5</b> |                                                                                                                           |         |        |
| <b>Continental Rear</b>                    |                                                                                                                           |         |        |
| 4280084                                    | Rear tires: Continental HSC3 12R24.5 16PR. With pressure sensor included.                                                 | \$910   | 98#    |
| 4280104                                    | Rear tires: Continental HDL3 LTL 11R24.5 16PR                                                                             | \$334   | 50#    |
| 4280222                                    | Rear tires: Continental HSR3 11R24.5 16PR                                                                                 | \$522   | 56#    |
| 4280223                                    | Rear tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.                                                      | \$683   | 56#    |
| <b>Goodyear Front</b>                      |                                                                                                                           |         |        |
| 4030022                                    | Front Tires: Goodyear Fuel Max RSA 11R24.5 16PR                                                                           | \$694   | 22#    |
| 4038662                                    | Front tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.                                | \$839   | 34#    |
| 4038807                                    | Front tires: Goodyear G751 MSA 11R24.5 16PR 44.0in. diameter. Steer/all position on/off highway tire. 20.7 SLR.           | \$1,195 | 60#    |
| 4038827                                    | Front tires: Goodyear Endurance LHS 11R24.5 16PR                                                                          | \$737   | 16#    |
| <b>Goodyear Rear</b>                       |                                                                                                                           |         |        |
| 4230022                                    | Rear Tires: Goodyear Fuel Max RSA 11R24.5 16PR                                                                            | \$653   | 22#    |
| 4238002                                    | Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR                                                                 | \$1,235 | 82#    |
| 4238675                                    | Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.                                 | \$798   | 34#    |
| 4238700                                    | Rear tires: Goodyear G182 RSD 11R24.5 16PR. 44.1 in. diameter. drive tire. 20.8 in. SLR. Code is priced per pair of tires | \$1,109 | 68#    |
| 4238807                                    | Rear Tires: 2 Goodyear G751 MSA 11R24.5 16PR 44.0in. Diameter. Steer/All Position On/Off Highway Tire. 20.7 SLR.          | \$1,154 | 60#    |
| 4238827                                    | Rear tires: Goodyear Endurance LHS 11R24.5 16PR                                                                           | \$696   | 16#    |
| 4238857                                    | Rear tires: Goodyear Endurance LHD 11R24.5 14PR                                                                           | \$801   | 55#    |
| 4238858                                    | Rear tires: Goodyear Endurance LHD 11R24.5 16PR                                                                           | \$885   | 52#    |
| <b>Michelin Front</b>                      |                                                                                                                           |         |        |
| 4010003                                    | Front Tires: Michelin X Works Z 11R24.5 16PR                                                                              | \$1,346 | 54#    |
| 4010139                                    | Front Tires: Michelin X Line Energy Z 11R24.5 16P                                                                         | \$1,031 | 27#    |
| 4017157                                    | Front Tires: Michelin XZE2 11R24.5 14PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.                                   | \$829   | 26#    |



## T680: TIRES & WHEELS

| Option                                     | Description                                                                                                              | Price   | Weight |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>         |                                                                                                                          |         |        |
| <b>Tubeless Type Standard Profile 24.5</b> |                                                                                                                          |         |        |
| <b>Michelin Front</b>                      |                                                                                                                          |         |        |
| 4017158                                    | Front Tires: Michelin XZE2 11R24.5 16PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.                                  | \$1,105 | 34#    |
| <b>Michelin Rear</b>                       |                                                                                                                          |         |        |
| 4210003                                    | Rear Tires: Michelin X Works Z 11R24.5 16PR                                                                              | \$1,306 | 54#    |
| 4210054                                    | Rear Tires: Michelin X Multi D+ 11R24.5 16PR                                                                             | \$1,166 | 0#     |
| 4217157                                    | Rear tires: Michelin XZE2 11R24.5 14PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires. | \$788   | 10#    |
| 4217158                                    | Rear tires: Michelin XZE2 11R24.5 16PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires. | \$1,064 | 0#     |
| 4217404                                    | Rear tires: Michelin XDS2 11R24.5 16PR 43.9 in. diameter, drive. 20.5 SLR. Code is priced per pair of tires.             | \$1,577 | 54#    |
| <b>Yokohama Front</b>                      |                                                                                                                          |         |        |
| 4083241                                    | Front Tires: Yokohama RY023 11R24.5 16PR                                                                                 | (\$72)  | 22#    |
| 4083283                                    | Front Tires: Yokohama RY617 11R24.5 14PR                                                                                 | (\$208) | 18#    |
| <b>Yokohama Rear</b>                       |                                                                                                                          |         |        |
| 4283241                                    | Rear Tires: Yokohama RY023 11R24.5 16PR                                                                                  | (\$113) | 22#    |
| 4283262                                    | Rear Tires: Yokohama 709ZL 11R24.5 14PR                                                                                  | (\$166) | 46#    |
| 4283283                                    | Rear Tires: Yokohama RY617 11R24.5 14PR                                                                                  | (\$249) | 18#    |
| <b>Tubeless Type Low Profile 22.5</b>      |                                                                                                                          |         |        |
| <b>Apollo Front</b>                        |                                                                                                                          |         |        |
| 4080185                                    | Front Tires: Apollo Endutrax 315/80R22.5 20PR                                                                            | \$1,002 | 78#    |
| 4080186                                    | Front Tires: Apollo Enducombi 295/75R22.5 16PR                                                                           | \$157   | 26#    |
| 4080191                                    | Front Tires Apollo EnduMile LHft 295/75R22.5 14PR                                                                        | \$157   | 0#     |
| 4080192                                    | Front Tires Apollo EnduMile LHft 295/75R22.5 16PR                                                                        | \$240   | 0#     |
| <b>Apollo Rear</b>                         |                                                                                                                          |         |        |
| 4280185                                    | Rear Tires: Apollo Endutrax 315/80R22.5 20PR                                                                             | \$961   | 76#    |
| 4280186                                    | Rear Tires: Apollo Enducombi 295/75R22.5 16PR                                                                            | \$116   | 24#    |



## T680: TIRES & WHEELS

| Option                                | Description                                                                                                                                        | Price   | Weight |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>    |                                                                                                                                                    |         |        |
| <b>Tubeless Type Low Profile 22.5</b> |                                                                                                                                                    |         |        |
| <b>Apollo Rear</b>                    |                                                                                                                                                    |         |        |
| 4280191                               | Rear Tires: Apollo Enducombi RD CS 295/75R22.5 16PR                                                                                                | \$325   | 50#    |
| 4280192                               | Rear Tires: Apollo Enducombi RD CS 295/75R22.5 14PR                                                                                                | \$154   | 48#    |
| 4280201                               | Rear Tires: Apollo Endumile LHD 295/75R22.5 14PR                                                                                                   | \$120   | 0#     |
| 4280202                               | Rear Tires: Apollo Endumile LHD 295/75R22.5 16PR                                                                                                   | \$120   | 0#     |
| <b>Bridgestone Front</b>              |                                                                                                                                                    |         |        |
| 4070009                               | Front Tires: Bridgestone R249 315/80R 22.5 20PR                                                                                                    | \$963   | 26#    |
| 4077406                               | Front tires: Bridgestone M864 385/65R22.5 18PR All position. On/Off highway. Wide-base tire.                                                       | \$977   | 122#   |
| 4077537                               | Front tires: Bridgestone M870 315/80R22.5 20PR All Position                                                                                        | \$1,136 | 94#    |
| <b>Bridgestone Rear</b>               |                                                                                                                                                    |         |        |
| 4270044                               | Rear tires: Bridgestone M771 11R22.5 16PR                                                                                                          | \$891   | 4#     |
| 4270729                               | Rear Tires: Bridgestone M726ELA 295/75R22.5 14PR                                                                                                   | \$182   | 12#    |
| 4277408                               | Rear tires: Bridgestone M760 Ecopia 295/75R22.5 14PR 40.7in. diameter. 27 tread depth. 19.0in. SLR. EPA SmartWay verified.                         | \$301   | 18#    |
| 4277498                               | Rear Tires: Bridgestone M713 Ecopia 295/75R22.5 14PR. 40.5in. diameter, drive. 18.9 in. SLR. Smartway certified. Code is priced per pair of tires. | \$334   | -10#   |
| 4277516                               | Rear Tires: Bridgestone M864 385/65R22.5 18PR 2-4 All position. On/Off Highway. Wide-base Tire.                                                    | (\$787) | 364#   |
| 4277537                               | Rear tires: Bridgestone M870 315/80R22.5 20PR All Position                                                                                         | \$1,095 | 94#    |
| <b>Continental Front</b>              |                                                                                                                                                    |         |        |
| 4080051                               | Front Tires: Continental Conti HSL3 295/75R22.5 16PR                                                                                               | \$271   | 2#     |
| 4080062                               | Front Tires: Continental HS3+ 295/75R22.5 16PR                                                                                                     | \$289   | 6#     |
| 4080254                               | Front Tires: Continental HSR2 SA 315/80R22.5 20PR                                                                                                  | \$790   | 58#    |
| <b>Continental Rear</b>               |                                                                                                                                                    |         |        |
| 4280000                               | Rear tires: Continental HDR 255/70R22.5 16PR                                                                                                       | \$41    | -38#   |
| 4280213                               | Rear tires: Continental HSR3 295/75R22.5 16PR                                                                                                      | \$438   | 24#    |



## T680: TIRES & WHEELS

| Option                                | Description                                                                                                                                                                   | Price   | Weight |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>    |                                                                                                                                                                               |         |        |
| <b>Tubeless Type Low Profile 22.5</b> |                                                                                                                                                                               |         |        |
| <b>Continental Rear</b>               |                                                                                                                                                                               |         |        |
| 4280252                               | Rear Tires: Continental HAC3 445/65R22.5 22PR. Includes pressure sensor.                                                                                                      | \$1,700 | 192#   |
| 4280940                               | Rear Tires: Continental HDL2 Eco Plus 445/50R22.5 20PR 2-4                                                                                                                    | (\$196) | -56#   |
| <b>Goodyear Front</b>                 |                                                                                                                                                                               |         |        |
| 4030012                               | Front Tires: Goodyear Endurance WHA 315/80R22.5 20PR.                                                                                                                         | \$1,611 | 62#    |
| 4030265                               | Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.                                                                          | \$482   | 14#    |
| 4038263                               | Front tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR.                                                                                   | \$1,214 | 36#    |
| 4038678                               | Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.                                                                                 | \$1,474 | 78#    |
| 4038822                               | Front tires: Goodyear Endurance LHS 295/75R22.5 16PR                                                                                                                          | \$565   | -4#    |
| 4039945                               | Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR                                                                                                                          | \$474   | -8#    |
| <b>Goodyear Rear</b>                  |                                                                                                                                                                               |         |        |
| 4230012                               | Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.                                                                                                                          | \$1,570 | 62#    |
| 4230020                               | Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR                                                                                                                            | \$540   | 4#     |
| 4230038                               | Rear Tires: Goodyear Fuel Max LHD2 295/75R22.5 14PR                                                                                                                           | \$885   | 26#    |
| 4238263                               | Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR                                                                                     | \$1,173 | 34#    |
| 4238265                               | Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.                                                                            | \$441   | 14#    |
| 4238717                               | Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLR                                                                                                      | \$277   | -50#   |
| 4238718                               | Rear tires: Goodyear G278 MSD 445/65R22.5 20PR 46.2 in. diameter, all position. 21.1 in. SLR. On/Off highway. Wide-base tire 2 replacing 4. Code is priced per pair of tires. | \$1,263 | -12#   |
| 4238720                               | Rear tires: Goodyear G278 MSD 425/65R22.5 20PR Wide-base tire 2 replacing 4. Code is priced per pair of tires.                                                                | \$749   | 163#   |
| 4238741                               | Rear tires: Goodyear Fuel Max RTD 295/75R22.5 14PR 40.8 in. diameter, all position. 19.0 in. SLR. Code is priced per pair of tires.                                           | \$1,165 | 16#    |
| 4238751                               | Rear tires: Goodyear Armormax MSA 445/65R22.5 20PR. 2-4. 45.5 in. diameter 20.9 in. SLR. all position. On/Off highway. Wide-base tire.                                        | \$451   | -52#   |



## T680: TIRES & WHEELS

| Option                                | Description                                                                                                                                        | Price   | Weight |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>    |                                                                                                                                                    |         |        |
| <b>Tubeless Type Low Profile 22.5</b> |                                                                                                                                                    |         |        |
| <b>Goodyear Rear</b>                  |                                                                                                                                                    |         |        |
| 4238822                               | Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR                                                                                                | \$524   | -8#    |
| 4238859                               | Rear tire:Goodyear Endurance LHD 295/75R22.5 14PR                                                                                                  | \$645   | 34#    |
| 4239945                               | Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR                                                                                               | \$433   | -8#    |
| <b>Michelin Front</b>                 |                                                                                                                                                    |         |        |
| 4010006                               | Front Tires: Michelin X Works Z 315/80R22.5 20PR                                                                                                   | \$1,771 | 96#    |
| 4010146                               | Front Tires: Michelin X Line Energy Z+ 295/ 75R22.5 16PR                                                                                           | \$902   | -5#    |
| 4017063                               | FR MN X MULTI Z2 295/75R22.5 14PR                                                                                                                  | \$639   | 0#     |
| 4017167                               | FR MN X MULTI Z2 295/75R22.5 16PR                                                                                                                  | \$804   | 0#     |
| 4017217                               | Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.6 in. SLR.                                                       | \$2,021 | 98#    |
| <b>Michelin Rear</b>                  |                                                                                                                                                    |         |        |
| 4210006                               | Rear Tires: Michelin X Works Z 315/80R22.5 20PR                                                                                                    | \$1,730 | 88#    |
| 4210056                               | RR MN X MULTI D+ 11R22.5 16PR                                                                                                                      | \$1,015 | 0#     |
| 4210389                               | Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4                                                                                         | \$1,156 | -116#  |
| 4210391                               | Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4                                                                                       | \$1,512 | 179#   |
| 4211038                               | Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.               | \$1,492 | -50#   |
| 4211040                               | Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.                                                              | \$1,207 | -50#   |
| 4217113                               | RR MN X MULTI Z2 295/75R22.5 14PR                                                                                                                  | \$639   | 0#     |
| 4217181                               | RR MN X MULTI Z2 295/75R22.5 16PR                                                                                                                  | \$763   | 0#     |
| 4217184                               | Rear tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. diameter, all position, 2-4 mounting. 20.6 in. SLR. Code is priced per pair of tires.          | \$912   | -38#   |
| 4217217                               | Rear tires: Michelin XZUS2 315/80R22.5 20PR AP. 42.8 in. diameter, all position.. 19.8 in. SLR. Code is priced per pair of tires.                  | \$1,980 | 98#    |
| 4217227                               | Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires. | \$641   | 22#    |



## T680: TIRES & WHEELS

| Option                                | Description                                                                                                                                                                                                       | Price   | Weight |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>    |                                                                                                                                                                                                                   |         |        |
| <b>Tubeless Type Low Profile 22.5</b> |                                                                                                                                                                                                                   |         |        |
| <b>Michelin Rear</b>                  |                                                                                                                                                                                                                   |         |        |
| 4217234                               | Rear tires: Michelin X Line Energy D+ 295/75R22.5 14PR                                                                                                                                                            | \$914   | 0#     |
| 4217288                               | Rear tires: Michelin X One Line Energy D 445/50R 22.5 20PR, 2-4 super single drive tire. 40.1 in. diameter. 18.6 in. SLR. Smartway certified. Not for use on single rear axles. Code is priced per pair of tires. | \$1,175 | -128#  |
| 4217408                               | Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.                                                                                | \$1,211 | 34#    |
| 4217415                               | Rear Tires: Michelin X Multi D 295/60R22.5 18PR                                                                                                                                                                   | \$960   | 0#     |
| <b>Yokohama Front</b>                 |                                                                                                                                                                                                                   |         |        |
| 4083247                               | Front Tires: Yokohama RY023 295/75R22.5 16PR                                                                                                                                                                      | (\$220) | 0#     |
| 4083284                               | Front Tires: Yokohama RY617 295/75R22.5 16PR                                                                                                                                                                      | (\$97)  | -8#    |
| <b>Yokohama Rear</b>                  |                                                                                                                                                                                                                   |         |        |
| 4283247                               | Rear Tires: Yokohama RY023 295/75R22.5 16PR                                                                                                                                                                       | (\$261) | 0#     |
| 4283260                               | Rear Tires: Yokohama 709ZL 295/75R22.5 14PR                                                                                                                                                                       | (\$240) | 26#    |
| 4283284                               | Rear Tires: Yokohama RY617 295/75R22.5 16PR                                                                                                                                                                       | (\$138) | -20#   |
| <b>Tubeless Type Low Profile 24.5</b> |                                                                                                                                                                                                                   |         |        |
| <b>Bridgestone Rear</b>               |                                                                                                                                                                                                                   |         |        |
| 4270730                               | Rear Tires: Bridgestone M726ELA 285/75R24.5 14PR                                                                                                                                                                  | \$833   | 30#    |
| <b>Continental Front</b>              |                                                                                                                                                                                                                   |         |        |
| 4080085                               | Front tires: Continental Ecoplus HS3+285/75R24.5 16PR                                                                                                                                                             | \$198   | 16#    |
| <b>Goodyear Rear</b>                  |                                                                                                                                                                                                                   |         |        |
| 4238861                               | Rear tire:Goodyear Endurance LHD 285/75R24.5 14PR                                                                                                                                                                 | \$763   | 49#    |
| <b>Yokohama Front</b>                 |                                                                                                                                                                                                                   |         |        |
| 4083240                               | Front Tires: Yokohama RY023 285/75R24.5 14PR                                                                                                                                                                      | (\$142) | 6#     |
| 4083281                               | Front Tires: Yokohama RY617 285/75R24.5 14PR                                                                                                                                                                      | (\$257) | -4#    |
| <b>Yokohama Rear</b>                  |                                                                                                                                                                                                                   |         |        |
| 4283240                               | Rear Tires: Yokohama RY023 285/75R24.5 14PR                                                                                                                                                                       | (\$183) | 6#     |
| 4283252                               | Rear Tires: Yokohama TY517 MC2 285/75R24.5 14PR                                                                                                                                                                   | (\$115) | 18#    |



## T680: TIRES & WHEELS

| Option                                | Description                                                                                           | Price   | Weight |
|---------------------------------------|-------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Tires</b>    |                                                                                                       |         |        |
| <b>Tubeless Type Low Profile 24.5</b> |                                                                                                       |         |        |
| <b>Yokohama Rear</b>                  |                                                                                                       |         |        |
| 4283263                               | Rear Tires: Yokohama 709ZL 285/75R24.5 14PR                                                           | (\$195) | 30#    |
| 4283281                               | Rear Tires: Yokohama RY617 285/75R24.5 14PR                                                           | (\$298) | -4#    |
| <b>Pusher Axle Tires</b>              |                                                                                                       |         |        |
| <b>Steerable Pushers</b>              |                                                                                                       |         |        |
| 4781002                               | 1 Steerable Pusher: 2 Bridgestone R238 215/75R 17.5 16PR                                              | (\$217) | -108#  |
| 4781003                               | 2 Steerable Pusher: 4 Bridgestone R238 215/ 75R17.5 16PR                                              | (\$406) | -108#  |
| 4781004                               | 3 Steerable Pusher: 6 Bridgestone R238 215/ 75R17.5 16PR                                              | (\$596) | -108#  |
| 4781028                               | STRBL PSHR: 2 BR R239 245/70R19.5 16PR                                                                | \$75    | 0#     |
| 4781066                               | STRBL PSHR: 2 MN X MULTI Z2 11R22.5 14PR                                                              | \$619   | 0#     |
| 4781067                               | 2 STRBL PSHR: 4 MN X MULTI Z2 11R22.5 14PR                                                            | \$2,989 | 0#     |
| 4781068                               | 3 STRBL PSHR: 6 MN X MULTI Z2 11R22.5 14PR                                                            | \$5,358 | 0#     |
| 4781069                               | STRBL PSHR: 4 MN X MULTI Z2 11R22.5 14PR 4-4                                                          | \$2,989 | 0#     |
| 4781083                               | Steerable Pusher: 2 Apollo Endutrax MA 11R24.5 16PR                                                   | \$541   | 44#    |
| 4781103                               | 1 Steerable Pusher: 2 Michelin X WORKS Z 11R24.5 16PR                                                 | \$1,306 | 54#    |
| 4781109                               | 1 Steerable Pusher: 2 Michelin X WORKS Z 315/ 80R22.5 20PR                                            | \$1,730 | 96#    |
| 4781117                               | 1 Steerable Pusher: 2 Michelin XZUS2 315/80R22.5 20 PR all position. 42.9 in. diameter. 19.8 in. SLR. | \$1,980 | 98#    |
| 4781158                               | 1 Steerable Pusher: 2 Michelin XZE2 11R24.5 16PR 43.5 in. diameter. 20.3 in. SLR.                     | \$1,064 | 34#    |
| 4781166                               | 1 Steerable Pusher: Michelin XZL 12R20 18PR with tubes and flaps                                      | \$1,505 | 146#   |
| 4781203                               | STRBL PSHR: 2 MN X MULTI Z2 295/75R22.5 16PR                                                          | \$763   | 0#     |
| 4781205                               | STRBL PSHR: 2 MN X MULTI Z2 295/75R22.5 14PR                                                          | \$598   | 0#     |
| 4781206                               | 2 STRBL PSHR: 4 MN X MULTI Z2 295/75R22.5 14PR                                                        | \$2,947 | 0#     |
| 4781207                               | 3 STRBL PSHR: 6 MN X MULTI Z2 295/75R22.5 14PR                                                        | \$5,295 | 0#     |



## T680: TIRES & WHEELS

| Option                   | Description                                                                                                                     | Price   | Weight |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| Pusher Axle Tires        |                                                                                                                                 |         |        |
| <b>Steerable Pushers</b> |                                                                                                                                 |         |        |
| 4781212                  | 1 Steerable Pusher: 4 Continental HSR3 295/ 75R 22.5 14PR 4-4                                                                   | \$734   | 2#     |
| 4781213                  | 1 Steerable Pusher: 4 Continental HSR3 295/ 75R22.5 16PR 4-4                                                                    | \$904   | 0#     |
| 4781214                  | 2 Steerable Pusher: 4 Continental HSR3 295/ 75R 22.5 16PR                                                                       | \$904   | 28#    |
| 4781215                  | 2 Steerable Pusher: 4 Continental HSR2 SA 255/70R 22.5 16PR                                                                     | \$1,552 | 0#     |
| 4781216                  | 2 Steerable Pusher: 4 Continental HSR3 11R22.5 14PR                                                                             | \$848   | 44#    |
| 4781218                  | 2 Steerable Pusher: 4 Continental HSR3 11R 22.5 16PR                                                                            | \$930   | 0#     |
| 4781220                  | 1 Steerable Pusher: 2 Continental HSR2 SA 255/70R 22.5 16PR                                                                     | (\$79)  | 0#     |
| 4781228                  | 2 STRBL PSHR: 4 BR R239 245/70R19.5 16PR                                                                                        | \$176   | 0#     |
| 4781261                  | STRBL PSHR: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4                                                                                | \$2,947 | 0#     |
| 4781312                  | 2 Steerable Pusher: 4 Goodyear G114 LHT 215/75R17.5 16PR. 30.5in diameter. 14.2in SLR. Available only w/ 8K Super Lite pushers. | (\$440) | -108#  |
| 4781314                  | 3 Steerable Pusher:6 Goodyear G114 LHT 215/75R17.5 16PR. 30.5in diameter. 14.2in SLR. Available only w/ 8K Super Lite pushers.  | (\$646) | -162#  |
| 4781326                  | 1 Steerable Pusher: 2 Goodyear G114 LHT 215/ 75R17.5 16PR                                                                       | (\$233) | -108#  |
| 4781332                  | 1 Steerable Pusher: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR.                                                                 | \$1,570 | 62#    |
| 4781365                  | 1 Steerable Pusher: 2 Goodyear Endurance RSA 295/75R22.5 14PR, 40.6 in. diameter, all position. 19.0 in. SLR.                   | \$441   | 14#    |
| 4781378                  | 1 Steerable Pusher: 2 Goodyear G289 WHA 315/80R22.5, 20PR; All position. 43.1 in. diameter. 20 in. SLR.                         | \$1,433 | 78#    |
| 4781406                  | 1 Steerable Pusher: 2 Bridgestone M864 385/ 65R22.5 18PR, All position. On/Off highway. Wide-base tire                          | \$936   | 346#   |
| 4781410                  | 1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR. Includes pressure sensor.                                                  | \$460   | 0#     |
| 4781412                  | 1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR                                                                        | \$353   | 0#     |
| 4781413                  | 1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR                                                                        | \$438   | 0#     |
| 4781414                  | 1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR. Includes pressure sensor.                                             | \$364   | 0#     |



## T680: TIRES & WHEELS

| Option            | Description                                                                                                                              | Price   | Weight |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| Pusher Axle Tires |                                                                                                                                          |         |        |
| Steerable Pushers |                                                                                                                                          |         |        |
| 4781416           | 1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR. Includes pressure sensor.                                                      | \$518   | 0#     |
| 4781417           | 1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR                                                                                      | \$410   | 0#     |
| 4781418           | 1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR                                                                                      | \$452   | 0#     |
| 4781419           | 1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR. Includes pressure sensor.                                                           | \$570   | 0#     |
| 4781422           | 1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR                                                                                      | \$522   | 56#    |
| 4781423           | 1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR. Includes pressure sensor.                                                           | \$683   | 56#    |
| 4781542           | 1 Steerable Pusher: 2 Yokohama RY023 11R22.5 16PR                                                                                        | (\$260) | 6#     |
| 4781546           | 1 Steerable Pusher: 2 Bridgestone M870 425/65R 22.5 20PR. 44.9 in. diameter, all position. On/Off highway. Wide-base tire. 20.7 in. SLR. | \$1,499 | 144#   |
| 4781552           | 2 Steerable Pusher: 4 Yokohama RY023 11R22.5 16PR                                                                                        | (\$493) | 12#    |
| 4781559           | 1 Steerable Pusher: 2 Yokohama RY023 295/75R22.25 16PR                                                                                   | (\$261) | -10#   |
| 4781561           | 2 Steerable Pusher: 4 Yokohama RY023 295/75R22.5 16PR                                                                                    | (\$495) | -20#   |
| 4781563           | 3 Steerable Pusher: 6 Yokohama RY023 295/75R 22.5 16PR                                                                                   | (\$729) | 30#    |
| 4781565           | 1 Steerable Pusher: 4 Yokohama RY023 295/75R22.5 16PR 4-4                                                                                | (\$495) | -20#   |
| 4781612           | 2 Steerable Pusher: 4 Continental HSR3 295/75R; 22.5 14P                                                                                 | \$734   | 4#     |
| 4781845           | 3 Steerable Pusher: 6 Goodyear Endurance LHS 295/ 75R22.5 14PR                                                                           | \$1,354 | -24#   |
| 4781855           | 1 Steerable Pusher: 2 Bridgestone R268 Ecopia 11R 24.5. 14PR.                                                                            | (\$19)  | 22#    |
| 4781858           | 1 Steerable Pusher: 2 Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.     | (\$231) | 4#     |
| 4781859           | 1 Steerable Pusher: 2 Bridgestone R268 Ecopia 11R22.5 16PR. 41.2 in. diameter, 19.5 in. SLR. all position.                               | \$186   | 6#     |
| 4781885           | 1 Steerable Pusher: 2 Yokohama RY617 11R22.5 14PR                                                                                        | (\$328) | 2#     |
| 4781886           | 1 Steerable Pusher: 2 Yokohama RY617 11R24.5 14PR                                                                                        | (\$249) | 18#    |
| 4781921           | 3 Steerable Pusher: 6 Continental HSR2 SA 255/70R 22.5 16PR                                                                              | \$3,182 | 0#     |



## T680: TIRES & WHEELS

| Option                    | Description                                                                                                                                | Price     | Weight |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| Pusher Axle Tires         |                                                                                                                                            |           |        |
| Steerable Pushers         |                                                                                                                                            |           |        |
| 4781922                   | 3 Steerable Pusher: 6 Continental HSR3 295/75R 22.5 14PR                                                                                   | \$1,114   | 6#     |
| 4781945                   | 1 Steerable Pusher: 2 Goodyear Endurance LHS 295/ 75R22.5 14PR                                                                             | \$433     | 0#     |
| 4781955                   | 2 Steerable Pusher: 4 Goodyear Endurance LHS 295/ 75R22.5 14PR                                                                             | \$894     | -16#   |
| 4781959                   | 1 Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 16PR, All Position, 4-4                                                              | \$399     | -6#    |
| 4784028                   | STRBL TAG: 2 BR R239 245/70R19.5 16PR                                                                                                      | \$1,900   | 0#     |
| 4785885                   | 2 Steerable Pusher: 4 Yokohama RY617 11R22.5 14PR.                                                                                         | (\$629)   | 4#     |
| 4785886                   | 2 Steerable Pusher: 4 Yokohama RY617 11R24.5 14PR                                                                                          | (\$471)   | 36#    |
| 4785888                   | 2 Steerable Pusher: 4 Yokohama RY617 285/75R 24.5 14PR.                                                                                    | (\$569)   | -8#    |
| 4786028                   | 3 STRBL PSHR: 6 BR R239 245/70R19.5 16PR                                                                                                   | \$278     | 0#     |
| 4789365                   | 2 Steerable Pusher: 4 Goodyear Endurance RSA 295/ 75R22.5 14PR, 40.6 in. diameter, all position. 19.0 in. SLR.                             | \$910     | 30#    |
| Non-Steerable Pushers 2-4 |                                                                                                                                            |           |        |
| 4782059                   | 1 Non-Steerable Pusher: Bridgestone R268 Ecopia 11R22.5 16PR 2-4 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR. | (\$1,537) | 6#     |
| 4782131                   | NSTRBL PSHR: 2 MN X MULTI Z2 11R22.5 14PR 2-4                                                                                              | \$619     | 0#     |
| 4782158                   | NSTRBL PSHR: 2 MN X MULTI Z2 295/75R22.5 14PR 2-4                                                                                          | \$598     | 0#     |
| 4782183                   | 1 Non-Steerable Pusher: Michelin XZY3 425/65R22.5 20PR. 44.7 in. diameter, all position. 20.6in. SLR. Wide base. 2-4                       | \$912     | -38#   |
| 4782212                   | 1 Non-Steerable Pusher: 2 Contintental HSR3 295/75R; 22.5 14PR 2-4                                                                         | (\$1,370) | -238#  |
| 4782216                   | 1 Non-Steerable Pusher: 2 Continental HSR2 SA 255 70R22.5 16PR 2-4                                                                         | (\$79)    | 0#     |
| 4782378                   | 1 Non-Steerable Pusher: 2 Goodyear G289 WHA 315/80R22.5, 20PR; 2-4. All position. 43.1 in. diameter. 20 in. SLR.                           | (\$291)   | -130#  |
| 4782406                   | 1 Non-Steerable Pusher: 2 Bridgestone M864 385/65R22.5, 18PR; 2-4, all position. On/Off highway. Wide-base tire.                           | (\$787)   | 346#   |
| 4782848                   | 1 Non-Steerable Pusher: 2 Yokohama RY023 295/75R 22.5 16PR 2-4                                                                             | (\$1,984) | -10#   |



## T680: TIRES & WHEELS

| Option                           | Description                                                                                                                                   | Price     | Weight |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| <b>Pusher Axle Tires</b>         |                                                                                                                                               |           |        |
| <b>Non-Steerable Pushers 2-4</b> |                                                                                                                                               |           |        |
| 4782858                          | 1 Non-Steerable Pusher: Bridgestone R268 Ecopia 11R22.5 14PR 2-4 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.    | (\$1,954) | 14#    |
| 4783117                          | 1 Non-Steerable Pusher: Michelin XZUS2 315/ 80R22.5 20 PR all position; 2-4. 42.9 in. diameter. 19.8 in. SLR.                                 | \$257     | 196#   |
| 4783312                          | 1 Non-Steerable Pusher: Goodyear Endurance WHA 315/80R22.5 20PR 2-4.                                                                          | (\$153)   | -166#  |
| <b>Non-Steerable Pushers 4-4</b> |                                                                                                                                               |           |        |
| 4783059                          | 1 Non-Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 16PR 4-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR. | \$399     | 6#     |
| 4783089                          | Non-steerable Pusher: 4 Apollo Endutrax MA 11R24.5 16PR 4-4                                                                                   | \$1,110   | 44#    |
| 4783102                          | 1 Non-Steerable Pusher: 4 Michelin X Works Z 11R24.5 16PR 4-4                                                                                 | \$2,638   | 128#   |
| 4783148                          | 1 Non-Steerable Pusher: 4 Michelin X MULTI Z 275/ 70R22.5 18PR 4-4 38 in. diameter, all position. 17.6 in. SLR.                               | \$1,746   | 12#    |
| 4783157                          | NSTRBL PSHR: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4                                                                                             | \$2,947   | 0#     |
| 4783208                          | NSTRBL PSHR: 4 MN X MULTI Z2 11R22.5 14PR 4-4                                                                                                 | \$4,739   | 0#     |
| 4783211                          | 1 Non-Steerable Pusher: 4 Continental HSR2 SA 255 /70R22.5 16PR 4-4                                                                           | \$1,552   | 0#     |
| 4783212                          | 1 Non-Steerable Pusher: 4 Continental HSR3 295/75R22.5 14PR 4-4                                                                               | \$734     | 4#     |
| 4783365                          | 1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 295/75R22.5 14PR 4-4. 40.6 in. diameter, all position. 19.0 in. SLR.                         | \$910     | -12#   |
| 4783656                          | 1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 11R24.5 16PR. 43.9in. diameter, all positions, 20.6SLR. 4-4                                  | \$1,624   | 34#    |
| 4783844                          | 1 Non-Steerable Pusher: 4 Yokohama RY023 295/75R 22.5 16PR 4-4                                                                                | (\$495)   | -20#   |
| 4783858                          | 1 Non-Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 14PR 4-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR. | (\$435)   | 4#     |
| <b>Tag Axle Tires</b>            |                                                                                                                                               |           |        |
| <b>Steerable Tags</b>            |                                                                                                                                               |           |        |
| 4780849                          | 1 Steerable Tag: 2 Yokohama RY023 295/75R22.5 16PR                                                                                            | (\$261)   | -10#   |
| 4784002                          | 1 Steerable Tag: 2 Bridgestone R238 215/75R17.5 16PR                                                                                          | (\$217)   | -108#  |



## T680: TIRES & WHEELS

| Option                        | Description                                                                                               | Price   | Weight |
|-------------------------------|-----------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Tag Axle Tires</b>         |                                                                                                           |         |        |
| <b>Steerable Tags</b>         |                                                                                                           |         |        |
| 4784143                       | STRBL TAG: 2 MN X MULTI Z2 11R22.5 14PR                                                                   | \$619   | 0#     |
| 4784144                       | STRBL TAG: 4 MN X MULTI Z2 11R22.5 14PR 4-4                                                               | \$2,989 | 0#     |
| 4784180                       | STRBL TAG: 2 MN X MULTI Z2 295/75R22.5 14PR                                                               | \$598   | 0#     |
| 4784212                       | 1 Steerable Tag: 2 Continental HSR3 295/75R; 22.5 14PR                                                    | \$353   | 2#     |
| 4784213                       | 1 Steerable Tag: 2 Continental HSR3 295/75R22.5 16PR                                                      | \$438   | 14#    |
| 4784214                       | 1 Steerable Tag: 2 Continental HSR2 SA 255/70R 22.5 16PR AP                                               | (\$79)  | 0#     |
| 4784217                       | 1 Steerable Tag: 2 Continental HSR3 11R22.5 14PR                                                          | \$410   | 22#    |
| 4784218                       | 1 Steerable Tag: 2 Continental HSR3 11R 22.5 16PR                                                         | \$452   | 0#     |
| 4784312                       | 1 Steerable Tag: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR                                               | \$1,570 | 62#    |
| 4784326                       | 1 Steerable Tag: 2 Goodyear G114 LHT 215/75R17.5 16PR                                                     | (\$233) | -108#  |
| 4784365                       | 1 Steerable Tag: 2 Goodyear Endurance RSA 295/75R22.5 14PR                                                | \$441   | 14#    |
| 4784378                       | 1 Steerable Tag: 2 Goodyear G289 WHA 315/80R22.5 20PR All position. 43.1 in. diameter. 20 in. SLR.        | \$1,433 | 78#    |
| 4784406                       | 1 Steerable Tag: 2 Bridgestone M864 M854 385/65R 22.5 18PR. All Position. On/Off highway. Wide-base tire. | \$936   | 346#   |
| 4784412                       | 1 Steerable Tag: 4 Continental HSR3 295/75R22.5 14PR 4-4                                                  | \$734   | 4#     |
| 4784842                       | 1 Steerable Tag: 2 Yokohama RY023 11R22.5 16PR                                                            | (\$260) | 0#     |
| 4784843                       | 1 Steerable Tag: 4 Yokohama RY023 295/75R22.5 16PR 4-4                                                    | (\$495) | -20#   |
| 4784844                       | STRBL TAG: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4                                                           | \$2,947 | 0#     |
| 4784885                       | 1 Steerable Tag: 2 Yokohama RY617 11R22.5 14PR                                                            | (\$328) | 2#     |
| <b>Non-Steerable Tags 2-4</b> |                                                                                                           |         |        |
| 4784145                       | NSTRBL TAG: 2 MN X MULTI Z2 11R22.5 14PR 2-4                                                              | \$619   | 0#     |
| 4788157                       | NSTRBL TAG: 2 MN X MULTI Z2 295/75R22.5 14PR 2-4                                                          | \$598   | 0#     |
| 4788417                       | 1 Non-Steerable Tag: 4 Continental HSR3 11R22.5 14PR 4-4                                                  | \$848   | 44#    |



## T680: TIRES & WHEELS

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Tag Axle Tires

#### Non-Steerable Tags 2-4

|         |                                                                                                                                       |           |       |
|---------|---------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|
| 4789183 | 1 Non-Steerable Tag: 2 Michelin XZY3 425/65R22.5 20PR. 44.7 in. diameter, all position. 20.6in. SLR. 2-4.                             | \$912     | -38#  |
| 4789406 | 1 Non-Steerable Tag: 2 Bridgestone M864 385/65R22.5, 18PR; 2-4. All Position. On/Off Highway. Wide-base tire                          | (\$787)   | 346#  |
| 4789412 | 1 Non-steerable tag: 2 Continental HSR3 295/ 75R 22.5 14PR 2-4                                                                        | (\$1,370) | -238# |
| 4789818 | 1 Non-Steerable Tag: 2 Continental HSR3 11R 22.5 16PR 2-4                                                                             | (\$1,272) | 26#   |
| 4789858 | 1 Non-Steerable Tag: 4 Bridge R268 Ecopia 11R22.5 14PR 2-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR. | (\$1,954) | 4#    |

#### Non-Steerable Tags 4-4

|         |                                                                                                                                                   |         |     |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|
| 4788158 | NSTRBL TAG: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4                                                                                                  | \$2,947 | 0#  |
| 4788200 | NSTRBL TAG: 4 MN X MULTI Z2 11R22.5 14PR 4-4                                                                                                      | \$2,989 | 0#  |
| 4788412 | 1 Non-Steerable Tag: 4 Continental HSR3 295/ 75R 22.5 14PR 4-4                                                                                    | \$734   | 4#  |
| 4788418 | 1 Non-Steerable Tag: 4 Continental HSR3 11R 22.5 16PR 4-4                                                                                         | \$930   | 44# |
| 4788849 | 1 Non-Steerable Tag: 4 Yokohama RY023 295/75R22.5 16PR 4-4                                                                                        | (\$495) | 0#  |
| 4788858 | NS TAG BR R268ECOPIA 11R22.5 14PR 4-4 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR. For P&D & construction vocations. | (\$435) | 4#  |
| 4788882 | 1 Non-Steerable Tag: 4 Yokohama RY617 11R 22.5 14PLY 4-4                                                                                          | (\$629) | 4#  |

### Front & Rear Axle Wheels & Rims

#### Tubeless Type Aluminum 22.5

##### Front

|         |                                                                                                                                                                          |         |      |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------|
| 5042104 | Front Wheel: Accuride 50300 22.5x9 steel, Steel Armor[™] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.           | \$695   | 72#  |
| 5042299 | Front Wheel: Accuride 29374 22.5x12.25 aluminum, Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.           | \$1,267 | -2#  |
| 5042324 | Front Wheel: Accuride 41730 22.5X9 aluminum                                                                                                                              | \$863   | -20# |
| 5042338 | Front Wheel: Accuride 43644 22.5x8.25 AL hub-pilot mount Standard Polish                                                                                                 | \$530   | -52# |
| 5045218 | Front Wheel: Alcoa 82462 22.5x12.25 aluminum, with Lvl One [™] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible. | \$1,315 | -3#  |



## T680: TIRES & WHEELS

| Option                                         | Description                                                                                                                                                                                                                                                                                                                            | Price   | Weight |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Wheels &amp; Rims</b> |                                                                                                                                                                                                                                                                                                                                        |         |        |
| <b>Tubeless Type Aluminum 22.5</b>             |                                                                                                                                                                                                                                                                                                                                        |         |        |
| <b>Front</b>                                   |                                                                                                                                                                                                                                                                                                                                        |         |        |
| 5045263                                        | Front Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.                                                                                                                                                                 | \$1,025 | -36#   |
| 5045268                                        | Front Wheel: Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.                                                                                                                                                                                                                                                                        | \$1,032 | -39#   |
| 5045280                                        | Front Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.                                                                                                                                                                                                                                                                        | \$1,076 | -24#   |
| 5045283                                        | Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One high polish finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.                                                                                                                                                          | \$1,296 | -40#   |
| 5045294                                        | Front Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.                                                                                                                                                                      | \$1,098 | -44#   |
| 5045306                                        | Front Wheel: Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.                                                                                                                                                                                         | \$1,042 | -51#   |
| <b>Rear</b>                                    |                                                                                                                                                                                                                                                                                                                                        |         |        |
| 5242312                                        | Rear Wheel:Accuride 43140 22.5x14.00 2-4;aluminum                                                                                                                                                                                                                                                                                      | \$1,329 | -156#  |
| 5242314                                        | Rear Wheel: Accuride 43142 22.5x14.00 2-4; aluminum. Standard polish finish, hub-pilot mount. 12,800 lb. maximum rating. 2 in. offset. Aluminum hubs will derate this super single wheel style to 17,000 lbs. per axle. Use iron hubs for a 20,000 lbs. per axle rating. Code is priced per pair of wheels. Air disc brake compatible. | \$1,286 | -158#  |
| 5242324                                        | Rear Wheel: Accuride 41730 22.5X9 aluminum                                                                                                                                                                                                                                                                                             | \$907   | -20#   |
| 5242338                                        | Rear Wheel: Accuride 43644 22.5X8.25 aluminum hub pilot mount standard polish                                                                                                                                                                                                                                                          | \$530   | -52#   |
| 5242439                                        | Rear Wheel: Accuride 43644 /Accuride 51487 heavy-duty steel 22.5x8.25, Standard Polish aluminum outside/Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.                                                             | \$265   | -58#   |
| 5245215                                        | Rear Wheel: Alcoa 82262 22.5x12.25 2-4; aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 12300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.                                                                                                                                       | \$1,308 | -148#  |
| 5245263                                        | Rear Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible. Code is priced per pair of wheels.                                                                                                                               | \$1,025 | -36#   |
| 5245280                                        | Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.                                                                                                                                                                                                                                                                         | \$1,066 | -24#   |
| 5245283                                        | Rear Wheel: Kenworth 7-spoke 88u68 22.5x8.25 aluminum with Ultra One, high polish finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.                                                                                                                      | \$1,296 | -40#   |



## T680: TIRES & WHEELS

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Front & Rear Axle Wheels & Rims

#### Tubeless Type Aluminum 22.5

##### Rear

|         |                                                                                                                                                                                                                                                                                                        |         |       |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|
| 5245284 | Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels. | \$603   | -6#   |
| 5245292 | Rear Wheel: Alcoa 84U61 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish High Polish                                                                                                                                                                                                 | \$1,262 | -162# |
| 5245293 | Rear Wheel: Alcoa 84U64 22.5X14.00 AL 2-4 Ultra ONE Wheel. High Polish                                                                                                                                                                                                                                 | \$1,074 | -162# |
| 5245294 | Rear Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.                                                                                                                                       | \$1,098 | -44#  |
| 5245306 | Rear Wheel: Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.                                                                                                                                                          | \$1,042 | -51#  |
| 5245307 | Rear Wheel: Alcoa 88067/Accuride 50344 heavy-duty 22.5x8.25, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.        | \$622   | -13#  |
| 5245308 | Rear Wheel: Alcoa 88067/Accuride 51487 22.5x8.25, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.                   | \$446   | -23#  |
| 5245338 | Rear Wheel: Accuride 43644 /Acc 50344 heavy-duty steel 22.5x8.25 Steel Armor[TM] powder coat, Standard Polish aluminum outside / steel powder coat inside, hub pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.              | \$421   | -58#  |

#### Tubeless Type Steel 22.5

##### Front

|         |                                                                                                                                                                                  |       |     |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|
| 5042258 | Front Wheel: Accuride 50291 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. | \$136 | 22# |
| 5042272 | Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.                       | \$4   | 0#  |
| 5042285 | Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.                                                 | \$82  | 20# |
| 5042293 | Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.                        | STD   | 0#  |
| 5042311 | Front Wheel: Accuride 29039 22.5X9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes.                                                    | \$451 | 70# |

##### Rear



## T680: TIRES & WHEELS

| Option                             | Description                                                                                                                                                                                                                                                                                                      | Price   | Weight |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| Front & Rear Axle Wheels & Rims    |                                                                                                                                                                                                                                                                                                                  |         |        |
| <b>Tubeless Type Steel 22.5</b>    |                                                                                                                                                                                                                                                                                                                  |         |        |
| <b>Rear</b>                        |                                                                                                                                                                                                                                                                                                                  |         |        |
| 5242106                            | Rear Wheel: Accuride 50300 22.5x9 steel, Steel Armor[™] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.                                                                                                                 | \$695   | 72#    |
| 5242258                            | Rear Wheel: Accuride 50291 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.                                                                                                | \$263   | 22#    |
| 5242285                            | Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.                                                                                                                                               | \$82    | 20#    |
| 5242376                            | Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.                                                                                                                      | \$4     | 0#     |
| 5242390                            | Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.                                                                                                                       | STD     | 0#     |
| 5246285                            | Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels. | \$494   | -18#   |
| <b>Tubeless Type Aluminum 24.5</b> |                                                                                                                                                                                                                                                                                                                  |         |        |
| <b>Front</b>                       |                                                                                                                                                                                                                                                                                                                  |         |        |
| 5042328                            | Front Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.                                                                                                                                                                                                         | \$734   | -30#   |
| 5044193                            | Front Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.                                                                                                                                                    | \$2,130 | -21#   |
| 5045275                            | Front Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.                                                                                                                                                                                                                                               | \$1,067 | -34#   |
| <b>Rear</b>                        |                                                                                                                                                                                                                                                                                                                  |         |        |
| 5242321                            | Rear Wheel: Accuride 42362/50409 24.5x8.25 aluminum outside with Standard polish/ACCU-LTE Steel Armor powder coat inside, hub-pilot mount 7400lb. maximum rating. Includes wheel guards. Air disc brake compatible.                                                                                              | \$419   | -2#    |
| 5242328                            | Rear Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating. Code is priced per pair of wheels.                                                                                                                                                                       | \$726   | -30#   |
| 5244193                            | Rear Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.                                                                                                                  | \$1,381 | -21#   |
| 5244194                            | Rear Wheel: Kenworth 98U68 7-Spoke/Accuride 50409 Steel 24.5x8.25, aluminum with Ultra One High Polish finish outside/ACCU-LTE Steel Armor[™] powder coat inside, hub pilot mount. 7300 lb. maximum rating. Includes wheel guards.                                                                               | \$701   | 3#     |
| 5245275                            | Rear Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.                                                                                                                                                                                                                                                | \$1,057 | -34#   |



## T680: TIRES & WHEELS

| Option                                         | Description                                                                                                                                                                    | Price   | Weight |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Front &amp; Rear Axle Wheels &amp; Rims</b> |                                                                                                                                                                                |         |        |
| <b>Tubeless Type Aluminum 24.5</b>             |                                                                                                                                                                                |         |        |
| <b>Rear</b>                                    |                                                                                                                                                                                |         |        |
| 5245276                                        | Rear Wheel: Alcoa 98U63 Out/ACC 50409 INS 24.5X8. AL/STL High Polish.                                                                                                          | \$495   | 0#     |
| <b>Tubeless Type Steel 24.5</b>                |                                                                                                                                                                                |         |        |
| <b>Front</b>                                   |                                                                                                                                                                                |         |        |
| 5042315                                        | Front Wheel:Accuride 50641 24.5X8.25 Stl ACCU-LTE Steel Armor[TM] powder coat, hub pilot mount. 7400lb. maximum rating. 5-hand holes.                                          | \$68    | 16#    |
| 5042330                                        | Front Wheel: Accuride 50409 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.                                                    | \$72    | 20#    |
| <b>Rear</b>                                    |                                                                                                                                                                                |         |        |
| 5242315                                        | Rear Wheel: Accuride 50641 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.                                        | \$68    | 16#    |
| 5242330                                        | Rear-Wheel: Accuride 50409 24.5X8.25 steel ACCU-LITE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.                                                    | \$72    | 20#    |
| 5245277                                        | Rear Wheel: Alcoa 98U63 Out/ACC 28827 INS 24.5X8. AL/STL. High Polish                                                                                                          | \$504   | 1#     |
| <b>Pusher Axle Wheels</b>                      |                                                                                                                                                                                |         |        |
| <b>Steerable Pushers</b>                       |                                                                                                                                                                                |         |        |
| 5781185                                        | 1 Steerable Pusher Wheel: 2 Accuride 50344 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.                                      | \$82    | 20#    |
| 5781188                                        | 1 Steerable Pusher Wheel: 2 Accuride 51487 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.                                | \$0     | 0#     |
| 5781204                                        | 1 Steerable Pusher Wheel:2 Accuride 50300 steel, 22.5x9, Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.      | \$695   | 72#    |
| 5781218                                        | 2 Steerable Pusher Wheel:4 Accuride 50300 steel, 22.5x9, Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.      | \$1,391 | 144#   |
| 5781220                                        | 1 Steerable Pusher Wheel:4 Accuride 50300 steel, 22.5x9, Steel Armor[TM] powder coat, 4-4. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible. | \$1,391 | 144#   |
| 5781229                                        | 1 Steerable Pusher Wheel: 2 Accuride 50409 steel 24.5X8.25. ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.                                    | \$72    | 20#    |
| 5781263                                        | 1 Steerable Pusher: 2 Alcoa 88565 22.5X8.25 AL with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service.                                  | \$1,025 | -36#   |
| 5781294                                        | 1 Steerable Pusher Wheel: KW100 2 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 7300lb max rating. Level 1 finish.                                      | \$1,098 | -44#   |



## T680: TIRES & WHEELS

| Option             | Description                                                                                                                                                                             | Price   | Weight |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| Pusher Axle Wheels |                                                                                                                                                                                         |         |        |
| Steerable Pushers  |                                                                                                                                                                                         |         |        |
| 5781299            | 1 Steerable Pusher Wheel: 2 Accuride 29374 22.5X12.25; aluminum Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.            | \$1,267 | -2#    |
| 5781328            | 1 Steerable Pusher: 2 Accuride 42362 24.5X8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.                                                                       | \$745   | -30#   |
| 5781338            | 1 Steerable Pusher Wheel: 2 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.                                                                | \$699   | -52#   |
| 5781383            | 1 Steerable Pusher: 2 Kenworth 7-spoke 88U68 22.5x8.25 aluminum, hub pilot mount. 7300lb max rating Ultra One High Polish                                                               | \$1,090 | -40#   |
| 5781510            | 1 Steerable Pusher Wheel: 2 Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.                           | \$1,042 | -51#   |
| 5781511            | 1 Steerable Pusher Wheel: 4 Alcoa 88067 22.5x8.25 4-4, MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.                      | \$1,934 | -46#   |
| 5781518            | 1 Steerable Pusher Wheel: 2 Alcoa 82462 22.5X12.25; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible. | \$1,335 | -3#    |
| 5781774            | 1 Steerable pusher wheel: 2 Alcoa 66480 17.5x6 aluminum, hub pilot mount. For use with 8K Super Lite pushers.                                                                           | \$984   | 0#     |
| 5785288            | 1 Steerable Pusher Wheel: 4 Accuride 51487 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.                               | \$0     | 0#     |
| 5787288            | 3 Steerable Pusher Wheel: 6 Accuride 51487 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.                                               | \$0     | 0#     |
| 5789288            | 2 Steerable Pusher Wheel: 4 Accuride 51487 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.                                               | \$0     | 0#     |
| 5789328            | 2 Steerable Pusher Wheel: 4 Accuride 42362 24.5X8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.                                                                 | \$1,532 | -60#   |
| 5789338            | 2 Steerable Pusher Wheel: 4 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.                                                                | \$1,364 | -102#  |
| 5789774            | 2 Steerable Pusher Wheel: 4 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. 4000lb. maximum rating. For use with 8K Super Lite pushers.                                                   | \$1,853 | 0#     |
| 5789874            | 3 Steerable Pusher Wheel: 6 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. 4000lb. maximum rating. For use with 8K Super Lite pushers.                                                   | \$2,452 | 0#     |

### Non-Steerable Pushers 2-4

|         |                                                                                                                                                          |         |       |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|
| 5782285 | Non-Steerable Pusher Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot moun. 8000lb. maximum rating. 5-hand hole. | (\$355) | -104# |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|



## T680: TIRES & WHEELS

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Pusher Axle Wheels

#### Non-Steerable Pushers 2-4

|         |                                                                                                                                                |         |       |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|
| 5782293 | Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. | (\$428) | -133# |
| 5782568 | Non-Steerable Pusher Wheel: Alcoa 89U63 22.5X9 AL 2-4. Ultra One High Polish Wheel.                                                            | \$523   | -175# |
| 5782575 | Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 2-4. Ultra One High Polish Wheel.                                                   | \$568   | -170# |
| 5782580 | Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 2-4. Ultra One High Polish Wheel.                                                            | \$404   | -160# |
| 5782591 | Non-Steerable Pusher Wheel: Alcoa 84U64 22.5X14.0 aluminum 2-4. Ultra ONE Wheel. High Polish                                                   | \$892   | -32#  |

#### Non-Steerable Pushers 4-4

|         |                                                                                                                                                                         |         |       |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|
| 5783176 | Non-Steerable Pusher Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.                      | \$8     | 0#    |
| 5783185 | Non-Steerable Pusher Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.          | \$165   | 40#   |
| 5783193 | Non-Steerable Pusher Wheel: Kenworth 7-spoke 98U68 24.5x8.25, 4-4; aluminum with Ultra One High Polish finish. Hub-pilot mount. 7300lb. maximum rating. Level 1 finish. | \$2,245 | -42#  |
| 5783229 | Non-Steerable Pusher Wheel: Accuride 50409 24.5X8.25, 4-4; ACCU-LTE. Steel Armor[TM]. Hub-pilot mount. 7400lb. maximum rating.                                          | \$144   | 40#   |
| 5783258 | Non-Steerable Pusher Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.               | \$273   | 44#   |
| 5783288 | Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.                         | \$0     | 0#    |
| 5783294 | Non-Steerable Pusher Wheel: KW100 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 4-4. 7300lb max rating. Level 1 finish.                          | \$2,197 | -44#  |
| 5783328 | Non-Steerable Pusher Wheel: Accuride 42362 24.5X 8.25 4-4; aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.                                           | \$1,491 | -60#  |
| 5783505 | Non-Steerable Pusher: Alcoa 88067 22.5x8.25 4-4 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.             | \$1,934 | -102# |
| 5783583 | Non-Steerable Pusher Wheel: Kenworth 7-spoke 88U68 22.5X8.25, 4-4; aluminum, hub-pilot mount. 7300lb. maximum rating. Ultra One High Polish                             | \$2,181 | -80#  |

### Tag Axle Wheels

#### Steerable Tags

|         |                                                                                                                                                        |     |    |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 5780290 | 1 Steerable Tag Wheel: 4 Accuride 51487 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. | \$0 | 0# |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|



## T680: TIRES & WHEELS

| Option                        | Description                                                                                                                                                                   | Price   | Weight |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Tag Axle Wheels</b>        |                                                                                                                                                                               |         |        |
| <b>Steerable Tags</b>         |                                                                                                                                                                               |         |        |
| 5784205                       | 1 Steerable Tag Wheel: 4 Accuride 50300 steel, 22.5x9, 4-4, Steel Armor[™] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.   | \$1,391 | 144#   |
| 5784506                       | 1 Steerable Tag Wheel: 2 Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.                    | \$1,042 | -51#   |
| 5784507                       | 1 Steerable Tag Wheel: 4 Alcoa 88067 22.5x8.25, 4-4, MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.              | \$1,784 | -46#   |
| 5788285                       | 1 Steerable Tag Wheel: 2 Accuride 50344 HD steel 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb maximum rating. 5-hand holes.                                 | \$82    | 20#    |
| 5788288                       | 1 Steerable Tag Wheel: 2 Accuride 51487 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.                                         | \$0     | 0#     |
| 5788568                       | 1 Steerable Tag Wheel: 2 Alcoa 89U63 22.5X9 aluminum. Ultra One High Polish Wheel.                                                                                            | \$1,082 | -39#   |
| 5788774                       | 1 Steerable Tag Wheel: 2 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. For use with 8K Super Lite tags.                                                                       | \$1,116 | 0#     |
| <b>Non-Steerable Tags 2-4</b> |                                                                                                                                                                               |         |        |
| 5784206                       | Non-Steerable Tag Wheel: 2 Accuride 50300 steel, 22.5x9, 2-4, Steel Armor[™] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible. | \$173   | 72#    |
| 5786285                       | Non-Steerable Tag Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.                    | (\$355) | -116#  |
| 5786288                       | Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.                                   | (\$428) | -133#  |
| <b>Non-Steerable Tags 4-4</b> |                                                                                                                                                                               |         |        |
| 5784207                       | Non-Steerable Tag Wheel: 4 Accuride 50300 steel, 22.5x9, 4-4, Steel Armor[™] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible. | \$1,750 | 0#     |
| 5784258                       | Non-Steerable Tag Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.                         | \$273   | 44#    |
| 5784272                       | Non-Steerable Tag Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.                                | \$8     | 0#     |
| 5784285                       | Non-Steerable Tag Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 4-4; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.                        | \$165   | 40#    |
| 5784293                       | Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.                                   | \$0     | 0#     |



## T680: TIRES & WHEELS

| Option                                  | Description                                                                                                                                                    | Price   | Weight |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Tag Axle Wheels</b>                  |                                                                                                                                                                |         |        |
| <b>Non-Steerable Tags 4-4</b>           |                                                                                                                                                                |         |        |
| 5784328                                 | Non-Steerable Tag Wheel: Accuride 42362 24.5X8.25 4-4; aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.                                      | \$1,335 | -60#   |
| 5784338                                 | Non-Steerable Tag Wheel: Accuride 43644 22.5x8.25, 4-4; aluminum Standard Polish. Hub-pilot mount. 7400lb. maximum rating.                                     | \$1,399 | -104#  |
| <b>Spare Tires &amp; Wheels</b>         |                                                                                                                                                                |         |        |
| <b>Wheels</b>                           |                                                                                                                                                                |         |        |
| 5742104                                 | Spare Wheel: Accuride 50300 22.5x9 steel, Steel Armor[™] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible. | \$1,058 | 101#   |
| <b>Miscellaneous Tires &amp; Wheels</b> |                                                                                                                                                                |         |        |
| <b>Tire Miscellaneous</b>               |                                                                                                                                                                |         |        |
| 4880000                                 | Tires Selected Limit Top Vehicle Speed Delivery requirements may apply see TE-1127/1045. Speed restricted tires.                                               | \$0     | 0#     |
| 4880008                                 | ECE Stamped Tires: Not for U.S. or Canada.                                                                                                                     | \$0     | 0#     |
| 4899104                                 | Tire pressure monitoring system for tire/wheel count: 4.                                                                                                       | \$85    | 0#     |
| 4899106                                 | Tire pressure monitoring system for tire/wheel count: 6.                                                                                                       | \$127   | 0#     |
| 4899108                                 | Tire pressure monitoring system for tire/wheel count: 8.                                                                                                       | \$169   | 0#     |
| 4899110                                 | Tire pressure monitoring system for tire/wheel count: 10.                                                                                                      | \$212   | 0#     |
| 4899112                                 | Tire pressure monitoring system for tire/wheel count: 12.                                                                                                      | \$254   | 0#     |
| 4899114                                 | Tire pressure monitoring system for tire/wheel count: 14.                                                                                                      | \$296   | 0#     |
| 4899116                                 | Tire pressure monitoring system for tire/wheel count: 16.                                                                                                      | \$338   | 0#     |
| <b>Wheel Equipment</b>                  |                                                                                                                                                                |         |        |
| 5800004                                 | Rear Wheels Mounted Inboard. Mounted same as front axle (mounted inset).                                                                                       | \$0     | 0#     |
| 5850080                                 | FlowBelow Aero Wheel Covers, Black. For tandem axles and 22.5 in. rims.                                                                                        | \$798   | 0#     |
| 5850081                                 | FlowBelow Aero Wheel Covers, Chrome. For tandem axles and 22.5 in. rims.                                                                                       | \$1,605 | 0#     |
| 5850083                                 | RealWheels Aero Rear Wheel Covers, Chrome. For tandem axles and 22.5 in. rims.                                                                                 | \$908   | 32#    |
| 5850084                                 | RealWheels Aero Rear Wheel Covers, Black. For tandem axles and 22.5 in. rims.                                                                                  | \$672   | 32#    |



## T680: TIRES & WHEELS

| Option                                  | Description                                                                                                                                                                           | Price   | Weight |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Miscellaneous Tires &amp; Wheels</b> |                                                                                                                                                                                       |         |        |
| <b>Wheel Equipment</b>                  |                                                                                                                                                                                       |         |        |
| 5856048                                 | Dual Rear Accuride-Finish: Accu-Sheild Both Surfaces 8 Wheels, aluminum Only                                                                                                          | \$1,540 | 0#     |
| <b>Wheelguards</b>                      |                                                                                                                                                                                       |         |        |
| 5850040                                 | Wheelguards: All Axles.                                                                                                                                                               | \$109   | 2#     |
| <b>Wheel Treatments</b>                 |                                                                                                                                                                                       |         |        |
| 5853906                                 | Powder Coat White Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.                  | \$0     | 0#     |
| 5853907                                 | Powder Coat Gray Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.                   | \$0     | 0#     |
| 5853908                                 | Powder Coat Blacksteel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.                   | \$0     | 0#     |
| 5853909                                 | Powder Coat Red Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.                    | \$0     | 0#     |
| 5854010                                 | Single Front Axle: 2 Polished Wheels. Mirror polished outboard surface of aluminum wheels.                                                                                            | \$168   | 0#     |
| 5854011                                 | Single Rear Axle: 2 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.                                                                                   | \$220   | 0#     |
| 5854012                                 | Dual Rear Axle: 4 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.                                                                                     | \$419   | 0#     |
| 5854031                                 | 1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axle with single wheel. | \$168   | 0#     |
| 5854034                                 | 1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axle with single wheel.              | \$168   | 0#     |
| 5854041                                 | 1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels. For use on 1 non-steerable pusher axle with single or dual wheel.                                   | \$220   | 0#     |
| 5854044                                 | 1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.                                                | \$220   | 0#     |
| 5854045                                 | Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only                                                                                              | \$97    | 0#     |
| 5854047                                 | Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2                                                                                         | \$97    | 0#     |
| 5854048                                 | Dual Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only Quantity 4                                                                                      | \$194   | 0#     |
| 5854051                                 | 1 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only                                                                                                  | \$97    | 0#     |
| 5854052                                 | 2 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only                                                                                                  | \$194   | 0#     |



## T680: TIRES & WHEELS

| Option                                  | Description                                                                                                              | Price   | Weight |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Miscellaneous Tires &amp; Wheels</b> |                                                                                                                          |         |        |
| <b>Wheel Equipment</b>                  |                                                                                                                          |         |        |
| <b>Wheel Treatments</b>                 |                                                                                                                          |         |        |
| 5854054                                 | 1 Tag Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only                                        | \$97    | 0#     |
| 5856010                                 | Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin)                                                              | \$320   | 0#     |
| 5856012                                 | Dual Rear Axle: Dura-Bright Brushed (QTY 4) -0DB (Satin)                                                                 | \$928   | 0#     |
| 5856045                                 | Single Front Accuride-Finish: Accu-Sheild Both Surfaces 2 Wheels, aluminum Only                                          | \$385   | 0#     |
| 5856047                                 | Dual Rear Accuride-Finish: Accu-Sheild Both Surfaces 4 Wheels, aluminum Only                                             | \$770   | 0#     |
| 5856050                                 | 1 Pusher Accuride-Finish:Accu-Shield Both Surfaces. 2 Wheels, aluminum Only (Steerable or Non-Steerable)                 | \$320   | 0#     |
| 5856051                                 | 2 Pusher Accuride-Finish: Accu-Shield Both Surfaces. 4 Wheels, aluminum Only (Steerable or Non-Steerable)                | \$640   | 0#     |
| 5856053                                 | 1 Tag Accuride-Finish: Accu-Shield Both Surfaces 2 Wheels, aluminum Only (Steerable or Non-Steerable)                    | \$320   | 0#     |
| 5858009                                 | Dual Rear Axle: Dura-Flange (quantity 4) -DF. For super single 2-4 wheels. Not available with Dura-Bright, except 88367. | \$565   | 0#     |
| 5858010                                 | Single Front Axle: 2 Wheels Dura-Flange                                                                                  | \$282   | 0#     |
| 5858011                                 | Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.                 | \$655   | 0#     |
| 5858012                                 | Dual Rear Axle: Dura-Flange (quantity 8) -DF                                                                             | \$1,130 | 0#     |
| 5858013                                 | Tridem Rear Axle: Dura-Flange (quantity 12) -DF. Not available with Dura-Bright except 88367.                            | \$1,694 | 0#     |
| 5858014                                 | 1 Tag Dura-Flange; Steerable or Non-Steerable Tag N/A with super singles (quantity 2) -DF.                               | \$282   | 0#     |
| 5858015                                 | 1 Tag Dura-Flange; Non-Steerable Tag Without super singles (quantity 4) -DF.                                             | \$565   | 0#     |
| 5858017                                 | 2 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 4) -DF.                             | \$565   | 0#     |
| 5858018                                 | 1 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 2) -DF.                             | \$282   | 0#     |
| 5858019                                 | 1 Pusher Dura-Flange; Non-Steerable Pusher without super singles (quantity 4) -DF. Not available with Dura-Bright.       | \$565   | 0#     |
| 5858020                                 | 3 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 6) -DF.                             | \$847   | 0#     |



## T680: TIRES & WHEELS

| Option                                  | Description                                                                                                                                                                                      | Price | Weight |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Miscellaneous Tires &amp; Wheels</b> |                                                                                                                                                                                                  |       |        |
| <b>Wheel Equipment</b>                  |                                                                                                                                                                                                  |       |        |
| <b>Wheel Treatments</b>                 |                                                                                                                                                                                                  |       |        |
| 5859010                                 | Single Front Axle: 2 wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of aluminum wheels.                                                                                           | \$308 | 0#     |
| 5859011                                 | Single Rear Axle Wheels: 2 Wheels Dura-Bright Mirror Polish. Dura-Bright outboard surface of outer dual or single aluminum wheels.                                                               | \$383 | 0#     |
| 5859012                                 | Dual Rear Axle Wheels: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.                                                                  | \$820 | 0#     |
| 5859013                                 | Single Rear: Dura-Bright Mirror Polish Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011                                                                          | \$766 | 0#     |
| 5859014                                 | Single Front Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of aluminum wheels.                                                                                         | \$462 | 0#     |
| 5859015                                 | Dual Rear Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of outboard dual or single aluminum wheels.                                                                    | \$975 | 0#     |
| 5859016                                 | Dual Rear Axle Wheels: Dura-Bright Mirror Polish inboard surface of inner dual aluminum wheels.                                                                                                  | \$813 | 0#     |
| 5859017                                 | Dual Rear Axle Wheels: Dura-Bright Mirror Polish both inboard and outboard surface of inner dual aluminum wheels.                                                                                | \$924 | 0#     |
| 5859025                                 | 2 Pusher or Tag wheels: Dura-Bright Mirror Polish outboard surface of outboard wheels mounted same as rear axle. For use on 2 non-steerable lift axles.                                          | \$719 | 0#     |
| 5859027                                 | Dual Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 4) -1DB.                                                                                                 | \$693 | 0#     |
| 5859028                                 | Single Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 2) -1DB.                                                                                               | \$320 | 0#     |
| 5859031                                 | 1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axles w/ single wheel. | \$320 | 0#     |
| 5859033                                 | 3 Pushers: 3 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 3 steerable or 3 non-steerable pusher axle w/ single wheel. | \$960 | 0#     |
| 5859034                                 | 1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axles w/ single wheel.       | \$320 | 0#     |
| 5859040                                 | 1 Non-Steerable: Dura-Bright Mirror Polish Inner Wheels - Non-steerable (quantity 2) -1DB.                                                                                                       | \$320 | 0#     |
| 5859041                                 | 1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright surface of outboard wheels.                                                                                                             | \$359 | 0#     |
| 5859042                                 | 2 Pushers: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use 2 non-steerable pusher axle with single or dual wheel.                                    | \$719 | 0#     |



## T680: TIRES & WHEELS

| Option                                  | Description                                                                                                                                               | Price   | Weight |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Miscellaneous Tires &amp; Wheels</b> |                                                                                                                                                           |         |        |
| <b>Wheel Equipment</b>                  |                                                                                                                                                           |         |        |
| <b>Wheel Treatments</b>                 |                                                                                                                                                           |         |        |
| 5859044                                 | 1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel. | \$359   | 0#     |
| 5859045                                 | 1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of outer - Non-steerable (quantity 2) -3DB.                                                       | \$924   | 0#     |
| 5859046                                 | 1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of inner - Non-steerable (quantity 2) -3DB.                                                       | \$924   | 0#     |
| 5859065                                 | Single Front Axle: Dura-Black Both Surfaces (QTY 2)                                                                                                       | \$1,100 | 0#     |
| 5859066                                 | Single Rear Axle: Dura-Black Both Surfaces (Qty 4)                                                                                                        | \$2,199 | 0#     |
| 5859067                                 | Dual Rear Axle: Dura-Black Both Surfaces (Qty 4)                                                                                                          | \$4,398 | 0#     |
| 5859069                                 | 1 Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 2)                                                                                               | \$1,100 | 0#     |
| 5859070                                 | 1 Non-Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 4)                                                                                           | \$2,199 | 0#     |
| 5859072                                 | Dual Rear Axle Wheels: Dura-Black Both Surfaces of Outer Wheels Only (Qty 4)                                                                              | \$2,199 | 0#     |
| 5859073                                 | Non-Steerable: 2 Wheels Dura-Black Both Surfaces. For use on 1 non-steerable tag or 1 non-steerable pusher with 2-4 wheels.                               | \$1,100 | 0#     |
| <b>Wheel Miscellaneous</b>              |                                                                                                                                                           |         |        |
| 5800000                                 | Pusher or Tag Wheels Mounted Inboard 2-4 Only. Mounted Same As Front Axle.                                                                                | \$0     | 0#     |
| 5800001                                 | Pusher Or Tag Wheels Mounted Outboard, 2-4 Only. Mounted Same As Drive Axle.                                                                              | \$0     | 0#     |
| 5880000                                 | Wheels Selected Limit Top Vehicle Speed. Wheels are speed restricted, special delivery requirements may apply.                                            | \$0     | 0#     |
| 5890000                                 | V2B Double Seal Cap Valves.                                                                                                                               | \$66    | 0#     |



## T680: FRAME & EQUIPMENT

| Option                            | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| Rails & Inserts                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| Rail Material                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 10.625 x 3.5 x 0.3125 Steel Frame |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 6054200                           | Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 284 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.            | STD     | 0#     |
| 6054400                           | Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 285 in. to 336 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail. | \$313   | 0#     |
| 6054600                           | Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 337 in. to 416 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail. | \$834   | 0#     |
| 10.75 x 3.5 x 0.375 Steel Frame   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 6056200                           | Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.             | \$454   | 0#     |
| 6056400                           | Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 285 in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.     | \$765   | 0#     |
| 6056600                           | Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 337 in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.     | \$1,312 | 0#     |
| 6056680                           | Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 417 in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.     | \$1,869 | 0#     |



## T680: FRAME & EQUIPMENT

| Option                                    | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Price   | Weight |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Rails &amp; Inserts</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |        |
| <b>Rail Material</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |        |
| <b>10.75 x 3.5 x 0.375 Steel Frame</b>    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |        |
| 6056690                                   | Spliced Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 481 in. to 720 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail. | \$6,748 | 0#     |
| <b>11.625 x 3.875 x 0.375 Steel Frame</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |        |
| 6057600                                   | Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel to 447 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.                 | \$3,012 | 0#     |
| <b>Full Frame Inserts</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |        |
| <b>9.875 x 2.875 x 0.25 Steel Insert</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |        |
| 6141200                                   | Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 lb.-in. to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.                                                                                                                                                                                                                            | \$2,348 | 0#     |
| 6141400                                   | Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 285 in. to 336 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.                                                                                                                                                                                                                      | \$2,615 | 0#     |
| 6141600                                   | Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.                                                                                                                                                                                                                      | \$2,819 | 0#     |
| 6141615                                   | Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 417 in. to 480 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.                                                                                                                                                                                                                      | \$3,049 | 0#     |
| 6141616                                   | Spliced Full Steel Insert: for 10-5/8 in. or 10-3/4 in. steel 481 in. to 720 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.                                                                                                                                                                                                              | \$7,836 | 0#     |
| <b>10.75 x 3.5 x 0.375 Steel Insert</b>   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |         |        |
| 6144615                                   | Full Steel Insert: for 11-5/8 in. Steel Rail to 480 in. Adds 2,132,000 in-lb to main rail RBM. 120K PSI. 11-5/8 in. primary insert RBM 4,704,000 in-lbs, section modulus is 39.20. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.                                                                                                                                                                                                                                                    | \$9,442 | 0#     |

### Partial Frame Inserts

#### Inserts for 10.625 or 10.75 Main Rail



## T680: FRAME & EQUIPMENT

| Option                                       | Description                                                                                                                                                                    | Price   | Weight |
|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Rails &amp; Inserts</b>                   |                                                                                                                                                                                |         |        |
| <b>Partial Frame Inserts</b>                 |                                                                                                                                                                                |         |        |
| <b>Inserts for 10.625 or 10.75 Main Rail</b> |                                                                                                                                                                                |         |        |
| 6279310                                      | Partial Steel Insert: 10-5/8 in. or 10-3/4 in. Steel to 10 ft or partial 2nd insert for 11-5/8 in. steel rail.                                                                 | \$1,622 | 227#   |
| 6289325                                      | Partial Steel Insert: 10-5/8 in. or 10-3/4 in. main rail. Insert length is 10 - 25 ft. Adds 1,149,000 in-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails. | \$2,540 | 570#   |
| <b>Partial Frame Insert Location</b>         |                                                                                                                                                                                |         |        |
| 6279000                                      | Locate Partial Frame Inserts Under Cab to BOC.                                                                                                                                 | \$0     | 0#     |
| 6279001                                      | Locate Partial Frame Inserts Over Bogie.                                                                                                                                       | \$0     | 0#     |
| 6279003                                      | Locate Partial Frame Inserts Under Cab to Over bogie.                                                                                                                          | \$0     | 0#     |
| 6279005                                      | Locate Partial Frame Inserts Under Cab to end-of-frame.                                                                                                                        | \$0     | 0#     |
| <b>Bumpers</b>                               |                                                                                                                                                                                |         |        |
| <b>Bumper Style</b>                          |                                                                                                                                                                                |         |        |
| <b>Aerodynamic</b>                           |                                                                                                                                                                                |         |        |
| 6308706                                      | Bumper: Aerodynamic, Unpainted, In-Mold Color. With air dams, tow hook covers. Requires a bumper setting code.                                                                 | STD     | 0#     |
| 6308707                                      | Bumper: Aerodynamic, Painted. With Air Dams, tow hook covers. Requires a bumper setting code.                                                                                  | \$59    | 0#     |
| 6308725                                      | Bumper: T680 Next Gen Steel Aerodynamic, Painted body color. Requires a bumper setting code.                                                                                   | \$612   | 80#    |
| 6308727                                      | Bumper: T680 Next Gen Steel Aerodynamic, Chrome. Requires a bumper setting code.                                                                                               | \$1,746 | 80#    |
| <b>Bumper Setting</b>                        |                                                                                                                                                                                |         |        |
| 6319504                                      | 50.4 in. Bumper Setting. Requires a Bumper Code.                                                                                                                               | \$0     | 0#     |
| <b>Bumper Equipment</b>                      |                                                                                                                                                                                |         |        |
| 6321005                                      | Removable Front Tow Hooks: 2.                                                                                                                                                  | \$302   | 15#    |
| <b>Front Frame Miscellaneous</b>             |                                                                                                                                                                                |         |        |
| 6324810                                      | 1 Holder: For Up to 2 Removable Tow Hooks. Frame mounted under hood. Must code for hooks.                                                                                      | \$175   | 5#     |
| 6390103                                      | Front Mudflaps.                                                                                                                                                                | STD     | 0#     |
| 6390312                                      | Brackets: Iron Front Spring Drive. Included with front spring capacity of 16,000 lbs or greater; code not required.                                                            | \$199   | 47#    |



## T680: FRAME & EQUIPMENT

| Option               | Description                                                                                                                                                                                                                         | Price   | Weight |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Battery Boxes</b> |                                                                                                                                                                                                                                     |         |        |
| <b>Parallel</b>      |                                                                                                                                                                                                                                     |         |        |
| 6403678              | Battery Box: Aluminum Parallel BOC W/ ABS Cover.                                                                                                                                                                                    | \$3,149 | 11#    |
| 6404207              | Battery Box: Steel Parallel BOC W/ ABS Cover.                                                                                                                                                                                       | \$2,109 | 20#    |
| 6405001              | Battery Box: Short Length Polished Aluminum parallel box module under cab w/ aluminum integral step, polished cover. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.                | \$1,303 | 0#     |
| 6405002              | Battery Box: Aluminum Parallel Module BOC W/ step, aluminum diamond plate cover. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.                     | \$622   | 50#    |
| 6405045              | T680 Battery Box Module: Short Length, Aluminum parallel, with polymer cover. Located LH under cab behind the chassis fairing. For use only w/ 2010+ SCR style exhaust.                                                             | STD     | 0#     |
| 6405048              | Battery Box Module: Short Length Aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.                                 | \$364   | 0#     |
| 6405080              | T8 Parallel Non-Polished Aluminum Battery Box module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail. | \$376   | 72#    |
| 6405082              | T8 Parallel Polished Aluminum Battery Box Module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.     | \$1,437 | 72#    |
| 6405102              | Short Length Steel Parallel Battery Box Module under cab, aluminum integral step, diamond plate cover. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.                              | \$353   | 53#    |
| 6405180              | T8 Parallel Non-Polished Steel Battery Box module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.    | \$453   | 125#   |
| <b>Cantilever</b>    |                                                                                                                                                                                                                                     |         |        |
| 6400634              | Battery Box Cantilever Aluminum BOC with Painted smooth aluminum cover.                                                                                                                                                             | \$489   | 10#    |
| 6400636              | Battery Box Cantilever Aluminum BOC with fiberglass cover.                                                                                                                                                                          | \$342   | 0#     |
| 6400641              | Battery Box Cantilever Aluminum BOC with Polished smooth aluminum cover.                                                                                                                                                            | \$677   | 10#    |
| 6400648              | Battery box module: cantilever aluminum BOC with polished aluminum cover.                                                                                                                                                           | \$990   | 30#    |
| 6400650              | Battery box module: cantilever aluminum BOC with polished aluminum cover. Lowered battery box.                                                                                                                                      | \$994   | 30#    |
| 6400654              | Battery box module: cantilever aluminum BOC with aluminum diamond plate cover.                                                                                                                                                      | \$951   | 30#    |
| 6400655              | Battery box module: cantilever aluminum BOC with aluminum diamond plate cover. Lowered battery box.                                                                                                                                 | \$954   | 30#    |



## T680: FRAME & EQUIPMENT

| Option                             | Description                                                                                                                                                                                                                                         | Price   | Weight |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Battery Boxes</b>               |                                                                                                                                                                                                                                                     |         |        |
| <b>Cantilever</b>                  |                                                                                                                                                                                                                                                     |         |        |
| 6401200                            | Battery Box Cantilever Steel BOC W/ Fiberglass cover.                                                                                                                                                                                               | \$598   | 28#    |
| 6401233                            | Steel Cantilever Battery Box BOC with smooth aluminum cover. Vocational Style.                                                                                                                                                                      | \$641   | 39#    |
| 6401235                            | Steel Cantilever Battery Box BOC W/ Smooth polished aluminum cover. Vocational Style.                                                                                                                                                               | \$868   | 39#    |
| <b>Across or Between Rails BOC</b> |                                                                                                                                                                                                                                                     |         |        |
| 6400500                            | Battery Box: Aluminum between the Rails BOC W/ FMCSR cover.                                                                                                                                                                                         | \$1,338 | 15#    |
| 6400508                            | Battery Box: Aluminum Between the Rails BOC with aluminum cover.                                                                                                                                                                                    | \$1,231 | -8#    |
| <b>In-Cab</b>                      |                                                                                                                                                                                                                                                     |         |        |
| 6405000                            | In-Cab Steel Battery Box: under Rider Seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch. | \$1,745 | -8#    |
| <b>Battery Box Locations</b>       |                                                                                                                                                                                                                                                     |         |        |
| 6409901                            | Battery Box Location: LH Side.                                                                                                                                                                                                                      | \$0     | 0#     |
| 6409902                            | Battery Box Location: RH Side.                                                                                                                                                                                                                      | \$116   | 15#    |
| 6409903                            | Battery Box Location: BOC Between the Rails.                                                                                                                                                                                                        | \$0     | 0#     |
| 6409906                            | In-Cab Battery Box Location: Under Rider Seat.                                                                                                                                                                                                      | \$0     | 0#     |
| 6409930                            | RH under Cab Box Location for Kenworth Idle Management System batteries. Located behind the chassis fairing.                                                                                                                                        | \$0     | 0#     |
| 6409934                            | RH Back of Cab Box Location for Kenworth Idle Management System batteries.                                                                                                                                                                          | \$0     | 0#     |
| <b>Battery Box Equipment</b>       |                                                                                                                                                                                                                                                     |         |        |
| 6409010                            | Back of Cab/Slpr Box for Kenworth Idle Management System batteries. Must also use the location code.                                                                                                                                                | \$1,482 | 0#     |
| 6409725                            | Frame access step mounted to LH BOC cantilever box module.                                                                                                                                                                                          | \$406   | 9#     |
| 6409726                            | Frame access step mounted to RH BOC cantilever box module.                                                                                                                                                                                          | \$406   | 9#     |
| 6451025                            | RH Under Cab Box for Kenworth Idle Management System batteries. Located behind chassis fairing. Must also use the location code.                                                                                                                    | \$0     | 0#     |

## Center Frame Equipment

### Frame Access



## T680: FRAME & EQUIPMENT

| Option                        | Description                                                                                                                                                                 | Price | Weight |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Center Frame Equipment</b> |                                                                                                                                                                             |       |        |
| <b>Frame Access</b>           |                                                                                                                                                                             |       |        |
| <b>Grabhandles</b>            |                                                                                                                                                                             |       |        |
| 6410010                       | Frame Access Grabhandle(s) LH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.                                               | \$61  | 2#     |
| 6410011                       | Frame Access Grabhandle(s) RH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.                                               | \$61  | 2#     |
| 6410028                       | Frame Access Grabhandle, Additional LH Mounted in side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.                     | \$150 | 2#     |
| 6410029                       | Frame Access Grabhandle, Additional RH Mounted on side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.                     | \$150 | 2#     |
| 6410092                       | Frame Access Grabhandle Horizontal Mounted at midpoint of sleeper or Daycab.                                                                                                | \$75  | 2#     |
| 6418508                       | Ladder Step Access Handle LH Mounted to Battery box /toolbox. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.                        | \$263 | 8#     |
| 6418509                       | Ladder Step Access Handle: RH Mounted to Battery box/toolbox. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.                        | \$263 | 8#     |
| 6418510                       | Ladder Step Access Handle: LH Mounted to Frame step. Narrate location of frame step. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements. | \$246 | 8#     |
| 6418512                       | Ladder Step Access Handle: RH Mounted to Frame step. Narrate location of frame step. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements. | \$246 | 8#     |
| <b>Deckplate</b>              |                                                                                                                                                                             |       |        |
| 6414008                       | Deckplate: minimum coverage (1 foot)                                                                                                                                        | \$102 | 6#     |
| 6414009                       | Deckplate: standard coverage, 4 feet unless less fits for space constraints.                                                                                                | \$256 | 18#    |
| 6414010                       | Deckplate: full coverage, as much as possible keeping ahead of fifth wheel angle or 10 feet maximum.                                                                        | \$603 | 42#    |
| <b>Steps</b>                  |                                                                                                                                                                             |       |        |
| 6417002                       | Cab Access Step: RH under Mounted to Frame.                                                                                                                                 | \$766 | 66#    |
| 6417004                       | Frame Access Steps: Narrow, 12" Ladder-Type, RH. Available when rear of tank extends less than 24 in. behind rear of cab or sleeper.                                        | \$228 | 15#    |
| 6417007                       | Frame Access Steps: 2 Ladder-Type, RH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.                            | \$196 | 15#    |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                           | Price   | Weight |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Center Frame Equipment</b>           |                                                                                                                                                                                                                                                                                                                       |         |        |
| <b>Frame Access</b>                     |                                                                                                                                                                                                                                                                                                                       |         |        |
| <b>Steps</b>                            |                                                                                                                                                                                                                                                                                                                       |         |        |
| 6417009                                 | Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender. | \$237   | 6#     |
| 6418002                                 | Cab Access Step: LH Under Mounted to Frame.                                                                                                                                                                                                                                                                           | \$704   | 66#    |
| 6418004                                 | Frame Access Steps: Narrow, 12" Ladder-Type, LH. Available when rear of tank extends less than 24 in. behind rear of cab or sleeper.                                                                                                                                                                                  | \$228   | 15#    |
| 6418006                                 | Frame Access Steps: 2 Ladder-Type, LH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.                                                                                                                                                                      | \$196   | 15#    |
| 6418008                                 | Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender. | \$237   | 6#     |
| 6418020                                 | Extended Frame Access Step: LH Mounted, 2 ladder-type steps. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.                                                                                                                                                      | \$521   | 28#    |
| 6418021                                 | Extended Frame Access Steps: RH Mounted, 2 ladder-type steps. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.                                                                                                                                                     | \$521   | 28#    |
| <b>Chassis Fairings &amp; Equipment</b> |                                                                                                                                                                                                                                                                                                                       |         |        |
| 6419030                                 | Independent Fairing Support. LH Partial Fairing.                                                                                                                                                                                                                                                                      | \$126   | 5#     |
| 6419032                                 | Independent Fairing Support. RH Partial Fairing.                                                                                                                                                                                                                                                                      | \$126   | 5#     |
| 6419450                                 | Chassis Fairings: Under Cab. Includes Inspection panel for the batteries.                                                                                                                                                                                                                                             | STD     | 0#     |
| 6419451                                 | Chassis Fairings: Under Cab. Use W/ LH Under Fuel tank.                                                                                                                                                                                                                                                               | \$109   | 7#     |
| 6419452                                 | Chassis Fairings 52 in. sleeper: Partial fairings on both sides. Includes battery inspection panel.                                                                                                                                                                                                                   | \$1,803 | 50#    |
| 6419455                                 | Chassis Fairings 76 in. Sleeper: Partial fairings on both sides. Includes battery inspection panel.                                                                                                                                                                                                                   | \$1,780 | 50#    |
| 6419456                                 | LH Opening: Use with Partial Fairing. Requires partial fairing on the LH side. Allows rear portion of the partial fairing to swing forward, allowing access to frame-mounted components behind the fairing such as frame access steps, chain hangers, or APUs.                                                        | \$635   | 16#    |
| 6419457                                 | RH Opening: Use with Partial Fairing. Requires partial fairing on the RH side. Allows rear portion of the partial fairing to swing forward, allowing access to frame-mounted components behind the fairing such as frame access steps, chain hangers, or APUs.                                                        | \$635   | 16#    |
| 6419458                                 | Chassis Fairings 76 in. Sleeper: LH under Cab, RH partial. Includes battery inspection panel.                                                                                                                                                                                                                         | \$1,054 | 40#    |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                  | Price   | Weight |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Center Frame Equipment</b>           |                                                                                                                                                              |         |        |
| <b>Chassis Fairings &amp; Equipment</b> |                                                                                                                                                              |         |        |
| 6419459                                 | Chassis Fairings 76 in. Sleeper: RH under Cab, LH partial. Includes battery inspection panel.                                                                | \$1,054 | 40#    |
| 6419599                                 | Delete Lower Extension Under LH & RH Chassis fairings.                                                                                                       | \$0     | -15#   |
| <b>Toolboxes</b>                        |                                                                                                                                                              |         |        |
| 6470648                                 | Tool box module: cantilever aluminum BOC with polished aluminum cover.                                                                                       | \$1,642 | 101#   |
| 6470654                                 | Tool box module: cantilever aluminum BOC with aluminum diamond plate cover.                                                                                  | \$1,617 | 101#   |
| 6473212                                 | Pro-Tech 15 in. Aluminum Toolbox, Back of Cab. Does not provide frame access.                                                                                | \$1,910 | 55#    |
| 6473213                                 | 2nd Pro-Tech 15 in. Aluminum Toolbox, Back of cab. Does not provide frame access.                                                                            | \$1,910 | 55#    |
| 6475201                                 | Short Length Aluminum Toolbox Module: Under Cab, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.       | \$1,091 | 108#   |
| 6475204                                 | 2nd Short Length Aluminum Toolbox Module: Under cab, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.   | \$1,091 | 108#   |
| 6475335                                 | Short Length Steel Toolbox Module: Under Cab, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.          | \$1,047 | 149#   |
| 6475345                                 | 2nd Short Length Steel Toolbox Module: Under, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.          | \$1,047 | 149#   |
| 6475348                                 | 2nd Short Length Steel Toolbox Module: Under Cab, with step, without hinged cover, without lock. Up to 2 air tanks may be located on the bottom of box.      | \$993   | 147#   |
| 6475349                                 | Short Length Steel Toolbox Module: Under Cab, with step, without hinged cover, without lock. Up to 2 air tanks may be located on the bottom of box.          | \$993   | 147#   |
| 6475638                                 | Short Length Aluminum Parallel Toolbox Module: BOC, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.    | \$1,172 | 108#   |
| 6475640                                 | 2nd Short Length Aluminum Parallel Toolbox Module BOC, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box. | \$1,172 | 108#   |
| 6475641                                 | 3rd Short Length Aluminum Parallel Toolbox Module BOC, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box. | \$1,172 | 108#   |
| 6475702                                 | 2nd Extended Length Polished Aluminum Toolbox Module: BOC with aluminum cover, with step, with lock. Up to 2 air tanks may be mounted to bottom of box.      | \$2,335 | 123#   |
| <b>Toolbox Locations</b>                |                                                                                                                                                              |         |        |
| 6479901                                 | Toolbox Location: LH Side.                                                                                                                                   | \$0     | 0#     |



## T680: FRAME & EQUIPMENT

| Option                                   | Description                                                                                                                                                                                                                                                                                                                                                               | Price | Weight |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Toolboxes</b>                         |                                                                                                                                                                                                                                                                                                                                                                           |       |        |
| <b>Toolbox Locations</b>                 |                                                                                                                                                                                                                                                                                                                                                                           |       |        |
| 6479902                                  | Toolbox Location: RH Side.                                                                                                                                                                                                                                                                                                                                                | \$0   | 0#     |
| 6479905                                  | Second Toolbox Location: LH Side.                                                                                                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 6479906                                  | Third Toolbox Location: RH Side.                                                                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 6479915                                  | Second Toolbox Location: RH Side.                                                                                                                                                                                                                                                                                                                                         | \$0   | 0#     |
| 6479916                                  | Third Toolbox Location: LH Side.                                                                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| <b>DPF-SCR Covers</b>                    |                                                                                                                                                                                                                                                                                                                                                                           |       |        |
| 6451090                                  | C5, T6, T8 diamond plate cover and black end plates with access step for right hand under DPF/SCR or CNG. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.                                                                                       | \$0   | 0#     |
| 6451094                                  | C5, T6, T8 polished cover and polished end plates with access step for right hand under DPF/SCR or CNG. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components.                                                                                                                                                | \$467 | 0#     |
| 6451112                                  | C5, T6, T8 diamond plate cover and polished end plates with access step for right hand under DPF/SCR or CNG. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. For use with frame paint color other than standard black. The cover will be unpolished diamond-plate and the end plates will be polished. | \$174 | 0#     |
| <b>Frame Crossmembers &amp; Upgrades</b> |                                                                                                                                                                                                                                                                                                                                                                           |       |        |
| 6490089                                  | Steel Forward Intermediate Crossmember: One additional with heavy-duty aluminum gussets.                                                                                                                                                                                                                                                                                  | \$480 | 81#    |
| 6490440                                  | Heavy-Duty BOC Crossmember Assembly.                                                                                                                                                                                                                                                                                                                                      | \$215 | 23#    |
| <b>Center Frame Clear Space</b>          |                                                                                                                                                                                                                                                                                                                                                                           |       |        |
| 6491011                                  | One Clear Frame Space Area Without Custom Frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.                                                                                                                                                                                              | \$449 | 0#     |
| 6491012                                  | Two Clear Frame Space Areas Without Custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.                                                                                                                                                                                 | \$899 | 0#     |
| 6497020                                  | First Clear Frame Space Dimensioned from Back of Cab.                                                                                                                                                                                                                                                                                                                     | \$0   | 0#     |
| 6497030                                  | Second Clear Frame Space Dimensioned from Back of Cab.                                                                                                                                                                                                                                                                                                                    | \$0   | 0#     |

### First Request Area



## T680: FRAME & EQUIPMENT

| Option                          | Description                                                                                                                                                                                                                                                                                                                                               | Price | Weight |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Center Frame Clear Space</b> |                                                                                                                                                                                                                                                                                                                                                           |       |        |
| <b>First Request Area</b>       |                                                                                                                                                                                                                                                                                                                                                           |       |        |
| 6497101                         | First - LH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.                                                                                                                                        | \$0   | 0#     |
| 6497102                         | First - RH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.                                                                                                                                        | \$0   | 0#     |
| 6497103                         | First - LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.                            | \$0   | 0#     |
| 6497104                         | First - RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.                            | \$0   | 0#     |
| 6497105                         | First - LH Outside and LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.             | \$0   | 0#     |
| 6497106                         | First - RH Outside and RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.             | \$0   | 0#     |
| 6497107                         | First - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.           | \$0   | 0#     |
| 6497108                         | First - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering. | \$0   | 0#     |
| <b>First Request Length</b>     |                                                                                                                                                                                                                                                                                                                                                           |       |        |
| 6497310                         | First - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                          | \$0   | 0#     |
| 6497312                         | First - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                          | \$0   | 0#     |
| 6497314                         | First - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                          | \$0   | 0#     |
| 6497316                         | First - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                          | \$0   | 0#     |



## T680: FRAME & EQUIPMENT

| Option                          | Description                                                                                                                      | Price | Weight |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Center Frame Clear Space</b> |                                                                                                                                  |       |        |
| <b>First Request Length</b>     |                                                                                                                                  |       |        |
| 6497318                         | First - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497320                         | First - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497322                         | First - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497324                         | First - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497326                         | First - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497328                         | First - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497330                         | First - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497332                         | First - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497334                         | First - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497336                         | First - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497338                         | First - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497340                         | First - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497341                         | First - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497350                         | First - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497360                         | First - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| <b>First Request Location</b>   |                                                                                                                                  |       |        |
| 6497200                         | Directly Behind the Under Fuel/ Hydraulic Tank. First clear frame space location.                                                | \$0   | 0#     |



## T680: FRAME & EQUIPMENT

| Option                          | Description                                                                                                                                                                                                                                                                                                                                                     | Price | Weight |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Center Frame Clear Space</b> |                                                                                                                                                                                                                                                                                                                                                                 |       |        |
| <b>First Request Location</b>   |                                                                                                                                                                                                                                                                                                                                                                 |       |        |
| 6497201                         | Directly Behind the BOC Fuel/ Hydraulic Tank. First clear frame space location.                                                                                                                                                                                                                                                                                 | \$0   | 0#     |
| 6497202                         | Directly Forward of the Rearmost Fuel/ Hydraulic tank. First clear frame space location.                                                                                                                                                                                                                                                                        | \$0   | 0#     |
| 6497203                         | Directly Behind DEF Tank. First clear frame space location.                                                                                                                                                                                                                                                                                                     | \$0   | 0#     |
| 6497204                         | Directly Behind the Battery Box. First clear frame space location.                                                                                                                                                                                                                                                                                              | \$0   | 0#     |
| 6497205                         | Directly Behind the DPF/SCR Box. First clear frame space location.                                                                                                                                                                                                                                                                                              | \$0   | 0#     |
| 6497206                         | Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. First clear frame space location.                                                                                                                                                                                                                                     | \$0   | 0#     |
| 6497207                         | Directly Forward of the Rear Suspension/ Quarter fender. First clear frame space location.                                                                                                                                                                                                                                                                      | \$0   | 0#     |
| 6497209                         | Directly Behind the Under Cab Component. First clear frame space location.                                                                                                                                                                                                                                                                                      | \$0   | 0#     |
| 6497210                         | Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. First clear frame space location.                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| 6497211                         | Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. First clear frame space location.                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| <b>Second Request Area</b>      |                                                                                                                                                                                                                                                                                                                                                                 |       |        |
| 6497109                         | Second - LH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.                                                                                                                            | \$0   | 0#     |
| 6497110                         | Second - RH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.                                                                                                                            | \$0   | 0#     |
| 6497111                         | Second - LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.                | \$0   | 0#     |
| 6497112                         | Second - RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.                | \$0   | 0#     |
| 6497113                         | Second - LH Outside and LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering. | \$0   | 0#     |



## T680: FRAME & EQUIPMENT

| Option                          | Description                                                                                                                                                                                                                                                                                                                                                     | Price | Weight |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Center Frame Clear Space</b> |                                                                                                                                                                                                                                                                                                                                                                 |       |        |
| <b>Second Request Area</b>      |                                                                                                                                                                                                                                                                                                                                                                 |       |        |
| 6497114                         | Second - RH Outside and RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering. | \$0   | 0#     |
| 6497115                         | Second - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.                | \$0   | 0#     |
| 6497116                         | Second - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.      | \$0   | 0#     |
| <b>Second Request Length</b>    |                                                                                                                                                                                                                                                                                                                                                                 |       |        |
| 6497510                         | Second - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497512                         | Second - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497514                         | Second - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497516                         | Second - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497518                         | Second - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497520                         | Second - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497522                         | Second - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497524                         | Second - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497526                         | Second - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497528                         | Second - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |
| 6497530                         | Second - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.                                                                                                                                                                                                                               | \$0   | 0#     |



## T680: FRAME & EQUIPMENT

| Option                          | Description                                                                                                                       | Price | Weight |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Center Frame Clear Space</b> |                                                                                                                                   |       |        |
| <b>Second Request Length</b>    |                                                                                                                                   |       |        |
| 6497532                         | Second - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497534                         | Second - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497536                         | Second - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497538                         | Second - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497540                         | Second - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497541                         | Second - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497550                         | Second - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| 6497560                         | Second - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering. | \$0   | 0#     |
| <b>Second Request Location</b>  |                                                                                                                                   |       |        |
| 6497230                         | Directly Behind the Under Fuel/ Hydraulic Tank. Second clear frame space location.                                                | \$0   | 0#     |
| 6497231                         | Directly Behind the BOC Fuel/ Hydraulic Tank. Second clear frame space location.                                                  | \$0   | 0#     |
| 6497232                         | Directly Forward of the Rearmost Fuel/ Hydraulic tank. Second clear frame space location.                                         | \$0   | 0#     |
| 6497233                         | Directly Behind DEF Tank. Second clear frame space location.                                                                      | \$0   | 0#     |
| 6497234                         | Directly Behind the Battery Box. Second clear frame space location.                                                               | \$0   | 0#     |
| 6497235                         | Directly Behind the DPF/SCR Box. Second clear frame space location.                                                               | \$0   | 0#     |
| 6497236                         | Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. Second clear frame space location.      | \$0   | 0#     |
| 6497237                         | Directly Forward of the Rear Suspension/ Quarter fender. Second clear frame space location.                                       | \$0   | 0#     |
| 6497239                         | Directly Behind the Under Cab Component. Second clear frame space location.                                                       | \$0   | 0#     |
| 6497240                         | Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. Second clear frame space location.                                              | \$0   | 0#     |



## T680: FRAME & EQUIPMENT

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Center Frame Clear Space

#### Second Request Location

|         |                                                                                      |     |    |
|---------|--------------------------------------------------------------------------------------|-----|----|
| 6497241 | Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. Second clear frame space location. | \$0 | 0# |
|---------|--------------------------------------------------------------------------------------|-----|----|

### Miscellaneous Center Frame Equipment

|         |                                                                                      |       |    |
|---------|--------------------------------------------------------------------------------------|-------|----|
| 6397001 | Huck Bolts Throughout Frame, where Possible.                                         | \$322 | 0# |
| 6490624 | Clear Frame Space, 24 in., LH Side. For Use With partial fairings on 76 in. sleeper. | \$0   | 0# |
| 6490626 | Clear Frame Space, 26 in., LH Side. For Use With partial fairings on 76 in. sleeper. | \$0   | 0# |
| 6490628 | Clear Frame Space, 28 in., LH Side. For Use With partial fairings on 76 in. sleeper. | \$0   | 0# |
| 6490630 | Clear Frame Space, 30 in., LH Side. For Use With partial fairings on 76 in. sleeper. | \$0   | 0# |
| 6490724 | Clear Frame Space, 24 in., RH Side. For Use With partial fairings on 76 in. sleeper. | \$0   | 0# |
| 6490726 | Clear Frame Space, 26 in., RH Side. For Use With partial fairings on 76 in. sleeper. | \$0   | 0# |
| 6490728 | Clear Frame Space, 28 in., RH Side. For Use With partial fairings on 76 in. sleeper. | \$0   | 0# |
| 6490730 | Clear Frame Space, 30 in., RH Side. For Use With partial fairings on 76 in. sleeper. | \$0   | 0# |
| 6670115 | BOC2 Position Location. Component Located Just forward of the drive axle tires.      | \$25  | 0# |

### Body Builder Requirements

|         |                                                                                                                                                                                                                                                                                                                                                                                                                          |         |    |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|
| 6390088 | 3D Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a 3D frame layout in a Pro/E or STP data file suitable for use with many CAD programs.                                                                                                                                                                                                                                        | \$899   | 0# |
| 6390091 | Frame Layout Picture to Dealer Prior to Build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis. | \$899   | 0# |
| 6390097 | DXF Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.                                                                                                                                                                                                                                             | \$899   | 0# |
| 6391201 | Custom Frame Layout: One Chassis                                                                                                                                                                                                                                                                                                                                                                                         | \$1,380 | 0# |
| 6391202 | Custom Frame Layout: Two Chassis                                                                                                                                                                                                                                                                                                                                                                                         | \$690   | 0# |
| 6391203 | Custom Frame Layout: 3-4 Chassis                                                                                                                                                                                                                                                                                                                                                                                         | \$375   | 0# |
| 6391205 | Custom Frame Layout: 5-9 Chassis                                                                                                                                                                                                                                                                                                                                                                                         | \$200   | 0# |



## T680: FRAME & EQUIPMENT

| Option                           | Description                                                                                                                                                                                                                                                                                                                         | Price   | Weight |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Body Builder Requirements</b> |                                                                                                                                                                                                                                                                                                                                     |         |        |
| 6391210                          | Custom Frame Layout: 10-24 Chassis                                                                                                                                                                                                                                                                                                  | \$100   | 0#     |
| 6391225                          | Custom Frame Layout: 25-49 Chassis                                                                                                                                                                                                                                                                                                  | \$40    | 0#     |
| 6391250                          | Custom Frame Layout: 50 or more Chassis                                                                                                                                                                                                                                                                                             | \$30    | 0#     |
| 6679850                          | Dealer Acknowledges Self Loading Crane or Boom will be located behind the cab.                                                                                                                                                                                                                                                      | \$0     | 0#     |
| 6679852                          | Dealer Acknowledges Self Loading Crane or Boom will be located at the end-of-frame.                                                                                                                                                                                                                                                 | \$0     | 0#     |
| 6679856                          | Final End-of-Frame Cut-Off Dimension Will be modified to less than or equal to 45 in.                                                                                                                                                                                                                                               | \$0     | 0#     |
| 6679857                          | Final End-of-Frame Cut-Off Dimension Will be modified to 46 in. to 50 in.                                                                                                                                                                                                                                                           | \$0     | 0#     |
| 6679858                          | Final End-of-Frame Cut-Off Dimension Will be modified to 51 in. to 55 in.                                                                                                                                                                                                                                                           | \$0     | 0#     |
| 6679859                          | Final End-of-Frame Cut-Off Dimension Will be modified to 56 in. to 60 in.                                                                                                                                                                                                                                                           | \$0     | 0#     |
| 6679860                          | Final End-of-Frame Cut-Off Dimension Will be modified to 61 in. to 65 in.                                                                                                                                                                                                                                                           | \$0     | 0#     |
| 6679862                          | Final End-of-Frame Cut-Off Dimension Will be modified to 66 in. to 74 in.                                                                                                                                                                                                                                                           | \$0     | 0#     |
| 6679864                          | Final End-of-Frame Cut-Off Dimension Will be modified to greater than or equal to 75 in.                                                                                                                                                                                                                                            | \$0     | 0#     |
| 6679901                          | Hydraulic End of Tank is Difficult to Fill.                                                                                                                                                                                                                                                                                         | \$0     | 0#     |
| 6679914                          | Any Changes to Rear Cab/Sleeper Area Must Comply w/FMCSR 399.                                                                                                                                                                                                                                                                       | \$0     | 0#     |
| 6679915                          | Customer-Installed Bulkhead and/or Headache rack.                                                                                                                                                                                                                                                                                   | \$0     | 0#     |
| 6679995                          | Customer Will Install Structural End-of-Frame crossmember before vehicle is placed in service.                                                                                                                                                                                                                                      | \$0     | 0#     |
| 6790003                          | Special Frame Drill: Dealer to Provide Drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout. | \$1,797 | 0#     |

### Fifth Wheels

#### Holland Fixed Fifth Wheels

|         |                                                                                                                                                                                                                                                                   |       |     |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|
| 6541232 | Fifth Wheel: Fixed, Holland FW17Y700XL00 7.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$203 | 16# |
| 6541234 | Fifth Wheel: Fixed, Holland FW17Y800XL00 8.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$205 | 21# |



## T680: FRAME & EQUIPMENT

| Option                            | Description                                                                                                                                                                                                                                                                                 | Price   | Weight |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>               |                                                                                                                                                                                                                                                                                             |         |        |
| <b>Holland Fixed Fifth Wheels</b> |                                                                                                                                                                                                                                                                                             |         |        |
| 6541236                           | Fifth Wheel: Fixed, Holland FW17Y900XL00 9.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                           | \$207   | 26#    |
| 6541262                           | Fifth Wheel: Fixed, Holland FW17Z800XL80 7.81 in. height w/air operated KP release. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$979   | -26#   |
| 6541272                           | Fifth Wheel: Fixed, Holland FW17Z600XL00 5.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                           | \$300   | -29#   |
| 6541273                           | Fifth Wheel: Fixed, Holland FW17Z700XL00 6.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                           | \$303   | -21#   |
| 6541274                           | Fifth Wheel: Fixed, Holland FW17Z700XL80 6.81 in. height. Air operated KP release. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.  | \$977   | -15#   |
| 6541275                           | Fifth Wheel: Fixed, Holland FW17Z800XL00 7.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                           | \$305   | -11#   |
| 6541276                           | Fifth Wheel: Fixed, Holland FW17Z900XL00 8.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                           | \$304   | -19#   |
| 6541397                           | Fifth Wheel: Fixed, Holland FW33K200YL19 12.1 in. height. Kompensator with lockout feature. Low Lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                              | \$7,365 | 375#   |
| 6541415                           | Fifth Wheel: Fixed, Holland FW33Y900XL00 9.00 in. height. Low lube, 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                                                      | \$744   | 75#    |
| 6541420                           | Fifth Wheel: Fixed, Holland FW33Z600XL00 6.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                            | \$1,187 | 17#    |
| 6541423                           | Fifth Wheel: Fixed, Holland FW33Z700XL00 7.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                            | \$1,052 | 30#    |
| 6541424                           | Fifth Wheel: Fixed, Holland FW33Z700XL80 7.00 in. height. Low lube. Air-operated kingpin release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                              | \$1,849 | 61#    |
| 6541425                           | Fifth Wheel: Fixed, Holland FW33Z800XL00 8.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                            | \$1,185 | 32#    |
| 6541426                           | Fifth Wheel: Fixed, Holland FW33Z800XL80 8.00 in. height. Low lube. Air-operated kingpin release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                              | \$1,912 | 39#    |



## T680: FRAME & EQUIPMENT

| Option                            | Description                                                                                                                                                                                                                                                                              | Price   | Weight |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>               |                                                                                                                                                                                                                                                                                          |         |        |
| <b>Holland Fixed Fifth Wheels</b> |                                                                                                                                                                                                                                                                                          |         |        |
| 6541427                           | Fifth Wheel: Fixed, Holland FW33Z900XL00 9.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                         | \$1,185 | 29#    |
| 6541546                           | Fifth Wheel: Fixed, Holland FW35-S10268-XL-1L 8.5 in. Holland ELI-te system. Inboard w/ .5 in. angles, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                | \$1,519 | 29#    |
| 6541548                           | Fifth Wheel: Fixed, Holland FW35-S10268-XL 8.5 in. Inboard w/ .5in. angles 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                                            | \$1,171 | 19#    |
| 6541551                           | Fifth Wheel: Fixed, Holland FW35-07690-1 9.5 in. Outboard mounting angles, heavy-duty mounting plate, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                     | \$1,099 | -11#   |
| 6541570                           | Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height and Kompensator mechanism. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                           | \$4,155 | 359#   |
| 6541572                           | Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                   | \$4,416 | 374#   |
| 6541573                           | Fifth Wheel: Fixed, Holland FW35-7729XL19 9.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                    | \$4,115 | 310#   |
| 6541630                           | Fifth Wheel: Fixed, Holland FW17Y800XL80 8.30 in. height. With air operate KP release, outboard mounting angles. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                           | \$809   | -39#   |
| 6541663                           | Fifth Wheel: Fixed, Holland FW35Y700XL1L 7.00 in. height. Holland ELI-te system. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,427 | -7#    |
| 6541670                           | Fifth Wheel: Fixed, Holland FW35Y600XL00 6.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$578   | 34#    |
| 6541672                           | Fifth Wheel: Fixed, Holland FW35Y700XL00 7.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$580   | -7#    |
| 6541673                           | Fifth Wheel: Fixed, Holland FW35Y700XR00 7.00 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$580   | 29#    |
| 6541675                           | Fifth Wheel: Fixed, Holland FW35Y800XL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$581   | 39#    |
| 6541678                           | Fifth Wheel: Fixed, Holland FW35Y900XL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$583   | 50#    |



## T680: FRAME & EQUIPMENT

| Option                            | Description                                                                                                                                                                                                                                                                                                       | Price   | Weight |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>               |                                                                                                                                                                                                                                                                                                                   |         |        |
| <b>Holland Fixed Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                   |         |        |
| 6541685                           | Fifth Wheel: Fixed, Holland FW35Z600XL00 5.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                 | \$417   | 8#     |
| 6541687                           | Fifth Wheel: Fixed, Holland FW35Z700XL00 6.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                 | \$419   | 1#     |
| 6541688                           | Fifth Wheel: Fixed, Holland FW35Z700XL80 6.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                   | \$1,087 | 9#     |
| 6541689                           | Fifth Wheel: Fixed, Holland FW35Z800XL00 7.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                 | \$422   | 1#     |
| 6541690                           | Fifth Wheel: Fixed, Holland FW35Z800XR00 7.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                 | \$476   | 1#     |
| 6541692                           | Fifth Wheel: Fixed, Holland FW35Z800XL80 7.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                   | \$972   | 26#    |
| 6541693                           | Fifth Wheel: Fixed, Holland FW35Z900XL00 8.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                 | \$420   | 13#    |
| 6541695                           | Fifth Wheel: Fixed, Holland FW35Z900XR00 8.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                 | \$505   | 19#    |
| 6541710                           | Fifth Wheel: Fixed, Holland FW35Z600XL1M 5.62 in. height. Holland ELI-te system. Air operated KP release. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,030 | 22#    |
| 6541712                           | Fifth Wheel: Fixed, Holland FW35Z700XL1L 6.62 in. height. Holland ELI-te system. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                          | \$1,390 | -10#   |
| 6541714                           | Fifth Wheel: Fixed, Holland FW35Z800XL1L 7.62 in. height. Holland ELI-te system. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                          | \$1,394 | -4#    |
| 6541752                           | Fifth Wheel: No-Tilt Fixed, Holland FW35N800YL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                         | \$2,703 | 127#   |
| 6541753                           | Fifth Wheel: No-Tilt Fixed, Holland FW35N900YL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                         | \$2,703 | 127#   |



## T680: FRAME & EQUIPMENT

| Option                            | Description                                                                                                                                                                                                                                                                          | Price    | Weight |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| <b>Fifth Wheels</b>               |                                                                                                                                                                                                                                                                                      |          |        |
| <b>Holland Fixed Fifth Wheels</b> |                                                                                                                                                                                                                                                                                      |          |        |
| 6551060                           | Fifth Wheel: Fixed, Holland FW0070-7601XL03 9.50 in. height & 3-1/2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.                                                                                                               | \$2,041  | 242#   |
| 6551061                           | Fifth Wheel: Fixed, Holland FW0070-7603XL 7.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.                                                                                                                     | \$2,040  | 231#   |
| 6551069                           | Fifth Wheel: Fixed, Holland FW0070-7683XL 9.00 in. height & 2.0in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.                                                                                                                   | \$2,770  | 226#   |
| 6551320                           | Fifth Wheel: Fixed, Holland FW0070-7601XL 9.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.                                                                                                                     | \$2,043  | 242#   |
| 6551322                           | Fifth Wheel: Fixed, Holland FW0070-7602XL 8.50in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.                                                                                                                      | \$2,043  | 235#   |
| 6561550                           | Fifth Wheel: Aluminum, Fixed, Holland FWAL-07690 11.2 in. height.                                                                                                                                                                                                                    | \$6,312  | -2#    |
| 6561554                           | Fifth Wheel: Aluminum Fixed, Holland FWALZ600XL00 6.3 in. height, plate mount.                                                                                                                                                                                                       | \$5,210  | -84#   |
| 6561556                           | Fifth Wheel: Aluminum Fixed, Holland FWALZ700XL00 7.3 in height, plate mount.                                                                                                                                                                                                        | \$5,215  | -76#   |
| 6561558                           | Fifth Wheel: Aluminum Fixed, Holland FWALZ800XL00 8.3 in. height, plate mount.                                                                                                                                                                                                       | \$5,220  | -69#   |
| 6561560                           | Fifth Wheel: Aluminum Fixed, Holland FWALZ900XL00 9.3 in. height, plate mount.                                                                                                                                                                                                       | \$5,222  | -73#   |
| <b>Jost Fixed Fifth Wheels</b>    |                                                                                                                                                                                                                                                                                      |          |        |
| 6591005                           | Fifth Wheel: Jost EURO JSK38C2KM-SM8 8.11in. height. For European countries only.                                                                                                                                                                                                    | \$12,350 | 382#   |
| 6591006                           | Fifth Wheel: Fixed, Jost JSK37UWB-PM7X 7.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$564    | 70#    |
| 6591007                           | Fifth Wheel: Fixed, Jost JSK37UWB-PM9X 9.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$602    | 78#    |
| 6591008                           | Fifth Wheel: Fixed, Jost JSK37UWB-PM8X 8.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$589    | 72#    |
| 6591028                           | Fifth Wheel: Fixed, Jost JSK37USL-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available.                                                                                                    | (\$4)    | -1#    |
| 6591031                           | Fifth Wheel: No-Tilt Fixed, Jost JSK37USLN-DB8X 7.85 in. height. No tilt, outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$353    | 35#    |



## T680: FRAME & EQUIPMENT

| Option                         | Description                                                                                                                                                                                                                                                                                                    | Price   | Weight |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>            |                                                                                                                                                                                                                                                                                                                |         |        |
| <b>Jost Fixed Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                |         |        |
| 6591036                        | Fifth Wheel: No-Tilt Fixed, Jost JSK37USLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                       | \$383   | 23#    |
| 6591043                        | Fifth Wheel: Fixed, Jost JSK37USB-PM7X 7.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                     | \$22    | 65#    |
| 6591044                        | Fifth Wheel: Fixed, Jost JSK37USL-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available.                                                                                                                              | \$15    | 74#    |
| 6591045                        | Fifth Wheel: Fixed, Jost JSK37USB-PM8X 8.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                     | \$22    | 76#    |
| 6591046                        | Fifth Wheel: Fixed, Jost JSK37USB-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                     | \$41    | 76#    |
| 6591059                        | Fifth Wheel: Fixed, Jost JSK37USB-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                     | (\$31)  | -3#    |
| 6591060                        | Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                     | STD     | 0#     |
| 6591061                        | Fifth Wheel: Fixed, Jost JSK37USB-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                     | \$22    | 3#     |
| 6591062                        | Fifth Wheel: Fixed, Jost JSK37USB-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                     | \$27    | 10#    |
| 6591064                        | Fifth Wheel: Fixed, Jost JSK37UWB-DB8X 7.85 in. height. Fixed Fifth Wheel Outboard mounting angles, Low lube feature, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$547   | 8#     |
| 6591065                        | Fifth Wheel: Fixed, Jost JSK37USB-DB10X 10 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                      | \$333   | 14#    |
| 6591070                        | Fifth Wheel: Fixed, Jost JSK37CKM-SM6 6.4 in. w/ heavy-duty king pin (EEC Certified). Requires some style of trailer connections.                                                                                                                                                                              | \$6,524 | 83#    |
| 6591076                        | Fifth Wheel: Fixed, Jost JSK37UBB-DB7X 6.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.               | \$308   | 8#     |



## T680: FRAME & EQUIPMENT

| Option                         | Description                                                                                                                                                                                                                                                                                                    | Price | Weight |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Fifth Wheels</b>            |                                                                                                                                                                                                                                                                                                                |       |        |
| <b>Jost Fixed Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                |       |        |
| 6591078                        | Fifth Wheel: Fixed, Jost JSK37UBB-DB8X 7.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.               | \$346 | 12#    |
| 6591079                        | Fifth Wheel: Fixed, Jost JSK37UBA-DB7X 6.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.              | \$697 | 7#     |
| 6591080                        | Fifth Wheel: Fixed, Jost JSK37UBA-DB8X 7.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.              | \$706 | 13#    |
| 6591081                        | Fifth Wheel: Fixed, Jost JSK37UBB-DB10X 9.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.              | \$506 | 71#    |
| 6591085                        | Fifth Wheel: Fixed, Jost JSK37UWB-DB9X 8.85 in. height. Fixed Fifth Wheel Outboard mounting angles, Low lube feature, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$547 | 8#     |
| 6591086                        | Fifth Wheel: Fixed, Jost JSK37UBA-DB9X 8.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.              | \$718 | 23#    |
| 6591087                        | Fifth Wheel: Fixed, Jost JSK37UBB-DB9X 8.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.               | \$335 | 19#    |
| 6591135                        | Fifth Wheel: No-Tilt Fixed, Jost JSK37UWLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, w/ low lube, no-tilt. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                            | \$854 | 23#    |
| 6591172                        | Fifth Wheel: Fixed, Jost JSK37USA-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                    | \$342 | 5#     |
| 6591173                        | Fifth Wheel: Fixed, Jost JSK37UWA-DB7X 6.85in height. Outboard mounting angles, 50K vertical rating, low lube plate, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                      | \$893 | 1#     |
| 6591174                        | Fifth Wheel: Fixed, Jost JSK37UWA-DB8X 7.85in height. Outboard mounting angles, 50K vertical rating, low lube plate, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                      | \$917 | 3#     |
| 6591175                        | Fifth Wheel: Fixed, Jost JSK37USA-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                    | \$374 | 3#     |
| 6591176                        | Fifth Wheel: Fixed, Jost JSK37USA-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                    | \$398 | 6#     |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                           | Price   | Weight |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                                       |         |        |
| <b>Jost Fixed Fifth Wheels</b>          |                                                                                                                                                                                                                                                                                                                       |         |        |
| 6591177                                 | Fifth Wheel: Fixed, Jost JSK37USA-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                           | \$410   | 22#    |
| 6591178                                 | Fifth Wheel: Fixed, Jost JSK37UWA-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, low lube plate, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                           | \$929   | 8#     |
| 6591189                                 | Fifth Wheel: Fixed, Jost JSK37UBE-DB7X 6.85 in. height. Loc-Light, outboard mounting angles, steel wear ring, air-operated kingpin release, 50K vertical rating. The code for additional factory drilled settings is available.                                                                                       | \$1,444 | 5#     |
| 6591190                                 | Fifth Wheel: Fixed, Jost JSK37UBE-DB8X 7.85 in. height. Loc-Light, outboard mounting angles, steel wear ring, air-operated kingpin release, 50K vertical rating. The code for additional factory drilled settings is available.                                                                                       | \$1,505 | 3#     |
| 6591191                                 | Fifth Wheel: Fixed, Jost JSK37UBE-DB9X 8.85 in. height. Loc-Light, outboard mounting angles, steel wear ring, air-operated kingpin release, 50K vertical rating. The code for additional factory drilled settings is available.                                                                                       | \$1,597 | 8#     |
| 6591206                                 | Fifth Wheel: Fixed, Jost JSK3CNWL-DB6X 5.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.                                                                                                | \$2,017 | -72#   |
| 6591207                                 | Fifth Wheel: Fixed, Jost JSK3CNWL-DB7X 6.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.                                                                                                | \$2,017 | -65#   |
| 6591208                                 | Fifth Wheel: Fixed, Jost JSK3CNWL-DB8X 7.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.                                                                                                | \$2,180 | -59#   |
| 6591209                                 | Fifth Wheel: Fixed, Jost JSK3CNWL-DB9X 8.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.                                                                                                | \$2,180 | -54#   |
| 6591210                                 | Fifth Wheel: Fixed, Jost JSK3CNWL-DB10X 9.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.                                                                                               | \$2,313 | -26#   |
| 6591211                                 | Fifth Wheel: Fixed, Jost JSK3CNWL-DB11X 10.85 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.                                                                                              | \$2,377 | -14#   |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                       |         |        |
| 6543018                                 | Fifth Wheel: ILS<=40K air Hol FW35J712XL1L 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$1,921 | 104#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                                                    | Price   | Weight |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                                                                |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                                                |         |        |
| 6543019                                 | Fifth Wheel: ILS<=40K air Hol FW35J712XL1M 12 in. slide, 6.8 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$2,514 | 116#   |
| 6543021                                 | Fifth Wheel: ILS<=40K air Hol FW35J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                  | \$991   | 111#   |
| 6543040                                 | Fifth Wheel: ILS<=40K air Hol FW35J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                   | \$1,555 | 109#   |
| 6543046                                 | Fifth Wheel: ILS<=40K air Hol FW17J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                  | \$686   | 87#    |
| 6543047                                 | Fifth Wheel: ILS<=40K air Hol FW17J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                  | \$684   | 83#    |
| 6543052                                 | Fifth Wheel: ILS<=40K air Hol FW35J836XL00 36 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                  | \$1,390 | 204#   |
| 6543054                                 | Fifth Wheel: ILS<=40K air Hol FW35J924XL00 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                  | \$1,196 | 168#   |
| 6543055                                 | Fifth Wheel: ILS<=40K air Hol FW35J924XL1L 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                          | \$2,250 | 168#   |
| 6543083                                 | Fifth Wheel: ILS<=40K air Hol FW35J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                   | \$1,835 | 161#   |
| 6543207                                 | Fifth Wheel: ILS<=40K air Hol FW35J718XL80 18 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                   | \$1,839 | 176#   |
| 6543210                                 | Fifth Wheel: ILS<=40K air Hol FW35J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                  | \$1,192 | 159#   |
| 6543211                                 | Fifth Wheel: ILS<=40K air Hol FW35J724XR00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, RH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                  | \$1,605 | 151#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                                                         | Price   | Weight |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                                                                     |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                                                     |         |        |
| 6543212                                 | Fifth Wheel: ILS<=40K air Hol FW35J724XL1L 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                               | \$2,466 | 158#   |
| 6543213                                 | Fifth Wheel: ILS<=40K air Hol FW35J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                        | \$1,855 | 156#   |
| 6543214                                 | Fifth Wheel: ILS<=40K air Hol FW35J736XL00 36 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                       | \$1,329 | 199#   |
| 6543217                                 | Fifth Wheel: ILS<=40K air Hol FW35J736XL80 36 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                        | \$1,935 | 184#   |
| 6543218                                 | Fifth Wheel: ILS<=40K air Hol FW35J748XL00 48 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                       | \$1,480 | 247#   |
| 6543221                                 | Fifth Wheel: ILS<=40K air Hol FW35J748XL80 48 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                        | \$2,285 | 252#   |
| 6543222                                 | Fifth Wheel: ILS<=40K air Hol FW35J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                       | \$993   | 116#   |
| 6543223                                 | Fifth Wheel: ILS<=40K air Hol FW35J812XL1L 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                               | \$2,209 | 116#   |
| 6543225                                 | Fifth Wheel: ILS<=40K air Hol FW35J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                        | \$1,620 | 114#   |
| 6543226                                 | Fifth Wheel: ILS<=40K air Hol FW35J824XL00 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                       | \$1,195 | 156#   |
| 6543230                                 | Fifth Wheel: ILS<=40K air Hol FW35J824XL1M 24 in. slide, 7.8 in. height. Air operated kingpin release. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$2,856 | 169#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                                  | Price   | Weight |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                                              |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                              |         |        |
| 6543231                                 | Fifth Wheel: ILS<=40K air Hol FW35J824XL1L 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.        | \$2,214 | 164#   |
| 6543235                                 | Fifth Wheel: ILS<=40K air Hol FW35J836XL80 36 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$2,022 | 209#   |
| 6543236                                 | Fifth Wheel: ILS<=40K air Hol FW35J848XL00 48 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$1,647 | 252#   |
| 6543239                                 | Fifth Wheel: ILS<=40K air Hol FW35J848XL80 48 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$2,238 | 257#   |
| 6543240                                 | Fifth Wheel: ILS<=40K air Hol FW35J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$1,083 | 113#   |
| 6543243                                 | Fifth Wheel: ILS<=40K air Hol FW35J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$1,757 | 118#   |
| 6543246                                 | Fifth Wheel: ILS<=40K air Hol FW35J924XL24 24 in. slide, 8.8 in. height. Includes drills and taps for auto lube. Outboard, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                    | \$1,485 | 160#   |
| 6543247                                 | Fifth Wheel: ILS<=40K air Hol FW35J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$1,831 | 165#   |
| 6543248                                 | Fifth Wheel: ILS<=40K air Hol FW35J936XL00 36 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$1,502 | 208#   |
| 6543251                                 | Fifth Wheel: ILS<=40K air Hol FW35J936XL80 36 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$2,213 | 213#   |
| 6543252                                 | Fifth Wheel: ILS<=40K air Hol FW35J948XL00 48 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$1,624 | 256#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 6543255                                 | Fifth Wheel: ILS<=40K air Hol FW35J948XL80 48 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                              | \$2,227 | 261#   |
| 6543260                                 | Fifth Wheel: ILS<=40K air Hol FW35J024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions.                                                                                                             | \$1,601 | 177#   |
| 6543263                                 | Fifth Wheel: ILS<=40K air Hol FW35J036XL00 36 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                                             | \$1,526 | 234#   |
| 6543267                                 | Fifth Wheel: ILS<=40K air Hol FW35J048XL00 48 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                                             | \$1,747 | 281#   |
| 6543339                                 | Fifth Wheel: ILS<=40K air Hol FW33J812XL00 12 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                         | \$1,459 | 134#   |
| 6543340                                 | Fifth Wheel: ILS<=40K air Hol FW33J712XL1L 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$2,913 | 126#   |
| 6543341                                 | Fifth Wheel: ILS<=40K air Hol FW33J712XL00 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                         | \$1,459 | 126#   |
| 6543342                                 | Fifth Wheel: ILS<=40K air Hol FW33J712XL80 12 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                    | \$2,477 | 131#   |
| 6543343                                 | Fifth Wheel: ILS<=40K air Hol FW33J724XL00 24 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                         | \$1,725 | 176#   |
| 6543344                                 | Fifth Wheel: ILS<=40K air Hol FW33J724XL80 24 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                    | \$2,655 | 181#   |
| 6543345                                 | Fifth Wheel: ILS<=40K air Hol FW33J736XL00 36 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                         | \$1,763 | 224#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                                                                                      | Price   | Weight |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                                                                                                  |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                                                                                  |         |        |
| 6543346                                 | Fifth Wheel: ILS<=40K air Hol FW33J736XL80 36 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                           | \$2,695 | 229#   |
| 6543347                                 | Fifth Wheel: ILS<=40K air Hol FW33J748XL00 48 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$2,287 | 272#   |
| 6543349                                 | Fifth Wheel: ILS<=40K air Hol FW33J812XL80 12 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$2,504 | 139#   |
| 6543350                                 | Fifth Wheel: ILS<=40K air Hol FW33J824XL00 24 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$1,725 | 181#   |
| 6543352                                 | Fifth Wheel: ILS<=40K air Hol FW33J836XL00 36 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$1,845 | 229#   |
| 6543354                                 | Fifth Wheel: ILS<=40K air Hol FW33J848XL00 48 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$2,370 | 277#   |
| 6543355                                 | Fifth Wheel: ILS<=40K air Hol FW33J848XL80 48 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$3,054 | 282#   |
| 6543356                                 | Fifth Wheel: ILS<=40K air Hol FW33J912XL00 12 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$1,459 | 138#   |
| 6543357                                 | Fifth Wheel: ILS<=40K air Hol FW33J912XL80 12 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                           | \$2,537 | 143#   |
| 6543358                                 | Fifth Wheel: ILS<=40K air Hol FW33J924XL00 24 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$1,622 | 185#   |
| 6543359                                 | Fifth Wheel: ILS<=40K air Hol FW33J924XL80 24 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                           | \$2,736 | 190#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                                                                            | Price   | Weight |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                                                                                        |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                                                                        |         |        |
| 6543360                                 | Fifth Wheel: ILS<=40K air Hol FW33J936XL00 36 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                      | \$1,782 | 233#   |
| 6543361                                 | Fifth Wheel: ILS<=40K air Hol FW33J936XL80 36 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                 | \$2,907 | 239#   |
| 6543364                                 | Fifth Wheel: ILS<=40K air Hol FW33J024XL00 24 in. slide, 10.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                     | \$2,250 | 186#   |
| 6543400                                 | Fifth Wheel: ILS<=40K air Hol FW17J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$710   | 79#    |
| 6543402                                 | Fifth Wheel: ILS<=40K air Hol FW17J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$1,396 | 84#    |
| 6543403                                 | Fifth Wheel: ILS<=40K air Hol FW17J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$1,121 | 126#   |
| 6543405                                 | Fifth Wheel: ILS<=40K air Hol FW17J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$1,597 | 131#   |
| 6543412                                 | Fifth Wheel: ILS<=40K air Hol FW17J718XL00 18 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                | \$926   | 139#   |
| 6543414                                 | Fifth Wheel: ILS<=40K air Hol FW17J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$1,644 | 88#    |
| 6543415                                 | Fifth Wheel: ILS<=40K air Hol FW17J824XL00 24 in. slider, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                                         | \$916   | 131#   |
| 6543417                                 | Fifth Wheel: ILS<=40K air Hol FW17J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$1,598 | 136#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                                                                            | Price   | Weight |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                                                                                        |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                                                                        |         |        |
| 6543426                                 | Fifth Wheel: ILS<=40K air Hol FW17J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$1,429 | 92#    |
| 6543427                                 | Fifth Wheel: ILS<=40K air Hol FW17J924XL00 24 in. slider, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.                                                                         | \$918   | 135#   |
| 6543429                                 | Fifth Wheel: ILS<=40K air Hol FW17J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles. | \$1,589 | 140#   |
| 6543500                                 | Fifth Wheel: ILS>40K air Hol FW33M712XL00 12 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                     | \$1,832 | 166#   |
| 6543501                                 | Fifth Wheel: ILS>40K air Hol FW33M712XL80 12 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                      | \$2,532 | 182#   |
| 6543502                                 | Fifth Wheel: ILS>40K air Hol FW33M724XL00 24 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                     | \$1,829 | 214#   |
| 6543504                                 | Fifth Wheel: ILS>40K air Hol FW33M736XL00 36 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                     | \$2,506 | 262#   |
| 6543505                                 | Fifth Wheel: ILS>40K air Hol FW33M736XL80 36 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                      | \$3,184 | 267#   |
| 6543506                                 | Fifth Wheel: ILS>40K air Hol FW33M748XL00 48 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                     | \$2,617 | 310#   |
| 6543507                                 | Fifth Wheel: ILS>40K air Hol FW33M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                      | \$3,357 | 315#   |
| 6543508                                 | Fifth Wheel: ILS>40K air Hol FW33M812XL00 12 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                     | \$2,097 | 192#   |
| 6543509                                 | Fifth Wheel: ILS>40K air Hol FW33M812XL80 12 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                      | \$2,539 | 176#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                     | Price   | Weight |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                                 |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                 |         |        |
| 6543510                                 | Fifth Wheel: ILS>40K air Hol FW33M824XL80 24 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.               | \$2,676 | 224#   |
| 6543511                                 | Fifth Wheel: ILS>40K air Hol FW33M836XL00 36 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                              | \$2,015 | 268#   |
| 6543512                                 | Fifth Wheel: ILS>40K air Hol FW33M836XL80 36 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.               | \$2,888 | 272#   |
| 6543513                                 | Fifth Wheel: ILS>40K air Hol FW33M848XL00 48 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                              | \$2,442 | 307#   |
| 6543515                                 | Fifth Wheel: ILS>40K air Hol FW33M912XL00 12 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                              | \$1,943 | 200#   |
| 6543517                                 | Fifth Wheel: ILS>40K air Hol FW33M924XL00 24 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                              | \$1,779 | 238#   |
| 6543519                                 | Fifth Wheel: ILS>40K air Hol FW33M948XL00 48 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                              | \$2,005 | 318#   |
| 6543521                                 | Fifth Wheel: ILS>40K air Hol FW33M024XL00 24 in. slide, 10 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                             | \$2,130 | 244#   |
| 6543608                                 | Fifth Wheel: ILS No-Tilt Air, Hol FW35N918YL1S 18 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$4,547 | 267#   |
| 6543610                                 | Fifth Wheel: ILS No-Tilt Air, Hol FW35N918YL00 18 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                         | \$3,622 | 267#   |
| 6543612                                 | Fifth Wheel: ILS No-Tilt Air, Hol FW35N930YL00 30 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                         | \$3,845 | 243#   |
| 6543614                                 | Fifth Wheel: ILS No-Tilt Air, Hol FW35N942YL00 42 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                         | \$3,920 | 335#   |
| 6543630                                 | Fifth Wheel: Air, Holland FW35K324ZL00 24.0 in. slide, 13.2 in. height. Kompensator mechanism, inboard mounted, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                              | \$7,239 | 630#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                       | Price   | Weight |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                                   |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                   |         |        |
| 6543633                                 | Fifth Wheel: Air, Holland FW35K336ZL19 36.0 in. slide, 13.2 in. height. Kompensator with lockout feature, inboard mounted, 55K. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                      | \$7,106 | 693#   |
| 6543642                                 | Fifth Wheel: ILS>40K air Hol FW33M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,507 | 234#   |
| 6543644                                 | Fifth Wheel: ILS>40K air Hol FW33M936XL00 36 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$1,821 | 279#   |
| 6543645                                 | Fifth Wheel: ILS>40K air Hol FW33M824XL00 24 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$1,809 | 234#   |
| 6543646                                 | Fifth Wheel: ILS>40K air Hol FW33M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,763 | 319#   |
| 6543897                                 | Fifth Wheel: ILS Air, Hol FW33L918XL00 18.0 in. slide, 9.11 in. height. Low lube, inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                               | \$2,268 | 176#   |
| 6543935                                 | Fifth Wheel: ILS>40K air Hol FW35M712XL00 12 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                          | \$1,132 | 141#   |
| 6543936                                 | Fifth Wheel: ILS>40K air Hol FW35M712XL80 12 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.           | \$1,806 | 155#   |
| 6543937                                 | Fifth Wheel: ILS>40K air Hol FW35M718XL80 18 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.           | \$1,715 | 202#   |
| 6543938                                 | Fifth Wheel: ILS>40K air Hol FW35M724XL00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                          | \$1,326 | 199#   |
| 6543939                                 | Fifth Wheel: ILS>40K air Hol FW35M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.           | \$2,000 | 194#   |
| 6543940                                 | Fifth Wheel: ILS>40K air Hol FW35M724XR00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                          | \$1,325 | 200#   |
| 6543941                                 | Fifth Wheel: ILS>40K air Hol FW35M736XL00 36 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                          | \$1,526 | 246#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                | Price   | Weight |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                            |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                            |         |        |
| 6543942                                 | Fifth Wheel: ILS>40K air Hol FW35M736XL80 36 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$2,200 | 251#   |
| 6543943                                 | Fifth Wheel: ILS>40K air Hol FW35M748XL00 48 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                   | \$1,711 | 295#   |
| 6543944                                 | Fifth Wheel: ILS>40K air Hol FW35M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$2,385 | 300#   |
| 6543945                                 | Fifth Wheel: ILS>40K air Hol FW35M812XL00 12 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                   | \$1,134 | 155#   |
| 6543946                                 | Fifth Wheel: ILS>40K air Hol FW35M812XL80 12 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$1,808 | 160#   |
| 6543949                                 | Fifth Wheel: ILS>40K air Hol FW35M824XL00 24 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                   | \$1,328 | 204#   |
| 6543951                                 | Fifth Wheel: ILS>40K air Hol FW35M824XL80 24 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$2,001 | 209#   |
| 6543952                                 | Fifth Wheel: ILS>40K air Hol FW35M824XR24 24 in. slide, 8 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,424 | 205#   |
| 6543953                                 | Fifth Wheel: ILS>40K air Hol FW35M836XL00 36 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                   | \$1,528 | 251#   |
| 6543954                                 | Fifth Wheel: ILS>40K air Hol FW35M836XL80 36 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$2,201 | 256#   |
| 6543955                                 | Fifth Wheel: ILS>40K air Hol FW35M848XL00 48 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                   | \$1,713 | 300#   |
| 6543956                                 | Fifth Wheel: ILS>40K air Hol FW35M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$2,387 | 305#   |
| 6543957                                 | Fifth Wheel: ILS>40K air Hol FW35M912XL00 12 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                   | \$1,135 | 159#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                | Price   | Weight |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                            |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                            |         |        |
| 6543958                                 | Fifth Wheel: ILS>40K air Hol FW35M912XL80 12 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$1,867 | 164#   |
| 6543961                                 | Fifth Wheel: ILS>40K air Hol FW35M924XL00 24 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                   | \$1,329 | 208#   |
| 6543963                                 | Fifth Wheel: ILS>40K air Hol FW35M924XL24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,425 | 208#   |
| 6543964                                 | Fifth Wheel: ILS>40K air Hol FW35M924XL80 24 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$2,003 | 213#   |
| 6543965                                 | Fifth Wheel: ILS>40K air Hol FW35M924XR24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,425 | 209#   |
| 6543966                                 | Fifth Wheel: ILS>40K air Hol FW35M936XL00 36 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                   | \$1,529 | 255#   |
| 6543967                                 | Fifth Wheel: ILS>40K air Hol FW35M936XL80 36 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$2,203 | 260#   |
| 6543968                                 | Fifth Wheel: ILS>40K air Hol FW35M948XL00 48 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                   | \$1,715 | 304#   |
| 6543969                                 | Fifth Wheel: ILS>40K air Hol FW35M948XL80 48 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.    | \$2,388 | 309#   |
| 6543975                                 | Fifth Wheel: ILS>40K air Hol FW35M024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                  | \$1,414 | 230#   |
| 6543977                                 | Fifth Wheel: ILS>40K air Hol FW35M036XL00 36 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                  | \$1,276 | 277#   |
| 6543979                                 | Fifth Wheel: ILS>40K air Hol FW35M048XL00 48 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                  | \$1,409 | 326#   |
| 6543990                                 | Fifth Wheel: ILS>40K air Hol FW35M724XL1L 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.           | \$2,191 | 190#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                       | Price   | Weight |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                                   |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                   |         |        |
| 6543993                                 | Fifth Wheel: ILS>40K air Hol FW35M824XL1L 24 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.  | \$2,158 | 195#   |
| 6543994                                 | Fifth Wheel: ILS>40K air Hol FW35M836XL1L 36 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.  | \$3,015 | 243#   |
| 6543996                                 | Fifth Wheel: ILS>40K air Hol FW35M924XL1L 24 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.  | \$2,159 | 199#   |
| 6544021                                 | Fifth Wheel: ILS Air, Hol FW35L718XL00 18.0 in. slide, 7.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                         | \$1,399 | 192#   |
| 6544024                                 | Fifth Wheel: ILS Air, Hol FW35L836XL00 36.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                         | \$1,688 | 225#   |
| 6544025                                 | Fifth Wheel: ILS Air, Hol FW35L848XL00 48.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                         | \$1,776 | 267#   |
| 6544026                                 | Fifth Wheel: ILS Air, Hol FW35L918XL00 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                         | \$1,402 | 202#   |
| 6544027                                 | Fifth Wheel: ILS Air, Hol FW35L924XL00 24.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                         | \$1,398 | 188#   |
| 6544030                                 | Fifth Wheel: ILS Air, Hol FW35L018XL00 18.0 in. slide, 10.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$1,452 | 215#   |
| 6544034                                 | Fifth Wheel: ILS Air, Hol FW35L918XL1L 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,254 | 202#   |
| 6553425                                 | Fifth Wheel: Air, Holland FW70N948YL00 48.0 in. slide, 9.3 in. height. Outboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.                                                                                                                 | \$5,229 | 772#   |
| 6553757                                 | Fifth Wheel: Air, Holland FW70S924XL03 24.0 in. slide, 9.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Weight savings with manual secondary lock. Air slide control valve standard in dash.                | \$4,548 | 480#   |
| 6553760                                 | Fifth Wheel: Air, Holland FW70S924XL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.                                 | \$4,812 | 485#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                        | Price   | Weight |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                                    |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                    |         |        |
| 6553761                                 | Fifth Wheel: Air, Holland FW70S948XL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.                  | \$5,305 | 619#   |
| 6553762                                 | Fifth Wheel: Air, Holland FW70S948XL03 48.0 in. slide, 9.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Weight savings with manual secondary lock. Air slide control valve standard in dash. | \$5,305 | 614#   |
| 6553763                                 | Fifth Wheel: Air, Holland FW70S824XL24 24 in. slide, 8.3 in. height. Includes drills and taps for auto lube. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Air slide control valve standard in dash.                     | \$5,617 | 482#   |
| 6553764                                 | Fifth Wheel: Air, Holland FW70S960XL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.                  | \$6,302 | 686#   |
| 6553765                                 | Fifth Wheel: Air, Holland FW70S848XL00 48.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.                  | \$5,441 | 614#   |
| 6553766                                 | Fifth Wheel: Air, Holland FW70S972XL00 72.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.                  | \$6,949 | 753#   |
| 6553767                                 | Fifth Wheel: Air, Holland FW70S848XL03 48.0 in. slide, 8.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash. | \$5,563 | 609#   |
| 6553768                                 | Fifth Wheel: Air, Holland FW70S824XL00 24.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.                  | \$4,811 | 480#   |
| 6553769                                 | Fifth Wheel: Air, Holland FW70S160XL00 60 in. slide, 11.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.                   | \$8,318 | 761#   |
| 6553770                                 | Fifth Wheel: Air, Holland FW70N924ZL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.                                                                                                   | \$4,535 | 639#   |
| 6553771                                 | Fifth Wheel: Air, Holland FW70N948ZL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.                                                                                                   | \$5,350 | 591#   |
| 6553773                                 | Fifth Wheel: Air, Holland FW70S872XL00 72.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.                  | \$7,087 | 748#   |
| 6553774                                 | Fifth Wheel: Air, Holland FW70S860XL00 60.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.                  | \$5,204 | 704#   |



## T680: FRAME & EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                         | Price   | Weight |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                     |                                                                                                                                                                                                                                                     |         |        |
| <b>Holland Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                     |         |        |
| 6553776                                 | Fifth Wheel: Air, Holland FW70N960ZL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.                                                                                    | \$7,004 | 759#   |
| 6553777                                 | Fifth Wheel: Air, Holland FW70S936XL00 36.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.   | \$5,028 | 620#   |
| 6553778                                 | Fifth Wheel: Air, Holland FW70S048XL00 48.0 in. slide, 10.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.  | \$4,386 | 690#   |
| 6553780                                 | Fifth Wheel: Air, Holland FW70R124XL00 24.0 in. slide, 11.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash. | \$4,966 | 607#   |
| 6553782                                 | Fifth Wheel: Air, Holland FW70R148XL00 48.0 in. slide, 11.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash. | \$5,497 | 737#   |
| 6553783                                 | Fifth Wheel: Air, Holland FW70R160XL03 60.0 in. slide, 11 in. height, 3.5 in. kingpin. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Air slide control valve standard in dash.                             | \$6,178 | 819#   |
| 6553784                                 | Fifth Wheel: Air, Holland FW70S836XL00 36.0 in. slide, 8.4 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.   | \$5,027 | 615#   |
| 6553786                                 | Fifth Wheel: Air, Holland FW70R872XL00 72.0 in. slide, 8.3 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Includes manual secondary lock. Air slide control valve standard in dash.           | \$5,973 | 748#   |
| 6553787                                 | Fifth Wheel: Air, Holland FW70R960XL00 60.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.        | \$5,682 | 750#   |
| 6553788                                 | Fifth Wheel: Air, Holland FW70R860XL00 60.0 in. slide, 8.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.  | \$5,680 | 738#   |
| 6553789                                 | Fifth Wheel: Air, Holland FW70R924XL00 24.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.        | \$5,293 | 549#   |
| 6553794                                 | Fifth Wheel: Air, Holland FW70R936XL00 36.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.        | \$5,086 | 620#   |
| 6553795                                 | Fifth Wheel: Air, Holland FW70R972XL00 72.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.        | \$5,976 | 768#   |



## T680: FRAME & EQUIPMENT

| Option                                   | Description                                                                                           | Price     | Weight |
|------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------|--------|
| <b>Fifth Wheels</b>                      |                                                                                                       |           |        |
| <b>Holland Air-Sliding Fifth Wheels</b>  |                                                                                                       |           |        |
| 6560002                                  | Fifth Wheel: Air, ILS Holland, FWALJ712XL00 12in. slide, 7.0 in. height. Aluminum, outboard mounted.  | \$6,094   | 35#    |
| 6560003                                  | Fifth Wheel: Air, ILS Holland, FWALJ724XL00 24in. slide, 7.0 in. height. Aluminum, outboard mounted.  | \$6,233   | 82#    |
| 6560004                                  | Fifth Wheel: Air, ILS Holland, FWALJ736XL00 36in. slide, 7.0 in. height. Aluminum, outboard mounted.  | \$6,737   | 130#   |
| 6560005                                  | Fifth Wheel: Air, ILS Holland, FWALJ748XL00 48in. slide, 7.0 in. height. Aluminum, outboard mounted.  | \$6,927   | 178#   |
| 6560006                                  | Fifth Wheel: Air, ILS Holland, FWALJ812XL00 12in. slide, 8.0 in. height. Aluminum, outboard mounted.  | \$6,174   | 40#    |
| 6560007                                  | Fifth Wheel: Air, ILS Holland, FWALJ824XL00 24in. slide, 8.0 in. height. Aluminum, outboard mounted.  | \$6,861   | 87#    |
| 6560008                                  | Fifth Wheel: Air, ILS Holland, FWALJ836XL00 36in. slide, 8.0 in. height. Aluminum, outboard mounted.  | \$6,791   | 135#   |
| 6560009                                  | Fifth Wheel: Air, ILS Holland, FWALJ848XL00 48in. slide, 8.0 in. height. Aluminum, outboard mounted.  | \$7,239   | 183#   |
| 6560055                                  | Fifth Wheel: Air, ILS Holland, FWALJ912XL00 12in. slide, 9.0in. height. Aluminum, outboard mounted.   | \$6,177   | 44#    |
| 6560056                                  | Fifth Wheel: Air, ILS Holland, FWALJ924XL00 24in. slide, 9.0in. height. Aluminum, outboard mounted.   | \$6,238   | 91#    |
| 6560057                                  | Fifth Wheel: Air, ILS Holland, FWALJ936XL00 36in. slide, 9.0in. height. Aluminum, outboard mounted.   | \$6,610   | 139#   |
| 6560058                                  | Fifth Wheel: Air, ILS Holland, FWALJ948XL00 48 in. slide, 9.0 in. height. Aluminum, outboard mounted. | \$6,933   | 187#   |
| <b>Customer-Installed Fifth Wheels</b>   |                                                                                                       |           |        |
| 6600201                                  | Fifth Wheel: Fixed, Dealer & Customer-Installed                                                       | (\$1,383) | 0#     |
| 6600202                                  | Fifth Wheel: Slide, Dealer & Customer-Installed 12 inches.                                            | (\$1,383) | 0#     |
| 6600203                                  | Fifth Wheel: Slide, Dealer & Customer-Installed 13 inches to 24 inches.                               | (\$1,383) | 0#     |
| 6600204                                  | Fifth Wheel: Slide, Dealer & Customer-Installed 25 inches to 36 inches.                               | (\$1,383) | 0#     |
| 6600205                                  | Fifth Wheel: Slide, Dealer & Customer-Installed over 36 inches.                                       | (\$1,383) | 0#     |
| <b>Fontaine Air-Sliding Fifth Wheels</b> |                                                                                                       |           |        |



## T680: FRAME & EQUIPMENT

| Option                                   | Description                                                                                                                                                                   | Price   | Weight |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                      |                                                                                                                                                                               |         |        |
| <b>Fontaine Air-Sliding Fifth Wheels</b> |                                                                                                                                                                               |         |        |
| 6533202                                  | Fifth Wheel: Air, Fontaine SL7LWB675012 12.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.                                   | \$633   | 76#    |
| 6533204                                  | Fifth Wheel: Air, Fontaine SL6NWB675012 12.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.                                   | (\$73)  | 67#    |
| 6533207                                  | Fifth Wheel: Air, Fontaine SL6NWB675024 24.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.                                   | \$83    | 83#    |
| 6533208                                  | Fifth Wheel: Air, Fontaine SL6NWB775012 12.0 in. slide, 7.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.                                   | (\$60)  | 73#    |
| 6533209                                  | Fifth Wheel: Air, Fontaine SL6NWB775024 24.0 in. slide, 7.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.                                   | \$100   | 90#    |
| 6533211                                  | Fifth Wheel: Air, Fontaine SL7LWB825012 12.0 in. slide, 8.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.                                   | \$520   | 118#   |
| 6533212                                  | Fifth Wheel: Air, Fontaine SL7LWB825024 24.0 in. slide, 8.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.                                   | \$761   | 153#   |
| 6533213                                  | Fifth Wheel: Air, Fontaine SL7LWB925024 24.0 in. slide, 9.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.                                   | \$1,139 | 160#   |
| 6533214                                  | Fifth Wheel: Air, Fontaine SL7LWB725036 36.0 in. slide, 7.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.                                   | \$1,388 | 179#   |
| 6533216                                  | Fifth Wheel: Air, Fontaine SL7LWB675036 36.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.                                   | \$1,436 | 96#    |
| 6533218                                  | Fifth Wheel: Air, Fontaine SL7LWB1025024 24.0 in. slide, 10.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.                                 | \$1,114 | 160#   |
| 6533219                                  | Fifth Wheel: Air, Fontaine AA7LWB675012 12.0 in. slide, 6.75 in. height. Air-operated kingpin release. Light weight air slide bracket, outboard mounted. 55K vertical rating. | \$1,142 | 136#   |
| 6533220                                  | Fifth Wheel: Air, Fontaine SL7LWB925048 48.0 in. slide, 9.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.                                   | \$2,306 | 254#   |
| 6533221                                  | Fifth Wheel: Air, Fontaine SL7LWB675048 48.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.                                   | \$1,384 | 135#   |
| 6533223                                  | Fifth Wheel: Air, Fontaine AA7LWB725012 12.0 in. slide, 7.25 in. height. Air-operated kingpin release. Light weight air slide bracket, outboard mounted. 55K vertical rating. | \$1,231 | 136#   |
| 6533227                                  | Fifth Wheel: Air, Fontaine AA7LWB675024 24.0 in. slide, 6.75 in. height. Air-operated kingpin release. Light weight air slide bracket, outboard mounted. 55K vertical rating. | \$1,567 | 170#   |



## T680: FRAME & EQUIPMENT

| Option                                   | Description                                                                                                                                                                                                                                                             | Price   | Weight |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                      |                                                                                                                                                                                                                                                                         |         |        |
| <b>Fontaine Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                         |         |        |
| 6533228                                  | Fifth Wheel: Air, Fontaine AA7LWB925024 24.0 in. slide, 9.25 in. height. Air-operated kingpin release. Light weight air slide bracket, outboard mounted. 55K vertical rating.                                                                                           | \$1,639 | 170#   |
| <b>Jost Air-Sliding Fifth Wheels</b>     |                                                                                                                                                                                                                                                                         |         |        |
| 6593060                                  | Fifth Wheel: Air, Jost JSK37USB-A11PX36 36.0 in. slide, 10.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,786 | 275#   |
| 6593061                                  | Fifth Wheel: Air, Jost JSK37USB-A11PX24 24.0 in. slide, 10.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,591 | 275#   |
| 6593071                                  | Fifth Wheel: Air, Jost JSK37USB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$933   | 162#   |
| 6593072                                  | Fifth Wheel: Air, Jost JSK37USB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$983   | 175#   |
| 6593073                                  | Fifth Wheel: Air, Jost JSK37USB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$1,088 | 197#   |
| 6593074                                  | Fifth Wheel: Air, Jost JSK37USB-A8PX36 36.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$1,256 | 235#   |
| 6593075                                  | Fifth Wheel: Air, Jost JSK37USB-A8PX48 48.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$1,393 | 272#   |
| 6593081                                  | Fifth Wheel: Air, Jost JSK37USB-A9PX48 48.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$1,402 | 277#   |
| 6593082                                  | Fifth Wheel: Air, Jost JSK37USB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$1,097 | 204#   |
| 6593085                                  | Fifth Wheel: Air, Jost JSK37USB-A9PX36 36.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$1,266 | 244#   |
| 6593086                                  | Fifth Wheel: Air, Jost JSK37USB-A9PX72 72.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$2,477 | 350#   |
| 6593087                                  | Fifth Wheel: Air, Jost JSK37USB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$931   | 169#   |



## T680: FRAME & EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                       | Price   | Weight |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                  |                                                                                                                                                                                                                                                                                   |         |        |
| <b>Jost Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                   |         |        |
| 6593088                              | Fifth Wheel: Air, Jost JSK37USB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.             | \$993   | 180#   |
| 6593089                              | Fifth Wheel: Air, Jost JSK37USB-A9PX60 60.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.             | \$2,258 | 314#   |
| 6593090                              | Fifth Wheel: Air, Jost JSK37USB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.             | \$930   | 158#   |
| 6593091                              | Fifth Wheel: Air, Jost JSK37USB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.             | \$980   | 169#   |
| 6593092                              | Fifth Wheel: Air, Jost JSK37USB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.             | \$1,107 | 193#   |
| 6593093                              | Fifth Wheel: Air, Jost JSK37USB-A7PX36 36.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.             | \$1,265 | 231#   |
| 6593096                              | Fifth Wheel: Air, Jost JSK37USB-A7PX48 48.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.             | \$1,413 | 266#   |
| 6593114                              | Fifth Wheel: Air, Jost JSK37USLN-A8PX16 16.0 in. slide, 7.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                          | \$1,493 | 189#   |
| 6593115                              | Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A9PX24 24.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                  | \$1,529 | 220#   |
| 6593116                              | Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A9PX36 36.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                  | \$1,974 | 255#   |
| 6593120                              | Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A8PX24 24.0 in. slide, 7.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                  | \$1,712 | 213#   |
| 6593125                              | Fifth wheel: Air, Jost JSK37USA-A7PA12 12 in. outboard mount slide, blocked for 8 in. travel. 6.75 in. height with air kingpin release/outboard, 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                               | \$1,530 | 160#   |
| 6593141                              | Fifth Wheel: Air, Jost JSK37UWB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,546 | 160#   |



## T680: FRAME & EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                       | Price   | Weight |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                  |                                                                                                                                                                                                                                                                                   |         |        |
| <b>Jost Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                   |         |        |
| 6593143                              | Fifth Wheel: Air, Jost JSK37UWB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,598 | 171#   |
| 6593145                              | Fifth Wheel: Air, Jost JSK37UWB-A7PX24 24 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.   | \$1,717 | 195#   |
| 6593147                              | Fifth Wheel: Air, Jost JSK37UWB-A7PX36 36.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,879 | 231#   |
| 6593153                              | Fifth Wheel: Air, Jost JSK37UWB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,589 | 175#   |
| 6593155                              | Fifth Wheel: Air, Jost JSK37UWB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,714 | 200#   |
| 6593157                              | Fifth Wheel: Air, Jost JSK37UWB-A8PX36 36.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$1,870 | 237#   |
| 6593159                              | Fifth Wheel: Air, Jost JSK37UWB-A8PX48 48.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,024 | 272#   |
| 6593168                              | Fifth wheel: Air, Jost JSK37USA-A7PX12 12 in. 6.75in. with air kingpin release/outboard, 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                       | \$1,630 | 160#   |
| 6593170                              | Fifth Wheel: Air, Jost JSK37USA-A8PX16 16 in. 7.75 in. Air kingpin release/outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                            | \$1,736 | 174#   |
| 6593171                              | Fifth Wheel: Air, Jost JSK37USA-A8PX12 12.0 in. slide, 7.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.      | \$1,684 | 162#   |
| 6593172                              | Fifth Wheel: Air, Jost JSK37USA-A7PX16 16.0 in. slide, 6.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.      | \$1,745 | 171#   |
| 6593173                              | Fifth Wheel: Air, Jost JSK37USA-A7PX24 24 in. 6.75 in. Air kingpin release, outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                           | \$1,865 | 191#   |
| 6593174                              | Fifth Wheel: Air, Jost JSK37USA-A8PX36 36.0 in. slide, 7.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.      | \$1,944 | 234#   |
| 6593176                              | Fifth Wheel: Air, Jost JSK37UWA-A7PX24 24.0 in. slide, 6.75 in. height. Air-operated kingpin release, low lube, outboard mounting angles, 50K vertical rating.                                                                                                                    | \$2,383 | 196#   |



## T680: FRAME & EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                                              | Price   | Weight |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                  |                                                                                                                                                                                                                                                                                                          |         |        |
| <b>Jost Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                          |         |        |
| 6593178                              | Fifth Wheel: Air, Jost JSK37USA-A9PX60 60.0 in. slide, 8.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                             | \$2,381 | 312#   |
| 6593182                              | Fifth Wheel: Air, Jost JSK37UWA-A8PX24 24.0 in. slide, 7.75 in. height. Air-operated kingpin release, low lube, outboard mounting angles, 50K vertical rating.                                                                                                                                           | \$2,396 | 201#   |
| 6593193                              | Fifth Wheel: Air, Jost JSK37UWLN-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, low lube, no tilt feature, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                   | \$2,084 | 220#   |
| 6593194                              | Fifth Wheel: Air, Jost JSK37UWB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$1,719 | 206#   |
| 6593198                              | Fifth Wheel: Air, Jost JSK37UWB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$1,548 | 171#   |
| 6593199                              | Fifth Wheel: Air, Jost JSK37UWB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$1,600 | 182#   |
| 6593201                              | Fifth Wheel: Air, Jost JSK37UWB-A9PX48 48.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                        | \$2,041 | 279#   |
| 6593207                              | Fifth Wheel: Air, Jost JSK37USA-A8PX24 24 in. 7.75 in. Air kingpin release, outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                                                  | \$1,856 | 194#   |
| 6593217                              | Fifth Wheel: Air, Jost JSK37USA-A9PX12 12.0 in. slide, 8.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                             | \$1,695 | 175#   |
| 6593221                              | Fifth Wheel: Air, Jost JSK37USA-A7PX36 36.0 in. slide, 6.75 in. height. Air kingpin release, outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                                 | \$2,026 | 237#   |
| 6593222                              | Fifth Wheel: Air, Jost JSK37UBA-A7PX12 12 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$1,773 | 168#   |
| 6593226                              | Fifth Wheel: Air, Jost JSK37USBN-A9PX48 48 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                            | \$2,256 | 277#   |
| 6593229                              | Fifth Wheel: Air, Jost JSK37UBE-A7PX16 16.0 in. slide, 6.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,167 | 184#   |



## T680: FRAME & EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                                              | Price   | Weight |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                  |                                                                                                                                                                                                                                                                                                          |         |        |
| <b>Jost Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                          |         |        |
| 6593231                              | Fifth Wheel: Air, Jost JSK37UBE-A8PX12 12.0 in. slide, 7.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,483 | 179#   |
| 6593233                              | Fifth Wheel: Air, Jost JSK37UBE-A7PX12 12.0 in. slide, 6.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,488 | 173#   |
| 6593234                              | Fifth Wheel: Air, Jost JSK37UBE-A8PX36 36.0 in. slide, 7.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,311 | 248#   |
| 6593239                              | Fifth Wheel: Air, Jost JSK37UBA-A7PX16 16 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$2,053 | 166#   |
| 6593240                              | Fifth Wheel: Air, Jost JSK37UBA-A7PX24 24 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$2,121 | 195#   |
| 6593241                              | Fifth Wheel: Air, Jost JSK37UBA-A8PX16 16 in. slide, 7.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$2,044 | 178#   |
| 6593242                              | Fifth wheel: Air, Jost JSK37UBA-A8PX24 24 in. slide, 7.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$2,363 | 201#   |
| 6593243                              | Fifth Wheel: Air, Jost JSK37UBA-A9PX12 12 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$2,003 | 173#   |
| 6593244                              | Fifth Wheel: Air, Jost JSK37UBA-A9PX16 16 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$2,068 | 183#   |
| 6593245                              | Fifth Wheel: Air, Jost JSK37UBA-A9PX24 24 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$2,176 | 206#   |
| 6593246                              | Fifth Wheel: Air, Jost JSK37UBB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                   | \$1,238 | 169#   |
| 6593247                              | Fifth Wheel: Air, Jost JSK37UBB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                   | \$1,288 | 180#   |



## T680: FRAME & EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                                              | Price   | Weight |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                  |                                                                                                                                                                                                                                                                                                          |         |        |
| <b>Jost Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                          |         |        |
| 6593248                              | Fifth Wheel: Air, Jost JSK37UBB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                   | \$1,416 | 203#   |
| 6593249                              | Fifth Wheel: Air, Jost JSK37UBB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                   | \$1,238 | 175#   |
| 6593250                              | Fifth Wheel: Air, Jost JSK37UBB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                   | \$1,291 | 186#   |
| 6593251                              | Fifth Wheel: Air, Jost JSK37UBB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                   | \$1,396 | 209#   |
| 6593252                              | Fifth Wheel: Air, Jost JSK37UBE-A7PX24 24.0 in. slide, 6.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$3,018 | 203#   |
| 6593253                              | Fifth Wheel: Air, Jost JSK37UBE-A8PX16 16.0 in. slide, 7.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$2,915 | 186#   |
| 6593254                              | Fifth Wheel: Air, Jost JSK37UBE-A8PX24 24.0 in. slide, 7.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. | \$3,025 | 209#   |
| 6593255                              | Fifth Wheel: Air, Jost JSK37UBLN-A8PX12 12.0 in. slide, 7.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, steel wear ring. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$1,790 | 177#   |
| 6593256                              | Fifth Wheel: Air, Jost JSK37UBLN-A9PX12 12.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, steel wear ring. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$1,818 | 184#   |
| 6593257                              | Fifth Wheel: Air, Jost JSK37UBLN-A9PX16 16.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, steel wear ring. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                | \$1,862 | 195#   |
| 6593606                              | Fifth Wheel: Air, Jost JSK3CNWL-A7PX12 12 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                       | \$3,466 | 94#    |
| 6593607                              | Fifth Wheel: Air, Jost JSK3CNWL-A7PX16 16 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                       | \$3,547 | 105#   |



## T680: FRAME & EQUIPMENT

| Option                               | Description                                                                                                                                                                                                                                                                                                                                                                                     | Price   | Weight |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fifth Wheels</b>                  |                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| <b>Jost Air-Sliding Fifth Wheels</b> |                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 6593608                              | Fifth Wheel: Air, Jost JSK3CNWL-A7PX24 24 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                              | \$3,664 | 128#   |
| 6593614                              | Fifth Wheel: Air, Jost JSK3CNWL-A8PX12 12 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                              | \$3,466 | 100#   |
| 6593615                              | Fifth Wheel: Air, Jost JSK3CNWL-A8PX16 16 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                              | \$3,547 | 111#   |
| 6593616                              | Fifth Wheel: Air, Jost JSK3CNWL-A8PX24 24 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.                                                                                                              | \$3,664 | 134#   |
| <b>Fixed Fifth Wheel Placement</b>   |                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 6607023                              | Fifth Wheel: Fixed Angle Drilled for 4 Additional settings in 2 in. increments. Includes coded setting plus 2 settings ahead and 2 behind. Use with code 6670496-504 to determine the factory setting relative to the coded fixed setting.                                                                                                                                                      | \$899   | 0#     |
| 6607024                              | Fifth Wheel: Fixed Angle Drilled for 8 Additional settings in 2 in. increments. Includes coded setting plus 4 settings ahead and 4 behind. Use with code 6670494-508 to determine the factory setting relative to the coded fixed setting.                                                                                                                                                      | \$899   | 0#     |
| 6670494                              | Fix Fifth Wheel Placement at -6 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.                                                                                                                                                                                                                                  | \$0     | 0#     |
| 6670495                              | Fix Fifth Wheel Placement at -8 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.                                                                                                                                                                                                                                  | \$0     | 0#     |
| 6670496                              | Fix Fifth Wheel Placement at -4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches behind the coded rear setting. That would allow for 4 optional settings ahead, each spaced 2 inches apart.                               | \$0     | 0#     |
| 6670498                              | Fix Fifth Wheel Placement at -2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches behind the coded rear setting. That would allow for 3 optional settings ahead and 1 optional setting behind, each spaced 2 inches apart. | \$0     | 0#     |
| 6670500                              | Fix Fifth Wheel Placement at 0 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel at the coded rear setting. That would allow for 2 optional settings ahead and two optional settings behind, each spaced 2 inches apart.            | \$0     | 0#     |
| 6670502                              | Fix Fifth Wheel Placement at +2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches ahead the coded rear setting. That would allow for 1 optional setting ahead and 3 optional settings behind, each spaced 2 inches apart.  | \$0     | 0#     |



## T680: FRAME & EQUIPMENT

| Option                             | Description                                                                                                                                                                                                                                                                                                                                                       | Price     | Weight |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|
| <b>Fifth Wheels</b>                |                                                                                                                                                                                                                                                                                                                                                                   |           |        |
| <b>Fixed Fifth Wheel Placement</b> |                                                                                                                                                                                                                                                                                                                                                                   |           |        |
| 6670504                            | Fix Fifth Wheel Placement at +4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches ahead the coded rear setting. That would allow for 4 optional settings behind, each spaced 2 inches apart. | \$0       | 0#     |
| 6670506                            | Fix Fifth Wheel Placement at +6 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.                                                                                                                                                                                                | \$0       | 0#     |
| 6670508                            | Fix Fifth Wheel Placement at +8 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.                                                                                                                                                                                                | \$0       | 0#     |
| <b>Fifth Wheel Equipment</b>       |                                                                                                                                                                                                                                                                                                                                                                   |           |        |
| 6600033                            | Aluminum Fifth Wheel Angles Replacing Steel on fixed or outboard mounted sliding fifth wheels.                                                                                                                                                                                                                                                                    | \$404     | -30#   |
| 6600052                            | Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fixed or up to 36.7in. slide fifth wheel w/ o plate drill.                                                                                                                                                                                                                                   | \$770     | 77#    |
| 6600053                            | Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fifth wheel. Narrate fifth wheel model & slide; w/ plate drill.                                                                                                                                                                                                                              | \$1,041   | 77#    |
| 6600200                            | Delete Standard Fifth Wheel                                                                                                                                                                                                                                                                                                                                       | (\$1,383) | -362#  |
| 6602010                            | Fifth Wheel Ramps. Requires Standard or Short tractor taper bent and weld.                                                                                                                                                                                                                                                                                        | \$809     | 22#    |
| 6603011                            | Mounting Plate: Aluminum for Fixed Fifth Wheel replacing standard steel base plate. Adds 0.25 in. to height.                                                                                                                                                                                                                                                      | \$185     | -35#   |
| <b>Rear Frame Equipment</b>        |                                                                                                                                                                                                                                                                                                                                                                   |           |        |
| <b>Quarter Fenders</b>             |                                                                                                                                                                                                                                                                                                                                                                   |           |        |
| 6734005                            | Quarter Fenders: Stainless Steel W/ Painted Steel brackets, single post mounted.                                                                                                                                                                                                                                                                                  | \$383     | 55#    |
| 6734008                            | Quarter Fenders: Stainless Steel Hogebuilt 30in. Nu Style w/ brackets, frame mounted.                                                                                                                                                                                                                                                                             | \$1,465   | 63#    |
| 6734016                            | Quarter Fenders: Stainless Steel Hogebuilt 30in. Nu Style w/ brackets, 30in. single post mount.                                                                                                                                                                                                                                                                   | \$1,189   | 48#    |
| 6737120                            | Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted, 21 in. white top flap with logo.                                                                                                                                                                                                                                             | \$252     | 43#    |
| 6737122                            | Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted. No top flap, no holes & no logo.                                                                                                                                                                                                                                             | \$272     | 40#    |
| 6738107                            | Quarter Fenders: Brackets Painted Steel For customer-installed fenders.                                                                                                                                                                                                                                                                                           | \$65      | 11#    |

### End-Of-Frame Configurations

#### Non-Towing Configuration



## T680: FRAME & EQUIPMENT

| Option                             | Description                                                                                                                                                                          | Price   | Weight |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Rear Frame Equipment</b>        |                                                                                                                                                                                      |         |        |
| <b>End-Of-Frame Configurations</b> |                                                                                                                                                                                      |         |        |
| <b>Non-Towing Configuration</b>    |                                                                                                                                                                                      |         |        |
| 6741011                            | Square End-of-Frame W/ Crossmember; Non-Towing.                                                                                                                                      | \$304   | 30#    |
| 6742009                            | Square End-of-Frame W/O Crossmember; Non-Towing.                                                                                                                                     | \$45    | 0#     |
| 6743109                            | Tractor Taper W/ Heavy-Duty Crossmember. Non-towing end-of-frame configuration.                                                                                                      | \$393   | 61#    |
| 6743111                            | Tractor Taper W/ Crossmember. Non-Towing end-of-frame configuration.                                                                                                                 | \$200   | 13#    |
| 6743116                            | Tractor Taper Bent & Welded W/ Heavy-Duty Cross member. Non-towing end-of-frame configuration.                                                                                       | \$393   | 68#    |
| 6744001                            | Long Tractor Taper Top Flange Bent & Welded W/O crossmember. Taper is 4in. longer than standard. Non-towing end-of-frame configuration.                                              | \$35    | 0#     |
| 6744002                            | Long Tractor Taper Top Flange Bent & Welded W/ crossmember. Taper is 4in. longer than standard. Non-towing end-of-frame configuration.                                               | \$199   | 17#    |
| 6744121                            | Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.                                                                                                                | \$45    | 0#     |
| 6744122                            | Short Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.                                                                                                          | \$35    | -4#    |
| 6744123                            | Short Tractor Taper Bent & Welded W/O Cross member. Non-towing end-of-frame configuration.                                                                                           | STD     | 0#     |
| 6745270                            | Top Flange of Rear Frame Bent & Welded W/ crossmember. Non-towing end-of-frame configuration.                                                                                        | \$181   | 17#    |
| 6746131                            | Top Flange of Rear Frame Bent & Welded W/O crossmember. Non-towing end-of-frame configuration.                                                                                       | \$35    | 0#     |
| 6747000                            | Shortest End-of-Frame Cutoff With Specified end-of-frame configuration. Selecting this code will override the overhang dimension found in the Vocational Analysis of the sales tool. | \$0     | 0#     |
| <b>Towing Configuration</b>        |                                                                                                                                                                                      |         |        |
| 6700005                            | Drop-Type Crossmember Below Frame Pintle Hook; square end-of-frame towing configuration. This crossmember limits hitch capacity to 68K.                                              | \$2,015 | 155#   |
| 6741005                            | Straight Crossmember for Pintle Hook Mounting; square end-of-frame towing configuration. This crossmember limits hitch capacity to 78K.                                              | \$945   | 135#   |
| <b>Hooks &amp; Chain Loops</b>     |                                                                                                                                                                                      |         |        |
| 6490044                            | 2 Pro-Tech Chain Hangers 35-5950CP W/ Cable Pins and removable lids.                                                                                                                 | \$1,004 | 30#    |
| 6490144                            | 1 Pro-Tech Chain Hanger, 35-5950CP LH Rail With removable lid & cable pin.                                                                                                           | \$502   | 15#    |
| 6490145                            | 1 Pro-Tech Chain Hanger, 35-5950CP RH Rail with removable lid & cable pin.                                                                                                           | \$502   | 15#    |



## T680: FRAME & EQUIPMENT

| Option                         | Description                                                                                                                                                                                                                                                                                                                                                 | Price   | Weight |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Rear Frame Equipment</b>    |                                                                                                                                                                                                                                                                                                                                                             |         |        |
| <b>Hooks &amp; Chain Loops</b> |                                                                                                                                                                                                                                                                                                                                                             |         |        |
| 6490148                        | Pro-Tech Chain Hanger 35-5951 W/ Hinged Lid RH                                                                                                                                                                                                                                                                                                              | \$502   | 15#    |
| 6490161                        | 1 Pro-Tech Chain Hanger, 35-5918 LH Rail With hinged cover. 18.5 in length.                                                                                                                                                                                                                                                                                 | \$703   | 15#    |
| 6490162                        | 1 Pro-Tech Chain Hanger, 35-5918 RH Rail With hinged cover. 18.5 in length.                                                                                                                                                                                                                                                                                 | \$703   | 15#    |
| 6710029                        | Premier 370 Air-Operated Hook, rated 90,000 LB horizontal, 18,000 lb vertical.                                                                                                                                                                                                                                                                              | \$2,618 | 45#    |
| 6710080                        | Two Rams Horn Open Rear Tow Hooks, Not for trailer towing.                                                                                                                                                                                                                                                                                                  | \$147   | 17#    |
| 6710157                        | Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.                                                                                                                                                                               | \$327   | 11#    |
| 6710158                        | Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000 lb vertical rating.                                                                                                                                                       | \$287   | 11#    |
| 6792810                        | Safety Chain Loops - Dual.                                                                                                                                                                                                                                                                                                                                  | \$150   | 2#     |
| <b>Pintle Hook Height</b>      |                                                                                                                                                                                                                                                                                                                                                             |         |        |
| 6712024                        | Maximum Unladen Rear Hook Height is 24 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0     | 0#     |
| 6712025                        | Maximum Unladen Rear Hook Height is 25 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0     | 0#     |
| 6712026                        | Maximum Unladen Rear Hook Height is 26 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0     | 0#     |
| 6712027                        | Maximum Unladen Rear Hook Height is 27 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0     | 0#     |
| 6712028                        | Maximum Unladen Rear Hook Height is 28 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0     | 0#     |
| 6712029                        | Maximum Unladen Rear Hook Height is 29 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0     | 0#     |



## T680: FRAME & EQUIPMENT

| Option                      | Description                                                                                                                                                                                                                                                                                                                                                 | Price | Weight |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Rear Frame Equipment</b> |                                                                                                                                                                                                                                                                                                                                                             |       |        |
| <b>Pintle Hook Height</b>   |                                                                                                                                                                                                                                                                                                                                                             |       |        |
| 6712030                     | Maximum Unladen Rear Hook Height is 30 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712031                     | Maximum Unladen Rear Hook Height is 31 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712032                     | Maximum Unladen Rear Hook Height is 32 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712033                     | Maximum Unladen Rear Hook Height is 33 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712034                     | Maximum Unladen Rear Hook Height is 34 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712035                     | Maximum Unladen Rear Hook Height is 35 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712036                     | Maximum Unladen Rear Hook Height is 36 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712037                     | Maximum Unladen Rear Hook Height is 37 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712038                     | Maximum Unladen Rear Hook Height is 38 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712039                     | Maximum Unladen Rear Hook Height is 39 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |
| 6712040                     | Maximum Unladen Rear Hook Height is 40 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder. | \$0   | 0#     |



## T680: FRAME & EQUIPMENT

| Option                        | Description                                                                                                                                                   | Price   | Weight |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Rear Frame Equipment</b>   |                                                                                                                                                               |         |        |
| <b>Rear Mudflap Equipment</b> |                                                                                                                                                               |         |        |
| <b>Arms</b>                   |                                                                                                                                                               |         |        |
| 6721100                       | Rear Mudflap Arms: Betts B-23 Spring Loop Type, straight.                                                                                                     | \$24    | 5#     |
| 6721102                       | Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.                                                          | STD     | 0#     |
| 6721108                       | Rear Mudflap Arms: Betts B33, Spring Loop Type, angled.                                                                                                       | \$43    | 19#    |
| 6721110                       | Rear Mudflap Arms: Betts B35, Shortened W/ 45 degree angle.                                                                                                   | \$18    | 0#     |
| 6721118                       | Rear Mudflap Arms: Betts B84, Heavy-Duty W/ 45 degree angle. Kit includes B700 mounting brackets.                                                             | \$52    | 10#    |
| 6721125                       | Delete Mudflap Arms: Dealer/ Customer Responsible for installation of arms.                                                                                   | (\$34)  | -12#   |
| 6721127                       | Rear Mudflap Arms: Betts A603025WTBR/L. Conspicuity reflector included. Spring loaded bent 45 degree angle. No mounting brackets required. Powder coat black. | \$60    | -1#    |
| 6721142                       | Rear Mudflap Arms: Fleetline FF30P, Steel Spring loaded & painted.                                                                                            | \$123   | 13#    |
| 6721144                       | Rear Mudflap Arms: Fleetline FF30SS, Tapered spring loaded & stainless steel.                                                                                 | \$269   | 13#    |
| 6721162                       | Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-00864. 45 degree angle, painted black RoadKote.                                                          | \$70    | 6#     |
| 6721163                       | Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.                          | \$75    | 10#    |
| 6721164                       | Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-00865. 45 degree angle, polished stainless steel.                                                        | \$166   | 6#     |
| 6721192                       | Rear Mudflap Arms: Nuline NL306SSKW LED Round spring load stainless steel light bar.                                                                          | \$1,154 | 22#    |
| <b>Shields</b>                |                                                                                                                                                               |         |        |
| 6722000                       | Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.                                                                                                | STD     | 0#     |
| 6722020                       | Rear Mudflap Shields: White Symplastic Spray- guard w/o Kenworth logo.                                                                                        | \$41    | 4#     |
| 6722065                       | Rear Mudflap Shields: Black Rib Poly. Anti-Spray without logo.                                                                                                | \$32    | -7#    |
| 6722094                       | Rear Mudflap Shields: Black Rubber Anti-Sail without logo. 28 in. wide, 0.25 in. thick.                                                                       | \$92    | 9#     |
| 6723000                       | Delete Mudflap Shields-Dealer/Customer responsible for installation of shields.                                                                               | \$0     | -8#    |
| 6723286                       | Rear Mudflap Shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo. For use with 76" high-roof sleeper only.                | \$0     | 0#     |



## T680: FRAME & EQUIPMENT

| Option                                    | Description                                                                                                                                                                                    | Price   | Weight |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Rear Frame Equipment</b>               |                                                                                                                                                                                                |         |        |
| <b>Rear Mudflap Equipment</b>             |                                                                                                                                                                                                |         |        |
| <b>Shields</b>                            |                                                                                                                                                                                                |         |        |
| 6723287                                   | Rear Mudflap Shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo.                                                                                          | \$56    | 0#     |
| 6728071                                   | Rear mudflap shields:Eco Flaps, black, anti-spray without logo.                                                                                                                                | \$32    | 0#     |
| <b>Mudflap Equipment</b>                  |                                                                                                                                                                                                |         |        |
| 6721030                                   | Extra Set of Betts B-1732 Storage Brackets. mounted forward of drive axle(s).                                                                                                                  | \$35    | 3#     |
| 6722104                                   | Mounting Brackets: Betts B-850 Rear Mudflap, replacing Betts B700.                                                                                                                             | \$15    | 0#     |
| 6722150                                   | Mounting Adapter: Fleet Engineers, Black Primer.                                                                                                                                               | \$95    | 5#     |
| 6722200                                   | Rear Mudflaps: Moved Back from Standard Location; 70 in. from bogie C/L, 95 in. from tridem.                                                                                                   | \$0     | 0#     |
| <b>Rear Frame Miscellaneous</b>           |                                                                                                                                                                                                |         |        |
| 6679882                                   | End of Frame Treatment, Stinger Fifth Wheel With slide.                                                                                                                                        | \$0     | 0#     |
| 6791025                                   | Flat Plate Steel Shield: Protect Anchor Tee Valve mounted below rear pintle hook crossmember.                                                                                                  | \$25    | 5#     |
| 6792016                                   | FlowBelow Tractor Aero Kit, Black. With Aluminum mudflap hangers. Includes installation brackets, center and rear wheel fairings, and rear mudflap brackets. Code separately for wheel covers. | \$1,833 | 64#    |
| 6792018                                   | FlowBelow Tractor Aero Kit, White. With Aluminum mudflap hangers. Includes installation brackets, center and rear wheel fairings, and rear mudflap brackets. Code separately for wheel covers. | \$1,833 | 64#    |
| <b>Delivery Restriction Notifications</b> |                                                                                                                                                                                                |         |        |
| 6679804                                   | Do Not Drive: Marker Lights are Deleted. Unit may be decked. Transporter review delivery options. Requires code 9029025.                                                                       | \$0     | 0#     |
| 6679812                                   | Speed Limited Tires: Less than 65MPH. Dealer to review delivery options w/transporter.                                                                                                         | \$0     | 0#     |
| 6679828                                   | Chassis too Long for Delivery in Standard 3 Way due to long cutoff. Dealer to review delivery options w/ transporter.                                                                          | \$0     | 0#     |
| 6679832                                   | Potential Vehicle Over Length due to Use of spliced rail. Dealer to review delivery options w/transporter.                                                                                     | \$0     | 0#     |
| 6679836                                   | Dealer Review Delivery Restrictions W/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.                      | \$0     | 0#     |
| 6679911                                   | Component Restriction: Do Not Drive- Unit May be decked.                                                                                                                                       | \$0     | 0#     |
| 6679912                                   | Component Restriction: Do Not Drive - Lowboy Delivery only.                                                                                                                                    | \$0     | 0#     |



T680: FRAME & EQUIPMENT

| Option                             | Description                                                                       | Price | Weight |
|------------------------------------|-----------------------------------------------------------------------------------|-------|--------|
| Delivery Restriction Notifications |                                                                                   |       |        |
| 6679913                            | Potential Vehicle Over Width and/or Over Length Condition. Transporter to review. | \$0   | 0#     |



## T680: FUEL TANKS & EQUIPMENT

| Option                  | Description                                                                                                                                                                                                                                                                                                                          | Price   | Weight |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Round</b>            |                                                                                                                                                                                                                                                                                                                                      |         |        |
| <b>Aluminum Diesel</b>  |                                                                                                                                                                                                                                                                                                                                      |         |        |
| <b>22"</b>              |                                                                                                                                                                                                                                                                                                                                      |         |        |
| <b>Under - Replace</b>  |                                                                                                                                                                                                                                                                                                                                      |         |        |
| 7010056                 | Fuel Tank: 56 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                          | \$466   | -19#   |
| 7010075                 | Fuel Tank: 75 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                          | \$573   | -11#   |
| 7010100                 | Fuel Tank: 100 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                         | \$575   | 0#     |
| 7010120                 | Fuel Tank: 120 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                         | \$795   | 19#    |
| <b>Under - Add</b>      |                                                                                                                                                                                                                                                                                                                                      |         |        |
| 7012056                 | Fuel Tank: 56 US Gallon 22in. Aluminum Under Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. | \$2,469 | 99#    |
| 7012075                 | Fuel Tank: 75 US Gallon 22in. Aluminum Under Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. | \$2,575 | 103#   |
| 7012100                 | Fuel Tank: 100 US Gallon 22in. Aluminum Under Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. | \$2,577 | 119#   |
| 7012120                 | Fuel Tank: 120 US Gallon 22in. Aluminum Under Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. | \$2,798 | 139#   |
| <b>Behind - Replace</b> |                                                                                                                                                                                                                                                                                                                                      |         |        |
| 7014075                 | Fuel Tank: 75 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                            | \$421   | -15#   |
| 7014100                 | Fuel Tank: 100 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                           | \$421   | 0#     |
| 7014120                 | Fuel Tank: 120 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                           | \$384   | 13#    |
| <b>Behind - Add</b>     |                                                                                                                                                                                                                                                                                                                                      |         |        |
| 7016056                 | Fuel Tank: 56 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.  | \$2,315 | 72#    |



## T680: FUEL TANKS & EQUIPMENT

| Option                 | Description                                                                                                                                                                                                                                                                                                                                               | Price   | Weight |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Round</b>           |                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Aluminum Diesel</b> |                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>22"</b>             |                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Behind - Add</b>    |                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 7016075                | Fuel Tank: 75 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                       | \$2,423 | 104#   |
| 7016100                | Fuel Tank: 100 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                      | \$2,423 | 119#   |
| 7016120                | Fuel Tank: 120 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                      | \$2,387 | 138#   |
| <b>24.5"</b>           |                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Under - Replace</b> |                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 7210060                | Fuel Tank: 60 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                            | \$102   | -15#   |
| 7210075                | Fuel Tank: 75 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                            | \$144   | -11#   |
| 7210090                | Fuel Tank: 90 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                            | \$152   | -4#    |
| 7210100                | Fuel Tank: 100 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                           | \$191   | 0#     |
| 7210110                | Fuel Tank: 110 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                           | \$221   | 2#     |
| 7210120                | Fuel Tank: 120 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                           | \$250   | 63#    |
| 7210135                | Fuel Tank: 135 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.                                                                                                      | \$561   | 63#    |
| 7210150                | Fuel Tank: 150 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.                                                                                                      | \$615   | 63#    |
| <b>Under - Add</b>     |                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 7212060                | Fuel Tank: 60 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. | \$2,673 | 98#    |



## T680: FUEL TANKS & EQUIPMENT

| Option                  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Price   | Weight |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Round</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| <b>Aluminum Diesel</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| <b>24.5"</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| <b>Under - Add</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 7212075                 | Fuel Tank: 75 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                                                                       | \$2,475 | 104#   |
| 7212090                 | Fuel Tank: 90 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                                                                       | \$2,508 | 109#   |
| 7212100                 | Fuel Tank: 100 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                                                                      | \$2,797 | 114#   |
| 7212110                 | Fuel Tank: 110 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                                                                      | \$2,552 | 116#   |
| 7212120                 | Fuel Tank: 120 US Gallon 24.5i n. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                                                                      | \$2,581 | 120#   |
| 7212135                 | Fuel Tank: 135 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified. | \$3,167 | 170#   |
| 7212150                 | Fuel Tank: 150 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified. | \$3,221 | 177#   |
| <b>Behind - Replace</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 7214045                 | Fuel Tank: 45 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                   | (\$89)  | -22#   |
| 7214060                 | Fuel Tank: 60 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                   | (\$54)  | -15#   |
| 7214075                 | Fuel Tank: 75 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                   | (\$34)  | -11#   |
| 7214090                 | Fuel Tank: 90 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                   | (\$9)   | -4#    |



## T680: FUEL TANKS & EQUIPMENT

| Option                  | Description                                                                                                                                                                                                                                                                                                                                             | Price   | Weight |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Round</b>            |                                                                                                                                                                                                                                                                                                                                                         |         |        |
| <b>Aluminum Diesel</b>  |                                                                                                                                                                                                                                                                                                                                                         |         |        |
| <b>24.5"</b>            |                                                                                                                                                                                                                                                                                                                                                         |         |        |
| <b>Behind - Replace</b> |                                                                                                                                                                                                                                                                                                                                                         |         |        |
| 7214100                 | Fuel Tank: 100 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                           | STD     | 0#     |
| 7214110                 | Fuel Tank: 110 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                          | \$31    | 6#     |
| 7214120                 | Fuel Tank: 120 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                          | \$65    | 6#     |
| 7214135                 | Fuel Tank: 135 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.                                                                                                     | \$381   | 50#    |
| 7214150                 | Fuel Tank: 150 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.                                                                                                     | \$435   | 57#    |
| <b>Behind - Add</b>     |                                                                                                                                                                                                                                                                                                                                                         |         |        |
| 7216045                 | Fuel Tank: 45 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.   | \$2,378 | 92#    |
| 7216060                 | Fuel Tank: 60 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.   | \$2,378 | 97#    |
| 7216075                 | Fuel Tank: 75 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.   | \$2,418 | 103#   |
| 7216090                 | Fuel Tank: 90 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.   | \$2,453 | 108#   |
| 7216100                 | Fuel Tank: 100 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. | \$2,542 | 114#   |
| 7216110                 | Fuel Tank: 110 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. | \$2,573 | 116#   |



## T680: FUEL TANKS & EQUIPMENT

| Option                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Price   | Weight |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Round</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |         |        |
| <b>Aluminum Diesel</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |         |        |
| <b>24.5"</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |         |        |
| <b>Behind - Add</b>    |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |         |        |
| 7216120                | Fuel Tank: 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                                                                      | \$2,707 | 119#   |
| 7216135                | Fuel Tank: 135 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified. | \$3,423 | 169#   |
| 7216150                | Fuel Tank: 150 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified. | \$3,477 | 176#   |
| 7218045                | 3rd Fuel Tank 45 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                 | \$2,378 | 92#    |
| 7218060                | 3rd Fuel Tank 60 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                 | \$2,378 | 97#    |
| 7218075                | 3rd Fuel Tank 75 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                 | \$2,418 | 103#   |
| 7218100                | 3rd Fuel Tank 100 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                | \$2,542 | 114#   |
| 7218110                | 3rd Fuel Tank 110 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                | \$2,573 | 116#   |
| 7218120                | 3rd Fuel Tank 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                | \$2,707 | 119#   |
| 7218135                | 3rd Fuel Tank 135 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.                                                                                                                                                                                                           | \$3,423 | 169#   |
| 7218150                | 3rd Fuel Tank 150 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.                                                                                                                                                                                                           | \$3,477 | 176#   |
| 7219075                | 4th Fuel Tank 75 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                 | \$2,418 | 103#   |
| 7219100                | 4th Fuel Tank 100 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                                                                                | \$2,542 | 114#   |



## T680: FUEL TANKS & EQUIPMENT

| Option                  | Description                                                                                                                                                                                                                                                                                                                                                                               | Price          | Weight      |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------|
| <b>Round</b>            |                                                                                                                                                                                                                                                                                                                                                                                           |                |             |
| <b>Aluminum Diesel</b>  |                                                                                                                                                                                                                                                                                                                                                                                           |                |             |
| <b>24.5"</b>            |                                                                                                                                                                                                                                                                                                                                                                                           |                |             |
| <b>Behind - Add</b>     |                                                                                                                                                                                                                                                                                                                                                                                           |                |             |
| <b>7219120</b>          | 4th Fuel Tank 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.                                                                                                                                                                                                                                             | <b>\$2,707</b> | <b>119#</b> |
| <b>7219135</b>          | 4th Fuel Tank 135 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.                                                                                                                                        | <b>\$3,423</b> | <b>169#</b> |
| <b>28.5"</b>            |                                                                                                                                                                                                                                                                                                                                                                                           |                |             |
| <b>Under - Replace</b>  |                                                                                                                                                                                                                                                                                                                                                                                           |                |             |
| <b>7510090</b>          | Fuel Tank: 90 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                             | <b>\$662</b>   | <b>33#</b>  |
| <b>7510105</b>          | Fuel Tank: 105 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                            | <b>\$662</b>   | <b>33#</b>  |
| <b>7510120</b>          | Fuel Tank: 120 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                            | <b>\$821</b>   | <b>72#</b>  |
| <b>7510135</b>          | Fuel Tank: 135 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.                                                                                                                                                                                                           | <b>\$863</b>   | <b>132#</b> |
| <b>7510150</b>          | Fuel Tank: 150 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.                                                                                                                                                                                                           | <b>\$863</b>   | <b>136#</b> |
| <b>7510177</b>          | Fuel Tank: 177 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.                                                                                                                                                                                                           | <b>\$1,193</b> | <b>143#</b> |
| <b>Under - Add</b>      |                                                                                                                                                                                                                                                                                                                                                                                           |                |             |
| <b>7512090</b>          | Fuel Tank: 90 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                   | <b>\$2,439</b> | <b>112#</b> |
| <b>7512105</b>          | Fuel Tank: 105 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                  | <b>\$2,420</b> | <b>127#</b> |
| <b>7512120</b>          | Fuel Tank: 120 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                  | <b>\$2,580</b> | <b>158#</b> |
| <b>7512177</b>          | Fuel Tank: 177 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank. | <b>\$2,952</b> | <b>229#</b> |
| <b>Behind - Replace</b> |                                                                                                                                                                                                                                                                                                                                                                                           |                |             |



## T680: FUEL TANKS & EQUIPMENT

| Option                  | Description                                                                                                                                                                                                                                                                                                                                                                             | Price   | Weight |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Round</b>            |                                                                                                                                                                                                                                                                                                                                                                                         |         |        |
| <b>Aluminum Diesel</b>  |                                                                                                                                                                                                                                                                                                                                                                                         |         |        |
| <b>28.5"</b>            |                                                                                                                                                                                                                                                                                                                                                                                         |         |        |
| <b>Behind - Replace</b> |                                                                                                                                                                                                                                                                                                                                                                                         |         |        |
| 7514060                 | Fuel Tank: 60 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                             | \$232   | 2#     |
| 7514075                 | Fuel Tank: 75 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                             | \$537   | 2#     |
| 7514090                 | Fuel Tank: 90 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                             | \$500   | 2#     |
| 7514105                 | Fuel Tank: 105 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                            | \$500   | 4#     |
| 7514120                 | Fuel Tank: 120 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.                                                                                                                                                                                                                                                            | \$662   | 44#    |
| 7514150                 | Fuel Tank: 150 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.                                                                                                                                                                                                           | \$747   | 136#   |
| 7514177                 | Fuel Tank: 177 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.                                                                                                                                                                                                           | \$746   | 143#   |
| <b>Behind - Add</b>     |                                                                                                                                                                                                                                                                                                                                                                                         |         |        |
| 7516075                 | Fuel Tank: 75 US Gallon 28.5 in. Aluminum BOC Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                    | \$2,296 | 108#   |
| 7516090                 | Fuel Tank: 90 US Gallon 28.5 in. Aluminum BOC Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                    | \$2,259 | 112#   |
| 7516105                 | Fuel Tank: 105 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                  | \$2,259 | 119#   |
| 7516120                 | Fuel Tank: 120 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.                                                  | \$2,421 | 158#   |
| 7516150                 | Fuel Tank: 150 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank. | \$2,506 | 220#   |



## T680: FUEL TANKS & EQUIPMENT

| Option                                      | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Price          | Weight      |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------|
| <b>Round</b>                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |             |
| <b>Aluminum Diesel</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |             |
| <b>28.5"</b>                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |             |
| <b>Behind - Add</b>                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |             |
| <b>7516177</b>                              | Fuel Tank: 177 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank.                                                                                                                          | <b>\$2,505</b> | <b>229#</b> |
| <b>Aluminum Split Diesel Fuel-Hydraulic</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |             |
| <b>Under - Replace</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |             |
| <b>7210101</b>                              | Split Tank: 100 US Gallon 24.5 in. Aluminum Under replace. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.                                                                                                                                                                                                                                                                                                                 | <b>\$1,121</b> | <b>11#</b>  |
| <b>7210121</b>                              | Split Tank: 120 US Gallon 24.5 in. Aluminum Under replace. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.                                                                                                                                                                                                                                                                                                                 | <b>\$1,148</b> | <b>63#</b>  |
| <b>7210152</b>                              | Split Tank: 150 US Gallon 24.5 in. Aluminum Under replace. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.                                                                                                                                                                                                           | <b>\$1,315</b> | <b>174#</b> |
| <b>Under - Add</b>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |             |
| <b>7212101</b>                              | Split Tank: 100 US Gallon 24.5 in. Aluminum Under add. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.                                                                                                                                                                                                                                                                                                                     | <b>\$3,477</b> | <b>125#</b> |
| <b>7212121</b>                              | Split Tank: 120 US Gallon 24.5 in. Aluminum Under add. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.                                                                                                                                                                                                                                                                                                                     | <b>\$3,479</b> | <b>132#</b> |
| <b>7212152</b>                              | Split Tank: 150 US Gallon 24.5 in. Aluminum Under add. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified. | <b>\$3,671</b> | <b>189#</b> |
| <b>Behind - Replace</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |             |
| <b>7214101</b>                              | Split Tank: 100 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.                                                                                                                                                                                                                                                                                                                   | <b>\$933</b>   | <b>11#</b>  |
| <b>7214121</b>                              | Split Tank: 120 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.                                                                                                                                                                                                                                                                                                                   | <b>\$931</b>   | <b>17#</b>  |
| <b>7214152</b>                              | Split Tank: 150 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.                                                                                                                                                                                                             | <b>\$1,133</b> | <b>74#</b>  |
| <b>Behind - Add</b>                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                |             |
| <b>7216101</b>                              | Split Tank: 100 US Gallon 24.5 in. Aluminum BOC add. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.                                                                                                                                                                                                                                                                                                                       | <b>\$3,225</b> | <b>125#</b> |



## T680: FUEL TANKS & EQUIPMENT

| Option                                      | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Price   | Weight |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Round</b>                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| <b>Aluminum Split Diesel Fuel-Hydraulic</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| <b>Behind - Add</b>                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| 7216121                                     | Split Tank: 120 US Gallon 24.5 in. Aluminum BOC add. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.                                                                                                                                                                                                                                                                                                                     | \$3,222 | 132#   |
| 7216152                                     | Split Tank: 150 US Gallon 24.5 in. Aluminum BOC add. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified. | \$3,425 | 189#   |
| <b>Hydraulic Tanks</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| 7701056                                     | Hydraulic Tank: 56 US Gallon 22 in. Aluminum Add.                                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$2,197 | 99#    |
| 7721045                                     | Hydraulic Tank: 45 US Gallon 24.5 in. Aluminum add.                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$1,382 | 92#    |
| 7721060                                     | Hydraulic Tank: 60 US Gallon 24.5 in. Aluminum add.                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$1,417 | 94#    |
| 7721075                                     | Hydraulic Tank: 75 US Gallon 24.5 in. Aluminum add.                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$1,468 | 103#   |
| 7751060                                     | Hydraulic Tank: 60 US Gallon 28.5 in. Aluminum add.                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$2,162 | 85#    |
| <b>Tank Location</b>                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| 7889801                                     | Hydraulic Tank Location Right Side Under Cab.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$0     | 0#     |
| 7889802                                     | Hydraulic Tank Location Left Side Under Cab.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$0     | 0#     |
| 7889803                                     | Hydraulic Tank Location Right Side Behind Cab.                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$0     | 0#     |
| 7889804                                     | Hydraulic Tank Location Left Side Behind Cab.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$0     | 0#     |
| 7889807                                     | Hydraulic Tank Location Rearmost Right Side behind cab.                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$0     | 0#     |
| 7889808                                     | Hydraulic Tank Location Rearmost Left Side behind cab.                                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$0     | 0#     |
| <b>Tank Fittings Location</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| 7889810                                     | 2 Hydraulic Tank Fittings, Forward Top, Bottom.                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$0     | 0#     |
| 7889811                                     | 2 Hydraulic Tank Fittings, Rear Top, Bottom.                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$0     | 0#     |
| 7889812                                     | 2 Hydraulic Tank Fittings, 1 Forward Bottom, 1 rear bottom.                                                                                                                                                                                                                                                                                                                                                                                                                                                    | \$0     | 0#     |
| 7889819                                     | 4 Hydraulic Tank Fittings, 2 Forward Top/ bottom, 2 rear top/bottom.                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$366   | 0#     |



## T680: FUEL TANKS & EQUIPMENT

| Option                          | Description                                                                                                              | Price   | Weight |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Bright Finish</b>            |                                                                                                                          |         |        |
| <b>Polished Aluminum</b>        |                                                                                                                          |         |        |
| 7840015                         | Polish Only One Aluminum Tank.                                                                                           | \$477   | 0#     |
| 7840029                         | Polish Only Two Aluminum Tanks.                                                                                          | \$854   | 0#     |
| 7840031                         | Polish Only Three Aluminum Tanks.                                                                                        | \$1,230 | 0#     |
| 7840035                         | Polish Only Four Aluminum Tanks.                                                                                         | \$1,607 | 0#     |
| <b>Polished Stainless Steel</b> |                                                                                                                          |         |        |
| 7889061                         | Polished Stainless Steel Tank Straps for 1 Tank.                                                                         | \$96    | 0#     |
| 7889062                         | Polished Stainless Steel Tank Straps for 2 Tanks.                                                                        | \$192   | 0#     |
| 7889063                         | Polished Stainless Steel Tank Straps for 3 Tanks                                                                         | \$289   | 0#     |
| 7889064                         | Polished Stainless Steel Tank Straps for 4 Tanks                                                                         | \$385   | 0#     |
| 7889081                         | Polish Only 7 in. Stainless Steel Straps for One 24.5in. tank; 2 straps per tank.                                        | \$158   | 0#     |
| 7889082                         | Polish Only 7 in. Stainless Steel Straps for Two 24.5in. tanks; 2 straps per tank.                                       | \$315   | 0#     |
| 7889083                         | Polish Only 7 in. Stainless Steel Straps for three 24.5in. tanks; 2 straps per tank.                                     | \$473   | 0#     |
| <b>Fuel Tank Equipment</b>      |                                                                                                                          |         |        |
| <b>Fuel Tank Steps</b>          |                                                                                                                          |         |        |
| 7831006                         | 6 in. Wide Lower Fuel Tank Step, for One 22 in. or 24.5 in. or T300 rectangular tank RH.                                 | \$89    | 2#     |
| 7831007                         | 6 in. Wide Lower Fuel Tank Step, for Two 22 in. or 24.5 in. tanks.                                                       | \$178   | 4#     |
| 7831008                         | 6 in. Wide Lower Fuel Tank Step, for One 22 in. or 24.5 in. tank LH.                                                     | \$89    | 2#     |
| 7831030                         | Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 RH under round tank 22in. NFPA Compliant.                                  | \$264   | 8#     |
| 7831032                         | Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 LH under round tank 22in. NFPA Compliant.                                  | \$264   | 8#     |
| 7831034                         | Fuel Tank Steps: 6 in. Wide Upper & Lower 1RH/1LH under round tank 22in. Only NFPA Compliant.                            | \$527   | 16#    |
| 7831040                         | Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 RH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace. | \$256   | 8#     |
| 7831042                         | Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace. | \$256   | 8#     |



## T680: FUEL TANKS & EQUIPMENT

| Option                         | Description                                                                                                              | Price   | Weight |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Fuel Tank Equipment</b>     |                                                                                                                          |         |        |
| <b>Fuel Tank Steps</b>         |                                                                                                                          |         |        |
| 7831044                        | Fuel Tank Steps: 6 in.Wide Upper & Lower 1RH/1LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace. | \$511   | 16#    |
| 7839400                        | Extended Steps on Fuel Tank LH Under for Access; 2 steps, 1 tank.                                                        | \$73    | 2#     |
| 7839405                        | Extended Steps on Fuel Tank RH Under for Access; 2 steps, 1 tank.                                                        | \$73    | 2#     |
| <b>Tank Plumbing Equipment</b> |                                                                                                                          |         |        |
| 7850051                        | Number Ten 5/8 in. Fuel Crossover/ Equalizer Line with two breakaway valves without shutoff valve.                       | \$254   | 6#     |
| 7850058                        | Single Draw & Return Lines for Two Plumbed tanks.                                                                        | \$803   | 0#     |
| 7882104                        | Insulated Fuel Draw Lines.                                                                                               | \$177   | 0#     |
| 7889160                        | Delete Fuel Piping from Fuel Tank RH Under.                                                                              | \$0     | -6#    |
| 7889161                        | Delete Fuel Piping from Fuel Tank RH Behind.                                                                             | \$0     | -6#    |
| 7889162                        | Delete Fuel Piping from Fuel Tank RH Rearmost.                                                                           | \$0     | -6#    |
| 7889163                        | Delete Fuel Piping from Fuel Tank LH Under.                                                                              | \$0     | -6#    |
| 7889164                        | Delete Fuel Piping from Fuel Tank LH Behind.                                                                             | \$0     | -6#    |
| 7889165                        | Delete Fuel Piping from Fuel Tank LH Rearmost.                                                                           | \$0     | -6#    |
| <b>Tank Supports</b>           |                                                                                                                          |         |        |
| 7812238                        | One Additional Standard Tank Support for 1 Fuel tank. This is not a heavy-duty 7 in. wide support.                       | \$182   | 17#    |
| 7812240                        | One Additional Standard Tank Support for 2 Fuel tanks. This is not a heavy-duty 7 in. wide support.                      | \$364   | 34#    |
| 7821100                        | Heavy-Duty 7 in. Steel Supports/ Straps for One 24.5 in tank. Two supports per tank.                                     | \$452   | 18#    |
| 7821103                        | Heavy Duty 7 in. Steel Fuel Tank Supports/ Straps for one 24.5in. tank - 3 supports per tank.                            | \$817   | 25#    |
| 7821300                        | Heavy-Duty 7 in. Steel Supports/ Straps for Two 24.5in. tanks. Two supports per tank.                                    | \$904   | 36#    |
| 7821600                        | Heavy-Duty 7 in. Steel Supports/ Straps for Three 24.5in. tanks. Two supports per tank.                                  | \$1,355 | 54#    |
| 7821900                        | Heavy-Duty 7 in. Steel Supports/ Straps for Four 24.5in. tanks. Two supports per tank.                                   | \$1,807 | 72#    |
| <b>Tank Miscellaneous</b>      |                                                                                                                          |         |        |
| 7813001                        | Additional Tank Support Location. RH Under.                                                                              | \$0     | 0#     |



## T680: FUEL TANKS & EQUIPMENT

| Option                     | Description                                                                                                                                                                 | Price | Weight |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Fuel Tank Equipment</b> |                                                                                                                                                                             |       |        |
| <b>Tank Miscellaneous</b>  |                                                                                                                                                                             |       |        |
| 7813002                    | Additional Tank Support Location. LH Under.                                                                                                                                 | \$0   | 0#     |
| 7813003                    | Additional Tank Support Location. RH Back of Cab.                                                                                                                           | \$0   | 0#     |
| 7813004                    | Additional Tank Support Location. LH Back of Cab.                                                                                                                           | \$0   | 0#     |
| 7813005                    | Additional Tank Support Location. RH Rearmost back of cab.                                                                                                                  | \$0   | 0#     |
| 7813006                    | Additional Tank Support Location. LH Rearmost back of cab.                                                                                                                  | \$0   | 0#     |
| 7880009                    | Mechanical Anti-Roll Channel for One Tank.                                                                                                                                  | \$82  | 6#     |
| 7880010                    | Mechanical Anti-Roll Channel for Two Tanks.                                                                                                                                 | \$165 | 13#    |
| 7881300                    | Welded-In Fitting W/ Gasket & Cover Plate for mounting customer-installed fuel tank heater.                                                                                 | \$54  | 0#     |
| 7881310                    | Plate and Gasket Moved to Rear of Under Cab Fuel tank. For customer installed fuel tank heaters only.                                                                       | \$55  | 0#     |
| 7884051                    | CNG BOC, BOS Cabinet Height - Low. Measurement is less than or equal to low roof range.                                                                                     | \$0   | 0#     |
| 7884052                    | CNG BOC, BOS Cabinet Height - Mid. Measurement is greater than low roof but less than high roof range.                                                                      | \$0   | 0#     |
| 7884053                    | CNG BOC, BOS Cabinet Height - High. Measurement is greater than or equal to high roof range.                                                                                | \$0   | 0#     |
| 7884054                    | CNG/LNG Frame Rail Mounted Tank Only.                                                                                                                                       | \$0   | 0#     |
| 7884055                    | CNG Body Mounted Cabinet Only.                                                                                                                                              | \$0   | 0#     |
| 7884056                    | CNG Body Mounted Cabinet with Frame Mounted Tank.                                                                                                                           | \$0   | 0#     |
| 7884057                    | CNG BOC, BOS Mounted Cabinet Only.                                                                                                                                          | \$0   | 0#     |
| 7884058                    | CNG BOC, BOS Mounted Cabinet with Frame Mounted Tank.                                                                                                                       | \$0   | 0#     |
| 7884201                    | CNG Cabinet Drilling - Agility 120 DGE (Diesel Gallon Equivalent) customer-installed system. Agility part number 26400000. Frame drill for customer-installed CNG cabinets. | \$449 | 0#     |
| 7884202                    | CNG Cabinet Drilling - Agility 130 DGE (Diesel Gallon Equivalent) customer-installed system. Frame drill for customer-installed CNG cabinets.                               | \$449 | 0#     |
| 7884203                    | CNG Cabinet Drilling - Agility 160 DGE (Diesel Gallon Equivalent) customer-installed system. Agility part number 26600000. Frame drill for customer-installed CNG cabinets. | \$449 | 0#     |



## T680: FUEL TANKS & EQUIPMENT

| Option                           | Description                                                                                                                                                                                                                                                                                                                                                                     | Price  | Weight |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|
| <b>Fuel Tank Equipment</b>       |                                                                                                                                                                                                                                                                                                                                                                                 |        |        |
| <b>Tank Miscellaneous</b>        |                                                                                                                                                                                                                                                                                                                                                                                 |        |        |
| 7884205                          | CNG Cabinet Drilling - Agility 175 DGE (Diesel Gallon Equivalent) customer-installed system. Agility part number 26610000. Frame drill for customer-installed CNG cabinets.                                                                                                                                                                                                     | \$449  | 0#     |
| 7884233                          | CNG Cabinet Drilling - CCFT 135 DGE (Diesel Gallon Equivalent) customer-installed system. Cummins Clean Fuel Technologies. Frame drill for customer-installed CNG cabinets.                                                                                                                                                                                                     | \$449  | 0#     |
| 7884235                          | CNG Cabinet Drilling - CCFT 175 DGE (Diesel Gallon Equivalent) customer-installed system. Cummins Clean Fuel Technologies. Frame drill for customer-installed CNG cabinets.                                                                                                                                                                                                     | \$449  | 0#     |
| 7884251                          | CNG Cabinet Drilling - Quantum GEN 2 123 DGE (Diesel Gallon Equivalent) customer-installed system. Quantum part number 116074. Frame drill for customer-installed CNG cabinets.                                                                                                                                                                                                 | \$449  | 0#     |
| 7884253                          | CNG Cabinet Drilling - Quantum GEN 2 160 DGE (Diesel Gallon Equivalent) customer-installed system. Quantum part number 117345. Frame drill for customer-installed CNG cabinets.                                                                                                                                                                                                 | \$449  | 0#     |
| 7884255                          | CNG Cabinet Drilling - Quantum GEN 2 180 DGE (Diesel Gallon Equivalent) customer-installed system. Quantum part number 117155. Frame drill for customer-installed CNG cabinets.                                                                                                                                                                                                 | \$449  | 0#     |
| 7889003                          | Fuel Fill Rear Tank(s) Under.                                                                                                                                                                                                                                                                                                                                                   | \$0    | 0#     |
| 7889004                          | Position Fuel Fill Beyond Rear of Sleeper. May have gap between under cab components and fuel tank(s) visible on chassis without full chassis fairings.                                                                                                                                                                                                                         | \$0    | 0#     |
| 7889021                          | Fuel Tank Locking Cap(s). Not Available W/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.                                                                                                                                                                                                                                                                 | \$57   | 0#     |
| 7889227                          | Fuel Tank Caps for a Fleet Keyed Alike. Use W/ locking fuel tank cap code 7889021.                                                                                                                                                                                                                                                                                              | \$25   | 0#     |
| 7889245                          | Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.                                                                                                                                                                                                                                                                                                      | STD    | 0#     |
| 7889247                          | Delete Anti-Siphon Device Swaged in Place for Any number of fuel tanks.                                                                                                                                                                                                                                                                                                         | (\$18) | -1#    |
| <b>Tank Location</b>             |                                                                                                                                                                                                                                                                                                                                                                                 |        |        |
| 7971001                          | Location 1 RH Fuel Tank BOC Moved Back.                                                                                                                                                                                                                                                                                                                                         | \$0    | 0#     |
| 7971002                          | Location 1 LH Fuel Tank BOC Moved Back.                                                                                                                                                                                                                                                                                                                                         | \$0    | 0#     |
| <b>DEF Tanks &amp; Equipment</b> |                                                                                                                                                                                                                                                                                                                                                                                 |        |        |
| <b>Tanks</b>                     |                                                                                                                                                                                                                                                                                                                                                                                 |        |        |
| 7722153                          | Small Round DEF Tank, 14 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204. | \$50   | -9#    |



## T680: FUEL TANKS & EQUIPMENT

| Option                           | Description                                                                                                                                                                                                                                                                                                                                                                        | Price   | Weight |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>DEF Tanks &amp; Equipment</b> |                                                                                                                                                                                                                                                                                                                                                                                    |         |        |
| <b>Tanks</b>                     |                                                                                                                                                                                                                                                                                                                                                                                    |         |        |
| 7722154                          | Medium Round DEF Tank, 23.8 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204. | \$148   | 6#     |
| 7722155                          | Large Round DEF Tank, 30 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.    | \$315   | 13#    |
| 7722156                          | Medium Aerodynamic Round DEF Tank, 21 Gallons. The tank will be located just rearward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.                                                              | \$0     | 0#     |
| 7722159                          | Medium Aerodynamic Round Rear Fill DEF Tank, 20.2 gallons. The tank will be located just rearward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.                                                  | STD     | 0#     |
| 7722161                          | Large Aerodynamic Round Rear Fill DEF Tank, 27 gallons. The tank will be located just rearward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.                                                     | \$167   | 7#     |
| <b>DEF Tank Miscellaneous</b>    |                                                                                                                                                                                                                                                                                                                                                                                    |         |        |
| 7840038                          | Polished Cover for 1 DEF Tank Any Size.                                                                                                                                                                                                                                                                                                                                            | \$359   | 3#     |
| 7889098                          | Polished Straps for 1 DEF Tank Any Size.                                                                                                                                                                                                                                                                                                                                           | \$99    | 0#     |
| 7889203                          | DEF to Fuel Fill Ratio 2:1 or Greater.                                                                                                                                                                                                                                                                                                                                             | \$0     | 0#     |
| 7889204                          | DEF to Fuel Fill Ratio Between 1:1 and 2:1.                                                                                                                                                                                                                                                                                                                                        | \$0     | 0#     |
| 7889206                          | Minimum Required DEF to Fuel Fill Ratio 1:1.                                                                                                                                                                                                                                                                                                                                       | \$0     | 0#     |
| 7889208                          | DEF to fuel fill ratio between 1.25:1 and 2:1.                                                                                                                                                                                                                                                                                                                                     | \$0     | 0#     |
| 7889217                          | DEF capacity ratio - Truck to be centrally fueled                                                                                                                                                                                                                                                                                                                                  | \$0     | 0#     |
| 7889220                          | DEF Tank Steps                                                                                                                                                                                                                                                                                                                                                                     | \$1,364 | 27#    |
| <b>DEF Tank Location</b>         |                                                                                                                                                                                                                                                                                                                                                                                    |         |        |
| 7889603                          | DEF Tank Location is RH.                                                                                                                                                                                                                                                                                                                                                           | \$0     | 0#     |
| 7889604                          | DEF Tank Location is LH.                                                                                                                                                                                                                                                                                                                                                           | \$0     | 0#     |

### Tank Miscellaneous



## T680: FUEL TANKS & EQUIPMENT

| Option                    | Description                                                                            | Price     | Weight |
|---------------------------|----------------------------------------------------------------------------------------|-----------|--------|
| <b>Tank Miscellaneous</b> |                                                                                        |           |        |
| 7210000                   | Delete Standard Base Model Aluminum Fuel Tank. Hardware and plumbing are also deleted. | (\$1,205) | -114#  |
| 7861010                   | CNG Prep Kit. Includes Pre-Wire Harness and regulator coolant loop.                    | \$879     | 5#     |



## T680: CAB EXTERIOR

| Option                       | Description                                                                                                                                                                                                                                                                            | Price    | Weight |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| <b>Cabs</b>                  |                                                                                                                                                                                                                                                                                        |          |        |
| 8025301                      | Cab: Stamped Aluminum Cab with Panoramic Curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals. | STD      | 0#     |
| <b>Sleepers</b>              |                                                                                                                                                                                                                                                                                        |          |        |
| 8054498                      | Sleeper: 52 in. Flat Roof                                                                                                                                                                                                                                                              | \$15,225 | 629#   |
| 8071640                      | Sleeper: 40 in. Integral Low Roof With Locking Tool Doors                                                                                                                                                                                                                              | \$11,991 | 582#   |
| 8071652                      | Sleeper: 52 in. Integral Mid-Roof Aerodyne With Locking Tool Doors                                                                                                                                                                                                                     | \$15,277 | 679#   |
| 8071656                      | Sleeper: 76 in. Integral Mid-Roof Aerodyne With LH and RH Windows, Locking Tool Doors                                                                                                                                                                                                  | \$20,777 | 1,050# |
| 8071676                      | Sleeper: 76 in. Integral High-Roof Aerodyne With LH and RH Windows, Locking Tool Doors                                                                                                                                                                                                 | \$21,682 | 1,198# |
| <b>Windows</b>               |                                                                                                                                                                                                                                                                                        |          |        |
| <b>Rear Cab</b>              |                                                                                                                                                                                                                                                                                        |          |        |
| 8871446                      | Rear Cab Stationary Window 19in x 36in                                                                                                                                                                                                                                                 | STD      | 0#     |
| 8871447                      | Rear Cab Stationary Window with Dark Tint 19in x 36in.                                                                                                                                                                                                                                 | \$45     | 0#     |
| 8871448                      | Rear Cab Stationary Shatterproof Window 19in x 36in. Polycarbonate plastic window replacing standard glass window.                                                                                                                                                                     | \$566    | -6#    |
| 8871449                      | Rear Cab Stationary Shatterproof Window 19in x 36in with dark tint. Polycarbonate plastic window replacing standard glass window.                                                                                                                                                      | \$577    | -6#    |
| 8873797                      | Rear Cab Sliding Window 19 in x 36 in                                                                                                                                                                                                                                                  | \$415    | 0#     |
| 8873798                      | Rear Cab Sliding Window with Dark Tint 19in x 36in                                                                                                                                                                                                                                     | \$439    | 0#     |
| 8879922                      | Solid Rear Wall. Deletes Rear Cab Window.                                                                                                                                                                                                                                              | \$0      | -8#    |
| <b>Corner &amp; Rear Cab</b> |                                                                                                                                                                                                                                                                                        |          |        |
| 8879917                      | Two Additional Outboard Windows 19in x 12in                                                                                                                                                                                                                                            | \$469    | 10#    |
| 8879918                      | Two Additional Outboard Windows with Dark Tint 19in x 12in                                                                                                                                                                                                                             | \$492    | 10#    |
| 8879921                      | Two Additional Outboard Shatterproof Windows 19in x 12in. Polycarbonate plastic windows replacing standard glass windows.                                                                                                                                                              | \$698    | 2#     |
| 8879923                      | Two Additional Outboard Shatterproof Windows 19in x 12in. with dark tint. Polycarbonate plastic windows replacing standard glass windows.                                                                                                                                              | \$738    | 2#     |

### Rear Sleeper

\*See PremierSpec for Applicable Restrictions



## T680: CAB EXTERIOR

| Option                                       | Description                                                                                                                                                                                    | Price   | Weight |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Windows</b>                               |                                                                                                                                                                                                |         |        |
| <b>Rear Sleeper</b>                          |                                                                                                                                                                                                |         |        |
| 8873730                                      | Rear Sleeper Sliding Window with Dark Tint and 19in.X36in. curtains.                                                                                                                           | \$740   | 10#    |
| 8873751                                      | Rear Sleeper Stationary Window with Dark Tint and 19in.X36in. curtains.                                                                                                                        | \$517   | 22#    |
| 8873752                                      | Rear Sleeper Stationary Window 19in x 36in With Curtain                                                                                                                                        | \$486   | 4#     |
| 8873753                                      | Rear Sleeper Sliding Window 19in x 36in With Curtain                                                                                                                                           | \$711   | 4#     |
| 8873754                                      | Two Additional Outboard Windows 19in x 12in With Curtains. 40in Sleeper Only                                                                                                                   | \$511   | 11#    |
| 8873755                                      | Two Additional Outbd Windows Dark Tint 19in x12in With Curtains. 40in Sleeper Only                                                                                                             | \$501   | 11#    |
| <b>Hoods, Fenders &amp; Grilles</b>          |                                                                                                                                                                                                |         |        |
| <b>Hoods, Fenders &amp; Grilles</b>          |                                                                                                                                                                                                |         |        |
| 8090611                                      | Hood: T680 Next Gen 125" BBC W/ Split Fender & W/O Chassis Fairings. *Requires 8829661                                                                                                         | \$943   | -60#   |
| 8090613                                      | Hood: T680 Next Gen 125" BBC W/ Side of Hood Air Intake and fairings                                                                                                                           | \$145   | 10#    |
| 8090617                                      | Hood: T680 Next Gen MX 119" BBC W/ Split Fender & W/O Chassis Fairings. *Requires 8829661                                                                                                      | \$903   | -70#   |
| 8090618                                      | Hood: T680 Next Gen MX 119" BBC W/ Side of Hood Air Intake and fairings                                                                                                                        | STD     | 0#     |
| 8829661                                      | Split Fender Without Under Cab Fairings. Use With T680 Split Fenders.                                                                                                                          | \$0     | -60#   |
| <b>Other</b>                                 |                                                                                                                                                                                                |         |        |
| 8890301                                      | Wheel Well Closeouts. Rubber Shields That Close Out The Front Wheel Well.                                                                                                                      | STD     | 0#     |
| 8890304                                      | Opt Out - Wheel Well Closeouts Rubber Shields That Close Out The Front Wheel Well.                                                                                                             | \$0     | 0#     |
| <b>Cab &amp; Sleeper Aerodynamic Devices</b> |                                                                                                                                                                                                |         |        |
| <b>Aerodynamic Packages</b>                  |                                                                                                                                                                                                |         |        |
| 8806006                                      | Kenworth Aero Package Opt Out                                                                                                                                                                  | \$100   | 0#     |
| <b>Airshield Roof Fairing</b>                |                                                                                                                                                                                                |         |        |
| 8823011                                      | Aerodynamic Roof Fairing for Daycab. Optimized for tractor-trailer combinations, includes integral marker lights. Fairing is factory painted and assembled in collapsed position for delivery. | \$4,183 | 88#    |
| 8823012                                      | Roof Fairing for 52 in. Regional Sleeper. Includes ship loose 7 inch rubber extender. Provides optimal aerodynamics for tractor trailer combinations. Requires sleeper side extenders.         | \$3,311 | 145#   |



## T680: CAB EXTERIOR

| Option                                       | Description                                                                                                                                                                                                                                                             | Price   | Weight |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cab &amp; Sleeper Aerodynamic Devices</b> |                                                                                                                                                                                                                                                                         |         |        |
| <b>Airshield Roof Fairing</b>                |                                                                                                                                                                                                                                                                         |         |        |
| 8823014                                      | Aero Roof Fairing Pick Up and Delivery Drop Shipped to Dealer for Medium Duty Models, HD Collapsed for Delivery                                                                                                                                                         | \$2,662 | 88#    |
| <b>Other</b>                                 |                                                                                                                                                                                                                                                                         |         |        |
| 8829602                                      | Delete Standard Side Extenders.                                                                                                                                                                                                                                         | (\$315) | -46#   |
| 8829616                                      | Side Extenders: Daycab. Extends 19 inches from Back-of-cab. Panels extend 12 inches, and rubber trailing edge extends 7 inches.                                                                                                                                         | STD     | 0#     |
| 8829617                                      | Side Extenders: 76 inch High-Roof Sleeper. 5-piece set extends 19 inches from back-of-sleeper and includes 7 inch rubber trailing edge. Extender set includes lower (sleeper), upper (sleeper roof), and top (sleeper roof top) extenders.                              | \$1,755 | 28#    |
| 8829618                                      | Side Extenders: Mid Roof Sleeper. 4-piece set extends 19 inches from back-of-sleeper and includes 7 inch rubber trailing edge. Extender set includes lower sleeper and upper sleeper roof extenders. Available for both 52 inch mid roof and 76 inch mid roof sleepers. | \$1,249 | 16#    |
| 8829624                                      | Side Extenders: 40 in. Low Roof/ 52 in. Flat Top Sleeper. Extends 19 inches from back-of-sleeper and includes 7 inch rubber trailing edge. Extender set includes lower sleeper extenders only.                                                                          | \$703   | 15#    |
| 8829625                                      | Side Extenders: 76" High-Roof Sleeper (Long Side Extenders). Extends 28" BOS. Fixed unless Easy Access selected (Codes 8829631 and/or 8829632)                                                                                                                          | \$2,192 | 28#    |
| 8829626                                      | Side Extender(s): Daycab Extends 4 BOC                                                                                                                                                                                                                                  | (\$282) | 0#     |
| 8829631                                      | LH Easy Access Extender Hinged to Provide Additional Frame Access. To be used w/ 8829625.                                                                                                                                                                               | \$564   | 5#     |
| 8829632                                      | RH Easy Access Extender Hinged to Provide Additional Frame Access. To be used w/ 8829625.                                                                                                                                                                               | \$564   | 5#     |
| 8829670                                      | Turning Vane for Improved Air Flow, Painted                                                                                                                                                                                                                             | STD     | 0#     |
| <b>Cab Structure Miscellaneous</b>           |                                                                                                                                                                                                                                                                         |         |        |
| 8890876                                      | Kenworth Cab/Sleeper Air Suspension.                                                                                                                                                                                                                                    | STD     | 0#     |
| 8890939                                      | LH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.                                                                                                                                                                                                         | \$266   | 11#    |
| 8890940                                      | RH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.                                                                                                                                                                                                         | \$321   | 11#    |
| 8891022                                      | Roof: Flat Roof Day Cab                                                                                                                                                                                                                                                 | \$890   | 0#     |
| <b>Stainless Steel Miscellaneous</b>         |                                                                                                                                                                                                                                                                         |         |        |
| 8700406                                      | Stainless Steel Permit Panel on Cab, Driver Side only                                                                                                                                                                                                                   | \$108   | 0#     |
| 8882400                                      | Polished Vent Door Replacing Painted Vent Door.                                                                                                                                                                                                                         | \$89    | 0#     |



## T680: CAB EXTERIOR

| Option                             | Description                                                                                                                                                         | Price   | Weight |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cab Structure Miscellaneous</b> |                                                                                                                                                                     |         |        |
| <b>Emergency Exit Doors</b>        |                                                                                                                                                                     |         |        |
| 8080906                            | RH Upper Sleeper Emergency Exit Door With Vent, LH side with vent (no door).                                                                                        | \$0     | 0#     |
| 8080918                            | LH & RH Upper Sleeper Emergency Exit Doors With Vents.                                                                                                              | \$619   | 24#    |
| 8080933                            | Delete Upper Sleeper Emergency Exit Doors. LH & RH sides with vents only.                                                                                           | (\$118) | -24#   |
| 8080941                            | RH Upper Sleeper Emergency Exit Door With Sliding window. LH side with vent, no door.                                                                               | \$285   | 4#     |
| 8080942                            | Sleeper Door, LH/RH W/ Sliding Window.                                                                                                                              | \$1,030 | 19#    |
| 8080943                            | Sleeper Door W/ Sliding Window, RH Side. Sleeper door w/o window, LH side.                                                                                          | \$748   | 8#     |
| <b>Other</b>                       |                                                                                                                                                                     |         |        |
| 8891013                            | Extreme Temperature Insulation: Daycab Additional cab side wall insulation with improved material properties over standard insulation package.                      | \$163   | 0#     |
| 8891014                            | Extreme Temperature Insulation: 52 Inch Sleeper Additional cab and sleeper side wall insulation with improved material properties over standard insulation package. | \$400   | 0#     |
| 8891015                            | Extreme Temperature Insulation: 76 inch Sleeper Additional Cab and Sleeper Side Wall Insulation With Improved Material Properties Over Standard Insulation Package. | \$513   | 1#     |
| 8891021                            | Extreme Temperature Insulation: 40 inch Sleeper . Additional cab and sleeper insulation with improved material properties over standard insulation package.         | \$310   | 1#     |
| <b>Cab Access</b>                  |                                                                                                                                                                     |         |        |
| 8800260                            | Long Grabhandle RH Side Mounted to Side-of-Cab exhaust.                                                                                                             | \$68    | 2#     |
| 8800262                            | Long Grabhandle LH Side Mounted to Side-of-Cab exhaust.                                                                                                             | \$68    | 2#     |
| 8800272                            | Grabhandle: RH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Right Hand Exterior Of The Cab For Entry and Exit.                                     | \$150   | 3#     |
| 8800372                            | Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.                                      | \$150   | 3#     |
| 8800380                            | Grabhandle: LH & RH SOC Non-Slip Ergonomic Grab Handles Mounted To The Left Hand and Right Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.             | \$327   | 6#     |
| 8800382                            | Grabhandle: LH SOC Non-Slip Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.                                  | \$163   | 3#     |

## Horns

### Air Horns



## T680: CAB EXTERIOR

| Option                         | Description                                                                                                                                                                                                                                                                       | Price   | Weight |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Horns</b>                   |                                                                                                                                                                                                                                                                                   |         |        |
| <b>Air Horns</b>               |                                                                                                                                                                                                                                                                                   |         |        |
| 8841411                        | Single Air Horn Under Cab.                                                                                                                                                                                                                                                        | STD     | 0#     |
| 8841618                        | Dual Rectangular Air Horn 23 in. LH & RH Top of roof. Includes air horn covers.                                                                                                                                                                                                   | \$324   | 4#     |
| 8841628                        | Quad Rectangular Air Horn 23/26 in. LH/RH Top of roof. Includes air horn covers.                                                                                                                                                                                                  | \$681   | 11#    |
| 8841641                        | Air Horn: Sing Round 26" LH Roof Incl Air Horn Cover                                                                                                                                                                                                                              | \$153   | 0#     |
| 8841642                        | Air Horn: Dual Round 26" LH/RH Roof Incl Air Horn Cover                                                                                                                                                                                                                           | \$344   | 0#     |
| <b>Mirrors &amp; Equipment</b> |                                                                                                                                                                                                                                                                                   |         |        |
| 8850136                        | Mirror: RH Hood Mounted, Rectangle 8x6, Black                                                                                                                                                                                                                                     | \$165   | 5#     |
| 8850137                        | Mirror: RH Hood Mounted, Rectangle 8x6, Black Heated                                                                                                                                                                                                                              | \$297   | 5#     |
| 8850142                        | Mirror: LH Hood Mounted, Rectangle 8x6, Black                                                                                                                                                                                                                                     | \$165   | 5#     |
| 8850143                        | Mirror: LH Hood Mounted, Rectangle 8x6, Black Heated                                                                                                                                                                                                                              | \$297   | 0#     |
| 8850825                        | Mirror: RH Hood Mounted, Rectangle 8x6, Chrome Heated                                                                                                                                                                                                                             | \$264   | 4#     |
| 8850826                        | Mirror: LH Hood Mounted, Rectangle 8x6, Chrome Heated                                                                                                                                                                                                                             | \$264   | 4#     |
| 8850828                        | Mirror: RH Hood Mounted, Rectangle 8x6, Chrome                                                                                                                                                                                                                                    | \$175   | 4#     |
| 8850829                        | Mirror: LH Hood Mounted, Rectangle 8x6, Chrome                                                                                                                                                                                                                                    | \$175   | 4#     |
| 8850831                        | Mirror: RH Hood Mounted, Dual View, Round CX Chrome                                                                                                                                                                                                                               | \$216   | 4#     |
| 8850832                        | Mirror: LH Hood Mounted, Dual View, Round Chrome                                                                                                                                                                                                                                  | \$221   | 4#     |
| <b>Dual Rear View Mirrors</b>  |                                                                                                                                                                                                                                                                                   |         |        |
| 8865002                        | Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad. | STD     | 0#     |
| 8865003                        | Aero Mirror: Dual Kenworth Chrome Aero. Motorized Heated Mirrors, 7in X 13in With Chrome Mirror Shell and Black Mirror Arms. Also Includes LH/RH Heated 6in X 7in Convex Mirrors. Mirror Brackets Set For 8-1/2 ft Load Width. Mirror Controls Located On Driver Side Door Pad.   | \$354   | 0#     |
| 8865013                        | Mirror: Digital Mirror - Painted, Camera- Equipped Aerodynamic Mirrors.                                                                                                                                                                                                           | \$3,877 | 10#    |
| 8865014                        | Mirror: Digital Mirror - Chrome, Camera- Equipped Aerodynamic Mirrors.                                                                                                                                                                                                            | \$3,926 | 10#    |



## T680: CAB EXTERIOR

| Option                            | Description                                                                                                                                                                                              | Price   | Weight |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Mirrors &amp; Equipment</b>    |                                                                                                                                                                                                          |         |        |
| <b>Diminishing Convex Mirror</b>  |                                                                                                                                                                                                          |         |        |
| <b>Rider Side</b>                 |                                                                                                                                                                                                          |         |        |
| 8850139                           | Look-Down, Pass. Door, Black 11x6                                                                                                                                                                        | STD     | 0#     |
| 8850144                           | Delete Pass. Door Look-Down Mirror                                                                                                                                                                       | \$0     | -2#    |
| <b>Window Equipment</b>           |                                                                                                                                                                                                          |         |        |
| <b>Windshield &amp; Equipment</b> |                                                                                                                                                                                                          |         |        |
| 8890101                           | One-Piece Bonded-In Windshield With Curved Glass. Standard.                                                                                                                                              | STD     | 0#     |
| <b>Exterior Sunvisors</b>         |                                                                                                                                                                                                          |         |        |
| 8890135                           | Exterior Stainless Steel Sunvisor.                                                                                                                                                                       | \$893   | 19#    |
| 8890150                           | Sunvisor: Exterior Stainless Steel w/ Integral Marker Lights for 2.1M Mid Roof Sleepers Only.                                                                                                            | \$1,276 | 16#    |
| <b>Doors &amp; Equipment</b>      |                                                                                                                                                                                                          |         |        |
| <b>Doors</b>                      |                                                                                                                                                                                                          |         |        |
| 8832113                           | Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.                                                                                                        | STD     | 0#     |
| <b>Door Lock Options</b>          |                                                                                                                                                                                                          |         |        |
| 8203056                           | Unspecified Tumbler P/N. All Chassis Keyed Alike Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models, requires 2+ chassis. G key will not work on new P lock and ignition.  | \$123   | 0#     |
| 8203060                           | 5 Sets of Keys. Replaces Standard 2 Sets of Keys.                                                                                                                                                        | \$32    | 0#     |
| 8203191                           | Customer Specified Tumbler P/N. All Chassis keyed alike if applicable. Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models. G key will not work on new P lock and ignition. | \$449   | 0#     |
| <b>Other</b>                      |                                                                                                                                                                                                          |         |        |
| 8700188                           | Remote Keyless Entry                                                                                                                                                                                     | \$418   | 0#     |
| 8700283                           | LH and RH Trip Ledge Rain Deflectors                                                                                                                                                                     | \$24    | 0#     |



## T680: CAB INTERIOR

| Option          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Price   | Weight |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| Cabs & Sleepers |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| <b>Interior</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 8330102         | Interior Package: Vantage Daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.                                                                                                                                                                                                                              | STD     | 0#     |
| 8330112         | Interior Package: Vantage Daycab Flat Roof Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets.                                                                                                                                                                                                                                                                                         | \$0     | 0#     |
| 8330140         | Vantage 40 in. Sleeper Cab includes durable vinyl headliner and sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cup holders and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and foot well, door mounted courtesy light and two dash 12V power outlet. Driver sun visor includes strap. Sleeper interior includes two overhead storage bins, two large record holders, one magazine rack, cell phone cubby, three large coat hooks and two 12V plugs. 12V ports and USB plug in the sleeper are battery powered.                    | \$3,181 | 0#     |
| 8330152         | Interior Package: Vantage Cab and 52in Regional Sleeper. Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Single liftable premium pocket coil lower bunk, 32in. standard, 38in. optional, with optional foam upper bunk or backwall storage. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap. | \$4,082 | 0#     |
| 8330176         | Interior Package: Vantage Cab 76in Sleeper Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Large overdoor storage bins with doors, overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes single 42in. liftable premium pocket coil lower bunk. Also includes four standard 12V power outlets throughout the cab and sleeper. Driver sunvisor includes strap.                                                                               | \$6,701 | 30#    |
| 8330200         | Interior Package: Vantage Cab and 52in Flat Roof Sleeper. Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Single liftable premium pocket coil lower bunk, 32in. standard. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.                                                                   | \$3,678 | 0#     |
| 8330880         | Interior Package: Diamond VIT Daycab. Includes diamond design trim with premium wood grain accent trim, a durable headliner, and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes vanity mirror and strap, passenger sunvisor includes strap.                                                                                                                                                      | \$1,793 | 0#     |



## T680: CAB INTERIOR

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Cabs & Sleepers

#### Interior

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |         |    |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----|
| 8330881 | Interior Package: Diamond VIT Daycab Flat Roof. Includes diamond design trim with premium wood grain accent trim and anodized aluminum accents throughout. Full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets.                                                                                                                                                                                                                                                                                                                                              | \$1,485 | 0# |
| 8330882 | Interior Package: Diamond VIT Cab and 40 in. sleeper. Includes diamond design trim with premium wood grain accent trim and anodized aluminum accents throughout. With full size glove box, two center console cup holders and large door map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and foot well, door mounted courtesy lights. Driver sun visor includes vanity mirror and strap, passenger sun visor includes strap. Four standard 12V power outlets, two in dash and two in sleeper. Sleeper interior includes two overhead storage bins, two large record holders, one magazine rack, cell phone cubby, three large coat hooks and two 12V plugs. 12V ports and USB plug in the sleeper are battery powered. | \$3,981 | 0# |
| 8330883 | Interior Package: Diamond VIT Cab and 52 in. Regional Sleeper. Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. With sleeper backwall storage system. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, door mounted courtesy light. Single liftable premium pocket coil lower bunk (32 in. standard, 38 in. optional), with optional foam upper bunk. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.               | \$7,511 | 0# |
| 8330884 | Interior Package: Diamond VIT Cab and 52 in. Flat Roof Sleeper. Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. With sleeper backwall storage system. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, door mounted courtesy light. Single liftable premium pocket coil lower bunk (32 in. standard, 38 in. optional). Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.                                             | \$7,240 | 0# |
| 8330885 | Interior Package: Diamond VIT Cab 76 in. Sleeper. Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. Large overdoor storage bins with doors, overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and cab footwell, and door mounted courtesy light. Includes single 42 in. liftable premium pocket coil lower bunk. Also includes four standard 12V power outlets throughout the cab and sleeper. Driver sunvisor includes vanity mirror and strap, passenger sunvisor includes strap.                                                       | \$8,031 | 0# |

#### Interior Color

|         |                            |     |    |
|---------|----------------------------|-----|----|
| 8300008 | Interior Color: Slate Gray | STD | 0# |
| 8300010 | Interior Color: Tan        | \$0 | 0# |

### Heaters & Air Conditioning



## T680: CAB INTERIOR

| Option                                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Price    | Weight |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| <b>Heaters &amp; Air Conditioning</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |        |
| 8108011                               | Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.                 | STD      | 0#     |
| 8178213                               | Cab/Sleeper HVAC System. Cab HVAC includes defrost, A/C, and 48,000 BTU/hr heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter for cab system & recirculation filters for cab/sleeper cabin air are standard. Sleeper HVAC includes A/C and 40,000 BTU/hr heater. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without the need for additional insulation. | \$0      | 0#     |
| 8178351                               | Kenworth Idle Management System. Includes a battery-powered auxiliary sleeper air conditioning system, additional battery box with 4 additional deep cycle Odyssey batteries, enhanced in-wall insulation and insulated sleeper walk through curtain package, enhanced battery monitoring, sleeper control with system battery status and temperature and fan control. Required with this system is the Delco 40SI 300 Amp alternator, 1812450. For bunk heating, please include 8158018 (Espar AX3 D2) or 8158019 (Espar AX3 D4).         | \$15,279 | 555#   |
| <b>Miscellaneous</b>                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |          |        |
| 8108002                               | Fine Particulate Filter for Cabin Air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.                                                                                                                                                                                                                                                                                                                                         | \$46     | 0#     |
| 8108003                               | Ember Filter For Cabin Air. Used to keep embers out of the HVAC filter element. Cannot be used with code 8108002.                                                                                                                                                                                                                                                                                                                                                                                                                          | \$51     | 2#     |
| 8158012                               | Insulated Fuel Lines for Espar Heater.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$99     | 0#     |
| 8158018                               | Espar AX3 Airtronic D2 Sleeper or Bunk Heater w/thermostat. Rated for 5,000 ft of elevation                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$1,541  | 14#    |
| 8158019                               | Espar AX3 Airtronic D4 Sleeper or Bunk Heater Rated For 5,000 ft of Elevation.                                                                                                                                                                                                                                                                                                                                                                                                                                                             | \$2,117  | 0#     |
| 8178214                               | Sleeper HVAC Delete for Cab/ 52 inch Sleeper. Removes standard sleeper portion of the HVAC system.                                                                                                                                                                                                                                                                                                                                                                                                                                         | (\$730)  | 0#     |
| 8178356                               | Engine Auto Start/Stop System                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$1,368  | 2#     |
| 8178358                               | Engine Auto Start/Stop System w/ Fuel Temperature Control. The engine will autostart when fuel reaches 0°F, sensing near the fuel filter, and will run for a pre-specified time in order to keep the engine and fuel warm.                                                                                                                                                                                                                                                                                                                 | \$1,330  | 2#     |
| 8178359                               | Engine Auto Start/Stop System w/ Fuel Temperature Control and Sleeper Temperature Control. The engine will autostart when fuel reaches 0°F, sensing near the fuel filter, and will run for a pre-specified time in order to keep the engine and fuel warm.                                                                                                                                                                                                                                                                                 | \$1,931  | 0#     |
| 8190005                               | Coolant, Fuel, & Electrical Lines: For customer-installed APU. Located BOC/BOS on the frame. Also includes bracketry.                                                                                                                                                                                                                                                                                                                                                                                                                      | \$1,088  | 15#    |
| 8190209                               | Single Auxiliary Defroster Fan Mounted in Sleeper                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$158    | 0#     |



## T680: CAB INTERIOR

| Option                                 | Description                                                                                                                                                                                                                                                  | Price  | Weight |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|
| <b>Heaters &amp; Air Conditioning</b>  |                                                                                                                                                                                                                                                              |        |        |
| <b>Miscellaneous</b>                   |                                                                                                                                                                                                                                                              |        |        |
| 8190564                                | Air Conditioning Excise Tax: Canadian Registry                                                                                                                                                                                                               | \$175  | 0#     |
| <b>Heater Shut-Off Valves</b>          |                                                                                                                                                                                                                                                              |        |        |
| 8190138                                | Shutoff Valves to Isolate Primary Heater Remote mounted on frame under cab.                                                                                                                                                                                  | \$74   | 0#     |
| <b>Steering Wheels &amp; Equipment</b> |                                                                                                                                                                                                                                                              |        |        |
| 8201043                                | Kenworth Smartwheel: 18 in. Leather Wrapped With Integrated Radio and Cruise Controls.                                                                                                                                                                       | \$173  | 2#     |
| 8201047                                | Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.                                                                                                                                                                           | STD    | 0#     |
| 8201051                                | Column Mtd Retarder Control, RH Side Use with Manual & Allison Transmissions Only.                                                                                                                                                                           | \$0    | 0#     |
| 8201052                                | Column Mtd TMSN Control W/Retarder Cntrl, RH Side Use with Automated and Automated Manual Transmissions Only                                                                                                                                                 | STD    | 0#     |
| 8201053                                | Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.                                                                                                                                   | \$0    | 0#     |
| 8201207                                | Fixed Steering Column.                                                                                                                                                                                                                                       | (\$69) | -4#    |
| <b>Other</b>                           |                                                                                                                                                                                                                                                              |        |        |
| 8201200                                | Adjustable Telescoping Tilt Steering Column.                                                                                                                                                                                                                 | STD    | 0#     |
| <b>Instruments &amp; Controls</b>      |                                                                                                                                                                                                                                                              |        |        |
| 8240620                                | Canadian Instrument Package: KPH Speedometer replaces MPH.                                                                                                                                                                                                   | \$0    | 0#     |
| 8282006                                | Odometer Units Locked to Match Speedometer Dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.          | \$15   | 0#     |
| 8282016                                | KW Instr. PKG With 8 STD Gauges, For Natural Gas No Def Gauge, Fuel Gauge Without ULSDF Text. ULSDF is Ultra Low Sulfur Diesel Fuel.                                                                                                                         | \$202  | 0#     |
| 8282027                                | Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application. | STD    | 0#     |
| 8282028                                | Main Instrument Package: Gas Engine 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application                                      | \$0    | 0#     |
| <b>Gauges</b>                          |                                                                                                                                                                                                                                                              |        |        |
| 8220106                                | Gauge: Dash Mounted Air Filter Restriction Gauge.                                                                                                                                                                                                            | \$170  | 0#     |



## T680: CAB INTERIOR

| Option                 | Description                                                                                                                           | Price | Weight |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| Instruments & Controls |                                                                                                                                       |       |        |
| <b>Gauges</b>          |                                                                                                                                       |       |        |
| 8221100                | Gauge: 2 Air Suspension Pressure Gauges. For Use w/air suspension w/dual leveling valves.                                             | \$315 | 0#     |
| 8221136                | Gauge: Trailer Reservoir Air Pressure Gauge.                                                                                          | \$88  | 0#     |
| 8221137                | Gauge: Trailer Air Application Gauge.                                                                                                 | \$75  | 0#     |
| 8221138                | Gauge: Air Suspension Pressure Gauge. For dual leveling valves, not dual read.                                                        | \$297 | 0#     |
| 8221139                | Gauge: Additional Dash Mounted Air Pressure Gauge Includes piping to BOC/BOS.                                                         | \$68  | 0#     |
| 8221140                | Gauge: Two Additional Dash Mounted Air Pressure gauges. Include piping to BOC/BOS.                                                    | \$144 | 0#     |
| 8221144                | Gauge: Air Suspension Pressure Gauge.                                                                                                 | \$149 | 0#     |
| 8221160                | Gauge: Engine Oil Temperature Gauge With Integral warning light. The NavPlus HD unit includes a virtual engine oil temperature gauge. | \$46  | 0#     |
| 8222115                | Gauge: All Metric Gauges, Except Digital Display pressure gauges in psi.                                                              | \$0   | 0#     |
| 8222400                | Gauge: DD Virtual Gauge - Air Suspension Pressure 1                                                                                   | \$90  | 0#     |
| 8222401                | Gauge: DD Virtual Gauge - Air Suspension Pressure 2                                                                                   | \$90  | 0#     |
| 8222402                | Gauge: DD Virtual Gauge - Trailer Reservoir                                                                                           | \$88  | 0#     |
| 8222403                | Gauge: DD Virtual Gauge - Trailer Brake Application                                                                                   | \$67  | 0#     |
| 8222404                | Gauge: DD Virtual Gauge - Oil Temp Engine                                                                                             | STD   | 0#     |
| 8222407                | Gauge: DD Virtual Gauge - Axle Temp Forward Rear Or Single Rear                                                                       | \$121 | 0#     |
| 8222408                | Gauge: DD Virtual Gauge - Axle Temp Rear Rear                                                                                         | \$121 | 0#     |
| 8222409                | Gauge: DD Virtual Gauge - Air Filter Restriction                                                                                      | STD   | 0#     |
| 8222410                | Increased Air Filter Full Indication For Air Filter Restriction Gauge                                                                 | \$0   | 0#     |
| 8222411                | Gauge: DD Virtual Gauge - Eng Pto Hour                                                                                                | \$40  | 0#     |
| 8222412                | Gauge: DD Virtual Gauge - Main Transmission Temp                                                                                      | \$63  | 0#     |
| 8222413                | Gauge: DD Virtual Gauge - Manifold Pressure Boost                                                                                     | STD   | 0#     |
| 8222414                | Gauge: DD Virtual Gauge - Engine Percent Torque                                                                                       | STD   | 0#     |



## T680: CAB INTERIOR

| Option                 | Description                                                                                                                                                                                                                                                                                                                                                                                          | Price | Weight |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| Instruments & Controls |                                                                                                                                                                                                                                                                                                                                                                                                      |       |        |
| <b>Gauges</b>          |                                                                                                                                                                                                                                                                                                                                                                                                      |       |        |
| 8222415                | Gauge: DD Virtual Gauge - Axle Temp Center Rear                                                                                                                                                                                                                                                                                                                                                      | \$121 | 0#     |
| 8222416                | Gauge: DD Virtual Gauge - Aux Trans Temp                                                                                                                                                                                                                                                                                                                                                             | \$116 | 0#     |
| 8222417                | Gauge: DD Virtual Gauge - Secondary Fuel                                                                                                                                                                                                                                                                                                                                                             | \$83  | 0#     |
| 8222420                | Gauge: DD Virtual Gauge - Automated Trans Clutch Temp - Instrument Cluster                                                                                                                                                                                                                                                                                                                           | \$0   | 0#     |
| 8222712                | Gauge: Fuel Filter Restriction Gauge.                                                                                                                                                                                                                                                                                                                                                                | \$149 | 0#     |
| 8222722                | Gauge: Manifold Pressure Gauge. The NavPlus HD unit includes a virtual manifold pressure gauge.                                                                                                                                                                                                                                                                                                      | \$44  | 0#     |
| 8222794                | Hour Meter Mounted in Dash for PTO.                                                                                                                                                                                                                                                                                                                                                                  | \$103 | 0#     |
| 8225626                | Gauge: Axle Oil Temperature Gauge. Single Drive axle or forward rear axle w/integral warning light.                                                                                                                                                                                                                                                                                                  | \$207 | 0#     |
| 8225658                | Gauge: Axle Oil Temperature, Dual-Drive Axle. (2 gauges) w/integral warning light.                                                                                                                                                                                                                                                                                                                   | \$234 | 0#     |
| 8226617                | Gauge: Oil temperature. Auxiliary transmission.                                                                                                                                                                                                                                                                                                                                                      | \$116 | 0#     |
| 8226667                | Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.                                                                                                                                                                                                                                                                                | \$73  | 0#     |
| 8282108                | Modular Dash Options: RH Dash Storage Unit With two shelves. Reduces total gauge count; HD by 6 and MD by 4.                                                                                                                                                                                                                                                                                         | \$47  | 0#     |
| 8282110                | Modular Dash Options: LH Dash Storage Unit With two shelves. Reduces total gauge count by 6.                                                                                                                                                                                                                                                                                                         | \$51  | 0#     |
| <b>Controls</b>        |                                                                                                                                                                                                                                                                                                                                                                                                      |       |        |
| 8205038                | Controls on Dash for Pintle Hook. Includes piping to the end of frame.                                                                                                                                                                                                                                                                                                                               | \$58  | 2#     |
| 8205067                | Controls on Dash for Trailer Dump Gate. Includes piping & indicator light. * T680/T880 available with speed interlock (8208603)                                                                                                                                                                                                                                                                      | \$73  | 0#     |
| 8205069                | Dash Controls:Tailgate or Dump Gate, Includes Piping and Telltale                                                                                                                                                                                                                                                                                                                                    | \$200 | 1#     |
| 8205076                | Controls On Dash (Qty. 2) For Forward and Rear Trailer Dump Gates. For A Straight Truck. Includes Piping & Indicator Lights. Optional Speed Interlock Available With T680/T880. See Databook for Code.                                                                                                                                                                                               | \$160 | 0#     |
| 8205082                | Controls on Dash for Trailer Air Suspension. Includes piping & indicator light. * Dash controls for trailer functions require that you add trailer connections to the order. * This trailer air suspension valve provides an air control. There is an option for trailer hotwire that provides an electric control wired to a dash switch. * Optional speed interlock available on T660/T680 models. | \$153 | 0#     |



## T680: CAB INTERIOR

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Instruments & Controls

#### Controls

|         |                                                                                                                                                                                                                                                                      |       |    |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|
| 8205089 | Park Brake Interlock for Air Suspension Dump. (Truck/Tractor). Parking brake interlock option for air suspensions other than Hendrickson HAS or Primaax. Air suspension will not dump unless park brakes are engaged. Trailer suspension dump interlock is available | \$141 | 0# |
| 8205192 | Valve: Hand To Actuate Rear Service Brake Self Returning To Off Position. Dash Mounted.                                                                                                                                                                              | \$491 | 3# |
| 8205271 | Dash Mounted - Compact Valve to Actuate Rear Service Brakes Non-Self-Returning.                                                                                                                                                                                      | \$395 | 0# |
| 8205272 | Dash Mounted - Compact Valve to Actuate Rear Service Brakes Self-Returning.                                                                                                                                                                                          | \$392 | 0# |
| 8205273 | Dash Mounted - Compact Valve to Actuate All Service Brakes Self-Returning.                                                                                                                                                                                           | \$383 | 0# |

#### PTO Related

|         |                                                                                                                                                                                                                                                                                                                                  |       |    |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|
| 8205087 | Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. The intent of this feature is to deflate the air suspension air bags while the load is raised to help alleviate any imbalance or instability that can occur with the air bags inflated. | \$76  | 2# |
| 8205096 | Information for Customer-Installed PTO Muncie 8-BOLT                                                                                                                                                                                                                                                                             | \$46  | 0# |
| 8205103 | Information for Customer-Installed PTO Chelsea 8-bolt.                                                                                                                                                                                                                                                                           | \$46  | 0# |
| 8205157 | Park Brake Interlock for First PTO PTO will not engage without park brakes set. Not for use with PTOs with air controls (8205053,8205054,8205057)                                                                                                                                                                                | \$151 | 0# |
| 8205222 | Park Brake Interlock for Second PTO * PTO No. 2 will not engage without park brakes set.                                                                                                                                                                                                                                         | \$126 | 0# |
| 8205227 | Park Brake Interlock for PTO Air Controls * Controls will not charge with air unless park brakes are set.                                                                                                                                                                                                                        | \$126 | 0# |
| 8205291 | Info for C/I PTO: Muncie 6 Bolt                                                                                                                                                                                                                                                                                                  | \$0   | 0# |
| 8205292 | Info for C/I PTO: Chelsea 6 Bolt                                                                                                                                                                                                                                                                                                 | \$0   | 0# |

#### PTO Controls

|         |                                                                                                                                                                                                      |       |    |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|
| 8205054 | PTO Air Control: Floor Mounted LH of Driver seat for customer installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged. Available on T680 and T880.                     | \$642 | 2# |
| 8205057 | PTO Air Control: Floor mounted LH of driver seat. For KW installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged. Available on T680 and T880.                          | \$644 | 2# |
| 8205164 | Dash Switch: 1st Single-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 1st Eaton (single-acting) trans PTO. | \$111 | 0# |
| 8205165 | Dash Switch: 2nd Single-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 2nd Eaton (single-acting) trans PTO.              | \$110 | 0# |



## T680: CAB INTERIOR

| Option                            | Description                                                                                                                                                                                                                                                                                                                                              | Price | Weight |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Instruments &amp; Controls</b> |                                                                                                                                                                                                                                                                                                                                                          |       |        |
| <b>PTO Related</b>                |                                                                                                                                                                                                                                                                                                                                                          |       |        |
| <b>PTO Controls</b>               |                                                                                                                                                                                                                                                                                                                                                          |       |        |
| 8205168                           | Dash Switch: 1st Double-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, and plumbing are factory-installed to control the 1st Eaton (double-acting) trans PTO.                                                                                                                               | \$314 | 0#     |
| 8205171                           | Dash Switch: 2nd Double-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, and plumbing are factory-installed to control the 2nd Eaton (double-acting) trans PTO.                                                                                                                                            | \$205 | 0#     |
| 8205173                           | Dash Switch: 1st Reversible/dbl Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, and plumbing are factory-installed to control the 1st Eaton (reversible) trans PTO.                                                                                                                                              | \$247 | 0#     |
| 8205181                           | Factory Installed Eaton Transmission PTO Controls for AT1202 auxiliary transmission mounted Chelsea 230/236/238/442/489/660/680/885 or Muncie CS/SH/TG6/8, 6 or 8-bolt PTO with single acting air actuation. Option includes one factory installed dash switch, one indicator light on dash and one air solenoid supplied under cab within chassis node. | \$227 | 0#     |
| 8205182                           | Customer Installed Eaton Transmission PTO controls for AT1202 auxiliary transmission mounted Chelsea 230/236/238/442/489/660/680/885 or Muncie CS/SH/TG6/8, 6 or 8-bolt PTO with single acting air actuation. Option includes dash and chassis harness prewire. Option does not include dash switches or air solenoids.                                  | \$188 | 0#     |
| 8205183                           | Factory Installed Eaton Transmission PTO Controls for AT1202 auxiliary transmission mounted Chelsea 823/880 or Muncie 828 8-bolt PTO with double acting air actuation. Option includes one factory installed dash switch, one indicator light on dash, and air solenoid(s) supplied under cab within chassis node.                                       | \$233 | 0#     |
| 8205184                           | Customer Installed Eaton Transmission PTO controls for AT1202 auxiliary transmission mounted Chelsea 823/880 or Muncie 828 8-bolt PTO with double acting air actuation. Option includes dash and chassis harness prewire. Option does not include dash switches or air solenoids.                                                                        | \$194 | 0#     |
| 8205185                           | Factory Installed Eaton Transmission PTO Controls for AT1202 auxiliary transmission mounted Chelsea 340 reversible 6-bolt PTO with double acting air actuation. Option includes factory installed dash switch(s), one indicator light on dash, and air solenoid(s) supplied under cab within chassis node.                                               | \$216 | 0#     |
| 8205186                           | Customer Installed Eaton Transmission PTO controls for AT1202 auxiliary transmission mounted Chelsea 340 reversible 6-bolt PTO with double acting air actuation. Option includes dash and chassis harness prewire. Option does not include dash switches or air solenoids.                                                                               | \$194 | 0#     |
| 8205232                           | Switch - PTO Mode Control                                                                                                                                                                                                                                                                                                                                | \$98  | 0#     |
| 8205233                           | Switch - PTO Control Cab/Remote                                                                                                                                                                                                                                                                                                                          | \$98  | 0#     |
| 8205234                           | Switch - PTO Engine Speed Preset 1                                                                                                                                                                                                                                                                                                                       | \$98  | 0#     |
| 8205235                           | Switch - PTO Engine Speed Preset 1 and 2                                                                                                                                                                                                                                                                                                                 | \$98  | 0#     |
| 8205236                           | Switch - PTO Engine Speed Preset 1, 2 and 3                                                                                                                                                                                                                                                                                                              | \$98  | 0#     |



## T680: CAB INTERIOR

| Option                            | Description                                                                                                                                                                                                                                                                                                                                                  | Price | Weight |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Instruments &amp; Controls</b> |                                                                                                                                                                                                                                                                                                                                                              |       |        |
| <b>PTO Related</b>                |                                                                                                                                                                                                                                                                                                                                                              |       |        |
| <b>PTO Controls</b>               |                                                                                                                                                                                                                                                                                                                                                              |       |        |
| 8205237                           | Switch - PTO Engine Speed Preset +/-                                                                                                                                                                                                                                                                                                                         | \$98  | 0#     |
| 8205238                           | Split Shaft PTO Controls: Transmission Tail Shaft speed interlock for PTO Engagement/Disengagement. Option is for hardware protection of PTO auxiliary transmission.                                                                                                                                                                                         | \$0   | 0#     |
| 8205239                           | Split Shaft PTO Controls: Delete Transmission tail shaft speed interlock for PTO Engagement/Disengagement. Option is for hardware protection of PTO auxiliary transmission.                                                                                                                                                                                  | \$0   | 0#     |
| 8205283                           | Info for C/I PTO: Chelsea 10 Bolt                                                                                                                                                                                                                                                                                                                            | \$0   | 0#     |
| <b>Dash Switches</b>              |                                                                                                                                                                                                                                                                                                                                                              |       |        |
| 8203110                           | Delete Fan Clutch Manual Override Switch in Cab.                                                                                                                                                                                                                                                                                                             | \$0   | 0#     |
| 8203161                           | Fan to Operate When Park Brake Set.                                                                                                                                                                                                                                                                                                                          | \$23  | 0#     |
| 8203184                           | Switch & Wiring: For Customer-Installed Cab Panel Lights.                                                                                                                                                                                                                                                                                                    | \$105 | 1#     |
| 8203195                           | Dash Mounted Switch With Solenoid Block at Rear chassis suspension crossmember for customer-installed fifth wheel slide. Includes standard speed interlock that prevents activation above 7mph. Value is adjustable within ESA.                                                                                                                              | \$116 | 0#     |
| 8203196                           | Dash Mounted Compact Trailer Brake Valve. Self Returning.                                                                                                                                                                                                                                                                                                    | \$0   | 0#     |
| 8203197                           | Dash Mounted Compact Trailer Brake Valve. Non-Self Returning.                                                                                                                                                                                                                                                                                                | \$75  | 0#     |
| 8203199                           | Wiring: C/I Cab Panel Lights Under Cab                                                                                                                                                                                                                                                                                                                       | \$82  | 0#     |
| 8205012                           | Off-Highway Dash Switch: For ABS System. Includes indicator light.                                                                                                                                                                                                                                                                                           | \$59  | 0#     |
| 8205158                           | Park Brake Interlock for First Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.                                                                                                                                                                                                                                       | \$149 | 0#     |
| 8205160                           | Dash SW: Bendix Work Brake Electric Over Air SW To Apply All Service Brakes                                                                                                                                                                                                                                                                                  | \$219 | 5#     |
| 8205221                           | Park Brake Interlock for Second Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.                                                                                                                                                                                                                                      | \$149 | 0#     |
| 8205228                           | One (1) Spare Accessory Electric-Over-Air Switch with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.   | \$114 | 0#     |
| 8205229                           | Two (2) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608. | \$199 | 0#     |



## T680: CAB INTERIOR

| Option                 | Description                                                                                                                                                                                                                                                                                                                                                    | Price | Weight |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| Instruments & Controls |                                                                                                                                                                                                                                                                                                                                                                |       |        |
| <b>Dash Switches</b>   |                                                                                                                                                                                                                                                                                                                                                                |       |        |
| 8205230                | Three (3) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on ,while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608. | \$276 | 0#     |
| 8205231                | Four (4) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.  | \$353 | 0#     |
| 8205280                | Dash Switch: Rock Free Mode for PCAR TX-18 Pro, TX-12 Pro and Endurant XD Pro                                                                                                                                                                                                                                                                                  | \$41  | 0#     |
| 8208494                | One Spare Switch: Wired to Power.                                                                                                                                                                                                                                                                                                                              | \$73  | 0#     |
| 8208495                | Two Spare Switches: Wired to Power.                                                                                                                                                                                                                                                                                                                            | \$90  | 0#     |
| 8208496                | Three Spare Switches: Wired to Power.                                                                                                                                                                                                                                                                                                                          | \$140 | 0#     |
| 8208497                | Four Spare Switches: Wired to Power.                                                                                                                                                                                                                                                                                                                           | \$176 | 0#     |
| 8208498                | Five Spare Switches: Wired to Power.                                                                                                                                                                                                                                                                                                                           | \$215 | 0#     |
| 8208524                | Seven-Way Plug: Wired to Dash Switch. For Trailer floodlight. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer floodlamps. Switch has an integral indicator lamp. Requires using a second ISO 3731.                                                                                               | \$40  | 0#     |
| 8208549                | Seven-Way Plug: Wired to Dash Switch. For Trailer power. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch is wired to a battery circuit & has an integral indicator lamp.                                                                                                         | \$45  | 0#     |
| 8208551                | Seven-Way Plug: Wired to Dash Switch. For Trailer air suspension. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch has an integral indicator lamp & a guard.                                                                                                                                                | \$44  | 0#     |
| 8208553                | Seven-Way Plug: Wired Through Center Wire. For use w/overflow. Center pin of standard 7-way connector (J560) wired to a switch for overflow. Battery power for key off overflow operation. Switch includes integral indicator lamp. If ABS is required, must code for ABS through ISO 3731 connector.                                                          | \$41  | 0#     |
| 8208555                | Switch: Trailer 3rd Axle Lift. Includes Indicator light. This option connects the center pin of the standard 7-way light line to switched battery power. This pin cannot be used for ABS. If ABS is required, must code for ABS through ISO 3731 connector.                                                                                                    | \$41  | 0#     |
| 8208559                | Controls on Dash for Forward and Rear Trailer Belly Dump Gates: Includes indicator light, guard & approx 3 meters of coiled wire BOC in LH rail. Use separate codes to add ISO 3731 spare circuit wiring & IDs, if desired.                                                                                                                                    | \$284 | 0#     |
| 8208582                | ISO 3731 Spare Circuit Switch 1 ID: For Trailer floodlight. Includes indicator light. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer floodlights w/an integral indicator light.                                                                                                                                | \$39  | 0#     |



## T680: CAB INTERIOR

| Option                 | Description                                                                                                                                                                                                                                             | Price | Weight |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| Instruments & Controls |                                                                                                                                                                                                                                                         |       |        |
| <b>Dash Switches</b>   |                                                                                                                                                                                                                                                         |       |        |
| 8208583                | ISO 3731 Spare Circuit Switch 1 ID: For Dumpgate. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for dumpgate w/a guard & an integral indicator light. Requires either code 9140341 or 9140342.                     | \$70  | 0#     |
| 8208586                | ISO 3731 Spare Circuit Switch 1 ID: For Trailer air suspension. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer air suspension w/a guard & an integral indicator light.                                  | \$48  | 0#     |
| 8208587                | ISO 3731 Spare Circuit Switch 1 ID: For Trailer third axle lift. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer third axle lift w/an integral indicator light. Requires either code 9140341 or 9140342. | \$60  | 0#     |
| 8208588                | ISO 3731 Spare Circuit Switch 2 ID: For Trailer floodlight. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for trailer floodlights w/an integral indicator light. Requires code 9140342.                     | \$38  | 0#     |
| 8208589                | ISO 3731 Spare Circuit Switch 2 ID: For Dumpgate. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for dumpgate w/a guard. Requires code 9140342.                                                              | \$63  | 0#     |
| 8208592                | ISO 3731 Spare Circuit Switch 2 ID: For Trailer air suspension. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for trailer air suspension w/a guard & an integral indicator light. Requires code 9140342.    | \$48  | 0#     |
| 8208593                | ISO 3731 Spare Circuit Switch 2 ID: For Trailer third axle lift. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for third axle lift integral indicator light. Requires code 9140342.                         | \$49  | 0#     |
| 8208597                | ISO 3731 Spare Circuit Switch 1 ID: For Trailer hotline. Includes indicator light & guard.                                                                                                                                                              | \$49  | 0#     |
| 8208598                | ISO 3731 Spare Circuit Switch 2 ID: For Trailer hotline. Includes indicator light & guard.                                                                                                                                                              | \$49  | 0#     |
| 8208601                | Switch: W/Light & Guard For Trailer Dump Gate. Includes Approximately 3 Meters of Coiled Wire BOC in LH Rail.                                                                                                                                           | \$150 | 0#     |
| 8208605                | Switch, Gauge, Regulator for One Trailer Lift Axle. Mounted on Dash. Includes Piping to End-of-Frame. Reduces gauge count by 7 (1-gauge, 6-regulator mounting panel)                                                                                    | \$221 | 0#     |
| 8208606                | Switch, Gauge, Regulator for Two Trailer Lift Axles. Mounted on Dash. Includes Piping to End-of-Frame. Reduces gauge count by 7 (1-gauge, 6-regulator mounting panel)                                                                                   | \$376 | 0#     |
| 8208607                | Switch Only: Dash MNT For One Trailer Lift Axle Includes Piping to End-of-Frame. *Gauge and regulator available with (8208605).                                                                                                                         | \$90  | 0#     |
| 8208608                | Switch Only: Dash Mount For Two Trailer Lift Axles. Includes Piping to End-of-Frame. *Gauge and regulator available with (8208606).                                                                                                                     | \$123 | 0#     |
| 8208626                | Lytx DriveCam SF300 System: Video Trigger Dash Switch                                                                                                                                                                                                   | \$26  | 0#     |
| 8291002                | Mute Backup Alarm W/ Buzzer in Cab.                                                                                                                                                                                                                     | \$195 | 0#     |



## T680: CAB INTERIOR

| Option                 | Description                                                                                                                                                                                                                                            | Price   | Weight |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| Instruments & Controls |                                                                                                                                                                                                                                                        |         |        |
| <b>Turn Signals</b>    |                                                                                                                                                                                                                                                        |         |        |
| 8700168                | Non-Self Cancelling Turn Signal: W/Column-Mounted headlight dimmer switch & intermittent wiper control.                                                                                                                                                | \$0     | 0#     |
| 8700196                | Turn Signal: Self-Cancelling                                                                                                                                                                                                                           | \$282   | 0#     |
| 8700197                | Turn Signal: Non-Self Cancelling                                                                                                                                                                                                                       | STD     | 0#     |
| <b>Other</b>           |                                                                                                                                                                                                                                                        |         |        |
| 8201044                | Predictive Cruise Control                                                                                                                                                                                                                              | STD     | 0#     |
| 8201078                | Enable Predictive Cruise Control Enables Predictive Cruise Control Functionality Which Provides Visual Feedback To The Driver                                                                                                                          | \$0     | 0#     |
| 8201083                | Maximize Fuel Economy Function Enables the customer to specify their preference to bias Predictive Cruise Control behavior in favor of fuel economy.                                                                                                   | \$0     | 0#     |
| 8203052                | Remove Stop Position from Regeneration Switch.                                                                                                                                                                                                         | \$0     | 0#     |
| 8205223                | Park Brake Interlock for Trailer Air Suspension dump. Air suspension will not dump unless park brakes are engaged. Truck/tractor suspension dump interlock is available (8205089)                                                                      | \$126   | 0#     |
| 8208603                | Speed Interlock:Truck,Trailer EOA Dump Gates and Belly Dumps. Speed interlock prevents accidental activation if vehicle is traveling at speeds above 25 mph, configurable from 0-40 mph. Not for use with non-EoA dump gates (8208559,8208583,8208601) | \$213   | 0#     |
| 8209999                | Spare Power Wiring For Customer Installed Devices Behind Dash Cluster. Includes 2 batt, 2 ign, 1 acc, 1 LVD at 20A each.                                                                                                                               | \$97    | 2#     |
| 8229005                | Methane Detection System For Natural Gas Required For LNG Fueled Vehicles Optional For CNG Fueled Vehicles                                                                                                                                             | \$1,846 | 2#     |
| 8245158                | Tachograph Pre-Wire Only                                                                                                                                                                                                                               | \$112   | 0#     |
| 8282019                | Lrg Flat Panel On Dash For 3 Gauges And Prov For C/I Qual Brkt Or C/I Ram Mnt                                                                                                                                                                          | \$130   | 0#     |
| 8282020                | Lrg Flat Panel On Dash For 2 Gauges And Prov For C/I Qual Brkt Or C/I Ram Mnt                                                                                                                                                                          | \$130   | 0#     |
| 8282021                | Lrg Flat Panel On Dash For 1 Gauge And Prov For C/I Qual Brkt Or C/I Ram Mnt                                                                                                                                                                           | \$130   | 0#     |
| 8282107                | Large Flat Panel on Rider Side Dash for customer-installed controls. Reduces gauge count by 6.                                                                                                                                                         | \$54    | 0#     |
| 8291011                | Warning Light and Audible: Drivers Side Seatbelt A telltale and audible warning activates when vehicle speed > 10 mph and driver side seatbelt is not buckled.                                                                                         | \$75    | 0#     |
| 8702224                | Enable Inclement Driving Condition Interlock (IDCI). Wiper level 4 is the default for this system.                                                                                                                                                     | \$0     | 0#     |



## T680: CAB INTERIOR

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Instruments & Controls

#### Other

|         |                                                                                             |       |    |
|---------|---------------------------------------------------------------------------------------------|-------|----|
| 8702225 | Activate IDC1 Wiper Speed 1                                                                 | \$0   | 0# |
| 8702226 | Activate IDC1 Wiper Speed 6                                                                 | \$0   | 0# |
| 8702232 | Sensata Tire pressure monitoring system Requires 48991XX tire/wheel count code for sensors. | \$489 | 3# |

### Seats

#### Driver Seats

##### Driver Seat Other

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |     |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----|
| 8410196 | Driver Seat: GT701 IB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                          | \$134  | 0#  |
| 8410197 | Driver Seat: GT701 HB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                          | \$146  | 0#  |
| 8410199 | Driver Seat: GT701 IB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                              | (\$27) | 0#  |
| 8410200 | Driver Seat: GT701 HB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                              | (\$13) | 0#  |
| 8410205 | Driver Seat: GT701 IB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                 | \$75   | 0#  |
| 8410206 | Driver Seat: GT701 HB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                 | STD    | 0#  |
| 8410272 | Driver Seat: GT702 HB with DuraCloth material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests. | \$25   | 10# |



## T680: CAB INTERIOR

| Option            | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Price  | Weight |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|
| Seats             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |        |        |
| Driver Seats      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |        |        |
| Driver Seat Other |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |        |        |
| 8410273           | Driver Seat: GT702 HB with DuraCloth material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                                              | \$93   | 10#    |
| 8410276           | Driver Seat: GT702 HB with Ultraleather material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                                                             | \$197  | 10#    |
| 8410277           | Driver Seat: GT702 HB with Ultraleather material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                                           | \$254  | 10#    |
| 8410278           | Driver Seat: GT702 HB with DuraCloth w/ Vinyl material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                                                       | (\$20) | 10#    |
| 8410279           | Driver Seat: GT702 HB with DuraCloth w/ Vinyl material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                                                                                                                                     | \$40   | 10#    |
| 8410351           | Driver Seat: GT703 HB with DuraCloth material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. DR seat standard w/ dual armrests.                                              | \$264  | 10#    |
| 8410353           | Driver Seat: GT703 HB with Two-tone Leather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests. | \$579  | 10#    |

| Option                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Price   | Weight |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Seats</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Driver Seats</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| <b>Driver Seat Other</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |         |        |
| 8410354                  | Driver Seat: GT703 HB with Two-tone Leather material, integral heat and air-cooling. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests. | \$1,038 | 10#    |
| 8410355                  | Driver Seat: GT703 HB with Ultraleather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.                  | \$782   | 10#    |
| 8410356                  | Driver Seat: GT703 HB with Ultraleather material, integral heat and air-cooling. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.     | \$1,125 | 10#    |
| 8412810                  | Driver Air Seat: NFPA Compliant: HB Mordura Includes Dual Armrests and Occupant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$132   | 0#     |
| 8412811                  | Driver Air Seat: NFPA Compliant: HB Vinyl Includes Dual Armrests and Occupant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$88    | 0#     |
| 8412832                  | Driver Seat: Natl ADJ HP3.5 susp inboard STD armrest, HB Mordura, WD cush.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | \$128   | 0#     |
| 8412833                  | Driver Seat: Natl ADJ HP3.5 susp dual STD armrest, HB Mordura, WD cush.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$386   | 0#     |
| 8412834                  | Driver Seat: Natl ADJ HP3.5 susp w/ bellow, dual STD armrests, HB Mordura, WD cush.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$405   | 0#     |
| 8412835                  | Driver Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Bolster, Bellow, Heated/Ventilated, Dual Standard Armrests, Back Cycler, High Back Leather, Wide Cushion, Adjustable shock.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$1,279 | 0#     |
| 8412836                  | Driver Seat: Natl HP3.5 susp TriCham Blst w/ Cyc dual STD armrests, HB Mordura, WD cush.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$194   | 0#     |
| 8412837                  | Driver Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Dual Standard Armrests, High Back Mordura, Wide Cushion.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | \$189   | 0#     |
| 8412838                  | Driver Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Bolster, Bellow, Dual Standard Armrests, High Back Mordura, Wide Cushion, Back Cycler.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$387   | 0#     |
| 8418091                  | Driver Seat: Rolltek HB with Vinyl Material This seat incorporates a seatbelt tensioner and side airbags. Includes dual folding armrests and headrest logo.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$4,726 | 42#    |



## T680: CAB INTERIOR

| Option                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Price   | Weight |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Seats</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| <b>Driver Seats</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| <b>Driver Seat Other</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| 8418092                  | Driver Seat: Rolltek HB with DuraSupreme Material. This seat incorporates a seatbelt tensioner and side airbags. Includes dual folding armrests and headrest logo.                                                                                                                                                                                                                                                                                                                                                             | \$4,739 | 42#    |
| <b>Rider Seats</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| <b>Rider Seat Other</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |         |        |
| 8460196                  | Rider Seat: GT701 IB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.                                                                                                                                               | \$416   | 34#    |
| 8460197                  | Rider Seat: GT701 HB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.                                                                                                                                               | \$407   | 34#    |
| 8460199                  | Rider Seat: GT701 IB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.                                                                                                                                                   | \$317   | 34#    |
| 8460200                  | Rider Seat: GT701 HB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.                                                                                                                                                   | \$326   | 34#    |
| 8460205                  | Rider Seat: GT701 IB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.                                                                                                                                      | \$503   | 34#    |
| 8460206                  | Rider Seat: GT701 HB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.                                                                                                                                      | \$532   | 34#    |
| 8460272                  | Rider Seat: GT702 HB with DuraCloth material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                   | \$460   | 44#    |
| 8460273                  | Rider Seat: GT702 HB with DuraCloth material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest. | \$520   | 44#    |



## T680: CAB INTERIOR

| Option           | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Price   | Weight |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| Seats            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |         |        |
| Rider Seats      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |         |        |
| Rider Seat Other |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |         |        |
| 8460276          | Rider Seat: GT702 HB with Ultraleather material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                                                                                                                                                                          | \$630   | 44#    |
| 8460277          | Rider Seat: GT702 HB with Ultraleather material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                                                                                                                                                        | \$682   | 44#    |
| 8460278          | Rider Seat: GT702 HB with DuraCloth w/ Vinyl material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.                                                                                                                                                                       | \$436   | 44#    |
| 8460279          | Rider Seat: GT702 HB with DuraCloth w/ Vinyl material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                                                                                                                                                  | \$493   | 44#    |
| 8460351          | Rider Seat: GT703 HB with DuraCloth material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                     | \$716   | 44#    |
| 8460353          | Rider Seat: GT703 HB with Two-tone Leather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.              | \$1,177 | 44#    |
| 8460354          | Rider Seat: GT703 HB with Two-tone Leather material, integral HEAT and air-COOLING. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest. | \$1,410 | 44#    |



## T680: CAB INTERIOR

| Option           | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Price   | Weight |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| Seats            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |        |
| Rider Seats      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |        |
| Rider Seat Other |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |         |        |
| 8460355          | Rider Seat: GT703 HB with Ultraleather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.              | \$1,829 | 44#    |
| 8460356          | Rider Seat: GT703 HB with Ultraleather material, integral heat and air-cooling. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest. | \$1,499 | 44#    |
| 8462801          | Rider Air Seat: NFPA Compliant: HB Mordura Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$265   | 0#     |
| 8462802          | Rider Air Seat: NFPA Compliant: HB Vinyl Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$265   | 0#     |
| 8462803          | Rider Air Seat: NFPA Compliant: IB Mordura Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$175   | 0#     |
| 8462804          | Rider Air Seat: NFPA Compliant: IB Vinyl Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$260   | 0#     |
| 8462832          | Rider Seat: Natl ADJ HP3.5 susp inboard STD armrest, HB Mordura, WD cush.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$602   | 0#     |
| 8462833          | Rider Seat: Natl ADJ HP3.5 susp dual STD armrest, HB Mordura, WD cush.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$781   | 0#     |
| 8462834          | Rider Seat: Natl ADJ HP3.5 susp w/ bellow, dual STD armrests, HB Mordura, WD cush.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$861   | 0#     |
| 8462835          | Rider Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Bolster, Bellow, Heated/Ventilated, Dual Standard Armrests, Back Cyclor, High Back Leather, Wide Cushion, Adjusable shock.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$911   | 0#     |
| 8462836          | Rider Seat: Natl HP3.5 susp TriCham Blst w/ Cyc dual STD armrests, HB Mordura, WD cush.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$718   | 0#     |
| 8462837          | Rider Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Dual Standard Armrests, High Back Mordura, Wide Cushion.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$768   | 0#     |
| 8462838          | Rider Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Bolster, Bellow, Dual Standard Armrests, High Back Mordura, Wide Cushion, Back Cyclor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$951   | 0#     |
| 8480065          | Rider Seat: KW 2 Person Bench MB with Vinyl                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$701   | 22#    |
| 8480068          | Rider Seat: KW 2 Person Bench MB with DuraCloth                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$747   | 0#     |



## T680: CAB INTERIOR

| Option                  | Description                                                                                                                                                                                | Price   | Weight |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Seats</b>            |                                                                                                                                                                                            |         |        |
| <b>Rider Seats</b>      |                                                                                                                                                                                            |         |        |
| <b>Rider Seat Other</b> |                                                                                                                                                                                            |         |        |
| 8480101                 | Rider Seat: GT100 Toolbox IB with DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.               | \$130   | 0#     |
| 8480102                 | Rider Seat: GT100 Toolbox HB with DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.               | \$129   | 0#     |
| 8480103                 | Rider Seat: GT100 Toolbox IB with Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                   | \$97    | 0#     |
| 8480104                 | Rider Seat: GT100 Toolbox HB with Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                   | \$99    | 0#     |
| 8480107                 | Rider Seat: GT100 Battery/Utility Box IB With DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.                                      | (\$92)  | 9#     |
| 8480108                 | Rider Seat: GT100 Battery/Utility Box HB With DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.                                      | (\$90)  | 9#     |
| 8480109                 | Rider Seat: GT100 Battery/Utility Box IB With Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.                                          | (\$166) | 9#     |
| 8480110                 | Rider Seat: GT100 Battery/Utility Box HB With Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.                                          | (\$115) | 9#     |
| 8480113                 | Rider Seat: GT100 Static Riser IB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest. | (\$56)  | -9#    |
| 8480114                 | Rider Seat: GT100 Static Riser HB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest. | (\$16)  | -9#    |
| 8480119                 | Rider Seat: GT100 Toolbox IB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.      | \$150   | 0#     |
| 8480120                 | Rider Seat: GT100 Toolbox HB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.      | STD     | 0#     |
| 8480125                 | Rider Seat: GT100 Battery/Util Box IB DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.                                     | (\$98)  | 9#     |
| 8480126                 | Rider Seat: GT100 Battery/Util Box HB DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.                                     | (\$102) | 9#     |
| 8480135                 | Rider Seat: GT100 Static Riser IB w/ Cloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                | (\$71)  | 0#     |
| 8480136                 | Rider Seat: GT100 Static Riser HB w/ Cloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.                | (\$47)  | 0#     |



## T680: CAB INTERIOR

| Option                    | Description                                                                                                                                                                 | Price   | Weight |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Seats</b>              |                                                                                                                                                                             |         |        |
| <b>Rider Seats</b>        |                                                                                                                                                                             |         |        |
| <b>Rider Seat Other</b>   |                                                                                                                                                                             |         |        |
| 8480137                   | Rider Seat: GT100 Static Riser IB w/ Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest. | (\$148) | 0#     |
| 8480138                   | Rider Seat: GT100 Static Riser HB w/ Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest. | (\$175) | 0#     |
| 8489979                   | Delete Standard Rider Seat.                                                                                                                                                 | (\$516) | -58#   |
| <b>Seat Miscellaneous</b> |                                                                                                                                                                             |         |        |
| 8489912                   | NFPA Compliance Kit: 2.1 m Includes Seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.        | \$912   | 5#     |
| 8490181                   | Seat Color: Black                                                                                                                                                           | STD     | 0#     |
| 8490184                   | Seat Color: Tan                                                                                                                                                             | \$0     | 0#     |
| 8490187                   | Seat Color: Gray                                                                                                                                                            | \$0     | 0#     |
| 8490188                   | Seat Color: Black w/ Diamond Package Accent                                                                                                                                 | \$0     | 0#     |
| 8496559                   | Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.                                                                                                   | \$35    | 0#     |
| 8496561                   | Driver/ Rider Seat Belts: Lime Green Seat Belts Replace standard color.                                                                                                     | \$40    | 0#     |
| 8496575                   | Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts.                                                                                                         | \$84    | 0#     |
| 8497005                   | Air Line Fitting: At Driver Seat. Customer-installed air chuck.                                                                                                             | \$71    | 4#     |
| 8497465                   | Seat Swivel for Kenworth GT Series RD Seat                                                                                                                                  | \$599   | 50#    |
| 8497470                   | Storage Package Upgrade for Kenworth GT702 Driver seat. Standard with Kenworth GT703 driver seat.                                                                           | \$50    | 0#     |
| 8497472                   | Storage Package Upgrade for Kenworth GT702 Rider seat. Standard with Kenworth GT703 Rider seat.                                                                             | \$49    | 0#     |
| 8498452                   | Delete Dual DR Seat Armrests. Not available on GT703 series seats.                                                                                                          | \$0     | 0#     |
| 8498453                   | Dual KW Driver Seat Armrests: Stowable Inboard & folding outboard.                                                                                                          | \$220   | 2#     |
| 8498560                   | Delete Inboard RD Seat Armrest. Not available on GT703 series seats.                                                                                                        | \$0     | 0#     |

## Cab Accessories

### Carpet-Floormat

\*See PremierSpec for Applicable Restrictions



## T680: CAB INTERIOR

| Option                         | Description                                                                                                                                                                                                                 | Price | Weight |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Cab Accessories</b>         |                                                                                                                                                                                                                             |       |        |
| <b>Carpet-Floormat</b>         |                                                                                                                                                                                                                             |       |        |
| 8390634                        | Rubber Floormat                                                                                                                                                                                                             | STD   | 0#     |
| 8390635                        | Rubber Floormat - NFPA Compliant                                                                                                                                                                                            | \$533 | 0#     |
| 8390648                        | Black Carpet in Cab, Replacing Floormat.                                                                                                                                                                                    | \$199 | 0#     |
| <b>Storage</b>                 |                                                                                                                                                                                                                             |       |        |
| 8570011                        | Low Profile Roof Interior Overhead Storage                                                                                                                                                                                  | \$272 | 0#     |
| 8700091                        | Ashtray Insert: W/ Cigar Lighter Located in center console. Deletes 1 12V outlet & 1 cupholder.                                                                                                                             | \$37  | 0#     |
| 8716000                        | Two Holders: For 2 Removable Front Tow Hooks. Rider seat must be toolbox style seat.                                                                                                                                        | \$82  | 0#     |
| 8716001                        | Two Holders: In Tool Compartment for 2 Removable front tow hooks.                                                                                                                                                           | \$71  | 3#     |
| 8890036                        | Aluminum Records Holder: Mounted on Toolbox or Utility box seat base.                                                                                                                                                       | \$50  | 2#     |
| 8890038                        | 3.5in x 11.5in Plastic Records Holder: Mounted On Rear Cab Panel. Not available With Sleeper Or 2 Person Bench Seat.                                                                                                        | \$65  | 0#     |
| <b>Inside Window Equipment</b> |                                                                                                                                                                                                                             |       |        |
| 8879431                        | 52 in. Sleeper: Add Sleeper Curtain The 52in. sleeper is standard with a cab windshield curtain. This code allows customers to add a sleeper curtain.                                                                       | \$569 | 15#    |
| 8879439                        | Windshield Curtain with Integrated Curtain Track and Storage at B Pillar for 76in Sleepers only. Curtain runs along perimeter of the cab so maintains full use of cab and sleeper interior space. Not available on Daycabs. | \$432 | 2#     |
| <b>Other</b>                   |                                                                                                                                                                                                                             |       |        |
| 8282120                        | USB Charging Port - Dash Panel *Requires 15" Digital Display 8282027/8282028                                                                                                                                                | \$30  | 0#     |
| 8700151                        | Small Transmission Access Hole Near 1 O'Clock PTO                                                                                                                                                                           | \$198 | 0#     |
| 8700152                        | Large Transmission Access Hole - Center Cab Floor                                                                                                                                                                           | \$218 | 0#     |
| 8721405                        | Nameplates Shipped Loose: French. In Addition to standard or optional nameplates.                                                                                                                                           | \$0   | 0#     |
| 8721410                        | Spanish Nameplates.                                                                                                                                                                                                         | \$504 | 0#     |
| 8800402                        | Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles                                                                                                                                  | STD   | 0#     |
| 8800403                        | Dual Cab Interior Grabhandles: Yellow, A Pillar Mtd Dash Wrap and B Pillar Mounted Grabhandles                                                                                                                              | \$65  | 0#     |
| 9090102                        | Anti-Theft System Installed                                                                                                                                                                                                 | \$103 | 0#     |



## T680: CAB INTERIOR

| Option                          | Description                                                                                                                                                           | Price   | Weight |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cab Accessories</b>          |                                                                                                                                                                       |         |        |
| <b>Other</b>                    |                                                                                                                                                                       |         |        |
| 9090103                         | Anti-Theft Enabled with Driver Override Disabled                                                                                                                      | \$0     | 0#     |
| 9399996                         | Kenworth Operator Manual: Spanish.                                                                                                                                    | \$0     | 0#     |
| 9399998                         | Kenworth Operator Manual: French Replacing English.                                                                                                                   | \$0     | 0#     |
| <b>Sleeper Accessories</b>      |                                                                                                                                                                       |         |        |
| <b>Folding Upper Bunk</b>       |                                                                                                                                                                       |         |        |
| 8520001                         | Folding Upper Bunk:52in Regional,76in Mid Roof Sleepers. Includes 28in Mattress, Upper Bunk LED Reading Lamp and Tent Style Restraints.                               | \$1,594 | 74#    |
| 8520984                         | Folding Upper Bunk For High Roof 76in. Sleeper: 30 X 78 Foam Mattress. Includes Upper Bunk LED Reading Lamp and Tent Style Bunk Restraints.                           | \$1,733 | 66#    |
| <b>Lower Bunk &amp; Sofabed</b> |                                                                                                                                                                       |         |        |
| 8520014                         | Liftable Lower Bunk for 52 in. Regional Sleeper. 32 in. x 80 in. pocket coil mattress. Includes additional storage trays and cup holders.                             | \$0     | 0#     |
| 8520017                         | Liftable Lower Bunk for 52 in. Regional Sleeper. 38 in. X 80 in. pocket coil mattress. Includes nighttime-friendly red ambient footwell light.                        | \$304   | 7#     |
| 8520018                         | Liftable Lower Bunk For 76 in. SLPR: 42 in. x 80 in. Pocket Coil Mattress                                                                                             | \$0     | 0#     |
| 8520021                         | 40in Sleeper Liftable Bunk:78in X 24in With 6.5in Foam Mattress (Smallest Legal Bunk Width). Bunk Opens 90 Degrees For Easy Access To Stored Items.                   | \$0     | 0#     |
| <b>Storage</b>                  |                                                                                                                                                                       |         |        |
| 8570003                         | Backwall Storage System For 52in Regional Sleeper with Vantage interior. Includes driver and rider side storage with doors, center shelf and coat hooks.              | \$2,401 | 58#    |
| 8570004                         | Backwall Storage System For 52in Regional Sleeper Standard with Diamond VIT interior. Includes driver and rider side storage with doors, center shelf and coat hooks. | \$0     | 58#    |
| 8570007                         | Delete Backwall Storage System from 52in Regional Sleeper with VIT Interior.                                                                                          | \$0     | -58#   |
| 8570008                         | Backwall Storage System For 76in Mid Roof Sleeper Includes Driver and Rider Side Storage With Doors and a Center Shelf.                                               | \$2,354 | 57#    |
| 8570021                         | Backwall Storage Shelf for 76" High Roof Sleeper Not available w/ upper bunk.                                                                                         | \$1,676 | 26#    |
| 8570026                         | Driver Side Upper Storage Unit: Wardrobe Closet with Door and Shelf for 76in Aerodyne Sleeper.                                                                        | \$1,026 | 56#    |
| 8570027                         | Driver Side Upper Storage Unit: Wardrobe Closet with Door and w/o Shelf for 76in Sleeper.                                                                             | \$968   | 58#    |



## T680: CAB INTERIOR

| Option                                  | Description                                                                                                                                                                                                                                                                                                                            | Price   | Weight |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Sleeper Accessories</b>              |                                                                                                                                                                                                                                                                                                                                        |         |        |
| <b>Storage</b>                          |                                                                                                                                                                                                                                                                                                                                        |         |        |
| 8570028                                 | Driver Side Upper Storage Unit: Open Wardrobe Closet With Shelf for 76in Sleeper.                                                                                                                                                                                                                                                      | \$787   | 51#    |
| 8570029                                 | Driver Side Upper Storage Unit: Open Wardrobe Closet w/o Shelf for 76in Sleeper.                                                                                                                                                                                                                                                       | \$729   | 49#    |
| 8570030                                 | Driver Side Lower Storage Unit: Multi-purpose compartment with door and lower removable drawer.                                                                                                                                                                                                                                        | \$853   | 48#    |
| 8570031                                 | Driver Side Lower Storage Compartment with open space for refrigerator. Opening is 15.5 inches wide, 20.5 inches high, and 19.3 inches deep. Use with F/I or C/I Fridge. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039                                                                                    | \$776   | 40#    |
| 8570032                                 | Driver Side Lower Storage Unit: Open multi- purpose compartment with lower removable drawer.                                                                                                                                                                                                                                           | \$756   | 43#    |
| 8570035                                 | Rider Side Upper Storage Unit Open microwave compartment with tiedown. Standard 12 volt outlet and open storage compartment on top. Dimensions for the microwave compartment are 19.5 inches wide by 12.5 inches high by 15 inches deep. 120V outlet available in the storage unit with the addition of sales code 8700912 or 8700907. | \$1,006 | 31#    |
| 8570038                                 | Rider Side Lower Storage Unit: Rotating table, DVD tray, and two lower drawers. Includes ambient lighting for table and sleeper footwell. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039                                                                                                                   | \$1,253 | 74#    |
| 8570039                                 | Rider Side Lower Stand Unit: for C/I Refrigerator with 12V and 120V outlets. Max allowable refrigerator width 20.25 inch. No limit to depth. Height affects TV size. Includes Tray.                                                                                                                                                    | \$0     | 0#     |
| 8570040                                 | Rider Side Lower Storage Unit: Rotating table, DVD tray, and lower open storage w/ two shelves. Includes ambient lighting for table and sleeper footwell. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039.                                                                                                  | \$998   | 66#    |
| 8570042                                 | Rider Side Lower Storage Unit: Organizing tray and lower open storage compartment w/ two shelves. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039.                                                                                                                                                          | \$524   | 31#    |
| 8570044                                 | Rider Side Lower Storage Unit: Organizing tray and two lower drawers. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039.                                                                                                                                                                                      | \$775   | 37#    |
| <b>Television Installation Packages</b> |                                                                                                                                                                                                                                                                                                                                        |         |        |
| 8505101                                 | TV Installation Package for 76in. SLPR: Wall Mounted, Articulated Arm, Passenger Side Above Table and Between Upper and Lower Storage Modules. 22in. Flat Screen Maximum.                                                                                                                                                              | \$449   | 4#     |
| 8505102                                 | TV Installation Package for 52in Regional Sleeper Backwall mounted with articulated arm. 22in. flat screen maximum for upper storage, 19 in. flat screen maximum for upper bunk.                                                                                                                                                       | \$408   | 4#     |
| 8505106                                 | Pre-Wire: EpicVue LH Side Antenna Epicvue requires 120V power. Recommend adding inverter or APU. See the Cab Interior "Other" section for inverters.                                                                                                                                                                                   | \$492   | 15#    |
| <b>Other</b>                            |                                                                                                                                                                                                                                                                                                                                        |         |        |
| 8505070                                 | Drawer-Style Refrigerator With Integral Freezer compartment and LED lighting. Mounted at mid-height on drivers side of 76in Sleeper. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039. Requires 8570031.                                                                                                     | \$1,314 | 40#    |



## T680: CAB INTERIOR

| Option                     | Description                                                                                                                                                                                             | Price   | Weight |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Sleeper Accessories</b> |                                                                                                                                                                                                         |         |        |
| <b>Other</b>               |                                                                                                                                                                                                         |         |        |
| 8505076                    | Driver Side 12V Refrigerator Outlet used for Customer Installed Refrigerator/Freezer with 12 Volt Outlet at the Driver Side Lower Cabinet. For 76 in. Sleepers. Not to be used with Sales Code 8570039. | \$119   | 0#     |
| 8520098                    | Upper Bunk Ladder                                                                                                                                                                                       | \$1,206 | 0#     |
| 8521000                    | EVA Foam Pad Over Mattress Tray: For Insulation 9/16 in. thick.                                                                                                                                         | \$146   | 2#     |
| 8700906                    | 52in Regional Sleeper Power Option Package 2: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection, Two 120V Sleeper Outlets, Shore Power Connection and Battery Charger.     | \$2,739 | 22#    |
| 8700907                    | 76in. Sleeper Power Option Package 2: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection, 4 120V Sleeper Outlets, Shore Power Connection and Battery Charger.               | \$3,643 | 22#    |
| 8700911                    | 52in Regional Sleeper Power Option Package 1: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection and Two 120V Sleeper Outlets.                                              | \$2,260 | 22#    |
| 8700912                    | 76in. Sleeper Power Option Package 1: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection and 4 120V Sleeper Outlets.                                                        | \$3,067 | 22#    |
| 8700942                    | No Inverter - Customer Acknowledges C/I Fridge will not have power to outlet                                                                                                                            | \$0     | 0#     |
| 8879412                    | Delete Cab Windshield Curtain For 52 inch Sleeper Only. For flat roof sleeper, the only curtain available will be deleted.                                                                              | (\$201) | 0#     |
| <b>Sound Systems</b>       |                                                                                                                                                                                                         |         |        |
| <b>Kenworth Radios</b>     |                                                                                                                                                                                                         |         |        |
| 8601429                    | Kenworth Radio DEA730 AM/FM/WB/USB, Bluetooth & Sirius-XM Satellite                                                                                                                                     | \$195   | 0#     |
| 8601430                    | Kenworth Radio DEA700 AM/FM/WB                                                                                                                                                                          | (\$11)  | 0#     |
| 8601431                    | Kenworth Radio DEA710 AM/FM/WB/USB, Phone Bluetooth Disabled                                                                                                                                            | \$13    | 0#     |
| 8601432                    | Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth                                                                                                                                                           | (\$7)   | 0#     |
| 8601433                    | Kenworth Radio DEA730 AM/FM/WB/USB, Sirius-XM Satellite/Phone Bluetooth Disabled                                                                                                                        | \$195   | 0#     |
| 8601435                    | Kenworth Radio DEA707 AM/FM/WB/USB                                                                                                                                                                      | STD     | 0#     |
| 8601440                    | Kenworth Radio and Navigation: compatible with Apple Carplay                                                                                                                                            | \$1,290 | 0#     |
| 8601450                    | Radio Opt Out                                                                                                                                                                                           | \$0     | 0#     |

### Radios Miscellaneous



## T680: CAB INTERIOR

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Sound Systems

#### Radios Miscellaneous

|         |                                                                                                         |     |    |
|---------|---------------------------------------------------------------------------------------------------------|-----|----|
| 8601495 | Radio Mute When Lane Departure Detected. Required Bendix Fusion or Meritor OnAlert and Compatible Radio | \$0 | 0# |
|---------|---------------------------------------------------------------------------------------------------------|-----|----|

### Sound System Speakers

|         |                                                                                                                                                                                                                                                                                  |         |     |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|
| 8698974 | Base Level Audio System - Daycab:High Performance Door Speakers.                                                                                                                                                                                                                 | STD     | 0#  |
| 8698976 | Base Level Audio System -Sleeper:High Performance Door and Back Wall Speakers.                                                                                                                                                                                                   | \$95    | 4#  |
| 8698982 | Mid Level Audio System - Daycab: High Performance Door and B-Pillar Speakers.                                                                                                                                                                                                    | \$52    | 4#  |
| 8698986 | Mid Level Audio System- Sleeper: High Performance Door, B-Pillar, and Back Wall Speakers With 10 Inch Subwoofer.                                                                                                                                                                 | \$485   | 24# |
| 8698994 | Premium Level Audio System - Small Slpr:Amplified High Performance Door, B-Pillar, and Back Wall Speakers. Includes A-Pillar Tweeters.                                                                                                                                           | \$731   | 7#  |
| 8698996 | Premium Level Audio System-Sleeper:Amplified High Performance Door, B-Pillar, and Back Wall Speakers With A-Pillar Tweeters and 10 Inch Subwoofer. The Amplifier Is Rated To 320 Watts and Contains A Digital Signal Processor (DSP) That Is Specifically Tuned To The Interior. | \$1,021 | 29# |
| 8698997 | Speaker Opt Out                                                                                                                                                                                                                                                                  | \$0     | 0#  |

#### Options for Sleepers

|         |                                                  |       |    |
|---------|--------------------------------------------------|-------|----|
| 8208492 | Rear Slpr Audio Ctrl Module With USB Charge Port | \$262 | 1# |
|---------|--------------------------------------------------|-------|----|

### Sound System Equipment

|         |                                                                                                  |       |    |
|---------|--------------------------------------------------------------------------------------------------|-------|----|
| 8698973 | Audio System Prewire with Speakers Only.                                                         | \$147 | 0# |
| 8699017 | Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.                        | \$82  | 0# |
| 8699109 | Antenna, Wiring, Radio Cut-Out & Bracket: For din-mounted radio.                                 | \$100 | 2# |
| 8699900 | Metal Ground Plate: Two-Way Radio. For customer-installed antenna located in center of cab roof. | \$129 | 2# |

### CB & Equipment

#### CB Radio

|         |                                                                                                                                                                                                     |       |    |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|
| 8601869 | CB Radio: Cobra 29. Includes Weatherband, Mounted under header. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel. | \$659 | 0# |
| 8601875 | CB Radio: Cobra 29 W/Weatherband/DI Ant Transceiver/Sound Tracker/Illum Panel W/Microphone Clip Mtd On Side                                                                                         | \$772 | 0# |



## T680: CAB INTERIOR

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### CB & Equipment

#### CB Radio

|         |                                                                                                                                                                                                                 |       |     |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|
| 8601880 | CB Radio: Cobra 29. Includes Weatherband W/Header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.    | \$648 | 11# |
| 8601881 | CB Radio: Cobra 29. W/ Header Mounted Quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.                        | \$675 | 11# |
| 8601890 | CB Radio: Bearcat 880. Includes Weatherband w/header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel. | \$642 | 0#  |
| 8601891 | CB Radio: PC78LTX. W/ Header Mounted Quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.                         | \$635 | 0#  |
| 8601893 | CB Radio: PC78LTX, mounted under header. Only for 52 in. flat roof sleeper.                                                                                                                                     | \$778 | 5#  |

#### CB Installation Kit

|         |                                                                                                                                                                                                                                           |       |    |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|
| 8699926 | CB Installation Kit: Center Mounted of Header. W/header mounted quick release CB mount. One red power post & one black ground post. Includes dual antenna leads located on the mirror brackets. Includes dual antenna & separate speaker. | \$364 | 2# |
| 8699932 | CB Installation Kit: Center Mounted of Header. W/ header mounted quick release CB mount. One red power post & one black ground post. Includes antenna lead and antenna mounted boc/s. Also includes separate speaker.                     | \$320 | 0# |
| 8699933 | CB Installation Kit: C/I Center Mtd of Header w/ Dual Antenna on LH/RH mirrors. One Jumper Harness.                                                                                                                                       | \$294 | 0# |

#### Location Codes

|         |                                                                |       |    |
|---------|----------------------------------------------------------------|-------|----|
| 8699196 | Locate CB Antenna: BOC/S                                       | \$0   | 0# |
| 8699198 | BOC COMBO ANTENNA LOCATION: LOW HEIGHT APPLICATIONS/CAR HAULER | \$172 | 0# |

### Information & Communication Systems

|         |                                                                |       |    |
|---------|----------------------------------------------------------------|-------|----|
| 8700601 | Global Telematics Unit                                         | STD   | 0# |
| 8700604 | TELEMATICS HW (MASS RIGHT TO REPAIR)                           | \$0   | 0# |
| 8700630 | Provision for Ram Ball Mounted on Dash w/ wiring pass-through. | \$190 | 0# |
| 8700634 | Provision For Ram Side Of Dash Allows To Maintain 12 Gauges    | \$52  | 0# |
| 8700678 | Driver Security Alert / Panic Switch Dash Switch Only          | \$34  | 0# |
| 8700679 | Driver Security Alert / Panic Switch Dash and Sleeper Switch   | \$66  | 0# |



## T680: CAB INTERIOR

| Option                                         | Description                                                                                                                                                                                                                                                 | Price   | Weight |
|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Information &amp; Communication Systems</b> |                                                                                                                                                                                                                                                             |         |        |
| 8700698                                        | Dash Mounted Bracket for Qualcomm MCP200 Display Use with MCP200 pre-wire code                                                                                                                                                                              | \$82    | 1#     |
| 8700856                                        | Provision for Mounting Antenna for Customer- installed Qualcomm tracking system. For use with Terrestrial antenna (WIB). Day Cab Location: Centerline top of roof, BOC. Sleeper Location: Left Hand, Back-of-Sleeper.                                       | \$150   | 0#     |
| 8700862                                        | Provision for Mounting Antenna for Customer- installed Qualcomm tracking system. For use with satellite antenna (SDM). Day Cab Location: Centerline top of roof, BOC. Sleeper Location: Left Hand, Back-of-Sleeper (NOT with dual Back-of-Sleeper exhaust). | \$147   | 2#     |
| 8700895                                        | Exterior Initiation or Inhibition of Regen Thru J1939 BCan Communications.                                                                                                                                                                                  | \$35    | 0#     |
| 8700919                                        | Pre-Wire For Velvac 5th Wheel Camera                                                                                                                                                                                                                        | \$450   | 0#     |
| 8700927                                        | Lytx DriveCam SF300 System Pre-Wire                                                                                                                                                                                                                         | \$412   | 0#     |
| 8700928                                        | Prewire: Blue Tree BT504 System w/ Antenna. Blue Tree is not available with Qualcomm, Peoplenet, or Eden. This prewire does not come with the BT504 module.                                                                                                 | \$730   | 0#     |
| 8700930                                        | OnLane Alert by Wabco                                                                                                                                                                                                                                       | \$1,761 | 0#     |
| 8700941                                        | Omnitracs IVG Wiring Harness                                                                                                                                                                                                                                | \$332   | 0#     |
| 9090153                                        | Bendix Fusion Safety Direct SDP to Qualcomm/ Omnitrac                                                                                                                                                                                                       | \$193   | 0#     |
| 9090154                                        | Bendix Fusion Safety Direct SDP to Trucktech+                                                                                                                                                                                                               | \$103   | 0#     |
| 9090164                                        | Prewire: Bendix Fusion Safety Direct w/ Blue Tree                                                                                                                                                                                                           | \$37    | 0#     |
| 9212642                                        | TruckTech+ RD/OTA - 5YR Sub PACCAR MX Engines                                                                                                                                                                                                               | \$799   | 0#     |
| 9212643                                        | TruckTech+ RD/OTA - 6YR Sub PACCAR MX Engines                                                                                                                                                                                                               | \$949   | 0#     |
| 9212644                                        | TruckTech+ RD/OTA - 7YR Sub PACCAR MX Engines                                                                                                                                                                                                               | \$1,099 | 0#     |
| 9212645                                        | TruckTech+ RD/OTA - 8YR Sub PACCAR MX Engines                                                                                                                                                                                                               | \$1,249 | 0#     |
| 9212646                                        | TruckTech+ RD/OTA - 9YR Sub PACCAR MX Engines                                                                                                                                                                                                               | \$1,399 | 0#     |
| 9212647                                        | TruckTech+ RD/OTA - 10YR Sub PACCAR MX Engines                                                                                                                                                                                                              | \$1,549 | 0#     |
| 9212653                                        | TruckTech+ RD - 5YR Sub Cummins Engines                                                                                                                                                                                                                     | \$799   | 0#     |
| 9212654                                        | TruckTech+ RD - 6YR Sub Cummins Engines                                                                                                                                                                                                                     | \$949   | 0#     |
| 9212655                                        | TruckTech+ RD - 7YR Sub Cummins Engines                                                                                                                                                                                                                     | \$1,099 | 0#     |



## T680: CAB INTERIOR

| Option                                         | Description                                | Price   | Weight |
|------------------------------------------------|--------------------------------------------|---------|--------|
| <b>Information &amp; Communication Systems</b> |                                            |         |        |
| 9212656                                        | TruckTech+ RD - 8YR Sub Cummins Engines    | \$1,249 | 0#     |
| 9212657                                        | TruckTech+ RD - 9YR Sub Cummins Engines    | \$1,399 | 0#     |
| 9212658                                        | TruckTech+ RD - 10YR Sub Cummins Engines   | \$1,549 | 0#     |
| 9212661                                        | TruckTech+ RD - 5YR Sub PACCAR PX Engines  | \$799   | 0#     |
| 9212662                                        | TruckTech+ RD - 6YR Sub PACCAR PX Engines  | \$949   | 0#     |
| 9212663                                        | TruckTech+ RD - 7YR Sub PACCAR PX Engines  | \$1,099 | 0#     |
| 9212664                                        | TruckTech+ RD - 8YR Sub PACCAR PX Engines  | \$1,249 | 0#     |
| 9212665                                        | TruckTech+ RD - 9YR Sub PACCAR PX Engines  | \$1,399 | 0#     |
| 9212666                                        | TruckTech+ RD - 10YR Sub PACCAR PX Engines | \$1,549 | 0#     |



## T680: LIGHTS & SIGNALS

| Option                    | Description                                                                                                        | Price   | Weight |
|---------------------------|--------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Headlamps</b>          |                                                                                                                    |         |        |
| 9010811                   | Headlamps: Halogen Projector Low Beam, Halogen Complex Reflector High Beam w/ Integral DRL.                        | STD     | 0#     |
| 9010812                   | Headlamps: LED Low Beam, LED High Beam w/ Integral Signature DRL.                                                  | \$1,942 | 9#     |
| <b>Marker Lights</b>      |                                                                                                                    |         |        |
| 9022137                   | Marker Lights: Five Rectangular LED.                                                                               | STD     | 0#     |
| 9027110                   | Marker Lights: Five LED Rectangular, Flush Mount.                                                                  | \$0     | 0#     |
| 9090039                   | Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash. | STD     | 0#     |
| 9090115                   | Reflectors: Two Midframe                                                                                           | \$25    | 0#     |
| 9090117                   | Marker Lights: Midframe & reflectors mounted standout. Required on tractors where overall length exceeds 30 feet.  | \$233   | 22#    |
| <b>Turn Signal Lights</b> |                                                                                                                    |         |        |
| 9030002                   | Turn Signal Lights: LED Side Turn Indicator, Hood mounted.                                                         | STD     | 0#     |
| 9039013                   | Add Rectangular LED Turn/Marker Lamps Mounted on Side Extenders with Lamp Facing Outboard.                         | \$277   | 0#     |
| 9039014                   | Add Turn Signal Lamps Mounted BOC/BOS                                                                              | \$314   | 2#     |
| <b>Other</b>              |                                                                                                                    |         |        |
| 9030034                   | Wiring: Customer Installed Turn Signals, Mid Chassis.                                                              | \$1,152 | 0#     |
| <b>Foglights</b>          |                                                                                                                    |         |        |
| 9042542                   | Fog Lights with Clear Lens. Does not include Rock Screens on T680.                                                 | \$414   | 4#     |
| <b>Other</b>              |                                                                                                                    |         |        |
| 9049825                   | Customer-Installed Road/ Fog Lights Switch & wiring.                                                               | \$59    | 0#     |
| <b>Spotlights</b>         |                                                                                                                    |         |        |
| 9060011                   | Halogen Spotlight: LH Mounted.                                                                                     | \$181   | 4#     |
| 9060055                   | Halogen Spotlight: LH & RH Mounted. T680 and T880 models include dash switch for RH spot lamp as standard.         | \$333   | 11#    |
| <b>Taillights</b>         |                                                                                                                    |         |        |



## T680: LIGHTS & SIGNALS

| Option               | Description                                                                                                                                                           | Price | Weight |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Taillights</b>    |                                                                                                                                                                       |       |        |
| 9030052              | LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.                                                                                         | STD   | 0#     |
| 9030054              | Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.  | \$164 | 0#     |
| 9030055              | Taillight,Stoplight:Trucklite Super 40 With 2 Backup lights and an LED License Plate                                                                                  | \$45  | 1#     |
| 9070034              | LED Stop/Turn/Tail - EOF Bracket Between Rails. With one LED Backup Light and LED License Lamp. Black Finish Only.                                                    | \$148 | 0#     |
| 9070138              | Combination Stop, Tail, Turn & Backup Lights RH & LH.                                                                                                                 | \$71  | 0#     |
| 9070144              | Additional 6ft Taillamp Harness: In Frame.                                                                                                                            | \$77  | 0#     |
| <b>Miscellaneous</b> |                                                                                                                                                                       |       |        |
| 8240020              | City Horn to Honk if Door Opens and Park Brake not set.                                                                                                               | \$62  | 0#     |
| 9090007              | Override Switch: For Daytime Running Lamps.                                                                                                                           | \$57  | 0#     |
| 9090011              | Add. 4-Way Receptacle To BOC: Wired To Three Dash Switches. Spare Switch 1 Is Wired To Pin TM, Spare Switch 2 Is Wired To Pin S and Spare Switch 3 Is Wired To Pin A. | \$291 | 2#     |
| 9090012              | Add. 4-Way Receptacle: To End-Of-Frame:Wired To 3 Dash Switches.                                                                                                      | \$289 | 2#     |
| 9090027              | Headlamps to Turn on When Wipers are Active.                                                                                                                          | \$0   | 0#     |
| 9090043              | Add. 4-Way Receptacle to BOC: Wired To 2 Spare Dash Switches.                                                                                                         | \$288 | 2#     |
| 9090046              | Add. 4-Way Receptacle: To End-Of-Frame:Wired to 2 Spare Dash Switches                                                                                                 | \$279 | 2#     |
| 9090049              | Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.                      | \$0   | 0#     |
| 9090052              | Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.                | \$0   | 0#     |
| 9090126              | Electric Backup Alarm: Meets SAE J994 & OSHA requirements.                                                                                                            | \$173 | 4#     |
| 9090142              | Wiring Only: For Customer-Installed Backup alarm.                                                                                                                     | \$61  | 0#     |
| 9090147              | Electric Backup Alarm: 87-112 dBA Self-Adjusting such that volume is maintained at 5dB above ambient up to rated maximum                                              | \$185 | 4#     |
| 9090148              | Prewire: Exterior Notification of Regen Prewire leftside of firewall for Customer Installed beacon lamp to notify operator of Regen. Fused to 10A.                    | \$159 | 0#     |



## T680: LIGHTS & SIGNALS

| Option                    | Description                                                                                                                | Price | Weight |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Miscellaneous</b>      |                                                                                                                            |       |        |
| 9090166                   | Exterior Notification of Regen Required                                                                                    | \$0   | 0#     |
| 9090221                   | Switch & Wiring: For Customer-Installed Sign lamp w/o insulators.                                                          | \$81  | 0#     |
| 9090849                   | Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.                                | \$49  | 0#     |
| <b>Beacon Lights</b>      |                                                                                                                            |       |        |
| <b>Dual</b>               |                                                                                                                            |       |        |
| 9080141                   | Dual Low-Profile LED Amber Strobe Beacon Centered over door.                                                               | \$979 | 7#     |
| 9080142                   | Dual Low-Profile LED Amber Strobe Beacon Mounted at rear corners of sleeper.                                               | \$968 | 7#     |
| 9080143                   | Dual Low-Profile LED Amber Revolving Beacon centered over door.                                                            | \$978 | 7#     |
| 9080144                   | Dual Low-Profile LED Amber Revolving Beacon mounted at rear corners of sleeper.                                            | \$978 | 7#     |
| 9080145                   | Dual Low-Profile LED Amber Strobe Beacons for 76" high roof sleeper mounted over rear corner.                              | \$982 | 7#     |
| 9080146                   | Dual Low-Profile LED Amber Revolving Beacons for 76" high roof sleeper mounted over rear corner.                           | \$982 | 7#     |
| <b>Customer-Installed</b> |                                                                                                                            |       |        |
| 9080054                   | Stainless Steel Bracket, Switch and Wiring for customer-installed beacon light mounted at top center rear of sleeper roof. | \$268 | 3#     |
| 9080147                   | Dual Low-Profile Brackets, Switch & Wiring for 76" high roof sleeper, mounted over sleeper window for C/I beacon lamp.     | \$368 | 4#     |
| 9080148                   | Dual Low-Profile Brackets, Switch & Wiring centered over door of cab for C/I beacon lamp.                                  | \$364 | 4#     |
| 9080149                   | Dual Low-Profile Brackets, Switch & Wiring centered over rear corners for C/I beacon lamp.                                 | \$354 | 4#     |
| 9080206                   | Switch & Wiring: Customer-Installed Beacon Lights with additional 20 ft jumper harness shipped loose.                      | \$247 | 1#     |
| <b>Floodlights</b>        |                                                                                                                            |       |        |
| <b>First Set</b>          |                                                                                                                            |       |        |
| 9052008                   | Floodlights: Dual LED Flush First Set                                                                                      | \$213 | 0#     |
| 9052011                   | Dual Flush Floodlights: First Set                                                                                          | \$140 | 2#     |
| 9056140                   | Dual Pedestal Floodlights: First Set                                                                                       | \$278 | 2#     |
| 9056144                   | Floodlights: Dual LED Pedestal First Set                                                                                   | \$441 | 0#     |



## T680: LIGHTS & SIGNALS

| Option                                 | Description                                                                                                                                                   | Price | Weight |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Floodlights</b>                     |                                                                                                                                                               |       |        |
| <b>First Set</b>                       |                                                                                                                                                               |       |        |
| <b>Switches for Customer-Installed</b> |                                                                                                                                                               |       |        |
| 9058071                                | Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 1st Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose. | \$148 | 1#     |
| 9058085                                | Switch,Wire,Indicator Light: C/I Flood 1st SW Thru Grommet Under Cab                                                                                          | \$136 | 0#     |
| 9058086                                | Switch,Wire,Indicator Light: C/I Flood 2nd SW Thru Grommet Under Cab                                                                                          | \$132 | 0#     |
| 9058087                                | Switch,Wire,Indicator Light: C/I Flood 3rd SW Thru Grommet Under Cab                                                                                          | \$139 | 0#     |
| <b>Location Codes</b>                  |                                                                                                                                                               |       |        |
| 9059901                                | Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.                                   | \$0   | 0#     |
| 9059907                                | Floodlight Location: Located High Side of Sleeper - First Set.                                                                                                | \$0   | 0#     |
| 9059908                                | Floodlight Location:High Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.                           | \$0   | 0#     |
| 9059909                                | Floodlight Location:High Outbd of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.                             | \$0   | 0#     |
| 9059921                                | Floodlight Location: Located Low - First Set . This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.                                   | \$0   | 0#     |
| 9059927                                | Floodlight Location: Low Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.                           | \$0   | 0#     |
| 9059928                                | Floodlight Location:Low Outboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.                           | \$0   | 0#     |
| <b>Miscellaneous</b>                   |                                                                                                                                                               |       |        |
| 9058081                                | Cust. Installed Floodlights1st Set:Add 30ft Wire. Additional 30ft Jumper Harness Shipped Loose.                                                               | \$41  | 1#     |
| <b>Second Set</b>                      |                                                                                                                                                               |       |        |
| 9052012                                | Dual Flush Floodlights: Second Set                                                                                                                            | \$158 | 2#     |
| 9052016                                | Floodlights: Dual LED Flush Second Set                                                                                                                        | \$221 | 0#     |
| 9056141                                | Dual Pedestal Floodlights: Second Set                                                                                                                         | \$212 | 2#     |
| 9056145                                | Floodlights: Dual LED Pedestal 2nd Set                                                                                                                        | \$416 | 0#     |
| <b>Switches for Customer-Installed</b> |                                                                                                                                                               |       |        |



## T680: LIGHTS & SIGNALS

| Option                                 | Description                                                                                                                                                   | Price | Weight |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Floodlights</b>                     |                                                                                                                                                               |       |        |
| <b>Second Set</b>                      |                                                                                                                                                               |       |        |
| <b>Switches for Customer-Installed</b> |                                                                                                                                                               |       |        |
| 9058072                                | Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 2nd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose. | \$120 | 1#     |
| <b>Location Codes</b>                  |                                                                                                                                                               |       |        |
| 9059903                                | Floodlight Location: Located High - Second Set. This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.                                  | \$0   | 0#     |
| 9059919                                | Floodlight Location:High Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.                          | \$0   | 0#     |
| 9059920                                | Floodlight Location:High Outbd of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.                            | \$0   | 0#     |
| 9059923                                | Floodlight Location: Located Low - Second Set . This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.                                  | \$0   | 0#     |
| 9059929                                | Floodlight Location:Low Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.                           | \$0   | 0#     |
| 9059930                                | Floodlight Location:Low Outboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.                          | \$0   | 0#     |
| <b>Third Set</b>                       |                                                                                                                                                               |       |        |
| 9052013                                | Dual Flush Floodlights: Third Set                                                                                                                             | \$147 | 2#     |
| 9052017                                | Floodlights: Dual LED Flush Third Set                                                                                                                         | \$221 | 0#     |
| 9056142                                | Floodlights: Dual Pedestal Third Set                                                                                                                          | \$235 | 0#     |
| 9056146                                | Floodlights: Dual LED Pedestal 3rd Set                                                                                                                        | \$415 | 0#     |
| <b>Switches for Customer-Installed</b> |                                                                                                                                                               |       |        |
| 9058073                                | Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 3rd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose. | \$133 | 1#     |
| <b>Location Codes</b>                  |                                                                                                                                                               |       |        |
| 9059904                                | Floodlight Location: Located High - Third Set. This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.                                   | \$0   | 0#     |
| 9059924                                | Floodlight Location: Located Low - Third Set . This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.                                   | \$0   | 0#     |
| 9059938                                | Floodlight Location:High Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.                           | \$0   | 0#     |



## T680: LIGHTS & SIGNALS

| Option                | Description                                                                                                                         | Price | Weight |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Floodlights</b>    |                                                                                                                                     |       |        |
| <b>Third Set</b>      |                                                                                                                                     |       |        |
| <b>Location Codes</b> |                                                                                                                                     |       |        |
| 9059939               | Floodlight Location: High Outbd of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.  | \$0   | 0#     |
| 9059949               | Floodlight Location:Low Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.  | \$0   | 0#     |
| 9059950               | Floodlight Location:Low Outboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only. | \$0   | 0#     |



## T680: AIR EQUIPMENT

| Option                          | Description                                                                                                                                                                      | Price   | Weight |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Air Drying Equipment</b>     |                                                                                                                                                                                  |         |        |
| <b>Moisture Ejection Valve</b>  |                                                                                                                                                                                  |         |        |
| 9102009                         | Moisture Ejection Valve: Midland Automatic Use with AD-IS or AD-HF.                                                                                                              | \$148   | 2#     |
| 9102040                         | Moisture Ejection Valve: Two Bendix DV-2 Heated drain valves on service tanks. Use w/ AD-IS or AD-HF.                                                                            | \$297   | 0#     |
| 9108001                         | Moisture Ejection Valve W/ Pull Cable Drain.                                                                                                                                     | STD     | 0#     |
| <b>Air Dryer</b>                |                                                                                                                                                                                  |         |        |
| 9100016                         | Air Dryer: Wabco 1200 Plus with Integrated Multi Port PPV                                                                                                                        | \$66    | 0#     |
| 9101028                         | Bendix AD-HFI Smart Air Dryer, Heater, and Coalescing Filter                                                                                                                     | \$87    | 0#     |
| 9101029                         | Bendix AD-HFI EP Smart Air Dryer, Heater, and Coalescing Filter                                                                                                                  | \$93    | 0#     |
| 9101218                         | Air Dryer: Bendix AD-HF Puraguard Heated                                                                                                                                         | STD     | 0#     |
| 9101219                         | Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard                                                                                                                     | \$105   | 0#     |
| 9101245                         | Air Dryer: Bendix Dual AD-IS Everflow Heated. PuraGuard                                                                                                                          | \$1,386 | 46#    |
| <b>Air System Miscellaneous</b> |                                                                                                                                                                                  |         |        |
| 9140015                         | Wirebraid Air Hose, Frame Only; Nylon Air Tubing in cab.                                                                                                                         | \$1,297 | 60#    |
| 9140020                         | Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.                                                                                           | STD     | 0#     |
| 9140060                         | Air Oil & Fuel Hose to -60 degree F.                                                                                                                                             | \$3,829 | 60#    |
| 9140084                         | Byp. Air Sys:For Wet Bulk Trailer Unload(7)Gauges                                                                                                                                | \$1,470 | 12#    |
| 9140085                         | Bendix LQ-5 Ratio Valve: for Kenworth-Installed pusher/tag. LQ-5 valve limits the amount of air applied to the pusher brakes. Helps prevent lockup in lightly loaded conditions. | \$174   | 2#     |
| 9140092                         | Schrader Valve to Charge Air System.                                                                                                                                             | \$137   | 2#     |
| 9140101                         | Gladhand with Schrader Valve for Air Sys Charging Frame Mounted with Piping                                                                                                      | \$166   | 2#     |
| 9140236                         | Locate Air Dryer Outside LH Rail BOC. This code requires the use of a custom frame layout code.                                                                                  | \$0     | 0#     |
| 9140238                         | Locate Air Dryer Outside RH Rail BOC. This code requires the use of a custom frame layout code.                                                                                  | \$0     | 0#     |
| 9140248                         | Locate Air Dryer Under LH Rail BOC This code requires the use of a custom frame layout code.                                                                                     | \$0     | 0#     |
| 9140249                         | Locate Air Dryer Under RH Rail BOC. This code requires the use of a custom frame layout code.                                                                                    | \$0     | 0#     |



## T680: AIR EQUIPMENT

| Option                          | Description                                                                                                       | Price   | Weight |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Air System Miscellaneous</b> |                                                                                                                   |         |        |
| 9140252                         | Locate Air Dryer Inside LH Rail BOC. This code requires the use of a custom frame layout code.                    | \$0     | 0#     |
| 9140254                         | Locate Air Dryer Inside RH Rail BOC. This code requires the use of a custom frame layout code.                    | \$0     | 0#     |
| 9140267                         | Locate Air Dryer Inside RH Rail BOC                                                                               | \$899   | 0#     |
| 9140268                         | Locate Air Dryer Inside LH Rail BOC                                                                               | \$899   | 0#     |
| 9140269                         | Locate Air Dryer Outside LH Rail BOC                                                                              | \$899   | 0#     |
| 9140270                         | Locate Air Dryer Outside RH Rail BOC                                                                              | \$899   | 0#     |
| 9140271                         | Locate Air Dryer Under LH Rail BOC                                                                                | \$899   | 0#     |
| 9140272                         | Locate Air Dryer Under RH Rail BOC                                                                                | \$899   | 0#     |
| 9140383                         | Locate Air Dryer Under LH Rail BOS This code requires the use of a custom frame layout code.                      | \$899   | 0#     |
| <b>Air Tank Locations</b>       |                                                                                                                   |         |        |
| 9140251                         | Air Tanks: Clear of Left Side of Transmission area. Clear area - forward of transmission yoke C/L                 | \$2,246 | 4#     |
| 9140253                         | Air Tanks: Clear of Right Side of Transmission area. Clear area - forward of transmission yoke C/L                | \$2,246 | 4#     |
| 9140273                         | Air Tanks: Clear of Transmission Area Clear area - forward of transmission yoke C/L                               | \$2,246 | 4#     |
| 9140286                         | Air Tanks: Clear of Left Side of Transmission area. This code requires the use of a custom frame layout code.     | \$0     | 0#     |
| 9140287                         | Air Tanks: Clear of Right Side of Transmission area. This code requires the use of a custom frame layout code.    | \$0     | 0#     |
| 9140288                         | Air Tanks: Clear of Transmission Area. This code requires the use of a custom frame layout code.                  | \$0     | 0#     |
| 9140289                         | Air Tanks: Mounted Inside Frame Flanges where possible. This code requires the use of a custom frame layout code. | \$0     | 0#     |
| 9140290                         | Air Tanks: Mounted Inside Frame Flanges where possible.                                                           | \$2,246 | 0#     |
| <b>Air Tank Options</b>         |                                                                                                                   |         |        |
| 9140377                         | Temporary Air Tank Mounts                                                                                         | \$104   | 0#     |
| 9150100                         | Air Tank: One Extra 8 in. X 41 in. or equivalent volume to rear service.                                          | \$334   | 70#    |
| 9150170                         | Air Tanks: Aluminum Replacing Steel All Tanks. *Not air tanks on lift axles.                                      | \$447   | -44#   |



## T680: AIR EQUIPMENT

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Air System Miscellaneous

#### Air Tank Options

|         |                                                                                                           |       |    |
|---------|-----------------------------------------------------------------------------------------------------------|-------|----|
| 9150210 | Straps/U-Bolts for Mounting Air Tank Module Under Box. For steel air tanks only. Straps on all air tanks. | \$105 | 2# |
|---------|-----------------------------------------------------------------------------------------------------------|-------|----|

### Air & Electrical Supply Kits

#### Tractor

|         |                             |         |      |
|---------|-----------------------------|---------|------|
| 9110000 | Delete Standard Tractor Kit | (\$920) | -24# |
|---------|-----------------------------|---------|------|

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |     |    |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 9110068 | Air & Electrical Supply Kits: Tractor LH Frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series. | STD | 0# |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|

|         |                                                                                                                                                                                                                                                                                                                                                                                                                       |        |     |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----|
| 9110071 | Tractor Kit: Center Frame-Mounted W/ Hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. | (\$42) | -1# |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----|

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |      |     |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 9110072 | Tractor Kit: LH Outboard Frame-Mounted W/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option. | \$26 | 11# |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |     |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----|
| 9110083 | Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of cab/sleeper. Air and light line connections located on inboard style LH frame mounted bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. | (\$43) | -5# |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----|

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |       |     |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|
| 9110088 | Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of sleeper. Air and light line connections located directly behind sleeper on LH framerail. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. | \$204 | -5# |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |       |    |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|
| 9110095 | Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on LH frame mtd OUTBOARD. Air and light line connections located directly behind cab/sleeper on LH framerail. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. | \$130 | 0# |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----|

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |     |    |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 9110100 | Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of cab/sleeper. Air and light line connections located on outboard style LH frame mounted bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. | \$1 | 0# |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|



## T680: AIR EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Price   | Weight |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Air &amp; Electrical Supply Kits</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |         |        |
| <b>Tractor</b>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |         |        |
| 9110101                                 | Air & Electrical Supply Kits: Tractor BOC-Mounted kit w/ sidebar, spring hanger and composite gladhand/light plug holder mounted on back of daycab. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.                                                        | (\$40)  | -6#    |
| 9110102                                 | Air & Electrical Supply Kits: Tractor BOS-Mounted kit w/ sidebar, spring hanger and composite gladhand/light plug holder mounted on back of sleeper. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.                                                       | \$176   | 25#    |
| 9140170                                 | "U" Bracket Replacing Tractor Kit Slide Bar Must code for a Tractor Kit                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$162   | 0#     |
| 9140367                                 | Air & Electrical Supply Kits: Tractor BOC Mounted kit with spring hanger and composite gladhand/light plug holder mounted on back of daycab (LH side). Hose tender bracket provided in place of slide bar. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. | \$6     | 0#     |
| <b>Full Truck</b>                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |         |        |
| 9110020                                 | Full Truck Kit Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.                                                                                                                                                                   | \$1,003 | 15#    |
| 9110030                                 | Full Truck/Tractor Kit Combined: LH Frame Mounted (Above LH Frame). 7-way female receptacle and air connection gladhands are mounted BOC on LH frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.                                                                                   | \$890   | 15#    |
| 9110034                                 | Full Truck/Tractor Kit Combined: Center Frame mounted. 7-way female receptacle and air connection gladhands are mounted BOC on center frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.                                                                                            | \$1,061 | 15#    |
| <b>Air &amp; Light Line Options</b>     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |         |        |
| 9121008                                 | Phillips 12 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$27    | 2#     |
| 9121043                                 | Phillips 15 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$73    | 4#     |
| 9121047                                 | Phillips 12 ft Straight Light Line W/ Metal Plugs & 12 in. lead. Must code for tractor kit.                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$17    | 0#     |
| 9121051                                 | Philatron 15 ft Coiled Air Line. Must Code for tractor kit. use code 9121115                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$221   | 4#     |
| 9121112                                 | Coiled Air & Light Lines Replacing Straight Lines . Included in tractor kit. 12ft working length.                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$47    | 0#     |



## T680: AIR EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                                                   | Price  | Weight |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|
| <b>Air &amp; Electrical Supply Kits</b> |                                                                                                                                                                                                                                                               |        |        |
| <b>Air &amp; Light Line Options</b>     |                                                                                                                                                                                                                                                               |        |        |
| 9121115                                 | Coiled Air & Light Lines Replacing Straight Lines Included in tractor kit. 15ft working length.                                                                                                                                                               | \$61   | 2#     |
| 9121118                                 | Phillips 11-5400 Air Lines. Requires Option: 9121115 Air/Light Lines: 15 feet Coiled. *The 11-5400 is a 15 ft. Polar Air pair with 40 in. leads.                                                                                                              | \$66   | 0#     |
| 9140005                                 | Straight Air & Light Lines: for Semitrailer application. Air lines detachable one end only; light line detachable both ends. Use w/ code 9110030. Note must code separately for straight air & light line lengths. Requires 12ft straight air & light.        | \$287  | 8#     |
| 9140531                                 | 12' PACCAR Premium Spiral Wrap & Swival Clamp on 12' Straight Air and Light lines. Requires 12' air/light line code                                                                                                                                           | \$292  | 0#     |
| 9140532                                 | 15' PACCAR Premium Spiral Wrap & Swivel Clamp On 15' Straight Air and Light lines. Requires 15' air/light line code.                                                                                                                                          | \$406  | 0#     |
| 9140533                                 | 12' PACCAR Premium Spiral Wrap & Two SS Clamps With Metal 7-Way Plug. Requires 12' air/light lines code.                                                                                                                                                      | \$307  | 0#     |
| 9140534                                 | 15' PACCAR Premium Spiral Wrap & Two SS Clamps With Metal 7-Way Plug. Requires 15' air/light lines code.                                                                                                                                                      | \$474  | 0#     |
| 9140535                                 | 12' PACCAR Premium Spiral Wrap & SS Clamp With 12' Phillips QCP Light Line. Requires 12' air/light line code.                                                                                                                                                 | \$369  | 0#     |
| 9140536                                 | 15' PACCAR Premium Spiral Wrap & SS Clamp With 15' Phillips QCP Light Line. Requires 15' air/light line code.                                                                                                                                                 | \$443  | 0#     |
| <b>Kit Accessories</b>                  |                                                                                                                                                                                                                                                               |        |        |
| 9121057                                 | Additional 7-Way Electrical Receptacle W/ tractor kit wired to 3 dash switches & back-up lamp switch. *Spare Switch 1 is wired to Pin YEL, Spare Switch 2 is wired to Pin GRN, Spare Switch 3 is wired to Pin BRN and Backup Lamp Switch is wired to pin BLK. | \$328  | 0#     |
| 9140105                                 | Gladhands: Mounted on BOC Outboard, Left-Hand side. Req 9110101                                                                                                                                                                                               | \$0    | 0#     |
| 9140123                                 | Tectran 15' Straight Air/Electrical Lines with Dual springs and one clamp.                                                                                                                                                                                    | \$428  | 0#     |
| 9140177                                 | Short Hosetenna For use with tractor kit codes (9110068, 91100719110072 or 9110090).                                                                                                                                                                          | \$11   | 0#     |
| 9140188                                 | Slide Bar: for Air & Light Lines, Cab/Sleeper mounted.                                                                                                                                                                                                        | \$51   | 2#     |
| 9140191                                 | Hosetenna: for Air & Light Lines, for Use W/ Full truck & tractor kit combined.                                                                                                                                                                               | \$77   | 11#    |
| 9140193                                 | Delete Hosetenna. Must Code for a Tractor Kit.                                                                                                                                                                                                                | (\$42) | -8#    |
| 9140196                                 | Dual Ring Double Spring Hanger Replacing Single Ring Single Spring Hanger. Requires Trac Kit with Slide Bar.                                                                                                                                                  | \$40   | 2#     |



## T680: AIR EQUIPMENT

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Air & Electrical Supply Kits

#### Kit Accessories

|         |                                                                                             |        |    |
|---------|---------------------------------------------------------------------------------------------|--------|----|
| 9140200 | Delete Trailer Hand Valve--Req Full Truck or Trac Kit                                       | (\$53) | 0# |
| 9140201 | Chrome Hosetenna: Requires Code for Tractor Kit w/ hosetenna.                               | \$18   | 0# |
| 9140258 | Trailer Hand Control Valve: Self-Return (Spring Loaded) replacing standard.                 | \$30   | 0# |
| 9140279 | Tectran 12' Straight Air/Electrical Lines With 1 Clamp and Ring and Dual Springs (LK-APK12) | \$418  | 4# |
| 9140354 | Phillips 15' Coiled QCP 30-9624 Code required: 9121115 Air/Light Lines: 15 FT Coiled.       | \$151  | 0# |
| 9140359 | Phillips 12' Straight Air/Light Lines Spiral Wrap 30-21512KW Req. Trct Kit                  | \$250  | 0# |
| 9140361 | Phillips 15' Straight Air/Light Lines Spiral Wrap 30-21712KW Req. Trct Kit                  | \$284  | 3# |

#### Optional Hosetenna Bracket Location

|         |                                                                                                                                                           |      |    |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 9140698 | Optional Hosetenna Bracket Location 11ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested | \$30 | 0# |
| 9140700 | Standard hosetenna Bracket Location. Hosetenna bracket will be located plus or minus six inches from standard location of eight inches.                   | \$0  | 0# |
| 9140701 | Optional Hosetenna Bracket Location 1ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested  | \$15 | 0# |
| 9140702 | Optional Hosetenna Bracket Location 2ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested  | \$15 | 0# |
| 9140703 | Optional Hosetenna Bracket Location 3ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested  | \$15 | 0# |
| 9140704 | Optional Hosetenna Bracket Location 4ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested  | \$15 | 0# |
| 9140705 | Optional Hosetenna Bracket Location 5ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested  | \$15 | 0# |
| 9140706 | Optional Hosetenna Bracket Location 6ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested  | \$15 | 0# |
| 9140707 | Optional Hosetenna Bracket Location 7ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested  | \$15 | 0# |
| 9140708 | Optional Hosetenna Bracket Location 8ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested  | \$15 | 0# |
| 9140709 | Optional Hosetenna Bracket Location 9ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested  | \$30 | 0# |



## T680: AIR EQUIPMENT

| Option | Description | Price | Weight |
|--------|-------------|-------|--------|
|--------|-------------|-------|--------|

### Air & Electrical Supply Kits

#### Optional Hosetenna Bracket Location

|         |                                                                                                                                                                                   |      |    |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 9140710 | Optional Hosetenna Bracket Location 10ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested                         | \$30 | 0# |
| 9140712 | Optional Hosetenna Bracket Location 12ft BOC/Sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested                         | \$30 | 0# |
| 9140713 | Optional Hosetenna Bracket Location 13ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested                         | \$30 | 0# |
| 9140714 | Optional Hosetenna Bracket Location 14ft BOC/Sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested                         | \$45 | 0# |
| 9140715 | Optional Hosetenna Bracket Location 15ft BOC/Sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested                         | \$45 | 0# |
| 9140716 | Optional Hosetenna Bracket Location 16ft BOC/Sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested                         | \$45 | 0# |
| 9140717 | Optional Hosetenna Bracket Location 17ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested                         | \$45 | 0# |
| 9140718 | Optional Hosetenna Bracket Location 18ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested                         | \$45 | 0# |
| 9140728 | Optional Hosetenna Bracket Location over 18ft BOC/sleeper. Narrate location. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested. | \$45 | 0# |

#### Trailer ABS Provisions

|         |                                                                                                                                                           |         |     |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----|
| 9140321 | Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ o light line, for full truck & tractor.                                      | \$227   | 6#  |
| 9140322 | Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ 15ft coiled light line, for full truck & tractor w/ dual light plug holders. | \$439   | 8#  |
| 9140326 | Additional 7-Way Electrical Receptacle Mounted end-of-frame.                                                                                              | \$1,229 | 2#  |
| 9140328 | Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).                                                                              | \$0     | 0#  |
| 9140329 | Trailer ABS Malfunction Lamp for Use W/ Second ISO 3731 connector For non-PLC trailers.                                                                   | \$42    | 0#  |
| 9140331 | Dealer/Customer Declines Trailer ABS Power Option                                                                                                         | \$0     | 0#  |
| 9140333 | Two Spare Circuits Through Trailer ABS ISO 3731 connector Requires sales code 9140321 or 9140322.                                                         | \$55    | 0#  |
| 9140336 | Additional 7-Way ISO 3731 Connector for Trailer ABS power. Additional, w/ 15ft coiled light line, for combined full truck & tractor.                      | \$472   | 13# |



## T680: AIR EQUIPMENT

| Option                                  | Description                                                                                                                                                                                                                 | Price  | Weight |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|
| <b>Air &amp; Electrical Supply Kits</b> |                                                                                                                                                                                                                             |        |        |
| <b>Trailer ABS Provisions</b>           |                                                                                                                                                                                                                             |        |        |
| 9140337                                 | Additional 7-Way ISO 3731 Connector for Trailer ABS power. Additional, w/ o light line, for combined full truck & tractor.                                                                                                  | \$475  | 11#    |
| 9140339                                 | 7-Way Electrical Receptacle Wired to battery circuit, center pin requires additional ISO 3731 connector.                                                                                                                    | (\$38) | 0#     |
| 9140341                                 | Two Spare Circuits Through Trailer ABS ISO 3731 connector, one spare circuit wired to one dash switch . Requires sales code 9140321, 9140322 or 9140336. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5 | \$97   | 0#     |
| 9140342                                 | Two Spare Circuits Through Trailer ABS ISO 3731 connector, spare circuits wired to two dash switch es. Requires sales code 9140321 or 9140322. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5           | \$103  | 0#     |
| 9140343                                 | Two Spare Circuits Through Trailer ABS ISO 3731 connector wired to standard spare switch es. Requires sales code 9140321 or 9140322. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5                     | \$106  | 0#     |
| <b>Miscellaneous</b>                    |                                                                                                                                                                                                                             |        |        |
| 9121071                                 | Dual Pole Trailer Charge Kit with 100 amp Fuse                                                                                                                                                                              | \$329  | 0#     |
| 9127026                                 | Trailer Battery Charging Circuit W/ 125 amp Fuse w/ detach trailer charge line.                                                                                                                                             | \$229  | 8#     |



## T680: SPECIAL EQUIPMENT

| Option                  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Price | Weight |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------|
| <b>Safety Equipment</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |        |
| 9490206                 | Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$56  | 4#     |
| 9490213                 | Warning Triangle Reflector Kit: Floor Mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$56  | 12#    |
| 9490404                 | One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of driver seat. Class ABC.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$159 | 11#    |
| 9490406                 | One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of rider seat. Class ABC.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$154 | 11#    |
| 9490408                 | One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of rider seat. Class ABC.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$154 | 11#    |
| 9490413                 | One 5 lb. Dry Chemical Type Fire Extinguisher mounted LH of sleeper toolbox. Class ABC. Not for use with 40 in. sleeper.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$158 | 11#    |
| 9490417                 | One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of driver seat. Class ABC.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$155 | 11#    |
| 9490423                 | One 5 lb. Dry Chemical Type Fire Extinguisher with double strap. Class ABC. Mounted in sleeper LH of sleeper toolbox. For 40" sleeper only.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | \$170 | 9#     |
| <b>Build Notes</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |        |
| 1000005                 | U.S. EPA Designated SmartWay Tractor. The SmartWay Transport Partnership is a collaborative voluntary program between the EPA and the freight industry. SmartWay eligible tractors offer a full aerodynamic package including integrated roof fairings, fuel tank side fairings, tractor-mounted gap reducers, aerodynamic bumpers, aerodynamic mirrors, and low rolling resistance tires. Tractors meeting the basic specs can be designated and labeled with the U.S. EPA Designated SmartWay logo. The logo is located on the driver and passenger door pad map pocket. SmartWay designation requires specific tire treads. | \$0   | 0#     |
| 6397010                 | VIN Number Stamped in Frame Rail                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | \$899 | 0#     |
| 6679892                 | Dealer Declines Trailer Gap Optimization                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | \$0   | 0#     |
| 6679893                 | Customer to Install Structural Crossmembers if removing the factory installed jackshaft crossmembers. Maximum spacing between structural centerframe crossmembers to be 51 in. (measured from the web of channel type crossmembers, or from the centerline of cast crossmembers). The customer is responsible for meeting minimum crossmember spacing requirements if the factory supplied jackshaft C/M's are removed.                                                                                                                                                                                                        | \$0   | 0#     |
| 6679940                 | U.S. Law Requires ABS on Mexican Registered vehicles operating in the U.S.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$0   | 0#     |
| 6679975                 | Frame Access Package Recommended. Dealer Contact Declines.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$0   | 0#     |
| 6679990                 | *** This Vehicle Does Not Have Adequate Swing/Dip clearance when coupled to the trailer referenced on this order. See narrative line for maximum forward fifth wheel setting for this vehicle/trailer combination.***                                                                                                                                                                                                                                                                                                                                                                                                          | \$0   | 0#     |
| 9210385                 | PACCAR Customized Fleet Service - Basic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$250 | 0#     |



## T680: SPECIAL EQUIPMENT

| Option             | Description                                                                                                                | Price   | Weight |
|--------------------|----------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Build Notes</b> |                                                                                                                            |         |        |
| 9210386            | PACCAR Customized Fleet Service - Enhanced                                                                                 | \$500   | 0#     |
| 9210387            | PACCAR Customized Fleet Service - Premier                                                                                  | \$4,800 | 0#     |
| 9409850            | GHG Secondary Manufacturer: American Reliance Industries                                                                   | \$0     | 0#     |
| 9409852            | GHG Secondary Manufacturer: Does Not Apply                                                                                 | \$0     | 0#     |
| 9409862            | GHG Secondary Manufacturer: Agility - Fontana, CA                                                                          | \$0     | 0#     |
| 9409863            | GHG Secondary Manufacturer: Agility - Salisbury, NC                                                                        | \$0     | 0#     |
| 9409864            | GHG Secondary Manufacturer: Natural Gas Fuel System Assembler Required.                                                    | \$0     | 0#     |
| 9409866            | GHG Secondary Manufacturer: Labrie - Levis, QC                                                                             | \$0     | 0#     |
| 9409867            | GHG Secondary Manufacturer: Labrie - San Luis, AZ                                                                          | \$0     | 0#     |
| 9409874            | GHG Secondary Manufacturer: McNeilus Natural Gas Fuel System                                                               | \$0     | 0#     |
| 9409875            | GHG Secondary Manufacturer: Heil Natural Gas Fuel System                                                                   | \$0     | 0#     |
| 9409910            | Customer Installed Thermo King with ATD Diesel Auxiliary Power Unit (50 States).                                           | \$0     | 0#     |
| 9409911            | Customer Installed Thermo King Electric Auxiliary Power Unit.                                                              | \$0     | 0#     |
| 9409913            | Customer Installed Carrier AMG Electric Auxiliary Power Unit.                                                              | \$0     | 0#     |
| 9409914            | Customer Installed Carrier LI-ION Electric Auxiliary Power Unit.                                                           | \$0     | 0#     |
| 9409915            | Note: Required Road Ready Center Preferred Assembler Option Code.                                                          | \$0     | 0#     |
| 9409916            | Note: Required Fontaine Modification Preferred Assembler Option Code.                                                      | \$0     | 0#     |
| 9490003            | Additional Lead Time Required for Off Highway & /or specialty component truck.                                             | \$0     | 0#     |
| 9490012            | U.S. Certification Decals for Canadian Trucks.                                                                             | \$0     | 0#     |
| 9490645            | Zinc Phosphate Frame Rail Paint Processing. Requires frame rail code. Code is for 1 pair of rails.                         | \$405   | 0#     |
| 9490647            | Zinc Phosphate Frame Insert Paint Processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts. | \$405   | 0#     |
| 9491652            | EMUX Architecture                                                                                                          | STD     | 0#     |



## T680: SPECIAL EQUIPMENT

| Option                           | Description                              | Price   | Weight |
|----------------------------------|------------------------------------------|---------|--------|
| <b>Build Notes</b>               |                                          |         |        |
| 9491659                          | VMUX Architecture                        | \$0     | 0#     |
| 9999945                          | Charge Chassis in United States Dollars. | \$0     | 0#     |
| 9999949                          | Do Not Drive.                            | \$3,500 | 0#     |
| 9999995                          | Cancel/ Reorder Chassis.                 | \$0     | 0#     |
| <b>International Support Fee</b> |                                          |         |        |
| 9212002                          | International Support Fee, \$3531.       | \$3,531 | 0#     |
| 9212003                          | International Support Fee, \$4355.       | \$4,355 | 0#     |
| 9212006                          | International Support Fee, \$6785.       | \$6,785 | 0#     |



## T680: EXTENDED WARRANTY

| Option                        | Description                                                                                      | Price   | Weight |
|-------------------------------|--------------------------------------------------------------------------------------------------|---------|--------|
| <b>Warranty</b>               |                                                                                                  |         |        |
| 9200002                       | Base Warranty - Severe Service Heavy Duty 12 months / 50,000 miles / 80,000 km.                  | \$0     | 0#     |
| 9200006                       | Base Warranty - PACCAR MX-11 & MX-13 Engine 24 months / 250,000 miles / 400,000 km / 6250 hours. | \$0     | 0#     |
| 9200008                       | Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.          | \$0     | 0#     |
| 9200012                       | Base Warranty: Batt Elec Powertrain Class 8 12 Months / 100K MI (160K KM)                        | \$0     | 0#     |
| 9200021                       | Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.              | STD     | 0#     |
| 9220001                       | Base Warranty: Emissions 5YR/100K MI                                                             | \$0     | 0#     |
| 9220009                       | Base Warranty: Emissions (CARB Operation) 5YR/100K MI - X15N Engine                              | \$0     | 0#     |
| 9220012                       | Base Warranty: Emissions (CARB Operation) MX 5YR/350K MI - MX Engine < 460HP                     | \$2,088 | 0#     |
| 9220013                       | Base Warranty: Emissions (CARB Operation) MX 5YR/350K MI - MX Engine > 460HP                     | \$3,146 | 0#     |
| 9220014                       | Base Warranty: Emissions (CARB Operation) X15 5YR/350K MI - X15 EFF/PRO Engine                   | \$2,720 | 0#     |
| 9220015                       | Base Warranty: Emissions (CARB Operation) X15 5YR/350K MI - X15 PER/PRO Engine                   | \$3,895 | 0#     |
| 9220016                       | Base Warranty: Emissions (CARB Operation) PX-9 5YR/150K MI                                       | \$2,186 | 0#     |
| <b>U.S. Extended Warranty</b> |                                                                                                  |         |        |
| 9201813                       | EW: US Basic Vehicle 2 year/100,000 miles, United States Only.                                   | \$560   | 0#     |
| 9201814                       | EW: US Basic Vehicle 2 year/200,000 miles, United States only.                                   | \$1,515 | 0#     |
| 9201815                       | EW: US Basic Vehicle 2 year/300,000 miles, United States only.                                   | \$3,695 | 0#     |
| 9201816                       | EW: US Basic Vehicle 2 year/400,000 miles, United States only.                                   | \$4,890 | 0#     |
| 9201817                       | EW: US Basic Vehicle 2 year/500,000 miles, United States only.                                   | \$6,510 | 0#     |
| 9201818                       | EW: US Basic Vehicle 3 year/100,000 miles, United States only.                                   | \$1,050 | 0#     |
| 9201819                       | EW: US Basic Vehicle 3 year/200,000 miles, United States only.                                   | \$2,010 | 0#     |
| 9201820                       | EW: US Basic Vehicle 3 year/300,000 miles, United States only.                                   | \$4,375 | 0#     |
| 9201821                       | EW: US Basic Vehicle 3 year/400,000 miles, United States only.                                   | \$5,495 | 0#     |



## T680: EXTENDED WARRANTY

| Option                        | Description                                                     | Price    | Weight |
|-------------------------------|-----------------------------------------------------------------|----------|--------|
| <b>U.S. Extended Warranty</b> |                                                                 |          |        |
| 9201822                       | EW: US Basic Vehicle 3 year/500,000 miles, United States only.  | \$7,140  | 0#     |
| 9201823                       | EW: US Basic Vehicle 4 year/100,000 miles, United States only.  | \$1,655  | 0#     |
| 9201824                       | EW: US Basic Vehicle 4 year/200,000 miles, United States only.  | \$2,705  | 0#     |
| 9201825                       | EW: US Basic Vehicle 4 year/300,000 miles, United States only.  | \$5,080  | 0#     |
| 9201826                       | EW: US Basic Vehicle 4 year/400,000 miles, United States only.  | \$6,050  | 0#     |
| 9201827                       | EW: US Basic Vehicle 4 year/500,000 miles, United States only.  | \$7,735  | 0#     |
| 9201828                       | EW: US Basic Vehicle 5 year/100,000 miles, United States only.  | \$2,820  | 0#     |
| 9201829                       | EW: US Basic Vehicle 5 year/200,000 miles, United States only.  | \$3,885  | 0#     |
| 9201830                       | EW: US Basic Vehicle 5 year/300,000 miles, United States only.  | \$6,260  | 0#     |
| 9201831                       | EW: US Basic Vehicle 5 year/400,000 miles, United States only.  | \$7,370  | 0#     |
| 9201832                       | EW: US Basic Vehicle 5 year/500,000 miles, United States only.  | \$8,710  | 0#     |
| 9201833                       | EW: US Basic Vehicle 6 year/100,000 miles, United States only.  | \$3,015  | 0#     |
| 9201834                       | EW: US Basic Vehicle 6 year/200,000 miles, United States only.  | \$4,090  | 0#     |
| 9201835                       | EW: US Basic Vehicle 6 year/300,000 miles, United States only.  | \$6,900  | 0#     |
| 9201836                       | EW: US Basic Vehicle 6 year/400,000 miles, United States only.  | \$8,490  | 0#     |
| 9201837                       | EW: US Basic Vehicle 6 year/600,000 miles - United States only. | \$10,290 | 0#     |
| 9201838                       | EW: US Basic Vehicle 7 year/200,000 miles, United States only.  | \$4,215  | 0#     |
| 9201865                       | EW: US Radiator/CAAC 2 year/100,000 miles, United States only.  | \$85     | 0#     |
| 9201866                       | EW: US Radiator/CAAC 2 year/200,000 miles, United States only.  | \$285    | 0#     |
| 9201867                       | EW: US Radiator/CAAC 2 year/300,000 miles, United States only.  | \$360    | 0#     |
| 9201868                       | EW: US Radiator/CAAC 2 year/400,000 miles, United States only.  | \$445    | 0#     |
| 9201869                       | EW: US Radiator/CAAC 2 year/500,000 miles, United States only.  | \$520    | 0#     |
| 9201870                       | EW: US Radiator/CAAC 3 year/100,000 miles, United States only.  | \$130    | 0#     |



## T680: EXTENDED WARRANTY

| Option                        | Description                                                               | Price   | Weight |
|-------------------------------|---------------------------------------------------------------------------|---------|--------|
| <b>U.S. Extended Warranty</b> |                                                                           |         |        |
| 9201871                       | EW: US Radiator/CAAC 3 year/200,000 miles, United States only.            | \$325   | 0#     |
| 9201872                       | EW: US Radiator/CAAC 3 year/300,000 miles, United States only.            | \$405   | 0#     |
| 9201873                       | EW: US Radiator/CAAC 3 year/400,000 miles, United States only.            | \$485   | 0#     |
| 9201874                       | EW: US Radiator/CAAC 3 year/500,000 miles, United States only.            | \$565   | 0#     |
| 9201875                       | EW: US Radiator/CAAC 4 year/100,000 miles, United States only.            | \$165   | 0#     |
| 9201876                       | EW: US Radiator/CAAC 4 year/200,000 miles, United States only.            | \$365   | 0#     |
| 9201877                       | EW: US Radiator/CAAC 4 year/300,000 miles, United States only.            | \$450   | 0#     |
| 9201878                       | EW: US Radiator/CAAC 4 year/400,000 miles, United States only.            | \$530   | 0#     |
| 9201879                       | EW: US Radiator/CAAC 4 year/500,000 miles, United States only.            | \$610   | 0#     |
| 9201880                       | EW: US Radiator/CAAC 5 year/100,000 miles, United States only.            | \$200   | 0#     |
| 9201881                       | EW: US Radiator/CAAC 5 year/200,000 miles, United States only.            | \$400   | 0#     |
| 9201882                       | EW: US Radiator/CAAC 5 year/300,000 miles, United States only.            | \$480   | 0#     |
| 9201883                       | EW: US Radiator/CAAC 5 year/400,000 miles, United States only.            | \$560   | 0#     |
| 9201884                       | EW: US Radiator/CAAC 5 year/500,000 miles, United States only.            | \$625   | 0#     |
| 9201885                       | EW: US Radiator/CAAC 6 year/100,000 miles, United States only.            | \$245   | 0#     |
| 9201886                       | EW: US Radiator/CAAC 6 year/200,000 miles, United States only.            | \$445   | 0#     |
| 9201887                       | EW: US Radiator/CAAC 7 year/200,000 miles, United States only.            | \$490   | 0#     |
| 9201911                       | EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only. | \$160   | 0#     |
| 9201912                       | EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only. | \$405   | 0#     |
| 9201913                       | EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only. | \$720   | 0#     |
| 9201914                       | EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only. | \$995   | 0#     |
| 9201915                       | EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only. | \$1,115 | 0#     |
| 9201916                       | EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only. | \$245   | 0#     |



## T680: EXTENDED WARRANTY

| Option                        | Description                                                               | Price   | Weight |
|-------------------------------|---------------------------------------------------------------------------|---------|--------|
| <b>U.S. Extended Warranty</b> |                                                                           |         |        |
| 9201917                       | EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only. | \$525   | 0#     |
| 9201918                       | EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only. | \$805   | 0#     |
| 9201919                       | EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only. | \$1,090 | 0#     |
| 9201920                       | EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only. | \$1,250 | 0#     |
| 9201921                       | EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only. | \$365   | 0#     |
| 9201922                       | EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only. | \$645   | 0#     |
| 9201923                       | EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only. | \$970   | 0#     |
| 9201924                       | EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only. | \$1,215 | 0#     |
| 9201925                       | EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only. | \$1,335 | 0#     |
| 9201926                       | EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only. | \$520   | 0#     |
| 9201927                       | EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only. | \$795   | 0#     |
| 9201928                       | EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only. | \$1,110 | 0#     |
| 9201929                       | EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only. | \$1,395 | 0#     |
| 9201930                       | EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only. | \$1,445 | 0#     |
| 9201931                       | EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only. | \$560   | 0#     |
| 9201932                       | EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only. | \$835   | 0#     |
| 9201933                       | EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only. | \$895   | 0#     |
| 9201957                       | EW: US Starter & Alternator 2 year/200,000 miles, United States only.     | \$245   | 0#     |
| 9201958                       | EW: US Starter & Alternator 2 year/300,000 miles, United States only.     | \$320   | 0#     |
| 9201959                       | EW: US Starter & Alternator 3 year/300,000 miles, United States only.     | \$565   | 0#     |
| 9201960                       | EW: US Starter & Alternator 3 year/400,000 miles, United States only.     | \$805   | 0#     |
| 9201961                       | EW: US Starter & Alternator 4 year/500,000 miles, United States only.     | \$1,090 | 0#     |
| 9201962                       | EW: US Starter & Alternator 5 year/500,000 miles, United States only.     | \$1,375 | 0#     |



## T680: EXTENDED WARRANTY

| Option                        | Description                                                                                                         | Price   | Weight |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>U.S. Extended Warranty</b> |                                                                                                                     |         |        |
| 9201969                       | EW: US Towing For Warrantable Failures 1 year / Unlimited miles.                                                    | \$390   | 0#     |
| 9201970                       | EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$770   | 0#     |
| 9201971                       | EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$1,160 | 0#     |
| 9201972                       | EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$1,515 | 0#     |
| 9201973                       | EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$2,290 | 0#     |
| 9201974                       | EW: US Towing For Warrantable Failures 6 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$3,000 | 0#     |
| 9201975                       | EW: US Towing For Warrantable Failures 7 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$3,800 | 0#     |
| 9201983                       | EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014                                                         | \$1,285 | 0#     |
| 9201984                       | EW: US Chassis/Frame Wiring 4 years/400,000 miles Per CA-014                                                        | \$1,980 | 0#     |
| 9201985                       | EW: US Chassis/Frame Wiring 4 years/500,000 miles Per CA-014                                                        | \$2,880 | 0#     |
| 9201986                       | EW: US Chassis/Frame Wiring 5 years/500,000 miles Per CA-014                                                        | \$4,280 | 0#     |
| 9201987                       | EW: US Chassis/Frame Wiring 5 years/600,000 miles Per CA-014                                                        | \$4,800 | 0#     |
| 9201988                       | EW: US Chassis/Frame Wiring 6 years/600,000 miles Per CA-014                                                        | \$5,320 | 0#     |
| 9202510                       | EW: US Basic Vehicle 2 year/100,000 miles,                                                                          | \$590   | 0#     |
| 9202511                       | EW: US Basic Vehicle 2 year/200,000 miles,                                                                          | \$1,428 | 0#     |
| 9202512                       | EW: US Basic Vehicle 2 year/300,000 miles,                                                                          | \$1,611 | 0#     |
| 9202513                       | EW: US Basic Vehicle 2 year/400,000 miles,                                                                          | \$1,800 | 0#     |
| 9202514                       | EW: US Basic Vehicle 2 year/500,000 miles,                                                                          | \$1,982 | 0#     |
| 9202515                       | EW: US Basic Vehicle 3 year/100,000 miles,                                                                          | \$1,021 | 0#     |
| 9202516                       | EW: US Basic Vehicle 3 year/200,000 miles,                                                                          | \$1,923 | 0#     |
| 9202517                       | EW: US Basic Vehicle 3 year/300,000 miles,                                                                          | \$3,965 | 0#     |



## T680: EXTENDED WARRANTY

| Option                        | Description                                | Price    | Weight |
|-------------------------------|--------------------------------------------|----------|--------|
| <b>U.S. Extended Warranty</b> |                                            |          |        |
| 9202518                       | EW: US Basic Vehicle 3 year/400,000 miles, | \$4,708  | 0#     |
| 9202519                       | EW: US Basic Vehicle 3 year/500,000 miles, | \$5,021  | 0#     |
| 9202520                       | EW: US Basic Vehicle 4 year/100,000 miles, | \$1,723  | 0#     |
| 9202521                       | EW: US Basic Vehicle 4 year/200,000 miles, | \$2,791  | 0#     |
| 9202524                       | EW: US Basic Vehicle 4 year/300,000 miles, | \$5,204  | 0#     |
| 9202525                       | EW: US Basic Vehicle 4 year/400,000 miles, | \$6,325  | 0#     |
| 9202526                       | EW: US Basic Vehicle 4 year/500,000 miles, | \$7,558  | 0#     |
| 9202527                       | EW: US Basic Vehicle 5 year/100,000 miles, | \$2,572  | 0#     |
| 9202528                       | EW: US Basic Vehicle 5 year/200,000 miles, | \$3,870  | 0#     |
| 9202529                       | EW: US Basic Vehicle 5 year/300,000 miles, | \$6,443  | 0#     |
| 9202530                       | EW: US Basic Vehicle 5 year/400,000 miles, | \$7,764  | 0#     |
| 9202531                       | EW: US Basic Vehicle 5 year/500,000 miles, | \$9,670  | 0#     |
| 9202532                       | EW: US Basic Vehicle 6 year/100,000 miles, | \$3,174  | 0#     |
| 9202535                       | EW: US Basic Vehicle 6 year/200,000 miles, | \$4,767  | 0#     |
| 9202536                       | EW: US Basic Vehicle 6 year/300,000 miles, | \$7,434  | 0#     |
| 9202537                       | EW: US Basic Vehicle 6 year/400,000 miles, | \$10,532 | 0#     |
| 9202538                       | EW: US Basic Vehicle 6 year/600,000 miles, | \$13,505 | 0#     |
| 9202539                       | EW: US Basic Vehicle 7 year/200,000 miles, | \$5,576  | 0#     |
| 9202566                       | EW: US Radiator/CAAC 2 year/100,000 miles, | \$83     | 0#     |
| 9202567                       | EW: US Radiator/CAAC 2 year/200,000 miles, | \$189    | 0#     |
| 9202568                       | EW: US Radiator/CAAC 2 year/300,000 miles, | \$313    | 0#     |
| 9202569                       | EW: US Radiator/CAAC 2 year/400,000 miles, | \$348    | 0#     |
| 9202570                       | EW: US Radiator/CAAC 2 year/500,000 miles, | \$389    | 0#     |



## T680: EXTENDED WARRANTY

| Option                        | Description                                                               | Price | Weight |
|-------------------------------|---------------------------------------------------------------------------|-------|--------|
| <b>U.S. Extended Warranty</b> |                                                                           |       |        |
| 9202571                       | EW: US Radiator/CAAC 3 year/100,000 miles,                                | \$124 | 0#     |
| 9202572                       | EW: US Radiator/CAAC 3 year/200,000 miles,                                | \$313 | 0#     |
| 9202573                       | EW: US Radiator/CAAC 3 year/300,000 miles,                                | \$378 | 0#     |
| 9202574                       | EW: US Radiator/CAAC 3 year/400,000 miles,                                | \$448 | 0#     |
| 9202575                       | EW: US Radiator/CAAC 3 year/500,000 miles,                                | \$507 | 0#     |
| 9202576                       | EW: US Radiator/CAAC 4 year/100,000 miles,                                | \$159 | 0#     |
| 9202577                       | EW: US Radiator/CAAC 4 year/200,000 miles,                                | \$384 | 0#     |
| 9202578                       | EW: US Radiator/CAAC 4 year/300,000 miles,                                | \$484 | 0#     |
| 9202579                       | EW: US Radiator/CAAC 4 year/400,000 miles,                                | \$561 | 0#     |
| 9202580                       | EW: US Radiator/CAAC 4 year/500,000 miles,                                | \$643 | 0#     |
| 9202581                       | EW: US Radiator/CAAC 5 year/100,000 miles,                                | \$207 | 0#     |
| 9202582                       | EW: US Radiator/CAAC 5 year/200,000 miles,                                | \$484 | 0#     |
| 9202583                       | EW: US Radiator/CAAC 5 year/300,000 miles,                                | \$596 | 0#     |
| 9202584                       | EW: US Radiator/CAAC 5 year/400,000 miles,                                | \$684 | 0#     |
| 9202585                       | EW: US Radiator/CAAC 5 year/500,000 miles,                                | \$755 | 0#     |
| 9202586                       | EW: US Radiator/CAAC 6 year/100,000 miles,                                | \$254 | 0#     |
| 9202587                       | EW: US Radiator/CAAC 6 year/200,000 miles,                                | \$578 | 0#     |
| 9202588                       | EW: US Radiator/CAAC 7 year/200,000 miles,                                | \$667 | 0#     |
| 9202616                       | EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only. | \$136 | 0#     |
| 9202617                       | EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only. | \$389 | 0#     |
| 9202618                       | EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only. | \$437 | 0#     |
| 9202619                       | EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only. | \$478 | 0#     |
| 9202620                       | EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only. | \$519 | 0#     |



## T680: EXTENDED WARRANTY

| Option                        | Description                                                               | Price   | Weight |
|-------------------------------|---------------------------------------------------------------------------|---------|--------|
| <b>U.S. Extended Warranty</b> |                                                                           |         |        |
| 9202621                       | EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only. | \$260   | 0#     |
| 9202624                       | EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only. | \$531   | 0#     |
| 9202625                       | EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only. | \$808   | 0#     |
| 9202626                       | EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only. | \$932   | 0#     |
| 9202627                       | EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only. | \$991   | 0#     |
| 9202628                       | EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only. | \$384   | 0#     |
| 9202629                       | EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only. | \$690   | 0#     |
| 9202630                       | EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only. | \$950   | 0#     |
| 9202631                       | EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only. | \$1,180 | 0#     |
| 9202632                       | EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only. | \$1,333 | 0#     |
| 9202635                       | EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only. | \$525   | 0#     |
| 9202636                       | EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only. | \$838   | 0#     |
| 9202637                       | EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only. | \$1,139 | 0#     |
| 9202638                       | EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only. | \$1,428 | 0#     |
| 9202639                       | EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only. | \$1,611 | 0#     |
| 9202640                       | EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only. | \$667   | 0#     |
| 9202641                       | EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only. | \$985   | 0#     |
| 9202642                       | EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only. | \$1,127 | 0#     |
| 9202666                       | EW: US Starter & Alternator 2 year/200,000 miles, United States only.     | \$224   | 0#     |
| 9202667                       | EW: US Starter & Alternator 2 year/300,000 miles, United States only.     | \$295   | 0#     |
| 9202672                       | EW: US Starter & Alternator 3 year/300,000 miles, United States only.     | \$537   | 0#     |
| 9202673                       | EW: US Starter & Alternator 3 year/400,000 miles, United States only.     | \$684   | 0#     |
| 9202674                       | EW: US Starter & Alternator 4 year/500,000 miles, United States only.     | \$997   | 0#     |



## T680: EXTENDED WARRANTY

| Option                        | Description                                                           | Price   | Weight |
|-------------------------------|-----------------------------------------------------------------------|---------|--------|
| <b>U.S. Extended Warranty</b> |                                                                       |         |        |
| 9202675                       | EW: US Starter & Alternator 5 year/500,000 miles, United States only. | \$1,263 | 0#     |
| 9202736                       | EW: US Towing For Warrantable Failures 1 year / Unlimited miles.      | \$557   | 0#     |
| 9202737                       | EW: US Towing For Warrantable Failures 2 year / Unlimited miles.      | \$1,103 | 0#     |
| 9202738                       | EW: US Towing For Warrantable Failures 3 year / Unlimited miles.      | \$1,660 | 0#     |
| 9202739                       | EW: US Towing For Warrantable Failures 4 year / Unlimited miles.      | \$2,171 | 0#     |
| 9202740                       | EW: US Towing For Warrantable Failures 5 year / Unlimited miles.      | \$3,274 | 0#     |
| 9202890                       | EW: US Towing For Warrantable Failures 6 year / Unlimited miles.      | \$4,278 | 0#     |
| 9202891                       | EW: US Towing For Warrantable Failures 7 year / Unlimited miles.      | \$5,411 | 0#     |
| 9202899                       | EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014           | \$1,180 | 0#     |
| 9203090                       | EW: US Chassis/Frame Wiring 4 years/400,000 mile Per CA-014           | \$1,870 | 0#     |
| 9203091                       | EW: US Chassis/Frame Wiring 4 years/500,000 mile Per CA-014           | \$2,667 | 0#     |
| 9203092                       | EW: US Chassis/Frame Wiring 5 years/500,000 mile Per CA-014           | \$4,183 | 0#     |
| 9203093                       | EW: US Chassis/Frame Wiring 5 years/600,000 mile Per CA-014           | \$4,708 | 0#     |
| 9203094                       | EW: US Chassis/Frame Wiring 6 years/600,000 mile Per CA-014           | \$5,599 | 0#     |
| 9203101                       | EW: US Basic Vehicle 2 year/100,000 miles,                            | \$522   | 0#     |
| 9203102                       | EW: US Basic Vehicle 2 year/200,000 miles,                            | \$1,360 | 0#     |
| 9203103                       | EW: US Basic Vehicle 2 year/300,000 miles,                            | \$1,485 | 0#     |
| 9203104                       | EW: US Basic Vehicle 2 year/400,000 miles,                            | \$1,674 | 0#     |
| 9203105                       | EW: US Basic Vehicle 2 year/500,000 miles,                            | \$1,857 | 0#     |
| 9203106                       | EW: US Basic Vehicle 3 year/100,000 miles,                            | \$953   | 0#     |
| 9203107                       | EW: US Basic Vehicle 3 year/200,000 miles,                            | \$1,798 | 0#     |
| 9203108                       | EW: US Basic Vehicle 3 year/300,000 miles,                            | \$3,820 | 0#     |
| 9203109                       | EW: US Basic Vehicle 3 year/400,000 miles,                            | \$4,515 | 0#     |



## T680: EXTENDED WARRANTY

| Option                          | Description                                                   | Price    | Weight |
|---------------------------------|---------------------------------------------------------------|----------|--------|
| <b>U.S. Extended Warranty</b>   |                                                               |          |        |
| 9203110                         | EW: US Basic Vehicle 3 year/500,000 miles,                    | \$4,827  | 0#     |
| 9203111                         | EW: US Basic Vehicle 4 year/100,000 miles,                    | \$1,655  | 0#     |
| 9203112                         | EW: US Basic Vehicle 4 year/200,000 miles,                    | \$2,646  | 0#     |
| 9203113                         | EW: US Basic Vehicle 4 year/300,000 miles,                    | \$5,005  | 0#     |
| 9203114                         | EW: US Basic Vehicle 4 year/400,000 miles,                    | \$6,093  | 0#     |
| 9203115                         | EW: US Basic Vehicle 4 year/500,000 miles,                    | \$7,326  | 0#     |
| 9203116                         | EW: US Basic Vehicle 5 year/100,000 miles,                    | \$2,447  | 0#     |
| 9203117                         | EW: US Basic Vehicle 5 year/200,000 miles,                    | \$3,687  | 0#     |
| 9203118                         | EW: US Basic Vehicle 5 year/300,000 miles,                    | \$6,191  | 0#     |
| 9203119                         | EW: US Basic Vehicle 5 year/400,000 miles,                    | \$7,464  | 0#     |
| 9203120                         | EW: US Basic Vehicle 5 year/500,000 miles,                    | \$9,370  | 0#     |
| 9203135                         | EW: US Basic Vehicle 6 year/100,000 miles,                    | \$3,019  | 0#     |
| 9203136                         | EW: US Basic Vehicle 6 year/200,000 miles,                    | \$4,583  | 0#     |
| 9203137                         | EW: US Basic Vehicle 6 year/300,000 miles,                    | \$7,168  | 0#     |
| 9203138                         | EW: US Basic Vehicle 6 year/400,000 miles,                    | \$10,232 | 0#     |
| 9203139                         | EW: US Basic Vehicle 6 year/600,000 miles,                    | \$13,205 | 0#     |
| 9203140                         | EW: US Basic Vehicle 7 year/200,000 miles,                    | \$5,343  | 0#     |
| <b>Canada Extended Warranty</b> |                                                               |          |        |
| 9201839                         | EW: Canada Basic Vehicle 2 year/160,000 km - EPA Canada only. | \$1,035  | 0#     |
| 9201840                         | EW: Canada Basic Vehicle 2 year/320,000 km - EPA Canada only. | \$2,505  | 0#     |
| 9201841                         | EW: Canada Basic Vehicle 2 year/480,000 km - EPA Canada only. | \$4,055  | 0#     |
| 9201842                         | EW: Canada Basic Vehicle 2 year/640,000 km - EPA Canada only. | \$6,275  | 0#     |
| 9201843                         | EW: Canada Basic Vehicle 2 year/800,000 km - EPA Canada only. | \$7,585  | 0#     |



## T680: EXTENDED WARRANTY

| Option                          | Description                                                   | Price    | Weight |
|---------------------------------|---------------------------------------------------------------|----------|--------|
| <b>Canada Extended Warranty</b> |                                                               |          |        |
| 9201844                         | EW: Canada Basic Vehicle 3 year/160,000 km - EPA Canada only. | \$1,410  | 0#     |
| 9201845                         | EW: Canada Basic Vehicle 3 year/320,000 km - EPA Canada only. | \$2,890  | 0#     |
| 9201846                         | EW: Canada Basic Vehicle 3 year/480,000 km - EPA Canada only. | \$4,460  | 0#     |
| 9201847                         | EW: Canada Basic Vehicle 3 year/640,000 km - EPA Canada only. | \$6,735  | 0#     |
| 9201848                         | EW: Canada Basic Vehicle 3 year/800,000 km - EPA Canada only. | \$8,060  | 0#     |
| 9201849                         | EW: Canada Basic Vehicle 4 year/160,000 km - EPA Canada only. | \$3,265  | 0#     |
| 9201850                         | EW: Canada Basic Vehicle 4 year/320,000 km - EPA Canada only. | \$4,880  | 0#     |
| 9201851                         | EW: Canada Basic Vehicle 4 year/480,000 km - EPA Canada only. | \$6,490  | 0#     |
| 9201852                         | EW: Canada Basic Vehicle 4 year/640,000 km - EPA Canada only. | \$8,510  | 0#     |
| 9201853                         | EW: Canada Basic Vehicle 4 year/800,000 km - EPA Canada only. | \$9,995  | 0#     |
| 9201854                         | EW: Canada Basic Vehicle 5 year/160,000 km - EPA Canada only. | \$4,875  | 0#     |
| 9201855                         | EW: Canada Basic Vehicle 5 year/320,000 km - EPA Canada only. | \$6,535  | 0#     |
| 9201856                         | EW: Canada Basic Vehicle 5 year/480,000 km - EPA Canada only. | \$8,235  | 0#     |
| 9201857                         | EW: Canada Basic Vehicle 5 year/640,000 km - EPA Canada only. | \$10,335 | 0#     |
| 9201858                         | EW: Canada Basic Vehicle 5 year/800,000 km - EPA Canada only. | \$11,285 | 0#     |
| 9201859                         | EW: Canada Basic Vehicle 6 year/160,000 km - EPA Canada only. | \$4,920  | 0#     |
| 9201860                         | EW: Canada Basic Vehicle 6 year/320,000 km - EPA Canada only. | \$6,590  | 0#     |
| 9201861                         | EW: Canada Basic Vehicle 6 year/480,000 km - EPA Canada only. | \$9,080  | 0#     |
| 9201862                         | EW: Canada Basic Vehicle 6 year/640,000 km - EPA Canada only. | \$11,905 | 0#     |
| 9201863                         | EW: Canada Basic Vehicle 6 year/960,000 km - EPA Canada only. | \$13,460 | 0#     |
| 9201864                         | EW: Canada Basic Vehicle 7 year/320,000 km - EPA Canada only. | \$6,775  | 0#     |
| 9201888                         | EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.      | \$245    | 0#     |
| 9201889                         | EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.      | \$635    | 0#     |



## T680: EXTENDED WARRANTY

| Option                          | Description                                                        | Price   | Weight |
|---------------------------------|--------------------------------------------------------------------|---------|--------|
| <b>Canada Extended Warranty</b> |                                                                    |         |        |
| 9201890                         | EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.           | \$795   | 0#     |
| 9201891                         | EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.           | \$1,115 | 0#     |
| 9201892                         | EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.           | \$1,470 | 0#     |
| 9201893                         | EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.           | \$325   | 0#     |
| 9201894                         | EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.           | \$730   | 0#     |
| 9201895                         | EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.           | \$930   | 0#     |
| 9201896                         | EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.           | \$1,250 | 0#     |
| 9201897                         | EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.           | \$1,605 | 0#     |
| 9201898                         | EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.           | \$610   | 0#     |
| 9201899                         | EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.           | \$1,010 | 0#     |
| 9201900                         | EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.           | \$1,215 | 0#     |
| 9201901                         | EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.           | \$1,495 | 0#     |
| 9201902                         | EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.           | \$1,860 | 0#     |
| 9201903                         | EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.           | \$635   | 0#     |
| 9201904                         | EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.           | \$1,035 | 0#     |
| 9201905                         | EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.           | \$1,270 | 0#     |
| 9201906                         | EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.           | \$1,550 | 0#     |
| 9201907                         | EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.           | \$1,870 | 0#     |
| 9201908                         | EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.           | \$680   | 0#     |
| 9201909                         | EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.           | \$1,080 | 0#     |
| 9201910                         | EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.           | \$1,135 | 0#     |
| 9201934                         | EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only. | \$285   | 0#     |
| 9201935                         | EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only. | \$680   | 0#     |



## T680: EXTENDED WARRANTY

| Option                          | Description                                                        | Price   | Weight |
|---------------------------------|--------------------------------------------------------------------|---------|--------|
| <b>Canada Extended Warranty</b> |                                                                    |         |        |
| 9201936                         | EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only. | \$995   | 0#     |
| 9201937                         | EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only. | \$1,270 | 0#     |
| 9201938                         | EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only. | \$1,430 | 0#     |
| 9201939                         | EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only. | \$325   | 0#     |
| 9201940                         | EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only. | \$730   | 0#     |
| 9201941                         | EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only. | \$1,090 | 0#     |
| 9201942                         | EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only. | \$1,370 | 0#     |
| 9201943                         | EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only. | \$1,530 | 0#     |
| 9201944                         | EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only. | \$690   | 0#     |
| 9201945                         | EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only. | \$1,130 | 0#     |
| 9201946                         | EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only. | \$1,495 | 0#     |
| 9201947                         | EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only. | \$1,700 | 0#     |
| 9201948                         | EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only. | \$1,860 | 0#     |
| 9201949                         | EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only. | \$875   | 0#     |
| 9201950                         | EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only. | \$1,310 | 0#     |
| 9201951                         | EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only. | \$1,710 | 0#     |
| 9201952                         | EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only. | \$1,945 | 0#     |
| 9201953                         | EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only. | \$2,025 | 0#     |
| 9201954                         | EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only. | \$920   | 0#     |
| 9201955                         | EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only. | \$1,355 | 0#     |
| 9201956                         | EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only. | \$1,425 | 0#     |
| 9201963                         | EW: Canada Starter & Alternator 2 year/320,000km, Canada only.     | \$405   | 0#     |
| 9201964                         | EW: Canada Starter & Alternator 2 year/480,000km, Canada only      | \$635   | 0#     |



## T680: EXTENDED WARRANTY

| Option                          | Description                                                                                                      | Price   | Weight |
|---------------------------------|------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Canada Extended Warranty</b> |                                                                                                                  |         |        |
| 9201965                         | EW: Canada Starter & Alternator 3 year/480,000km, Canada only.                                                   | \$1,050 | 0#     |
| 9201966                         | EW: Canada Starter & Alternator 3 year/640,000km, Canada only.                                                   | \$1,605 | 0#     |
| 9201967                         | EW: Canada Starter & Alternator 4 year/800,000km, Canada only.                                                   | \$1,890 | 0#     |
| 9201968                         | EW: Canada Starter & Alternator 5 year/800,000km, Canada only.                                                   | \$2,175 | 0#     |
| 9201976                         | EW: CA Towing For Warrantable Failures 1 year / Unlimited km.                                                    | \$555   | 0#     |
| 9201977                         | EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$1,100 | 0#     |
| 9201978                         | EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$1,655 | 0#     |
| 9201979                         | EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$2,165 | 0#     |
| 9201980                         | EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$3,265 | 0#     |
| 9201981                         | EW: CA Towing For Warrantable Failures 6 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$4,265 | 0#     |
| 9201982                         | EW: CA Towing For Warrantable Failures 7 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty. | \$5,395 | 0#     |
| 9201989                         | EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014                                                       | \$2,980 | 0#     |
| 9201990                         | EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014                                                       | \$4,605 | 0#     |
| 9201991                         | EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014                                                       | \$6,835 | 0#     |
| 9201992                         | EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014                                                       | \$8,035 | 0#     |
| 9201993                         | EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014                                                       | \$8,965 | 0#     |
| 9201994                         | EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014                                                       | \$9,570 | 0#     |
| 9202540                         | EW: Canada Basic Vehicle 2 year/160,000 km - EPA                                                                 | \$1,210 | 0#     |
| 9202541                         | EW: Canada Basic Vehicle 2 year/320,000 km - EPA                                                                 | \$2,631 | 0#     |
| 9202542                         | EW: Canada Basic Vehicle 2 year/480,000 km - EPA                                                                 | \$2,944 | 0#     |
| 9202543                         | EW: Canada Basic Vehicle 2 year/640,000 km - EPA                                                                 | \$3,251 | 0#     |



## T680: EXTENDED WARRANTY

| Option                          | Description                                      | Price    | Weight |
|---------------------------------|--------------------------------------------------|----------|--------|
| <b>Canada Extended Warranty</b> |                                                  |          |        |
| 9202544                         | EW: Canada Basic Vehicle 2 year/800,000 km - EPA | \$3,747  | 0#     |
| 9202545                         | EW: Canada Basic Vehicle 3 year/160,000 km - EPA | \$2,012  | 0#     |
| 9202546                         | EW: Canada Basic Vehicle 3 year/320,000 km - EPA | \$3,717  | 0#     |
| 9202547                         | EW: Canada Basic Vehicle 3 year/480,000 km - EPA | \$5,422  | 0#     |
| 9202548                         | EW: Canada Basic Vehicle 3 year/640,000 km - EPA | \$6,508  | 0#     |
| 9202549                         | EW: Canada Basic Vehicle 3 year/800,000 km - EPA | \$7,434  | 0#     |
| 9202550                         | EW: Canada Basic Vehicle 4 year/160,000 km - EPA | \$3,747  | 0#     |
| 9202551                         | EW: Canada Basic Vehicle 4 year/320,000 km - EPA | \$5,888  | 0#     |
| 9202552                         | EW: Canada Basic Vehicle 4 year/480,000 km - EPA | \$7,930  | 0#     |
| 9202553                         | EW: Canada Basic Vehicle 4 year/640,000 km - EPA | \$9,912  | 0#     |
| 9202554                         | EW: Canada Basic Vehicle 4 year/800,000 km - EPA | \$12,361 | 0#     |
| 9202555                         | EW: Canada Basic Vehicle 5 year/160,000 km - EPA | \$5,576  | 0#     |
| 9202556                         | EW: Canada Basic Vehicle 5 year/320,000 km - EPA | \$7,747  | 0#     |
| 9202557                         | EW: Canada Basic Vehicle 5 year/480,000 km - EPA | \$10,437 | 0#     |
| 9202558                         | EW: Canada Basic Vehicle 5 year/640,000 km - EPA | \$13,942 | 0#     |
| 9202559                         | EW: Canada Basic Vehicle 5 year/800,000 km - EPA | \$17,039 | 0#     |
| 9202560                         | EW: Canada Basic Vehicle 6 year/160,000 km - EPA | \$7,528  | 0#     |
| 9202561                         | EW: Canada Basic Vehicle 6 year/320,000 km - EPA | \$9,605  | 0#     |
| 9202562                         | EW: Canada Basic Vehicle 6 year/480,000 km - EPA | \$12,361 | 0#     |
| 9202563                         | EW: Canada Basic Vehicle 6 year/640,000 km - EPA | \$16,727 | 0#     |
| 9202564                         | EW: Canada Basic Vehicle 6 year/960,000 km - EPA | \$21,683 | 0#     |
| 9202565                         | EW: Canada Basic Vehicle 7 year/320,000 km - EPA | \$11,275 | 0#     |
| 9202589                         | EW: Canada Radiator/CAAC 2 year/160,000 km,      | \$248    | 0#     |



## T680: EXTENDED WARRANTY

| Option                          | Description                                                        | Price   | Weight |
|---------------------------------|--------------------------------------------------------------------|---------|--------|
| <b>Canada Extended Warranty</b> |                                                                    |         |        |
| 9202590                         | EW: Canada Radiator/CAAC 2 year/320,000 km,                        | \$401   | 0#     |
| 9202591                         | EW: Canada Radiator/CAAC 2 year/480,000 km,                        | \$496   | 0#     |
| 9202592                         | EW: Canada Radiator/CAAC 2 year/640,000 km,                        | \$561   | 0#     |
| 9202593                         | EW: Canada Radiator/CAAC 2 year/800,000 km,                        | \$620   | 0#     |
| 9202594                         | EW: Canada Radiator/CAAC 3 year/160,000 km,                        | \$448   | 0#     |
| 9202595                         | EW: Canada Radiator/CAAC 3 year/320,000 km,                        | \$684   | 0#     |
| 9202596                         | EW: Canada Radiator/CAAC 3 year/480,000 km,                        | \$867   | 0#     |
| 9202599                         | EW: Canada Radiator/CAAC 3 year/640,000 km,                        | \$1,145 | 0#     |
| 9202602                         | EW: Canada Radiator/CAAC 3 year/800,000 km,                        | \$1,210 | 0#     |
| 9202603                         | EW: Canada Radiator/CAAC 4 year/160,000 km,                        | \$643   | 0#     |
| 9202604                         | EW: Canada Radiator/CAAC 4 year/320,000 km,                        | \$867   | 0#     |
| 9202605                         | EW: Canada Radiator/CAAC 4 year/480,000 km,                        | \$1,103 | 0#     |
| 9202606                         | EW: Canada Radiator/CAAC 4 year/640,000 km,                        | \$1,304 | 0#     |
| 9202607                         | EW: Canada Radiator/CAAC 4 year/800,000 km,                        | \$1,510 | 0#     |
| 9202608                         | EW: Canada Radiator/CAAC 5 year/160,000 km,                        | \$938   | 0#     |
| 9202609                         | EW: Canada Radiator/CAAC 5 year/320,000 km,                        | \$1,021 | 0#     |
| 9202610                         | EW: Canada Radiator/CAAC 5 year/480,000 km,                        | \$1,269 | 0#     |
| 9202611                         | EW: Canada Radiator/CAAC 5 year/640,000 km,                        | \$1,581 | 0#     |
| 9202612                         | EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.           | \$1,859 | 0#     |
| 9202613                         | EW: Canada Radiator/CAAC 6 year/160,000 km,                        | \$1,115 | 0#     |
| 9202614                         | EW: Canada Radiator/CAAC 6 year/320,000 km,                        | \$1,192 | 0#     |
| 9202615                         | EW: Canada Radiator/CAAC 7 year/320,000 km,                        | \$1,245 | 0#     |
| 9202643                         | EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only. | \$313   | 0#     |



## T680: EXTENDED WARRANTY

| Option                          | Description                                                        | Price   | Weight |
|---------------------------------|--------------------------------------------------------------------|---------|--------|
| <b>Canada Extended Warranty</b> |                                                                    |         |        |
| 9202644                         | EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only. | \$561   | 0#     |
| 9202645                         | EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only. | \$590   | 0#     |
| 9202646                         | EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only. | \$608   | 0#     |
| 9202647                         | EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only. | \$631   | 0#     |
| 9202648                         | EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only. | \$496   | 0#     |
| 9202649                         | EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only. | \$838   | 0#     |
| 9202650                         | EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only. | \$1,115 | 0#     |
| 9202651                         | EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only. | \$1,304 | 0#     |
| 9202652                         | EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only. | \$1,351 | 0#     |
| 9202653                         | EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only. | \$714   | 0#     |
| 9202654                         | EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only. | \$1,115 | 0#     |
| 9202655                         | EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only. | \$1,392 | 0#     |
| 9202656                         | EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only. | \$1,676 | 0#     |
| 9202657                         | EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only. | \$1,888 | 0#     |
| 9202658                         | EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only. | \$932   | 0#     |
| 9202659                         | EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only. | \$1,381 | 0#     |
| 9202660                         | EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only. | \$1,676 | 0#     |
| 9202661                         | EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only. | \$2,077 | 0#     |
| 9202662                         | EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only. | \$2,354 | 0#     |
| 9202663                         | EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only. | \$1,180 | 0#     |
| 9202664                         | EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only. | \$1,611 | 0#     |
| 9202665                         | EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only. | \$1,870 | 0#     |
| 9202688                         | EW: Canada Starter & Alternator 2 year/320,000km, Canada only.     | \$313   | 0#     |



## T680: EXTENDED WARRANTY

| Option                          | Description                                                    | Price   | Weight |
|---------------------------------|----------------------------------------------------------------|---------|--------|
| <b>Canada Extended Warranty</b> |                                                                |         |        |
| 9202689                         | EW: Canada Starter & Alternator 2 year/480,000km, Canada only. | \$448   | 0#     |
| 9202690                         | EW: Canada Starter & Alternator 3 year/480,000km, Canada only. | \$808   | 0#     |
| 9202691                         | EW: Canada Starter & Alternator 3 year/640,000km, Canada only. | \$1,121 | 0#     |
| 9202734                         | EW: Canada Starter & Alternator 4 year/500,000km, Canada only. | \$1,387 | 0#     |
| 9202735                         | EW: Canada Starter & Alternator 5 year/500,000km, Canada only. | \$1,800 | 0#     |
| 9202892                         | EW: CA Towing For Warrantable Failures 1 year / Unlimited km.  | \$392   | 0#     |
| 9202893                         | EW: CA Towing For Warrantable Failures 2 year / Unlimited km.  | \$773   | 0#     |
| 9202894                         | EW: CA Towing For Warrantable Failures 3 year / Unlimited km.  | \$1,163 | 0#     |
| 9202895                         | EW: CA Towing For Warrantable Failures 4 year / Unlimited km.  | \$1,520 | 0#     |
| 9202896                         | EW: CA Towing For Warrantable Failures 5 year / Unlimited km.  | \$2,297 | 0#     |
| 9202897                         | EW: CA Towing For Warrantable Failures 6 year / Unlimited km.  | \$3,009 | 0#     |
| 9202898                         | EW: CA Towing For Warrantable Failures 7 year / Unlimited km.  | \$3,811 | 0#     |
| 9203095                         | EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014     | \$2,826 | 0#     |
| 9203096                         | EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014     | \$4,224 | 0#     |
| 9203097                         | EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014     | \$5,640 | 0#     |
| 9203098                         | EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014     | \$7,623 | 0#     |
| 9203099                         | EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014     | \$8,520 | 0#     |
| 9203100                         | EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014     | \$9,818 | 0#     |
| 9203141                         | EW: Canada Basic Vehicle 2 year/160,000 km                     | \$1,142 | 0#     |
| 9203142                         | EW: Canada Basic Vehicle 2 year/320,000 km                     | \$2,564 | 0#     |
| 9203143                         | EW: Canada Basic Vehicle 2 year/480,000 km                     | \$2,818 | 0#     |
| 9203144                         | EW: Canada Basic Vehicle 2 year/640,000 km                     | \$3,125 | 0#     |
| 9203145                         | EW: Canada Basic Vehicle 2 year/800,000 km                     | \$3,621 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                            | Price    | Weight |
|----------------------------------------------|--------------------------------------------------------|----------|--------|
| <b>Canada Extended Warranty</b>              |                                                        |          |        |
| 9203146                                      | EW: Canada Basic Vehicle 3 year/160,000 km             | \$1,944  | 0#     |
| 9203147                                      | EW: Canada Basic Vehicle 3 year/320,000 km             | \$3,591  | 0#     |
| 9203148                                      | EW: Canada Basic Vehicle 3 year/480,000 km             | \$5,277  | 0#     |
| 9203149                                      | EW: Canada Basic Vehicle 3 year/640,000 km             | \$6,314  | 0#     |
| 9203150                                      | EW: Canada Basic Vehicle 3 year/800,000 km             | \$7,240  | 0#     |
| 9203151                                      | EW: Canada Basic Vehicle 4 year/160,000 km             | \$3,679  | 0#     |
| 9203152                                      | EW: Canada Basic Vehicle 4 year/320,000 km             | \$5,743  | 0#     |
| 9203153                                      | EW: Canada Basic Vehicle 4 year/480,000 km             | \$7,731  | 0#     |
| 9203154                                      | EW: Canada Basic Vehicle 4 year/640,000 km             | \$9,680  | 0#     |
| 9203155                                      | EW: Canada Basic Vehicle 4 year/800,000 km             | \$12,128 | 0#     |
| 9203156                                      | EW: Canada Basic Vehicle 5 year/160,000 km             | \$5,450  | 0#     |
| 9203157                                      | EW: Canada Basic Vehicle 5 year/320,000 km             | \$7,563  | 0#     |
| 9203158                                      | EW: Canada Basic Vehicle 5 year/480,000 km             | \$10,186 | 0#     |
| 9203159                                      | EW: Canada Basic Vehicle 5 year/640,000 km             | \$13,642 | 0#     |
| 9203160                                      | EW: Canada Basic Vehicle 5 year/800,000 km             | \$16,739 | 0#     |
| 9203161                                      | EW: Canada Basic Vehicle 6 year/160,000 km             | \$7,374  | 0#     |
| 9203162                                      | EW: Canada Basic Vehicle 6 year/320,000 km             | \$9,421  | 0#     |
| 9203163                                      | EW: Canada Basic Vehicle 6 year/480,000 km             | \$12,094 | 0#     |
| 9203164                                      | EW: Canada Basic Vehicle 6 year/640,000 km             | \$16,427 | 0#     |
| 9203165                                      | EW: Canada Basic Vehicle 6 year/960,000 km             | \$21,383 | 0#     |
| 9203166                                      | EW: Canada Basic Vehicle 7 year/320,000 km             | \$11,043 | 0#     |
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                        |          |        |
| 9203167                                      | PACCAR MX Premium <460HP - 3YR/300K MI (480K KM) EPA24 | \$1,525  | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                               | Price   | Weight |
|----------------------------------------------|-----------------------------------------------------------|---------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                           |         |        |
| 9203168                                      | PACCAR MX Premium <460HP - 3YR/400K MI (640K KM) EPA24    | \$1,942 | 0#     |
| 9203169                                      | PACCAR MX Premium <460HP - 3YR/500K MI (800K KM) EPA24.   | \$3,152 | 0#     |
| 9203170                                      | PACCAR MX Premium <460HP - 3YR/600K MI (960K KM) EPA24.   | \$3,889 | 0#     |
| 9203171                                      | PACCAR MX Premium <460HP - 4YR/400K MI (640K KM) EPA24.   | \$2,730 | 0#     |
| 9203172                                      | PACCAR MX Premium <460HP - 4YR/500K MI (800K KM) EPA24.   | \$3,703 | 0#     |
| 9203173                                      | PACCAR MX Premium <460HP - 4YR/600K MI (960K KM) EPA24.   | \$4,723 | 0#     |
| 9203174                                      | PACCAR MX Premium <460HP - 5YR/200K MI (320K KM) EPA24.   | \$2,401 | 0#     |
| 9203175                                      | PACCAR MX Premium <460HP - 5YR/300K MI (480K KM) EPA24.   | \$2,927 | 0#     |
| 9203176                                      | PACCAR MX Premium <460HP - 5YR/400K MI (640K KM) EPA24.   | \$3,454 | 0#     |
| 9203177                                      | PACCAR MX Premium <460HP - 5YR/500K MI (800K KM) EPA24.   | \$4,445 | 0#     |
| 9203178                                      | PACCAR MX Premium <460HP - 5YR/600K MI (960K KM) EPA24.   | \$5,604 | 0#     |
| 9203179                                      | PACCAR MX Premium <460HP - 5YR/700K MI (1,120K KM) EPA24. | \$6,762 | 0#     |
| 9203180                                      | PACCAR MX Premium <460HP - 6YR/300K MI (480K KM) EPA24.   | \$3,805 | 0#     |
| 9203181                                      | PACCAR MX Premium <460HP - 6YR/400K MI (640K KM) EPA24.   | \$4,339 | 0#     |
| 9203182                                      | PACCAR MX Premium <460HP - 6YR/500K MI (800K KM) EPA24.   | \$5,469 | 0#     |
| 9203183                                      | PACCAR MX Premium <460HP - 6YR/600K MI (960K KM) EPA24.   | \$6,670 | 0#     |
| 9203184                                      | PACCAR MX Premium <460HP - 6YR/700K MI (1,120K KM) EPA24. | \$7,870 | 0#     |
| 9203185                                      | PACCAR MX Premium <460HP - 7YR/200K MI (320K KM) EPA24.   | \$4,161 | 0#     |
| 9203186                                      | PACCAR MX Premium <460HP - 7YR/300K MI (480K KM) EPA24.   | \$4,704 | 0#     |
| 9203187                                      | PACCAR MX Premium <460HP - 7YR/400K MI (640K KM) EPA24.   | \$5,247 | 0#     |
| 9203188                                      | PACCAR MX Premium <460HP - 7YR/500K MI (800K KM) EPA24.   | \$6,494 | 0#     |
| 9203189                                      | PACCAR MX Premium <460HP - 7YR/600K MI (960K KM) EPA24.   | \$7,736 | 0#     |
| 9203190                                      | PACCAR MX Premium <460HP - 7YR/700K MI (1,120K KM) EPA24. | \$8,978 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                | Price   | Weight |
|----------------------------------------------|------------------------------------------------------------|---------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                            |         |        |
| 9203191                                      | PACCAR MX Premium <460HP - 3YR/300K MI (480K KM) CARB24.   | \$904   | 0#     |
| 9203192                                      | PACCAR MX Premium <460HP - 3YR/400K MI (640K KM) CARB24.   | \$1,229 | 0#     |
| 9203193                                      | PACCAR MX Premium <460HP - 3YR/500K MI (800K KM) CARB24.   | \$2,438 | 0#     |
| 9203194                                      | PACCAR MX Premium <460HP - 3YR/600K MI (960K KM) CARB24.   | \$3,175 | 0#     |
| 9203195                                      | PACCAR MX Premium <460HP - 4YR/400K MI (640K KM) CARB24.   | \$1,739 | 0#     |
| 9203196                                      | PACCAR MX Premium <460HP - 4YR/500K MI (800K KM) CARB24.   | \$2,712 | 0#     |
| 9203197                                      | PACCAR MX Premium <460HP - 4YR/600K MI (960K KM) CARB24.   | \$3,732 | 0#     |
| 9203198                                      | PACCAR MX Premium <460HP - 5YR/200K MI (320K KM) CARB24.   | \$1,350 | 0#     |
| 9203199                                      | PACCAR MX Premium <460HP - 5YR/300K MI (480K KM) CARB24.   | \$1,498 | 0#     |
| 9203200                                      | PACCAR MX Premium <460HP - 5YR/400K MI (640K KM) CARB24.   | \$2,021 | 0#     |
| 9203201                                      | PACCAR MX Premium <460HP - 5YR/500K MI (800K KM) CARB24.   | \$3,105 | 0#     |
| 9203202                                      | PACCAR MX Premium <460HP - 5YR/600K MI (960K KM) CARB24.   | \$4,264 | 0#     |
| 9203203                                      | PACCAR MX Premium <460HP - 5YR/700K MI (1,120K KM) CARB24. | \$5,423 | 0#     |
| 9203204                                      | PACCAR MX Premium <460HP - 6YR/300K MI (480K KM) CARB24.   | \$2,101 | 0#     |
| 9203205                                      | PACCAR MX Premium <460HP - 6YR/400K MI (640K KM) CARB24.   | \$2,874 | 0#     |
| 9203206                                      | PACCAR MX Premium <460HP - 6YR/500K MI (800K KM) CARB24.   | \$4,125 | 0#     |
| 9203207                                      | PACCAR MX Premium <460HP - 6YR/600K MI (960K KM) CARB24.   | \$5,330 | 0#     |
| 9203208                                      | PACCAR MX Premium <460HP - 6YR/700K MI (1,120K KM) CARB24. | \$6,531 | 0#     |
| 9203209                                      | PACCAR MX Premium <460HP - 7YR/200K MI (320K KM) CARB24.   | \$2,753 | 0#     |
| 9203210                                      | PACCAR MX Premium <460HP - 7YR/300K MI (480K KM) CARB24.   | \$2,989 | 0#     |
| 9203211                                      | PACCAR MX Premium <460HP - 7YR/400K MI (640K KM) CARB24.   | \$3,727 | 0#     |
| 9203212                                      | PACCAR MX Premium <460HP - 7YR/500K MI (800K KM) CARB24.   | \$5,154 | 0#     |
| 9203213                                      | PACCAR MX Premium <460HP - 7YR/600K MI (960K KM) CARB24.   | \$6,396 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                | Price    | Weight |
|----------------------------------------------|------------------------------------------------------------|----------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                            |          |        |
| 9203214                                      | PACCAR MX Premium <460HP - 7YR/700K MI (1,120K KM) CARB24. | \$7,638  | 0#     |
| 9203215                                      | PACCAR MX Premium >460HP - 3YR/300K MI (480K KM) EPA24.    | \$2,132  | 0#     |
| 9203216                                      | PACCAR MX Premium >460HP - 3YR/400K MI (640K KM) EPA24.    | \$3,291  | 0#     |
| 9203217                                      | PACCAR MX Premium >460HP - 3YR/500K MI (800K KM) EPA24.    | \$5,145  | 0#     |
| 9203218                                      | PACCAR MX Premium >460HP - 3YR/600K MI (960K KM) EPA24.    | \$6,999  | 0#     |
| 9203219                                      | PACCAR MX Premium >460HP - 4YR/400K MI (640K KM) EPA24.    | \$4,357  | 0#     |
| 9203220                                      | PACCAR MX Premium >460HP - 4YR/500K MI (800K KM) EPA24.    | \$6,165  | 0#     |
| 9203221                                      | PACCAR MX Premium >460HP - 4YR/600K MI (960K KM) EPA24.    | \$7,926  | 0#     |
| 9203224                                      | PACCAR MX Premium >460HP - 5YR/200K MI (320K KM) EPA24.    | \$2,841  | 0#     |
| 9203225                                      | PACCAR MX Premium >460HP - 5YR/300K MI (480K KM) EPA24.    | \$3,693  | 0#     |
| 9203226                                      | PACCAR MX Premium >460HP - 5YR/400K MI (640K KM) EPA24.    | \$5,308  | 0#     |
| 9203227                                      | PACCAR MX Premium >460HP - 5YR/500K MI (800K KM) EPA24.    | \$7,295  | 0#     |
| 9203228                                      | PACCAR MX Premium >460HP - 5YR/600K MI (960K KM) EPA24.    | \$9,284  | 0#     |
| 9203229                                      | PACCAR MX Premium >460HP - 5YR/700K MI (1,120K KM) EPA24.  | \$11,272 | 0#     |
| 9203230                                      | PACCAR MX Premium >460HP - 6YR/300K MI (480K KM) EPA24.    | \$4,696  | 0#     |
| 9203231                                      | PACCAR MX Premium >460HP - 6YR/400K MI (640K KM) EPA24.    | \$6,257  | 0#     |
| 9203232                                      | PACCAR MX Premium >460HP - 6YR/500K MI (800K KM) EPA24.    | \$8,426  | 0#     |
| 9203235                                      | PACCAR MX Premium >460HP - 6YR/600K MI (960K KM) EPA24.    | \$10,642 | 0#     |
| 9203236                                      | PACCAR MX Premium >460HP - 6YR/700K MI (1,120K KM) EPA24.  | \$12,857 | 0#     |
| 9203237                                      | PACCAR MX Premium >460HP - 7YR/200K MI (320K KM) EPA24.    | \$4,798  | 0#     |
| 9203238                                      | PACCAR MX Premium >460HP - 7YR/300K MI (480K KM) EPA24.    | \$5,772  | 0#     |
| 9203239                                      | PACCAR MX Premium >460HP - 7YR/400K MI (640K KM) EPA24.    | \$7,208  | 0#     |
| 9203240                                      | PACCAR MX Premium >460HP - 7YR/500K MI (800K KM) EPA24.    | \$9,557  | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                | Price    | Weight |
|----------------------------------------------|------------------------------------------------------------|----------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                            |          |        |
| 9203241                                      | PACCAR MX Premium >460HP - 7YR/600K MI (960K KM) EPA24.    | \$12,001 | 0#     |
| 9203242                                      | PACCAR MX Premium >460HP - 7YR/700K MI (1,120K KM) EPA24.  | \$14,443 | 0#     |
| 9203243                                      | PACCAR MX Premium >460HP - 3YR/300K MI (480K KM) CARB24.   | \$1,368  | 0#     |
| 9203244                                      | PACCAR MX Premium >460HP - 3YR/400K MI (640K KM) CARB24.   | \$2,063  | 0#     |
| 9203245                                      | PACCAR MX Premium >460HP - 3YR/500K MI (800K KM) CARB24.   | \$3,917  | 0#     |
| 9203246                                      | PACCAR MX Premium >460HP - 3YR/600K MI (960K KM) CARB24.   | \$5,771  | 0#     |
| 9203247                                      | PACCAR MX Premium >460HP - 4YR/400K MI (640K KM) CARB24.   | \$3,185  | 0#     |
| 9203248                                      | PACCAR MX Premium >460HP - 4YR/500K MI (800K KM) CARB24.   | \$4,992  | 0#     |
| 9203249                                      | PACCAR MX Premium >460HP - 4YR/600K MI (960K KM) CARB24.   | \$6,698  | 0#     |
| 9203250                                      | PACCAR MX Premium >460HP - 5YR/200K MI (320K KM) CARB24.   | \$1,646  | 0#     |
| 9203251                                      | PACCAR MX Premium >460HP - 5YR/300K MI (480K KM) CARB24.   | \$2,367  | 0#     |
| 9203252                                      | PACCAR MX Premium >460HP - 5YR/400K MI (640K KM) CARB24.   | \$3,689  | 0#     |
| 9203253                                      | PACCAR MX Premium >460HP - 5YR/500K MI (800K KM) CARB24.   | \$5,678  | 0#     |
| 9203254                                      | PACCAR MX Premium >460HP - 5YR/600K MI (960K KM) CARB24.   | \$7,666  | 0#     |
| 9203255                                      | PACCAR MX Premium >460HP - 5YR/700K MI (1,120K KM) CARB24. | \$9,655  | 0#     |
| 9203256                                      | PACCAR MX Premium >460HP - 6YR/300K MI (480K KM) CARB24.   | \$3,689  | 0#     |
| 9203257                                      | PACCAR MX Premium >460HP - 6YR/400K MI (640K KM) CARB24.   | \$4,640  | 0#     |
| 9203258                                      | PACCAR MX Premium >460HP - 6YR/500K MI (800K KM) CARB24.   | \$6,809  | 0#     |
| 9203259                                      | PACCAR MX Premium >460HP - 6YR/600K MI (960K KM) CARB24.   | \$9,025  | 0#     |
| 9203260                                      | PACCAR MX Premium >460HP - 6YR/700K MI (1,120K KM) CARB24. | \$11,240 | 0#     |
| 9203261                                      | PACCAR MX Premium >460HP - 7YR/200K MI (320K KM) CARB24.   | \$2,783  | 0#     |
| 9203262                                      | PACCAR MX Premium >460HP - 7YR/300K MI (480K KM) CARB24.   | \$3,920  | 0#     |
| 9203263                                      | PACCAR MX Premium >460HP - 7YR/400K MI (640K KM) CARB24.   | \$5,590  | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                | Price    | Weight |
|----------------------------------------------|------------------------------------------------------------|----------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                            |          |        |
| 9203264                                      | PACCAR MX Premium >460HP - 7YR/500K MI (800K KM) CARB24.   | \$7,940  | 0#     |
| 9203265                                      | PACCAR MX Premium >460HP - 7YR/600K MI (960K KM) CARB24.   | \$10,382 | 0#     |
| 9203266                                      | PACCAR MX Premium >460HP - 7YR/700K MI (1,120K KM) CARB24. | \$12,826 | 0#     |
| 9203267                                      | PACCAR MX-13 PP1 <460HP - 3YR/300K MI (480K KM) EPA24.     | \$1,479  | 0#     |
| 9203268                                      | PACCAR MX-13 PP1 <460HP - 3YR/400K MI (640K KM) EPA24.     | \$1,896  | 0#     |
| 9203269                                      | PACCAR MX-13 PP1 <460HP - 3YR/500K MI (800K KM) EPA24.     | \$2,638  | 0#     |
| 9203270                                      | PACCAR MX-13 PP1 <460HP - 3YR/600K MI (960K KM) EPA24.     | \$3,379  | 0#     |
| 9203271                                      | PACCAR MX-13 PP1 <460HP - 4YR/400K MI (640K KM) EPA24.     | \$2,427  | 0#     |
| 9203272                                      | PACCAR MX-13 PP1 <460HP - 4YR/500K MI (800K KM) EPA24.     | \$3,062  | 0#     |
| 9203273                                      | PACCAR MX-13 PP1 <460HP - 4YR/600K MI (960K KM) EPA24.     | \$3,750  | 0#     |
| 9203274                                      | PACCAR MX-13 PP1 <460HP - 5YR/200K MI (320K KM) EPA24.     | \$2,000  | 0#     |
| 9203275                                      | PACCAR MX-13 PP1 <460HP - 5YR/300K MI (480K KM) EPA24.     | \$2,644  | 0#     |
| 9203276                                      | PACCAR MX-13 PP1 <460HP - 5YR/400K MI (640K KM) EPA24.     | \$3,288  | 0#     |
| 9203277                                      | PACCAR MX-13 PP1 <460HP - 5YR/500K MI (800K KM) EPA24.     | \$3,933  | 0#     |
| 9203278                                      | PACCAR MX-13 PP1 <460HP - 5YR/600K MI (960K KM) EPA24.     | \$4,306  | 0#     |
| 9203279                                      | PACCAR MX-13 PP1 <460HP - 6YR/600K MI (960K KM) EPA24.     | \$5,048  | 0#     |
| 9203280                                      | PACCAR MX-13 PP1 <460HP - 3YR/300K MI (480K KM) CARB24.    | \$881    | 0#     |
| 9203281                                      | PACCAR MX-13 PP1 <460HP - 3YR/400K MI (640K KM) CARB24.    | \$1,182  | 0#     |
| 9203282                                      | PACCAR MX-13 PP1 <460HP - 3YR/500K MI (800K KM) CARB24.    | \$1,924  | 0#     |
| 9203283                                      | PACCAR MX-13 PP1 <460HP - 3YR/600K MI (960K KM) CARB24.    | \$2,666  | 0#     |
| 9203284                                      | PACCAR MX-13 PP1 <460HP - 4YR/400K MI (640K KM) CARB24.    | \$1,507  | 0#     |
| 9203285                                      | PACCAR MX-13 PP1 <460HP - 4YR/500K MI (800K KM) CARB24.    | \$2,156  | 0#     |
| 9203286                                      | PACCAR MX-13 PP1 <460HP - 4YR/600K MI (960K KM) CARB24.    | \$2,944  | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                             | Price   | Weight |
|----------------------------------------------|---------------------------------------------------------|---------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                         |         |        |
| 9203287                                      | PACCAR MX-13 PP1 <460HP - 5YR/200K MI (320K KM) CARB24. | \$1,092 | 0#     |
| 9203288                                      | PACCAR MX-13 PP1 <460HP - 5YR/300K MI (480K KM) CARB24. | \$1,347 | 0#     |
| 9203289                                      | PACCAR MX-13 PP1 <460HP - 5YR/400K MI (640K KM) CARB24. | \$1,920 | 0#     |
| 9203290                                      | PACCAR MX-13 PP1 <460HP - 5YR/500K MI (800K KM) CARB24. | \$2,573 | 0#     |
| 9203291                                      | PACCAR MX-13 PP1 <460HP - 5YR/600K MI (960K KM) CARB24. | \$3,361 | 0#     |
| 9203292                                      | PACCAR MX-13 PP1 <460HP - 6YR/600K MI (960K KM) CARB24. | \$4,102 | 0#     |
| 9203293                                      | PACCAR MX-13 PP1 >460HP - 3YR/300K MI (480K KM) EPA24.  | \$2,035 | 0#     |
| 9203294                                      | PACCAR MX-13 PP1 >460HP - 3YR/400K MI (640K KM) EPA24.  | \$2,870 | 0#     |
| 9203295                                      | PACCAR MX-13 PP1 >460HP - 3YR/500K MI (800K KM) EPA24.  | \$4,631 | 0#     |
| 9203296                                      | PACCAR MX-13 PP1 >460HP - 3YR/600K MI (960K KM) EPA24.  | \$6,264 | 0#     |
| 9203297                                      | PACCAR MX-13 PP1 >460HP - 4YR/400K MI (640K KM) EPA24.  | \$3,843 | 0#     |
| 9203298                                      | PACCAR MX-13 PP1 >460HP - 4YR/500K MI (800K KM) EPA24.  | \$5,419 | 0#     |
| 9203299                                      | PACCAR MX-13 PP1 >460HP - 4YR/600K MI (960K KM) EPA24.  | \$7,087 | 0#     |
| 9203300                                      | PACCAR MX-13 PP1 >460HP - 5YR/200K MI (320K KM) EPA24.  | \$2,313 | 0#     |
| 9203301                                      | PACCAR MX-13 PP1 >460HP - 5YR/300K MI (480K KM) EPA24.  | \$3,240 | 0#     |
| 9203302                                      | PACCAR MX-13 PP1 >460HP - 5YR/400K MI (640K KM) EPA24.  | \$4,538 | 0#     |
| 9203303                                      | PACCAR MX-13 PP1 >460HP - 5YR/500K MI (800K KM) EPA24.  | \$6,207 | 0#     |
| 9203304                                      | PACCAR MX-13 PP1 >460HP - 5YR/600K MI (960K KM) EPA24.  | \$8,432 | 0#     |
| 9203305                                      | PACCAR MX-13 PP1 >460HP - 3YR/300K MI (480K KM) CARB24. | \$1,321 | 0#     |
| 9203306                                      | PACCAR MX-13 PP1 >460HP - 3YR/400K MI (640K KM) CARB24. | \$1,970 | 0#     |
| 9203307                                      | PACCAR MX-13 PP1 >460HP - 3YR/500K MI (800K KM) CARB24. | \$3,732 | 0#     |
| 9203308                                      | PACCAR MX-13 PP1 >460HP - 3YR/600K MI (960K KM) CARB24. | \$5,365 | 0#     |
| 9203309                                      | PACCAR MX-13 PP1 >460HP - 4YR/400K MI (640K KM) CARB24. | \$2,758 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                   | Price   | Weight |
|----------------------------------------------|---------------------------------------------------------------|---------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                               |         |        |
| 9203310                                      | PACCAR MX-13 PP1 >460HP - 4YR/500K MI (800K KM) CARB24.       | \$4,334 | 0#     |
| 9203311                                      | PACCAR MX-13 PP1 >460HP - 4YR/600K MI (960K KM) CARB24.       | \$6,003 | 0#     |
| 9203312                                      | PACCAR MX-13 PP1 >460HP - 5YR/200K MI (320K KM) CARB24.       | \$1,461 | 0#     |
| 9203313                                      | PACCAR MX-13 PP1 >460HP - 5YR/300K MI (480K KM) CARB24.       | \$2,156 | 0#     |
| 9203314                                      | PACCAR MX-13 PP1 >460HP - 5YR/400K MI (640K KM) CARB24.       | \$3,083 | 0#     |
| 9203315                                      | PACCAR MX-13 PP1 >460HP - 5YR/500K MI (800K KM) CARB24.       | \$4,751 | 0#     |
| 9203316                                      | PACCAR MX-13 PP1 >460HP - 5YR/600K MI (960K KM) CARB24.       | \$6,976 | 0#     |
| 9203317                                      | EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) EPA 24        | \$1,320 | 0#     |
| 9203318                                      | EW: PACCAR MX MAJOR COMPONENTS <460HP (960K KM) EPA 24        | \$1,834 | 0#     |
| 9203319                                      | EW: PACCAR MX MAJOR COMPONENTS <460HP (1,120K KM) EPA 24      | \$2,500 | 0#     |
| 9203320                                      | EW: PACCAR MX MAJOR COMPONENTS <460HP (960K KM) CARB 24       | \$1,320 | 0#     |
| 9203321                                      | EW: PACCAR MX MAJOR COMPONENTS <460HP (960K KM) CARB 24       | \$1,834 | 0#     |
| 9203324                                      | EW: PACCAR MX MAJOR COMPONENTS <460HP (1,120K KM) CARB 24     | \$2,500 | 0#     |
| 9203325                                      | EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) EPA 24        | \$2,130 | 0#     |
| 9203326                                      | EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) EPA 24        | \$2,400 | 0#     |
| 9203327                                      | EW: PACCAR MX MAJOR COMPONENTS >460HP (1,120K KM) EPA 24      | \$2,472 | 0#     |
| 9203328                                      | EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) CARB 24       | \$2,130 | 0#     |
| 9203329                                      | EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) CARB 24       | \$2,400 | 0#     |
| 9203330                                      | EW: PACCAR MX MAJOR COMPONENTS >460HP (1,120K KM) CARB 24     | \$2,472 | 0#     |
| 9203331                                      | PACCAR MX Aftertreatment <460HP - 3YR/300K MI (480K KM) EPA24 | \$806   | 0#     |
| 9203332                                      | PACCAR MX Aftertreatment <460HP - 3YR/400K MI (640K KM) EPA24 | \$1,136 | 0#     |
| 9203335                                      | PACCAR MX Aftertreatment <460HP - 3YR/500K MI (800K KM) EPA24 | \$1,702 | 0#     |
| 9203336                                      | PACCAR MX Aftertreatment <460HP - 3YR/600K MI (960K KM) EPA24 | \$2,206 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                     | Price   | Weight |
|----------------------------------------------|-----------------------------------------------------------------|---------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                                 |         |        |
| 9203337                                      | PACCAR MX Aftertreatment <460HP - 4YR/400K MI (640K KM) EPA24   | \$1,442 | 0#     |
| 9203338                                      | PACCAR MX Aftertreatment <460HP - 4YR/500K MI (800K KM) EPA24   | \$1,975 | 0#     |
| 9203339                                      | PACCAR MX Aftertreatment <460HP - 4YR/600K MI (960K KM) EPA24   | \$2,271 | 0#     |
| 9203340                                      | PACCAR MX Aftertreatment <460HP - 5YR/200K MI (320K KM) EPA24   | \$1,250 | 0#     |
| 9203353                                      | PACCAR MX Aftertreatment <460HP - 5YR/300K MI (480K KM) EPA24   | \$1,456 | 0#     |
| 9203354                                      | PACCAR MX Aftertreatment <460HP - 5YR/400K MI (640K KM) EPA24   | \$1,662 | 0#     |
| 9203355                                      | PACCAR MX Aftertreatment <460HP - 5YR/500K MI (800K KM) EPA24   | \$2,063 | 0#     |
| 9203356                                      | PACCAR MX Aftertreatment <460HP - 5YR/600K MI (960K KM) EPA24   | \$2,814 | 0#     |
| 9203357                                      | PACCAR MX Aftertreatment <460HP - 5YR/700K MI (1,120K KM) EPA24 | \$3,240 | 0#     |
| 9203358                                      | PACCAR MX Aftertreatment <460HP - 6YR/300K MI (480K KM) EPA24   | \$2,144 | 0#     |
| 9203359                                      | PACCAR MX Aftertreatment <460HP - 6YR/400K MI (640K KM) EPA24   | \$2,355 | 0#     |
| 9203360                                      | PACCAR MX Aftertreatment <460HP - 6YR/500K MI (800K KM) EPA24   | \$2,660 | 0#     |
| 9203361                                      | PACCAR MX Aftertreatment <460HP - 6YR/600K MI (960K KM) EPA24   | \$3,124 | 0#     |
| 9203362                                      | PACCAR MX Aftertreatment <460HP - 6YR/700K MI (1,120K KM) EPA24 | \$3,587 | 0#     |
| 9203363                                      | PACCAR MX Aftertreatment <460HP - 7YR/200K MI (320K KM) EPA24   | \$2,641 | 0#     |
| 9203364                                      | PACCAR MX Aftertreatment <460HP - 7YR/300K MI (480K KM) EPA24   | \$2,854 | 0#     |
| 9203365                                      | PACCAR MX Aftertreatment <460HP - 7YR/400K MI (640K KM) EPA24   | \$3,066 | 0#     |
| 9203366                                      | PACCAR MX Aftertreatment <460HP - 7YR/500K MI (800K KM) EPA24   | \$3,278 | 0#     |
| 9203367                                      | PACCAR MX Aftertreatment <460HP - 7YR/600K MI (960K KM) EPA24   | \$3,491 | 0#     |
| 9203368                                      | PACCAR MX Aftertreatment <460HP - 7YR/700K MI (1,120K KM) EPA24 | \$3,936 | 0#     |
| 9203369                                      | PACCAR MX Aftertreatment <460HP - 3YR/400K MI (640K KM) CARB24. | \$603   | 0#     |
| 9203370                                      | PACCAR MX Aftertreatment <460HP - 3YR/500K MI (800K KM) CARB24. | \$927   | 0#     |
| 9203371                                      | PACCAR MX Aftertreatment <460HP - 3YR/600K MI (960K KM) CARB24  | \$1,363 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                       | Price   | Weight |
|----------------------------------------------|-------------------------------------------------------------------|---------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                                   |         |        |
| 9203372                                      | PACCAR MX Aftertreatment <460HP - 4YR/400K MI (640K KM) CARB24    | \$612   | 0#     |
| 9203373                                      | PACCAR MX Aftertreatment <460HP - 4YR/500K MI (800K KM) CARB24    | \$1,006 | 0#     |
| 9203374                                      | PACCAR MX Aftertreatment <460HP - 4YR/600K MI (960K KM) CARB24    | \$1,372 | 0#     |
| 9203375                                      | PACCAR MX Aftertreatment <460HP - 5YR/400K MI (640K KM) CARB24    | \$647   | 0#     |
| 9203376                                      | PACCAR MX Aftertreatment <460HP - 5YR/500K MI (800K KM) CARB24    | \$1,043 | 0#     |
| 9203377                                      | PACCAR MX Aftertreatment <460HP - 5YR/600K MI (960K KM) CARB24    | \$1,687 | 0#     |
| 9203378                                      | PACCAR MX Aftertreatment <460HP - 5YR/700K MI (1,120K KM) CARB24  | \$2,206 | 0#     |
| 9203379                                      | PACCAR MX Aftertreatment <460HP - 6YR/300K MI (480K KM) CARB24    | \$1,016 | 0#     |
| 9203380                                      | PACCAR MX Aftertreatment <460HP - 6YR/400K MI (640K KM) CARB24    | \$1,233 | 0#     |
| 9203381                                      | PACCAR MX Aftertreatment <460HP - 6YR/500K MI (800K KM) CARB24    | \$1,544 | 0#     |
| 9203382                                      | PACCAR MX Aftertreatment <460HP - 6YR/600K MI (960K KM) CARB24    | \$2,091 | 0#     |
| 9203383                                      | PACCAR MX Aftertreatment <460HP - 6YR/700K MI (1,120K KM) CARB24  | \$2,554 | 0#     |
| 9203384                                      | PACCAR MX PreAftertreatment <460HP - 7YR/200K MI (320K KM) CARB24 | \$1,272 | 0#     |
| 9203385                                      | PACCAR MX Aftertreatment <460HP - 7YR/300K MI (480K KM) CARB24    | \$1,417 | 0#     |
| 9203386                                      | PACCAR MX Aftertreatment <460HP - 7YR/400K MI (640K KM) CARB24    | \$2,060 | 0#     |
| 9203387                                      | PACCAR MX Aftertreatment <460HP - 7YR/500K MI (800K KM) CARB24    | \$2,360 | 0#     |
| 9203388                                      | PACCAR MX Aftertreatment <460HP - 7YR/600K MI (960K KM) CARB24    | \$2,428 | 0#     |
| 9203389                                      | PACCAR MX Aftertreatment <460HP - 7YR/700K MI (1,120K KM) CARB24  | \$2,902 | 0#     |
| 9203390                                      | PACCAR MX Aftertreatment >460HP - 3YR/300K MI (480K KM) EPA24     | \$1,034 | 0#     |
| 9203391                                      | PACCAR MX Aftertreatment >460HP - 3YR/400K MI (640K KM) EPA24     | \$1,442 | 0#     |
| 9203392                                      | PACCAR MX Aftertreatment >460HP - 3YR/500K MI (800K KM) EPA24     | \$2,462 | 0#     |
| 9203393                                      | PACCAR MX Aftertreatment >460HP - 3YR/600K MI (960K KM) EPA24     | \$3,481 | 0#     |
| 9203394                                      | PACCAR MX Aftertreatment >460HP - 4YR/400K MI (640K KM) EPA24     | \$2,054 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                     | Price   | Weight |
|----------------------------------------------|-----------------------------------------------------------------|---------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b> |                                                                 |         |        |
| 9203395                                      | PACCAR MX Aftertreatment >460HP - 4YR/500K MI (800K KM) EPA24   | \$2,972 | 0#     |
| 9203396                                      | PACCAR MX Aftertreatment >460HP - 4YR/600K MI (960K KM) EPA24   | \$3,991 | 0#     |
| 9203397                                      | PACCAR MX Aftertreatment >460HP - 5YR/200K MI (320K KM) EPA24   | \$1,803 | 0#     |
| 9203398                                      | PACCAR MX Aftertreatment >460HP - 5YR/300K MI (480K KM) EPA24   | \$2,324 | 0#     |
| 9203399                                      | PACCAR MX Aftertreatment >460HP - 5YR/400K MI (640K KM) EPA24   | \$2,843 | 0#     |
| 9203400                                      | PACCAR MX Aftertreatment >460HP - 5YR/500K MI (800K KM) EPA24   | \$3,379 | 0#     |
| 9203408                                      | PACCAR MX Aftertreatment >460HP - 5YR/600K MI (960K KM) EPA24   | \$4,353 | 0#     |
| 9203409                                      | PACCAR MX Aftertreatment >460HP - 5YR/700K MI (1,120K KM) EPA24 | \$5,326 | 0#     |
| 9203410                                      | PACCAR MX Aftertreatment >460HP - 6YR/300K MI (480K KM) EPA24   | \$3,389 | 0#     |
| 9203411                                      | PACCAR MX Aftertreatment >460HP - 6YR/400K MI (640K KM) EPA24   | \$3,916 | 0#     |
| 9203413                                      | PACCAR MX Aftertreatment >460HP - 6YR/500K MI (800K KM) EPA24   | \$4,972 | 0#     |
| 9203414                                      | PACCAR MX Aftertreatment >460HP - 6YR/600K MI (960K KM) EPA24   | \$5,641 | 0#     |
| 9203415                                      | PACCAR MX Aftertreatment >460HP - 7YR/200K MI (320K KM) EPA24   | \$3,952 | 0#     |
| 9203416                                      | PACCAR MX Aftertreatment >460HP - 7YR/300K MI (480K KM) EPA24   | \$4,488 | 0#     |
| 9203417                                      | PACCAR MX Aftertreatment >460HP - 7YR/400K MI (640K KM) EPA24   | \$5,023 | 0#     |
| 9203418                                      | PACCAR MX Aftertreatment >460HP - 7YR/500K MI (800K KM) EPA24   | \$5,559 | 0#     |
| 9203419                                      | PACCAR MX Aftertreatment >460HP - 7YR/600K MI (960K KM) EPA24   | \$6,095 | 0#     |
| 9203420                                      | PACCAR MX Aftertreatment >460HP - 7YR/700K MI (1,120K KM) EPA24 | \$6,630 | 0#     |
| 9203421                                      | PACCAR MX Aftertreatment >460HP - 3YR/400K MI (640K KM) CARB24  | \$584   | 0#     |
| 9203424                                      | PACCAR MX Aftertreatment >460HP - 3YR/500K MI (800K KM) CARB24  | \$1,609 | 0#     |
| 9203425                                      | PACCAR MX Aftertreatment >460HP - 3YR/600K MI (960K KM) CARB24  | \$2,629 | 0#     |
| 9203426                                      | PACCAR MX Aftertreatment >460HP - 4YR/400K MI (640K KM) CARB24  | \$881   | 0#     |
| 9203427                                      | PACCAR MX Aftertreatment >460HP - 4YR/500K MI (800K KM) CARB24  | \$1,655 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                   | Price   | Weight |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>PACCAR Engine Extended Coverage Plans</b>  |                                                                                                                                                                                                                                                                                               |         |        |
| 9203428                                       | PACCAR MX Aftertreatment >460HP - 4YR/600K MI (960K KM) CARB24                                                                                                                                                                                                                                | \$2,675 | 0#     |
| 9203429                                       | PACCAR MX Aftertreatment >460HP - 5YR/400K MI (640K KM) CARB24                                                                                                                                                                                                                                | \$912   | 0#     |
| 9203430                                       | PACCAR MX Aftertreatment >460HP - 5YR/500K MI (800K KM) CARB24                                                                                                                                                                                                                                | \$1,743 | 0#     |
| 9203431                                       | PACCAR MX Aftertreatment >460HP - 5YR/600K MI (960K KM) CARB24                                                                                                                                                                                                                                | \$2,716 | 0#     |
| 9203432                                       | PACCAR MX Aftertreatment >460HP - 5YR/700K MI (1,120K KM) CARB24                                                                                                                                                                                                                              | \$3,689 | 0#     |
| 9203435                                       | PACCAR MX Aftertreatment >460HP - 6YR/300K MI (480K KM) CARB24                                                                                                                                                                                                                                | \$1,059 | 0#     |
| 9203436                                       | PACCAR MX Aftertreatment >460HP - 6YR/400K MI (640K KM) CARB24                                                                                                                                                                                                                                | \$1,526 | 0#     |
| 9203437                                       | PACCAR MX Aftertreatment >460HP - 6YR/500K MI (800K KM) CARB24                                                                                                                                                                                                                                | \$2,509 | 0#     |
| 9203438                                       | PACCAR MX Aftertreatment >460HP - 6YR/600K MI (960K KM) CARB24                                                                                                                                                                                                                                | \$3,249 | 0#     |
| 9203439                                       | PACCAR MX Aftertreatment >460HP - 6YR/700K MI (1,120K KM) CARB24                                                                                                                                                                                                                              | \$4,005 | 0#     |
| 9203440                                       | PACCAR MX Aftertreatment >460HP - 7YR/200K MI (320K KM) CARB24                                                                                                                                                                                                                                | \$1,255 | 0#     |
| 9203441                                       | PACCAR MX Aftertreatment >460HP - 7YR/300K MI (480K KM) CARB24                                                                                                                                                                                                                                | \$1,653 | 0#     |
| 9203442                                       | PACCAR MX Aftertreatment >460HP - 7YR/400K MI (640K KM) CARB24                                                                                                                                                                                                                                | \$2,152 | 0#     |
| 9203443                                       | PACCAR MX Aftertreatment >460HP - 7YR/500K MI (800K KM) CARB24                                                                                                                                                                                                                                | \$3,298 | 0#     |
| 9203444                                       | PACCAR MX Aftertreatment >460HP - 7YR/600K MI (960K KM) CARB24                                                                                                                                                                                                                                | \$4,089 | 0#     |
| 9203445                                       | PACCAR MX Aftertreatment >460HP - 7YR/700K MI (1,120K KM) CARB24                                                                                                                                                                                                                              | \$4,800 | 0#     |
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                               |         |        |
| 9201069                                       | Cummins EW: Protect Plan 1 X15 EPA24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,215 | 0#     |
| 9201070                                       | Cummins EW: Protect Plan 1 X15 EPA24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,665 | 0#     |
| 9201071                                       | Cummins EW: Protect Plan 1 X15 EPA24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,465 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                   | Price   | Weight |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                               |         |        |
| 9201072                                       | Cummins EW: Protect Plan 1 X15 EPA24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,265 | 0#     |
| 9201073                                       | Cummins EW: Protect Plan 1 X15 EPA24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,115 | 0#     |
| 9201074                                       | Cummins EW: Protect Plan 1 X15 EPA24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,415 | 0#     |
| 9201075                                       | Cummins EW: Protect Plan 1 X15 EPA24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,815 | 0#     |
| 9201076                                       | Cummins EW: Protect Plan 1 X15 EPA24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,665 | 0#     |
| 9201077                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,065 | 0#     |
| 9201082                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,365 | 0#     |
| 9201083                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,815 | 0#     |
| 9201084                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,415 | 0#     |
| 9201085                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,215 | 0#     |
| 9201086                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,265 | 0#     |
| 9201087                                       | Cummins EW: Protect Plan 1 X15 EPA24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,465 | 0#     |
| 9201088                                       | Cummins EW: Protect Plan 1 X15 EPA24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,965 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                       | Price   | Weight |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                   |         |        |
| 9201089                                       | Cummins EW: Protect Plan 1 X15 EPA24 6YR/250K (402,336KM), Efficiency/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,365 | 0#     |
| 9201090                                       | Cummins EW: Protect Plan 1 X15 EPA24 6YR/300K (482,804KM), Efficiency/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,815 | 0#     |
| 9201091                                       | Cummins EW: Protect Plan 1 X15 EPA24 6YR/400K (643,738KM), Efficiency/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,465 | 0#     |
| 9201092                                       | Cummins EW: Protect Plan 1 X15 EPA24 6YR/500K (804,672KM), Efficiency/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$5,165 | 0#     |
| 9201093                                       | Cummins EW: Protect Plan 1 X15 EPA24 6YR/600K (965,607KM), Efficiency/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$6,065 | 0#     |
| 9201094                                       | Cummins EW: Protect Plan 1 X15 EPA24 7YR/200K (321,869KM), Efficiency/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,115 | 0#     |
| 9201095                                       | Cummins EW: Protect Plan 1 X15 EPA24 7YR/300K (482,804KM), Efficiency/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,815 | 0#     |
| 9201096                                       | Cummins EW: Protect Plan 1 X15 EPA24 3YR/300K (482,804KM), Performance/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,815 | 0#     |
| 9201097                                       | Cummins EW: Protect Plan 1 X15 EPA24 3YR/400K (643,738KM), Performance/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,715 | 0#     |
| 9201098                                       | Cummins EW: Protect Plan 1 X15 EPA24 3YR/500K (804,672KM), Performance/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,615 | 0#     |
| 9201099                                       | Cummins EW: Protect Plan 1 X15 EPA24 4YR/400K (643,738KM), Performance/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,765 | 0#     |
| 9201103                                       | Cummins EW: Protect Plan 1 X15 EPA24 4YR/450K (724,205KM), Performance/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,565 | 0#     |
| 9201104                                       | Cummins EW: Protect Plan 1 X15 EPA24 4YR/500K (804,672KM), Performance/Productivity Series.<br>Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$6,465 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                              | Price   | Weight |
|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                          |         |        |
| 9201105                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$2,715 | 0#     |
| 9201106                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$3,115 | 0#     |
| 9201107                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$4,115 | 0#     |
| 9201108                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$5,515 | 0#     |
| 9201109                                       | Cummins EW: Protect Plan 1 X15 EPA24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$7,315 | 0#     |
| 9201110                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,275 | 0#     |
| 9201111                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,630 | 0#     |
| 9201112                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,240 | 0#     |
| 9201113                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,785 | 0#     |
| 9201114                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,960 | 0#     |
| 9201115                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,240 | 0#     |
| 9201116                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,535 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                              | Price   | Weight |
|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                          |         |        |
| 9201117                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,855 | 0#     |
| 9201118                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,300 | 0#     |
| 9201119                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,465 | 0#     |
| 9201120                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,730 | 0#     |
| 9201774                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,125 | 0#     |
| 9201775                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,630 | 0#     |
| 9201776                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,440 | 0#     |
| 9201777                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,320 | 0#     |
| 9201778                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,530 | 0#     |
| 9201779                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,740 | 0#     |
| 9201780                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,155 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                           |         |        |
| 9201781                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$2,675 | 0#     |
| 9201782                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,275 | 0#     |
| 9201783                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,775 | 0#     |
| 9201784                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$1,765 | 0#     |
| 9201785                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$2,405 | 0#     |
| 9201786                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,520 | 0#     |
| 9201787                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,960 | 0#     |
| 9201788                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,060 | 0#     |
| 9201789                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,620 | 0#     |
| 9201790                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,060 | 0#     |
| 9201791                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,610 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                           |         |        |
| 9201792                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,575 | 0#     |
| 9201793                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,850 | 0#     |
| 9201794                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,235 | 0#     |
| 9201795                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,000 | 0#     |
| 9201796                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,050 | 0#     |
| 9201797                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$2,815 | 0#     |
| 9201798                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,265 | 0#     |
| 9201799                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,065 | 0#     |
| 9202194                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,865 | 0#     |
| 9202195                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,815 | 0#     |
| 9202196                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,115 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                              | Price   | Weight |
|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                          |         |        |
| 9202197                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,515 | 0#     |
| 9202198                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,365 | 0#     |
| 9202199                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,865 | 0#     |
| 9202200                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,165 | 0#     |
| 9202201                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,615 | 0#     |
| 9202202                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,215 | 0#     |
| 9202203                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,015 | 0#     |
| 9202219                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$6,065 | 0#     |
| 9202220                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,665 | 0#     |
| 9202221                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,165 | 0#     |
| 9202224                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,565 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                           |         |        |
| 9202225                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$5,015 | 0#     |
| 9202226                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$5,665 | 0#     |
| 9202227                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$6,365 | 0#     |
| 9202228                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$7,265 | 0#     |
| 9202229                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$5,715 | 0#     |
| 9202230                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$6,415 | 0#     |
| 9202231                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,715 | 0#     |
| 9202232                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,615 | 0#     |
| 9202287                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$6,515 | 0#     |
| 9202288                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,865 | 0#     |
| 9202289                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$6,665 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                           |         |        |
| 9202290                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$7,565 | 0#     |
| 9202291                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,965 | 0#     |
| 9202292                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,365 | 0#     |
| 9202293                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,365 | 0#     |
| 9202294                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$6,765 | 0#     |
| 9202295                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$8,565 | 0#     |
| 9202296                                       | Cummins EW: Protect Plan 1 X15 CARB24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$1,450 | 0#     |
| 9202297                                       | Cummins EW: Protect Plan 1 X15 CARB24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$1,775 | 0#     |
| 9202298                                       | Cummins EW: Protect Plan 1 X15 CARB24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$2,575 | 0#     |
| 9202299                                       | Cummins EW: Protect Plan 1 X15 CARB24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$3,375 | 0#     |
| 9202300                                       | Cummins EW: Protect Plan 1 X15 CARB24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$2,125 | 0#     |
| 9202301                                       | Cummins EW: Protect Plan 1 X15 CARB24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$2,425 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                    | Price   | Weight |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                |         |        |
| 9202302                                       | Cummins EW: Protect Plan 1 X15 CARB24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,825 | 0#     |
| 9202303                                       | Cummins EW: Protect Plan 1 X15 CARB24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,675 | 0#     |
| 9202304                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,400 | 0#     |
| 9202305                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,500 | 0#     |
| 9202306                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,700 | 0#     |
| 9202307                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,275 | 0#     |
| 9202310                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,075 | 0#     |
| 9202311                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,125 | 0#     |
| 9202312                                       | Cummins EW: Protect Plan 1 X15 CARB24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,700 | 0#     |
| 9202313                                       | Cummins EW: Protect Plan 1 X15 CARB24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,900 | 0#     |
| 9202314                                       | Cummins EW: Protect Plan 1 X15 CARB24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,375 | 0#     |
| 9202315                                       | Cummins EW: Protect Plan 1 X15 CARB24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,575 | 0#     |
| 9202316                                       | Cummins EW: Protect Plan 1 X15 CARB24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,025 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                     | Price   | Weight |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                 |         |        |
| 9202317                                       | Cummins EW: Protect Plan 1 X15 CARB24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,025 | 0#     |
| 9202318                                       | Cummins EW: Protect Plan 1 X15 CARB24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,925 | 0#     |
| 9202319                                       | Cummins EW: Protect Plan 1 X15 CARB24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,225 | 0#     |
| 9202320                                       | Cummins EW: Protect Plan 1 X15 CARB24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,625 | 0#     |
| 9202321                                       | Cummins EW: Protect Plan 1 X15 CARB24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,925 | 0#     |
| 9202324                                       | Cummins EW: Protect Plan 1 X15 CARB24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,625 | 0#     |
| 9202325                                       | Cummins EW: Protect Plan 1 X15 CARB24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,525 | 0#     |
| 9202326                                       | Cummins EW: Protect Plan 1 X15 CARB24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,475 | 0#     |
| 9202327                                       | Cummins EW: Protect Plan 1 X15 CARB24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,275 | 0#     |
| 9202328                                       | Cummins EW: Protect Plan 1 X15 CARB24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,175 | 0#     |
| 9202329                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,875 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                           |         |        |
| 9202330                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$2,075 | 0#     |
| 9202331                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$2,825 | 0#     |
| 9202332                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$3,825 | 0#     |
| 9202349                                       | Cummins EW: Protect Plan 1 X15 CARB24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$5,625 | 0#     |
| 9202350                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$825   | 0#     |
| 9202351                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,245 | 0#     |
| 9202352                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,715 | 0#     |
| 9202353                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$905   | 0#     |
| 9202354                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,135 | 0#     |
| 9202355                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,330 | 0#     |
| 9202356                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,705 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                           |         |        |
| 9202357                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$920   | 0#     |
| 9202358                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,370 | 0#     |
| 9202359                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,065 | 0#     |
| 9202360                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$780   | 0#     |
| 9202361                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$805   | 0#     |
| 9202362                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$905   | 0#     |
| 9202363                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,095 | 0#     |
| 9202364                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,430 | 0#     |
| 9202365                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,910 | 0#     |
| 9202366                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,500 | 0#     |
| 9202367                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,085 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                                | Price   | Weight |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                            |         |        |
| 9202368                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$1,320 | 0#     |
| 9202369                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$875   | 0#     |
| 9202370                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,980 | 0#     |
| 9202371                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,040 | 0#     |
| 9202372                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,485 | 0#     |
| 9202373                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,030 | 0#     |
| 9202374                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,080 | 0#     |
| 9202375                                       | Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,125 | 0#     |
| 9202376                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$2,050 | 0#     |
| 9202377                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$2,375 | 0#     |
| 9202378                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,185 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                           |         |        |
| 9202379                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,975 | 0#     |
| 9202380                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,825 | 0#     |
| 9202381                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,125 | 0#     |
| 9202382                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,525 | 0#     |
| 9202383                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,375 | 0#     |
| 9202384                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,400 | 0#     |
| 9202385                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,500 | 0#     |
| 9202386                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,700 | 0#     |
| 9202387                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,285 | 0#     |
| 9202388                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,075 | 0#     |
| 9202389                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,125 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                                | Price   | Weight |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                            |         |        |
| 9202390                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$2,900 | 0#     |
| 9202391                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,100 | 0#     |
| 9202392                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,575 | 0#     |
| 9202393                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$3,775 | 0#     |
| 9202394                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,225 | 0#     |
| 9202395                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$5,225 | 0#     |
| 9202396                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$6,125 | 0#     |
| 9202397                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$4,825 | 0#     |
| 9202398                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.  | \$5,225 | 0#     |
| 9202399                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,825 | 0#     |
| 9202410                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,525 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                                | Price   | Weight |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                            |         |        |
| 9202411                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,425 | 0#     |
| 9202412                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,575 | 0#     |
| 9202413                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,375 | 0#     |
| 9202414                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$6,275 | 0#     |
| 9202415                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,125 | 0#     |
| 9202416                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$3,325 | 0#     |
| 9202417                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$4,075 | 0#     |
| 9202418                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$5,075 | 0#     |
| 9202419                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$6,875 | 0#     |
| 9202444                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.                                              | \$1,340 | 0#     |
| 9202445                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.                                              | \$1,590 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                              | Price   | Weight |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                          |         |        |
| 9202446                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$2,240 | 0#     |
| 9202447                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$3,040 | 0#     |
| 9202448                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$2,190 | 0#     |
| 9202449                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$2,630 | 0#     |
| 9202450                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$3,440 | 0#     |
| 9202451                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$4,440 | 0#     |
| 9202452                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$5,440 | 0#     |
| 9202453                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$3,190 | 0#     |
| 9202454                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$3,990 | 0#     |
| 9202455                                       | PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$4,990 | 0#     |
| 9202456                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$855   | 0#     |
| 9202457                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,020 | 0#     |
| 9202458                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,115 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                              | Price   | Weight |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                          |         |        |
| 9202459                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,295 | 0#     |
| 9202460                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,115 | 0#     |
| 9202461                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,310 | 0#     |
| 9202462                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,480 | 0#     |
| 9202463                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,680 | 0#     |
| 9202464                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,955 | 0#     |
| 9202465                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,535 | 0#     |
| 9202466                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,710 | 0#     |
| 9202467                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,960 | 0#     |
| 9202485                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$920   | 0#     |
| 9202486                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$970   | 0#     |
| 9202487                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$1,120 | 0#     |
| 9202488                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.           | \$1,920 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                               | Price   | Weight |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                           |         |        |
| 9202489                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$1,095 | 0#     |
| 9202490                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$1,195 | 0#     |
| 9202491                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$2,005 | 0#     |
| 9202492                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$3,005 | 0#     |
| 9202493                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$4,005 | 0#     |
| 9202494                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$1,755 | 0#     |
| 9202495                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$2,555 | 0#     |
| 9202496                                       | PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$3,555 | 0#     |
| 9202497                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,030 | 0#     |
| 9202498                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,110 | 0#     |
| 9202499                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,270 | 0#     |
| 9202500                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,540 | 0#     |
| 9202502                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$1,120 | 0#     |



## T680: EXTENDED WARRANTY

| Option                                        | Description                                                                                                                                                                                                                                                                                                | Price   | Weight |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Cummins Engine Extended Coverage Plans</b> |                                                                                                                                                                                                                                                                                                            |         |        |
| 9202508                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.                                  | \$1,300 | 0#     |
| 9202509                                       | PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.                                  | \$1,545 | 0#     |
| 9208467                                       | Cummins EW: Protect Plan 1 X15 CARB21 3YR/350K (563,271KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.            | \$1,610 | 0#     |
| 9208512                                       | Cummins EW: Protect Plan 1 X15 Travel/Tow CARB21 3YR/350K (563,271KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date. | \$2,510 | 0#     |
| <b>PACCAR Transmission Extended Warranty</b>  |                                                                                                                                                                                                                                                                                                            |         |        |
| 9202962                                       | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.                                                                                                                                                                                            | \$640   | 0#     |
| 9202963                                       | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.                                                                                                                                                                                            | \$870   | 0#     |
| 9202964                                       | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.                                                                                                                                                                                            | \$1,065 | 0#     |
| 9202965                                       | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.                                                                                                                                                                                            | \$870   | 0#     |
| 9202966                                       | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.                                                                                                                                                                                            | \$1,155 | 0#     |
| 9202967                                       | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.                                                                                                                                                                                            | \$1,410 | 0#     |
| 9202968                                       | EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 4 Year/450K Miles (720K KM).                                                                                                                                                                                                         | \$450   | 0#     |
| 9202969                                       | EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 5 Year/500K Miles (800K KM).                                                                                                                                                                                                         | \$710   | 0#     |
| 9203446                                       | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.                                                                                                                                                                                            | \$715   | 0#     |
| 9203447                                       | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.                                                                                                                                                                                            | \$985   | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                                                                     | Price   | Weight |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>PACCAR Transmission Extended Warranty</b> |                                                                                                                 |         |        |
| 9203448                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch. | \$1,200 | 0#     |
| 9203449                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Hau 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.  | \$985   | 0#     |
| 9203450                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Hau 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.  | \$1,290 | 0#     |
| 9203451                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch. | \$1,590 | 0#     |
| 9203452                                      | EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 4 Year/450K Miles (720K KM).              | \$510   | 0#     |
| 9203453                                      | EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 5 Year/500K Miles (800K KM).              | \$800   | 0#     |
| 9203462                                      | EW: PACCAR TX-18 Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.                 | \$715   | 0#     |
| 9203463                                      | EW: PACCAR TX-18 Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.                 | \$1,070 | 0#     |
| 9203464                                      | EW: PACCAR TX-18 Pro Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.             | \$720   | 0#     |
| 9203465                                      | EW: PACCAR TX-18 Pro Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.             | \$1,070 | 0#     |
| 9203466                                      | EW: PACCAR TX-18 Clutch-Linehau All Torque Ratings. 5 Year/500K Miles (800K KM).                                | \$1,015 | 0#     |
| 9203472                                      | EW: PACCAR TX-18 Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.                        | \$1,590 | 0#     |
| 9203473                                      | EW: PACCAR TX-18 Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.                        | \$2,635 | 0#     |
| 9203474                                      | EW: PACCAR TX-18 Pro Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.                    | \$1,590 | 0#     |
| 9203475                                      | EW: PACCAR TX-18 Pro Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.                    | \$2,635 | 0#     |
| 9203476                                      | EW: PACCAR TX-18 Clutch - Std Duty All Torque Ratings. 5 Year/500K Miles (800K KM).                             | \$1,015 | 0#     |
| 9204636                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch. | \$700   | 0#     |
| 9204637                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch. | \$960   | 0#     |



## T680: EXTENDED WARRANTY

| Option                                       | Description                                                                                                       | Price   | Weight |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>PACCAR Transmission Extended Warranty</b> |                                                                                                                   |         |        |
| 9204638                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.   | \$1,170 | 0#     |
| 9204639                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.   | \$960   | 0#     |
| 9204640                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.   | \$1,260 | 0#     |
| 9204641                                      | EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.   | \$1,555 | 0#     |
| 9204642                                      | EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 4 Year/450K Miles (720K KM).                | \$500   | 0#     |
| 9204643                                      | EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 5 Year/500K Miles (800K KM).                | \$780   | 0#     |
| 9204652                                      | EW: PACCAR TX-18 Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.                   | \$700   | 0#     |
| 9204653                                      | EW: PACCAR TX-18 Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.                   | \$1,045 | 0#     |
| 9204654                                      | EW: PACCAR TX-18 Pro Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.               | \$700   | 0#     |
| 9204655                                      | EW: PACCAR TX-18 Pro Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.               | \$1,045 | 0#     |
| 9204656                                      | EW: PACCAR TX-18 Clutch-Linehaul All Torque Ratings. 5 Year/500K Miles (800K KM).                                 | \$780   | 0#     |
| 9204662                                      | EW: PACCAR TX-18 Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.                          | \$1,555 | 0#     |
| 9204663                                      | EW: PACCAR TX-18 Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.                          | \$2,575 | 0#     |
| 9204664                                      | EW: PACCAR TX-18 Pro Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.                      | \$1,555 | 0#     |
| 9204665                                      | EW: PACCAR TX-18 Pro Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.                      | \$2,575 | 0#     |
| 9204666                                      | EW: PACCAR TX-18 Clutch - Std Duty All Torque Ratings. 5 Year/500K Miles (800K KM).                               | \$990   | 0#     |
| <b>Eaton Transmission Extended Warranty</b>  |                                                                                                                   |         |        |
| 9202970                                      | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch. | \$640   | 0#     |



## T680: EXTENDED WARRANTY

| Option                                      | Description                                                                                                       | Price   | Weight |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Eaton Transmission Extended Warranty</b> |                                                                                                                   |         |        |
| 9202971                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch. | \$870   | 0#     |
| 9202972                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch. | \$1,065 | 0#     |
| 9202973                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch. | \$870   | 0#     |
| 9202974                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch. | \$1,155 | 0#     |
| 9202975                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch. | \$1,410 | 0#     |
| 9202976                                     | EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 4 Year/450K Miles (720K KM).                          | \$450   | 0#     |
| 9202977                                     | EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 5 Year/500K Miles (800K KM).                          | \$710   | 0#     |
| 9203454                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch. | \$715   | 0#     |
| 9203455                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch. | \$985   | 0#     |
| 9203456                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch. | \$1,200 | 0#     |
| 9203457                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch. | \$985   | 0#     |
| 9203458                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch. | \$1,290 | 0#     |
| 9203459                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch. | \$1,590 | 0#     |
| 9203460                                     | EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 4 Year/450K Miles (720K KM).                          | \$510   | 0#     |
| 9203461                                     | EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 5 Year/500K Miles (800K KM).                          | \$800   | 0#     |
| 9203467                                     | EW: Eaton Endurant XD Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.              | \$715   | 0#     |
| 9203468                                     | EW: Eaton Endurant XD Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.              | \$1,070 | 0#     |
| 9203469                                     | EW: Eaton Endurant XD Pro Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.          | \$720   | 0#     |



## T680: EXTENDED WARRANTY

| Option                                      | Description                                                                                                       | Price   | Weight |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Eaton Transmission Extended Warranty</b> |                                                                                                                   |         |        |
| 9203470                                     | EW: Eaton Endurant XD Pro Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.          | \$1,070 | 0#     |
| 9203471                                     | EW: Eaton Endurant XD/XD Pro Clutch - Linehaul All Torque Ratings. 5 Year/500K Miles (800K KM).                   | \$1,015 | 0#     |
| 9203477                                     | EW: Eaton Endurant XD Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.                     | \$1,590 | 0#     |
| 9203478                                     | EW: Eaton Endurant XD Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.                     | \$2,635 | 0#     |
| 9203479                                     | EW: Eaton Endurant XD Pro Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.                 | \$1,590 | 0#     |
| 9203480                                     | EW: Eaton Endurant XD Pro Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.                 | \$2,635 | 0#     |
| 9203481                                     | EW: Eaton Endurant XD/XD Pro Clutch - Std Duty All Torque Ratings. 5 Year/500K Miles (800K KM).                   | \$1,015 | 0#     |
| 9204644                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch. | \$700   | 0#     |
| 9204645                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch. | \$960   | 0#     |
| 9204646                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch. | \$1,170 | 0#     |
| 9204647                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch. | \$960   | 0#     |
| 9204648                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch. | \$1,260 | 0#     |
| 9204649                                     | EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch. | \$1,555 | 0#     |
| 9204650                                     | EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 4 Year/450K Miles (720K KM).                          | \$500   | 0#     |
| 9204651                                     | EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 5 Year/500K Miles (800K KM).                          | \$780   | 0#     |
| 9204657                                     | EW: Eaton Endurant XD Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.              | \$700   | 0#     |
| 9204658                                     | EW: Eaton Endurant XD Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.              | \$1,045 | 0#     |
| 9204659                                     | EW: Eaton Endurant XD Pro Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.          | \$700   | 0#     |



## T680: EXTENDED WARRANTY

| Option                                      | Description                                                                                              | Price   | Weight |
|---------------------------------------------|----------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Eaton Transmission Extended Warranty</b> |                                                                                                          |         |        |
| 9204660                                     | EW: Eaton Endurant XD Pro Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch. | \$1,045 | 0#     |
| 9204661                                     | EW: Eaton Endurant XD/XD Pro Clutch - Linehaul All Torque Ratings. 5 Year/500K Miles (800K KM).          | \$780   | 0#     |
| 9204667                                     | EW: Eaton Endurant XD Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.            | \$1,555 | 0#     |
| 9204668                                     | EW: Eaton Endurant XD Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.            | \$2,575 | 0#     |
| 9204669                                     | EW: Eaton Endurant XD Pro Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.        | \$1,555 | 0#     |
| 9204670                                     | EW: Eaton Endurant XD Pro Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.        | \$2,575 | 0#     |
| 9204671                                     | EW: Eaton Endurant XD/XD Pro Clutch - Std Duty All Torque Ratings. 5 Year/500K Miles (800K KM).          | \$990   | 0#     |



## T680: PAINT

| Option             | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Price   | Weight |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| 9700000            | Paint Color Number(s).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$0     | 0#     |
| <b>Paint Style</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |         |        |
| 9944820            | 1 - Color Paint - Day Cab Color will be White if no other color is specified.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | STD     | 0#     |
| 9944821            | 1 - Color Paint - Sleeper Color will be White if no other color is specified.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | \$0     | 0#     |
| 9944822            | 2 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$3,443 | 0#     |
| 9944823            | 2 - Color Cust Design - Sleeper - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$6,185 | 0#     |
| 9944824            | 2 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$5,845 | 0#     |
| 9944825            | 2 - Color Cust Design - Sleeper - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$6,948 | 0#     |
| 9944828            | 3 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$7,793 | 0#     |



## T680: PAINT

| Option             | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Price    | Weight |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| <b>Paint Style</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |        |
| 9944829            | 3 - Color Cust Design - Sleeper - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$11,919 | 0#     |
| 9944830            | 3 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$10,315 | 0#     |
| 9944831            | 3 - Color Cust Design - Sleeper - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$12,667 | 0#     |
| <b>Paint Type</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |        |
| 9943048            | Day Cab Bulk Paint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$0      | 0#     |
| 9943049            | Sleeper Bulk Paint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$0      | 0#     |
| 9943050            | Day Cab Standard Paint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | STD      | 0#     |
| 9943051            | Day Cab Premium Paint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$744    | 0#     |
| 9943052            | Day Cab Pearl Metallic Paint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$952    | 0#     |
| 9943053            | Sleeper Standard Paint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$0      | 0#     |
| 9943054            | Sleeper Premium Paint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$837    | 0#     |
| 9943055            | Sleeper Pearl/Metallic Paint                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | \$1,146  | 0#     |
| 9965510            | Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | STD      | 0#     |

## Paint Options



## T680: PAINT

| Option               | Description                                                                                                    | Price   | Weight |
|----------------------|----------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Paint Options</b> |                                                                                                                |         |        |
| 9960009              | Fleet Paint – Dealer ECO Required                                                                              | \$0     | 0#     |
| 9960021              | Paint Design Continued BOC/BOS -Includes Front of side extenders, but does not include back of side extenders. | \$891   | 0#     |
| <b>Bumper Paint</b>  |                                                                                                                |         |        |
| 9943001              | Bumper Painted Color A                                                                                         | \$920   | 0#     |
| 9943002              | Bumper Painted Other Than Color A: Specify Color                                                               | \$920   | 0#     |
| 9943004              | Bumper Unpainted                                                                                               | STD     | 0#     |
| <b>Fairing Paint</b> |                                                                                                                |         |        |
| 9940018              | Chassis Fairings Painted Other Than "A" Color                                                                  | \$935   | 0#     |
| 9943005              | Chassis Fairings Painted A Color                                                                               | \$475   | 0#     |
| 9943006              | Chassis Fairings Unpainted, In Mold Color                                                                      | STD     | 0#     |
| 9943011              | Roof Fairing Painted A Color                                                                                   | \$830   | 0#     |
| 9943012              | Roof Fairing Painted Other Than A Color, Specify Color                                                         | \$931   | 0#     |
| <b>Frame Paint</b>   |                                                                                                                |         |        |
| 9940044              | Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.                                        | \$2,001 | 0#     |
| 9940056              | Frame Paint Other Than Standard Black, Metallic . Metallic Paint, Imron Elite.                                 | \$2,358 | 0#     |
| 9999944              | Chassis has Frame Paint Color other than Black. Taillight brackets not included, bracket painted black.        | \$0     | 0#     |
| <b>Paint Color</b>   |                                                                                                                |         |        |
| 9960003              | Non-Standard Paint Color.                                                                                      | \$295   | 0#     |
| <b>Grille Paint</b>  |                                                                                                                |         |        |
| 9940074              | Aero Grille Surround Painted Black                                                                             | \$121   | 0#     |
| 9940075              | Grille Mesh Anodized Black                                                                                     | \$87    | 0#     |
| <b>Hood Paint</b>    |                                                                                                                |         |        |
| 9960083              | Paint Hood Top Anti-Glare Top of Hood will be painted with Flat-Black Paint                                    | \$0     | 0#     |

## Paint Designs



## T680: PAINT

| Option               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Price   | Weight |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Paint Designs</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |         |        |
| 9944839              | Spectrum Design - Hood Top Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.                    | \$1,847 | 0#     |
| 9944840              | Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.               | \$2,118 | 0#     |
| 9944841              | Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$2,586 | 0#     |
| 9944842              | Spectrum Design – Sleeper – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$4,644 | 0#     |
| 9944843              | Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.           | \$3,012 | 0#     |
| 9944844              | Spectrum Design – Sleeper – Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.            | \$5,804 | 0#     |
| 9944845              | Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.        | \$3,001 | 0#     |
| 9944846              | Spectrum Design – Sleeper – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.        | \$5,995 | 0#     |



## T680: PAINT

| Option               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Price   | Weight |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Paint Designs</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |         |        |
| 9944847              | Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.        | \$2,394 | 0#     |
| 9944848              | Spectrum Design - Sleeper - Roof Only Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.         | \$4,431 | 0#     |
| 9944849              | Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.    | \$7,003 | 0#     |
| 9944850              | Spectrum Design - Sleeper - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.    | \$9,125 | 0#     |
| 9944855              | Spectrum Design - Day Cab - 2 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$2,896 | 0#     |
| 9944856              | Spectrum Design - Day Cab - 3 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$6,734 | 0#     |
| 9944857              | Spectrum Design - Sleeper - 2 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$5,581 | 0#     |
| 9944858              | Spectrum Design - Sleeper - 3 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$8,774 | 0#     |



## T680: PAINT

| Option               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Price   | Weight |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------|
| <b>Paint Designs</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |         |        |
| 9944859              | Spectrum Design - Day Cab - 2 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$2,896 | 0#     |
| 9944860              | Spectrum Design - Day Cab - 3 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$6,734 | 0#     |
| 9944861              | Spectrum Design - Sleeper - 2 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$5,581 | 0#     |
| 9944862              | Spectrum Design - Sleeper - 3 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth. | \$8,774 | 0#     |