



T880 Data Book
1/1/2026 Rev 0



TABLE OF CONTENTS

Section	Pages
STANDARD SPECIFICATIONS	F
REQUIRED INFORMATION	H
MOTORS	I
MOTOR EQUIPMENT	J
TRANSMISSIONS	K
FRONT AXLE	L
REAR AXLE	M
REAR SUSPENSION	N
TIRES & WHEELS	O
FRAME & EQUIPMENT	P
FUEL TANKS & EQUIPMENT	Q
CAB EXTERIOR	R
CAB INTERIOR	S
LIGHTS & SIGNALS	T
AIR EQUIPMENT	U
SPECIAL EQUIPMENT	V
EXTENDED WARRANTY	W
PAINT	X



T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
BASE MODEL PRICE			
0000810	T880 Series Conventional	\$241,196	15,549#
MOTORS			
PACCAR			
0701209	PACCAR MX-13 455 455@1600 1650@900, 2024 With Engine Brake	\$0	0#
MOTOR EQUIPMENT			
Air Compressor			
1006003	Air Compressor: WABCO 25.9 CFM PACCAR MX 2017+ 440cc Air Compressor	\$0	0#
Air Intake System			
1051200	Air Cleaner: Composite Firewall Mounted PACCAR or Cummins Engines	\$0	0#
Cooling System			
1123555	Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	\$0	0#
1105211	Fan Hub: Horton On/Off for PACCAR MX	\$0	0#
Aftertreatment Systems			
1247263	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	\$0	0#
Aftertreatment Accessories			
1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	\$0	0#
Filters			
1321101	Fuel Filter: PACCAR Extended Service Interval On-Engine Fuel/Water Separator. 2021 and Later Emissions MX Engines only.	\$0	0#
1321205	Run Aid:Fuel Heat *For Fuel Filter	\$0	0#
1321305	Start Aid:12V Heat *For Fuel Filter	\$0	0#
Motor Equipment Miscellaneous			
1901017	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	\$0	0#
Starting & Recharging			
1812163	Alternator: PACCAR HDS 160 AMP Brushed	\$0	0#
1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	\$0	0#
1836102	PACCAR Premium 12V Starter with PACCAR MX Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	\$0	0#
TRANSMISSIONS			
PACCAR			
2058603	PACCAR TX-12: PO-16F112C, 12-speed, 1650 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$0	0#
Clutch			
2240208	Clutch: 430mm Self-Adjust Organic, Max Torque 1850 ft-lbs	\$0	0#
Driveline			
2408302	Driveline: 1 Meritor RPL25 SD; No Centerbearing	\$0	0#



T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
3500058	Interaxle Driveline: 1 Meritor RPL20 Replacing I/A *Use W/ RPL(SD) 25 Main D/L	\$0	0#

FRONT AXLE

Front Axles

2536002	PACCAR FX-20 Front Axle rated at 20K 4" drop standard track	\$0	0#
---------	---	-----	----

Outer End Equipment

2607002	Front Brakes: 14,601-22K Bendix Air Disc Brakes.	\$0	0#
2690024	Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.	\$0	0#
2701319	Front Hubs Aluminum Hub Pilot 20,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	\$0	0#
2741970	ConMet PreSet Plus Hub Package; Front Axle.	\$0	0#
2750001	Hubcap: Front Vented.	\$0	0#
2690039	Integral Knuckle for Air Disc Brake, for use on PACCAR FX Steer Axle	\$0	0#
2769000	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	\$0	0#

Front Springs

2866020	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. W900B use 2866021.	\$0	0#
---------	--	-----	----

Power Steering

2893642	Dual Power Steering Gear: 16-22K TRW THP60	\$0	0#
2899336	Power Steering Cooler:Radiator Mounted Air-to-Oil	\$0	0#

REAR AXLE

Tandem Drive Rear Axle

3142160	Dual Meritor RT46-160 Rear Axle rated at 46K. Tandem rear axles.	\$0	0#
---------	--	-----	----

Tandem Axle Outer End Equipment

3306001	Dual Rear Bendix Air Disc Brakes for Dual rear axles to 46K capacity.	\$0	0#
3392604	Splined Rotor for Dual Rear Air Disc Brake for use with aluminum hubs.	\$0	0#
3407050	Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.	\$0	0#
3441972	ConMet PreSet Plus Hub Package; Dual Rear Axle.	\$0	0#
3485002	Spring Brakes Included W/ Dual Rear Air Disc brakes.	\$0	0#

Anti-Lock Brake System

3495232	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$0	0#
---------	---	-----	----

Miscellaneous

3465900	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	\$0	0#
---------	---	-----	----

REAR SUSPENSION

Tandem

3740130	Rear suspension: Tandem Kenworth Airglide 460 46K 54 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	\$0	0#
---------	--	-----	----

Suspension Miscellaneous



T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
3830152	Air Springs: Heavy-Duty for Airglide 460. Replaces standard duty air springs.	\$0	0#

TIRES & WHEELS

Front & Rear Axle Tires

4080053	Front Tires: Continental HAC 3 385/65R22.5 20PR w/ pressure sensor included	\$0	0#
4280080	Rear tires: Continental HDC3 11R22.5 16PR with pressure sensor included	\$0	0#

Front & Rear Axle Wheels & Rims

5042298	Front Wheel: Accuride 29683 22.5x12.25 aluminum, Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$0	0#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$0	0#

FRAME & EQUIPMENT

Rails & Inserts

6056200	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in.-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
---------	---	-----	----

Bumpers

6301360	Bumper: Straight Aluminum Channel. Requires a bumper setting code.	\$0	0#
---------	--	-----	----

Front Frame Miscellaneous

6390103	Front Mudflaps.	\$0	0#
---------	-----------------	-----	----

Battery Boxes

6405048	Battery Box Module: Short Length Aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$0	0#
---------	---	-----	----

DPF-SCR Covers

6451090	C5, T6, T8 diamond plate cover and black end plates with access step for right hand under DPF/SCR or CNG. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	\$0	0#
---------	---	-----	----

Rear Frame Equipment

6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	\$0	0#
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	\$0	0#
6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	\$0	0#

FUEL TANKS & EQUIPMENT

Round

7214100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$0	0#
---------	---	-----	----

Fuel Tank Equipment

7889245	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	\$0	0#
---------	--	-----	----

DEF Tanks & Equipment



T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
7722153	Small Round DEF Tank, 14 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$0	0#

CAB EXTERIOR

Cabs

8025301	Cab: Stamped Aluminum Cab with Panoramic Curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	\$0	0#
---------	--	-----	----

Windows

8871446	Rear Cab Stationary Window 19in x 36in	\$0	0#
---------	--	-----	----

Hoods, Fenders & Grilles

8090605	Hood: T880 Set-Back Short Length. 116.7 inch BBC W/ Std Bumper.	\$0	0#
8890349	Wheelwell Fender Extension: 2.5 Inches	\$0	0#

Cab Structure Miscellaneous

8890876	Kenworth Cab/Sleeper Air Suspension.	\$0	0#
---------	--------------------------------------	-----	----

Horns

8841411	Single Air Horn Under Cab.	\$0	0#
---------	----------------------------	-----	----

Mirrors & Equipment

8865002	Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad.	\$0	0#
8850139	Look-Down, Pass. Door, Black 11x6	\$0	0#

Window Equipment

8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	\$0	0#
---------	---	-----	----

Doors & Equipment

8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	\$0	0#
8700283	LH and RH Trip Ledge Rain Deflectors	\$0	0#

CAB INTERIOR

Cabs & Sleepers

8330102	Interior Package: Vantage Daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.	\$0	0#
8300008	Interior Color: Slate Gray	\$0	0#

Heaters & Air Conditioning

8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	\$0	0#
---------	--	-----	----

Steering Wheels & Equipment



T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
8201047	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	\$0	0#
8201052	Column Mtd TMSN Control W/Retarder Cntrl, RH Side Use with Automated and Automated Manual Transmissions Only	\$0	0#
8201200	Adjustable Telescoping Tilt Steering Column.	\$0	0#

Instruments & Controls

8282027	Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	\$0	0#
8222404	Gauge: DD Virtual Gauge - Oil Temp Engine	\$0	0#
8222409	Gauge: DD Virtual Gauge - Air Filter Restriction	\$0	0#
8222413	Gauge: DD Virtual Gauge - Manifold Pressure Boost	\$0	0#
8222414	Gauge: DD Virtual Gauge - Engine Percent Torque	\$0	0#
8700197	Turn Signal: Non-Self Cancelling	\$0	0#

Seats

8410206	Driver Seat: GT701 HB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$0	0#
8480120	Rider Seat: GT100 Toolbox HB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$0	0#
8490181	Seat Color: Black	\$0	0#

Cab Accessories

8390634	Rubber Floormat	\$0	0#
8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	\$0	0#

Sound Systems

8601435	Kenworth Radio DEA707 AM/FM/WB/USB	\$0	0#
---------	------------------------------------	-----	----

Sound System Speakers

8698974	Base Level Audio System - Daycab:High Performance Door Speakers.	\$0	0#
---------	--	-----	----

Information & Communication Systems

8700601	Global Telematics Unit	\$0	0#
---------	------------------------	-----	----

LIGHTS & SIGNALS

Headlamps

9010553	Headlamps: SAE Dual Halogen Complex Reflector	\$0	0#
---------	---	-----	----

Marker Lights

9022137	Marker Lights: Five Rectangular LED.	\$0	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	\$0	0#

Turn Signal Lights

9030016	Turn Signal Lights: Flush Mounted LED. Mounted at top of fender wheel arc.	\$0	0#
---------	--	-----	----

Taillights

9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	\$0	0#
---------	---	-----	----



T880: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
AIR EQUIPMENT			
Air Drying Equipment			
9108001	Moisture Ejection Valve W/ Pull Cable Drain.	\$0	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	\$0	0#
Air System Miscellaneous			
9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	\$0	0#
SPECIAL EQUIPMENT			
Build Notes			
9491652	EMUX Architecture	\$0	0#
EXTENDED WARRANTY			
Warranty			
9200021	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	\$0	0#
PAINT			
Paint Style			
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	\$0	0#
Paint Type			
9943050	Day Cab Standard Paint	\$0	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	\$0	0#



T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Operating Area			
0080101	CARB Low NOX Omnibus Registration Guidelines Dealer/Customer acknowledges that this vehicle is NOT intended for registration or domicile/primary use in the State of California.	\$0	0#
State of Registry			
0098401	State of Registry: Alabama	\$0	0#
0098402	State of Registry: Alaska	\$0	0#
0098403	State of Registry: Arizona	\$0	0#
0098404	State of Registry: Arkansas	\$0	0#
0098405	State of Registry: California	\$0	0#
0098406	State of Registry: Colorado	\$0	0#
0098407	State of Registry: Connecticut	\$0	0#
0098408	State of Registry: Delaware	\$0	0#
0098409	State of Registry: Florida	\$0	0#
0098410	State of Registry: Georgia	\$0	0#
0098411	State of Registry: Hawaii	\$0	0#
0098412	State of Registry: Idaho	\$0	0#
0098413	State of Registry: Illinois	\$0	0#
0098414	State of Registry: Indiana	\$0	0#
0098415	State of Registry: Iowa	\$0	0#
0098416	State of Registry: Kansas	\$0	0#
0098417	State of Registry: Kentucky	\$0	0#
0098418	State of Registry: Louisiana	\$0	0#
0098419	State of Registry: Maine	\$0	0#
0098420	State of Registry: Maryland	\$0	0#



T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
State of Registry			
0098421	State of Registry: Massachusetts	\$0	0#
0098422	State of Registry: Michigan	\$0	0#
0098423	State of Registry: Minnesota	\$0	0#
0098424	State of Registry: Mississippi	\$0	0#
0098425	State of Registry: Missouri	\$0	0#
0098426	State of Registry: Montana	\$0	0#
0098427	State of Registry: Nebraska	\$0	0#
0098428	State of Registry: Nevada	\$0	0#
0098429	State of Registry: New Hampshire	\$0	0#
0098430	State of Registry: New Jersey	\$0	0#
0098431	State of Registry: New Mexico	\$0	0#
0098432	State of Registry: New York	\$0	0#
0098433	State of Registry: North Carolina	\$0	0#
0098434	State of Registry: North Dakota	\$0	0#
0098435	State of Registry: Ohio	\$0	0#
0098436	State of Registry: Oklahoma	\$0	0#
0098437	State of Registry: Oregon	\$0	0#
0098438	State of Registry: Pennsylvania	\$0	0#
0098439	State of Registry: Rhode Island	\$0	0#
0098440	State of Registry: South Carolina	\$0	0#
0098441	State of Registry: South Dakota	\$0	0#
0098442	State of Registry: Tennessee	\$0	0#



T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
State of Registry			
0098443	State of Registry: Texas	\$0	0#
0098444	State of Registry: Utah	\$0	0#
0098445	State of Registry: Vermont	\$0	0#
0098446	State of Registry: Virginia	\$0	0#
0098447	State of Registry: Washington	\$0	0#
0098448	State of Registry: West Virginia	\$0	0#
0098449	State of Registry: Wisconsin	\$0	0#
0098450	State of Registry: Wyoming	\$0	0#
0098451	State of Registry: District of Columbia	\$0	0#
0098452	State of Registry: Puerto Rico	\$0	0#
0098453	State of Registry: Guam	\$0	0#
0098454	State of Registry: American Samoa	\$0	0#
0098455	State of Registry: Mariana Islands	\$0	0#
0098456	State of Registry: US Virgin Islands	\$0	0#
0098460	State of Registry: Israel	\$0	0#
0098465	State of Registry: Mexico	\$0	0#
0098470	State of Registry: Canada	\$0	0#
0098490	State of Registry: International	\$0	0#
Export Destination			
9481000	Export Destination: Chile.	\$0	0#
9481001	Export Destination: Colombia.	\$0	0#
9481002	Export Destination: Ecuador.	\$0	0#



T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Export Destination			
9481004	Export Destination: Peru.	\$0	0#
9481006	Export Destination: Thailand.	\$0	0#
9481007	Export Destination: U.S. Pacific Islands, Guam, Saipan, North Mariana Island, & American Samoa.	\$0	0#
9481009	Export Destination: Costa Rica.	\$0	0#
9481010	Export Destination: Venezuela.	\$0	0#
9481011	Export Destination: Algeria.	\$0	0#
9481012	Export Destination: China.	\$0	0#
9481013	Export Destination: Dominican Republic.	\$0	0#
9481014	Export Destination: Guatemala.	\$0	0#
9481015	Export Destination: India.	\$0	0#
9481016	Export Destination: Libya.	\$0	0#
9481017	Export Destination: Oman.	\$0	0#
9481018	Export Destination: Panama.	\$0	0#
9481019	Export Destination: Saudi Arabia.	\$0	0#
9481020	Export Destination: El Salvador.	\$0	0#
9481021	Export Destination: Nicaragua.	\$0	0#
9481022	Export Destination: United Arab Emirates.	\$0	0#
9481023	Export Destination: Iraq.	\$0	0#
9481024	Export Destination: Ghana.	\$0	0#
9481025	Export Destination: Kazakhstan.	\$0	0#
9481026	Export Destination: Nigeria.	\$0	0#
9481027	Export Destination: Egypt.	\$0	0#



T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Export Destination			
9481028	Export Destination: Qatar.	\$0	0#
9481029	Export Destination: Pakistan.	\$0	0#
9481030	Export Destination: Kuwait.	\$0	0#
9481031	Export Destination: Argentina.	\$0	0#
9481032	Export Destination: Bahamas.	\$0	0#
9481033	Export Destination: Australia	\$0	0#
9481034	Export Destination: Brazil	\$0	0#
9481035	Export Destination: Guyana	\$0	0#
9481036	Export Destination: Philippines	\$0	0#
9481037	Export Destination: Trinidad	\$0	0#
9481038	Export Destination: Angola.	\$0	0#
9481095	Export Destination: Jordan.	\$0	0#
9481196	Export Destination: Israel.	\$0	0#
9481197	Export Destination: Russia.	\$0	0#
9481198	Export Destination: Western Europe.	\$0	0#
9481199	Export Destination: Country not Specified. Export country not otherwise specified	\$0	0#
Stationary Application			
0072000	Chassis Operation Will Not Incl. Stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072001	Chassis Operation Will Include Stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#



T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Stationary Application			
0072002	Chassis Operation Will Include Stationary application used in Canada or Alaska. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072003	Chassis Operation Will Include Export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
Model Series			
0070060	T880	\$0	0#
0070085	T880 Natural Gas Engine	\$0	0#
Model Configurations			
0090000	Non-Sleeper w/ Rear Axle Capacity less than 59K.	\$0	0#
0090020	Non-Sleeper & 59K+ Rear Axle Cap or W/ Sisu Rear axles.	\$0	0#
0090030	Non-Sleeper & Tridem Rear Axle.	\$0	0#
0090032	76 in High-Roof or Mid-Roof Sleeper with Tridem Rear Axle	\$0	0#
0090047	52 in. Tridem Rear Axle.	\$0	0#
0090051	40 in. Tridem Rear Axle.	\$0	0#
0090052	52 in. Mid or Low-Roof Sleeper With Rear Axle Capacity Less Than 59K	\$0	0#
0090076	76 in. High-Roof or Mid-Roof Sleeper With Rear Axle Capacity Less Than 59K	\$0	0#
0090096	T880 with PX-9	\$0	0#
0090100	Non-Sleeper & Front Drive Axle W/ Rear Axle Capacity less than 59K.	\$0	0#
0090103	40 in. Low-Roof Sleeper With Rear Axle Capacity 59K or greater	\$0	0#
0090108	L9N Non-Sleeper	\$0	0#
0090109	L9N Sleeper	\$0	0#
0090110	X15N Non-sleeper	\$0	0#
0090111	X15N Sleeper	\$0	0#



T880: REQUIRED INFORMATION

Option	Description	Price	Weight
Model Configurations			
0090112	ISX12N Non-Sleeper	\$0	0#
0090113	ISX12N Sleeper	\$0	0#
0090130	Non-Sleeper & Front Drive Axle & Tridem Rear Axle	\$0	0#
0090140	40 in. Low-Roof Sleeper With Rear Axle Capacity Less Than 59K	\$0	0#
0090200	Non-Sleeper: Front Drive Axle w/59K+ Rear Axle Capacity.	\$0	0#
0090220	Non-Sleeper: Dual Front Axle w/59K+ Rear Axle or w/Sisu Rear Axles.	\$0	0#
0090221	Non-Sleeper w/Dual Front Axle 59K or less Rear Axle Capacity.	\$0	0#
0090230	Non-Sleeper & Dual Front Axle & Tridem Rear Axle.	\$0	0#



T880: MOTORS

Option	Description	Price	Weight
Emission Idle Reduction Feature			
0080050	CARB Clean Idle Label - PACCAR PX Engines	\$46	0#
0080055	CARB Clean Idle Label - Cummins Engines	\$106	0#
0080066	CARB Clean Idle Label - PACCAR MX Engines	\$0	0#
0080070	CARB Exempt Application Emergency Vehicle Only.	\$0	0#
0080085	CARB Idle - Alternative Fuel Exempt from CARB Anti-Idle.	\$0	0#
0080310	EPA Clean Idle Label - Cummins Engines	\$107	0#
0080312	EPA Clean Idle Label - PACCAR MX Engines	\$100	0#
0080314	EPA Clean Idle Label - PACCAR PX Engines	\$36	0#

PACCAR

MX-13 Engine

0701208	PACCAR MX-13 405MT 405@1600 1650/1750@900, 2024 With Engine Brake	(\$196)	0#
0701209	PACCAR MX-13 455 455@1600 1650@900, 2024 With Engine Brake	STD	0#
0701210	PACCAR MX-13 455MT 455@1600 1650/1850@900, 2024 With Engine Brake	\$1,683	0#
0701211	PACCAR MX-13 485 485@1600 1650@1000, 2024 With Engine Brake	\$773	0#
0701212	PACCAR MX-13 510 510@1600 1850@1000, 2024 With Engine Brake	\$1,571	0#
0701213	PACCAR MX-13 510EV 510@1600 1850@1000, 2024 Emergency Vehicle, with Engine Brake	\$1,571	0#
0701214	PACCAR MX-13 455, CARB 2024 455@1600 1650@900, with Engine Brake	\$20,651	490#
0701215	PACCAR MX-13 510, CARB 2024 510@1600 1850@1000, with Engine Brake	\$23,221	490#
0701216	PACCAR MX-13 455MT 455@1600 1550/1750@900, 2024 With Engine Brake	\$1,191	0#

MX-11 Engine

0701111	PACCAR MX-11 355 355@1600 1250@900, 2024 With Engine Brake	\$3,454	-262#
0701112	PACCAR MX-11 355R 355@1600 1250@900, 2024 Available for Refuse, with Engine Brake	\$3,454	-262#
0701113	PACCAR MX-11 355EV 355@1600 1250@900, 2024 Emergency Vehicle, with Engine Brake	\$3,454	-262#



T880: MOTORS

Option	Description	Price	Weight
PACCAR			
MX-11 Engine			
0701114	PACCAR MX-11 400 400@1600 1450@900, 2024 With Engine Brake	\$3,620	-262#
0701115	PACCAR MX-11 400R 400@1600 1450@900, 2024 Available for Refuse, with Engine Brake	\$3,620	-262#
0701116	PACCAR MX-11 430 430@1600 1650@900, 2024 With Engine Brake	\$3,770	-262#
0701117	PACCAR MX-11 430EV 430@1600 1650@900, 2024 Emergency Vehicle, with Engine Brake	\$3,770	-262#
0701118	PACCAR MX-11 445 445@1600 1700@900, 2024 With Engine Brake	\$3,885	-262#
PX-9 Engine			
0130221	PACCAR PX-9 330 330@1750 1000@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$12,370)	-761#
0130223	PACCAR PX-9 350 350@1750 1050@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$10,617)	-761#
0130224	PACCAR PX-9 360 360@1650 1150@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$10,407)	-761#
0130226	PACCAR PX-9 370 370@1600 1250@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$8,671)	-761#
0130227	PACCAR PX-9 370EV 370@1900 1250@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$7,313)	-761#
0130228	PACCAR PX-9 380 380@1600 1250@1200, 2024 With Turbo Exhaust Brake (VGT Brake)	(\$8,568)	-761#
0130229	PACCAR PX-9 380EV 380@1750 1150@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$7,206)	-761#
0130230	PACCAR PX-9 400EV 400@1700 1250@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$7,444)	-761#
0130231	PACCAR PX-9 450EV 450@2100 1250@1200, 2024 Emergency Vehicle, With Turbo Exhaust Brake (VGT Brake)	(\$7,805)	-761#
Cummins			
X15			
0130341	Cummins X15 450 450@1700 1650@900, 2024 with Intakebrake, Efficiency Series	\$9,541	470#
0130342	Cummins X15 450 450@1700 1750@900, 2024 with Intakebrake, Efficiency Series	\$9,642	470#
0130343	Cummins X15 450 450@1700 1850@900, 2024 with Intakebrake, Efficiency Series	\$9,652	470#
0130344	Cummins X15 450ST 450@1700 1450/1650@900, 2024 with Intakebrake, Efficiency Series	\$11,017	470#



T880: MOTORS

Option	Description	Price	Weight
Cummins			
X15			
0130345	Cummins X15 450ST 450@1700 1550/1750@900, 2024 with Intebrake, Efficiency Series	\$11,123	470#
0130346	Cummins X15 450ST 450@1700 1650/1850@900, 2024 with Intebrake, Efficiency Series	\$11,223	470#
0130347	Cummins X15 450EX 450@1700 1750@900, 2024 with Intebrake, Efficiency Series	\$11,006	470#
0130348	Cummins X15 450EX 450@1700 1850@900, 2024 with Intebrake, Efficiency Series	\$11,017	470#
0130349	Cummins X15 450V 450@1900 1650@900, 2024 with Intebrake, Productivity Series	\$9,541	470#
0130350	Cummins X15 450V 450@1900 1750@900, 2024 with Intebrake, Productivity Series	\$9,642	470#
0130351	Cummins X15 470V 470@1900 1750@900, 2024 with Intebrake, Productivity Series	\$10,924	470#
0130352	Cummins X15 500 500@1700 1650@900, 2024 with Intebrake, Efficiency Series	\$11,716	470#
0130353	Cummins X15 500 500@1700 1850@900, 2024 with Intebrake, Efficiency Series	\$12,005	470#
0130354	Cummins X15 500ST 500@1700 1650/1850@900, 2024 with Intebrake, Efficiency Series	\$13,513	470#
0130355	Cummins X15 500EX 500@1700 1850@900, 2024 with Intebrake, Efficiency Series	\$13,388	470#
0130356	Cummins X15 500V 500@1900 1650@900, 2024 with Intebrake, Productivity Series	\$11,716	470#
0130357	Cummins X15 500V 500@1900 1850@900, 2024 with Intebrake, Productivity Series	\$12,005	470#
0130358	Cummins X15 505EV 505@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle	\$11,380	470#
0130359	Cummins X15 525 525@1900 1850@1000, 2024 with Intebrake, Performance Series	\$12,206	470#
0130360	Cummins X15 525EX 525@1900 1850@1000, 2024 with Intebrake, Performance Series	\$13,589	470#
0130361	Cummins X15 525V 525@1900 1850@1000, 2024 with Intebrake, Productivity Series	\$12,206	470#
0130362	Cummins X15 565 565@1900 1850@1000, 2024 with Intebrake, Performance Series	\$13,561	470#
0130363	Cummins X15 565 565@1900 2050@1000, 2024 with Intebrake, Performance Series	\$15,496	470#
0130364	Cummins X15 565EX 565@1900 1850@1000, 2024 with Intebrake, Performance Series	\$14,944	470#
0130365	Cummins X15 565EX 565@1900 2050@1000, 2024 with Intebrake, Performance Series	\$16,879	470#
0130366	Cummins X15 565V 565@2000 1850@1150, 2024 with Intebrake, Productivity Series	\$13,561	470#



T880: MOTORS

Option	Description	Price	Weight
Cummins			
X15			
0130367	Cummins X15 565EV 565@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle	\$13,561	470#
0130368	Cummins X15 605V 605@1950 1850@1150, 2024 with Intebrake, Productivity Series	\$18,230	470#
0130369	Cummins X15 605V 605@1950 2050@1150, 2024 with Intebrake, Productivity Series	\$22,466	470#
0130370	Cummins X15 605EV 605@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle	\$18,230	470#
0130371	Cummins X15 605EV 605@1950 2050@1000 2024 with Intebrake, Emergency Vehicle	\$22,466	470#
Natural Gas			
0125723	ISX12N 320 2018 320@1700 1150@1200 Gov@ 2100 w/Retarder Replaces 0125722	\$39,479	129#
0125736	ISX12N 330 2018 330@2100 1250@1200 GOV@ 2100 w/Retarder Replaces 0125734	\$40,309	129#
0125758	ISX12N 350 2018 350@1700 1450@1200 GOV@ 2100 w/Retarder Replaces 0125756	\$41,407	129#
0125792	ISX12N 385 2018 385@1700 1350@1200 GOV@ 2100 w/Retarder Replaces 0125789	\$42,436	129#
0125810	ISX12N 400 2018 400@1800 1450@1200 GOV@ 2100 w/Retarder Replaces 0125806	\$44,895	129#
0128922	L9N 320 2018 320@2000 1000@1300 GOV @2200	\$33,448	-728#
0130372	Cummins X15N 500 500@1900 1850@1100, 2024 with Intebrake	\$69,651	470#
0130373	Cummins X15N 450 450@1900 1650@900, 2024 with Intebrake	\$67,138	470#
0130374	Cummins X15N 400 400@1900 1650@900, 2024 with Intebrake	\$67,212	470#
0130375	Cummins X15N 400 400@1900 1450@900, 2024 with Intebrake	\$66,570	470#
0130376	Cummins X15N 400R 400@1900 1450@900, 2024 with Intebrake	\$66,570	470#
0130377	Cummins X15N 400R 400@1900 1650@900, 2024 with Intebrake	\$67,212	470#
0130378	Cummins X15N 450EX 450@1900 1850@1100, 2024 with Intebrake	\$69,495	470#
0130380	Cummins X15N 400EX 400@1900 1650@900, 2024 with Intebrake	\$68,512	470#
0130381	Cummins X15N 400EX 400@1900 1750@1000, 2024 with Intebrake	\$68,612	470#
0130382	Cummins X15N 400EX 400@1900 1850@1100, 2024 with Intebrake	\$68,712	470#



T880: MOTORS

Option	Description	Price	Weight
Cummins			
Natural Gas			
0130383	Cummins X15N 450, 450@1900 1750@1000, 2024 with Intebrake	\$69,238	470#
0130384	Cummins X15N 450 450@1900 1850@1100, 2024 with Intebrake	\$69,338	470#
0130385	Cummins X15N 450EX, 450@1900 1750@1000, 2024 with Intebrake	\$69,438	470#
0130389	Cummins X15N 500, 500@1900 1650@900, 2024 with Intebrake	\$69,551	470#
0130391	Cummins X15N 500EX, 500@1900 1850@1100, 2024 with Intebrake	\$70,951	470#
Export			
0122089	Cummins X15E3 400@1800 1450@1100, Euro 3	(\$11,198)	470#
0122090	Cummins X15E3 400@1800 1650@1100, Euro 3	(\$10,419)	470#
0122091	Cummins X15E3 450@1800 1650@1100, Euro 3	(\$8,826)	470#
0122092	Cummins X15E3 ST 450@1800 1650/1850@1100, Euro 3	(\$8,038)	470#
0122093	Cummins X15E3 475@2000 1650@1100, Euro 3	(\$8,139)	470#
0122094	Cummins X15E3 500@2000 1650@1100, Euro 3	(\$7,536)	470#
0122095	Cummins X15E3 500@2000 1850@1100, Euro 3	(\$6,928)	470#
0122096	Cummins X15E3 525@2000 1650@1100, Euro 3	(\$5,807)	470#
0122097	Cummins X15E3 550@2000 1850@1100, Euro 3	(\$4,779)	470#
0122098	Cummins X15E3 600@2000 1850@1100, Euro 3	(\$3,551)	470#
0122417	Cummins ISX15E4 485L 485@2000 1650@1200, Euro 4 With Intebrake	(\$4,484)	340#
0122419	Cummins ISX15 550@2000 1850@1200, Euro 4 With Intebrake	(\$1,713)	340#
0122429	Cummins ISX15 550@2000 1850@1200, Euro 5 W/Intebrake	\$8,383	470#
0122440	Cummins ISX15E4 425U 425@1800 1750@1000, Euro 4 With Intebrake	(\$5,156)	340#
0122453	Cummins ISX15 450@2000 1650@1200, Euro 5 With Intebrake	\$6,108	470#
0122476	X15E6 400L 400@1800 1650@1000 Euro 6, With Intebrake	\$869	470#



T880: MOTORS

Option	Description	Price	Weight
Cummins			
Export			
0122477	X15E6 400STU 400@1800 1650/1850@1000 Euro 6, With Intebrake	\$1,981	470#
0122478	X15E6 450L 450@1800 1650@1000 Euro 6, With Intebrake	\$2,899	470#
0122479	X15E6 450U 450@1800 1850@1000 Euro 6, With Intebrake	\$3,384	470#
0122480	X15E6 450STL 450@1800 1550/1750@1000 Euro 6, With Intebrake	\$3,969	470#
0122481	X15E6 450STU 450@1800 1650/1850@1000 Euro 6, With Intebrake	\$4,486	470#
0122482	X15E6 500U 500@1800 1850@1000 Euro 6, With Intebrake	\$5,185	470#
0122483	X15E6 550U 550@1800 2050@1000 Euro 6, With Intebrake	\$7,002	470#
0122484	X15E6 525 525@2000 1850@1000 Heavy Haul (X3), Euro 6, With Intebrake	\$6,147	470#
0122485	X15E6 565 565@2000 1850@1000 Heavy Haul (X3), Euro 6, With Intebrake	\$7,988	470#
0122486	X15E6 605L 605@2000 1850@1000 Heavy Haul (X3), Euro 6, With Intebrake	\$9,384	470#
0122487	X15E6 605U 605@2000 2050@1000 Heavy Haul (X3), Euro 6, With Intebrake	\$10,191	470#
0122527	Cummins ISX15 525@2000 1650@1200, Euro 5 With Intebrake	\$6,670	470#
0122528	Cummins ISX15 525U 525@2000 1850@1200, Euro 5 With Intebrake	\$7,484	470#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
1000109	Load-Based Torque Management For X15 Smart Torque (ST). This code enables the Load Based Torque Management parameter for ST rated engines. EX rated engines already have this feature enabled by default. The ST rated Engines are disabled by default. The Smart Advantage Engines had the feature enabled by default and the feature was carried over into the MY20 ST rated X15 engines.	\$0	0#
1000233	Powertrain Protect with SmartAccel - X15 Torque Rate Limiting	\$0	0#
1000329	Cummins ISX Engine Parameters for Split Shaft PTO For use with vacuum tank bodies and Cummins ISX engines. Enables PTO parameters to prevent engine instability issues with vacuum tank applications. Locates vehicle speed sensor on output of transmission instead of transfer case.	\$0	0#
Emissions			
1000046	EPA Emissions Warranty Engine	\$0	0#
1000047	CARB Emissions Warranty Engine	\$0	0#
Engine Idle Shutdown Timers			
1000856	Enable Most Fuel Efficient EIST	\$0	0#
1000857	Engine Idle Shutdown Timer Enabled	\$0	0#
1000858	Engine Idle Shutdown Timer Disabled	\$0	0#
1000859	Enable EIST Ambient Temp Override	\$0	0#
1000860	Enable EIST in PTO Mode Use only with MX and Cummins engines	\$0	0#
1000861	Enable Adjustable EIST Settings	\$0	0#
1000865	Eff EIST 3000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000870	Eff EIST 0 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000890	Eff EIST 1259000 Expiration Miles (USA) Use only with MX and Cummins engines	\$0	0#
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	\$0	0#
1000892	Eff EIST 0 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
1000912	Eff EIST 1259000 Expiration Miles (CAN) Use only with MX and Cummins engines	\$0	0#
Vehicle Speed Limiters			
1000611	Highest Efficiency VSL Settings	\$0	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000624	Effective VSL Setting 51-51.9 MPH (USA)	\$0	0#
1000625	Effective VSL Setting 52-52.9 MPH (USA)	\$0	0#
1000626	Effective VSL Setting 53-53.9 MPH (USA)	\$0	0#
1000627	Effective VSL Setting 54-54.9 MPH (USA)	\$0	0#
1000628	Effective VSL Setting 55-55.9 MPH (USA)	\$0	0#
1000629	Effective VSL Setting 56-56.9 MPH (USA)	\$0	0#
1000630	Effective VSL Setting 57-57.9 MPH (USA)	\$0	0#
1000631	Effective VSL Setting 58-58.9 MPH (USA)	\$0	0#
1000632	Effective VSL Setting 59-59.9 MPH (USA)	\$0	0#
1000633	Effective VSL Setting 60.0 MPH (USA)	\$0	0#
1000634	Effective VSL Setting 60.1 MPH (USA)	\$0	0#
1000635	Effective VSL Setting 60.2 MPH (USA)	\$0	0#
1000636	Effective VSL Setting 60.3 MPH (USA)	\$0	0#
1000637	Effective VSL Setting 60.4 MPH (USA)	\$0	0#
1000638	Effective VSL Setting 60.5 MPH (USA)	\$0	0#
1000639	Effective VSL Setting 60.6 MPH (USA)	\$0	0#
1000640	Effective VSL Setting 60.7 MPH (USA)	\$0	0#
1000641	Effective VSL Setting 60.8 MPH (USA)	\$0	0#
1000642	Effective VSL Setting 60.9 MPH (USA)	\$0	0#
1000643	Effective VSL Setting 61.0 MPH (USA)	\$0	0#
1000644	Effective VSL Setting 61.1 MPH (USA)	\$0	0#
1000645	Effective VSL Setting 61.2 MPH (USA)	\$0	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000646	Effective VSL Setting 61.3 MPH (USA)	\$0	0#
1000647	Effective VSL Setting 61.4 MPH (USA)	\$0	0#
1000648	Effective VSL Setting 61.5 MPH (USA)	\$0	0#
1000649	Effective VSL Setting 61.6 MPH (USA)	\$0	0#
1000650	Effective VSL Setting 61.7 MPH (USA)	\$0	0#
1000651	Effective VSL Setting 61.8 MPH (USA)	\$0	0#
1000652	Effective VSL Setting 61.9 MPH (USA)	\$0	0#
1000653	Effective VSL Setting 62.0 MPH (USA)	\$0	0#
1000654	Effective VSL Setting 62.1 MPH (USA)	\$0	0#
1000655	Effective VSL Setting 62.2 MPH (USA)	\$0	0#
1000656	Effective VSL Setting 62.3 MPH (USA)	\$0	0#
1000657	Effective VSL Setting 62.4 MPH (USA)	\$0	0#
1000658	Effective VSL Setting 62.5 MPH (USA)	\$0	0#
1000659	Effective VSL Setting 62.6 MPH (USA)	\$0	0#
1000660	Effective VSL Setting 62.7 MPH (USA)	\$0	0#
1000661	Effective VSL Setting 62.8 MPH (USA)	\$0	0#
1000662	Effective VSL Setting 62.9 MPH (USA)	\$0	0#
1000663	Effective VSL Setting 63.0 MPH (USA)	\$0	0#
1000664	Effective VSL Setting 63.1 MPH (USA)	\$0	0#
1000665	Effective VSL Setting 63.2 MPH (USA)	\$0	0#
1000666	Effective VSL Setting 63.3 MPH (USA)	\$0	0#
1000667	Effective VSL Setting 63.4 MPH (USA)	\$0	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000668	Effective VSL Setting 63.5 MPH (USA)	\$0	0#
1000669	Effective VSL Setting 63.6 MPH (USA)	\$0	0#
1000670	Effective VSL Setting 63.7 MPH (USA)	\$0	0#
1000671	Effective VSL Setting 63.8 MPH (USA)	\$0	0#
1000672	Effective VSL Setting 63.9 MPH (USA)	\$0	0#
1000673	Effective VSL Setting 64.0 MPH (USA)	\$0	0#
1000674	Effective VSL Setting 64.1 MPH (USA)	\$0	0#
1000675	Effective VSL Setting 64.2 MPH (USA)	\$0	0#
1000676	Effective VSL Setting 64.3 MPH (USA)	\$0	0#
1000677	Effective VSL Setting 64.4 MPH (USA)	\$0	0#
1000678	Effective VSL Setting 64.5 MPH (USA)	\$0	0#
1000679	Effective VSL Setting 64.6 MPH (USA)	\$0	0#
1000680	Effective VSL Setting 64.7 MPH (USA)	\$0	0#
1000681	Effective VSL Setting 64.8 MPH (USA)	\$0	0#
1000682	Effective VSL Setting 64.9 MPH (USA)	\$0	0#
1000683	Effective VSL Setting 65.0 MPH (USA)	\$0	0#
1000684	Effective VSL Setting NA	\$0	0#
1000685	Effective VSL Setting 51-51.9 MPH (CAN)	\$0	0#
1000686	Effective VSL Setting 52-52.9 MPH (CAN)	\$0	0#
1000687	Effective VSL Setting 53-53.9 MPH (CAN)	\$0	0#
1000688	Effective VSL Setting 54-54.9 MPH (CAN)	\$0	0#
1000689	Effective VSL Setting 55-55.9 MPH (CAN)	\$0	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000690	Effective VSL Setting 56-56.9 MPH (CAN)	\$0	0#
1000691	Effective VSL Setting 57-57.9 MPH (CAN)	\$0	0#
1000692	Effective VSL Setting 58-58.9 MPH (CAN)	\$0	0#
1000693	Effective VSL Setting 59-59.9 MPH (CAN)	\$0	0#
1000694	Effective VSL Setting 60.0 MPH (CAN)	\$0	0#
1000695	Effective VSL Setting 60.1 MPH (CAN)	\$0	0#
1000696	Effective VSL Setting 60.2 MPH (CAN)	\$0	0#
1000697	Effective VSL Setting 60.3 MPH (CAN)	\$0	0#
1000698	Effective VSL Setting 60.4 MPH (CAN)	\$0	0#
1000699	Effective VSL Setting 60.5 MPH (CAN)	\$0	0#
1000700	Effective VSL Setting 60.6 MPH (CAN)	\$0	0#
1000701	Effective VSL Setting 60.7 MPH (CAN)	\$0	0#
1000702	Effective VSL Setting 60.8 MPH (CAN)	\$0	0#
1000703	Effective VSL Setting 60.9 MPH (CAN)	\$0	0#
1000704	Effective VSL Setting 61.0 MPH (CAN)	\$0	0#
1000705	Effective VSL Setting 61.1 MPH (CAN)	\$0	0#
1000706	Effective VSL Setting 61.2 MPH (CAN)	\$0	0#
1000707	Effective VSL Setting 61.3 MPH (CAN)	\$0	0#
1000708	Effective VSL Setting 61.4 MPH (CAN)	\$0	0#
1000709	Effective VSL Setting 61.5 MPH (CAN)	\$0	0#
1000710	Effective VSL Setting 61.6 MPH (CAN)	\$0	0#
1000711	Effective VSL Setting 61.7 MPH (CAN)	\$0	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000712	Effective VSL Setting 61.8 MPH (CAN)	\$0	0#
1000713	Effective VSL Setting 61.9 MPH (CAN)	\$0	0#
1000714	Effective VSL Setting 62.0 MPH (CAN)	\$0	0#
1000715	Effective VSL Setting 62.1 MPH (CAN)	\$0	0#
1000716	Effective VSL Setting 62.2 MPH (CAN)	\$0	0#
1000717	Effective VSL Setting 62.3 MPH (CAN)	\$0	0#
1000718	Effective VSL Setting 62.4 MPH (CAN)	\$0	0#
1000719	Effective VSL Setting 62.5 MPH (CAN)	\$0	0#
1000720	Effective VSL Setting 62.6 MPH (CAN)	\$0	0#
1000721	Effective VSL Setting 62.7 MPH (CAN)	\$0	0#
1000722	Effective VSL Setting 62.8 MPH (CAN)	\$0	0#
1000723	Effective VSL Setting 62.9 MPH (CAN)	\$0	0#
1000724	Effective VSL Setting 63.0 MPH (CAN)	\$0	0#
1000725	Effective VSL Setting 63.1 MPH (CAN)	\$0	0#
1000726	Effective VSL Setting 63.2 MPH (CAN)	\$0	0#
1000727	Effective VSL Setting 63.3 MPH (CAN)	\$0	0#
1000728	Effective VSL Setting 63.4 MPH (CAN)	\$0	0#
1000729	Effective VSL Setting 63.5 MPH (CAN)	\$0	0#
1000730	Effective VSL Setting 63.6 MPH (CAN)	\$0	0#
1000731	Effective VSL Setting 63.7 MPH (CAN)	\$0	0#
1000732	Effective VSL Setting 63.8 MPH (CAN)	\$0	0#
1000733	Effective VSL Setting 63.9 MPH (CAN)	\$0	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Engine Information			
Vehicle Speed Limiters			
1000734	Effective VSL Setting 64.0 MPH (CAN)	\$0	0#
1000735	Effective VSL Setting 64.1 MPH (CAN)	\$0	0#
1000736	Effective VSL Setting 64.2 MPH (CAN)	\$0	0#
1000737	Effective VSL Setting 64.3 MPH (CAN)	\$0	0#
1000738	Effective VSL Setting 64.4 MPH (CAN)	\$0	0#
1000739	Effective VSL Setting 64.5 MPH (CAN)	\$0	0#
1000740	Effective VSL Setting 64.6 MPH (CAN)	\$0	0#
1000741	Effective VSL Setting 64.7 MPH (CAN)	\$0	0#
1000742	Effective VSL Setting 64.8 MPH (CAN)	\$0	0#
1000743	Effective VSL Setting 64.9 MPH (CAN)	\$0	0#
1000744	Effective VSL Setting 65.0 MPH (CAN)	\$0	0#
Air Compressor			
1002060	Air Compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	(\$67)	0#
1002070	Air Compressor: Cummins 37.4 CFM *For C500 Twin Steer use 1002075	\$2,868	15#
1002080	Air Compressor: Cummins 18.7 CFM, Naturally Aspirated for Cummins X15 and X15N engines	\$206	0#
1006003	Air Compressor: WABCO 25.9 CFM PACCAR MX 2017+ 440cc Air Compressor	STD	0#
1006037	Air Compressor: WABCO 37.4 CFM PACCAR MX.	\$2,121	0#
Air Intake System			
Air Cleaner			
Firewall-Mounted			
1051200	Air Cleaner: Composite Firewall Mounted PACCAR or Cummins Engines	STD	0#
Air Intake Equipment			
1093110	In/Outside Air Intake for Firewall Mounted Air Cleaner. Special air intake door allows driver to select outside air or warm air from under the hood for engine combustion. Aids in cold weather operation. Helps prevent air cleaner from becoming clogged with snow.	\$1,849	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Air Intake System			
Air Intake Equipment			
1099080	Pre-Cleaner Mounted in the Hood Plenum	\$370	0#
1099380	Ember Separator Mounted in the Hood Plenum	\$1,135	0#
1600116	Cummins Air Intake Throttle Overspeed Shutdown for Cummins X15 Engines.	\$5,620	0#
1600220	PACCAR MX Overspeed Shutdown. Includes manual switch and test switch	\$9,174	25#
1600221	Parking Brake Interlock for Over Speed Shutdown for 2010+ engine requires code 1600110, 120, 130 or 220	\$18	0#
Cooling System			
Cooling Module			
1123555	Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	STD	0#
1123556	Cooling Module: 1330 square inches. Clog Resistant. *Low clog radiators have reduced cooling capacity compared to standard radiators. Chassis configuration may be subject to engineering review for cooling capacity.	\$1,247	50#
1125640	Cooling module: T8SH/T8B 1440 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant. Drain valve is not available w/Allison transmissions.	\$504	104#
2 Speed Fan Clutch			
1105210	Fan hub: Horton 2-Speed for PACCAR MX	\$298	0#
1105220	Fan Hub: Horton 2-Speed for X15/X15N	\$292	0#
1105230	Fan Hub: Horton 2-Speed for PX-9 or L9N or ISL	\$286	0#
On_Off Fan Clutch			
1105211	Fan Hub: Horton On/Off for PACCAR MX	STD	0#
1105221	Fan Hub: Horton On/Off for X15/X15N	(\$6)	0#
1105231	Fan Hub: Horton On/Off for PX-9 or L9N	\$56	0#
1105241	Fan Hub: Horton On/Off for ISX12N	\$109	0#
1107050	Fan Hub: Borg Warner On/Off ISX12N	\$304	0#
1107060	Fan Hub: Borg Warner On/Off for PX-9 or L9N	(\$9)	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Cooling System			
On/Off Fan Clutch			
1107130	Fan Hub: Borg Warner On/Off PACCAR MX	\$152	0#
1107140	Fan Hub: Borg Warner On/Off for X15	(\$36)	0#
Variable Speed Fan Clutch			
1105207	Fan Hub: Horton Variable Speed Cummins X15/X15N This belt driven fan drive is available on all X15 and X15N powered units over 500 HP	\$636	0#
1105208	Fan Hub: Horton Variable Speed for ISX12N *This belt driven fan hub is available on ISX12N engines with all Intended Services except with Stationary Application or Split-shaft PTOs.	\$680	0#
1105209	Fan Hub: Variable Speed for MX-11 Belt Driven	\$454	0#
1105212	Fan Hub: Variable Speed for MX-13 This belt driven fan drive is available on all MX-13 engines with greater than 455 HP. All Intended Services except with Stationary Application or Split-shaft PTO's	\$778	0#
Cooling System Equipment			
1160105	Radiator Winterfront.	\$335	2#
1160107	Radiator Winterfront: Easy Install Hooks	\$202	4#
1160208	Bug Screen: Between Hood & Grille	\$128	2#
1160213	Bug Screen: Front of Grille Mounted	\$275	2#
1160214	Bug Screen: Behind Grille	\$275	2#
1160728	Lower Radiator Drain Valve For use with 2010+ engine cooling modules, other than 1780 square inches.	\$15	0#
Aftertreatment Systems			
RH under DPF-SCR			
1247226	EXH: Single Can 2024 RH Under With Single Vertical Back-of-Sleeper Tailpipe RH Independent Mounted	\$58	22#
1247245	EXH: Single Can 2024 RH Under with Dual Vertical Back-of-Sleeper Tailpipes Independent Mounted	\$1,780	-2#
1247247	EXH: Single Can 2024 RH Under with RH Horizontal Tailpipe Below Rail	(\$598)	280#
1247251	EXH: Single Can 2024 RH Under with Dual Side-of-Cab Tailpipes	\$1,400	86#
1247263	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	STD	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Aftertreatment Systems			
RH under DPF-SCR			
1247264	EXH: Single Can 2024 RH Under with Single Vertical RH Back-of-Cab Tailpipe	\$1,085	18#
Horizontal Under Rail			
1247275	EXH: Single Can 2024 Horizontal Under Rail With Single Vertical Back-of-Sleeper Tailpipe Mounted RH Independent	\$850	-64#
1247276	EXH: Single Can 2024 Horizontal Under Rail With Single Horizontal Tailpipe Mounted Below RH Rail	(\$1,038)	-132#
1247277	EXH: Single Can 2024 Horizontal Under Rail With Dual Vertical Back-of-Sleeper Tailpipes Mounted Independent	\$3,936	183#
Independent			
1247274	EXH: Single Can 2024 Single Vertical Independent RH Back-of-Cab	\$3,723	229#
Transverse			
1247270	EXH: Single Can 2024 Transverse Back-of-Cab with Single LH Back-of-Cab Tailpipe	\$4,056	-239#
1247271	EXH: Single Can 2024 Transverse Back-of-Cab with Dual Back-of-Cab Tailpipes	\$6,323	-611#
Twin Steer			
1247220	EXH: Single Can 2024 Twin Steer Vertical Independent RH Back-of-Cab	\$6,379	234#
Compact Twin (CARB Diesel)			
1247305	EXH: Compact Twin 2024 RH Under with Single Vertical Back-of-Sleeper Tailpipe Mounted RH Independent	\$17,913	-4#
1247306	EXH: Compact Twin 2024 RH Under with Dual Vertical Back-of-Sleeper Tailpipes Mounted Independent	\$19,240	11#
1247307	EXH: Compact Twin 2024 RH Under With RH Horizontal Tailpipe Below Rail	\$17,023	-19#
1247308	EXH: Compact Twin 2024 RH Under with Dual Side-of-Cab Tailpipes	\$19,610	3#
1247310	EXH: Compact Twin 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	\$17,623	-14#
1247311	EXH: Compact Twin 2024 RH Under with Single Vertical RH Back-of-Cab Tailpipe	\$18,405	-14#
1247312	EXH: Compact Twin 2024 RH Under with Dual Vertical Back-of-Cab Tailpipes	\$22,959	2#
Natural Gas			
1227053	EXH: Single Independent CNG Catalyst, Right Hand With Back of Cab Vertical Mounted Muffler	\$22,670	-139#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Aftertreatment Systems			
Natural Gas			
1247019	EXH: Single Horizontal CNG Catalyst With Single Horizontal Tailpipe	\$24,727	-339#
1247033	EXH: Single Right Hand Under Cab Catalyst With Single Vertical Tailpipe Right Hand Side of Cab	\$20,493	-172#
KenMex			
1247207	Exhaust: Euro 6 Horizontal Under Rail DPF/SCR with dual vertical BOS independent tailpipes	\$1,870	-239#
1247208	Exhaust: Euro 6 Right Hand Under Cab DPF/SCR with single right hand vertical independent back of sleeper tailpipe	\$605	-239#
1247210	Exh: Euro 6 RH under cab DPF/SCR w/ dual Vert independent BOS TP	\$88	-239#
Export			
1201010	Export Exhaust: Single Cab-Mounted Muffler RH Side.	(\$919)	-661#
1241001	EXH: RH Under Rail EGP W/ Single Horizontal Pipe, Euro 4/5	(\$5,853)	-661#
1241018	Exhaust: RH Under Cab DPF/SCR with RH Horizontal Tailpipe below rail. Euro 6	(\$600)	-239#
1241041	Export Exhaust: Single HOR MFLR RH Vertical Pipe Side of Cab	(\$690)	-661#
1241042	Export Exhaust: Single HOR MFLR Dual Vertical Pipe Side Of Cab	\$876	-661#
1241043	Export Exhaust: Single HOR MFLR RH Vertical Pipe Back of Cab	(\$477)	-661#
1241044	Export Exhaust: Single Export Horizontal Muffler With Single Horizontal Tailpipe	(\$2,449)	-661#
1241045	Export Exhaust: Independent, BOC, With 2 Tie Rods With Bushing	(\$1,022)	-661#
1241651	Export EXH: Horizontal Muffler with Single Vertical Tailpipe RH Side of Sleeper	\$3,543	-661#
1241652	Export EXH: Horizontal Muffler with Dual Vertical Tailpipes Side of Sleeper	\$4,734	-661#
1245029	EXH: RH Under EGP W/ Single INDEP Inboard Pipe MTD Behind Sleeper, EURO 4/5	(\$756)	-661#
1245064	Export Exh: RH Under EGP with Dual Ind Inboard Pipes mounted Back of Sleeper. Euro 4/5	(\$143)	-661#
1247149	EXH: Euro 4/5 RH Under EGP with SOC Vertical Pipe	(\$22)	-661#
1247158	Exhaust: RH Under EGP with Single BOC Vertical Pipe. For use with Daycab. Euro 4/5	(\$1,526)	-661#
1247161	EXH: Horiz. Crossover SCR W/ Horiz. LH Side Side Tailpipe, Euro 4/5	(\$5,300)	-661#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Aftertreatment Systems

Export

1247162	Export Exh: Horiz. Crossover SCR W/ Single Vert. Indp. BOS Tailpipe, Euro 4/5	(\$3,608)	-661#
1247163	Export Exh: Horiz. Crossover SCR W/ Dual Vert Indp. BOS Tailpipes, Euro 4/5	(\$2,348)	-661#
1247204	Exhaust: RH Under Cab DPF/SCR with RH Side of Cab Vertical Tailpipe. Euro 6	(\$127)	-239#
1247205	Exh: Euro 6 RH under cab DPF/SCR w/ dual SOC tps.	\$1,559	-239#
1247206	Exhaust: Horizontal Under Rail DPF/SCR with RH Horizontal Tailpipe. Euro 6	(\$496)	-239#

Aftertreatment Accessories

Single Tailpipes

1290118	Tailpipe: 5 in. Single 18 in. 45 degree curved.	(\$100)	0#
1290124	Tailpipe: 5 in. single 24 in. 45 degree curved.	(\$67)	-3#
1290130	Tailpipe: 5 in. single 30 in. 45 degree curved.	(\$30)	-1#
1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	STD	0#
1290142	Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$32	2#
1290148	Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$62	3#
1290154	Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$94	5#
1290160	Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$140	7#
1290336	Tailpipe: 7 in. single 36 in. 45 degree curved.	\$208	4#
1290342	Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$235	6#
1290348	Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$263	9#
1290354	Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$291	11#
1290360	Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$291	13#
1291400	Tailpipe: Export Standard for Horizontal Exhaust.	\$0	0#

Dual Tailpipes

1290224	Tailpipe: 5 in. dual 24 in. 45 degree curved.	\$134	-7#
---------	---	-------	-----



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Aftertreatment Accessories

Dual Tailpipes

1290230	Tailpipe: 5 in. dual 30 in. 45 degree curved.	\$227	3#
1290236	Tailpipe: 5 in. dual 36 in. 45 degree curved.	\$237	0#
1290242	Tailpipe: 5 in. dual 42 in. 45 degree curved.	\$351	3#
1290248	Tailpipe: 5 in. dual 48 in. 45 degree curved.	\$412	7#
1290254	Tailpipe: 5 in. dual 54 in. 45 degree curved.	\$475	10#
1290260	Tailpipe: 5 in. dual 60 in. 45 degree curved.	\$855	14#
1290436	Tailpipe: 7 in. dual 36 in. 45 degree curved.	\$633	8#
1290442	Tailpipe: 7 in. dual 42 in. 45 degree curved.	\$696	13#
1290448	Tailpipe: 7 in. dual 48 in. 45 degree curved.	\$713	17#
1290454	Tailpipe: 7 in. dual 54 in. 45 degree curved.	\$810	22#
1290460	Tailpipe: 7 in. Dual 60 in. 45 degree curved.	\$866	27#

Miscellaneous

1291944	Single Lower Chrome Exhaust Elbow	\$255	0#
1291946	Polished Transverse DPF/SCR Covers Requires Transverse Exhaust Code.	\$1,031	0#
1292329	Exhaust Shield: Dual W/ Kenworth Name Cutout Full length perforated stainless steel. For side mounted exhaust AeroCab only.	\$373	0#
1292944	Dual Lower Chrome Exhaust Elbow	\$676	0#

Filters

Fuel-Water Separator

1321100	Fuel Filter: Customer Supplied or None Fuel/Water Separator. ISX12N Only.	(\$95)	0#
1321101	Fuel Filter: PACCAR Extended Service Interval On-Engine Fuel/Water Separator. 2021 and Later Emissions MX Engines only.	STD	0#
1321109	Fuel Filter:PACCAR Standard Service Interval Fuel/Water Separator. 2017 and Later Emissions	\$153	0#
1321110	Fuel Filter:PACCAR Extended Service Interval Fuel/Water Separator, 2017 and Later Emissions	\$176	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Filters			
Fuel-Water Separator			
1321125	Fuel Filter:Davco 382 Fuel/Water Separator	\$470	8#
1321130	Fuel Filter: Davco 483 Fuel/Water Separator	\$834	11#
1321155	Fuel Filter: Rail Mounted for Natural Gas Engines Fuel/Water Separator	\$57	0#
1321200	Run Aid:None *For Fuel Filter	\$0	0#
1321204	Run Aid: Cummins TRV + Coolant Heat for Davco *For Fuel Filter, X15 and 2.1M only	\$489	0#
1321205	Run Aid:Fuel Heat *For Fuel Filter	STD	0#
1321210	Run Aid:PACCAR Fuel Blend and Coolant Heat *For Fuel Filter, MX with 2.1 m models, 2017+ Emissions	\$122	1#
1321220	Run Aid:Cummins TRV for Davco only *For Fuel Filter, X15 AND 2.1 m models	\$234	2#
1321225	Run Aid:Coolant Heat *For Fuel Filter	\$228	1#
1321300	Start Aid:None *For Fuel Filter	\$0	0#
1321305	Start Aid:12V Heat *For Fuel Filter	STD	0#
1321320	Start Aid:120V Heat *For Fuel Filter	\$205	1#
1321325	Start Aid:12V AND 120V Heat *For Fuel Filter	\$329	2#
1324376	Davco 382 Fuel filter/Water separator. Unheated for export Cummins ISX or EPA13 MX	\$335	15#
1324377	Davco Fuel Pro 382 Fuel Filter. Unheated. Includes water separator with Water-In-Fuel (WIF) sensor.	\$438	15#
1324383	Davco Fuel Pro 382 Fuel Filter Return fuel heated w/ integral thermostat. Includes water separator with Water-In-Fuel (WIF) sensor.	\$440	15#
1324387	Davco Fuel Pro 382 Fuel Filter. 120V Pre-heated and return fuel heated w/ integral thermostat. Includes water separator with Water-In-Fuel (WIF) sensor.	\$603	15#
1324391	Davco Fuel Pro 382 Fuel Filter. 12V heated and return fuel heated w/ integral thermostat. Includes water separator with Water-In-Fuel (WIF) sensor.	\$992	15#
1329018	Fleetguard Filter/Water Separator FS1000. Heated. Export Only. 12V.	\$169	0#

Heating & Starting Aids

Block Heater



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Heating & Starting Aids			
Block Heater			
1504002	Immersion Block Heater 120V 1000W W/ Plug Under Door on C500 and T800	\$176	0#
1504005	Immersion Block Heater 120V 1500W W/ Plug Under Door on C500, T660, T800 & W900.	\$150	2#
1504010	Immersion Block Heater 240V 1500W W/ Plug Under Door on C500, T660, T800 & W900.	\$309	0#
Oil Pan Heater			
1506035	Engine Oil Pan Heater 240V 150W With Plug Under Door on C500, T800 & W900.	\$119	2#
1506055	Engine Oil Pan Heater, 120V / 300W Includes plug. For use with EPA 2007+ engines.	\$364	2#
In-tank Fuel Heater			
1509058	Fuel Tank Heater: Single Arctic Fox W/ Thermostat	\$563	6#
1509065	Fuel Tank Heater: Dual Arctic Fox W/ Thermostat	\$1,243	15#
Heater Accessories			
1504040	Harness Plug for Block Heater Coiled Under Cab. DEL Plug Under Door C5, T6, T8 & W9	\$0	0#
1507008	Block Heater & Oil Pan Heater Wired to Separate Plugs.	\$0	0#
1509029	Shutoff Valves for Trailer Heat with Hoses Routed at minimum 3 feet BOC/BOS. Installation includes shutoff valves on a loop of hose routed to 3' BOC/BOS. Trailer heat application not to exceed 12 kW (680 BTU/min) of heat draw from the engine. For applications requiring a significant amount of heat (6-12 kW, Ex: heating a tanker), the engine must be warmed up before opening shutoff valves allowing coolant to flow. A separate coolant heater is recommended for applications requiring more heat.	\$354	0#
1509035	Coolant Hoses and 2 Shut-Off Valves for C/I APU	\$232	0#
Fuel Cooler			
1500024	Kenworth fuel cooler for single fuel tanks.	\$56	0#
1500029	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	\$317	6#
Rear Engine PTO - REPTO			
6340009	Rear Engine PTO: MX-11, 1.3:1 Drive Ratio Torque Capacity 590 LB-FT Continuous.	\$3,478	48#
6340040	Rear Engine PTO: PX-9, ISL9 Torque Capacity 435 lb-ft continuous, Drive ratio 1.15:1. Includes access provision in toe board.	\$5,350	150#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Rear Engine PTO - REPTO			
6340041	Rear Engine PTO ISX12 Only Torque Capacity 465 lb-ft continuous, Drive ratio 1.32:1. Includes access provision in toe board. ISX12N OK.	\$4,806	44#
6340070	Rear Engine PTO: MX-13, 1.2:1 Drive Ratio Torque Capacity 613 LB-FT Continuous. Includes Access Provision In Toe Board.	\$6,287	161#
Governors & Controls			
1405074	Ambient Temperature Sensor for Idle Shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX Engines.	\$0	0#
Motor Equipment Miscellaneous			
0080020	Chassis to use LNG Fuel System.	\$0	0#
0080021	Chassis to use CNG Fuel System.	\$0	0#
1000051	One MX Remote PTO Speed Control Preset Engine Speed	\$0	0#
1000052	Two MX Remote PTO Speed Control Preset Engine Speeds	\$0	0#
1000133	Powertrain Protect Programming-Cummins ISM / ISX12N Engines, Torque Limiting.	\$0	0#
1000170	Enable Engine Regeneration in PTO Mode Cummins	\$0	0#
1000174	Enable Engine Regeneration in PTO Mode PACCAR MX Fan Assist - Off	\$0	0#
1000176	Enable Fan Assist with Engine Regeneration in PTO Mode PACCAR MX *Use with code 1000174 if Fan Assist is Desired.	\$0	0#
1000202	Engine Monitoring Protection -Warning- PACCAR MX Engine Parameter.	\$0	0#
1000204	Engine Monitoring Protection -Derate- PACCAR MX Engine Parameter.	\$0	0#
1000206	Engine Monitoring Protection -Shutdown- PACCAR MX Engine Parameter.	\$0	0#
1000238	Enable Auto-Retard w/ Latch Mode Retarder Control PACCAR MX engine parameter. Selecting this code will program the engine controller to auto retard when cruise control is set. When cruise control is not set w/ button on you have latch mode. Latch mode means the engine retarder is activated when the brake pedal is depressed and does not deactivate until the operator depresses the accelerator.	\$0	0#
1000239	Engine Parameter: Driveline Protect - Torque Limiting PACCAR MX.	\$0	0#
1000241	PT Optimization Analysis: Downsped Economy	\$0	0#
1000242	Gearing Analysis: Fuel Economy fuel efficiency results.	\$0	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Motor Equipment Miscellaneous			
1000243	Gearing Analysis: Performance power before economy results.	\$0	0#
1000244	Gearing Analysis: Balance power/economy blend results.	\$0	0#
1000245	Customer's Typical Operating Spd: 50 MPH	\$0	0#
1000247	Customer's Typical Operating Spd: 40 MPH	\$0	0#
1000248	Customer's Typical Operating Spd: 55 MPH	\$0	0#
1000249	Customer's Typical Operating Spd: 52 MPH	\$0	0#
1000250	Customer's Typical Operating Spd: 58 MPH	\$0	0#
1000251	Customer's Typical Operating Spd: 60 MPH	\$0	0#
1000252	Customer's Typical Operating Spd: 62 MPH	\$0	0#
1000253	Customer's Typical Operating Spd: 63 MPH	\$0	0#
1000254	Customer's Typical Operating Spd: 65 MPH	\$0	0#
1000255	Customer's Typical Operating Spd: 68 MPH	\$0	0#
1000256	Customer's Typical Operating Spd: 64 MPH	\$0	0#
1000257	Customer's Typical Operating Spd: 70 MPH	\$0	0#
1000260	Dealer Declines PT Optimization Results Rear Axle Ratio Selected does not Meet Opt Goal.	\$0	0#
1000275	Customer's Typical Operating Spd: 75 MPH	\$0	0#
1000276	Speed Control Management: Enable Progressive Shift for PACCAR MX engines. Progressive Shift is a feature which encourages a driver to shift at reduced engine speed (RPM) while in lower gears. This is a PACCAR MX Engine Parameter w/ Default Setting. Default settings are optimized for 10-speed transmissions & line haul applications.	\$0	0#
1000277	Speed Control Management: Enable Gear Down Protection for PACCAR MX engines. Gear Down Protection is a feature which encourages a driver to shift into higher gears in order to use the engine at lower engine speed (RPM) when the vehicle is at higher road speed (MPH). This is a PACCAR MX Engine Parameter w/ Default Setting. Default settings are optimized for 10-speed transmissions & line haul applications.	\$0	0#
1000281	MX Engine: Fast Stop Recorder Disable Disables MX Fast Stop recorder functionality, which logs key vehicle parameters whenever vehicle deceleration rates exceed a specified value. See engine ordering and programming guides for further details. 2013+	\$0	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Motor Equipment Miscellaneous			
1000282	MX Retarder State Cruise Control On Manual Mode Selecting this code will program the engine controller to make manual mode available when cruise control is on, but not set, and the engine brake switch is on. Manual mode means the engine retarder activates whenever the throttle pedal is not depressed. 2013+	\$0	0#
1000283	MX Retarder State Cruise Control On Coast Mode Selecting this code will program the engine controller to make coast mode available when cruise control is on, but not set, and the engine brake switch is on. Coast mode means the engine retarder is only activated when the brake pedal is depressed. 2013+	\$0	0#
1000284	MX Retarder State Cruise Control On Latch Mode Selecting this code will program the engine controller to make latch mode available when cruise control is on, but not set, and the engine brake switch is on. Latch mode means the engine retarder is activated when the brake pedal is depressed and does not deactivate until the operator depresses the accelerator pedal. This sales code cannot be selected if either Code 5 or Code 6 are selected. 2013+	\$0	0#
1000285	Enable MX Retarder Auto-Retard Selecting this code will program the engine to utilize the auto retard mode whenever cruise control speed has been set and the engine brake switch is on. The auto-retard mode will control the vehicle speed to an offset from the cruise control set speed via the engine retarder. The offset speed shall be dependent upon customer inputs via the electronic programming work screen. 2013+	\$0	0#
1000287	Enable MX Retarder Downhill Speed Limiter Selecting this code will program the engine to utilize the Downhill Speed Limiter functionality. The Downhill Speed Limiter functionality will control the vehicle to a customer-programmed maximum speed when the engine brake switch is in the ON position, whether or not cruise control is active. 2013+	\$0	0#
1000288	Disable MX Retarder Selecting this code will program the engine to never actuate the engine brake, regardless of switch input. This code will be reflected as a programmable parameter on the engine, so customers can re-enable the MX engine retarder via aftermarket programming at their local Kenworth or Peterbilt dealership. A restriction must be put in place to not allow the selection of this code on trucks with any type of adaptive cruise braking or collision mitigation system as they use the engine brake in their base functionality. 2013+	\$0	0#
1000289	Delete MX-11 Retarder (Engine Brake)	(\$1,893)	0#
1000341	PTO Mode Control - Cab Station.	\$0	0#
1000342	PTO Mode Control - Remote Station.	\$0	0#
1000343	PTO Mode Control - Cab and Remote Station.	\$0	0#
1900300	Steel Front Engine Supports.	\$462	15#
1901017	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	STD	0#
1901018	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$65	0#
1901019	Remote PTO/Throttle, 12-Pin, 250K End of Frame, J1939, Remote Control Provision	\$18	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Motor Equipment Miscellaneous			
1901020	Remote PTO/Throttle, 12-Pin, 500K, Back of Cab OR Back of Sleeper, J1939, Remote Control Provision	\$18	0#
1901021	Remote PTO/Throttle, 12-Pin, 500K End of Frame J1939, Remote Control Provision	\$18	0#
1901022	Remote Presets and Interlock, 8-Pin, Engine Bay; Requires Code 1901017	\$53	0#
1901023	Remote Presets and Interlock, 8-Pin, Back of Cab OR Back of Sleeper; Requires Code 1901018 OR 1901020	\$164	2#
1901024	Remote Presets and Interlock, 8-Pin, End of Frame Requires Code 1901019 or 1901021	\$218	0#
1901078	J1939 Harness Extension Under Hood at Firewall Driver Side	\$137	0#
1901083	J1939 Harness (read only) to EOF for Body Builder This option allows the customer to read EPA 2010+ engine parameters from their remote station. "Read Only" means you cannot write information to any components on this harness but can only "Read" information from it.	\$122	0#
1903008	Steel Oil Pan for PACCAR MX Engines	\$1,101	10#
1903010	Enable Driver Performance Assistant (DPA) Enables the overall Driver Performance Assistant functionality, which provides visual feedback to the driver that helps improve their fuel economy, minimize wear on the service brakes, and provides long-term scores indicative of how well the driver is performing against both goals.	\$0	0#
1903011	DPA - Enable Driver Coaching Enables popups that will actively coach the driver to improve their performance if they are performing poorly, or congratulate them if they are doing well. Frequency of the popups are conditioned upon the driver's overall, long-term score. A better score leads to less frequent popups, while a poorer score leads to more frequent popups.	\$0	0#
1903012	DPA - Enable Anticipation Score Enables the Driver Performance Assistant's Anticipation Score functionality that encourages the driver to anticipate braking events earlier and coast longer in order to increase fuel economy.	\$0	0#
1903013	DPA - Enable Brake Saving Score Enables the Driver Performance Assistant's Brake Saving Score functionality that encourages the driver to use engine brakes to avoid service brake wear.	\$0	0#
1903014	DPA - Enable Reset by Driver Indicates whether or not the customer wants the driver to have the ability to reset the long-term scoring within the DPA functionality. Customers always have the ability to reset the scoring via a service tool.	\$0	0#
1903015	DPA - Enable Tire Pressure Reminder Enables reminders related to low tire pressures that can negatively impact fuel economy. These warnings would occur prior to typical TPMS system warnings that are focused on critically low tire pressures that can lead to tire damage.	\$0	0#
1903016	DPA - Enable Automated Transmission Reminder Enables reminders to the driver to put an automated transmission back into automated mode after it has been left in manual mode for an extended period of time.	\$0	0#
1903018	DPA - Recommended Settings	\$0	0#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Motor Equipment Miscellaneous			
1903019	DPA - Custom Settings	\$0	0#
1903020	Decline Driver Performance Assistant (DPA)	\$0	0#
1903030	Enable Driver Reward	\$0	0#
1903031	Enable Ton MPG	\$0	0#
1903032	Enable Fuel Economy	\$0	0#
1903033	Enable Idle Time Percentage	\$0	0#
1903034	Enable Driver Shift Aid	\$0	0#
8240004	Throttle Input Ignored When Park Brake Engaged.	\$110	0#
Retarders			
1700122	Delete Retarder: Cummins ISX12N Engines	(\$2,031)	-40#
1700123	Retarder: Cummins ISX12N	\$0	40#
1700149	Retarder: Jacobs for PX-9 and ISL With 3-way switch. Replaces the standard turbo brake for PX-9 engines.	\$2,964	57#
1700152	Retarder Jacobs for ISM W/ 3-Way Switch Allows 2-, 4-, or all 6-cylinder operation for 2007. All pre-2007 ISM engines have a 2-way switch allows 3-cylinders or all 6-cylinder operation.	\$2,898	0#
Starting & Recharging			
Alternator			
1811276	Alternator: Leece Neville 270 amp Long Brush. 270amp alternator with 150A fuse for body builder (Class 8 only, not for use with ICBB, temporary battery box, or vocational cantilever battery box)	\$1,406	0#
1812162	Alternator: 160 amp Brushless with battery voltage sense. *This code replaced 1812160.	\$379	9#
1812163	Alternator: PACCAR HDS 160 AMP Brushed	STD	0#
1812164	Alternator: SEG HDS 200 AMP Brushed	\$133	0#
1812430	Alternator: Delco 40SI 240 amp Brushless with battery voltage sense	\$1,102	0#
1812440	Alternator: Delco 40SI 275 amp Brushless with battery voltage sense.	\$1,242	0#
1812450	Alternator: Delco 40SI 300 amp Brushless with battery voltage sense.	\$1,369	18#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Starting & Recharging			
Alternator			
1812451	Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	\$1,442	14#
1816200	Alternator: SEG 200 amp, Brush Type Formerly Bosch.	\$77	0#
1816260	Alternator: PACCAR 160 amp, Brush Type	\$1	0#
Battery			
1821003	Batteries: 4 AGM GP31 THR (925) 3700 CCA	\$1,160	140#
1821004	Batteries: 3 AGM GP31 THR (925) 2775 CCA	\$752	74#
1821210	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	\$233	62#
1821215	Batteries: 4 PACCAR GP31 Threaded Post (700-730) 2800-2920 CCA dual purpose.	\$469	124#
1821220	Batteries: 2 PACCAR GP31 Threaded Post (700-730) 1400-1460 CCA dual purpose.	STD	0#
1821225	Batteries: 2 PACCAR GP31 Threaded Post (1000) 2000 CCA starting.	\$4	0#
1821230	Batteries: 4 PACCAR GP31 Tapered Post (700-730) 2800-2920 CCA dual purpose.	\$446	124#
1821271	Batteries: 2 AGM GP31 threaded post 1850 CCA For 2.1m with In Cab Battery Box (ICBB) only	\$270	0#
1821275	Batteries: 3 AGM GP31 THR (925) 2775 CCA. For T680, T880, or W990 in cab battery box only.	\$640	62#
1825006	Batteries: 4 Odyssey GP 31 AGM Threaded Post (1150) 4600 CCA	\$1,996	192#
1825007	Batteries: 3 Odyssey GP 31 AGM Threaded Post (1150) 3450 CCA	\$1,529	113#
Battery Equipment			
1840005	Battery Disconnect Switches 2, Mounted On Battery Box.	\$191	2#
1840006	Battery Disconnect Switches 2, Mounted in Cab Requires battery box LH under.	\$426	2#
1840010	Steel Battery Holddowns Standard W/ 3 Batteries.	\$170	4#
1840024	Battery Disconnect Switch: 1 Cab Floor Locking	\$361	0#
1840065	12V Low Voltage Disconnect for Battery Protection	\$0	0#
1900996	Jump Start Terminals Under Hood.	\$320	12#
1901003	Jump Start Terminals Frame Mounted BOC or Sleeper.	\$364	12#



T880: MOTOR EQUIPMENT

Option	Description	Price	Weight
Starting & Recharging			
Starter			
1832021	Export starter: Delco 12 volt 42MT.	\$280	0#
1832039	Starter: Delco 39MT w/over crank protection 12 volt	\$40	0#
1836102	PACCAR Premium 12V Starter with PACCAR MX Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	STD	0#
1836103	PACCAR Premium 12V Starter W/ Cummins X15 Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system with circuit protection circuits number & color coded.	\$94	0#
1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	\$0	0#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Eaton			
10-Speed			
2058359	Transmission: Fuller FRM15210B 10-speed w/pump & external oil cooler. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1550 pound-feet.	(\$5,665)	93#
2058362	Transmission: Fuller FRO16210C 10-speed w/pump & external oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	(\$5,511)	87#
2058372	Transmission: Fuller RTO16908LL 10-speed w/pump & oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	(\$4,166)	180#
2058384	Transmission: Fuller FRO18210C 10-speed w/external oil cooler; w pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet.	(\$3,663)	97#
11-Speed			
2058402	Transmission: Fuller RTO16909ALL 11-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	(\$2,293)	188#
12-Speed			
2058775	Eaton EEO-16F112C Endurant 12-speed, 1650 LB FT with Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$385	0#
2058776	Eaton EEO-17F112C Endurant 12-speed, 1750 LB FT with Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$822	0#
2058784	Eaton EEO-18F112C Endurant 12-speed, 1850 LB FT with Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$1,207	0#
2058790	Eaton EHD-14F112C-N Endurant HD 12-speed 1450 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. No rear PTO. Natural Gas Engines only.	\$3,345	0#
2058791	Eaton EEO-14F112C Endurant 12-speed, 1450 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	(\$624)	0#
2058792	Eaton EEO-15F112C Endurant 12-speed, 1550 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	(\$282)	0#
2058793	Eaton EEO-16F112C Endurant 12-speed, 1650 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$0	0#
2058794	Eaton EEO-17F112C Endurant 12-speed, 1750 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$436	0#
2058795	Eaton EEO-18F112C Endurant 12-speed, 1850 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$822	0#
2058796	Eaton EHD-16F112C-N Endurant HD 12-speed 1650 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. No rear PTO. Natural Gas Engines only.	\$4,148	0#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Eaton			
12-Speed			
2058797	Eaton EHD-18F112C-N Endurant HD 12-speed 1850 LB FT with Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. No rear PTO. Natural Gas Engines only.	\$4,918	0#
13-Speed			
2058446	Transmission: Fuller RTLO18913A 13-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1850 pound-feet.	(\$1,754)	206#
18-Speed			
2058741	Transmission: Fuller RTLO22918B 18-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 2250 pound-feet.	\$3,254	214#
2058771	Transmission: Fuller RTLO20918B 18-speed w/oil cooler & pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 2050 pound-feet.	\$992	214#
2058785	Eaton EXDP-16F118D Endurant XD Pro 18 Speed 1650 LB FT, With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$11,709	0#
2058786	Eaton EXDP-18F118D Endurant XD Pro 18 Speed 1850 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.	\$13,065	0#
2058787	Eaton EXDP-20F118D Endurant XD Pro 18 Speed 2050 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.	\$15,442	0#
2058788	Eaton EXD16F118D Endurant XD 18 Speed 1650 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.	\$9,052	0#
2058789	Eaton EXD18F118D Endurant XD 18 Speed 1850 LB FT, with Hill Start Aid and provisions for rear and bottom mounted PTO.	\$10,157	0#
2058799	Eaton XD-N EXD-18F118D-N Endurant 18-speed 1850 LB FT with Hill Start Aid. Natural Gas Engines only.	\$16,622	0#
Allison			
5-Speed			
2011610	Transmission: Allison 3000HS 5-speed, No PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,230	75#
2011612	Transmission: Allison 3000RDS 5-speed, With PTO drive gear. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,296	122#
2011630	Transmission: Allison 3500RDS 5-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,815	122#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Allison			
5-Speed			
2016611	Transmission: Allison 4000RDS 5-speed, With PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$30,727	478#
2016613	Transmission: Allison 4000EVS 5-speed, With PTO drive gear. No Retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temp gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$33,189	478#
2016625	Transmission: Allison 4500RDS 5-speed, With PTO drive gear. No retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$32,880	478#
2016626	Transmission: Allison 4500RDS 5-speed, No PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$32,880	478#
2016629	Transmission: Allison 4500EVS 5-speed, With PTO drive gear. No Retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$34,601	478#
6-Speed			
2011611	Transmission: Allison 3000HS 6-speed, No PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,230	75#
2011613	Transmission: Allison 3000RDS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,296	122#
2011615	Transmission: Allison 3000EVS 6-speed, With PTO Provisions at 4 and 8 o'clock. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,555	122#
2011631	Transmission: Allison 3500RDS 6-speed, With PTO drive gear. Limited to 1050LBFT. 6th Generation Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$9,815	122#
2011632	Transmission: Allison 3500EVS 6-speed, With PTO drive gear. 6th Generation controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,601	122#
2016610	Transmission: Allison 4000HS 6-speed, No PTO drive gear. No retarder. 6th Generation controls. Highway service only. Includes shift control, transmission oil temp gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$29,247	478#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Allison			
6-Speed			
2016612	Transmission: Allison 4000RDS 6-speed, With PTO drive gear. No retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$30,727	478#
2016614	Transmission: Allison 4000EVS 6-speed, With PTO drive gear. No retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$33,189	478#
2016627	Transmission: Allison 4500RDS 6-speed, With PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$32,753	478#
2016628	Transmission: Allison 4500RDS 6-speed, No PTO drive gear. No Retarder. 6th Generation controls. For vocational applications. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$32,880	478#
2016630	Transmission: Allison 4500EVS 6-speed, With PTO drive gear. No Retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$36,000	478#
7-Speed			
2016652	Transmission: Allison 4700RDS 7-speed, With PTO drive gear. With 2-speed reverse. No Retarder. 6th Generation controls. Includes shift control, transmission oil temp gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$41,327	728#
2016653	Transmission: Allison 4700RDS 7-speed, No PTO drive gear. With 2-speed reverse. No Retarder. 6th Generation controls. Includes shift control, transmission oil temp gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$40,577	728#
PACCAR			
12-Speed			
2058601	PACCAR TX-12: PO-14F112C, 12-speed, 1450 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	(\$624)	0#
2058602	PACCAR TX-12: PO-15F112C, 12-speed, 1550 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	(\$282)	0#
2058603	PACCAR TX-12: PO-16F112C, 12-speed, 1650 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	STD	0#
2058604	PACCAR TX-12: PO-17F112C, 12-speed, 1750 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$436	0#



T880: TRANSMISSIONS

Option	Description	Price	Weight
PACCAR			
12-Speed			
2058605	PACCAR TX-12: PO-18F112C, 12-speed, 1850 LB FT With Hill Start Aid. Limited to gears 2, 4, and R2 (reverse) while in PTO mode. With Bottom Mounted PTO. No rear PTO.	\$822	0#
2058621	PACCAR TX-12: PO-14F112C, 12 Speed, 1450 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	(\$239)	0#
2058622	PACCAR TX-12: PO-15F112C, 12 Speed, 1550 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$103	0#
2058623	PACCAR TX-12: PO-16F112C, 12 Speed, 1650 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$385	0#
2058624	PACCAR TX-12: PO-17F112C, 12 Speed, 1750 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$822	0#
2058625	PACCAR TX-12: PO-18F112C, 12 Speed, 1850 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$1,207	0#
2058626	PACCAR TX-12 PRO:PHDP14F112C, 12 Speed, 1450LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$2,332	0#
2058627	PACCAR TX-12 PRO:PHDP16F112C, 12 Speed, 1650LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO. Limited to gears 2, 4, and R2 (reverse) while in PTO mode.	\$3,009	0#
18-Speed			
2058610	PACCAR TX-18 Pro: PXDP-16F118D, 18 Speed 1650 LB FT, With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$11,709	0#
2058611	PACCAR TX-18 Pro: PXDP-18F118D, 18 Speed 1850 LB FT, With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$13,065	0#
2058613	PACCAR TX-18: PXD-16F118D, 18 Speed, 1650 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$9,052	0#
2058614	PACCAR TX-18: PXD-18F118D, 18 Speed, 1850 LB FT With Hill Start Aid and provisions for rear and bottom mounted PTO.	\$10,157	0#
Transmission Equipment			
2410005	Optional Neutral Start Switch.	\$63	0#
2410047	High Capacity Input Shaft Bearing for High PTO Duty Cycle	\$29	0#
2410114	Left Hand PTO Access, Right Hand Dip Stick Tube Allison 3000 series only.	\$26	0#
2410151	Pushbutton Control Center Console Mounted. Class 8 with Allison Transmission.	\$0	0#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Transmission Equipment			
2410154	Allison Lever Control, Center Console Mounted. The lever shifter is for use with Allison Transmissions and is located in the dash cup holder assembly.	\$375	0#
2410163	Allison Tachograph Provision	\$164	0#
2412301	Mixer With Sustained Low Speed Operation: Curbing, Slip Form, etc.	\$0	0#
2412302	Mixer Without Sustained Low Speed Operation: Transit Mixer.	\$0	0#
2444000	Chrome Shift Lever for Main Transmission.	\$111	0#
2450114	Add Transmission Filter: Eaton UltraShift Plus *Optional. Filter is installed on the transmission by Eaton.	\$262	0#
2480315	Severe Service Rear Transmission Support Spring(s).	\$92	15#
9490930	Vent Transmission, Drive Axle & Transfer Case to filter.	\$169	8#
Allison Software			
2410072	Auto Neutral not Required this Application.	\$0	0#
2410204	Allison Fuel Sense: Delete	\$0	0#
2410212	Allison Transmission Mobile PTO Operation - Change max output speed to 4500 RPM	\$0	0#
2410244	J1939 Park Brake Auto Neutral	\$0	0#
2410310	Allison Neutral at Stop	\$0	0#
2410312	Allison Neutral at Stop Not Applicable	\$0	0#
2410319	Allison Fuel Sense: Dynactive Includes Dynamic Shift Sensing	\$315	0#
2410325	Allison Fuel Sense: ARM Base Economy	\$321	0#
2410326	Allison Fuel Sense: ARM High Economy	\$321	0#
2410327	Allison Fuel Sense: ARM Super Economy	\$321	0#
Eaton Software			
2038252	Eaton AMT LSM Package - Linehaul Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Transmission Equipment			
Eaton Software			
2038253	Eaton AMT LSM Package - Vocational Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#
2050008	Neutral Coast Mode Cruise Only Automated Transmission Programming.	\$0	0#
2050009	Neutral Coast Mode Pedal Only For Automated Transmission Programming.	\$0	0#
2050010	Neutral Coast Mode Pedal and Cruise For Automated Transmission Programming.	\$0	0#
2410241	1st Gear Start for Eaton UltraShift.	\$0	0#
2410704	Standard Shift Calibration	\$0	0#
2410706	Tanker Shift Calibration (Unbaffled)	\$0	0#
2410708	Performance Shift Calibration	\$0	0#
2410753	Second Shift Calibration: Off Road PACCAR TX PRO And Endurant XD PRO	\$0	0#
2410754	Enable Second Shift Calibration PACCAR TX PRO And Endurant XD PRO	\$0	0#
2410755	Second Shift Calibration: Standard PACCAR TX PRO And Endurant XD PRO	\$0	0#
2410756	Second Shift Calibration: Performance PACCAR TX PRO And Endurant XD PRO	\$0	0#
2410757	Second Shift Calibration: Tanker (unbaffled) PACCAR TX PRO And Endurant XD PRO	\$0	0#
Auxiliary Transmissions			
2154321	Aux: AT1202 2-speed Electric Over Air Shift 3-position Rocker Switch Dash Mounted and Includes Synthetic Lubricant	\$28,869	522#
Transfer Case			
2328245	Transfer Case: Fabco TC-142 873-0079-XXX 2-Speed w/PTO.	\$59,651	1,115#
2329126	Transfer Case: Fabco TC-143 1-Speed W/PTO With neutral with lube pump 873-0031-XXX	\$54,851	1,033#
2329128	Transfer Case: Fabco TC-143 873-0089-XXX 1-Speed w/o PTO, w/o neutral w/lube pump.	\$40,305	1,033#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Transfer Case			
2329339	Transfer Case: Fabco TC-142 2-Speed 873-0079-XXX w/o PTO. 1.00:1 high, 2.23:1 low. W/dual acting high-low air shift. W/single acting air shift front drive engagement. W/pressurized lubrication pump & spin-on filter. W/ metal plug in speedo opening. W/special oil level for high speed applications. W/o neutral. W/o PTO.	\$46,303	1,444#
2349006	Jackshaft Installation: Includes 2 Centerbearings and 2 Crossmembers to Support the Jackshaft.	\$3,445	100#
Split-Shaft PTO			
2349018	Split Shaft PTO: C/I Namco 174C Series Info code for compatibility only.	\$0	0#
2410073	Customer-Installed Split Shaft PTO Informational only, nothing additional is provided.	\$0	0#
Clutch			
2240208	Clutch: 430mm Self-Adjust Organic, Max Torque 1850 ft-lbs	STD	0#
2240211	Clutch: 430mm Self-Adjust, High Capacity Organic, Max Torque 2050 ft-lbs	\$915	0#
2250496	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1750 ft-lb, Ceramic, 4-Paddle, Predamper	\$910	0#
2250497	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1850 ft-lb, Ceramic, 6-Paddle, Predamper	\$1,559	6#
2250498	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 2050 ft-lb, Ceramic, 6-Paddle, Predamper	\$1,617	6#
2250499	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 2250 ft-lb, Ceramic, 6-Paddle, Predamper	\$1,937	6#
Manually Adjusting			
2250385	Clutch:UltraShift Plus Or Fuller Advantage Series Automated transmissions.	\$918	0#
Miscellaneous			
2294080	Air-Assisted Hydraulic Clutch	\$0	0#
2493009	Aluminum Clutch Housing	\$0	0#
2494050	Grease Bank for Clutch Throwout Bearing	\$119	4#
Torque Converter			
2410018	Torque Converter Included W/ Allison Transmission.	\$0	0#
PTO			
Chelsea			
2421414	PTO: Chelsea 489QFLZX-D3RK, 8 Bolt Bottom mounted, Electric over air shift, SAE output	\$4,743	32#



T880: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
Chelsea			
2421415	PTO: Chelsea 489QHLZX-D3RK, 8 Bolt Bottom Mounted, Electric over Air Shift, SAE output	\$4,743	32#
2421416	PTO: Chelsea 489QCLZX-D3RK, 8 Bolt Bottom mounted, Electric over Air Shift, SAE output	\$4,743	32#
2421417	PTO: Chelsea 489GFAHX-V5RK, 8 Bolt Bottom mounted, Air shift, SAE output	\$3,971	32#
2421428	PTO: Chelsea 489GQAHX-V3RK, 8 Bolt Bottom Mounted, Air Shift, SAE output	\$3,971	32#
2421430	PTO: Chelsea 489XLAHX-V3RK, 8 Bolt Bottom Mounted, Air Shift, SAE output	\$3,865	32#
2421431	PTO: Chelsea 489XQAHX-V3RK, 8 Bolt Bottom mounted, Air Shift, SAE output	\$3,865	32#
2421432	PTO: Chelsea 489XRAHX-V3RK, 8 Bolt Bottom mounted, Air Shift, SAE output	\$3,865	32#
2421470	PTO: Chelsea 489GHAHX-V3RK, 8 Bolt Bottom mounted, air shift, SAE output	\$3,971	32#
Muncie			
2424004	PTO: Muncie TG8F-E7004-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,302	22#
2424006	PTO: Muncie TG8F-E7006-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,378	22#
2424008	PTO: Muncie TG8F-E7008-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,678	22#
2424014	PTO: Muncie TG8F-E7012-P2BX, 8 Bolt Bottom Mounted, Air Shift	\$3,319	22#
2424044	PTO: Muncie TG8F-E8007-P1KX, 8 Bolt Bottom mounted, air shift, SAE output	\$3,578	22#
2424048	PTO: Muncie A20-A1005-HX31XPX, 10 Bolt LH Mounted, Electric over Hydraulic shift, for Allison Transmission	\$4,573	47#
2424049	PTO: Muncie A20-A1007-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$5,865	47#
2424050	PTO: Muncie A20-A1008-HX3PBPX, 10 Bolt LH Side mounted, Electric over Hydraulic shift, SAE output, for Allison transmissions	\$5,983	47#
2424055	PTO: Muncie A20-A1005-HX11XPX, 10 Bolt RH Side Mounted, Electric over Hydraulic shift, for use with Allison transmission	\$5,519	47#
2424056	PTO: Muncie A20-A1005-HX3BBPX, 10 Bolt LH Side mounted, Electric over hydraulic shift, SAE output for Allison transmissions	\$5,865	47#
2424057	PTO: Muncie A20-A1005-HX3IIPX, 10 Bolt LH Side Mounted, Electric over hydraulic shift, for Allison transmissions	\$6,271	47#



T880: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
Muncie			
2424058	PTO: Muncie A20-A1005-HX51XBX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$4,673	47#
2424059	PTO: Muncie A20-A1006-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for use with Allison transmissions	\$6,271	47#
2424060	PTO: Muncie A20-A1006-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, SAE output for Allison Transmissions	\$5,865	47#
2424061	PTO: Muncie A20-A1006-HX3PBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic, SAE output for Allison transmissions	\$5,983	47#
2424062	PTO: Muncie A20-A1006-HX3X2PX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$5,865	47#
2424063	PTO: Muncie A20-A1006-HX5BSPX, 10 Bolt Top Mounted, Electric over Hydraulic shift for Allison transmissions	\$5,865	47#
2424064	PTO: Muncie A20-A1007-HX31XPX, 10 Bolt LH Side Mounted, Electric over Hydraulic for Allison transmissions	\$5,519	47#
2424065	PTO: Muncie A20-A1007-HX5X4BX, 10 Bolt Top Mounted, Electric over Hydraulic shift, for Allison transmissions	\$5,865	47#
2424066	PTO: Muncie A20-A1008-HX3IIPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, for Allison transmissions	\$6,271	47#
2424067	PTO: Muncie A20-A1008-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift with SAE output for Allison Transmissions	\$5,865	47#
2424070	PTO: Muncie A20-A1005-HX3BBPX, 10 Bolt LH Side Mounted, Electric over Hydraulic shift, Allison, SAE	\$4,919	47#
2424401	PTO: Muncie TG8S-U6812-P1KH, Bottom MTD 8-Bolt, Single Acting, No Controls, SAE	\$3,097	22#
2424420	PTO:Muncie TG8S-U6807-P1BX BTM MTD 8BLT SINGLE ACTION, NO CONTROLS, SAE	\$2,948	22#
2424422	PTO:Muncie CS8S-U6806-P1KX BTM MTD 8BLT Single Acting, No Controls, SAE	\$5,386	49#
2424424	PTO: Muncie TG8F-E8005-P1BX Bottom Mounted, Air Shift, 8 Bolt, Single Acting	\$3,378	22#
2424428	PTO: Muncie TG8F-E8006-P1KX Bottom Mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only.	\$3,494	22#
2424429	PTO: Muncie TG8F-E8007-P3KX bottom mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only.	\$3,494	0#



T880: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
Muncie			
2424430	PTO: Muncie TG8F-E8008-P1KX Bottom Mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only.	\$3,494	22#
2424431	PTO: Muncie TG8F-E8012-P1PH Bottom Mounted Air shift, 8 bolt, single acting. For Endurant/PACCAR transmission only.	\$3,577	22#
2425003	PTO:MUNCIE TG8S-U6812-E1PW BTM MTD 8BLT W/12V ELEC/AIR SHIFT. *USE W/COVER 16TK5507 (CODE 2425001)	\$3,751	22#
2425087	PTO: Muncie TG8S-U6807-A1KX bottom mounted.	\$3,361	22#
2425106	PTO: Muncie TG8S-U6807-E1KX, 8 Bolt Bottom mounted, electric over air shift, SAE output	\$3,641	22#
2425107	PTO: MUNCIE TG8S-U6807-P1KX BTM MTD 8BLT SINGLE ACTING, NO CONTROLS, SAE	\$3,148	22#
2425152	PTO: Muncie TG8B-U6808-A1KX bottom mounted 8-bolt air w/metric studs use w/Concept 2000.	\$3,442	22#
2425160	PTO: Muncie CS8S-U6809-A1KX bottom mount 8-bolt clutch shift.	\$5,595	47#
2425172	PTO: Muncie CS8B-U6807-P1KX Bottom Mounted 8-bolt Single Acting, No controls, Metric Studs	\$5,472	49#
2425174	PTO:MUNCIE CS8S-U6807-A1BX BTM MTD 8BLT AIR SHIFT	\$5,263	49#
2425177	PTO:Muncie CS8B-U6807-P1ZX BTM Mounted 8 Bolt Single Acting, No Controls, Metric Studs.	\$5,779	49#
2425181	PTO: Muncie CS8S-U6806-A3KX BTM MTD 8BLT Clutch Shift	\$5,595	47#
2425219	PTO: Muncie TG8B-U6806-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, Metric Studs	\$3,229	22#
2425220	PTO: Muncie TG8B-U6808-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, Metric Studs	\$3,229	22#
2425221	PTO: Muncie TG8S-U6806-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs	\$3,148	22#
2425223	PTO: Muncie TG8S-U6808-P1KX, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs	\$3,148	22#
2425224	PTO: Muncie TG8S-U6812-P1PH, Bottom Mounted, 8-Bolt, Single Acting, No Controls, SAE Studs	\$3,234	22#
2425244	PTO:Muncie TG8S-U6804-P1BX BTM MTD 8BLT SNGL ACT, SAE	\$2,948	22#
2425377	PTO:MUNCIE CS8S-U6807-P1ZX BOTTOM MTD 8 BLT, NO CNTRLs	\$5,692	0#
2425381	PTO: Muncie TG8S-U6808-P3KX Bottom mount	\$3,148	22#

PTO Misc



T880: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
PTO Misc			
2410044	Thru-Shaft PTO Provision (PTO not Included) 10-speed RTO14908LL.	\$349	6#
2429061	Angled PTO Adapter for Chelsea Right Hand 6-Bolt Eaton FR(O) transmissions	\$1,655	15#
2429062	Angled PTO Adapter for Muncie Right Hand 6-Bolt PTO with Eaton FR(O) transmissions	\$1,338	0#
2429063	Angled PTO Adapter for Chelsea RH 6-Bolt RT and Ultrashift Plus transmissions	\$1,300	0#
2429064	Angled PTO Adapter for Muncie RH 6-Bolt RT and Ultrashift Plus transmissions	\$1,235	0#
2429100	Chassis will be Fitted with LH Transmission PTO. (Prevents ECU From Interfering With PTO Only)	\$0	0#
2429101	Chassis will be Fitted with RH Transmission PTO. (Prevents ECU From Interfering With PTO Only)	\$0	0#
2429351	First Transmission PTO Compatibility - Chelsea 230/236/238/442/489/660/680-V3 or Muncie CS8/SH8/TG8S-P1 bottom mounted 6 or 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	\$0	0#
2429352	First Transmission PTO Compatibility - Chelsea 823-V3 or Muncie 828S-U1 bottom mounted 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation.	\$0	0#
2429353	First Transmission PTO Compatibility - Chelsea 885-V3 bottom mounted 8-Bolt PTO's for all Eaton transmissions. This application includes use of the optional hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	\$0	0#
2429354	First Transmission PTO Compatibility - Chelsea 880-V3 bottom mounted 8-Bolt PTO's for Eaton all transmissions. This application includes use of the optional hydraulic clutch actuator on Eaton & PACCAR RT & FR transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation.	\$0	0#
2429355	First Transmission PTO Compatibility - Chelsea 230/236/ 442/660-V3 or Muncie CS/SH/TG6-P1 RH mounted 6-Bolt PTO's for Eaton transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports RH mounted 6-Bolt PTO's with single acting air actuation.	\$0	0#
2429356	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 442/660 RH mounted 6-Bolt PTO's for Eaton RT transmissions as second transmission PTO in conjunction with Chelsea 880/885 bottom mounted 8-Bolt PTO's. This application includes use of the optional hydraulic clutch actuator and supports RH mounted 6-Bolt PTO's with single acting air actuation.	\$0	0#
2429357	First Transmission PTO Compatibility Chelsea 541 Thru-Shaft PTO's for Eaton transmissions. This PTO requires double acting air actuation.	\$0	0#
2429358	Rear Transmission Support Springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	\$92	0#



T880: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
PTO Misc			
2429359	First Factory Installed Eaton/PACCAR Trans PTO	\$0	0#
2429360	Second Factory Installed Eaton Transmission PTOs.	\$0	0#
2429361	First Customer Installed Eaton/PACCAR Trans PTO.	\$0	0#
2429362	Second Customer Installed Eaton Transmission PTO.	\$0	0#
2429363	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 230/236/238/442/489/660/680 or Muncie CS8/SH8/TG8S bottom mounted 6 or 8-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation. Includes LH under cab clear space to ensure PTO access. • Not available for Eaton Ultrashift Plus transmissions using CS8/SH8 bottom mounted 8-Bolt PTO's.	\$0	0#
2429364	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 823 or Muncie 828 bottom mounted 8-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on RT & FR Eaton transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access. • Not available for Eaton Ultrashift Plus transmissions using 828S bottom mounted 8-Bolt PTO's.	\$0	0#
2429365	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 885 bottom mounted 8-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the optional hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation. Includes LH under cab clear space to ensure PTO access. Not available for RT transmissions with dual transmission PTO's using Chelsea 230/236 or 340 RH mounted 6-Bolt PTO's. Not available for FR transmissions with dual transmission PTO's using Chelsea 230/236/442/660 RH mounted 6-Bolt PTO's.	\$0	0#
2429366	Second Transmission PTO Compatibility - Dual transmission PTO applications using Muncie 880 bottom mounted 8-Bolt PTO's for Eaton all transmissions as second transmission PTO. This application includes use of the optional hydraulic clutch actuator on Eaton RT & FR transmissions and supports bottom mounted 8-Bolt PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access. Not available for RT transmissions with dual transmission PTO's using Chelsea 230/236 or 340 RH mounted 6-Bolt PTO's. Not available for FR transmissions with dual transmission PTO's using Chelsea 230/236/442/660 RH mounted 6-Bolt PTO's.	\$0	0#
2429367	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 230/236/442/660 or Muncie CS/SH/TG6 RH mounted 6-Bolt PTO's for Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports RH mounted 6-Bolt PTO's with single acting air actuation. Not available with RH Behind Fairing DPF-SCR exhaust systems (S/C's 1247156, 1247175, 1247180 & 1247185). Not available with Horizontal Crossover SCR exhaust systems (S/C's 1247110, 1247115 or 1247120). Restricted access with RH Cab Step Assembly DPF-SCR exhaust systems with Vertical BOS tailpipes or RH Horizontal Tailpipe Below Rail (S/C's 1247176, 1247181 & 1247186). Not available with Vertical Independent SCR exhaust systems (S/C 1227110). Not available for Eaton RT or FR transmissions with dual transmissions PTO's using Chelsea 880/885 bottom mounted 8-Bolt PTO's. Not available with AG130 Front Air Suspension (S/C 2884000).	\$0	0#



T880: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
PTO Misc			
2429368	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 541 Thru-Shaft PTO's for Eaton transmissions as second transmission PTO. This PTO requires double acting air actuation.	\$0	0#
2429369	First Transmission PTO Compatibility Chelsea 340 bottom mounted reversible 6-Bolt PTO's for all Eaton transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access. Requires 2429358 for transmission support springs.	\$0	0#
2429370	First Transmission PTO Compatibility - Chelsea 340 RH mounted reversible 6-Bolt PTO's for Eaton transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports PTO's with double acting air actuation.	\$0	0#
2429371	Second Transmission PTO Compatibility - Dual Dual transmission PTO applications using Chelsea 340 bottom mounted reversible 6-Bolt PTO's for all Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on RT & FR Eaton transmissions and supports PTO's with double acting air actuation. Includes LH under cab clear space to ensure PTO access.	\$0	0#
2429372	Second Transmission PTO Compatibility - Dual Dual transmission PTO applications using Chelsea 340 RH mounted reversible 6-Bolt PTO's for Eaton transmissions as second transmission PTO. This application includes use of the standard hydraulic clutch actuator on Eaton RT & FR transmissions and supports PTO's with double acting air actuation.	\$0	0#
2429373	Second Transmission PTO Compatibility - Dual transmission PTO applications using Chelsea 340 RH mounted reversible 6-Bolt PTO's for Eaton FR transmissions as second transmission PTO in conjunction with Chelsea 880/885 bottom mounted 8-Bolt PTO's. This application includes use of the optional hydraulic clutch actuator and supports PTO's with double acting air actuation.	\$0	0#
2429374	Factory Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTO to be installed by the factory. Create NPO for specific PTO to be installed by the factory. Not available with Rear Engine PTO (REPTO)	\$0	0#
2429375	Factory Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429376	Factory Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions. Create NPO for specific PTOs to be installed by the factory.	\$0	0#
2429377	Customer Installed Transmission PTO in the Top Mounted position (1 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#
2429378	Customer Installed Transmission PTO in the LH Mounted position (8 o'clock) for Allison 3000 & 4000 transmissions.	\$0	0#
2429379	Customer Installed Transmission PTO in the RH Mounted position (4 o'clock) for Allison 3000 transmissions.	\$0	0#
2429380	Factory Installed Chelsea 230/236/238/442/489/ 660/680/885 or Muncie CS/SH/TG6/8 6 or 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with single acting air actuation.	\$0	0#



T880: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
PTO Misc			
2429381	Customer Installed Chelsea 230/236/238/442/489/ 660/680/885 or Muncie CS/SH/TG6/8 6 or 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with single acting air actuation.	\$0	0#
2429382	Factory Installed Chelsea 823/880 or Muncie 828 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with double acting air actuation.	\$0	0#
2429383	Customer Installed Chelsea 823/880 or Muncie 828 8-bolt transmission PTO's on Eaton AT1202 auxiliary transmissions. This application supports PTO's with double acting air actuation.	\$0	0#
2429393	C/I Rear Transmission PTO Compatibility Dual - Transmission PTO applications using customer installed rear mounted 4-bolt PTOs for Eaton Endurant/PACCAR 12 speed transmissions as a second transmission PTO in conjunction with approved Chelsea or Muncie bottom mounted 8-bolt PTOs. This option should only be used with SPL250 driveline.	\$0	0#
Driveline			
Driveline Equipment			
2406005	45 degree Yokes on Interaxle Drivelines.	\$606	11#
2410100	Two Guards for Dual Drivelines.	\$453	8#
2410105	One Guard for Single Driveline.	\$120	4#
Centerbearing Crossmembers			
2495022	Steel Centerbearing Crossmember Installed with Heavy-Duty Aluminum Gussets Replacing Standard.	\$233	26#
2495023	Two Steel Centerbearing Crossmembers Installed with Heavy-Duty Aluminum Gussets Replacing Standard.	\$498	70#
Dana			
2405205	Driveline:1 Dana 1810 Heavy-Duty No Centerbearing *Heavy duty is 1810HD series.	(\$5)	-10#
2405405	Driveline: 2 Dana 1810 Heavy-Duty 1 Centerbearing *Heavy duty is 1810HD series.	\$1,245	83#
2405414	Driveline: 3 Dana 1810 Heavy-Duty W/ 1 Centerbearing & 1 Standard-Duty (1710 series) for Use W/ Transfer Case. *Heavy duty is 1810 series, and Std duty is 1710 series.	\$2,641	280#
2405415	Driveline: 4 Dana 1810 Heavy-Duty W/ 1 Centerbearing for Use W/ Transfer Case. *Heavy duty is 1810 series.	\$3,131	304#
2405425	Driveline: 3 Dana 1810 Heavy-Duty W/2 Centerbearings *Heavy duty is 1810HD series.	\$2,499	176#
2405427	Driveline:4 Dana 1810 Heavy-Duty 3 Centerbearings *Heavy duty is 1810HD series.	\$3,772	268#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2405430	Driveline:4 Dana 1810 Heavy-Duty 2 Centerbearings for Use W/ Auxiliary Transmission or Jackshaft.	\$3,445	286#
2405433	Driveline:5 Dana 1810 Heavy-Duty 3 Centerbearings for Use W/ Auxiliary Transmission, Jackshaft. *Heavy duty is 1810HD series.	\$4,722	379#
2405442	Driveline: 4 Dana SPL250XL 1 Centerbearing for Use W/ Transfer Case	\$3,158	326#
2405605	Driveline:2 Dana 1810 Heavy-Duty No Centerbearing for Use W/ Auxiliary Transmission, Jackshaft, or Transfer Case. *Heavy duty is 1810 series.	\$941	101#
2405805	Driveline:3 Dana 1810 Heavy-Duty No Centerbearing for Use W/ Transfer Case. *Hvy duty is 1810HD series.	\$1,886	211#
2405815	Driveline:3 Dana 1810 Heavy-Duty; 1 Centerbearing for Use W/ Auxiliary Transmission or Jackshaft. *Heavy duty is 1810HD series.	\$2,191	193#
2405914	Driveline:2 Dana 1810 Heavy-Duty No Centerbearing and 1 1710 Standard-Duty for Use W/ Transfer Case. *Heavy duty is 1810 series and Std duty is 1710 series.	\$1,632	187#
2406204	Driveline: 1 Dana SPL170XL No Centerbearing	(\$62)	-24#
2406205	Driveline: 1 Dana SPL250XL W/ No Centerbearing Low maintenance offering from Spicer. On- highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$36	-6#
2406207	Driveline: 1 Dana SPL250SF with No Centerbearing.	\$36	-6#
2406254	Driveline: 2 SPL250XL No Centerbearing for use w/auxiliary transmission, jackshaft, or transfer case. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$1,021	108#
2406303	Driveline: 2 Dana SPL250 LITE; W/ 1 C/B	\$1,154	103#
2406304	Driveline: 3 Dana SPL250 LITE; W/ 2 C/B	\$2,341	201#
2406305	Driveline: 4 Dana SPL250 LITE; W/ 3 C/B	\$3,564	299#
2406311	Driveline: 2 Dana SPL250SF Lite, 1 Centerbearing	\$1,154	103#
2406312	Driveline: 3 Dana SPL250SF Lite, 2 Centerbearings	\$2,300	201#
2406313	Driveline: 4 Dana SPL250SF Lite, 3 Centerbearings	\$3,463	299#
2406314	Driveline: 2 SPL250SF No Centerbearing For use with auxiliary transmission, jackshaft, or transfer case.	\$1,021	108#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406315	Driveline: 3 SPL250SF with 1 Centerbearing For use with auxiliary transmission, jackshaft, or transfer case.	\$2,173	326#
2406316	Driveline: 4 SPL250SF with 2 Centerbearings For use with auxiliary transmission, jackshaft, or transfer case.	\$3,321	544#
2406317	Driveline: 5 SPL250SF with 3 Centerbearings For use with auxiliary transmission, jackshaft, or transfer case.	\$4,487	762#
2406318	Driveline: 4 SPL250SF with 3 centerbearings	\$3,501	306#
2406451	Driveline: 4 SPL170XL 2 centerbearing for use w/auxiliary transmission	\$3,355	241#
2406452	Driveline: 2 Dana SPL170XL 1 Centerbearing	\$1,133	61#
2406453	Driveline: 2 Dana SPL250XL 1 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$1,187	98#
2406454	Driveline: 4 Dana SPL250XL 3 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$3,518	306#
2406455	Driveline: 2 SPL170XL; No Centerbearing Medium-Duty: for Use W/ Auxiliary Transmission or Jackshaft.	\$895	72#
2406457	Driveline: 3 SPL170XL for Use W/ Auxiliary Transmission or Jackshaft, W/ 1 Centerbearing.	\$2,064	157#
2406461	Driveline: 4 Dana SPL250XL 2 Centerbearing for use w/auxiliary transmission or jackshaft, requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$3,329	316#
2406465	Driveline: 2 Dana SPL250SF 1 Centerbearing	\$1,187	98#
2406466	Driveline: 2 Dana SPL170SF With 1 Centerbearing	\$1,141	61#
2406467	Driveline: 3 Dana SPL250SF 2 Centerbearing	\$2,343	202#
2406468	Driveline: 1 SPL170SF With 0 Centerbearings	(\$41)	-24#
2406469	Driveline: 3 SPL170SF With 2 Centerbearings	\$2,332	145#
2406470	Driveline: 4 SPL170SF With 3 Centerbearings	\$3,549	229#
2406472	Driveline:1 Dana SPL350 LITE HT; W/ No C/B Heavy Duty	\$215	-33#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406475	Driveline:2 Dana SPL350 LITE HT; W/ 1 C/B Heavy Duty	\$1,693	60#
2406477	Driveline: 3 Dana SPL350 LITE HT; W/ 2 C/B Heavy Duty	\$3,172	154#
2406478	Driveline: 4 Dana SPL350 LITE HT; W/ 3 C/B Heavy Duty	\$4,544	247#
2406479	Driveline:1 Dana SPL350SF LITE HT; W/ No C/B *Heavy Duty	\$215	-168#
2406480	Driveline: 2 Dana SPL350SF LITE HT; W/ 1 C/B Heavy Duty	\$1,716	60#
2406481	Driveline: 3 Dana SPL350SF LITE HT; W/ 2 C/B Heavy Duty	\$3,273	154#
2406482	Driveline: 4 Dana SPL350SF LITE HT; W/ 3 C/B Heavy Duty	\$4,762	247#
2406483	Driveline: 2 DANA SPL350 LITE HT W/ 0 CB For use with Aux Transmission or Jackshaft	\$1,603	54#
2406484	Driveline: 3 DANA SPL350 LITE HT W/ 1 CB For use with Aux Transmission or Jackshaft	\$2,868	226#
2406485	Driveline: 4 DANA SPL350 LITE HT W/ 2 CB For use with Aux Transmission or Jackshaft	\$4,018	328#
2406486	Driveline: 2 DANA SPL350SF LITE HT W/ 0 CB For use with Aux Transmission or Jackshaft	\$1,409	50#
2406487	Driveline: 3 DANA SPL350SF LITE HT W/ 1 CB For use with Aux Transmission or Jackshaft	\$2,873	132#
2406488	Driveline: 4 DANA SPL350SF LITE HT W/ 2 CB For use with Aux Transmission or Jackshaft	\$4,387	230#
2406802	Driveline: 3 Dana SPL170XL 2 Centerbearing	\$2,274	145#
2406803	Driveline: 3 Dana SPL250XL W/ 2 Centerbearings Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,343	202#
2406806	Driveline: 3 Dana SPL250XL 1 Centerbearing for use w/auxiliary transmission or jackshaft, requires 3500057 interaxle driveline. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,173	212#
2406807	Driveline: 3 Dana SPL250XL No Centerbearing for use w/transfer case. Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	\$2,007	222#
2406809	Driveline: 5 Dana SPL250XL,3 C/B For use with Aux Trans or Jackshaft	\$4,513	420#
2406812	Driveline: 5 Dana SPL250XL with 2 Centerbearings For use with transfer case FDA.	\$4,314	430#
2406820	Driveline: 4 Dana SPL170XL 3 Centerbearing	\$3,505	229#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Meritor			
2408201	Driveline: 1 Meritor RPL25; No Center Bearing	(\$70)	-8#
2408302	Driveline: 1 Meritor RPL25 SD; No Centerbearing	STD	0#
2408401	Driveline: 2 Meritor RPL25; 1 Centerbearing	\$820	86#
2408502	Driveline: 2 Meritor RPL25 SD; 1 Centerbearing	\$975	104#
2408602	Driveline: 3 Meritor RPL25; 2 Centerbearing	\$1,979	180#
2408703	Driveline: 3 Meritor RPL25 SD; 2 Centerbearing	\$1,850	208#
2408740	DRIVELINE:4 MERITOR RPL25 SD; 3 CTRBRG	\$2,944	311#
2408802	Driveline:1 Meritor RPL35; No Centerbearing	\$338	44#
2408803	Driveline:1 Meritor RPL35SD; No Centerbearing	\$593	53#
2408902	Driveline: 2 Meritor RPL35; 1 Centerbearing	\$1,520	167#
2408903	Driveline: 2 Meritor RPL35SD; 1 Centerbearing	\$1,982	184#
2409003	Driveline: 3 Meritor RPL35; 2 Centerbearings	\$2,813	289#
2409004	Driveline: 3 Meritor RPL35SD; 2 Centerbearing	\$3,375	315#
2409050	Driveline: 4 Meritor RPL35SD; 3 Centerbearings	\$4,787	445#
Interaxle Driveline			
3500037	Interaxle Driveline:1 Dana 1710 Series Tandem Rear Axles Only.	(\$92)	-1#
3500040	Interaxle Driveline: 2 Dana 1710 Series. Only available w/tridem axles.	\$395	85#
3500048	Interaxle Driveline: 1 Dana SPL250SF Tandem Only	\$412	-72#
3500057	Interaxle Driveline: 1 Dana SPL170XL Tandem Rear Axles Only	(\$65)	8#
3500058	Interaxle Driveline: 1 Meritor RPL20 Replacing I/A *Use W/ RPL(SD) 25 Main D/L	STD	0#
3500060	Interaxle Driveline: 2 Dana SPL170XL only available w/tridem axles.	\$1,241	104#
3500062	Interaxle Driveline: 1 Dana SPL170SF Not For Tridem Axles.	(\$65)	8#



T880: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Interaxle Driveline			
3500063	Interaxle Driveline: 2 Dana SPL170SF Only For Tridem Axles.	\$1,241	104#
3500065	Interaxle Driveline: 1 Meritor RPL25 Replacing I/A *USE W/ RPL 35 Main D/L	\$304	24#
3500066	Interaxle Driveline: 1 Dana SPL250XL & 1 SPL170XL Replacing I/A, Only Available with Tridem Axles	\$1,142	122#
3500067	Interaxle Driveline: 1 Dana SPL250SF & 1 SPL170SF Replacing I/A, Only Available with Tridem Axles	\$953	122#
3500068	Interaxle Driveline: 1 Dana SPL250XL *Use with Tandem Axles Only	\$212	26#
Transmission Oil Cooler			
2460015	Oil to Air Cooler for Transfer Case to 8500 LB-FT	\$300	24#
2460021	Oil to Water Cooler for Transfer Case to 8500 LB-FT	\$822	17#
2460042	14" Eaton High Capacity Standard Cooler Oil to Water. For Transmission 1550-2250 LBFT, 18-speed AutoShift.	\$0	0#
2460043	TDI Oil to Air Auxiliary Cooler 400HP or Greater	\$1,801	22#
2460048	14" Eaton High Capacity Optional Cooler Oil to Water. For transmission under 1550 LBFT, pump included.	\$876	22#
2460051	Kenworth Oil to Water Cooler for Auxiliary Transmission.	\$338	0#
2460054	Additional KW Oil to Water Transmission Cooler For use with Endurant XD/PACCAR TX-18 Transmissions	\$506	10#



T880: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
12K to 13.2K			
2502014	Dana Spicer D-1251IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5. Use With Air Disc Brakes Only	(\$2,729)	-198#
2502015	Dana Spicer D-1251LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5. Use w/ Air Disc Brakes Only.	(\$2,684)	-198#
2502017	Dana Spicer D-1321IL Front Axle rated 13.2K 3.5" drop. Use With Air Disc Brakes Only	(\$2,790)	-224#
2502240	Dana Spicer E-1252IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5.	(\$2,620)	-162#
2502243	Dana Spicer E-1252LW Front Axle rated 12.5K 3-1/2in. drop, wide track. Not W9L/C5.	(\$2,594)	-162#
2502323	Dana Spicer E-1322I Front Axle rated 13.2K 5in. drop.	(\$2,260)	-122#
2502324	Dana Spicer E-1322W Front Axle rated 13.2K 5in drop, wide track	(\$2,817)	-122#
2502335	Dana Spicer E-1322IL Front Axle rated 13.2K 3-1/2in. drop.	(\$2,848)	-110#
2502336	Dana Spicer E-1322LW Front Axle rated 13.2K 3-1/2in. drop, wide track for better turning radius.	(\$2,698)	-182#
2505018	Dana Spicer D-1321LW Front Axle rated 13.2K 3.5" drop Wide Track Use W/ Air Disc Brakes Only	(\$2,634)	-218#
2512042	Meritor MFS12E PLUS 12.5K 3.5in. Drop Standard Track	(\$2,472)	-177#
2512043	Meritor MFS12E PLUS 12.5K 3.5n. Drop Wide Track	(\$2,456)	-158#
2512044	Meritor MFS12E PLUS 12K 3.5in. drop standard track.	(\$2,450)	-177#
2512048	Meritor MFS13 PLUS 13.2K 3.5in. Drop Standard Track.	(\$2,224)	-177#
2512049	Meritor MFS13 PLUS 13.2K 3.5in. Drop Wide Track.	(\$2,297)	-158#
2512054	Meritor MFS13 13.2K 5in. Drop Standard Track.	(\$2,949)	-138#
2512055	Meritor MFS13 13.2K 5in. Drop Wide Track	(\$2,984)	-105#
14.6K to 18K			
2503463	Dana Spicer E-1462I Front Axle rated 14.6K 3-1/2in. drop.	(\$2,270)	-110#
2503466	Dana Spicer E-1462I Front Axle rated 14.6K 5 in. drop.	(\$1,701)	-110#
2503467	Dana Spicer E-1462W Front Axle rated 14.6K 3-1/2in. drop, wide track for better turning radius.	(\$2,001)	-110#
2503469	Dana Spicer E-1462W Front Axle rated 14.6K 5in. drop, wide track for better turning radius.	(\$1,586)	-110#



T880: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
14.6K to 18K			
2503471	Dana Spicer D-1461I Front Axle rated 14.6K 3-1/2in. drop, use with air disc brake only.	(\$2,625)	-122#
2503473	Dana Spicer D-1461W Front Axle rated 14.6K 3-1/2in. drop, wide track for use with air disc brake only.	(\$2,553)	-122#
2513024	Meritor MFS14 14.6K 5in. Drop Standard Track.	(\$1,521)	-134#
2513025	Meritor MFS14 14.6K 5in. Drop Wide Track.	(\$1,396)	-105#
2513030	Meritor MFS14 Plus 14.6K 3.74in. Drop Wide Track.	(\$1,731)	-169#
2513031	Meritor MFS14 Plus 14.6K 3.5in. Drop Standard Track.	(\$1,909)	-195#
2513032	Meritor MFS14 Plus 14K 3-1/2 in Drop Standard Track	(\$1,907)	-195#
20K & Over			
2506181	Dana Spicer D2000 Front Axle rated 20K standard track.	(\$367)	-57#
2507182	Dana Spicer D2200 Front Axle rated 22K standard track.	\$161	-57#
2507184	Dana Spicer D2200 Front Axle rated 22.8K standard track.	(\$133)	-57#
2516006	Meritor MFS20 20K 3.74in. Drop Wide Track.	\$242	-37#
2517020	Meritor MFS20 Front Axle rated 20K 3.5 in. drop, standard track.	(\$218)	-37#
2536002	PACCAR FX-20 Front Axle rated at 20K 4" drop standard track	STD	0#
2536004	PACCAR FX-20 Front Axle rated at 20K 4" drop wide track	\$921	1#
2537002	PACCAR FX-22 Front Axle rated at 22.8K 4" drop	\$672	-30#
2537003	PACCAR FX-22 Front Axle rated at 22.8K 4" drop wide track	\$751	1#
Front Drive Axles			
2588000	FDA Marmon MT-22, 16.5X7 brakes 22K, 335mm BC, 24" chambers, automatic slack adjusters, ABS ready, 95 in. mounting surface face to face.	\$40,927	1,675#
2588005	FDA Marmon MT-22, 16.5X7 brakes 22K, 11.25" BC, 24" chambers, automatic slack adjusters, ABS ready, 95 in. mounting surface face to face.	\$33,224	1,208#
2588020	FDA Marmon MT-22, Bendix ADB 22K, 11.25" BC, 24" chambers, automatic slack adjusters, ABS ready.	\$33,206	1,675#



T880: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Front Drive Axles

Axle Ratios

2590425	Front Drive Axle Ratio: 4.25.	\$0	0#
2590456	Front Drive Axle Ratio: 4.56.	\$0	0#
2590492	Front Drive Axle Ratio: 4.92.	\$0	0#
2590529	Front Drive Axle Ratio: 5.29.	\$0	0#
2590538	Front Drive Axle Ratio: 5.38.	\$0	0#
2590565	Front Drive Axle Ratio: 5.65.	\$0	0#
2590583	Front Drive Axle Ratio: 5.83.	\$0	0#
2590611	Front Drive Axle Ratio: 6.11.	\$0	0#
2590627	Front Drive Axle Ratio: 6.27	\$0	0#
2590668	Front Drive Axle Ratio: 6.68.	\$0	0#
2590714	Front Drive Axle Ratio: 7.14.	\$0	0#
2590772	Front Drive Axle Ratio: 7.72.	\$0	0#
2590836	Front Drive Axle Ratio: 8.36.	\$0	0#
2590852	Front Drive Axle Ratio: 8.52.	\$0	0#

Outer End Equipment

Brakes

12K to 13.2K

2601605	Front Brakes: 13.2K Bendix RSD HP-ES S-Cam 16.5x5 in. drum brake.	(\$444)	-62#
2607005	Front Brakes: 13.2K Bendix Air Disc BRK ADB22X-LT	\$13	0#
2607013	Front Brakes: 13.2K Bendix ADB22X-LT RSD Disc Brk	(\$275)	0#
2621190	Front Brakes: 13.2K Bendix ES S- Cam 15x4 in.	(\$1,060)	-86#

14K to 18K

2601608	Front Brakes: 18K Bendix RSD HP-ES S-Cam 16.5x6 in. drum brake , Max GAWR 18K, with Cast Spider.	\$92	-44#
---------	--	------	------



T880: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brakes			
14K to 18K			
2607001	Front Brakes: 14.6K Bendix Air Disc Brakes Lube Free.	(\$276)	0#
2607011	Front Brakes: 14.6K Bendix RSD ADB22X Disc Brake.	(\$276)	0#
2621076	Front Brakes: 18K Bendix ES S Cam 16.5x6 in.	(\$525)	-46#
2621310	Front Brakes: 14.6K Bendix ES S-Cam 16.5x5 in.	(\$154)	-62#
2641113	Front Brakes: 14.6K Meritor Q+ RSD S-Cam 16.5x5 in. drum brake.	(\$411)	-44#
2641141	Front Brakes: 14.6K Meritor Q-Plus 16.5x5 in. Not for fire truck/EMT/rescue service.	(\$262)	-44#
2647002	Front Brakes: 14.6K Meritor EX+LS air disc brakes	(\$310)	0#
2647003	Front Brakes: 14.6K Meritor EX+L Optimized air disc brakes.	(\$300)	0#
2647009	Front Air Disc Brakes: 14.6K Meritor EX+L Optimized RSD reduced stopping distance tractor only.	(\$294)	0#
2647010	Front Air Disc Brakes: 14.6K Meritor EX+LS Reduced Stopping Distance Tractor Only	(\$304)	0#
20K & Over			
2601609	Front Brakes: 22K Bendix RSD HP-ES S-Cam 16.5x7 in. drum brake.	\$240	-24#
2601610	Front Brakes: 23K Bendix HP-ES S-Cam 16.5x7 in. drum brake.	\$775	-24#
2601612	Front Brakes: Bendix HP-ES 16.5X6, Max Cap 22K.	\$107	-24#
2603025	Front Brakes: 24K w/ FDA Air Disc Brake	\$0	0#
2607002	Front Brakes: 14,601-22K Bendix Air Disc Brakes.	STD	0#
2607003	Front Brakes: 14,601-22.8K Bendix Air Disc Brake	\$161	10#
2607004	Front Brakes: 40K Bendix Air Disc Brakes for Twin Steer	\$4,658	0#
2607015	Front Brakes: 14,601-22K Bendix RSD ADB22X Disc Brake.	\$66	10#
2641137	Front Brakes: 20K Meritor Q-Plus 16.5x6 in.	(\$180)	-38#
2647004	Front Brakes: 14,601-22K Meritor EX+L Optimized air disc brakes.	\$85	0#
2647011	Front Air Disc Brakes: 14,601-22K Meritor RSD EX+L Optimized. Reduced stopping distance tractor only.	\$248	0#



T880: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brakes			
20K & Over			
2658020	Front Brakes: 24K w/ Marmon 16.5x7 in. included w/ Marmon front drive axles.	\$0	0#
Brake Drums			
12K to 13.2K			
2690030	Front Brake Drums: 13.2K 15x4 in. cast.	(\$747)	0#
14.6K			
2690002	Front Brake Drums: 14.6K 16.5x5 in. cast.	(\$307)	78#
2690016	Front Brake Drums: 14.6K Meritor X30 light weight 16.5x5 in.	\$59	42#
2690031	Front Brake Drum: Tru Turn Lite 16.5X5, max rating 14.6K	(\$236)	56#
20K & Over			
2690013	Front Brake Drum: 20K Meritor X30 light weight 16.5x6 in.	\$58	42#
2690017	Front Brake Drum: Cast 16.5x7 in., Max rating 22k.	(\$214)	94#
2690019	Front Brake Drum Included W/ Spoke Wheels or Ultramount hubs.	\$0	0#
2690032	Front Brake Drum: Tru Turn Lite 16.5X6, max rating 20K	(\$207)	80#
2690033	Front Brake Drum: Cast 16.5x7 in., Max rating 23k.	(\$214)	94#
2690035	Front Brake Drum: 22K 16.5x6 in. cast.	(\$231)	104#
2690050	Front Brake Drum Included W/ Front Axles.	\$0	0#
Rotors			
2690024	Splined Rotor for Front Air Disc Brakes for Use with Aluminum Hubs.	STD	0#
2690025	Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.	(\$140)	0#
2690040	Splined Rotor for Front Air Disc Brakes for use with twin steer with aluminum hubs. Requires 2607004	\$620	0#
2690041	Splined Rotor for Front Air Disc Brakes for use with twin steer with iron hubs. Requires 2607004	\$789	0#
2690042	U-Shaped Rotor for Meritor Air Disc Brakes.	(\$336)	0#
2690045	Splined Rotor Included W/ Front Axles.	\$0	0#



T880: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Rotors			
2690060	Rotor for Front Air Disc Brakes for use with aluminum hubs. For Meritor front air disc brakes.	\$48	0#
Hubs			
12K to 13.2K			
2701300	Front Hub: Aluminum Hub Pilot 13,200 lbs. 10-Bolt, 11-1/4 in. bolt circle .	(\$549)	0#
14.6K to 16K			
2702500	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	(\$548)	48#
2707050	Front Hub: 14,600 lbs. Aluminum Hub Pilot 10-bolt, 11.25 in. bolt circle.	(\$481)	-40#
18K & Over			
2701319	Front Hubs Aluminum Hub Pilot 20,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle.	STD	0#
2702018	Front Hubs Iron Hub Pilot 18,000 lbs. 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	(\$211)	80#
2702020	Front Hubs Iron Hub Pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	(\$211)	80#
2702022	Front Hubs Iron Hub Pilot 22,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	(\$211)	80#
2702023	Front Hubs Iron Hub Pilot 23,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	(\$211)	80#
2702040	Twin Steer Front Axle Hubs Iron Hub Pilot 40,000 lbs. 10 Bolt 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels	(\$427)	0#
2705340	Front Hub: 22K Meritor Ultramount 335mm bolt circle iron hub pilot hub/drum.	\$515	80#
2707002	Front Hub: Hub Pilot 335mm. Included w/ Marmon or Sisu front drive axles. Maximum axle capacity 30-40K twin steer.	\$0	0#
2707032	Front Hub Included w/ Front Axle, 11.25" BC	\$0	0#
Oil Seals			
2741961	Front Axle Oil Seal: for 335 mm. Bolt Circles, ball seat hubs or spoke wheels.	\$0	0#
2741970	ConMet PreSet Plus Hub Package; Front Axle.	STD	0#
2748550	Front Axle Oil Seal: Included W/ Axle or Brakes.	\$0	0#



T880: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Outer End Equipment

Hubcaps

2750001	Hubcap: Front Vented.	STD	0#
2750900	Hubcaps Included W/ Front Axle.	\$0	0#

Miscellaneous

2659047	Front Dustshield: for Drum Brakes: All Front Axles.	\$85	6#
2659144	Front Meritor Platinum Shield Brakes Add-on. Platinum Shield is only a shoe change.	\$49	0#
2690028	Integral Knuckle for Air Disc Brake, for use on Meritor MFS PLUS Steer Axle	\$0	0#
2690029	Drum Brake Knuckle for Use on Meritor MFS Plus Steer Axle	\$0	20#
2690039	Integral Knuckle for Air Disc Brake, for use on PACCAR FX Steer Axle	STD	0#
2900903	Front Bendix Air Disc Brake Dustshield includes pad air disc brakes only.	\$70	1#
2900916	Front Disc Brake Pad/Rotor Dust Shields Air Disc Brakes Only.	\$376	0#
2900919	Front Air Disc Brake Dustshield Includes Pads.	\$61	1#
2900920	Front Disc Brake: Meritor Pad/Rotor Dust Shields.	\$121	1#

Slack Adjusters

2765001	Front Auto Slack Adjuster for Drum Brakes.	\$0	0#
2769000	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	STD	0#

Front Springs

12K to 14.6K Capacity

2863012	Front Springs: Taperleaf 12K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L.	(\$897)	-126#
2863017	Front Springs: Taperleaf 12.35K W/ Shock absorbers w/ maintenance-free elastomer spring pin bushings.	(\$897)	-126#
2863020	Front Springs: Taperleaf Lightweight 12.5K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins.	(\$690)	-155#
2863022	Front Springs: Taperleaf 12K, T880S medium hood. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	(\$897)	-126#



T880: FRONT AXLE

Option	Description	Price	Weight
Front Springs			
12K to 14.6K Capacity			
2863023	Front Springs: Taperleaf 12.35K, T880S med hood. With shock absorbers, with maintenance-free elastomer spring pin bushings.	(\$897)	-126#
2863024	Front Springs: Taperleaf Lightwgt 12.5K, T880S med hood. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	(\$690)	-155#
2864008	Front Springs: Taperleaf Lightweight 13.2K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins.	(\$668)	-148#
2864012	Front Springs: Taperleaf 13.2K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L.	(\$884)	-117#
2864019	Front Springs: Taperleaf 14.6K W/ Shock Absorbers 2-leaf. With maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L or W900S.	(\$500)	-101#
2864062	Front Springs: Taperleaf Lightwgt 13.2K, T880S med hood. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	(\$668)	-148#
2864063	Front Springs: Taperleaf 13.2K, T880S med hood. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	(\$884)	-117#
2864064	Front Springs: Taperleaf 14.6K, T880S med hood. 2-leaf. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	(\$500)	-101#
2864105	Front Springs: Taperleaf 14.6K W/ Shock Absorbers With maintenance-free elastomer spring pin bushings. Standard with rubber pins. T880 set forward axle only.	(\$369)	-115#
2884000	Kenworth AG 130 Front Air Suspension 13.2K w/ shock absorbers. Standard with rubber pins.	\$573	-139#
15K & Over Capacity			
2864065	Front Springs: Taperleaf 16K, T880S medium hood. 2-leaf. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	(\$381)	-85#
2864110	Front Springs: Taperleaf 16K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. T880S set forward axle only.	\$48	-53#
2864116	Front Springs: Taperleaf 16K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Two leaf. Standard with rubber pins. Not available on W900L.	(\$381)	-85#
2865018	Front Springs: Taperleaf 18K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. Not available on W900L.	\$0	0#
2865019	Front Springs: Taperleaf 18K, T880S medium hood. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	\$0	0#
2866020	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. W900B use 2866021.	STD	0#



T880: FRONT AXLE

Option	Description	Price	Weight
Front Springs			
15K & Over Capacity			
2866022	Front Springs: Taperleaf 20K, T880S medium hood. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	\$0	0#
2866025	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins. T880S set forward axle only.	\$287	0#
2867022	Front Springs: Taperleaf 22K W/ Shock Absorbers C500 standard with a single stage spring and threaded pins. T800/T880/W900B standard with a multi-stage spring and rubber pins. For T800/T880/W9B, this is a three stage spring. The spring rate increases when loaded closer to the full capacity of the spring. Not available on W900L or W900S.	\$1,500	185#
2867023	Front Springs: Taperleaf 23K W/ Shock Absorbers T880 is standard with a 3-stage spring and rubber pins. The spring rate increases when loaded closer to the full capacity of the spring.	\$1,500	185#
2867024	Front Springs: Taperleaf 22K, T880S medium hood. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	\$1,500	185#
2867025	Front Springs: Taperleaf 23K W/ Shock Absorbers Use with front drive axle only. For T880, this is a three-stage spring. The spring rate increases when loaded closer to the full capacity of the spring. Standard with threaded spring pins.	\$1,271	-60#
2867026	Front Springs: Taperleaf 23K, T880S medium hood. With shock absorbers, with maintenance-free elastomer spring pin bushings, standard with rubber pins.	\$1,500	185#
2867027	Front Springs: Taperleaf 23K W/ Shock Absorbers T880 is standard with a 3-stage spring and rubber pins. The spring rate increases when loaded closer to the full capacity of the spring. T880S set forward axle only.	\$1,121	25#
Front Spring Equipment			
2790015	Front End Lowered: 1 in. Not Available W9B/L.	\$0	0#
2790017	Front End Lowered: 1.5in.	\$0	0#
2790038	Front Frame Lowered: 0.8 inches for front drive axle only.	\$128	17#
2790039	Front Frame Lowered: 1.6 inches for front drive axle only.	\$128	15#
2900020	Front Frame Raised: 1/2 in.	\$27	0#
2900024	Front Frame Raised: 1 in.	\$46	0#
2900038	Front Frame Raised: 0.8 inches for front drive axle only.	\$197	23#
2900039	Front frame raised 1.6 inches for front drive axle only.	\$197	26#
2900615	Threaded Bushings for Taperleaf Springs 12K - 14.6K replacing rubber: T6/T8, W900B, W990. W9L gets as standard: code not required. Not available with W9S. 13K - 14.6K for T370.	\$89	0#



T880: FRONT AXLE

Option	Description	Price	Weight
Front Springs			
Front Spring Equipment			
2900616	Threaded Bushings for Taperleaf Spring 16K, 18/20K, 22K, 40K replacing rubber.	\$107	0#
Power Steering			
Single Gear			
2893671	Single Power Steering Gear: 13.2K TRW THP60	(\$1,407)	-62#
2893881	Single Power Steering Gear: 16K TRW TAS85	(\$1,058)	-35#
2895101	Single Power Steering Gear: 16K Sheppard SD110.	(\$522)	-38#
2895221	Single Power Steering Gear: 13.2K Sheppard HD94.	(\$1,035)	-63#
Dual Gear			
2893642	Dual Power Steering Gear: 16-22K TRW THP60	STD	0#
2893882	Dual Power Steering Gears: 32K TRW TAS85.	\$380	29#
2895103	Dual Power Steering Gear: 16-23K Sheppard SD110. Severe duty.	\$1,106	8#
2895302	Dual Power Steering Gear: 16-22K Sheppard HD94. Heavy duty. Not for use on T3.	\$615	15#
Miscellaneous			
2899336	Power Steering Cooler: Radiator Mounted Air-to-Oil	STD	0#
2899341	Delete Standard Power Steering Cooler.	(\$263)	-11#
Twin Steer			
Non-Driving			
2509140	Twin Steer Front Axle: 40,000 lbs. Dana Spicer D2000.	\$7,776	565#
2509144	Twin Steer Front Axle: 40,000 lbs. Dana Spicer D2200.	\$8,065	565#
2517140	Meritor MFS20 40K Dual 3.5in. Drop Standard Track Twin Steer.	\$9,042	443#
2539002	PACCAR FX-20 Dual Front Axles rated at 40K, 4" drop, standard track, twin steer	\$9,295	-30#
Outer End Equipment			
Brakes & Drums			
2621405	Twin Steer Front Axle Brakes: 40K Bendix ES S-Cam 16-1/2x6 in.	\$0	0#



T880: FRONT AXLE

Option	Description	Price	Weight
Twin Steer			
Outer End Equipment			
Brakes & Drums			
2621415	Twin Steer Front Axle Brakes: 40K Bendix HP-ES S-Cam 16-1/2x6 in.	\$1,233	0#
2690003	Twin Steer Front Axle Brake Drums: 16.5x6 in. 40K cast.	\$0	0#
Hubs & Seals			
2701340	Twin Steer Front Axle Hubs Aluminum Hub Pilot 40,000 lbs. 10 Bolt 11-1/4 in. bolt circle	\$0	0#
2741971	ConMet PreSet Plus Hub Package; Front Axle twin steer.	\$0	0#
Front Springs			
2869043	Twin Steer Front Axle Springs: Taperleaf 40K with beam-equalizing suspension. 61 in. axle spacing.	\$17,731	1,214#
2869045	Twin Steer Front Axle Springs: Taperleaf 40K with beam-equalizing suspension. 86 in. axle spacing.	\$19,292	1,214#
Power Steering			
2895113	Triple Power Steering Gears: 40K Sheppard SD110/ HD94. Twin Steer axles only.	\$7,369	329#
Miscellaneous			
2750002	Twin Steer Front Axle Vented Hubcaps.	\$0	0#
2765002	Twin Steer Front Axle Automatic Slack Adjusters for Drum Brakes.	\$0	0#
Miscellaneous			
2790035	Maximum Length Wheel Studs for Hub Pilot Wheels only. Option is standard length w/ dual aluminum wheels, code not required.	\$13	2#



T880: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
21K to 23K			
3031181	Single Dana Spicer S21-172 Single Reduction Rear axle. Single rear axle rated at 21K.	(\$12,193)	-1,176#
3041180	Single Dana Spicer S23-172 Single Reduction Axle, single rear axle rated at 23K.	(\$12,419)	-1,176#
3041181	Single Dana Spicer S23-172H Single Reduction Axle single rear axle rated at 23K. Heavy wall.	(\$10,270)	-1,141#
3041190	Single Dana Spicer S23-190 Single Reduction Rear axle. Single rear axle rated at 23K.	(\$12,112)	-1,038#
3042160	Single Meritor RS23-160 Rear Axle rated at 23K.	(\$12,880)	-1,109#
3042161	Single Rear Axle 23,000 lbs. Meritor RS23-161	(\$11,389)	-1,085#
24K & Above			
3061190	Single Dana Spicer S26-190 Rear Axle; 26K capacity rated at 26K. Single rear axle.	(\$10,269)	-968#
3081093	Single Dana Spicer S30-190 Rear Axle; 30K capacity rated at 30K. Single rear axle with 74in. track, outer ends included w/ axle 16.5x7 brakes, iron hubs and dustshields	(\$3,994)	-454#
Tandem Drive Rear Axle			
40K & Under			
3103173	Meritor FUELite MA40-165 34K DualTrac; dead axle tandem; rear axle rated at 34K. with 12.7 mm heavy-wall housing. Use with 3511401 Driver Controlled Differential Lock (cross lock).	(\$1,402)	-877#
3121180	Dual Dana Spicer D40-172 Rear Axle rated at 40K. (Super 40) w/ 11mm housing and 2.06in. shaft diameter. Tandem rear axles.	\$1,268	-217#
3121181	Dual Dana Spicer D40-172P Rear Axle rated at 40K. (Super 40) w/ 11mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.	\$2,114	-217#
3121444	Dual Dana Spicer DSH40 Rear Axle rated at 40K w/ 11mm housing. Tandem rear axles.	(\$374)	-377#
3121446	Dual Dana Spicer DSH40P Rear Axle rated at 40K w/ 11mm housing and 1.81in. shaft diameter. Includes pump. Tandem rear axles.	\$399	-359#
3122162	Dual Rear Axle 40,000 lbs. Meritor RT40-160	\$2,228	-43#
3122164	Dual Rear Axle 40,000 lbs. Meritor RT40-160P with pump	\$4,702	57#
3122245	Dual Meritor MT40-14X3 Hypoid Rear Axle rated at 40K. Tandem rear axle.	(\$1,511)	-451#
3122246	Dual Meritor MT40-14X3 Hypoid DualTrac Rear Axle rated at 40K. Tandem rear axles.	(\$933)	-419#
3122247	Dual Meritor MT40-14x4 Hypoid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.	(\$1,588)	-411#



T880: REAR AXLE

Option	Description	Price	Weight
Tandem Drive Rear Axle			
40K & Under			
3122248	Dual Meritor MT40-14x4 Hypoid DualTrac Rear Axle rated at 40K. w/heavy-wall housing. Tandem rear axles.	(\$693)	-379#
3122250	Dual Meritor MP40-14x3 Rear Axle rated at 40K. Tandem rear axles with pump.	(\$1,482)	-441#
3122251	Dual Meritor MP40-14x3 DualTrac Rear Axle rated at 40K. Tandem rear axles with pump.	(\$768)	-409#
3122252	Dual Meritor MP40-14x4 Rear Axle rated at 40K. w/ heavy-wall housing with pump. Tandem rear axles.	(\$1,189)	-395#
3122254	Dual Meritor MT40-14X3 Amboid Rear Axle rated at 40K. Tandem rear axle.	(\$1,831)	-457#
3122255	Dual Meritor MT40-14X3 Amboid DualTrac Rear Axle rated at 40K. Tandem rear axles.	(\$855)	-425#
3122257	Dual Meritor MT40-14x4 Amboid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.	(\$1,588)	-417#
3122258	Dual Meritor MT40-14x4 Amboid DualTrac Rear Axle rated at 40K. w/heavy-wall housing. Tandem rear axles.	(\$933)	-385#
3122265	Dual Meritor MT40-14X3HE Rear Axle rated at 40k 9.5 MM HSG	(\$34)	-475#
3122266	Dual Meritor MT40-14X3HE 40K DualTrac Rear Axle rated at 40K. 9.5 MM HSG	\$764	-455#
3122267	Dual Meritor MT40-14X4HE Rear Axle rated at 40k 11 MM HSG	\$28	-435#
3122268	Dual Meritor MT40-14X4HE DualTrac Rear Axle rated at 40K. 11 MM HSG	(\$240)	-415#
3122269	Meritor MT40-14X4 Plus Hypoid Dual Rear Axle rated at 40K. 11 MM HSG	\$1,390	-401#
3122270	Dual Meritor MT40-14x4 Plus Hypoid DualTrac Rear Axle Rated At 40k. W/ 11MM Housing. Tandem Rear Axles.	\$1,715	-369#
3122271	Dual Meritor MP40-14x4 Plus Rear Axle Rated 40K W/ 11MM Housing, With Pump. Tandem Rear Axles.	\$1,566	-391#
3122272	Dual Meritor MP40-14x4 Plus DualTrac Rear Axle Rated at 40K. 11 MM HSG WITH PUMP. w/ heavy-wall housing with pump. Tandem rear axles.	\$1,870	-358#
3122273	Dual Meritor MT40-14x4 Plus Amboid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.	\$1,033	-417#
3122274	Dual Meritor MT40-14x4 Plus Amboid DualTrac Rear Axle Rated At 40K. W/ 11MM housing. Tandem rear axles.	\$1,715	-385#
3123001	Dual PACCAR DX-40 Axle 40K 9.5 mm housing standard track	(\$1,739)	-525#



T880: REAR AXLE

Option	Description	Price	Weight
Tandem Drive Rear Axle			
40K & Under			
3123003	Dual PACCAR DX-40 Rear Axle 40K 9.5 mm housing mid track	(\$1,341)	-514#
3124400	Dual Dana Spicer DSP40 Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Tandem rear axles.	(\$1,165)	-452#
3124401	Dual Dana Spicer DSP40P Rear Axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	(\$1,948)	-434#
3124403	Dual Dana Spicer DSP41 Rear Axle rated at 40K. (DSP40 w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Tandem rear axles.	(\$1,941)	-421#
3124404	Dual Dana Spicer DSP41P Rear Axle rated at 40K. (DSP40P w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	(\$1,687)	-403#
3124416	Dual Dana Spicer D40-155 ADVANTEK40 Rear Axle rated at 40K. w/ 9.5mm housing. Tandem rear axles.	(\$1,975)	-467#
3124417	Dual Dana Spicer D40-155P ADVANTEK40 Rear Axle rated at 40K w/ 9.5mm housing. Tandem rear axles.	(\$1,219)	-449#
3124418	Dual Dana Spicer D40-155H ADVANTEK40 Rear Axle rated at 40K w/ 11mm housing. Tandem rear axles.	(\$1,697)	-436#
3124420	Dual Dana Spicer D40-155HP ADVANTEK 40 Rear Axle rated at 40K w/ 11mm housing with pump. Tandem rear axles.	(\$941)	-418#
3124421	Dual Dana Spicer D40-155HS ADVANTEK40 Rear Axle rated at 40K w/ 11mm housing with SELECTRAC. Tandem rear axles.	(\$985)	-419#
3124423	Dual Dana Spicer D40-155HPS ADVANTEK40 Rear Axle rated at 40K w/ 11mm housing with pump/SELECTRAC. Tandem rear axles.	(\$479)	-401#
44K			
3131446	Dual Dana Spicer DSH44P Rear Axle rated at 44K w/ 12.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$950	-327#
3131447	Dual Rear Axle 44,000 lbs. Dana Spicer DSH44P Wide Track	\$2,432	-290#
3132246	Dual Meritor MT44-14x5 Plus Rear Axle Rated At 44K. W/ 12.7MM Housin. Tandem Rear Axles.	\$2,155	-342#
3132251	Dual Meritor MP44-14x5 Plus Rear Axle Rated At 44k. 12.7MM Housing W/ Pump. Tandem Rear Axles.	\$2,467	-333#
46K			
3142160	Dual Meritor RT46-160 Rear Axle rated at 46K. Tandem rear axles.	STD	0#



T880: REAR AXLE

Option	Description	Price	Weight
Tandem Drive Rear Axle			
46K			
3142161	Dual Meritor RT46-160P Rear Axle rated at 46K. Tandem rear axles. With pump	\$1,409	30#
3142170	Dual Meritor RT46-164EH Rear Axle rated at 46K. Tandem rear axles. Heavy wall housing	\$801	77#
3142171	Dual Meritor RT46-164PEH Rear Axle rated at 46K w/ heavy wall housing. Tandem rear axles.	\$2,228	107#
3142172	Dual Meritor RT46-164EH Rear Axle rated at 46K; wide track tandem rear axles w/ heavy wall housing.	\$2,224	223#
3142173	Dual Meritor RT46-164PEH Rear Axle rated at 46K. wide track tandem rear axles w/ heavy wall housing.	\$4,175	253#
3144180	Dual Dana Spicer D46-172 Rear Axle rated at 46K. Tandem rear axles. w/ 12.5mm housing and 2.06in. shaft diameter. Tandem rear axles.	\$238	-197#
3144181	Dual Dana Spicer D46-172P Rear Axle rated at 46K. w/ 12.5mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.	\$1,699	-158#
3144182	Dual Dana Spicer D46-172H Rear Axle rated at 46K. w/ 16mm housing and 2.06in. shaft diameter. Tandem rear axles.	\$812	-158#
3144183	Dual Dana Spicer D46-172HP Rear Axle rated at 46K. w/ 16mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear axles.	\$2,686	-156#
3144185	Dual Dana Spicer D46-172HPW Rear Axle rated at 46K. Wide track tandem rear axles w/ pump. w/ 16mm housing and 2.06in. shaft diameter. Wide track tandem rear axle, includes pump.	\$3,750	-108#
3144590	Dual Dana Spicer D46-590HP Double Reduction rear axle rated at 46k w/ 16mm housing and 2.25in. shaft diameter. Includes pump. Tandem rear axles.	\$13,066	368#
50K to 52K			
3152090	Dual Meritor RT52-185P Single Reduction Rear axle rated at 52K. Tandem rear axles w/pump.	\$16,337	353#
3154190	Dual Dana Spicer D52-190P Rear Axle rated at 52K. w/ 16mm housing and 2.25in. shaft diameter. Includes pump. Tandem rear axles.	\$17,209	207#
3154590	Dual Dana Spicer D52-590P Double Reduction axle rated at 52k w/ 16mm housing and 2.25in. shaft diameter. Includes pump. Tandem rear axle.	\$16,881	402#
3155080	Dual Meritor RT52-380 Double Reduction Rear Axle rated at 52K. Tandem rear axles.	\$21,592	514#
58K & Above			
3151600	Dual Dana Spicer D60-190 Single Reduction Rear axle rated at 60K. Tandem rear axles w/ 74 in. track.	\$34,344	213#
3151601	Dual Rear Axle 60,000 lbs. Dana D60-190WT single reduction 75 in. track	\$27,005	313#



T880: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Tandem Drive Rear Axle

58K & Above

3154600	Dual Dana Spicer D60-590 Double Reduction Rear axle rated at 60k w/ 16mm housing and 2.25in. shaft diameter. Tandem rear axle w/ 74in. track.	\$34,739	402#
3166202	Dual Sisu FR2P-26-S Rear Axle rated at 58K; Tandem rear axles w/ 74 in. track.	\$97,510	1,998#
3166305	Dual Sisu FR2P-32-S Rear Axle rated at 70K; Tandem rear axles w/ 80 in. track.	\$120,973	2,218#
3166310	Dual Sisu FR2P-32-S Rear Axle rated at 70K; Tandem rear axles w/ 74 in. track.	\$116,205	2,108#
3175400	Dual Meritor P612-70K, 74" STD TRK 16X8.63 BRK/ HUB/DRM/SLX.2040 mm track, less suspension hanger brackets, 16.5 x 8 5/8 brake, ABS prep w/ sensor, auto slack adjuster, Brake chamber, 7.20 axle ratio, Air Link Hanger Brackets welded on to axles.	\$98,452	2,218#
3175404	Dual Meritor P642-70K,74" Track 16.5X8.63 in BRK/HUB/DRM/SLX	\$101,388	2,218#

Tridem Drive Rear Axle

3151568	Tridem Dana Spicer T78-190P Rear Axle. Capacity varies. Wide track.	\$35,947	1,212#
3151571	Tridem Dana Spicer T69-172HP Rear Axle. Capacity varies. Standard track.	\$19,635	810#
3151572	Tridem Dana Spicer T69-172HP Rear Axle. Capacity varies. Wide track.	\$21,040	810#
3156901	Tridem Meritor RZ-XX-166P Single Reduction Rear axle. Capacity varies. Wide track.	\$24,287	1,359#
3156902	Tridem Meritor RZ-XX-166P Single Reduction Rear axle, rating depends on ratio, 16MM HSG	\$21,121	1,133#
3156906	Tridem Meritor RZ-XX-166 Single Reduction Rear axle. Capacity varies. Wide track.	\$22,951	1,359#
3176901	Tridem Meritor RZ-XX-188P Single Reduction Rear axle. Capacity varies, rating depends on ratio.	\$43,179	1,737#

Single Axle Outer End Equipment

Brakes

3302000	Single Rear Brakes:Bendix ADB22X-LT Air Disc Brk for single rear axles to 20K capacity.	\$0	0#
3302001	Single Rear Brakes Bendix Air Disc Brakes for single rear axles to 23K capacity.	\$0	0#
3302002	Single Rear Brakes Bendix Air Disc Brakes for single rear axles 23,001 to 26K capacity.	\$223	0#
3304010	Single Rear Brakes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. single axle drum brake, Max GAWR 23k.	(\$923)	-10#
3306007	Single Rear Brakes Bendix RSD ADB22X-LT 20K Disc brake for single axle, tractor only	\$329	0#



T880: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Brakes			
3306012	Single Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for single axle, Max GAWR 23K.	\$0	0#
3330004	Single Rear Brakes 16-1/2x7 in. Bendix ES- extended service S-cam.	(\$827)	-20#
3350007	Single Rear Brakes 16-1/2x7 in., 23K. Meritor Q-Plus extended service S-cam.	(\$701)	-12#
3352002	Single Rear Brakes: Meritor EX+LS Single to 23K	\$1	0#
3352003	Single Rear Brakes Meritor EX+L Optimized air disc brakes for single rear axles to 23K capacity.	\$57	0#
3354022	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x8.625 in., single axle drum brake, Max GAWR 21k.	(\$581)	4#
3354023	Single Rear Brakes Meritor RSD-Compliant S-Cam 16.5x 7 in. single axle drum brake, Max GAWR 23k.	(\$848)	-12#
3356021	Rear Air Disc Brakes: Meritor EX+LS Max 23K Single Reduced Stopping Distance Tractor Only	\$4	0#
3356022	Single Rear Air Disc Brakes: Meritor EX+L Optimized RSD Sing Max 23K. Reduced stopping distance tractor only.	\$57	0#
Brake Drums			
3392001	Single Rear Brake Heavy Duty Brake Drums: Cast. Use HD Gunitite Drum when single axle with GAWR over 23,000 lbs is selected. With 16.5X7" or 16.5X8.625" brake.	(\$565)	0#
3392007	Single Rear Brake Drums: Cast S-Cam Single For use with 15x8.625", 16.5X7" or 16.5X8.625" brake.	(\$631)	104#
3392116	Single Rear Brake Drums Meritor X30 Light weight. For use with 16.5X7" brake. Contact Applications Engineering for maximum GAWR.	(\$568)	72#
Rotors			
3392042	U-Shaped Rotor for Single Rear Meritor Air Disc brakes.	(\$126)	0#
3392204	Splined Rotor for Single Rear Air Disc Brakes for use with aluminum hubs.	\$0	0#
3392205	Splined Rotor for Single Rear Air Disc Brakes for use with iron hubs.	\$138	0#
3392210	Rotor for Single Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	(\$128)	0#
Hubs			
3401010	Single Rear Hubs: Aluminum Hub Pilot 23K; 11.25" bolt circle. Requires "R" series outer ends.	\$0	0#
3403220	Single Rear Hubs: Iron Hub Pilot 26k; 11.25" Bolt circle. Requires "R" series outer ends.	(\$21)	52#



T880: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Single Axle Outer End Equipment

Oil Seals

3441971	ConMet PreSet Plus Hub Package; Single Rear Axle.	\$0	0#
---------	---	-----	----

Spring Brakes & Parking Brakes

3485004	Spring Brakes Included W/ Single Rear Air Disc brakes.	\$0	0#
---------	--	-----	----

3485007	Spring Brake: 3030 Long Stroke Single 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	\$178	44#
---------	--	-------	-----

3485008	Spring Brake: 3036 Single. For drum brakes.	\$267	50#
---------	---	-------	-----

3485114	Spring Brakes Piston Type for Bendix Air Disc Brakes, Single. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$554	70#
---------	--	-------	-----

3485214	Spring Brake: 3036 Long Stroke Single 30 Square inches; 36 square inches spring chamber. For drum brakes	\$267	50#
---------	--	-------	-----

Slack Adjusters

3465001	Single Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$118	0#
---------	---	-------	----

Wheel Differential Locks & Limited Slip

3511080	Meritor Driver Controlled Differential Lock for single rear axle.	\$1,049	0#
---------	---	---------	----

3531001	Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.	\$1,420	0#
---------	---	---------	----

Miscellaneous

3490901	Rear Air Disc Brake Dustshields for Single Axle; includes pads and rotor shields.	\$398	6#
---------	---	-------	----

3490911	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads and rotor shields.	\$141	3#
---------	---	-------	----

3490913	Rear Air Disc Brake Meritor Dustshields for single axle; includes pads only.	\$23	1#
---------	--	------	----

Tandem Axle Outer End Equipment

Brakes

46K & Under

3304012	Dual Rear Brake: Bendix RSD 16.5X7 46K Capacity Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	(\$1,402)	24#
---------	--	-----------	-----

3304016	Dual Rear Brake: Bendix RSD 16.5X8.625 46K Capacity, Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	(\$1,253)	-8#
---------	---	-----------	-----

3306001	Dual Rear Bendix Air Disc Brakes for Dual rear axles to 46K capacity.	STD	0#
---------	---	-----	----



T880: REAR AXLE

Option	Description	Price	Weight
Tandem Axle Outer End Equipment			
Brakes			
46K & Under			
3306006	Dual Rear Bendix Air Disc Brakes ADB22X-LT for Dual rear axles to 40K capacity.	\$0	0#
3306008	Dual Rear:BrakesBendix RSD ADB22X-LT dual max 40K Disc brake for tandem axle	(\$59)	0#
3306014	Dual Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for tandem axle, Max GAWR 46k.	\$429	0#
3334004	Dual Rear Brakes 16-1/2x7 in. to 46K; Bendix ES-extended service S-cam.	(\$1,549)	-40#
3334050	Dual Rear Brakes 16-1/2x8-5/8 in. to 44K; Bendix ES-extended service S-cam.	(\$993)	32#
3354004	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q-Plus S-cam stamped spider.	(\$1,426)	-24#
3354007	Dual Rear Brakes 16-1/2x7 in. to 46K; Meritor Q- plus-extended service S-cam.	(\$1,296)	-24#
3354046	Dual Rear Brakes Meritor Q+ RSD-Compliant S-Cam 16.5x8.625 in. tandem axle drum brake, Max GAWR 46k.	(\$1,037)	8#
3356007	Dual rear Meritor EX+L Optimized Air Disc Brakes for dual rear axles to 46K capacity.	\$113	0#
3356008	Dual Rear Meritor EX+LS Max 46K	\$27	0#
3356023	Rear Air Disc Brakes: Meritor EX+LS Max 46K Dual Reduced Stopping Distance Tractor Only	\$8	0#
3356024	Rear Air Disc Brakes: Meritor EX+L Optimized RSD Dual Max 46K. Reduced stopping distance tractor only.	\$113	0#
52K			
3304013	Rear Brake: Bendix RSD 16.5X7S Dual 46,001-52K Reduced Stopping Distance Tractor Only, RSD-Compliant HP-ES S-Cam, (Heavy Duty) tandem axle drum brake.	\$448	-8#
3306002	Dual Rear Bendix Air Disc Brakes for Dual rear axles 46,001 to 52K capacity.	\$447	0#
3306015	Rear Brakes, Bendix RSD-Compliant ADB22X Disc brake for tandem axle, GAWR 46,001 - 52K.	\$346	0#
3334009	Dual Rear Brakes 16-1/2x7 in. to 46,001 -52K Bendix ES-extended service S-cam.	(\$262)	16#
3354030	Dual Rear Brakes 16-1/2x7 in. 46,001-52K; Meritor P series S-cam requires cast drums.	\$163	-24#
3354050	Rear Brakes, Meritor Q+ RSD-Compliant S-Cam 16.5x7 in.tandem axle drum brake, Max GAWR 50K.	(\$1,416)	-24#
58K & Above			
3334090	Dual Rear Bendix S-Cam Brakes 16.5x7in. for Dana 60K & 70K axles.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Tandem Axle Outer End Equipment			
Brakes			
58K & Above			
3354035	Dual Rear Brakes 16-1/2x7 in. 58-70K; Meritor P S-cam.	\$0	16#
3360000	Dual Rear Brakes 16x8 in. 48-70K; Sisu S-cam.	\$0	0#
Brake Drums			
3392002	Dual Rear Heavy Duty Brake Drums: Cast. Use HD Gunitite Drum when tandem axle with GAWR over 46,000 lbs is selected. For 16.5X7" or 16.5X8.625" brake.	(\$1,030)	0#
3392005	Dual Rear Brake Drums: Cast. For use with 16.5X7" or 16.5X8.625" brake.	(\$512)	208#
3392010	Rear Brake Drums: Cast Included W/ Axle or brake.	\$0	0#
3392130	Dual Rear Brake Drums Meritor X30 Light Weight. Use with 16.5X7" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels	(\$387)	-64#
3392131	Dual Rear Brake Drums Meritor X30 Light Weight. Use w/ 16.5X8.625" brakes. Limits GAWR to 46K maximum. Requires dual spring brakes. Not for spoke wheels.	(\$66)	176#
Rotors			
3392043	U-Shaped Rotor for Dual Rear Meritor Air Disc brakes.	(\$152)	0#
3392604	Splined Rotor for Dual Rear Air Disc Brake for use with aluminum hubs.	STD	0#
3392605	Splined Rotor for Dual Rear Air Disc Brakes for use with iron hubs.	\$326	0#
3392606	Rotor for Tandem Rear Meritor Air Disc Brakes for use with aluminum hubs. For Meritor rear air disc brakes.	(\$106)	0#
Hubs			
3403023	Dual Rear Hubs: Iron Hub Pilot 11-1/4 in. Bolt circle for axles 58K and greater.	\$0	0#
3403460	Dual Rear Hubs: Iron Hub Pilot 52K; 11.25" Bolt circle. Requires "R" series outer ends.	\$10	104#
3405010	Dual Rear Hubs: Iron 335mm Hub Pilot for Dana 60K and 70K axles only.	\$1,155	104#
3405334	Dual Rear Hubs: Meritor Ultramount Hub Pilot; maximum 46K. 335 mm. bolt circle.	\$988	104#
3407050	Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.	STD	0#
Oil Seals			
3441965	Dual Rear Oil Seals W/ Iron Hubs W/ 335 mm. Hubs, ball seat hubs or spoke wheels.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Tandem Axle Outer End Equipment			
Oil Seals			
3441972	ConMet PreSet Plus Hub Package; Dual Rear Axle.	STD	0#
Spring Brake & Service Chambers			
Single on Dual			
3485101	Spring Brake: 3030 Long Stroke Single Spring brake on dual axle. For drum brakes, also known as spring brake delete. This option reduces rear tandem GAWR to 36,000 lbs.	\$289	88#
3485103	Spring Brakes Included W/ Rear Air Disc Brakes single spring brake on dual axle installation. Derates tandem to 36,000 lbs. AKA spring brake delete.	\$260	0#
Dual			
3483260	Spring Brake: 3630 Dual for Sisu Axle. For drum brakes.	\$2,044	28#
3485002	Spring Brakes Included W/ Dual Rear Air Disc brakes.	STD	0#
3485013	Spring Brakes Piston Type for Bendix Air Disc Brakes, Dual. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$1,696	140#
3485207	Spring Brake: 3030 Long Stroke Dual 30 Square inches travel. For drum brakes. Helps keep brakes in adjustment longer.	\$356	88#
3485208	Spring Brake: 3036 Dual 30 Square Inches; 36 square inches spring chamber. For drum brakes.	\$533	100#
3485209	Spring Brake: 3030 High Output Dual. For drum brakes.	\$331	0#
3485210	Spring Brake: 3636 Dual. For drum brakes.	\$592	24#
3485213	Spring Brake: 3036 Long Stroke Dual 30 Square inches; 36 square inches spring chamber. For drum brakes.	\$534	100#
3485223	Spring Brake: Bendix Endurasure Pro 3030 Long Stroke Dual. For drum brakes.	\$544	0#
Brake Equipment			
3500006	Inverted Chambers for 16-1/2 x 7 in. Brakes; Replaces standard mount w/ higher mount.	\$6	0#
3500012	Replace Standard Mount W/ High Mount for Rear rear axle brake chambers.	\$0	0#
3500021	Brake Cam Tube Bracket Required W/ Wide Base tires w/ Airglide 380, 400, 400L, 460, 690 & Primaax suspension.	\$0	4#
Differential Lock & Crosslock			
3511400	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear axle. Under Speed Interlock is standard on T680.	\$1,494	19#



T880: REAR AXLE

Option	Description	Price	Weight
Tandem Axle Outer End Equipment			
Differential Lock & Crosslock			
3511401	Driver Controlled Differential Lock (Crosslock) for FUELite MA40-165.	\$1,446	0#
3511410	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 58K rear rear axle. Under Speed Interlock is standard on T680.	\$1,541	19#
3511420	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	\$2,767	39#
3511500	Driver Controlled Differential Lock (Crosslock) for Paccar Axles 40K rated, forward rear axle, with cab control.	\$1,409	19#
3513045	No Spin for Meritor Axles: 52-70K Capacity forward rear axle.	\$1,643	15#
3532120	Wheel Differential Lock for Dana Spicer Axles DSH40(P)/DSH44(P)/DSP40(P)/DSP41(P)/D40-145(P)(H)(S)/D40-155 forward rear axle. Under Speed Interlock is standard on T680.	\$1,430	22#
3532125	Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 rear rear axle. Under Speed Interlock is standard on T680.	\$1,506	15#
3532130	Wheel Differential Lock for Dana Spicer Axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 forward rear axle & rear rear. Under Speed Interlock is standard on T680.	\$2,747	37#
3532171	Wheel Differential Lock for Dana Spicer Axles D60-190, D60-590 and D70-590, forward rear and rear rear axles. Under Speed Interlock is standard on T680.	\$2,508	39#
3532190	Wheel Differential Lock for Dana Spicer Axles D40-170/172(P)/D46-170/172(H)(P)(WT) forward rear axle. Under Speed Interlock is standard on T680.	\$1,471	55#
3532191	Wheel Differential Lock for Dana Spicer Axles D52-190P or D46-590HP forward rear axle.	\$1,261	19#
3532192	Wheel Differential Lock for Dana Spicer Axles D40-170/172(P)/D46-170/172(H)(P)(WT) rear rear axle. Under Speed Interlock is standard on T680.	\$1,511	55#
3532193	Wheel Differential Lock for Dana Spicer Axles D52-190P or D46-590HP rear rear axle. Under Speed Interlock is standard on T680.	\$1,547	20#
3532194	Wheel Differential Lock for Dana Spicer Axles D40-170(P)/D46-170(H)(P)(WT) forward rear axle & rear rear axle.	\$2,829	112#
3532195	Wheel Differential Lock for Dana Spicer Axles D52-190P, D46-590HP or D52-590P forward rear axle & rear rear axle.	\$2,508	39#
Slack Adjusters			
3465002	Tandem Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$286	0#

Miscellaneous



T880: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Tandem Axle Outer End Equipment

Miscellaneous

3490902	Rear Air Disc Brake Dustshields for Tandem axles; includes pads and rotor shields.	\$798	12#
3490912	Rear Air Disc Brake Meritor Dustshields for tandem axles; includes pads and rotor shields.	\$231	5#
3490914	Rear Air Disc Brake Meritor Dustshields for dual axle; includes pads only.	\$46	2#
3500022	Brake Cam Tube Bracket W/ Dual Tires	\$77	4#

Tridem Axle Outer End Equipment

Brakes

3304014	Tridem Rear Brakes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. tridem axle drum brake, Max GAWR 69k.	(\$1,589)	-30#
3304015	Tridem Rear Brakes, Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. S (Heavy Duty) tridem axle drum brake, for GAWR 69,001 - 78k.	\$566	-30#
3306003	Tridem Rear Brakes Bendix Air Disc Brakes rated to 69K capacity.	\$0	0#
3306016	Tridem Rear Brakes Bendix RSD-Compliant ADB22X Disc brake for tridem axle, Max GAWR 69k.	\$0	0#
3334305	Tridem Rear Brakes 16-1/2x7 in. to 78K; Bendix ES-extended service S-cam.	(\$2,762)	-60#
3354069	Tridem Rear Brakes Meritor Q+ RSD-Compliant S-Cam 16.5x7 in. tridem axle drum brake, Max GAWR 69k.	(\$1,886)	-36#
3354300	Tridem Rear Brakes 16-1/2x7 in. to 69K; Meritor Q-Plus S-cam.	(\$1,988)	-36#

Brake Drums

3392003	Tridem Rear Heavy Duty Brake Drums: Cast. Use HD Gunitite Drum when tridem axle with GAWR over 69,000 lbs is selected. For 16.5X7" or 16.5X8.625" brake.	(\$1,569)	312#
3393000	Tridem Rear Brake Drums: Cast. For use with 16.5X7" or 16.5X8.625" brake.	(\$1,793)	312#
3393006	Tridem Rear Brake Drums: Meritor X30 Light weight. Use with 16.5X7" brake. Contact Applications Engineering for maximum GAWR.	(\$1,710)	216#

Rotors

3392704	Splined Rotor for Tridem Rear Air Disc Brakes for use with aluminum hubs.	\$0	0#
3392705	Splined Rotor for Tridem Rear Air Disc Brakes for use with iron hubs.	\$364	0#

Hubs

3403490	Tridem Rear Hubs: Iron Hub Pilot 78K; 11.25" Bolt circle. Requires "R" series outer ends.	(\$74)	156#
---------	---	--------	------



T880: REAR AXLE

Option	Description	Price	Weight
Tridem Axle Outer End Equipment			
Hubs			
3407090	Tridem Rear Hubs: Aluminum Hub Pilot 69K; 11.25" bolt circle. Requires "R" series outer ends.	\$0	0#
Oil Seals			
3441973	ConMet PreSet Plus Hub Package; Tridem Rear Axle	\$0	0#
Spring Brakes & Service Chambers			
3485003	Spring Brake Included With Air Disc Brake Tridem	\$0	0#
3485301	Spring Brake: 3030 Long Stroke Tridem 3 in. travel. For drum brakes. Helps keep brakes in adjustment longer.	\$534	132#
3485302	Spring Brake: 3036 Tridem. For drum brakes.	\$778	150#
3485304	Spring Brake: Bendix Endurasure Pro 3030 Long Stroke Tridem. For drum brakes.	\$816	0#
3485313	Spring Brake: 3036 Long Stroke Tridem 30 Square inches; 36 square inches spring chamber. For drum brakes.	\$801	150#
3485314	Spring Brakes Piston Type for Bendix Air Disc Brakes, Tridem. Piston type brake chambers are recommended for any full truck vehicle with Bendix rear disc brakes parking on grades exceeding 10%	\$1,961	210#
Differential Lock, Crosslock & No Spin			
3511425	Driver Controlled Differential Lock (Crosslock) for Meritor Axles to 69K forward rear, center rear & rear axle.	\$3,937	52#
3511428	Driver Controlled Differential Lock (Crosslock) for Meritor Axles to 69K center rear & rear axle.	\$2,661	35#
3532189	Wheel Differential Lock for Dana Spicer Axles T69-170/172HP forward rear axle & rear rear.	\$2,737	112#
3532196	Wheel Differential Lock for Dana Spicer Axles T69-170/172HP forward rear, center rear axle & rear rear axle.	\$4,118	167#
3532197	Wheel Differential Lock for Dana Spicer Axles T69-170/172HP center rear axle & rear rear axle.	\$2,720	112#
3532202	Wheel Differential Lock for Dana Spicer Axles T78-190P/590P forward rear, center rear axle & rear rear axle.	\$4,038	59#
Slack Adjusters			
3465003	Tridem Rear Axle Automatic Slack Adjusters. For use with drum brakes.	\$354	0#
Miscellaneous			
3490903	Rear Disc Brake Dustshields for Tridem Axle includes pad and rotor shield.	\$1,197	19#



T880: REAR AXLE

Option	Description	Price	Weight
Anti-Lock Brake System			
4-Channel			
3495226	Bendix 4S/4M Anti-Lock Brake System.	(\$3,575)	0#
3495228	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC).	(\$2,382)	2#
3495229	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability program (ESP) for tractor.	(\$828)	11#
3495233	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	(\$847)	0#
3495529	Wabco 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability control (ESC).	(\$836)	0#
6-Channel			
3495227	Bendix 6S/6M Anti-Lock Brake System.	(\$2,381)	5#
3495230	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC).	(\$1,872)	6#
3495231	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for tractor.	\$148	15#
3495232	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	STD	0#
3495538	Wabco 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability control (ESC).	\$505	0#
Other			
3495242	Bendix eTrac Traction Enhancement	\$972	9#
3495243	Bendix Side Object Detection Version 2 sensor on RH side, with increased field of view and enhanced detection.	\$2,141	0#
3500101	Bendix ABS Parameter Rail/Drilling Mode Programmable Option	\$0	0#
Body Builder ESP Information			
3500070	20-33 Cubic Yard Dump/Roll On-Off/Volumetric Mixer.	\$0	0#
3500072	Tanker Height less than 75 in. from Top of Frame rail	\$0	0#
3500073	Tanker Height between 75 in. and 85 in. from Top of frame rail.	\$0	0#
3500074	10.5-11 Yard Rear Discharge Non-Bridge Formula mixer.	\$0	0#
3500075	10.5-11 Yard Rear Discharge Bridge Formula mixer.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Anti-Lock Brake System			
Body Builder ESP Information			
3500096	Flatbed Top of Deck not more than 20 in. Above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
3500097	Van Body Top of Deck not more than 20 in. Above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
Miscellaneous			
3367001	Rear Brake Included W/ Rear Axle.	\$0	0#
3404000	Rear Hub: Hub Pilot 335mm. Included W/ Sisu Axle.	\$0	0#
3407046	Longer Studs for Aluminum Wheels W/ Steel Hub pilot wheels.	\$18	6#
3440100	Oil Seals Included W/ Axle.	\$0	0#
3465900	Rear Slack Adjusters Included W/ Axle or Air disc brakes.	STD	0#
3486000	Spring Brake Location: Forward Rear, Code Separately For Spring Break	\$0	0#
3490047	Dustshields for Drum Brakes: All Rear Axles.	\$128	11#
3495144	Rear Meritor Platinum Shield Brakes Addon Platinum shield is only a shoe change.	\$97	0#
3495145	Wear Sensor for Bendix Disc Brakes-Tandem Rear & Steer Axle	\$610	0#
3495146	Wear Sensor for Bendix Disc Brakes-Front Axle Only	\$382	0#
3495147	Wear Sensor for Bendix Disc Brakes-Front & Single Rear Axle	\$496	0#
3495225	FMVSS-136 Stability Control Schedule Review Chassis meets FMVSS-136 requirements and must be equipped with Electronic Stability Control. Reference Option code placed on order.	\$0	0#
3495332	Bendix Wingman Advanced Adaptive CC w/ Collision Mitigation (ACB)	\$1,684	22#
3495333	Adjustable Headway Distance For ACC	\$0	0#
3495335	Non-Adjustable Headway Distance For ACC at 2.8 Sec	\$0	0#
3495337	Non-Adjustable Extended Headway Distance For Acc (AT 3.5 Sec for BENDIX or AT 3.6 SEC for WABCO)	\$0	0#
3495338	Standard Headway Distance Warnings For Use with ACC (1.5, 1.0, 0.5 S)	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Miscellaneous			
3495339	Extended Headway Distance Warnings For Use with ACC (2.0/1.5/1.0 S)	\$0	0#
3495340	Max Headway Distance Warnings For Use with ACC (3.0/2.0/1.5 S)	\$0	0#
3495380	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB W/O Video Recording	\$4,507	0#
3495381	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/Adjacent Lane and Highway Departure AEB with Video Recording	\$4,415	0#
3495382	Bendix Fusion Adaptive CC W/ACB rel 2.2 W/ Adjacent Lane and Highway Departure AEB with Video Storage	\$4,942	0#
3495410	Torque Assisted Steering w/o Lane Keeping Assist	\$2,351	0#
3495412	Lane Keeping Assist w/ Torque Assisted Steering	\$2,952	0#
3495541	WABCO OnGuard Active Adaptive CC with Collision Mitigation (ACB)	\$2,871	0#
3495560	Electronic Park Brake	\$1,128	0#
3495561	Air Operated Park Brake	\$0	0#
3500104	5 Planet Gearing-Meritor P6XX Tandem Rear Axle	\$5,134	0#
3510000	Tapered Axle Shaft Holes.	\$65	0#
3532600	Crosslock Included W/ Axle for Sisu Rear Axles. Warning - engagement of traction control devices on both axles may seriously impair the steering of this vehicle. Please note, Must code for Controls Separately.	\$0	0#
3533000	Raised Oil Levels for Rear Rear Axle for use on 12% or greater continuous grades.	\$82	20#
3573001	Park Brake Interlock for Two-Speed Rear Axle	\$110	0#
3573111	Separate Switch for Dual Axles: differential lock or crosslock.	\$15	0#
3573112	Flip Valve, Wiring and Light Separate for Wheel differential lock or driver controlled differential lock for forward rear, center rear & rear rear axles.	\$224	0#

Pusher Axles

Non-Steerable Pushers

Suspensions

3808025	Non-Steerable Pusher Axle: Watson Chalin AL2200 23K Standard track.	\$15,346	2,296#
---------	---	----------	--------



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Non-Steerable Pushers			
Suspensions			
3808026	Non-Steerable Pusher Axle: Watson Chalin AL2200 21K Wide track.	\$17,156	2,309#
Brakes			
3820348	16.5x7 in. Bendix Non-RSD Brakes for Use With 21K or 23K non-steerable pusher assembly (included w/ axle).	\$0	0#
3820353	16.5x7 in. Bendix RSD brakes for use with 21K or 23K axle non-steerable pusher assembly.	\$138	0#
3820364	16.5x7 in. Meritor Non-RSD Brakes for Use With 21K or 23K non-steerable pusher assembly (included w/ axle).	\$0	0#
Brake Drums			
3820698	Cast Brake Drums 16.5x7 for Non-Steerable 21K or 23K pusher axle.	\$0	0#
Hubs			
3821703	Non-Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	30#
3821704	Non-Steerable Pusher Hubs Aluminum Hub Pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$630	0#
3821710	Non-Steerable Pusher Hubs Iron Hub Pilot 10-Hole ASSY*335MM bolt circle for use with 21K or 23K axle.	\$653	0#
Miscellaneous			
3825011	Non-Steerable Pusher: Optional Dustshields.	\$56	3#
Steerable Pushers			
Suspensions			
3808027	1 Steerable Pusher: Watson Chalin Tru Track 23K SL2200 includes axle.	\$30,704	2,086#
3808111	1 Steerable Pusher: Watson Chalin 8K SL08	\$14,777	941#
3808124	1 Steerable Pusher: Watson Chalin 10K SL10	\$14,760	962#
3808131	1 Steerable Pusher: Watson-Chalin 13.5K SL13	\$16,038	1,245#
3808511	2 Steerable Pusher: Watson Chalin 8K SL08	\$28,858	1,881#
3808524	2 Steerable Pusher: Watson Chalin 10K SL10	\$28,804	1,923#
3808531	2 Steerable Pusher: Watson-Chalin13.5K SL13	\$31,482	2,489#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Steerable Pushers			
Suspensions			
3808611	3 Steerable Pusher: Watson Chalin 8K SL08	\$43,118	2,823#
3808624	3 Steerable Pusher: Watson Chalin 10K SL10	\$43,732	2,886#
3808631	3 Steerable Pusher: Watson-Chalin 13.5K SL13	\$47,227	3,735#
3808802	1 Steerable Pusher: Watson Chalin Tru Track 20K; SL2065	\$20,571	1,594#
Brakes			
3820027	1 Steerable Pusher Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820028	2 Steerable Pusher Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820029	3 Steerable Pusher Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820036	1 Steerable Pusher Brakes: Bendix Non-RSD 15x4 Use with 13.5K axle.	\$0	0#
3820037	2 Steerable Pusher Brakes: Bendix Non-RSD 15x4 Use with 13.5K axle.	\$0	0#
3820038	3 Steerable Pusher Brakes: Bendix Non-RSD 15x4 Use with 13.5K axle.	\$0	0#
3820041	16.5x5 in. Bendix RSD brakes for use with 13.5K 1 steerable pusher assembly (included w/ axle).	\$57	0#
3820042	16.5x7 in. Bendix Non-RSD Brakes for Use With 23K 1 steerable pusher assembly (included w/ axle).	\$0	0#
3820044	16.5x7 in. Bendix RSD Brakes for Use with 23K 1 steerable pusher assembly (included w/ axle)	\$138	0#
3820045	1 Steerable Pusher Brakes: 16.5x7 in. Meritor Non-RSD brakes for use with 23K 1 steerable pusher assembly (included w/ axle).	\$0	0#
3820048	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix RSD Use With 13.5K Axle	\$5,536	42#
3820050	1 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$5,536	42#
3820051	2 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$11,071	84#
3820052	3 Steerable Pusher Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$16,607	126#
3820083	1 Steerable Pusher Brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#
3820087	1 Steerable Pusher Brakes: Bendix RSD 16.5x6 in. Use with 20K axle.	\$82	0#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Steerable Pushers			
Brakes			
3820101	1 Steerable Pusher Brake: Meritor Q+ 16.5x6 in.; Use with 20K axle.	\$686	48#
3820211	1 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$374	0#
3820212	2 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$593	0#
3820213	3 Steerable Pusher Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$819	0#
Brake Drums			
3820500	1 Steerable Pusher Cast Brake Drums. 16.5X7 in. for use with 23K axle.	\$0	0#
3820501	1 Steerable Pusher Brake Drums 325x100 included with 8K axle 205mm BC.	\$0	0#
3820502	2 Steerable Pusher Brake Drums 325x100 included with 8K axle 205mm BC.	\$0	0#
3820503	3 Steerable Pusher Brake Drums 325x100 included with 8K axle 205mm BC.	\$0	0#
3820511	1 Steerable Pusher Brake Drums 325x100 included with 10K axle 275mm BC.	\$0	0#
3820512	2 Steerable Pusher Brake Drums 325X100 included with 10K axle 275mm BC.	\$0	0#
3820513	3 Steerable Pusher Brake Drums 325X100 included with 10K 275mm BC.	\$0	0#
3820523	1 Steerable Pusher Brake Drum 15x4 for Use With 13.5K axle.	\$0	0#
3820524	2 Steerable Pusher Brake Drum 15x4 for Use With 13.5K axle.	\$16	0#
3820525	3 Steerable Pusher Brake Drum 15x4 for use with 13.5K axle.	\$24	0#
3820533	1 Steerable Pusher Cast Brake Drums. 16.5X5 in. for use with 13.5K axle.	\$51	0#
3820562	1 Steerable Pusher Cast Brake Drums. 16.5X6 in. for use with 20K axle.	\$0	0#
Hubs			
3821003	1 Steerable Pusher Iron Hubs Included for 10K axle.	\$0	0#
3821004	2 Steerable Pusher Iron Hubs Included for 10K axle.	\$0	0#
3821005	3 Steerable Pusher Iron Hubs Included for 10K axle.	\$0	0#
3821112	1 Steerable Pusher Iron Hubs Included for 8K axle.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Steerable Pushers			
Hubs			
3821113	2 Steerable Pusher Iron Hubs Included for 8K axle.	\$0	0#
3821114	3 Steerable Pusher Iron Hubs Included for 8K axle.	\$0	0#
3821121	1 Steerable Pusher Hubs Aluminum Hub Pilot for use with 13.5K axle.	\$0	0#
3821122	2 Steerable Pusher Hubs Aluminum Hub Pilot for use with 13.5K axle.	\$0	0#
3821123	3 Steerable Pusher Hubs Aluminum Hub Pilot for use with 13.5K axle.	\$0	0#
3821152	1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$18	0#
3821153	1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	(\$323)	16#
3821156	1 Steerable Pusher Hubs Iron Hub Pilot 10-Hole 11-.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821157	1 Steerable Pusher Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$359	0#
Miscellaneous			
3825047	Steerable Pusher: Optional Dustshields.	\$85	6#
Pusher Axle Locations			
3841043	1st Pusher Location: 43 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841044	1st Pusher Location: 44 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841045	1st Pusher Location: 45 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841046	1st Pusher Location: 46 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841047	1st Pusher Location: 47 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841048	1st Pusher Location: 48 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841049	1st Pusher Location: 49 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841050	1st Pusher Location: 50 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841051	1st Pusher Location: 51 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841052	1st Pusher Location: 52 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841053	1st Pusher Location: 53 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841054	1st Pusher Location: 54 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841055	1st Pusher Location: 55 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841056	1st Pusher Location: 56 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841057	1st Pusher Location: 57 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841058	1st Pusher Location: 58 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841059	1st Pusher Location: 59 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841060	1st Pusher Location: 60 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841061	1st Pusher Location: 61 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841062	1st Pusher Location: 62 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841063	1st Pusher Location: 63 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841064	1st Pusher Location: 64 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841065	1st Pusher Location: 65 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841066	1st Pusher Location: 66 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841067	1st Pusher Location: 67 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841068	1st Pusher Location: 68 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841069	1st Pusher Location: 69 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841070	1st Pusher Location: 70 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841071	1st Pusher Location: 71 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841072	1st Pusher Location: 72 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841073	1st Pusher Location: 73 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841074	1st Pusher Location: 74 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841075	1st Pusher Location: 75 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841076	1st Pusher Location: 76 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841077	1st Pusher Location: 77 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841078	1st Pusher Location: 78 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841079	1st Pusher Location: 79 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841080	1st Pusher Location: 80 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841081	1st Pusher Location: 81 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841082	1st Pusher Location: 82 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841083	1st Pusher Location: 83 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841084	1st Pusher Location: 84 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841085	1st Pusher Location: 85 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841086	1st Pusher Location: 86 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841089	1st Pusher Location: 89 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841090	1st Pusher Location: 90 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841091	1st Pusher Location: 91 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841092	1st Pusher Location: 92 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841093	1st Pusher Location: 93 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841094	1st Pusher Location: 94 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841095	1st Pusher Location: 95 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841096	1st Pusher Location: 96 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841097	1st Pusher Location: 97 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841098	1st Pusher Location: 98 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841099	1st Pusher Location: 99 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841100	1st Pusher Location: 100 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841101	1st Pusher Location: 101 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841102	1st Pusher Location: 102 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841103	1st Pusher Location: 103 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841104	1st Pusher Location: 104 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841105	1st Pusher Location: 105 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841106	1st Pusher Location: 106 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841107	1st Pusher Location: 107 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841108	1st Pusher Location: 108 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841109	1st Pusher Location: 109 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841110	1st Pusher Location: 110 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841112	1st Pusher Location: 112 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841113	1st Pusher Location: 113 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841114	1st Pusher Location: 114 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841115	1st Pusher Location: 115 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841116	1st Pusher Location: 116 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841118	1st Pusher Location: 118 in. From C/I Forward forward rear/single rear axle.	\$0	0#
3841119	1st Pusher Location: 119 in. From C/I Forward forward rear/single rear axle.	\$0	0#
3841121	1st Pusher Location: 121 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841122	1st Pusher Location: 122 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841123	1st Pusher Location: 123 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3841124	1st Pusher Location: 124 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841129	1st Pusher Location: 129 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841130	1st Pusher Location: 130 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841136	1st Pusher Location: 136 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841137	1st Pusher Location: 137 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841147	1st Pusher Location: 147 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841148	1st Pusher Location: 149 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841150	2nd Pusher Location: 85.5 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841154	1st Pusher Location: 154 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841156	1st Pusher Location: 156 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841165	1st Pusher Location: 165 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841202	1st Pusher Location: 202 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841209	1st Pusher Location: 209 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841235	1st Pusher Location: 235 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3841240	1st Pusher Location: 240 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842083	2nd Pusher Location: 83 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842084	2nd Pusher Location: 84 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842085	2nd Pusher Location: 85 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842086	2nd Pusher Location: 86 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842087	2nd Pusher Location: 87 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842088	2nd Pusher Location: 88 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842089	2nd Pusher Location: 89 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3842090	2nd Pusher Location: 90 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842091	2nd Pusher Location: 91 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842092	2nd Pusher Location: 92 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842093	2nd Pusher Location: 93 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842094	2nd Pusher Location: 94 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842095	2nd Pusher Location: 95 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842096	2nd Pusher Location: 96 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842097	2nd Pusher Location: 97 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842098	2nd Pusher Location: 98 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842099	2nd Pusher Location: 99 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842100	2nd Pusher Location: 100 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842101	2nd Pusher Location: 101 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842102	2nd Pusher Location: 102 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842103	2nd Pusher Location: 103 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842104	2nd Pusher Location: 104 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842105	2nd Pusher Location: 105 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842106	2nd Pusher Location: 106 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842107	2nd Pusher Location: 107 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842108	2nd Pusher Location: 108 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842109	2nd Pusher Location: 109 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842110	2nd Pusher Location: 110 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842111	2nd Pusher Location: 111 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3842115	2nd Pusher Location: 115 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842127	2nd Pusher Location: 127 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842128	2nd Pusher Location: 128 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842132	2nd Pusher Location: 132 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842135	2nd Pusher Location: 135 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842136	2nd Pusher Location: 136 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842154	2nd Pusher Location: 154 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842156	2nd Pusher Location: 156 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842211	2nd Pusher Location: 211 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3842233	2nd Pusher Location: 233 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843121	3rd Pusher Location: 121 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843122	3rd Pusher Location: 122 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843123	3rd Pusher Location: 123 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843124	3rd Pusher Location: 124 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843125	3rd Pusher Location: 125 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843126	3rd Pusher Location: 126 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843127	3rd Pusher Location: 127 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843128	3rd Pusher Location: 128 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843129	3rd Pusher Location: 129 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843130	3rd Pusher Location: 130 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843131	3rd Pusher Location: 131 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843133	3rd Pusher Location: 133 in. From C/I Forward tandem axle or single rear axle.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Pusher Axles			
Pusher Axle Locations			
3843135	3rd Pusher location: 135in. from c/l forward tandem axle or single rear axle.	\$0	0#
3843138	3rd Pusher location: 138in. from c/l forward tandem axle or single rear axle.	\$0	0#
3843140	3rd Pusher Location: 140 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843144	3rd Pusher Location: 144 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843146	3rd Pusher Location: 146 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843148	3rd Pusher Location: 148 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843150	3rd Pusher Location: 150 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843152	3rd Pusher Location: 152 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843154	3rd Pusher Location: 154 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843156	3rd Pusher Location: 156 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843158	3rd Pusher Location: 158 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843160	3rd Pusher Location: 160 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
3843169	3rd Pusher Location: 169 in. From C/I Forward tandem axle or single rear axle.	\$0	0#
Tag Axles			
Non-Steerable Tags			
Suspensions			
3818025	Non-Steerable Tag Axle: Watson Chalin AL2200 23K Standard track.	\$15,318	2,296#
Brakes			
3820349	16.5x7 in. Bendix Non-RSD Brakes for Use With 21K or 23K non-steerable tag assembly (included w/ axle).	\$0	0#
3820365	16.5x7 in. Meritor Non-RSD Brakes for Use With 21K or 23K non-steerable tag assembly (included w/ axle).	\$0	0#
Brake Drums			
3820699	Cast Brake Drums 16.5x7 for Non-Steerable 21K or 23K tag axle.	\$0	0#

Hubs



T880: REAR AXLE

Option	Description	Price	Weight
Tag Axles			
Non-Steerable Tags			
Hubs			
3821708	Non-Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$0	0#
3821709	Non-Steerable Tag Hubs Aluminum Hub Pilot 10-hole 11.25 in. bolt circle for use with 21K or 23K axle.	\$625	0#
Miscellaneous			
3825009	Non-Steerable Tag: Optional Dustshields.	\$56	2#
Steerable Tags			
Suspensions			
3818027	1 Steerable Tag: Watson Chalin Tru Track 23K SL2200 includes axle.	\$29,616	1,594#
3818124	1 Steerable Tag: Watson Chalin 10K SL10	\$15,135	962#
3818131	1 Steerable Tag: Watson-Chalin 13.5K SL13	\$15,675	1,245#
3818211	1 Steerable Tag: Watson Chalin 8K SL08	\$15,053	941#
3818802	1 Steerable Tag: Watson Chalin Tru Track 20K; SL2065	\$17,443	2,083#
Brakes			
3820030	1 Steerable Tag Brakes: Non-RSD 325x100 Use with 8K OR 10K axle.	\$0	0#
3820039	1 Steerable Tag Brakes: Bendix Non-RSD15X4 Use with 13.5K axle.	\$0	0#
3820043	1 Steerable Tag Brakes: 16.5x7 in. Bendix Non-RSD brakes for use with 23K 1 steerable tag assembly (included w/ axle)	\$0	0#
3820046	1 Steerable Tag Brakes: 16.5x7 in. Meritor Non-RSD brakes for use with 23K 1 steerable tag assembly (included w/ axle).	\$0	0#
3820053	1 Steerable Tag Disc Brakes And Splined Rotor: Bendix Non-RSD Use With 13.5K Axle	\$5,536	42#
3820084	1 Steerable Tag Brakes: Bendix Non-RSD 16.5x6 in.; Use with 20K axle.	\$0	0#
3820102	1 Steerable Tag Brake: Meritor Q+ 16.5x6 in.; Use with 20K axle.	\$686	48#
3820214	1 Steerable Tag Brakes: Meritor Non-RSD15X4 Use with 13.5K axle.	\$374	0#
Brake Drums			
3820504	1 Steerable Tag Brake Drums 325X100 included with 8K axle 205mm BC.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Tag Axles			
Steerable Tags			
Brake Drums			
3820508	1 Steerable Tag Cast Brake Drums. 16.5X7 in. for use with 23K axle.	\$0	0#
3820514	1 Steerable Tag Brake Drums 325X100 included with 10K axle 275mm BC.	\$0	0#
3820526	1 Steerable Tag Cast Drum 15x4 for Use With 13.5K axle.	\$0	0#
3820563	1 Steerable Tag Brake Drums. 16.5X6 in. for use with 20K axle.	\$0	0#
Hubs			
3821009	1 Steerable Tag Iron Hubs Included for 10K axle 8-bolt	\$0	0#
3821116	1 Steerable Tag Iron Hubs Included for 8K axle 6-bolt	\$0	0#
3821124	1 Steerable Tag Hubs Aluminum Hub Pilot 10-Bolt for use with 13.5K axle.	\$0	0#
3821154	1 Steerable Tag Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	\$51	0#
3821155	1 Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 20K axle.	(\$535)	16#
3821158	1 Steerable Tag Hubs Iron Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$0	0#
3821159	1 Steerable Tag Hubs Alum Hub Pilot 10-Hole 11.25 in. bolt circle. For use with 23K axle.	\$359	0#
Miscellaneous			
3825070	Steerable Tag: Optional Dustshields.	\$85	6#
3827220	Locking Tag Kit: Required W/ Multiple Axles.	\$639	30#
Tag Axle Locations			
3844052	Tag Location: 52 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844053	Tag Location: 53 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844054	Tag Location: 54 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844055	Tag Location: 55 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844056	Tag Location: 56 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844057	Tag Location: 57 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844058	Tag Location: 58 in. From C/I of Rearmost Axle or single rear XL	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Tag Axles			
Tag Axle Locations			
3844059	Tag Location: 59 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844060	Tag Location: 60 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844061	Tag Location: 61 in. From C/I of Rearmost Axle single rear axle.	\$0	0#
3844062	Tag Location: 62 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844063	Tag Location: 63 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844064	Tag Location: 64 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844065	Tag Location: 65 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844066	Tag Location: 66 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844067	Tag Location: 67 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844068	Tag Location: 68 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844069	Tag Location: 69 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844070	Tag Location: 70 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844071	Tag Location: 71 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844072	Tag Location: 72 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844073	Tag Location: 73 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844074	Tag Location: 74 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844075	Tag Location: 75 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844076	Tag Location: 76 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844077	Tag Location: 77 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844080	Tag Location: 80 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844081	Tag Location: 81 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844082	Tag Location: 82 in. From C/I Rear Rear or single rear axle.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Tag Axles

Tag Axle Locations

3844083	Tag Location: 83 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844085	Tag Location: 85 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844089	Tag Location: 89 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844096	Tag Location: 96 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844101	Tag Location:101 in. From C/I Rear Rear or single rear axle.	\$0	0#
3844109	Tag Location:109 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#
3844132	Tag Location:132 in. From C/I of Rearmost Axle or single rear axle.	\$0	0#

Customer-Installed Lift Axles

Kenworth-Offered Lift Axles

Customer-Installed Information Codes

3840111	Customer-Installed: Steerable Pusher Information. Watson Chalin 8K SL08	\$0	0#
3840124	Customer-Installed: Steerable Pusher Information. Watson Chalin 10K SL10	\$0	0#
3840127	Customer-Installed: Steerable Pusher Information. Watson Chalin 23K SL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840128	Customer-Installed: Steerable Tag Information. Watson Chalin 23K SL2200. The rail will be drilled for the installation.	\$0	0#
3840218	Customer-Installed: Steerable Pusher Information. Watson Chalin 20K SL2065. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840219	Customer-Installed: Non-Steerable Pusher information. Watson Chalin AL2200. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will be drilled for the installation. Clearances and design are based upon the Kenworth standard tire and a location code.	\$0	0#
3840220	Customer-Installed: Non-Steerable Tag information. Watson Chalin AL2200. The rail will be drilled for the installation.	\$0	0#
3840231	Customer-Installed: Steerable Pusher Information. Watson Chalin 13.5K SL13	\$0	0#

Clear Frame Request



T880: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Customer-Installed Lift Axles

Kenworth-Offered Lift Axles

Clear Frame Request

3840005	Clear Frame: For 1 Customer-Installed Steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,348	0#
3840010	Clear Frame for 2 Customer-Installed Steerable Kenworth offered pusher axles. Type and axle spacing required.	\$1,348	0#
3840015	Clear Frame: For 3 Customer-Installed Steerable Kenworth offered pusher axles. Type and axle spacing required.	\$1,548	0#
3840020	Clear Frame: For 1 Customer-Installed non-steerable Kenworth offered pusher axle. Kenworth will provide frame and driveline layout the same as for a factory installed axle. The rail will not be drilled for the installation. Clearances and design are based upon the Kenworth standard tire, the selected lift axle type, and a location code. Type and axle spacing required.	\$1,348	0#

Non-Kenworth-Offered Lift Axles

Clear Frame Request

3840300	Clear Frame: For 1 Customer-Installed non-Kenworth offered steerable pusher. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,348	0#
3840305	Clear Frame: For 2 Customer-Installed Steerable non-Kenworth offered pusher. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,348	0#
3840310	Clear Frame: For 3 Customer-Installed Steerable non-Kenworth offered pushers. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,548	0#
3840350	Clear Frame: For 1 Customer-Installed Non steerable, non-Kenworth offered pusher. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate, centerbearing and forward suspension crossmembers may be located within the clear frame area. The driveline will be installed as if there were no lift axle on the truck. The lift axle installer must address any driveline clearance issues.	\$1,348	0#
3840400	Clear Frame: For 1 Customer-Installed Steerable non-Kenworth offered tag axle. Kenworth will provide clear frame 34 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,348	0#
3840411	Clear Frame: For 1 Customer-Installed non-steerable, non-Kenworth offered tag axle. Kenworth will provide clear frame 29 inches ahead and 24 inches behind the coded location. Intermediate and suspension crossmembers may be located within the clear frame area.	\$1,348	0#

Air System For Customer-Installed Lift Axles



T880: REAR AXLE

Option	Description	Price	Weight
Customer-Installed Lift Axles			
Air System For Customer-Installed Lift Axles			
3828801	Kenworth-Installed: Air System & Controls for 1 customer-installed lift axle. Must Code 38283XX Location.	\$1,385	68#
3828802	Kenworth-Installed: Air System & Controls for 2 customer-installed lift axles. Must Code 38283XX Location.	\$2,768	136#
3828803	Kenworth-Installed: Air System & Controls for 3 customer-installed lift axles. Must Code 38283XX Location.	\$4,139	204#
Lift Axle Capacity			
3840628	Customer-Installed Steerable Tag Information: maximum capacity 23K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840708	Customer-Installed Steerable Tag Information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840709	Customer-Installed Steerable Tag Information: Maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840710	Customer-Installed Steerable Tag Information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840712	Customer-Installed Steerable Tag Information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840713	Customer-Installed Steerable Tag Information: Maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840718	Customer-Installed Steerable Tag Information: Maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840720	Customer-Installed Steerable Tag Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840721	Customer-Installed Non-Steerable Tag Information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3840722	Customer-Installed Non-Steerable Tag Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#



T880: REAR AXLE

Option	Description	Price	Weight
Customer-Installed Lift Axles			
Lift Axle Capacity			
3840723	Customer-Installed Non-Steerable Tag Information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single tag installation.	\$0	0#
3860608	Customer-Installed Steerable Pusher Information: maximum capacity 8K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860609	Customer-Installed Steerable Pusher Information: maximum capacity 9K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860610	Customer-Installed Steerable Pusher Information: maximum capacity 10K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860612	Customer-Installed Steerable Pusher Information: maximum capacity 12K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860613	Customer-Installed Steerable Pusher Information: maximum capacity 13.2K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860618	Customer-Installed Steerable Pusher Information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860620	Customer-Installed Steerable Pusher Information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860621	Customer-Installed Non-Steerable Pusher information: maximum capacity 18K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles, enter a capacity which represents a single pusher installation.	\$0	0#
3860622	Customer-Installed Non-Steerable Pusher information: maximum capacity 20K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860623	Customer-Installed Non-Steerable Pusher information: maximum capacity 22K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#
3860627	Customer-Installed Steerable Pusher Information: maximum capacity 23K. Rating defined by dealer/customer. To be assessed during frame strength evaluation only. If the coded intention is multiple lift axles enter a capacity which represents a single pusher installation.	\$0	0#

Lift Axle Control Locations



T880: REAR AXLE

Option	Description	Price	Weight
Lift Axle Control Locations			
3828331	Pusher or Tag: Gauge/ Switch and Pressure regulator dash-mounted. Reduces gauge count by 7 (1-gauge, 6-regulator mounting panel)	\$0	0#
3828332	Pusher or Tag: Gauge Dash-Mounted; Switch, pressure regulator and gauge mounted BOC lower LH side.	\$0	0#
3828333	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted BOC lower LH side.	\$0	0#
3828334	Pusher or Tag: Gauge/ Switch Dash-Mounted, Gauge LH drivers seat, regulator under driver door.	\$0	0#
3828335	Pusher or Tag: Gauge, Switch & Pressure Regulator mounted BOC lower LH side.	\$0	0#
3828336	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator tie-strapped to rail.	\$0	0#
3828337	Pusher or Tag: Gauge Dash-Mounted; Gauge LH of driver's seat, switch/pressure regulator under driver's door.	\$0	0#
3828339	Pusher or Tag: Gauge/ Switch Dash-Mounted; Gauge and pressure regulator mounted left of driver.	\$0	0#
3828370	Info for Cust.Inst. Controls for C/I Pusher/ Tag: (Regulator installed inside of cab)	\$0	0#
3828371	Info for Cust.Inst. Controls for C/I Pusher/ Tag: (Regulator installed outside of cab)	\$0	0#
3828401	Pusher: Gauge Digital Display Single Pusher 1	\$0	0#
3828402	Pusher: Gauge Digital Display Single Pusher 2	\$0	0#
3828403	Pusher: Gauge Digital Display Single Pusher 3	\$0	0#
3828410	Single Set of Controls for All Lift Axles; must code for pusher control location.	\$0	0#
3828411	Pusher: Gauge Digital Display Tag	\$0	0#



T880: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3630023	Rear suspension: Single Kenworth Airglide 230 23K 4-bag air suspension w/10.5 in. ride height. Includes shocks and torque rods. Includes air suspension dump valve.	(\$3,828)	-479#
3632270	Rear suspension: single Hendrickson HAS230 23K. W/aluminum crossmembers & gussets. Air suspension w/10 in. height. Maximum torque is 1350 lb-ft. Includes air suspension dump valve.	(\$5,554)	-449#
3636480	Rear suspension: single Reyco 79KB taperleaf 23K. Steel crossmembers & gussets, Kenworth longlife spring w/helper. Unladen Height: 11.0 in. Laden Height: 9.3 in. Not available with shocks or swaybars.	(\$5,619)	-298#
3654030	Rear suspension: single Neway ADZ126 26K. air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	(\$1,615)	-324#
3666434	Rear suspension: single Reyco 79KB multileaf 31K with 16 leaf springs. Not rear air disc brake compatible.	(\$4,110)	-146#
Tandem			
40K & Under			
Kenworth			
3730022	Rear suspension: Tandem KW Airglide 400L 6.5 in. height 40K. 52 in. axle spacing. Low ride height air suspension. Includes single leveling valve. Includes air suspension dump valve.	(\$2,072)	-108#
3730026	Rear suspension: Tandem Kenworth Airglide 400L 40K. 54 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	(\$2,203)	-108#
3730028	Rear suspension: Tandem Kenworth Airglide 400L 40K. 52 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	(\$2,203)	-108#
3730030	Rear suspension: Tandem Kenworth Airglide 400 40K 52 in. axle spacing. Air suspension w/ 9 in. ride height. Includes air suspension dump valve.	(\$59)	-136#
3730032	Rear suspension: Tandem Kenworth Airglide 400 40K 54 in. axle spacing. Air suspension w/ 9 in. ride height. Includes air suspension dump valve.	(\$32)	-134#
3730053	Rear suspension: Tandem Kenworth Airglide 380 38K 52 in. axle spacing. Air suspension with 8.5 in. ride height. Includes single leveling valve and air suspension dump valve. Compatible with drum or air disc brakes.	(\$716)	-212#
Reyco			
3726405	Rear suspension: Tandem Reyco 102 38K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.	(\$2,025)	116#
3736418	Rear suspension: Tandem Reyco 102 40K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.	(\$2,025)	116#

Chalmers



T880: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
40K & Under			
Chalmers			
3739204	Rear suspension: Tandem Chalmers 854-40-H 40K. 54 in. axle spacing. Standard restrictor can.	\$2,009	96#
3739205	Rear suspension: Tandem Chalmers 854-40-L 40K. 54 in. axle spacing. Laden height 8.9 inches, unladen height 11.1 inches. Standard restrictor can.	\$2,009	96#
3739207	Rear suspension: Tandem Chalmers 854-40-H-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.4 in. Laden Height: 10.9 in.	\$2,009	96#
3739208	Rear suspension: Tandem Chalmers 854-40-L-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.1 in. Laden Height: 9.6 in.	\$2,009	96#
3739214	Rear suspension: Tandem Chalmers 854-40-H-SR 40K. 54 in. axle spacing. Soft ride restrictor can.	\$2,274	96#
3739217	Rear suspension: Tandem Chalmers 854-40-L-SR 40K. 54 in. axle spacing. Soft ride restrictor can.	\$2,274	96#
Hendrickson			
3732105	Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing. Aluminum crossmember & gussets w/shocks at 10 in. height. Includes air suspension dump valve.	(\$195)	84#
3732975	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 15.5 in. saddle height. With shocks. Unladen Height: 10.5 in. Laden Height: 8.5 in.	\$85	166#
3732976	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 16.5 in. saddle height. With shocks. Unladen Height: 11.5 in. Laden Height: 9.5 in.	\$81	147#
3732977	Tandem Hendrickson HAULMAAX EX (HMX) 400 40K. 54 in. axle spacing, 17.5 in. saddle height. With shocks. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$262	153#
44K to 52K			
Kenworth			
3740130	Rear suspension: Tandem Kenworth Airglide 460 46K 54 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	STD	0#
3740132	Rear suspension: Tandem Kenworth Airglide 460 46K 60 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	\$2,049	128#
Chalmers			
3749201	Rear suspension: Tandem Chalmers 854-46-L 46K. 54 in. axle spacing. Unladen Height: 11.3 in. Laden Height: 8.9 in. Standard restrictor can.	\$3,650	226#
3749203	Rear suspension: Tandem Chalmers 854-46-L-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$3,650	226#
3749204	Rear suspension: Tandem Chalmers 854-46-H-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$3,682	226#



T880: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
44K to 52K			
Chalmers			
3749206	Rear suspension: Tandem Chalmers 854-46-XXH-HS 46K. 54 in. axle spacing. High center of gravity application. Extra extra high. Unladen Height: 17.3 in. Laden Height: 15.6 in.	\$7,136	396#
3749209	Rear suspension: Tandem Chalmers 854-46-H 46K. 54 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$3,682	226#
3749210	Rear suspension: Tandem Chalmers 854-50-H 50K. 54 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$4,982	291#
3749214	Rear suspension: Tandem Chalmers 854-46-L-SR 46K. 54 in axle spacing. Soft ride restrictor can.	\$3,860	226#
3749216	Rear suspension: Tandem Chalmers 854-46-XXXH-HS 46K. 54 in. axle spacing, extra-XX high. For use w/front drive axle only. High center of gravity application.	\$8,548	396#
3749217	Rear suspension: Tandem Chalmers 854-46-H-SR 46K. 54 in axle spacing. Soft ride restrictor can.	\$3,860	226#
3749267	Rear suspension: Tandem Chalmers 872-46-H-HS 46K. 72 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 11 in.	\$5,995	346#
3749268	Rear suspension: Tandem Chalmers 860-46-H-HS 46K. 60 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$4,188	276#
3749271	Rear suspension: Tandem Chalmers 860-46-H 46K. 60 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.1 in. Standard restrictor can.	\$4,188	276#
3749273	Rear suspension: Tandem Chalmers 854-50-L 50K. 54 in. axle spacing. Unladen Height: 11.3 in. Laden Height: 8.9 in. Standard restrictor can.	\$5,048	291#
3749278	Rear suspension: Tandem Chalmers 854-50-L-HS 50K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$5,048	291#
3749280	Rear suspension: Tandem Chalmers 854-50-H-HS 50K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$4,982	291#
3749286	Rear suspension: Tandem Chalmers 854-52-H-HS 52K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.5 in. Laden Height: 10.9 in.	\$5,018	291#
3749287	Rear suspension: Tandem Chalmers 854-52-L-HS 52K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$5,018	291#
3749296	Rear suspension: Tandem Chalmers 860-52-XXXH 52K. 60 in. axle spacing. Extra-XX high. For use w/front drive axles only. Unladen height: 19.1 in. Laden height: 17.1 in. Standard restrictor can.	\$10,906	549#
3749305	Rear suspension: Tandem Chalmers 860-52-H 52K. 60 in. axle spacing. Unladen Height: 12.5 in. Laden Height: 10.9 in. Standard restrictor can.	\$8,698	324#

Hendrickson



T880: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
44K to 52K			
Hendrickson			
3742020	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 54 in. axle spacing. 10 in. ride height.	\$3,337	202#
3742025	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 60 in. axle spacing. 10 in. ride height.	\$3,400	202#
3742030	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 72 in. axle spacing. 10 in. ride height.	\$3,725	202#
3742939	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 15.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 10.5 in. Laden Height: 8.5 in.	\$1,177	155#
3742940	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 16.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 11.5 in. Laden Height: 9.5 in.	\$1,171	155#
3742941	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$1,353	161#
3742942	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 54 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 13.5 in. Laden Height: 11.5 in.	\$1,507	161#
3742947	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 60 in. axle spacing. 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.5 in. Laden Height: 10.5 in.	\$2,004	161#
3742948	Tandem Hendrickson HAULMAAX EX (HMX) 460 46K. 60 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 13.5 in. Laden Height: 11.5 in.	\$2,159	161#
3742992	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 54 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$6,882	514#
3742993	Rear susp: Tandem Hendrickson ULTIMAAX 460 HD 46K, 54 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers. With HD progressive springs.	\$6,977	514#
3742994	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 54 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$6,882	514#
3742995	Rear susp: Tandem Hendrickson ULTIMAAX 460 HD 46K, 54 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers. With HD progressive springs.	\$6,977	514#
3742996	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 60 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$7,223	524#
3742997	Rear susp: Tandem Hendrickson ULTIMAAX 460 HD 46K, 60 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers. With HD progressive springs.	\$7,319	524#
3742998	Rear suspension: Tandem Hendrickson ULTIMAAX 460 46K, 60 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$7,223	524#



T880: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
44K to 52K			
Hendrickson			
3743000	Rear susp: Tandem Hendrickson ULTIMAAX 460 HD 46K, 60 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers. With HD progressive springs.	\$7,319	524#
3747455	Rear suspension: Tandem Hendrickson RT463 46K. 52 in. axle spacing. Steel beams & barpin bushing. 6 in. saddle height. Unladen Height: 11.1 in. Laden Height: 10 in.	\$854	691#
3747460	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 6 in. saddle height. Unladen Height: 11.1 in. Laden Height: 10 in.	\$1,024	689#
3747461	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 7.19 in. saddle height. Unladen Height: 12.5 in. Laden Height: 11.2 in.	\$1,085	689#
3747462	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. 7.94 in. saddle height. Steel beams & barpin bushing. Unladen Height: 13.3 in. Laden Height: 11.9 in.	\$3,834	689#
3747465	Rear suspension: Tandem Hendrickson RT463 46K. 60 in. axle spacing. 6.0 in. saddle height. Steel beams & barpin bushing. Standard w/ track rods. Unladen Height: 11.1 in. Laden Height: 10 in.	\$1,460	837#
3752020	Rear suspension: Tandem Hendrickson Primaax EX522 52K. Steel crossmember & gussets. 54 in. axle spacing. 10 in. ride height.	\$4,082	431#
3752940	Tandem Hendrickson HAULMAAX EX (HMX) 520 52K. 54 in. axle spacing, 16.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 10.0 in. Laden Height: 9.5 in.	\$3,319	185#
3752941	Tandem Hendrickson HAULMAAX EX (HMX) 520 52K. 54 in. axle spacing, 17.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 11.0 in. Laden Height: 10.5 in.	\$3,495	192#
3752942	Tandem Hendrickson HAULMAAX EX (HMX) 520 52K. 54 in. axle spacing, 18.5 in. saddle height. With shocks, track rods and rubber bolster bushings. Unladen Height: 12.0 in. Laden Height: 11.5 in.	\$3,749	192#
3752992	Rear suspension: Tandem Hendrickson ULTIMAAX 520 52K, 54 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$6,803	514#
3752993	Rear susp: Tandem Hendrickson ULTIMAAX 520 HD 52K, 54 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers. With HD progressive springs.	\$7,040	514#
3752994	Rear suspension: Tandem Hendrickson ULTIMAAX 520 52K, 54 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$7,019	514#
3752995	Rear susp: Tandem Hendrickson ULTIMAAX 520 HD 52K, 54 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers. With HD progressive springs.	\$7,048	514#
3752996	Rear suspension: Tandem Hendrickson ULTIMAAX 520 52K, 60 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers.	\$7,186	524#
3752997	Rear susp: Tandem Hendrickson ULTIMAAX 520 HD 52K, 60 in. axle spacing, 17.50 in. saddle height. Includes shock absorbers. With HD progressive springs.	\$7,423	524#



T880: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
44K to 52K			
Hendrickson			
3752998	Rear suspension: Tandem Hendrickson ULTIMAAX 520 52K, 60 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers.	\$7,402	524#
3753000	Rear susp: Tandem Hendrickson ULTIMAAX 520 HD 52K, 60 in. axle spacing, 18.25 in. saddle height. Includes shock absorbers. With HD progressive springs.	\$7,402	524#
Neway			
3744150	Rear suspension: Tandem Neway ADZ246 46K. 54 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$4,584	226#
3744152	Rear suspension: Tandem Neway ADZ246 46K. 60 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$4,584	226#
3744154	Rear suspension: Tandem Neway ADZ246 46K. 72 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve and cast brake spiders.	\$4,735	281#
3744156	Rear suspension: Tandem Neway ADZ246 46K. 54 in. axle spacing. Air suspension w/ 12 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$6,587	359#
3754150	Rear suspension: Tandem Neway ADZ252 52K. 54 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$7,544	301#
3754152	Rear suspension: Tandem Neway ADZ252 52K. 60 in. axle spacing. Air suspension w/ 10 in. ride height. Includes air suspension dump valve, single leveling valve & cast brake spiders.	\$7,553	437#
3754153	Rear suspension: Tandem Neway ADZ252 52K. 54 in. axle spacing. Air suspension w/ 12 in. ride height & single leveling valve. Includes air suspension dump valve.	\$8,678	392#
3754154	Rear suspension: Tandem Neway ADZ252 52K. 60 in. axle spacing. Air suspension w/ 12 in. ride height & single leveling valve. Includes air suspension dump valve.	\$8,678	392#
56K & Over			
3769010	Rear suspension: Tandem Link AL650 65K, 60 in. axle spacing. Air suspension with 12 in. ride height.	\$43,591	429#
Chalmers			
3749298	Rear suspension: Tandem Chalmers 860-56-XXXH-HS 56K. 60 in. axle spacing. Extra-extra-extra high. High center of gravity application. For use with front drive axle only.	\$10,511	549#
3769259	Rear suspension: Tandem Chalmers 860-65-XL 65K. 60 in. axle spacing. Unladen Height: 15.2 in. Laden Height: 13 in. Standard restrictor can.	\$24,869	1,131#
3769260	Rear suspension: Tandem Chalmers 860-65-XL 65K. 60 in. axle spacing. Unladen Height: 13.2 in. Laden Height: 11 in. Standard restrictor can.	\$39,040	1,031#

Hendrickson



T880: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
56K & Over			
Hendrickson			
3753013	Rear suspension: Tandem Hendrickson ULTIMAAX 60K 60 in. axle spacing, 19.25 in. saddle height. Use with Meritor RT58 or Dana D60 axles only. Includes shock absorbers.	\$31,303	779#
3753015	Rear suspension: Tandem Hendrickson ULTIMAAX 60K 56 in. axle spacing, 19.25 in. saddle height. Use with Meritor RT58 or Dana D60 axles only. Includes shock absorbers.	\$31,024	752#
3762053	Rear suspension: Tandem Hendrickson ULTIMAAX 70K 60 in. axle spacing, 20.25 in. saddle height, 12 in. ride height, V rods. P612 or P642 axles only. 6 in. end bushings.	\$34,033	779#
Neway			
3754130	Rear suspension: Tandem Neway AD260 60K. 60 in. axle spacing. High height air suspension, 12" ride height. Includes dual leveling valves.	\$58,482	1,354#
Tridem			
69K & Under			
3740170	Rear suspension: Tridem Kenworth Airglide 690 69K 54 in. axle spacing. Air suspension w/10.5 in. ride height. Includes air suspension dump valve.	\$7,771	128#
3750030	Rear suspension: Tridem Neway ADZ369 53K. 54 in. axle spacing. Air suspension w/10 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$12,726	813#
3750034	Rear suspension: Tridem Neway ADZ369 53K. 60 in. axle spacing. Air suspension w/12 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$15,006	1,013#
3752027	Rear suspension: Tridem Hendrickson Primaax EX692 53K. 54 in. axle spacing. Air suspension w/10 in. ride height. Steel crossmembers and gussets. Includes air suspension dump valve.	\$11,805	774#
3760030	Rear suspension: Tridem Neway ADZ369 69K. 54 in. axle spacing. Air suspension w/10 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$12,726	813#
3760032	Rear suspension: Tridem Neway ADZ369 69K. 54 in. axle spacing. Air suspension w/12 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$15,006	1,013#
3760034	Rear suspension: Tridem Neway ADZ369 69K. 60 in. axle spacing. Air suspension w/12 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$15,006	1,013#
3762020	Rear suspension: Tridem Hendrickson Primaax EX692 69K. 54 in. axle spacing. Air suspension with 10 in. ride height. Steel crossmembers and gussets. Includes air suspension dump valve.	\$11,235	774#
70K & Over			
3760036	Rear suspension: Tridem Neway ADZ378 78K. 54 in. axle spacing. Air suspension w/10 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$17,004	926#
3760038	Rear suspension: Tridem Neway ADZ378 78K. 60 in. axle spacing. Air suspension w/10 in. ride height w/ dual leveling valves. Includes air suspension dump valve & cast brake spiders.	\$17,004	926#



T880: REAR SUSPENSION

Option	Description	Price	Weight
Tridem			
70K & Over			
3760091	Rear suspension: Tridem Neway AD390 90K. 60 in. axle spacing. Thru-pin design. Air suspension w/12 in. ride height.	\$74,957	1,677#
Suspension Equipment			
3830510	Dual Leveling Valves for Tandem Air Suspension.	\$220	2#
3832001	Torque Rods for 46K PRIMAAAX EX Using Disc Brakes. Replacing standard.	\$564	23#
3832002	Torque Rods for 69K PRIMAAAX EX Using Disc Brakes. Replacing standard.	\$836	33#
3832004	Heavy-Duty Track Rods for Hendrickson Beam suspensions rated up to 46K or Neway AD tandem suspensions.	\$206	0#
3832008	Heavy-Duty Torque Rods for Hendrickson Beam. 46K and under suspensions.	\$426	15#
3832018	Delete Shock Absorbers: Hendrickson HAULMAAX EX rear suspension.	(\$398)	-30#
3832020	Edge Kit for HAS Single or Tandem Rear Suspension	\$147	10#
3832021	Delete Shock Absorber for Hendrickson ULTIMAAX suspension.	(\$449)	-31#
3832026	Chalmers Shock Absorbers. 52K and Under suspension.	\$626	35#
3832072	Transverse Track Rods for Hendrickson RT/RTE suspensions w/52 or 54 in. axle spacing.	\$608	108#
3832098	Track Rods: Heavy Duty for Hendrickson Primaax EX tandem. Replaces standard duty track rods.	\$172	37#
3832099	Track Rods: Heavy Duty for Hendrickson Primaax EX tridem. Replaces standard duty track rods.	\$241	36#
3832105	Hendrickson TRAAX Track Rods. Replaces Standard track rods for Hendrickson HAULMAAX EX suspensions rated below 46K.	\$137	0#
3832161	Double Rebound Strap Kit: Hendrickson HAULMAAX EX rear suspension.	\$602	6#
3832164	Hendrickson Heavy-Duty High Articulation Kit for RS650 suspension.	\$1,089	2#
3834100	Air Retention Kit for Rear Suspension for Use w/ outriggers.	\$343	4#
3836500	Heavy-Duty Gussets for Forward Suspension crossmember on Airglide 400/460, Chalmers, or Hendrickson beam suspensions. This replaces the standard gussets.	\$142	12#
3839002	Air Suspension Over-Inflation Valve W/ Warning light to temporarily raise the frame.	\$316	0#



T880: REAR SUSPENSION

Option	Description	Price	Weight
Suspension Equipment			
3839140	Chalmers 40K Severe Service Upgrade. Use with Chalmers 8xx-40 series suspensions. Separate suspension code required.	\$878	16#
3839146	Chalmers 46K Severe Service Upgrade. Use with Chalmers 8xx-46 series suspensions. Separate suspension code required.	\$1,299	30#
3839152	Chalmers 52K Severe Service Upgrade. Use with Chalmers 8xx-52 series suspensions. Separate suspension code required.	\$3,581	87#
Suspension Miscellaneous			
3830145	Delete Standard Heavy-Duty Air Springs for Rear suspension.	(\$23)	-28#
3830152	Air Springs: Heavy-Duty for Airglide 460. Replaces standard duty air springs.	STD	0#
3830153	Air Springs: Heavy-Duty for Airglide 690. Replaces standard duty air springs.	\$97	42#
3839046	Heavy Duty Barpin Brackets for Tandem Hendrickson beam rear suspensions.	\$628	0#
3839503	Suspension Subframe: For Single Suspension with or without front drive axle.	\$7,451	410#
3839505	Suspension Subframe: For Tandem Suspension.	\$32,179	641#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tube Type			
Continental Front			
4080053	Front Tires: Continental HAC 3 385/65R22.5 20PR w/ pressure sensor included	STD	0#
Continental Rear			
4280053	Rear tires: Continental HAC 3 385/65R22.5 20PR 2-4	(\$1,027)	0#
Tubeless Type Standard Profile 22.5			
Apollo Front			
4080184	Front Tires: Apollo Enducombi RA 11R22.5 16PR	(\$1,246)	-122#
Apollo Rear			
4280184	Rear Tires: Apollo Enducombi RA 11R22.5 16PR	(\$549)	28#
4280193	Rear Tires: Apollo Enducombi RD CS 11R22.5 16PR	(\$361)	48#
4280194	Rear Tires: Apollo Enducombi RD CS 11R22.5 14PR	(\$506)	48#
Bridgestone Front			
4070045	Front Tires: Bridgestone R283S Ecopia 295/75R22.5 16PR	(\$1,347)	-144#
4070063	Front Tires: Bridgestone BR R213 ECOPIA 295/ 75R22.5 14PR	(\$1,259)	-76#
4070064	Front Tires: Bridgestone R213 ECOPIA 295/75R22.5 16PR	(\$1,238)	-76#
4070091	Front Tires: Bridgestone R213 Ecopia 11R22.5 14PR	(\$1,198)	0#
4070092	Front Tires: Bridgestone R213 Ecopia 11R22.5 16PR	(\$1,193)	-140#
4077546	Front tires: Bridgestone M870 425/65R22.5 20PR 44.9in. diameter, all position. On/Off highway. Wide-base tire. 20.76in SLR.	\$143	12#
4079058	Front tires: Bridgestone R268 Ecopia 11R22.5 14PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified.	(\$1,587)	128#
4079059	Front tires: Bridgestone R268 Ecopia 11R22.5 16PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	(\$1,170)	-126#
4079064	Front tires: Bridgestone R268 Ecopia 12R22.5 16PR 42.7in. diameter, Smartway certified. 19.9in. SLR.	(\$914)	-94#
Bridgestone Rear			
4270042	Rear Tires: Bridgestone M771 11R22.5 14PR	\$208	-10#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Bridgestone Rear			
4270043	Rear tires: Bridgestone M771 295/75R22.5 14PR	(\$236)	32#
4270063	Rear Tires: Bridgestone R213 ECOPIA 295/75R22.5 14PR	(\$575)	0#
4270064	Rear Tires: Bridgestone R213 ECOPIA 295/75R22.5 16PR	(\$541)	0#
4270091	Rear Tires: Bridgestone R213 Ecopia 11R22.5 14PR	(\$501)	4#
4270092	Rear Tires: Bridgestone R213 Ecopia 11R22.5 16PR	(\$496)	-22#
4277444	Rear tires: Bridgestone M726ELA 11R22.5 14PR	(\$118)	16#
4277487	Rear tires: Bridgestone M799 11R22.5 16PR. 42 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	(\$183)	-6#
4277513	Rear tires: Bridgestone M760 Ecopia 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$295)	16#
4277545	Rear Tires: Bridgestone M713 Ecopia 11R22.5 14PR. Code is priced per pair of tires.	(\$304)	14#
4278111	Rear tires: Bridgestone L320 11R22.5 16PR. 42.5 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$133	32#
4279058	Rear Tires: Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$890)	-10#
4279059	Rear Tires: Bridgestone R268 Ecopia 11R22.5 16PR 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	(\$473)	-8#
4279064	Rear Tires: Bridgestone R268 Ecopia 12R22.5 16PR 42.7in. diameter, Smartway certified. 19.9in. SLR.	(\$217)	24#
Continental Front			
4080023	Front tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	(\$883)	-140#
4080024	Front tires: Continental HSR2 SA 255/70R22.5 16PR	(\$1,476)	0#
4080034	Front tires: Continental Ecoplus HS3+11R22.5 16PR	(\$1,127)	-138#
4080047	Front tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	(\$896)	-114#
4080056	Front tires: Continental HSL3 295/75R22.5 14PR.	(\$1,397)	-152#
4080063	Front tires: Continental HSL3 11R22.5 14PR	(\$1,356)	-144#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Continental Front			
4080064	Front tires: Continental HSL3 11R22.5 16PR	(\$1,229)	-142#
4080065	Front Tires: Continental Ecoplus HS3+11R22.5 14PR	(\$1,182)	-142#
4080212	Front tires: Continental HSR3 295/75R22.5 14PR.	(\$1,003)	-130#
4080213	Front tires: Continental HSR3 295/75R22.5 16PR	(\$918)	-126#
4080214	Front tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	(\$992)	-130#
4080216	Front tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	(\$838)	-126#
4080217	Front tires: Continental HSR3 11R22.5 14PR	(\$946)	-118#
4080218	Front tires: Continental HSR3 11R22.5 16PR	(\$904)	-114#
4080219	Front tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	(\$786)	-118#
4080220	Front tires: Continental HSR3 12R22.5 16PR	(\$784)	-86#
4080221	Front tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.	(\$623)	-86#
Continental Rear			
4280009	Rear Tires: Continental HSL3 11R22.5 16PR. Includes pressure sensor.	(\$187)	10#
4280010	Rear tires: Continental HSR3 11R22.5 16PR. Includes pressure sensor.	(\$200)	36#
4280051	Rear tires: Continental HSL3 295/75 R22.5 16PR	(\$429)	2#
4280056	Rear tires: Continental HSL3 295/75R22.5 14PR. Code is priced per pair of tires.	(\$700)	0#
4280057	Rear tires: Continental HDR2+ 11R22.5 14PR	(\$545)	44#
4280058	Rear tires: Continental HDR2+ 11R22.5 16PR	(\$324)	46#
4280059	Rear tires: Continental HDR2+ 295/75R22.5 14PR	(\$562)	28#
4280060	Rear tires: Continental HDR2+ 295/75R22.5 16PR	(\$341)	28#
4280063	Rear tires: Continental HSL3 11R22.5 14PR	(\$660)	8#
4280064	Rear tires: Continental HSL3 11R22.5 16PR	(\$532)	10#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Continental Rear			
4280065	Rear Tires: Continental Ecoplus HS3+11R22.5 14PR	(\$486)	8#
4280080	Rear tires: Continental HDC3 11R22.5 16PR with pressure sensor included	STD	0#
4280081	Rear Tires: Continental HDL3 LTL 295/75R22.5 14 PR	(\$487)	14#
4280083	Rear tires: Continental Ecoplus HS3+11R22.5 16PR	(\$430)	14#
4280085	Rear Tires: Continental HSR2 SA 255/70R22.5 16PR	(\$1,476)	0#
4280103	Rear tires: Continental HDL3 LTL 11R22.5 14PR	(\$402)	26#
4280212	Rear tires: Continental HSR3 295/75R22.5 14PR.	(\$306)	20#
4280214	Rear tires: Continental HSR3 295/75R22.5 14PR. Includes pressure sensor.	(\$296)	20#
4280216	Rear tires: Continental HSR3 295/75R22.5 16PR. Includes pressure sensor.	(\$141)	24#
4280217	Rear tires: Continental HSR3 11R22.5 14PR	(\$249)	32#
4280218	Rear tires: Continental HSR3 11R22.5 16PR	(\$208)	36#
4280219	Rear tires: Continental HSR3 11R22.5 14PR. Includes pressure sensor.	(\$89)	32#
4280220	Rear tires: Continental HSR3 12R22.5 16PR	(\$88)	64#
4280221	Rear tires: Continental HSR3 12R22.5 16PR. Includes pressure sensor.	\$74	64#
4280942	Rear Tires: Continental HDL 3 ECO+ 295/75R22.5 14PR	(\$499)	-14#
4280943	Rear Tires: Continental HDL 3 ECO+ 295/75R22.5 16PR	(\$448)	-10#
4280946	Rear Tires: Continental HDL 3 ECO+ 11R22.5 14PR	(\$491)	-4#
Goodyear Front			
4030020	Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	(\$817)	-150#
4030024	Front Tires: Goodyear Endurance RSA 11R22.5 16PR	(\$837)	-138#
4038737	Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR	(\$822)	-148#
4038823	Front tires: Goodyear Endurance LHS 11R22.5 16PR	(\$822)	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Goodyear Rear			
4230024	Rear Tires: Goodyear Endurance RSA 11R22.5 16PR	(\$141)	15#
4230704	Rear Tires: Goodyear Endurance MSD 12R22.5 16PR 43.4" diameter, 20.4" SLR, CRR- 8.10	\$749	48#
4230712	Rear Tires: Goodyear Endurance MSD 11R22.5 16PR	\$595	16#
4230725	Rear Tires: Goodyear Endurance MSD 11R24.5 16PR	\$324	32#
4238001	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR	\$385	64#
4238003	Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR	\$813	84#
4238737	Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR	(\$125)	4#
4238740	Rear Tires: Goodyear Fuel Max RTD 11R22.5 16PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$76	30#
4238823	Rear Tires: Goodyear Endurance LHS 11R22.5 16PR	(\$125)	0#
4238860	Rear tires: Goodyear Endurance RSA 12R22.5 16PR	\$335	56#
4238866	Rear tires: Goodyear Endurance LHD 11R22.5 16PR	\$55	40#
Michelin Front			
4010004	Front Tires: Michelin X Works Z 12R22.5 16PR	\$131	-77#
4010136	Front Tires: Michelin X Line Energy Z 11R22.5 14P	(\$617)	9#
4010137	Front Tires: Michelin X Line Energy Z 11R22.5 16P	(\$594)	7#
4010148	Front Tires: Michelin X Multi Energy Z 2 295/75R22.5 16PR	(\$420)	-145#
4010149	Front Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	(\$313)	-135#
4010340	Front Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR.	\$166	52#
4017062	FR MN X MULTI Z2 11R22.5 14PR	(\$737)	0#
Michelin Rear			
4210004	Rear Tires: Michelin X Works Z 12R22.5 16PR	\$828	64#
4210055	Rear Tires: Michelin X Multi D+ 275/80R22.5 14PR	\$494	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Michelin Rear			
4210149	Rear Tires: Michelin X Multi Energy Z 2 11R22.5 16PR	\$383	17#
4210340	Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$863	52#
4217094	Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$436	38#
4217112	RR MN X MULTI Z2 11R22.5 14PR	(\$40)	0#
4217125	Rear tires: Michelin XDN2 12R22.5 16PR. 42.9in. Diameter. drive tire. 20 in. SLR. Code is priced per pair of tires.	\$681	68#
4217221	RR MN X LINE GRIP D 295/75R22.5 14PR	\$13	0#
4217225	Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$139	34#
4217235	RR MN X LINE GRIP D 11R22.5 14PR	\$337	0#
4217402	Rear tires: Michelin XDS2 11R22.5 16PR 41.9 in. diameter, drive. 19.6 in. SLR.DR. Code is priced per pair of tires.	\$833	46#
4217406	Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$622	42#
Yokohama Front			
4083242	Front Tires: Yokohama RY023 11R22.5 16PR	(\$1,616)	6#
4083282	Front Tires: Yokohama RY617 11R22.5 14PR	(\$1,684)	2#
Yokohama Rear			
4283242	Rear Tires: Yokohama RY023 11R22.5 16PR	(\$919)	6#
4283250	Rear Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$824)	18#
4283253	Rear Tires: Yokohama TY517 MC2 295/75R22.5 16PR	(\$764)	0#
4283261	Rear Tires: Yokohama 709ZL 11R22.5 14PR	(\$855)	32#
4283282	Rear Tires: Yokohama RY617 11R22.5 14PR	(\$987)	2#

Tubeless Type Standard Profile 24.5

Apollo Front



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Apollo Front			
4080193	Front Tires: Apollo EnduTrax MA 11R24.5 16PR	(\$815)	-88#
Apollo Rear			
4280203	Rear Tires: Apollo Enducombi RD CS 11R24.5 16PR	(\$158)	42#
4280204	Rear tires: Apollo Enducombi RD CS 11R24.5 14PR	(\$321)	40#
4280205	Rear tires: Apollo Enducombi RD OS 11R24.5 16PR	(\$158)	40#
4280206	Rear tires: Apollo Enducombi RD OS 11R24.5 14PR	(\$321)	40#
4280207	Rear tires: Apollo Endutrax MA 11R24.5 16PR	(\$118)	30#
Bridgestone Front			
4070636	Front Tires: Bridgestone R213 Ecopia 11R24.5 16PR	(\$991)	-132#
4071637	Front Tires: Bridgestone R213 Ecopia 11R24.5 14PR	(\$1,076)	-132#
4079060	Front tires: Bridgestone R268 Ecopia 11R24.5 14PR. 43.5 in. diameter all position. Side wall protector bar. 20.3 in. SLR.	(\$1,375)	-110#
4079062	Front tires: Bridgestone R268 Ecopia 11R24.5 16PR. 43.5 in. diameter all position. Side wall protector bar. 20.3 in. SLR.	(\$1,045)	-108#
Bridgestone Rear			
4277449	Rear Tires: Bridgestone M726ELA 11R24.5 16PR 44.2 in. diameter, highway drive tire. 20.6 in. SLR. Code is priced per pair of tires.	\$6	38#
4277456	Rear Tires: Bridgestone M726ELA 11R24.5 14PR. 44.2 in. diameter. Long haul or P & D drive tire. 20.6 in. SLR. Code is priced per pair of tires.	\$343	30#
4277491	Rear Tires: Bridgestone M799 11R24.5 16PR. 44 in. diameter, all position. 20.5 in. SLR. Code is priced per pair of tires.	\$1,095	24#
4277538	Rear Tires: Bridgestone M713 Ecopia 11R24.5 14PR. Code is priced per pair of tires.	(\$182)	32#
4278133	Rear tires: Bridgestone L320 11R24.5 16PR. 44.4 in. diameter, drive. 20.7 in. SLR. Code is priced per pair of tires.	\$774	58#
4279060	Rear Tires: Bridgestone R268 Ecopia 11R24.5 14PR 43.3 in. diameter all position. Side wall protector bar. 20.3 in. SLR. Code is priced per pair of tires.	(\$679)	8#
4279062	Rear Tires: Bridgestone R268 Ecopia 11R24.5 16PR 43.3 in. diameter all position. Side wall protector bar. 20.3 in. SLR.	(\$348)	10#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Continental Front			
4080084	Front tires: Continental HSC3 12R24.5 16PR. With pressure sensor included.	(\$446)	-54#
4080222	Front tires: Continental HSR3 11R24.5 16PR	(\$834)	-94#
4080223	Front tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.	(\$673)	-94#
Continental Rear			
4280084	Rear tires: Continental HSC3 12R24.5 16PR. With pressure sensor included.	\$251	98#
4280104	Rear tires: Continental HDL3 LTL 11R24.5 16PR	(\$326)	50#
4280222	Rear tires: Continental HSR3 11R24.5 16PR	(\$138)	56#
4280223	Rear tires: Continental HSR3 11R24.5 16PR. Includes pressure sensor.	\$24	56#
Goodyear Front			
4030022	Front Tires: Goodyear Fuel Max RSA 11R24.5 16PR	(\$703)	-130#
4038662	Front tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	(\$558)	34#
4038807	Front tires: Goodyear G751 MSA 11R24.5 16PR 44.0in. diameter. Steer/all position on/off highway tire. 20.7 SLR.	(\$202)	60#
4038827	Front tires: Goodyear Endurance LHS 11R24.5 16PR	(\$660)	16#
Goodyear Rear			
4230022	Rear Tires: Goodyear Fuel Max RSA 11R24.5 16PR	(\$7)	22#
4238002	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR	\$575	82#
4238675	Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$139	34#
4238700	Rear tires: Goodyear G182 RSD 11R24.5 16PR. 44.1 in. diameter. drive tire. 20.8 in. SLR. Code is priced per pair of tires	\$450	68#
4238807	Rear Tires: 2 Goodyear G751 MSA 11R24.5 16PR 44.0in. Diameter. Steer/All Position On/Off Highway Tire. 20.7 SLR.	\$495	60#
4238827	Rear tires: Goodyear Endurance LHS 11R24.5 16PR	\$37	16#
4238857	Rear tires: Goodyear Endurance LHD 11R24.5 14PR	\$142	55#
4238858	Rear tires: Goodyear Endurance LHD 11R24.5 16PR	\$225	52#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 24.5			
Michelin Front			
4010003	Front Tires: Michelin X Works Z 11R24.5 16PR	(\$50)	-99#
4010139	Front Tires: Michelin X Line Energy Z 11R24.5 16P	(\$366)	-126#
4017157	Front Tires: Michelin XZE2 11R24.5 14PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	(\$568)	26#
4017158	Front Tires: Michelin XZE2 11R24.5 16PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	(\$292)	34#
Michelin Rear			
4210003	Rear Tires: Michelin X Works Z 11R24.5 16PR	\$646	54#
4210054	Rear Tires: Michelin X Multi D+ 11R24.5 16PR	\$507	0#
4210151	Rear Tires: Michelin X Works D 11R24.5 16PR	\$872	80#
4217157	Rear tires: Michelin XZE2 11R24.5 14PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	\$128	26#
4217158	Rear tires: Michelin XZE2 11R24.5 16PR. 43.5 in. diameter, all position. 20.3 in. SLR. Code is priced per pair of tires.	\$405	34#
4217226	Rear tires: Michelin XMultiEnergyD 11R24.5 16PR 43.4 in. diameter, drive. 20.4 in. SLR. Smartway certified. Code is priced per pair of tires.	\$417	58#
4217404	Rear tires: Michelin XDS2 11R24.5 16PR 43.9 in. diameter, drive. 20.5 SLR. Code is priced per pair of tires.	\$917	54#
4217411	Rear tires: Michelin XDA5+ 11R24.5 16PR. 43.8 in. diameter, drive. 20.6 in. SLR. Code is priced per pair of tires.	\$869	63#
Yokohama Front			
4083241	Front Tires: Yokohama RY023 11R24.5 16PR	(\$1,469)	22#
4083283	Front Tires: Yokohama RY617 11R24.5 14PR	(\$1,605)	18#
Yokohama Rear			
4283241	Rear Tires: Yokohama RY023 11R24.5 16PR	(\$772)	22#
4283262	Rear Tires: Yokohama 709ZL 11R24.5 14PR	(\$826)	46#
4283283	Rear Tires: Yokohama RY617 11R24.5 14PR	(\$908)	18#

Tubeless Type Low Profile 22.5

Apollo Front

*See PremierSpec for Applicable Restrictions



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Apollo Front			
4080185	Front Tires: Apollo Endutrax 315/80R22.5 20PR	(\$395)	-74#
4080186	Front Tires: Apollo Enducombi 295/75R22.5 16PR	(\$1,240)	-126#
4080191	Front Tires Apollo EnduMile LHft 295/75R22.5 14PR	(\$1,240)	0#
4080192	Front Tires Apollo EnduMile LHft 295/75R22.5 16PR	(\$420)	0#
Apollo Rear			
4280185	Rear Tires: Apollo Endutrax 315/80R22.5 20PR	\$302	76#
4280186	Rear Tires: Apollo Enducombi 295/75R22.5 16PR	(\$543)	24#
4280191	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 16PR	(\$334)	50#
4280192	Rear Tires: Apollo Enducombi RD CS 295/75R22.5 14PR	(\$506)	48#
4280201	Rear Tires: Apollo Endumile LHD 295/75R22.5 14PR	(\$539)	0#
4280202	Rear Tires: Apollo Endumile LHD 295/75R22.5 16PR	(\$539)	0#
Bridgestone Front			
4070009	Front Tires: Bridgestone R249 315/80R 22.5 20PR	(\$434)	26#
4077406	Front tires: Bridgestone M864 385/65R22.5 18PR All position. On/Off highway. Wide-base tire.	(\$420)	122#
4077533	Front tires: Bridgestone M864 425/65R22.5 20PR All Position, On/Off Highway, Wide-base tire.	\$1,083	8#
4077537	Front tires: Bridgestone M870 315/80R22.5 20PR All Position	(\$261)	94#
Bridgestone Rear			
4270044	Rear tires: Bridgestone M771 11R22.5 16PR	\$232	16#
4270729	Rear Tires: Bridgestone M726ELA 295/75R22.5 14PR	(\$478)	-2#
4277408	Rear tires: Bridgestone M760 Ecopia 295/75R22.5 14PR 40.7in. diameter. 27 tread depth. 19.0in. SLR. EPA SmartWay verified.	(\$359)	-2#
4277498	Rear Tires: Bridgestone M713 Ecopia 295/75R22.5 14PR. 40.5in. diameter, drive. 18.9 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$325)	-24#
4277516	Rear Tires: Bridgestone M864 385/65R22.5 18PR 2-4 All position. On/Off Highway. Wide-base Tire.	(\$1,447)	364#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Bridgestone Rear			
4277537	Rear tires: Bridgestone M870 315/80R22.5 20PR All Position	\$436	94#
Continental Front			
4080019	Front tires: Continental HAC3 425/65R22.5 20PR with pressure sensor included	\$413	-6#
4080029	Front tires: Continental HAU 3 WT 315/80R22.5 20PR	(\$268)	-54#
4080051	Front Tires: Continental Conti HSL3 295/75R22.5 16PR	(\$1,125)	-150#
4080062	Front Tires: Continental HS3+ 295/75R22.5 16PR	(\$1,108)	-146#
4080252	Front Tires: Continental HAC3 445/65R22.5 22PR. Includes pressure sensor.	\$344	40#
4080254	Front Tires: Continental HSR2 SA 315/80R22.5 20PR	(\$607)	-94#
4180019	Front tires: Continental HAC3 425/65R22.5 20PR F/8X4 4-4. Includes pressure sensor.	\$2,208	-12#
Continental Rear			
4280000	Rear tires: Continental HDR 255/70R22.5 16PR	(\$618)	-38#
4280213	Rear tires: Continental HSR3 295/75R22.5 16PR	(\$221)	24#
4280252	Rear Tires: Continental HAC3 445/65R22.5 22PR. Includes pressure sensor.	\$1,041	192#
4280940	Rear Tires: Continental HDL2 Eco Plus 445/50R22.5 20PR 2-4	(\$855)	-108#
Goodyear Front			
4030012	Front Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$214	62#
4030265	Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.	(\$915)	14#
4038263	Front tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR.	(\$183)	-108#
4038678	Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.	\$77	78#
4038751	Front tires: Goodyear Armormax MSA 445/65R22.5 20PR 45.5in. diameter. On/Off highway. 20.9in. SLR. Wide base.	\$819	176#
4038822	Front tires: Goodyear Endurance LHS 295/75R22.5 16PR	(\$832)	-4#
4039945	Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR	(\$923)	-160#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Goodyear Rear			
4230012	Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$911	62#
4230020	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	(\$120)	4#
4230038	Rear Tires: Goodyear Fuel Max LHD2 295/75R22.5 14PR	\$226	26#
4238263	Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR	\$513	34#
4238265	Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.	(\$218)	14#
4238678	Rear tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR. Code is priced per pair of tires.	\$773	78#
4238717	Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLR	(\$383)	-50#
4238718	Rear tires: Goodyear G278 MSD 445/65R22.5 20PR 46.2 in. diameter, all position. 21.1 in. SLR. On/Off highway. Wide-base tire 2 replacing 4. Code is priced per pair of tires.	\$604	-12#
4238720	Rear tires: Goodyear G278 MSD 425/65R22.5 20PR Wide-base tire 2 replacing 4. Code is priced per pair of tires.	\$90	-50#
4238741	Rear tires:Goodyear Fuel Max RTD 295/75R22.5 14PR 40.8 in. diameter, all position. 19.0 in. SLR. Code is priced per pair of tires.	\$506	16#
4238751	Rear tires: Goodyear Armormax MSA 445/65R22.5 20PR. 2-4. 45.5 in. diameter 20.9 in. SLR. all position. On/Off highway. Wide-base tire.	(\$208)	-52#
4238822	Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR	(\$136)	-8#
4238859	Rear tire:Goodyear Endurance LHD 295/75R22.5 14PR	(\$15)	34#
4239945	Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR	(\$226)	-8#
Michelin Front			
4010006	Front Tires: Michelin X Works Z 315/80R22.5 20PR	\$374	-54#
4010146	Front Tires: Michelin X Line Energy Z+ 295/ 75R22.5 16PR	(\$495)	-149#
4017063	FR MN X MULTI Z2 295/75R22.5 14PR	(\$758)	0#
4017167	FR MN X MULTI Z2 295/75R22.5 16PR	(\$593)	0#
4017183	Front Tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. Diameter, All Position. 20.6in. SLR.	\$1,280	38#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Michelin Front			
4017217	Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.6 in. SLR.	\$624	98#
4117183	Front tires: Michelin XZY3 425/65R22.5 20PR 4-4 twin steer 4-4; 44.7 in. diameter, all position. 20.6 in. SLR.	\$3,943	380#
Michelin Rear			
4210006	Rear Tires: Michelin X Works Z 315/80R22.5 20PR	\$1,071	88#
4210056	RR MN X MULTI D+ 11R22.5 16PR	\$356	0#
4210389	Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4	\$496	134#
4210391	Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4	\$852	179#
4211038	Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.	\$832	-50#
4211040	Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.	\$547	-50#
4217113	RR MN X MULTI Z2 295/75R22.5 14PR	(\$62)	0#
4217181	RR MN X MULTI Z2 295/75R22.5 16PR	\$103	0#
4217184	Rear tires: Michelin XZY3 425/65R22.5 20PR 44.7 in. diameter, all position, 2-4 mounting. 20.6 in. SLR. Code is priced per pair of tires.	\$253	-38#
4217217	Rear tires: Michelin XZUS2 315/80R22.5 20PR AP. 42.8 in. diameter, all position.. 19.8 in. SLR. Code is priced per pair of tires.	\$1,321	98#
4217227	Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	(\$19)	22#
4217234	Rear tires: Michelin X Line Energy D+ 295/75R22.5 14PR	\$254	-14#
4217288	Rear tires: Michelin X One Line Energy D 445/50R 22.5 20PR, 2-4 super single drive tire. 40.1 in. diameter. 18.6 in. SLR. Smartway certified. Not for use on single rear axles. Code is priced per pair of tires.	\$515	128#
4217408	Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.	\$552	34#
4217415	Rear Tires: Michelin X Multi D 295/60R22.5 18PR	\$300	2#
Yokohama Front			
4083247	Front Tires: Yokohama RY023 295/75R22.5 16PR	(\$1,617)	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Yokohama Front			
4083284	Front Tires: Yokohama RY617 295/75R22.5 16PR	(\$1,494)	-152#
Yokohama Rear			
4283247	Rear Tires: Yokohama RY023 295/75R22.5 16PR	(\$920)	0#
4283260	Rear Tires: Yokohama 709ZL 295/75R22.5 14PR	(\$899)	26#
4283284	Rear Tires: Yokohama RY617 295/75R22.5 16PR	(\$797)	-34#
Tubeless Type Low Profile 24.5			
Bridgestone Rear			
4270730	Rear Tires: Bridgestone M726ELA 285/75R24.5 14PR	\$173	16#
Continental Front			
4080085	Front tires: Continental Ecoplus HS3+285/75R24.5 16PR	(\$1,199)	-136#
Goodyear Rear			
4238861	Rear tire:Goodyear Endurance LHD 285/75R24.5 14PR	\$103	49#
Yokohama Front			
4083240	Front Tires: Yokohama RY023 285/75R24.5 14PR	(\$1,539)	6#
4083281	Front Tires: Yokohama RY617 285/75R24.5 14PR	(\$1,654)	-4#
Yokohama Rear			
4283240	Rear Tires: Yokohama RY023 285/75R24.5 14PR	(\$842)	6#
4283252	Rear Tires: Yokohama TY517 MC2 285/75R24.5 14PR	(\$775)	18#
4283263	Rear Tires: Yokohama 709ZL 285/75R24.5 14PR	(\$855)	30#
4283281	Rear Tires: Yokohama RY617 285/75R24.5 14PR	(\$958)	-4#
Pusher Axle Tires			
Steerable Pushers			
4781002	1 Steerable Pusher: 2 Bridgestone R238 215/75R 17.5 16PR	(\$876)	-122#
4781003	2 Steerable Pusher: 4 Bridgestone R238 215/ 75R17.5 16PR	(\$1,066)	-122#
4781004	3 Steerable Pusher: 6 Bridgestone R238 215/ 75R17.5 16PR	(\$1,256)	-122#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781028	STRBL PSHR: 2 BR R239 245/70R19.5 16PR	(\$585)	0#
4781066	STRBL PSHR: 2 MN X MULTI Z2 11R22.5 14PR	(\$40)	0#
4781067	2 STRBL PSHR: 4 MN X MULTI Z2 11R22.5 14PR	\$2,329	0#
4781068	3 STRBL PSHR: 6 MN X MULTI Z2 11R22.5 14PR	\$4,699	0#
4781069	STRBL PSHR: 4 MN X MULTI Z2 11R22.5 14PR 4-4	\$2,329	0#
4781083	Steerable Pusher: 2 Apollo Endutrax MA 11R24.5 16PR	(\$118)	30#
4781084	1 Steerable Pusher: 2 Apollo Enducombi RA 11R22.5 16PR	(\$549)	28#
4781085	1 Steerable Pusher: 2 Apollo Endutrax MA 315/ 80R22.5 20PR	\$302	76#
4781103	1 Steerable Pusher: 2 Michelin X WORKS Z 11R24.5 16PR	\$646	54#
4781109	1 Steerable Pusher: 2 Michelin X WORKS Z 315/ 80R22.5 20PR	\$1,071	96#
4781117	1 Steerable Pusher: 2 Michelin XZUS2 315/80R22.5 20 PR all position. 42.9 in. diameter. 19.8 in. SLR.	\$1,321	98#
4781125	2 Steerable Pusher: 4 Michelin Agilis HD Z 245/ 70R19.5 16PR	(\$458)	0#
4781127	1 Steerable Pusher: 2 Michelin XMulti Z 265/ 70R19.5 14PR	(\$362)	-88#
4781135	1 Steerable Pusher: 2 Michelin Agilis HD Z 245/ 70R19.5 16PR	(\$522)	0#
4781158	1 Steerable Pusher: 2 Michelin XZE2 11R24.5 16PR 43.5 in. diameter. 20.3 in. SLR.	\$405	34#
4781166	1 Steerable Pusher: Michelin XZL 12R20 18PR with tubes and flaps	\$845	146#
4781183	1 Steerable Pusher: 2 Michelin XZY3 425/65R22.5 20PR. All position 44.7 in. diameter. 20.6 in. SLR.	\$1,977	190#
4781195	3 Steerable Pusher: 6 Michelin Agilis HD Z 245/ 70R19.5 16PR	(\$394)	0#
4781203	STRBL PSHR: 2 MN X MULTI Z2 295/75R22.5 16PR	\$103	0#
4781205	STRBL PSHR: 2 MN X MULTI Z2 295/75R22.5 14PR	(\$62)	0#
4781206	2 STRBL PSHR: 4 MN X MULTI Z2 295/75R22.5 14PR	\$2,287	0#
4781207	3 STRBL PSHR: 6 MN X MULTI Z2 295/75R22.5 14PR	\$4,636	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781212	1 Steerable Pusher: 4 Continental HSR3 295/ 75R 22.5 14PR 4-4	\$74	-12#
4781213	1 Steerable Pusher: 4 Continental HSR3 295/ 75R22.5 16PR 4-4	\$244	0#
4781214	2 Steerable Pusher: 4 Continental HSR3 295/ 75R 22.5 16PR	\$244	0#
4781215	2 Steerable Pusher: 4 Continental HSR2 SA 255/70R 22.5 16PR	\$155	0#
4781216	2 Steerable Pusher: 4 Continental HSR3 11R22.5 14PR	\$188	16#
4781217	1 Steerable Pusher: 4 Continental HSR3 11R22.5 14PR 4-4	\$188	0#
4781218	2 Steerable Pusher: 4 Continental HSR3 11R 22.5 16PR	\$271	0#
4781220	1 Steerable Pusher: 2 Continental HSR2 SA 255/70R 22.5 16PR	(\$1,476)	0#
4781228	2 STRBL PSHR: 4 BR R239 245/70R19.5 16PR	(\$483)	0#
4781261	STRBL PSHR: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4	\$2,287	0#
4781265	2 Steerable Pusher: 4 Yokohama 104ZR 245/70R 19.5 14PR	(\$1,793)	-136#
4781312	2 Steerable Pusher: 4 Goodyear G114 LHT 215/75R17.5 16PR. 30.5in diameter. 14.2in SLR. Available only w/ 8K Super Lite pushers.	(\$1,099)	-108#
4781314	3 Steerable Pusher: 6 Goodyear G114 LHT 215/75R17.5 16PR. 30.5in diameter. 14.2in SLR. Available only w/ 8K Super Lite pushers.	(\$1,306)	-162#
4781326	1 Steerable Pusher: 2 Goodyear G114 LHT 215/ 75R17.5 16PR	(\$893)	-108#
4781332	1 Steerable Pusher: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR.	\$911	62#
4781365	1 Steerable Pusher: 2 Goodyear Endurance RSA 295/75R22.5 14PR, 40.6 in. diameter, all position. 19.0 in. SLR.	(\$218)	14#
4781378	1 Steerable Pusher: 2 Goodyear G289 WHA 315/80R22.5, 20PR; All position. 43.1 in. diameter. 20 in. SLR.	\$773	78#
4781406	1 Steerable Pusher: 2 Bridgestone M864 385/ 65R22.5 18PR, All position. On/Off highway. Wide- base tire	\$277	346#
4781410	1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR. Includes pressure sensor.	(\$200)	0#
4781412	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR	(\$306)	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781413	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR	(\$221)	0#
4781414	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 14PR. Includes pressure sensor.	(\$296)	0#
4781416	1 Steerable Pusher: 2 Continental HSR3 295/ 75R22.5 16PR. Includes pressure sensor.	(\$141)	0#
4781417	1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR	(\$249)	0#
4781418	1 Steerable Pusher: 2 Continental HSR3 11R22.5 16PR	(\$208)	0#
4781419	1 Steerable Pusher: 2 Continental HSR3 11R22.5 14PR. Includes pressure sensor.	(\$89)	0#
4781422	1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR	(\$138)	56#
4781423	1 Steerable Pusher: 2 Continental HSR3 11R24.5 16PR. Includes pressure sensor.	\$24	56#
4781508	2 Steerable Pusher: 4 Continental Hybrid HS3 245/ 70R19.5 16PR	(\$1,219)	0#
4781509	3 Steerable Pusher: 6 Continental Hybrid HS3 245/ 70R19.5 16PR	(\$1,486)	0#
4781510	1 Steerable Pusher: 2 Continental Hybrid HS3 245/ 70R19.5 16PR	(\$953)	0#
4781533	1 Steerable Pusher: 2 Bridgestone M864 425/65R 22.5 20PR All Position, On/Off Highway. Wide-base Tire.	\$1,780	126#
4781542	1 Steerable Pusher: 2 Yokohama RY023 11R22.5 16PR	(\$919)	6#
4781546	1 Steerable Pusher: 2 Bridgestone M870 425/65R 22.5 20PR. 44.9 in. diameter, all position. On/Off highway. Wide-base tire. 20.7 in. SLR.	\$840	130#
4781552	2 Steerable Pusher: 4 Yokohama RY023 11R22.5 16PR	(\$1,152)	12#
4781559	1 Steerable Pusher: 2 Yokohama RY023 295/75R22.5 16PR	(\$920)	-24#
4781561	2 Steerable Pusher: 4 Yokohama RY023 295/75R22.5 16PR	(\$1,154)	-48#
4781563	3 Steerable Pusher: 6 Yokohama RY023 295/75R 22.5 16PR	(\$1,388)	72#
4781565	1 Steerable Pusher: 4 Yokohama RY023 295/75R22.5 16PR 4-4	(\$1,154)	-48#
4781612	2 Steerable Pusher: 4 Continental HSR3 295/75R; 22.5 14P	\$74	-24#
4781814	1 Steerable Pusher: 2 Continental Hybrid HS3 265/ 70R19.5 14PR	(\$1,064)	-90#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Steerable Pushers			
4781823	1 Steerable Pusher: 2 Goodyear Endurance LHS 11R22.5 16PR	(\$125)	-2#
4781827	1 Steerable Pusher: 2 Goodyear Endurance LHS 11R24.5 16PR	\$37	16#
4781845	3 Steerable Pusher: 6 Goodyear Endurance LHS 295/ 75R22.5 14PR	\$695	-24#
4781855	1 Steerable Pusher: 2 Bridgestone R268 Ecopia 11R 24.5. 14PR.	(\$679)	8#
4781858	1 Steerable Pusher: 2 Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$890)	-10#
4781859	1 Steerable Pusher: 2 Bridgestone R268 Ecopia 11R22.5 16PR. 41.2 in. diameter, 19.5 in. SLR. all position.	(\$473)	-8#
4781864	2 Steerable Pusher: 4 Continental Hybrid HS3 265/ 70R19.5 14PR	(\$1,442)	-180#
4781874	3 Steerable Pusher: 6 Continental Hybrid HS3 265/ 70R19.5 14PR	(\$1,820)	-270#
4781885	1 Steerable Pusher: 2 Yokohama RY617 11R22.5 14PR	(\$987)	2#
4781886	1 Steerable Pusher: 2 Yokohama RY617 11R24.5 14PR	(\$908)	18#
4781921	3 Steerable Pusher: 6 Continental HSR2 SA 255/70R 22.5 16PR	\$1,786	0#
4781922	3 Steerable Pusher: 6 Continental HSR3 295/75R 22.5 14PR	\$455	-36#
4781945	1 Steerable Pusher: 2 Goodyear Endurance LHS 295/ 75R22.5 14PR	(\$226)	0#
4781955	2 Steerable Pusher: 4 Goodyear Endurance LHS 295/ 75R22.5 14PR	\$234	-16#
4781959	1 Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 16PR, All Position, 4-4	(\$260)	-8#
4784028	STRBL TAG: 2 BR R239 245/70R19.5 16PR	\$1,241	0#
4785885	2 Steerable Pusher: 4 Yokohama RY617 11R22.5 14PR.	(\$1,288)	4#
4785886	2 Steerable Pusher: 4 Yokohama RY617 11R24.5 14PR	(\$1,130)	36#
4785888	2 Steerable Pusher: 4 Yokohama RY617 285/75R 24.5 14PR.	(\$1,229)	-8#
4786028	3 STRBL PSHR: 6 BR R239 245/70R19.5 16PR	(\$381)	0#
4789365	2 Steerable Pusher: 4 Goodyear Endurance RSA 295/ 75R22.5 14PR, 40.6 in. diameter, all position. 19.0 in. SLR.	\$250	30#

Non-Steerable Pushers 2-4

*See PremierSpec for Applicable Restrictions



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Non-Steerable Pushers 2-4			
4782059	1 Non-Steerable Pusher: Bridgestone R268 Ecopia 11R22.5 16PR 2-4 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$2,197)	-8#
4782083	1 Non-Steerable Pusher: 2 Apollo Endutrax MA 315/ 80R22.5 20PR 2-4	(\$1,422)	0#
4782131	NSTRBL PSHR: 2 MN X MULTI Z2 11R22.5 14PR 2-4	(\$40)	0#
4782158	NSTRBL PSHR: 2 MN X MULTI Z2 295/75R22.5 14PR 2-4	(\$62)	0#
4782183	1 Non-Steerable Pusher: Michelin XZY3 425/65R22.5 20PR. 44.7 in. diameter, all position. 20.6in. SLR. Wide base. 2-4	\$253	-38#
4782212	1 Non-Steerable Pusher: 2 Continental HSR3 295/75R; 22.5 14PR 2-4	(\$2,030)	-266#
4782216	1 Non-Steerable Pusher: 2 Continental HSR2 SA 255 70R22.5 16PR 2-4	(\$1,476)	0#
4782378	1 Non-Steerable Pusher: 2 Goodyear G289 WHA 315/80R22.5, 20PR; 2-4. All position. 43.1 in. diameter. 20 in. SLR.	(\$950)	-130#
4782406	1 Non-Steerable Pusher: 2 Bridgestone M864 385/65R22.5, 18PR; 2-4, all position. On/Off highway. Wide-base tire.	(\$1,447)	346#
4782848	1 Non-Steerable Pusher: 2 Yokohama RY023 295/75R 22.5 16PR 2-4	(\$2,644)	24#
4782858	1 Non-Steerable Pusher: Bridgestone R268 Ecopia 11R22.5 14PR 2-4 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$2,614)	10#
4783117	1 Non-Steerable Pusher: Michelin XZUS2 315/ 80R22.5 20 PR all position; 2-4. 42.9 in. diameter. 19.8 in. SLR.	(\$403)	196#
4783312	1 Non-Steerable Pusher: Goodyear Endurance WHA 315/80R22.5 20PR 2-4.	(\$813)	-166#
Non-Steerable Pushers 4-4			
4783059	1 Non-Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 16PR 4-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$260)	-8#
4783084	1 Non-Steerable Pusher: 4 Apollo Enducombi RA 11R22.5 16PR AP 4-4	(\$411)	28#
4783089	Non-steerable Pusher: 4 Apollo Endutrax MA 11R24.5 16PR 4-4	\$450	30#
4783102	1 Non-Steerable Pusher: 4 Michelin X Works Z 11R24.5 16PR 4-4	\$1,979	128#
4783108	1 Non-Steerable Pusher: 4 Michelin X Works Z 315/ 80R22.5 20PR 4-4	\$2,828	212#
4783116	1 Non-Steerable Pusher: Michelin XDA5+ 11R22.5 14PR drive tire. 41.7 in. diameter. 19.5 in. SLR. 4-4.	\$1,630	84#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Non-Steerable Pushers 4-4			
4783148	1 Non-Steerable Pusher: 4 Michelin X MULTI Z 275/ 70R22.5 18PR 4-4 38 in. diameter, all position. 17.6 in. SLR.	\$1,087	12#
4783154	1 Non-Steerable Pusher: 4 Michelin X Multi D+ 11R24.5 16PR 4-4	\$1,700	0#
4783157	NSTRBL PSHR: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4	\$2,287	0#
4783158	1 Non-Steerable Pusher: 4 Michelin XZE2 11R24.5 16PR. 43.5 in. diameter, all position. 20.3 in. SLR. 4-4	\$1,496	68#
4783208	NSTRBL PSHR: 4 MN X MULTI Z2 11R22.5 14PR 4-4	\$2,329	0#
4783211	1 Non-Steerable Pusher: 4 Continental HSR2 SA 255 /70R22.5 16PR 4-4	\$155	0#
4783212	1 Non-Steerable Pusher: 4 Continental HSR3 295/75R22.5 14PR 4-4	\$74	-24#
4783217	1 Non-Steerable Pusher: 4 Continental HSR3 11R22.5 14PR 4-4	\$188	16#
4783218	1 Non-Steerable Pusher: 4 Continental HSR3 11R 22.5 16PR 4-4	\$271	0#
4783365	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 295/75R22.5 14PR 4-4. 40.6 in. diameter, all position. 19.0 in. SLR.	\$250	-40#
4783656	1 Non-Steerable Pusher: 4 Goodyear Endurance RSA 11R24.5 16PR. 43.9in. diameter, all positions, 20.6SLR. 4-4	\$964	34#
4783823	1 Non-Steerable Pusher: 4 Goodyear Endurance LHS 11R22.5 16PR 4-4	\$437	0#
4783827	1 Non-Steerable Pusher: 4 Goodyear Endurance LHS 11R24.5 16PR 4-4	\$760	32#
4783842	1 Non-Steerable Pusher: 4 Yokohama RY023 11R22.5 16PR 4-4	(\$1,152)	12#
4783844	1 Non-Steerable Pusher: 4 Yokohama RY023 295/75R 22.5 16PR 4-4	(\$1,154)	-48#
4783858	1 Non-Steerable Pusher: 4 Bridgestone R268 Ecopia 11R22.5 14PR 4-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$1,094)	-10#
4783882	1 Non-Steerable Pusher: 4 Yokohama RY617 285/75R 24.5 14PR 4-4.	(\$1,229)	-8#
4783885	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 22.5 14PR 4-4.	(\$1,288)	4#
4783886	1 Non-Steerable Pusher: 4 Yokohama RY617 11R 24.5 14PR 4-4.	(\$1,130)	36#
4783945	1 Non-Steerable Pusher: 4 Goodyear Endurance LHS 295/75R22.5 14PR 4-4	\$234	-16#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Tires			
Non-Steerable Pushers 4-4			
5783504	Non-Steerable Pusher Wheel:Alcoa 88067/Acc 50344 22.5x8.25 4-4, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$974	-46#
Tag Axle Tires			
Steerable Tags			
4780849	1 Steerable Tag: 2 Yokohama RY023 295/75R22.5 16PR	(\$920)	24#
4784002	1 Steerable Tag: 2 Bridgestone R238 215/75R17.5 16PR	(\$876)	-122#
4784143	STRBL TAG: 2 MN X MULTI Z2 11R22.5 14PR	(\$40)	0#
4784144	STRBL TAG: 4 MN X MULTI Z2 11R22.5 14PR 4-4	\$2,329	0#
4784180	STRBL TAG: 2 MN X MULTI Z2 295/75R22.5 14PR	(\$62)	0#
4784183	1 Steerable Tag: 2 Michelin XZY3 425/65R22.5 20PR. 44.7 in. diameter, all position. 20.6in. SLR.	\$1,977	190#
4784212	1 Steerable Tag: 2 Continental HSR3 295/75R; 22.5 14PR	(\$306)	-12#
4784213	1 Steerable Tag: 2 Continental HSR3 295/75R22.5 16PR	(\$221)	0#
4784214	1 Steerable Tag: 2 Continental HSR2 SA 255/70R 22.5 16PR AP	(\$779)	0#
4784217	1 Steerable Tag: 2 Continental HSR3 11R22.5 14PR	(\$249)	8#
4784218	1 Steerable Tag: 2 Continental HSR3 11R 22.5 16PR	(\$208)	0#
4784312	1 Steerable Tag: 2 Goodyear Endurance WHA 315/ 80R22.5 20PR	\$911	62#
4784326	1 Steerable Tag: 2 Goodyear G114 LHT 215/75R17.5 16PR	(\$893)	-108#
4784365	1 Steerable Tag: 2 Goodyear Endurance RSA 295/75R22.5 14PR	(\$218)	14#
4784378	1 Steerable Tag: 2 Goodyear G289 WHA 315/80R22.5 20PR All position. 43.1 in. diameter. 20 in. SLR.	\$773	78#
4784406	1 Steerable Tag: 2 Bridgestone M864 M854 385/65R 22.5 18PR. All Position. On/Off highway. Wide-base tire.	\$277	346#
4784412	1 Steerable Tag: 4 Continental HSR3 295/75R22.5 14PR 4-4	\$74	-24#
4784414	1 Steerable Tag: 2 Continental Hybrid HS3 265/ 70R19.5 14PR	(\$1,064)	-90#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Tag Axle Tires			
Steerable Tags			
4784510	1 Steerable Tag: 2 Continental Hybrid HS3 245/ 70R19.5 16PR	(\$953)	0#
4784842	1 Steerable Tag: 2 Yokohama RY023 11R22.5 16PR	(\$919)	0#
4784843	1 Steerable Tag: 4 Yokohama RY023 295/75R22.5 16PR 4-4	(\$1,154)	-48#
4784844	STRBL TAG: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4	\$2,287	0#
4784885	1 Steerable Tag: 2 Yokohama RY617 11R22.5 14PR	(\$987)	2#
4784945	1 Steerable Tag: 2 Goodyear Endurance LHS 295/ 75R22.5 14PR	(\$226)	-8#
Non-Steerable Tags 2-4			
4784145	NSTRBL TAG: 2 MN X MULTI Z2 11R22.5 14PR 2-4	(\$40)	0#
4788157	NSTRBL TAG: 2 MN X MULTI Z2 295/75R22.5 14PR 2-4	(\$62)	0#
4788417	1 Non-Steerable Tag: 4 Continental HSR3 11R22.5 14PR 4-4	\$188	16#
4789183	1 Non-Steerable Tag: 2 Michelin XZY3 425/65R22.5 20PR. 44.7 in. diameter, all position. 20.6in. SLR. 2-4.	\$253	-38#
4789406	1 Non-Steerable Tag: 2 Bridgestone M864 385/65R22.5, 18PR; 2-4. All Position. On/Off Highway. Wide-base tire	(\$1,447)	346#
4789412	1 Non-steerable tag: 2 Continental HSR3 295/ 75R 22.5 14PR 2-4	(\$2,030)	-266#
4789818	1 Non-Steerable Tag: 2 Continental HSR3 11R 22.5 16PR 2-4	(\$1,931)	0#
4789858	1 Non-Steerable Tag: 4 Bridge R268 Ecopia 11R22.5 14PR 2-4. 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR.	(\$2,614)	-10#
Non-Steerable Tags 4-4			
4788158	NSTRBL TAG: 4 MN X MULTI Z2 295/75R22.5 14PR 4-4	\$2,287	0#
4788200	NSTRBL TAG: 4 MN X MULTI Z2 11R22.5 14PR 4-4	\$2,329	0#
4788300	1 Non-Steerable Tag: 4 Goodyear 182 RSD 11R24.5 16PR 44.1 in. diameter. drive tire. 20.8 in. SLR. 4-4.	\$1,236	136#
4788412	1 Non-Steerable Tag: 4 Continental HSR3 295/ 75R 22.5 14PR 4-4	\$74	-24#
4788418	1 Non-Steerable Tag: 4 Continental HSR3 11R 22.5 16PR 4-4	\$271	16#



T880: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Tag Axle Tires

Non-Steerable Tags 4-4

4788849	1 Non-Steerable Tag: 4 Yokohama RY023 295/75R22.5 16PR 4-4	(\$1,154)	0#
4788858	NS TAG BR R268ECOPIA 11R22.5 14PR 4-4 41.5 in. diameter, all position. F=side wall protector bar. 19.3 in. SLR. For P&D & construction vocations.	(\$1,094)	-10#
4788882	1 Non-Steerable Tag: 4 Yokohama RY617 11R 22.5 14PLY 4-4	(\$1,288)	4#

Front & Rear Axle Wheels & Rims

Tube Type

Rear

5218051	Rear Wheel: OTR 2485019 white 24X8.5 STL steel painted white. 335mm. hub-pilot mounting with Surloc. 12500 lb. maximum rating. Not air disc brake compatible. Code is priced per pair of wheels.	\$4,197	230#
---------	--	---------	------

Tubeless Type Aluminum 22.5

Front

5042104	Front Wheel: Accuride 50300 22.5x9 steel, Steel Armor[TM] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.	(\$458)	-36#
5042298	Front Wheel: Accuride 29683 22.5x12.25 aluminum, Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	STD	0#
5042299	Front Wheel: Accuride 29374 22.5x12.25 aluminum, Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$113	-2#
5042324	Front Wheel: Accuride 41730 22.5X9 aluminum	(\$156)	-20#
5042338	Front Wheel:Accuride 43644 22.5x8.25 AL hub-pilot mount Standard Polish	(\$503)	-162#
5045190	Front Wheel: Alcoa 83462 22.5x13 aluminum hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] High Polish finish, hub Level 1 finish.	\$319	8#
5045216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] finish High Polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$319	-10#
5045218	Front Wheel: Alcoa 82462 22.5x12.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80 in. offset. Air disc brake compatible.	\$332	-3#
5045240	Front wheel: Alcoa 833580 22.5x13 335 mm. hub pilot.	\$366	0#
5045263	Front Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	\$121	-36#
5045268	Front Wheel: Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.	\$203	-39#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 22.5			
Front			
5045280	Front Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$72	-24#
5045283	Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One high polish finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$113	-40#
5045294	Front Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$95	-150#
5045300	Front Wheel:Alcoa 89652 22.5x9, Level 1, Aluminum 10-Hole 335MM hub-pilot mount Long Lead Time	(\$2)	-28#
5045306	Front Wheel: Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$38	-159#
5142298	Front Wheel: Accuride 29683 22.5x12.25 aluminum, Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$1,760	-24#
5142324	Front Wheel: Accuride 41730 22.5X9 AL 4-4 Twin Steer	\$1,072	-16#
5145190	Front Wheel: Alcoa 83462 22.5x13 twin steer, 4-4; aluminum, hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] High Polish finish, hub Level 1 finish.	\$1,974	16#
5145216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. Twin steer 4-4. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. with 425 tires. Air disc brake compatible.	\$1,990	-20#
5145280	Front Wheel: Alcoa 89U64 22.5X9 AL Twin Steer 4-4 Ultra One High Polish Wheel.	\$1,451	-47#
Rear			
5242312	Rear Wheel:Accuride 43140 22.5x14.00 2-4;aluminum	\$1,466	-156#
5242324	Rear Wheel: Accuride 41730 22.5X9 aluminum	\$849	-20#
5242338	Rear Wheel: Accuride 43644 22.5X8.25 aluminum hub pilot mount standard polish	\$793	-78#
5242439	Rear Wheel: Accuride 43644 /Accuride 51487 heavy-duty steel 22.5x8.25, Standard Polish aluminum outside/Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$183	-39#
5245215	Rear Wheel: Alcoa 82262 22.5x12.25 2-4; aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 12300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$1,195	-148#
5245263	Rear Wheel: Alcoa 88565 22.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible. Code is priced per pair of wheels.	\$902	-36#



T880: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Wheels & Rims

Tubeless Type Aluminum 22.5

Rear

5245280	Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$979	-24#
5245283	Rear Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Ultra One, high polish finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.	\$1,267	-40#
5245284	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Ultra One High Polish finish/s/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$589	-6#
5245292	Rear Wheel: Alcoa 84U61 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish High Polish	\$1,190	-214#
5245293	Rear Wheel: Alcoa 84U64 22.5X14.00 AL 2-4 Ultra ONE Wheel. High Polish	\$992	-214#
5245294	Rear Wheel: KW100 88U60 22.5x8.25 aluminum with Ultra One high polish finish hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$1,016	-150#
5245300	Rear Wheel:Alcoa 89652 22.5x9, Level 1, Aluminum 10-Hole 335MM hub-pilot mount Long Lead Time	\$1,240	-28#
5245306	Rear Wheel: Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$939	-79#
5245307	Rear Wheel: Alcoa 88067/Accuride 50344 heavy-duty 22.5x8.25, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$540	-39#
5245308	Rear Wheel: Alcoa 88067/Accuride 51487 22.5x8.25, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$363	-52#
5245338	Rear Wheel: Accuride 43644 /Acc 50344 heavy-duty steel 22.5x8.25 Steel Armor[TM] powder coat, Standard Polish aluminum outside / steel powder coat inside, hub pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$405	-39#

Tubeless Type Steel 22.5

Front

5042258	Front Wheel: Accuride 50291 22.5X8.25 steel heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	(\$1,017)	22#
5042272	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	(\$1,150)	0#
5042285	Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	(\$1,071)	20#



T880: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Wheels & Rims

Tubeless Type Steel 22.5

Front

5042293	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	(\$1,154)	0#
5042310	Front Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole.	(\$1,064)	36#
5042311	Front Wheel: Accuride 29039 22.5X9 steel Steel Armor[™] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes.	(\$703)	70#
5049202	Front Wheel: Marjean 13225-10 mm. 22.5x13 steel painted gray, 335 mm. hub-pilot mount. 10500lb. maximum rating on front axle. Not air disc brake compatible.	\$1,831	132#
5142104	Front Wheel: Accuride 50300 22.5x9 steel, 4-4, Steel Armor[™] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$1,391	144#
5142285	Front Wheel: Accuride 50344 22.5x8.25 steel twin steer 4-4 Steel Armor[™] powder coat; heavy-duty 5 hand-hole hub-pilot mount, steel white e-coat, 8000lb. maximum rating.	(\$466)	40#
5142293	Front Wheel: Accuride 51487 22.5x8.25 steel twin steer 4-4: Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$0	0#

Rear

5242106	Rear Wheel: Accuride 50300 22.5x9 steel, Steel Armor[™] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.	\$613	46#
5242258	Rear Wheel: Accuride 50291 white 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$208	22#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	STD	0#
5242376	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	(\$78)	0#
5242390	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	(\$82)	0#
5246285	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Ultra One High Polish finish outside/steel Steel Armor[™] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$411	-40#

Tubeless Type Aluminum 24.5

Front

5042328	Front Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	(\$419)	-138#
---------	--	---------	-------



T880: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 24.5			
Front			
5044193	Front Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible.	\$198	-21#
5045265	Front Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Air disc brake compatible.	\$225	-12#
5045275	Front Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$64	-34#
Rear			
5242321	Rear Wheel: Accuride 42362/50409 24.5x8.25 aluminum outside with Standard polish/ACCU-LTE Steel Armor powder coat inside, hub-pilot mount 7400lb. maximum rating. Includes wheel guards. Air disc brake compatible.	\$337	-2#
5242328	Rear Wheel: Accuride 42362 24.5x8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating. Code is priced per pair of wheels.	\$772	-56#
5244193	Rear Wheel: Kenworth 7-spoke 98U68 24.5x8.25 aluminum with Ultra One High Polish finish, hub-pilot mount. 7300lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$1,351	-21#
5244194	Rear Wheel: Kenworth 98U68 7-Spoke/Accuride 50409 Steel 24.5x8.25, aluminum with Ultra One High Polish finish outside/ACCU-LTE Steel Armor[TM] powder coat inside, hub pilot mount. 7300 lb. maximum rating. Includes wheel guards.	\$643	3#
5245265	Rear Wheel: Alcoa 98565 24.5x8.25 aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service. Code is priced per pair of wheels. Air disc brake compatible.	\$1,096	-12#
5245275	Rear Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$935	-34#
5245276	Rear Wheel: Alcoa 98U63 Out/ACC 50409 INS 24.5X8. AL/STL High Polish.	\$412	-7#
Tubeless Type Steel 24.5			
Front			
5042315	Front Wheel: Accuride 50641 24.5X8.25 Stl ACCU-LTE Steel Armor[TM] powder coat, hub pilot mount. 7400lb. maximum rating. 5-hand holes.	(\$1,086)	16#
5042330	Front Wheel: Accuride 50409 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	(\$1,082)	20#
Rear			
5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	\$163	35#
5242315	Rear Wheel: Accuride 50641 24.5X8.25 steel ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	(\$6)	16#



T880: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Wheels & Rims

Tubeless Type Steel 24.5

Rear

5242330	Rear-Wheel: Accuride 50409 24.5X8.25 steel ACCU-LITE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	(\$6)	20#
5245277	Rear Wheel: Alcoa 98U63 Out/ACC 28827 INS 24.5X8. AL/STL. High Polish	\$454	1#

Pusher Axle Wheels

Steerable Pushers

5781176	1 Steerable Pusher Wheel: 2 Accuride 51408 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$4	0#
5781185	1 Steerable Pusher Wheel: 2 Accuride 50344 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$82	20#
5781188	1 Steerable Pusher Wheel: 2 Accuride 51487 steel 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5781190	1 Steerable Pusher Wheel: 2 Alcoa 83462 22.5x13 aluminum, hub-pilot mount 11000lb. maximum rating. Aluminum with Lvl One [TM] High Polish finish, hub Level 1 finish.	\$1,323	8#
5781193	1 Steerable Pusher Wheel: 2 Kenworth 7-spoke 98U68 24.5x8.25; aluminum with Ultra One High Publish finish. Hub-pilot mount. 7300lb. maximum rating. Level 1 finish.	\$1,123	-21#
5781204	1 Steerable Pusher Wheel: 2 Accuride 50300 steel, 22.5x9, Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$695	72#
5781210	1 Steerable Pusher Wheel: 2 Accuride 28827 steel 24.5X8.25. Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$90	36#
5781218	2 Steerable Pusher Wheel: 4 Accuride 50300 steel, 22.5x9, Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$1,391	144#
5781219	3 Steerable Pusher Wheel: 6 Accuride 50300 steel, 22.5x9, Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$2,086	216#
5781220	1 Steerable Pusher Wheel: 4 Accuride 50300 steel, 22.5x9, Steel Armor[TM] powder coat, 4-4. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$1,391	144#
5781229	1 Steerable Pusher Wheel: 2 Accuride 50409 steel 24.5X8.25. ACCU-LTE. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating.	\$72	20#
5781258	1 Steerable Pusher Wheel: 2 Accuride 50291 22.5X8.25 heavy-duty 22.5x8.25; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$260	22#
5781263	1 Steerable Pusher: 2 Alcoa 88565 22.5X8.25 AL with Lvl One [TM] High Polish finish, hub-pilot mount. 8000lb. maximum rating. Severe service.	\$1,025	-36#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Steerable Pushers			
5781281	1 Steerable Pusher Wheel: 2 Alcoa 77349 19.5x7 50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$908	-60#
5781294	1 Steerable Pusher Wheel: KW100 2 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 7300lb max rating. Level 1 finish.	\$1,098	-44#
5781298	1 Steerable Pusher Wheel: 2 Accuride 29683 22.5x 12.25 aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible. FR WHL: Accuride 29683 22.5X12.25 AL	\$1,272	-12#
5781299	1 Steerable Pusher Wheel: 2 Accuride 29374 22.5X12.25; aluminum Standard polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$1,267	-2#
5781324	1 Steerable Pusher Wheel: 2 Accuride 41730 22.5X9 AL	\$906	-20#
5781328	1 Steerable Pusher: 2 Accuride 42362 24.5X8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$745	-30#
5781338	1 Steerable Pusher Wheel: 2 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$699	-52#
5781372	1 Steerable Pusher Wheel: 2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$1,009	0#
5781383	1 Steerable Pusher: 2 Kenworth 7-spoke 88U68 22.5x8.25 aluminum, hub pilot mount. 7300lb max rating Ultra One High Polish	\$1,090	-40#
5781510	1 Steerable Pusher Wheel: 2 Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$1,042	-51#
5781511	1 Steerable Pusher Wheel: 4 Alcoa 88067 22.5x8.25 4-4, MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$1,934	-46#
5781512	2 Steerable Pusher Wheel: 4 Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$1,784	-102#
5781514	3 Steerable Pusher: 6 Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$2,675	-152#
5781516	1 Steerable Pusher Wheel: 2 Alcoa 82362 22.5x12.25; aluminum, with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$1,323	-10#
5781518	1 Steerable Pusher Wheel: 2 Alcoa 82462 22.5X12.25; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$1,335	-3#
5781568	1 Steerable Pusher Wheel: 2 Alcoa 89U63 22.5X9 AL Ultra One High Polish Wheel.	\$1,032	-39#
5781575	1 Steerable Pusher: 2 Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	\$1,067	-20#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Steerable Pushers			
5781580	1 Steerable Pusher: 2 Alcoa 89U64 22.5X9 AL Ultra One High Polish Wheel.	\$1,076	-24#
5781774	1 Steerable pusher wheel: 2 Alcoa 66480 17.5x6 aluminum, hub pilot mount. For use with 8K Super Lite pushers.	\$984	0#
5785288	1 Steerable Pusher Wheel: 4 Accuride 51487 22.5x8.25, 4-4 SL2200 only. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$0	0#
5787288	3 Steerable Pusher Wheel: 6 Accuride 51487 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5789272	2 Steerable Pusher Wheel: 4 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$1,177	0#
5789281	2 Steerable Pusher wheel: 4 Alcoa 77349 19.5x7.50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$1,173	-60#
5789285	2 Steerable Pusher Wheel: 4 Accuride 50344 HD STL 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$165	40#
5789288	2 Steerable Pusher Wheel: 4 Accuride 51487 22.5x8.25. Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5789328	2 Steerable Pusher Wheel: 4 Accuride 42362 24.5X8.25 aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$1,532	-60#
5789338	2 Steerable Pusher Wheel: 4 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$1,364	-102#
5789372	3 Steerable Pusher Wheel: 6 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$2,576	0#
5789381	3 Steerable Pusher Wheel: 6 Alcoa 77349 19.5x7.50 RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$1,740	0#
5789385	3 Steerable Pusher Wheel: 6 Accuride 50344 HD steel 22.5x8.25; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$247	60#
5789438	3 Steerable Pusher Wheel: 2 Accuride 43644 22.5X8.25; aluminum Standard Polish, hub-pilot mount. 7400lb. maximum rating.	\$2,047	-156#
5789583	2 Steerable Pusher Wheel: 4 Kenworth 7-spoke 88U68 22.5x8.25 aluminum, hub-pilot mount. 7300lb max rating. Ultra One High Polish	\$2,181	-72#
5789774	2 Steerable Pusher Wheel: 4 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. 4000lb. maximum rating. For use with 8K Super Lite pushers.	\$1,968	0#
5789874	3 Steerable Pusher Wheel: 6 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. 4000lb. maximum rating. For use with 8K Super Lite pushers.	\$2,452	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Non-Steerable Pushers 2-4			
5782204	Non-Steerable Pusher Wheel: Accuride 50300 steel, 22.5x9, 2-4. Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$173	72#
5782285	Non-Steerable Pusher Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot moun. 8000lb. maximum rating. 5-hand hole.	(\$355)	-104#
5782293	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	(\$427)	-133#
5782300	Non-Steerable Pusher Wheel: Accuride 29683 22.5x 12.25, 2-4; aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$861	-148#
5782503	Non-Steerable Pusher: Alcoa 88067 22.5x8.25 2-4 MagnaForce aluminum alloy, hub pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$369	-51#
5782515	Non-Steerable Pusher: Alcoa 82262 22.5x12.25 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 12300 lb. maximum rating. Not air disc compatible. Code is priced per pair of wheels.	\$855	-148#
5782516	Non-Steerable Pusher Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$1,001	-146#
5782568	Non-Steerable Pusher Wheel: Alcoa 89U63 22.5X9 AL 2-4. Ultra One High Polish Wheel.	\$523	-175#
5782575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 2-4. Ultra One High Polish Wheel.	\$568	-170#
5782580	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 2-4. Ultra One High Polish Wheel.	\$404	-160#
5782591	Non-Steerable Pusher Wheel: Alcoa 84U64 22.5X14.0 aluminum 2-4. Ultra ONE Wheel. High Polish	\$892	-32#
Non-Steerable Pushers 4-4			
5783176	Non-Steerable Pusher Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$8	0#
5783185	Non-Steerable Pusher Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$165	40#
5783193	Non-Steerable Pusher Wheel: Kenworth 7-spoke 98U68 24.5x8.25, 4-4; aluminum with Ultra One High Polish finish. Hub-pilot mount. 7300lb. maximum rating. Level 1 finish.	\$2,245	-42#
5783204	Non-Steerable Pusher Wheel: Accuride 50300 steel, 22.5x9, 4-4. Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$1,391	144#
5783229	Non-Steerable Pusher Wheel: Accuride 50409 24.5X8.25, 4-4; ACCU-LTE. Steel Armor[TM]. Hub-pilot mount. 7400lb. maximum rating.	\$144	40#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Pusher Axle Wheels			
Non-Steerable Pushers 4-4			
5783258	Non-Steerable Pusher Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[™] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$273	44#
5783282	Non-Steerable Pusher: Accuride 30391225PW 22.5x8.25, 4-4; steel painted white spokes. 7300lb. maximum rating.	\$126	0#
5783288	Non-Steerable Pusher Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5783294	Non-Steerable Pusher Wheel: KW100 88U60 22.5X8.25 aluminum with Ultra One high polish hub-pilot mount. 4-4. 7300lb max rating. Level 1 finish.	\$2,197	-44#
5783328	Non-Steerable Pusher Wheel: Accuride 42362 24.5X 8.25 4-4; aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$1,491	-60#
5783338	Non-Steerable Pusher Wheel: Accuride 43644 22.5x8.25, 4-4; aluminum Standard Polish. Hub-pilot mount. 7400lb. maximum rating.	\$1,434	-104#
5783505	Non-Steerable Pusher: Alcoa 88067 22.5x8.25 4-4 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$1,934	-102#
5783575	Non-Steerable Pusher Wheel: Alcoa 98U63 24.5X8.25 aluminum 4-4. Ultra One High Polish Wheel.	\$1,985	-67#
5783581	Non-Steerable Pusher Wheel: Alcoa 89U64 22.5X9 AL 4-4. Ultra One High Polish Wheel.	\$2,002	-47#
5783583	Non-Steerable Pusher Wheel: Kenworth 7-spoke 88U68 22.5X8.25, 4-4; aluminum, hub-pilot mount. 7300lb. maximum rating. Ultra One High Polish	\$2,181	-80#
Tag Axle Wheels			
Steerable Tags			
5780290	1 Steerable Tag Wheel: 4 Accuride 51487 22.5x8.25, 4-4 SL2200 only. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole.	\$0	0#
5784204	1 Steerable Tag Wheel:2 Accuride 50300 steel, 22.5x9, Steel Armor[™] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$695	72#
5784205	1 Steerable Tag Wheel:4 Accuride 50300 steel, 22.5x9, 4-4, Steel Armor[™] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$1,391	144#
5784506	1 Steerable Tag Wheel: 2 Alcoa 88067 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$1,042	-51#
5784507	1 Steerable Tag Wheel: 4 Alcoa 88067 22.5x8.25, 4-4, MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$1,784	-46#
5788258	1 Steerable Tag Wheel: 2 Accuride 50291 22.5X8.25 STL, HD 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb maximum rating. 2-hand holes.	\$136	22#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Tag Axle Wheels			
Steerable Tags			
5788272	1 Steerable Tag Wheel: 2 Alcoa 76542 19.5X6.75 aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K pusher.	\$1,159	0#
5788276	1 Steerable Tag Wheel: 2 Accuride 51408 STL 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$4	0#
5788281	1 steerable tag wheel: 2 Alcoa 77349 19.5x7.50RW aluminum 8-bolt hub pilot mount. Require 8 bolt hub. For use with 10K tag.	\$1,058	-60#
5788285	1 Steerable Tag Wheel: 2 Accuride 50344 HD steel 22.5x8.25; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb maximum rating. 5-hand holes.	\$82	20#
5788288	1 Steerable Tag Wheel: 2 Accuride 51487 22.5x8.25. Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5788299	1 Steerable Tag Wheel: 2 Accuride 29374 22.5X12.25; aluminum Semi-polished finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$1,267	-2#
5788518	1 Steerable Tag Wheel: 2 Alcoa 82462 22.5X12.25; aluminum with Lvl One [™] High Polish finish, hub-pilot mount. 11000lb. maximum rating. 5.80in. offset. Air disc brake compatible.	\$1,335	-3#
5788568	1 Steerable Tag Wheel: 2 Alcoa 89U63 22.5X9 aluminum. Ultra One High Polish Wheel.	\$1,082	-39#
5788774	1 Steerable Tag Wheel: 2 Alcoa 66480 17.5x6 aluminum. Hub pilot mount. For use with 8K Super Lite tags.	\$1,184	0#
Non-Steerable Tags 2-4			
5784206	Non-Steerable Tag Wheel: 2 Accuride 50300 steel, 22.5x9, 2-4, Steel Armor[™] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$173	72#
5784510	Non-Steerable Tag: Alcoa 88067 22.5x8.25 2-4 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$519	-51#
5785276	Non-Steerable Tag Wheel: Accuride 51408 ST 22.5x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	(\$429)	0#
5786258	Non-Steerable Tag Wheel: Accuride 50291 STL heavy-duty 22.5x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	(\$306)	-114#
5786285	Non-Steerable Tag Wheel: Accuride 50344 STL heavy-duty 22.5 x8.25, 2-4; Steel Armor[™] powder coat. Hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	(\$355)	-116#
5786288	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 2-4; Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	(\$223)	0#
5786298	Non-Steerable Tag Wheel: Accuride 29683 22.5x 12.25, 2-4; aluminum Standard polish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$839	-148#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Tag Axle Wheels			
Non-Steerable Tags 2-4			
5786516	Non-Steerable Tag Wheel: Alcoa 82362 22.5x12.25, 2-4; aluminum with Lvl One [TM] High Polish finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102in. w/ 425 tires. Air disc brake compatible.	\$847	-146#
Non-Steerable Tags 4-4			
5784207	Non-Steerable Tag Wheel: 4 Accuride 50300 steel, 22.5x9, 4-4, Steel Armor[TM] powder coat. Hub-pilot mount. 10,000 lb max rating. 5-hand holes. Not air disc brake compatible.	\$1,750	0#
5784258	Non-Steerable Tag Wheel: Accuride 50291 22.5X8.25 heavy-duty, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand holes.	\$273	44#
5784272	Non-Steerable Tag Wheel: Accuride 51408 STL 22.5x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes.	\$8	0#
5784282	Non-Steerable Tag Wheel: Accuride 30391225PW 22.5x8.25 4-4; steel painted white. Spokes. 7300lb. maximum rating.	\$126	0#
5784285	Non-Steerable Tag Wheel: Accuride 50344 heavy-duty 22.5 x8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 5-hand holes.	\$165	40#
5784293	Non-Steerable Tag Wheel: Accuride 51487 22.5x 8.25, 4-4; Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand holes.	\$0	0#
5784328	Non-Steerable Tag Wheel: Accuride 42362 24.5X8.25 4-4; aluminum Standard polish, hub-pilot mount. 7850lb. maximum rating.	\$1,335	-60#
5784338	Non-Steerable Tag Wheel: Accuride 43644 22.5x8.25, 4-4; aluminum Standard Polish. Hub-pilot mount. 7400lb. maximum rating.	\$1,399	-104#
5784511	Non-Steerable Tag 4 Alcoa 88067/Accuride 50344 22.5x8.25 4-4, MagnaForce aluminum alloy outside with high polish finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$974	-24#
5784512	Non-Steerable Tag: Alcoa 88067 22.5x8.25 4-4 MagnaForce aluminum alloy, hub-pilot mount. 7400 lb maximum rating. Air disc brake compatible. High polish.	\$1,934	-102#
5784575	Non Steerable Tag Wheel: Alcoa 98U63 24.5X8.25 aluminum 4-4 Ultra One High Polish Wheel.	\$2,135	-67#

Spare Tires & Wheels

Wheels

5742104	Spare Wheel: Accuride 50300 22.5x9 steel, Steel Armor[TM] powder coat, hub-pilot mount. 10,000 lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$1,058	101#
---------	---	---------	------

Miscellaneous Tires & Wheels

Tire Miscellaneous



T880: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Tire Miscellaneous			
4880000	Tires Selected Limit Top Vehicle Speed Delivery requirements may apply see TE-1127/1045. Speed restricted tires.	\$0	0#
4899104	Tire pressure monitoring system for tire/wheel count: 4.	\$85	0#
4899106	Tire pressure monitoring system for tire/wheel count: 6.	\$127	0#
4899108	Tire pressure monitoring system for tire/wheel count: 8.	\$169	0#
4899110	Tire pressure monitoring system for tire/wheel count: 10.	\$212	0#
4899112	Tire pressure monitoring system for tire/wheel count: 12.	\$254	0#
4899114	Tire pressure monitoring system for tire/wheel count: 14.	\$296	0#
4899116	Tire pressure monitoring system for tire/wheel count: 16.	\$338	0#
Wheel Equipment			
5800004	Rear Wheels Mounted Inboard. Mounted same as front axle (mounted inset).	\$0	0#
5856048	Dual Rear Accuride-Finish: Accu-Sheild Both Surfaces 8 Wheels, aluminum Only	\$1,540	0#
Wheelguards			
5850040	Wheelguards: All Axles.	\$109	2#
Wheel Treatments			
5853906	Powder Coat White Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853907	Powder Coat Gray Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853908	Powder Coat Blacksteel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853909	Powder Coat Red Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5854010	Single Front Axle: 2 Polished Wheels. Mirror polished outboard surface of aluminum wheels.	\$168	0#
5854011	Single Rear Axle: 2 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$220	0#
5854012	Dual Rear Axle: 4 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$419	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5854014	Dual Rear Axle: 4 Mirror Polish Wheels. both surface of outer dual or single aluminum wheels.	\$522	0#
5854021	Tridem Rear Axle: 6 Mirror Polish Wheels. outboard surface of outer dual or single aluminum wheels.	\$618	0#
5854031	1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axle with single wheel.	\$168	0#
5854032	2 Pushers: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 2 steerable or 2 non-steerable pusher axle w/ single wheel.	\$316	0#
5854033	3 Pushers: 3 Mirror Polished Wheels. Polished outboard surface of outboard wheels mounted same as front axle. For use on 3 steerable or 3 non-steerable pusher axle with single wheel.	\$464	0#
5854034	1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axle with single wheel.	\$220	0#
5854041	1 Pusher: 2 Mirror Polished Wheels. Polished outboard surface of outboard wheels. For use on 1 non-steerable pusher axle with single or dual wheel.	\$220	0#
5854042	2 Pushers: 4 Mirror Polished Wheels. Polished outboard surface of outboard wheels. For use 2 non-steerable pusher axle with single or dual wheel.	\$419	0#
5854044	1 Tag: 2 Polished Wheels. Polished Outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$220	0#
5854045	Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$97	0#
5854047	Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2	\$97	0#
5854048	Dual Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only Quantity 4	\$194	0#
5854051	1 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$97	0#
5854052	2 Pusher Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$194	0#
5854054	1 Tag Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$97	0#
5856010	Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin)	\$320	0#
5856012	Dual Rear Axle: Dura-Bright Brushed (QTY 4) -0DB (Satin)	\$887	0#
5856045	Single Front Accuride-Finish: Accu-Sheild Both Surfaces 2 Wheels, aluminum Only	\$320	0#
5856047	Dual Rear Accuride-Finish: Accu-Sheild Both Surfaces 4 Wheels, aluminum Only	\$640	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5856050	1 Pusher Accuride-Finish:Accu-Shield Both Surfaces. 2 Wheels, aluminum Only (Steerable or Non-Steerable)	\$320	0#
5856051	2 Pusher Accuride-Finish: Accu-Shield Both Surfaces. 4 Wheels, aluminum Only (Steerable or Non-Steerable)	\$640	0#
5856053	1 Tag Accuride-Finish: Accu-Shield Both Surfaces 2 Wheels, aluminum Only (Steerable or Non-Steerable)	\$320	0#
5858009	Dual Rear Axle: Dura-Flange (quantity 4) -DF. For super single 2-4 wheels. Not available with Dura-Bright, except 88367.	\$565	0#
5858010	Single Front Axle: 2 Wheels Dura-Flange	\$282	0#
5858011	Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.	\$655	0#
5858012	Dual Rear Axle: Dura-Flange (quantity 8) -DF	\$1,130	0#
5858013	Tridem Rear Axle: Dura-Flange (quantity 12) -DF. Not available with Dura-Bright except 88367.	\$1,694	0#
5858014	1 Tag Dura-Flange; Steerable or Non-Steerable Tag N/A with super singles (quantity 2) -DF.	\$282	0#
5858015	1 Tag Dura-Flange; Non-Steerable Tag Without super singles (quantity 4) -DF.	\$565	0#
5858017	2 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 4) -DF.	\$565	0#
5858018	1 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 2) -DF.	\$282	0#
5858019	1 Pusher Dura-Flange; Non-Steerable Pusher without super singles (quantity 4) -DF. Not available with Dura-Bright.	\$565	0#
5858020	3 Pusher Dura-Flange; Steerable or Non-Steerable pusher with super singles (quantity 6) -DF.	\$847	0#
5859006	Tridem Rear Axle Wheels: Dura-Bright Mirror Polish inboard surface of inner dual aluminum wheels.	\$1,149	0#
5859007	Tridem Rear Axle Wheels: 6 Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$1,219	0#
5859010	Single Front Axle: 2 wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of aluminum wheels.	\$308	0#
5859011	Single Rear Axle Wheels: 2 Wheels Dura-Bright Mirror Polish. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$383	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5859012	Dual Rear Axle Wheels: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$820	0#
5859013	Single Rear: Dura-Bright Mirror Polish Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011	\$766	0#
5859014	Single Front Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of aluminum wheels.	\$462	0#
5859015	Dual Rear Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$975	0#
5859016	Dual Rear Axle Wheels: Dura-Bright Mirror Polish inboard surface of inner dual aluminum wheels.	\$813	0#
5859017	Dual Rear Axle Wheels: Dura-Bright Mirror Polish both inboard and outboard surface of inner dual aluminum wheels.	\$924	0#
5859024	Tridem Rear Axle Wheels: Dura-Bright Mirror Polish both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$1,386	0#
5859025	2 Pusher or Tag wheels: Dura-Bright Mirror Polish outboard surface of outboard wheels mounted same as rear axle. For use on 2 non-steerable lift axles.	\$719	0#
5859027	Dual Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 4) -1DB.	\$693	0#
5859028	Single Rear Axle: Dura-Bright Mirror Polish wide base singles, outboard surface (quantity 2) -1DB.	\$320	0#
5859031	1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable pusher axles w/ single wheel.	\$320	0#
5859032	2 Pushers: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 2 steerable or 2 non-steerable pusher axle w/ single wheel.	\$769	0#
5859033	3 Pushers: 3 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 3 steerable or 3 non-steerable pusher axle w/ single wheel.	\$960	0#
5859034	1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels mounted same as front axle. For use on 1 steerable or 1 non-steerable tag axles w/ single wheel.	\$320	0#
5859040	1 Non-Steerable: Dura-Bright Mirror Polish Inner Wheels - Non-steerable (quantity 2) -1DB.	\$320	0#
5859041	1 Pusher: 2 Wheels Dura-Bright Mirror Polish Dura-Bright surface of outboard wheels.	\$359	0#
5859042	2 Pushers: 4 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use 2 non-steerable pusher axle with single or dual wheel.	\$719	0#



T880: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5859044	1 Tag: 2 Wheels Dura-Bright Mirror Polish Dura-Bright outboard surface of outboard wheels. For use on 1 non-steerable tag axle with single or dual wheel.	\$359	0#
5859045	1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of outer - Non-steerable (quantity 2) -3DB.	\$924	0#
5859046	1 Pusher Wheel: Dura-Bright Mirror Polish both surfaces of inner - Non-steerable (quantity 2) -3DB.	\$924	0#
5859065	Single Front Axle: Dura-Black Both Surfaces (QTY 2)	\$1,100	0#
5859066	Single Rear Axle: Dura-Black Both Surfaces (Qty 4)	\$2,199	0#
5859067	Dual Rear Axle: Dura-Black Both Surfaces (Qty 8)	\$4,398	0#
5859068	Tridem Rear Axle Wheels: Dura-Black Both Surfaces (Qty 12)	\$6,597	0#
5859069	1 Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 2)	\$1,100	0#
5859070	1 Non-Steerable: Dura-Black Both Surfaces Tag or Pusher (Qty 4)	\$2,199	0#
5859071	Tridem Rear Axle Wheels: Dura-Black Both Surfaces of Outer Wheels Only (Qty 6)	\$3,299	0#
5859072	Dual Rear Axle Wheels: Dura-Black Both Surfaces of Outer Wheels Only (Qty 4)	\$2,199	0#
5859073	Non-Steerable: 2 Wheels Dura-Black Both Surfaces. For use on 1 non-steerable tag or 1 non-steerable pusher with 2-4 wheels.	\$1,100	0#
Wheel Miscellaneous			
5800000	Pusher or Tag Wheels Mounted Inboard 2-4 Only. Mounted Same As Front Axle.	\$0	0#
5800001	Pusher Or Tag Wheels Mounted Outboard, 2-4 Only. Mounted Same As Drive Axle.	\$0	0#
5880000	Wheels Selected Limit Top Vehicle Speed. Wheels are speed restricted, special delivery requirements may apply.	\$0	0#
5890000	V2B Double Seal Cap Valves.	\$66	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.625 x 3.5 x 0.3125 Steel Frame			
6054200	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 284 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	(\$150)	0#
6054400	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 285 in. to 336 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	(\$16)	0#
6054600	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 337 in. to 416 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$539	0#
6054602	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 417 in. to 480 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,037	0#
10.75 x 3.5 x 0.375 Steel Frame			
6056200	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	STD	0#
6056400	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$474	0#
6056600	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$995	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.75 x 3.5 x 0.375 Steel Frame			
6056680	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 417in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,608	0#
6056690	Spliced Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 481 in. to 720 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$6,261	0#
10.6875 x 3.5 x 0.5 Steel Frame			
6056700	Frame Rails: 10-11/16 x 3-1/2 x 1/2 in. Steel to 455 in. Truck frame weight is 4.70 lb.-in. per pair of rails. Section modulus is 22.35, RBM is 2,683,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$6,022	0#
11.625 x 3.875 x 0.375 Steel Frame			
6057600	Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel to 447 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,917	0#
6057680	Frame Rails: 11-5/8 x 3-7/8 x 3/8in. Steel 448in. to 480 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$2,193	0#
6057690	Spliced Frame Rails: 11-5/8 x 3-7/8 x 3/8 in. Steel 481 in. to 720 in. Truck frame weight is 3.80 lb.-in. per pair of rails. Section modulus is 21.43, RBM is 2,572,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$6,930	0#
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 lb.-in. to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,348	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141400	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 285 in. to 336 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,615	0#
6141600	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 337 in. to 416 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$2,819	0#
6141615	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel 417 in. to 480 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$3,049	0#
6141616	Spliced Full Steel Insert: for 10-5/8 in. or 10-3/4 in. steel 481 in. to 720 in. or 2nd insert for 11-5/8 in. steel frame. Adds 1,149,000 in-lb to main rail RBM. Truck insert weight is 2.05 lb.-in. per pair of rails. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$7,836	0#
10.75 x 3.5 x 0.375 Steel Insert			
6144615	Full Steel Insert: for 11-5/8 in. Steel Rail to 480 in. Adds 2,132,000 in-lb to main rail RBM. 120K PSI. 11-5/8 in. primary insert RBM 4,704,000 in-lbs, section modulus is 39.20. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by model. See databook addendum section 7.2.	\$4,927	0#
6144617	Spliced Full Steel Insert: for 11-5/8 in. Steel rail 481 in. to 720 in. Adds 2,132,000 in-lb to main rail RBM. 120K PSI. 11-5/8 in. primary insert RBM 4,704,000 in-lbs, section modulus is 39.20. Full frame insert length is equal to wheelbase plus rear frame cutoff plus dimension forward of front axle by mode. See databook addendum section 7.2.	\$9,329	0#
Partial Frame Inserts			
Inserts for 10.625 or 10.75 Main Rail			
6279310	Partial Steel Insert: 10-5/8 in. or 10-3/4 in. Steel to 10 ft or partial 2nd insert for 11-5/8 in. steel rail.	\$1,622	227#
6289325	Partial Steel Insert: 10-5/8 in. or 10-3/4 in. main rail. Insert length is 10 - 25 ft. Adds 1,149,000 in-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails.	\$2,540	570#
Inserts for 11.625 Main Rail			
6289400	Partial Steel Insert: for 11-5/8 in. Steel Rail to 10 ft.	\$3,110	253#
6289425	Partial Steel Insert: for 11-5/8 in. Steel Rail over 10 ft to 25 ft.	\$4,789	630#
Partial Frame Insert Location			
6279000	Locate Partial Frame Inserts Under Cab to BOC.	\$0	0#
6279001	Locate Partial Frame Inserts Over Bogie.	\$0	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Partial Frame Inserts			
Partial Frame Insert Location			
6279003	Locate Partial Frame Inserts Under Cab to Over bogie.	\$0	0#
6279005	Locate Partial Frame Inserts Under Cab to end-of-frame.	\$0	0#
Bumpers			
Bumper Style			
Contoured			
6308695	Bumper: Contoured 3-piece Aluminum Fiberglass Painted 1 Color. Requires a bumper setting code.	\$653	3#
Aluminum Channel			
6301360	Bumper: Straight Aluminum Channel. Requires a bumper setting code.	STD	0#
6301610	Bumper: Stainless Steel Clad Straight Aluminum channel. Requires bumper setting code.	\$452	-11#
6301695	Bumper: Straight Aluminum Channel, Polished Finish. Requires a bumper setting code.	\$534	0#
6302360	Bumper: Tapered Aluminum Channel. Natural Finish. Requires a bumper setting code.	\$274	-6#
6302361	Bumper: Tapered Polished Aluminum Channel. Requires a bumper setting code.	\$233	-6#
Steel Channel			
6301437	Bumper: Straight Steel, Painted Channel. Requires a bumper setting code.	(\$110)	50#
6301790	Bumper: Straight Chrome Steel Channel. Requires bumper setting code.	\$192	50#
6302460	Bumper: Tapered Painted Steel Channel. Requires a bumper setting code.	(\$102)	44#
6302461	Bumper: Tapered Chrome Steel Channel. Requires a bumper setting code.	\$594	63#
6309720	Bumper: Texas Square Chrome. Requires a Bumper setting code.	\$714	66#
6309755	Bumper: Texas Square, Stainless Steel. Requires bumper setting code.	\$819	66#
Steel Box			
6303360	Bumper: Straight Steel Box. Painted. Requires a bumper setting code.	\$335	211#
6303428	Bumper: Straight Steel Box. Chrome. Requires bumper setting code.	\$1,942	211#
6303759	Bumper: Tapered Painted Steel Box. Requires a bumper setting code.	\$2,295	123#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Bumpers			
Bumper Style			
Steel Box			
6303763	Bumper: Heavy-Duty Tapered Painted Steel Box. 3/8 in. thickness. Requires a bumper setting code. T880 only.	\$3,081	185#
Bumper Setting			
6319028	28 in Bumper Setting. Requires a Bumper Code.	\$0	0#
6319033	33 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319035	35 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319295	29.5 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319315	31.5 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319485	48.5 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
6319515	51.5 in. Bumper Setting. Requires a Bumper Code.	\$0	0#
Bumper Equipment			
6321005	Removable Front Tow Hooks: 2.	\$302	15#
6323004	Rams Horn Front Tow Hooks: 2.	\$279	18#
6324025	Front Tow Hook: Center Mounted, Cast. Requires iron front drive brackets.	\$300	28#
6390048	Rectangular Bumper Cutouts for customer-installed fog lights.	\$30	0#
Front Frame Miscellaneous			
6390001	Steel Shackle Links.	\$14	8#
6390021	Iron Shackle Brackets. Code is not required with front springs greater than or equal to 16,000 lbs.	\$138	11#
6390036	Front frame structure for equipment mounting. 2.1m HD.	\$2,373	225#
6390037	C/I kicker brace for front frame structure, deletes KW installed kicker.	(\$486)	-53#
6390103	Front Mudflaps.	STD	0#
6390312	Brackets: Iron Front Spring Drive. Included with front spring capacity of 16,000 lbs or greater; code not required.	\$199	47#
Mixer Equipment			



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Mixer Equipment			
6340110	Side Plate on Chassis Rail for Mixer Boost-a-Load	\$261	46#
6350105	Front Engine Skid Protector. Painted Bumper color. C500B requires 56.5 in. bumper setting.	\$1,029	79#
Battery Boxes			
Parallel			
6403678	Battery Box: Aluminum Parallel BOC W/ ABS Cover.	\$3,382	11#
6404207	Battery Box: Steel Parallel BOC W/ ABS Cover.	\$2,341	20#
6404303	Battery Box: Twin Steer, between Steer Axles. Parallel steel box with aluminum integral step and diamond plate cover. For 86 in. axle spacing twin steer only.	\$1,628	53#
6405001	Battery Box: Short Length Polished Aluminum parallel box module under cab w/ aluminum integral step, polished cover. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$788	0#
6405002	Battery Box: Aluminum Parallel Module BOC W/ step, aluminum diamond plate cover. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	\$390	44#
6405048	Battery Box Module: Short Length Aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	STD	0#
6405080	T8 Parallel Non-Polished Aluminum Battery Box module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$120	72#
6405082	T8 Parallel Polished Aluminum Battery Box Module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$1,545	72#
6405102	Short Length Steel Parallel Battery Box Module under cab, aluminum integral step, diamond plate cover. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$131	53#
6405103	Steel Parallel Battery Box Module: BOC W/ aluminum diamond plate cover w/step. Up to 2 air tanks may be mounted to bottom of box. Batteries oriented perpendicular.	\$427	92#
6405180	T8 Parallel Non-Polished Steel Battery Box module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	\$417	125#
Cantilever			
6400634	Battery Box Cantilever Aluminum BOC with Painted smooth aluminum cover.	\$721	10#
6400636	Battery Box Cantilever Aluminum BOC with fiberglass cover.	\$409	8#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Battery Boxes			
Cantilever			
6400641	Battery Box Cantilever Aluminum BOC with Polished smooth aluminum cover.	\$680	10#
6400648	Battery box module: cantilever aluminum BOC with polished aluminum cover.	\$1,096	30#
6400650	Battery box module: cantilever aluminum BOC with polished aluminum cover. Lowered battery box.	\$1,100	30#
6400654	Battery box module: cantilever aluminum BOC with aluminum diamond plate cover.	\$1,050	30#
6400655	Battery box module: cantilever aluminum BOC with aluminum diamond plate cover. Lowered battery box.	\$1,053	30#
6401200	Battery Box Cantilever Steel BOC W/ Fiberglass cover.	\$683	24#
6401233	Steel Cantilever Battery Box BOC with smooth aluminum cover. Vocational Style.	\$759	39#
6401235	Steel Cantilever Battery Box BOC W/ Smooth polished aluminum cover. Vocational Style.	\$840	39#
Across or Between Rails BOC			
6400500	Battery Box: Aluminum between the Rails BOC W/ FMCSR cover.	\$1,538	11#
6400508	Battery Box: Aluminum Between the Rails BOC with aluminum cover.	\$1,231	-8#
6400631	Battery Box: Temporary Across the Rails.	\$325	-110#
6400633	Battery Box: Temporary Across the Rails. Includes maximum cable length available.	\$383	-110#
In-Cab			
6405000	In-Cab Steel Battery Box: under Rider Seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	\$1,828	-9#
Battery Box Locations			
6409901	Battery Box Location: LH Side.	\$0	0#
6409902	Battery Box Location: RH Side.	\$116	15#
6409903	Battery Box Location: BOC Between the Rails.	\$0	0#
6409906	In-Cab Battery Box Location: Under Rider Seat.	\$0	0#
6409908	Battery Box Location: BOC Across the Rails.	\$0	0#
6409934	RH Back of Cab Box Location for Kenworth Idle Management System batteries.	\$0	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Battery Boxes			
Battery Box Equipment			
6409010	Back of Cab/Slpr Box for Kenworth Idle Management System batteries. Must also use the location code.	\$1,482	0#
6409136	Insulate Battery Box W/ Acid-Resistant & cross-linked polyolefin foam sheets.	\$198	2#
6409725	Frame access step mounted to LH BOC cantilever box module.	\$406	9#
6409726	Frame access step mounted to RH BOC cantilever box module.	\$406	9#
Center Frame Equipment			
Frame Access			
Grabhandles			
6410010	Frame Access Grabhandle(s) LH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$61	2#
6410011	Frame Access Grabhandle(s) RH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$61	2#
6410028	Frame Access Grabhandle, Additional LH Mounted in side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$150	2#
6410029	Frame Access Grabhandle, Additional RH Mounted on side extender. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$150	2#
6410040	Full Height Frame Access Grabhandle, LH Mounted. Daycab only, replaces outboard BOC grabhandle.	\$188	6#
6410041	Full Height Frame Access Grabhandle, RH Mounted. Daycab only, replaces outboard BOC grabhandle.	\$188	6#
6410092	Frame Access Grabhandle Horizontal Mounted at midpoint of sleeper or Daycab.	\$75	2#
6418508	Ladder Step Access Handle LH Mounted to Battery box /toolbox. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$263	8#
6418509	Ladder Step Access Handle: RH Mounted to Battery box/toolbox. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$263	8#
6418510	Ladder Step Access Handle: LH Mounted to Frame step. Narrate location of frame step. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$246	8#
6418512	Ladder Step Access Handle: RH Mounted to Frame step. Narrate location of frame step. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$246	8#
Deckplate			
6414008	Deckplate: minimum coverage (1 foot)	\$102	6#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Equipment			
Frame Access			
Deckplate			
6414009	Deckplate: standard coverage, 4 feet unless less fits for space constraints.	\$256	18#
6414010	Deckplate: full coverage, as much as possible keeping ahead of fifth wheel angle or 10 feet maximum.	\$603	42#
Steps			
6417002	Cab Access Step: RH under Mounted to Frame.	\$766	66#
6417004	Frame Access Steps: Narrow, 12" Ladder-Type, RH. Available when rear of tank extends less than 24 in. behind rear of cab or sleeper.	\$228	15#
6417007	Frame Access Steps: 2 Ladder-Type, RH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$196	15#
6417009	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$237	6#
6418002	Cab Access Step: LH Under Mounted to Frame.	\$704	66#
6418004	Frame Access Steps: Narrow, 12" Ladder-Type, LH. Available when rear of tank extends less than 24 in. behind rear of cab or sleeper.	\$228	15#
6418006	Frame Access Steps: 2 Ladder-Type, LH Mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$196	15#
6418008	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$237	6#
6418020	Extended Frame Access Step: LH Mounted, 2 ladder-type steps. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$521	28#
6418021	Extended Frame Access Steps: RH Mounted, 2 ladder-type steps. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$521	28#
Box Step Options			
6409721	Ladder step: Below Battery Box or Toolbox (diamond plate cover). Flex step brackets. LH side only.	\$323	18#
6409722	Ladder step: Below Battery Box, Toolbox or DPF/SCR box (diamond plate cover). Flex step brackets. RH side only.	\$323	18#
6451072	Battery Box Module Step: Raised 3 in. Aluminum under or BOC.	\$94	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Center Frame Equipment

Box Step Options

6451082	Module Battery Box: Raised 2 in. for Box Under cab. Not for W900L.	\$46	0#
---------	--	------	----

Toolboxes

6470648	Tool box module: cantilever aluminum BOC with polished aluminum cover.	\$1,642	101#
---------	--	---------	------

6470654	Tool box module: cantilever aluminum BOC with aluminum diamond plate cover.	\$1,617	101#
---------	---	---------	------

6473212	Pro-Tech 15 in. Aluminum Toolbox, Back of Cab. Does not provide frame access.	\$1,910	55#
---------	---	---------	-----

6473213	2nd Pro-Tech 15 in. Aluminum Toolbox, Back of cab. Does not provide frame access.	\$1,910	55#
---------	---	---------	-----

6475201	Short Length Aluminum Toolbox Module: Under Cab, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,091	108#
---------	--	---------	------

6475204	2nd Short Length Aluminum Toolbox Module: Under cab, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,091	108#
---------	--	---------	------

6475335	Short Length Steel Toolbox Module: Under Cab, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,047	149#
---------	---	---------	------

6475345	2nd Short Length Steel Toolbox Module: Under, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,047	149#
---------	---	---------	------

6475348	2nd Short Length Steel Toolbox Module: Under Cab, with step, without hinged cover, without lock. Up to 2 air tanks may be located on the bottom of box.	\$993	147#
---------	---	-------	------

6475349	Short Length Steel Toolbox Module: Under Cab, with step, without hinged cover, without lock. Up to 2 air tanks may be located on the bottom of box.	\$993	147#
---------	---	-------	------

6475638	Short Length Aluminum Parallel Toolbox Module: BOC, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,172	108#
---------	---	---------	------

6475640	2nd Short Length Aluminum Parallel Toolbox Module BOC, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,172	108#
---------	--	---------	------

6475641	3rd Short Length Aluminum Parallel Toolbox Module BOC, aluminum diamond plate cover with step, with lock. Up to 2 air tanks may be mounted to bottom of box.	\$1,172	108#
---------	--	---------	------

6475702	2nd Extended Length Polished Aluminum Toolbox Module: BOC with aluminum cover, with step, with lock. Up to 2 air tanks may be mounted to bottom of box.	\$2,335	123#
---------	---	---------	------

Toolbox Locations

6479901	Toolbox Location: LH Side.	\$0	0#
---------	----------------------------	-----	----

6479902	Toolbox Location: RH Side.	\$0	0#
---------	----------------------------	-----	----



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Toolboxes			
Toolbox Locations			
6479905	Second Toolbox Location: LH Side.	\$0	0#
6479906	Third Toolbox Location: RH Side.	\$0	0#
6479915	Second Toolbox Location: RH Side.	\$0	0#
6479916	Third Toolbox Location: LH Side.	\$0	0#
DPF-SCR Covers			
6451090	C5, T6, T8 diamond plate cover and black end plates with access step for right hand under DPF/SCR or CNG. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	STD	0#
6451094	C5, T6, T8 polished cover and polished end plates with access step for right hand under DPF/SCR or CNG. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components.	\$467	0#
6451099	C5, T8 diamond plate cover with black end plates with cab access step for right hand under Euro 4/5 EGP.	\$0	0#
6451100	C5, T8 polished cover and polished end plates with cab access step for right hand under Euro 4/5 EGP.	\$438	0#
6451112	C5, T6, T8 diamond plate cover and polished end plates with access step for right hand under DPF/SCR or CNG. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. For use with frame paint color other than standard black. The cover will be unpolished diamond-plate and the end plates will be polished.	\$174	0#
Frame Crossmembers & Upgrades			
6490012	Two Steel Intermediate Crossmembers With heavy-duty aluminum gussets. Includes one forward and one rear intermediate crossmember.	\$370	52#
6490014	Steel Auxiliary Transmission Crossmember With heavy-duty aluminum gussets.	\$0	24#
6490018	Steel Forward Intermediate Crossmember: One With heavy-duty aluminum gussets, replacing standard.	\$185	17#
6490034	Aluminum Rear Intermediate Crossmember: One additional with standard-duty aluminum gussets.	\$305	29#
6490089	Steel Forward Intermediate Crossmember: One additional with heavy-duty aluminum gussets.	\$480	81#
6490095	Steel Rear Intermediate Crossmember: One With heavy-duty aluminum gussets, replacing standard.	\$185	17#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Frame Crossmembers & Upgrades			
6490100	Two Steel Intermediate Crossmembers With heavy-duty aluminum gussets. Includes one forward and one rear intermediate crossmember replacing Domestic Severe Service package standard. Code 9462002 is required.	\$370	52#
6490120	Invert Rear Intermediate Crossmember. A Separate sales code is required for one of the following: an additional crossmember; steel crossmember; and if crossmember is not standard aluminum gussets on non-severe service.	\$0	0#
6490416	Heavy-Duty Rear Cab Supports: W/ Steel crossmembers & aluminum gussets.	\$137	26#
6490440	Heavy-Duty BOC Crossmember Assembly.	\$215	23#
Center Frame Clear Space			
6491011	One Clear Frame Space Area Without Custom Frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.	\$449	0#
6491012	Two Clear Frame Space Areas Without Custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.	\$899	0#
6497020	First Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
6497030	Second Clear Frame Space Dimensioned from Back of Cab.	\$0	0#
First Request Area			
6497101	First - LH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497102	First - RH Outside Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497103	First - LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497104	First - RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497105	First - LH Outside and LH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Area			
6497106	First - RH Outside and RH Below Rail Only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497107	First - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497108	First - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
First Request Length			
6497310	First - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497312	First - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497314	First - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497316	First - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497318	First - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497320	First - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497322	First - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497324	First - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497326	First - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497328	First - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497330	First - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Length			
6497332	First - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497334	First - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497336	First - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497338	First - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497340	First - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497341	First - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497350	First - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497360	First - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
First Request Location			
6497200	Directly Behind the Under Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497201	Directly Behind the BOC Fuel/ Hydraulic Tank. First clear frame space location.	\$0	0#
6497202	Directly Forward of the Rearmost Fuel/ Hydraulic tank. First clear frame space location.	\$0	0#
6497203	Directly Behind DEF Tank. First clear frame space location.	\$0	0#
6497204	Directly Behind the Battery Box. First clear frame space location.	\$0	0#
6497205	Directly Behind the DPF/SCR Box. First clear frame space location.	\$0	0#
6497206	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. First clear frame space location.	\$0	0#
6497207	Directly Forward of the Rear Suspension/ Quarter fender. First clear frame space location.	\$0	0#
6497209	Directly Behind the Under Cab Component. First clear frame space location.	\$0	0#
6497210	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Center Frame Clear Space

First Request Location

6497211	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. First clear frame space location.	\$0	0#
---------	---	-----	----

Second Request Area

6497109	Second - LH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	--	-----	----

6497110	Second - RH Outside Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	--	-----	----

6497111	Second - LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	--	-----	----

6497112	Second - RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	--	-----	----

6497113	Second - LH Outside and LH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	---	-----	----

6497114	Second - RH Outside and RH Below Rail Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	---	-----	----

6497115	Second - Between Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	--	-----	----

6497116	Second - Between and Below Rails Only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
---------	--	-----	----

Second Request Length

6497510	Second - 10 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
---------	---	-----	----

6497512	Second - 12 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
---------	---	-----	----

6497514	Second - 14 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
---------	---	-----	----



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Length			
6497516	Second - 16 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497518	Second - 18 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497520	Second - 20 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497522	Second - 22 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497524	Second - 24 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497526	Second - 26 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497528	Second - 28 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497530	Second - 30 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497532	Second - 32 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497534	Second - 34 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497536	Second - 36 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497538	Second - 38 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497540	Second - 40 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497541	Second - 41 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497550	Second - 50 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497560	Second - 60 in. Clear Frame Space Length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#

Second Request Location



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Center Frame Clear Space

Second Request Location

6497230	Directly Behind the Under Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497231	Directly Behind the BOC Fuel/ Hydraulic Tank. Second clear frame space location.	\$0	0#
6497232	Directly Forward of the Rearmost Fuel/ Hydraulic tank. Second clear frame space location.	\$0	0#
6497233	Directly Behind DEF Tank. Second clear frame space location.	\$0	0#
6497234	Directly Behind the Battery Box. Second clear frame space location.	\$0	0#
6497235	Directly Behind the DPF/SCR Box. Second clear frame space location.	\$0	0#
6497236	Directly Behind the Toolbox or Temporary Cab entry step for use with natural gas engines. Second clear frame space location.	\$0	0#
6497237	Directly Forward of the Rear Suspension/ Quarter fender. Second clear frame space location.	\$0	0#
6497239	Directly Behind the Under Cab Component. Second clear frame space location.	\$0	0#
6497240	Directly Behind BOC1 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#
6497241	Directly Behind BOC2 Fuel/ Hydraulic Tank or Box. Second clear frame space location.	\$0	0#

Miscellaneous Center Frame Equipment

6397001	Huck Bolts Throughout Frame, where Possible.	\$322	0#
6670115	BOC2 Position Location. Component Located Just forward of the drive axle tires.	\$25	0#
6790052	Rear Underrun Protection, Non-Chrome.	\$3,207	281#

Body Builder Requirements

6090080	Warning: T800/T880 Twin Steer Wheelbase is measured from C/L first steer axle to C/L rear bogie.	\$0	0#
6390088	3D Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a 3D frame layout in a Pro/E or STP data file suitable for use with many CAD programs.	\$899	0#
6390091	Frame Layout Picture to Dealer Prior to Build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis.	\$899	0#
6390097	DXF Frame Layout to Dealer Prior to Build Date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.	\$899	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Body Builder Requirements			
6391201	Custom Frame Layout: One Chassis	\$1,380	0#
6391202	Custom Frame Layout: Two Chassis	\$690	0#
6391203	Custom Frame Layout: 3-4 Chassis	\$375	0#
6391205	Custom Frame Layout: 5-9 Chassis	\$200	0#
6391210	Custom Frame Layout: 10-24 Chassis	\$100	0#
6391225	Custom Frame Layout: 25-49 Chassis	\$40	0#
6391250	Custom Frame Layout: 50 or more Chassis	\$30	0#
6670120	C-Channel or I-Beam is Supplied By Body Builder and adds 1 to 999,999 lbs. RBM.	\$0	0#
6670121	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 1MIL lbs. RBM.	\$0	0#
6670122	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 2MIL lbs. RBM.	\$0	0#
6670123	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 3MIL lbs. RBM.	\$0	0#
6670124	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 4MIL lbs. RBM.	\$0	0#
6670125	C-Channel or I-Beam is Supplied By Body Builder and adds minimum 5MIL lbs. RBM.	\$0	0#
6679850	Dealer Acknowledges Self Loading Crane or Boom will be located behind the cab.	\$0	0#
6679852	Dealer Acknowledges Self Loading Crane or Boom will be located at the end-of-frame.	\$0	0#
6679856	Final End-of-Frame Cut-Off Dimension Will be modified to less than or equal to 45 in.	\$0	0#
6679857	Final End-of-Frame Cut-Off Dimension Will be modified to 46 in. to 50 in.	\$0	0#
6679858	Final End-of-Frame Cut-Off Dimension Will be modified to 51 in. to 55 in.	\$0	0#
6679859	Final End-of-Frame Cut-Off Dimension Will be modified to 56 in. to 60 in.	\$0	0#
6679860	Final End-of-Frame Cut-Off Dimension Will be modified to 61 in. to 65 in.	\$0	0#
6679862	Final End-of-Frame Cut-Off Dimension Will be modified to 66 in. to 74 in.	\$0	0#
6679864	Final End-of-Frame Cut-Off Dimension Will be modified to greater than or equal to 75 in.	\$0	0#
6679901	Hydraulic End of Tank is Difficult to Fill.	\$0	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Body Builder Requirements			
6679914	Any Changes to Rear Cab/Sleeper Area Must Comply w/FMCSR 399.	\$0	0#
6679915	Customer-Installed Bulkhead and/or Headache rack.	\$0	0#
6679995	Customer Will Install Structural End-of-Frame crossmember before vehicle is placed in service.	\$0	0#
6790003	Special Frame Drill: Dealer to Provide Drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout.	\$1,797	0#
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541232	Fifth Wheel: Fixed, Holland FW17Y700XL00 7.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,086	378#
6541234	Fifth Wheel: Fixed, Holland FW17Y800XL00 8.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,088	383#
6541236	Fifth Wheel: Fixed, Holland FW17Y900XL00 9.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,090	388#
6541262	Fifth Wheel: Fixed, Holland FW17Z800XL80 7.81 in. height w/air operated KP release. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,962	336#
6541272	Fifth Wheel: Fixed, Holland FW17Z600XL00 5.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,283	333#
6541273	Fifth Wheel: Fixed, Holland FW17Z700XL00 6.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,286	341#
6541274	Fifth Wheel: Fixed, Holland FW17Z700XL80 6.81 in. height. Air operated KP release. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,960	347#
6541275	Fifth Wheel: Fixed, Holland FW17Z800XL00 7.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,288	351#
6541276	Fifth Wheel: Fixed, Holland FW17Z900XL00 8.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,287	343#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541397	Fifth Wheel: Fixed, Holland FW33K200YL19 12.1 in. height. Kompensator with lockout feature. Low Lube. Outboard mounting angles, 55K vertical rating, LH release. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$9,348	737#
6541415	Fifth Wheel: Fixed, Holland FW33Y900XL00 9.00 in. height. Low lube, 50K. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,727	437#
6541420	Fifth Wheel: Fixed, Holland FW33Z600XL00 6.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,170	379#
6541423	Fifth Wheel: Fixed, Holland FW33Z700XL00 7.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,035	392#
6541424	Fifth Wheel: Fixed, Holland FW33Z700XL80 7.00 in. height. Low lube. Air-operated kingpin release. Outboard mounting angles, 55K vertical rating. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,832	423#
6541425	Fifth Wheel: Fixed, Holland FW33Z800XL00 8.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,168	394#
6541426	Fifth Wheel: Fixed, Holland FW33Z800XL80 8.00 in. height. Low lube. Air-operated kingpin release. Outboard mounting angles, 55K vertical rating. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,895	401#
6541427	Fifth Wheel: Fixed, Holland FW33Z900XL00 9.00 in. height. Low lube. Outboard mounting angles, 55K vertical rating. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,168	391#
6541546	Fifth Wheel: Fixed, Holland FW35-S10268-XL-1L 8.5 in. Holland ELI-te system. Inboard w/ .5 in. angles, 55K. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,438	391#
6541548	Fifth Wheel: Fixed, Holland FW35-S10268-XL 8.5 in. Inboard w/ .5in. angles 55K. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,154	381#
6541551	Fifth Wheel: Fixed, Holland FW35-07690-1 9.5 in. Outboard mounting angles, heavy-duty mounting plate, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,082	351#
6541570	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height and Kompensator mechanism. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,138	721#
6541572	Fifth Wheel: Fixed, Holland FW35-7727XL19 11.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accomodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,399	736#
6541573	Fifth Wheel: Fixed, Holland FW35-7729XL19 9.76 in. height. Kompensator with lockout feature. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,098	672#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541630	Fifth Wheel: Fixed, Holland FW17Y800XL80 8.30 in. height. With air operate KP release, outboard mounting angles. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,767	323#
6541663	Fifth Wheel: Fixed, Holland FW35Y700XL1L 7.00 in. height. Holland ELI-te system. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,410	355#
6541670	Fifth Wheel: Fixed, Holland FW35Y600XL00 6.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,561	396#
6541672	Fifth Wheel: Fixed, Holland FW35Y700XL00 7.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,563	355#
6541673	Fifth Wheel: Fixed, Holland FW35Y700XR00 7.00 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,563	391#
6541675	Fifth Wheel: Fixed, Holland FW35Y800XL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,564	401#
6541678	Fifth Wheel: Fixed, Holland FW35Y900XL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,566	412#
6541685	Fifth Wheel: Fixed, Holland FW35Z600XL00 5.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,400	370#
6541687	Fifth Wheel: Fixed, Holland FW35Z700XL00 6.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,402	363#
6541688	Fifth Wheel: Fixed, Holland FW35Z700XL80 6.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,070	371#
6541689	Fifth Wheel: Fixed, Holland FW35Z800XL00 7.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,405	363#
6541690	Fifth Wheel: Fixed, Holland FW35Z800XR00 7.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,459	363#
6541692	Fifth Wheel: Fixed, Holland FW35Z800XL80 7.62 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,955	388#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541693	Fifth Wheel: Fixed, Holland FW35Z900XL00 8.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,403	375#
6541695	Fifth Wheel: Fixed, Holland FW35Z900XR00 8.62 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,488	381#
6541710	Fifth Wheel: Fixed, Holland FW35Z600XL1M 5.62 in. height. Holland ELI-te system. Air operated KP release. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,013	384#
6541712	Fifth Wheel: Fixed, Holland FW35Z700XL1L 6.62 in. height. Holland ELI-te system. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,373	352#
6541714	Fifth Wheel: Fixed, Holland FW35Z800XL1L 7.62 in. height. Holland ELI-te system. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,377	358#
6541752	Fifth Wheel: No-Tilt Fixed, Holland FW35N800YL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,686	489#
6541753	Fifth Wheel: No-Tilt Fixed, Holland FW35N900YL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,686	489#
6551060	Fifth Wheel: Fixed, Holland FW0070-7601XL03 9.50 in. height & 3-1/2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$4,024	604#
6551061	Fifth Wheel: Fixed, Holland FW0070-7603XL 7.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$4,023	593#
6551069	Fifth Wheel: Fixed, Holland FW0070-7683XL 9.00 in. height & 2.0in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$4,753	588#
6551320	Fifth Wheel: Fixed, Holland FW0070-7601XL 9.50 in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$4,001	604#
6551322	Fifth Wheel: Fixed, Holland FW0070-7602XL 8.50in. height & 2in. kingpin w/ heavy-duty type 'A' lock. Outboard mounting angles, 70K vertical rating, LH release.	\$4,026	597#
6561550	Fifth Wheel: Aluminum, Fixed, Holland FWAL-07690 11.2 in. height.	\$8,295	360#
6561554	Fifth Wheel: Aluminum Fixed, Holland FWALZ600XL00 6.3 in. height, plate mount.	\$7,193	278#
6561556	Fifth Wheel: Aluminum Fixed, Holland FWALZ700XL00 7.3 in height, plate mount.	\$7,198	286#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6561558	Fifth Wheel: Aluminum Fixed, Holland FWALZ800XL00 8.3 in. height, plate mount.	\$7,203	293#
6561560	Fifth Wheel: Aluminum Fixed, Holland FWALZ900XL00 9.3 in. height, plate mount.	\$7,200	289#
Jost Fixed Fifth Wheels			
6591005	Fifth Wheel: Jost EURO JSK38C2KM-SM8 8.11in. height. For European countries only.	\$14,333	744#
6591006	Fifth Wheel: Fixed, Jost JSK37UWB-PM7X 7.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,547	432#
6591007	Fifth Wheel: Fixed, Jost JSK37UWB-PM9X 9.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,585	440#
6591008	Fifth Wheel: Fixed, Jost JSK37UWB-PM8X 8.16 in. height. Low lube, outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,572	434#
6591028	Fifth Wheel: Fixed, Jost JSK37USL-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available.	\$1,980	361#
6591031	Fifth Wheel: No-Tilt Fixed, Jost JSK37USLN-DB8X 7.85 in. height. No tilt, outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,336	397#
6591036	Fifth Wheel: No-Tilt Fixed, Jost JSK37USLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,366	385#
6591043	Fifth Wheel: Fixed, Jost JSK37USB-PM7X 7.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,005	427#
6591044	Fifth Wheel: Fixed, Jost JSK37USL-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available.	\$1,998	436#
6591045	Fifth Wheel: Fixed, Jost JSK37USB-PM8X 8.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,005	438#
6591046	Fifth Wheel: Fixed, Jost JSK37USB-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,024	438#
6591059	Fifth Wheel: Fixed, Jost JSK37USB-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,952	359#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Fixed Fifth Wheels			
6591060	Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,983	362#
6591061	Fifth Wheel: Fixed, Jost JSK37USB-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,006	365#
6591062	Fifth Wheel: Fixed, Jost JSK37USB-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,010	372#
6591064	Fifth Wheel: Fixed, Jost JSK37UWB-DB8X 7.85 in. height. Fixed Fifth Wheel Outboard mounting angles, Low lube feature, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,530	370#
6591065	Fifth Wheel: Fixed, Jost JSK37USB-DB10X 10 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,316	376#
6591070	Fifth Wheel: Fixed, Jost JSK37CKM-SM6 6.4 in. w/ heavy-duty king pin (EEC Certified). Requires some style of trailer connections.	\$8,507	445#
6591076	Fifth Wheel: Fixed, Jost JSK37UBB-DB7X 6.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,291	370#
6591078	Fifth Wheel: Fixed, Jost JSK37UBB-DB8X 7.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,329	374#
6591079	Fifth Wheel: Fixed, Jost JSK37UBA-DB7X 6.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,680	369#
6591080	Fifth Wheel: Fixed, Jost JSK37UBA-DB8X 7.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,689	375#
6591081	Fifth Wheel: Fixed, Jost JSK37UBB-DB10X 9.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,489	433#
6591085	Fifth Wheel: Fixed, Jost JSK37UWB-DB9X 8.85 in. height. Fixed Fifth Wheel Outboard mounting angles, Low lube feature, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,530	370#
6591086	Fifth Wheel: Fixed, Jost JSK37UBA-DB9X 8.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,702	385#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Fixed Fifth Wheels			
6591087	Fifth Wheel: Fixed, Jost JSK37UBB-DB9X 8.85 in. height. With steel wear ring. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,318	381#
6591135	Fifth Wheel: No-Tilt Fixed, Jost JSK37UWLN-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, w/ low lube, no-tilt. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,837	385#
6591172	Fifth Wheel: Fixed, Jost JSK37USA-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,325	367#
6591173	Fifth Wheel: Fixed, Jost JSK37UWA-DB7X 6.85in height. Outboard mounting angles, 50K vertical rating, low lube plate, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,876	363#
6591174	Fifth Wheel: Fixed, Jost JSK37UWA-DB8X 7.85in height. Outboard mounting angles, 50K vertical rating, low lube plate, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,900	365#
6591175	Fifth Wheel: Fixed, Jost JSK37USA-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,358	365#
6591176	Fifth Wheel: Fixed, Jost JSK37USA-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,381	368#
6591177	Fifth Wheel: Fixed, Jost JSK37USA-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,393	384#
6591178	Fifth Wheel: Fixed, Jost JSK37UWA-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, low lube plate, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,912	370#
6591189	Fifth Wheel: Fixed, Jost JSK37UBE-DB7X 6.85 in. height. Loc-Light, outboard mounting angles, steel wear ring, air-operated kingpin release, 50K vertical rating. The code for additional factory drilled settings is available.	\$3,427	367#
6591190	Fifth Wheel: Fixed, Jost JSK37UBE-DB8X 7.85 in. height. Loc-Light, outboard mounting angles, steel wear ring, air-operated kingpin release, 50K vertical rating. The code for additional factory drilled settings is available.	\$3,488	365#
6591191	Fifth Wheel: Fixed, Jost JSK37UBE-DB9X 8.85 in. height. Loc-Light, outboard mounting angles, steel wear ring, air-operated kingpin release, 50K vertical rating. The code for additional factory drilled settings is available.	\$3,580	370#
6591206	Fifth Wheel: Fixed, Jost JSK3CNWL-DB6X 5.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$4,000	290#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Fixed Fifth Wheels			
6591207	Fifth Wheel: Fixed, Jost JSK3CNWL-DB7X 6.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$4,000	297#
6591208	Fifth Wheel: Fixed, Jost JSK3CNWL-DB8X 7.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$4,163	303#
6591209	Fifth Wheel: Fixed, Jost JSK3CNWL-DB9X 8.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$4,163	308#
6591210	Fifth Wheel: Fixed, Jost JSK3CNWL-DB10X 9.90 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$4,296	336#
6591211	Fifth Wheel: Fixed, Jost JSK3CNWL-DB11X 10.85 in. height. Low-lube with outboard mounting angles, lightweight top plate, 55K vertical rating, LH release. The code for additional factory drilled settings is available.	\$4,360	348#
Holland Air-Sliding Fifth Wheels			
6543018	Fifth Wheel: ILS<=40K air Hol FW35J712XL1L 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,904	466#
6543019	Fifth Wheel: ILS<=40K air Hol FW35J712XL1M 12 in. slide, 6.8 in. height. Air operated KP release. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,497	478#
6543021	Fifth Wheel: ILS<=40K air Hol FW35J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,974	473#
6543040	Fifth Wheel: ILS<=40K air Hol FW35J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,538	471#
6543046	Fifth Wheel: ILS<=40K air Hol FW17J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,669	449#
6543047	Fifth Wheel: ILS<=40K air Hol FW17J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,667	445#
6543052	Fifth Wheel: ILS<=40K air Hol FW35J836XL00 36 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,373	566#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543054	Fifth Wheel: ILS<=40K air Hol FW35J924XL00 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,180	530#
6543055	Fifth Wheel: ILS<=40K air Hol FW35J924XL1L 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,233	530#
6543083	Fifth Wheel: ILS<=40K air Hol FW35J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,818	523#
6543207	Fifth Wheel: ILS<=40K air Hol FW35J718XL80 18 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,822	538#
6543210	Fifth Wheel: ILS<=40K air Hol FW35J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,175	521#
6543211	Fifth Wheel: ILS<=40K air Hol FW35J724XR00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, RH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,588	513#
6543212	Fifth Wheel: ILS<=40K air Hol FW35J724XL1L 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,449	520#
6543213	Fifth Wheel: ILS<=40K air Hol FW35J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,838	518#
6543214	Fifth Wheel: ILS<=40K air Hol FW35J736XL00 36 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,312	561#
6543217	Fifth Wheel: ILS<=40K air Hol FW35J736XL80 36 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,918	546#
6543218	Fifth Wheel: ILS<=40K air Hol FW35J748XL00 48 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,463	609#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543221	Fifth Wheel: ILS<=40K air Hol FW35J748XL80 48 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,268	614#
6543222	Fifth Wheel: ILS<=40K air Hol FW35J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,976	478#
6543223	Fifth Wheel: ILS<=40K air Hol FW35J812XL1L 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,192	478#
6543225	Fifth Wheel: ILS<=40K air Hol FW35J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,603	476#
6543226	Fifth Wheel: ILS<=40K air Hol FW35J824XL00 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,178	518#
6543230	Fifth Wheel: ILS<=40K air Hol FW35J824XL1M 24 in. slide, 7.8 in. height. Air operated kingpin release. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,839	531#
6543231	Fifth Wheel: ILS<=40K air Hol FW35J824XL1L 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,197	526#
6543235	Fifth Wheel: ILS<=40K air Hol FW35J836XL80 36 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,005	571#
6543236	Fifth Wheel: ILS<=40K air Hol FW35J848XL00 48 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,630	614#
6543239	Fifth Wheel: ILS<=40K air Hol FW35J848XL80 48 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,221	619#
6543240	Fifth Wheel: ILS<=40K air Hol FW35J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,067	475#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543243	Fifth Wheel: ILS<=40K air Hol FW35J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,740	480#
6543246	Fifth Wheel: ILS<=40K air Hol FW35J924XL24 24 in. slide, 8.8 in. height. Includes drills and taps for auto lube. Outboard, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,468	522#
6543247	Fifth Wheel: ILS<=40K air Hol FW35J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,814	527#
6543248	Fifth Wheel: ILS<=40K air Hol FW35J936XL00 36 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,485	570#
6543251	Fifth Wheel: ILS<=40K air Hol FW35J936XL80 36 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,197	575#
6543252	Fifth Wheel: ILS<=40K air Hol FW35J948XL00 48 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,607	618#
6543255	Fifth Wheel: ILS<=40K air Hol FW35J948XL80 48 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,210	623#
6543260	Fifth Wheel: ILS<=40K air Hol FW35J024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions.	\$3,584	539#
6543263	Fifth Wheel: ILS<=40K air Hol FW35J036XL00 36 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,509	596#
6543267	Fifth Wheel: ILS<=40K air Hol FW35J048XL00 48 in. slide, 9.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,731	643#
6543339	Fifth Wheel: ILS<=40K air Hol FW33J812XL00 12 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,442	496#
6543340	Fifth Wheel: ILS<=40K air Hol FW33J712XL1L 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,896	488#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543341	Fifth Wheel: ILS<=40K air Hol FW33J712XL00 12 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,442	488#
6543342	Fifth Wheel: ILS<=40K air Hol FW33J712XL80 12 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,461	493#
6543343	Fifth Wheel: ILS<=40K air Hol FW33J724XL00 24 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,709	538#
6543344	Fifth Wheel: ILS<=40K air Hol FW33J724XL80 24 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,638	543#
6543345	Fifth Wheel: ILS<=40K air Hol FW33J736XL00 36 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,747	586#
6543346	Fifth Wheel: ILS<=40K air Hol FW33J736XL80 36 in. slide, 7.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,678	591#
6543347	Fifth Wheel: ILS<=40K air Hol FW33J748XL00 48 in. slide, 7.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,270	634#
6543349	Fifth Wheel: ILS<=40K air Hol FW33J812XL80 12 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,487	501#
6543350	Fifth Wheel: ILS<=40K air Hol FW33J824XL00 24 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,709	543#
6543352	Fifth Wheel: ILS<=40K air Hol FW33J836XL00 36 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,828	591#
6543354	Fifth Wheel: ILS<=40K air Hol FW33J848XL00 48 in. slide, 8.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,353	639#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543355	Fifth Wheel: ILS<=40K air Hol FW33J848XL80 48 in. slide, 8.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$5,037	644#
6543356	Fifth Wheel: ILS<=40K air Hol FW33J912XL00 12 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,442	500#
6543357	Fifth Wheel: ILS<=40K air Hol FW33J912XL80 12 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,520	505#
6543358	Fifth Wheel: ILS<=40K air Hol FW33J924XL00 24 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,605	547#
6543359	Fifth Wheel: ILS<=40K air Hol FW33J924XL80 24 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,720	552#
6543360	Fifth Wheel: ILS<=40K air Hol FW33J936XL00 36 in. slide, 9.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,765	595#
6543361	Fifth Wheel: ILS<=40K air Hol FW33J936XL80 36 in. slide, 9.1 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,891	601#
6543364	Fifth Wheel: ILS<=40K air Hol FW33J024XL00 24 in. slide, 10.1 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$4,233	548#
6543400	Fifth Wheel: ILS<=40K air Hol FW17J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,693	441#
6543402	Fifth Wheel: ILS<=40K air Hol FW17J712XL80 12 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,379	446#
6543403	Fifth Wheel: ILS<=40K air Hol FW17J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,104	488#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543405	Fifth Wheel: ILS<=40K air Hol FW17J724XL80 24 in. slide, 6.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,580	493#
6543412	Fifth Wheel: ILS<=40K air Hol FW17J718XL00 18 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,909	501#
6543414	Fifth Wheel: ILS<=40K air Hol FW17J812XL80 12 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,627	450#
6543415	Fifth Wheel: ILS<=40K air Hol FW17J824XL00 24 in. slider, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,899	493#
6543417	Fifth Wheel: ILS<=40K air Hol FW17J824XL80 24 in. slide, 7.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,581	498#
6543426	Fifth Wheel: ILS<=40K air Hol FW17J912XL80 12 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,412	454#
6543427	Fifth Wheel: ILS<=40K air Hol FW17J924XL00 24 in. slider, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,901	497#
6543429	Fifth Wheel: ILS<=40K air Hol FW17J924XL80 24 in. slide, 8.8 in. height. Air operated king pin release. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,572	502#
6543500	Fifth Wheel: ILS>40K air Hol FW33M712XL00 12 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,815	528#
6543501	Fifth Wheel: ILS>40K air Hol FW33M712XL80 12 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,515	544#
6543502	Fifth Wheel: ILS>40K air Hol FW33M724XL00 24 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,813	576#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543504	Fifth Wheel: ILS>40K air Hol FW33M736XL00 36 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,489	624#
6543505	Fifth Wheel: ILS>40K air Hol FW33M736XL80 36 in. slide, 7 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,167	629#
6543506	Fifth Wheel: ILS>40K air Hol FW33M748XL00 48 in. slide, 7 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,600	672#
6543507	Fifth Wheel: ILS>40K air Hol FW33M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,341	677#
6543508	Fifth Wheel: ILS>40K air Hol FW33M812XL00 12 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,823	554#
6543509	Fifth Wheel: ILS>40K air Hol FW33M812XL80 12 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,522	538#
6543510	Fifth Wheel: ILS>40K air Hol FW33M824XL80 24 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,659	586#
6543511	Fifth Wheel: ILS>40K air Hol FW33M836XL00 36 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,999	630#
6543512	Fifth Wheel: ILS>40K air Hol FW33M836XL80 36 in. slide, 8 in. height. Air-operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,871	634#
6543513	Fifth Wheel: ILS>40K air Hol FW33M848XL00 48 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,425	669#
6543515	Fifth Wheel: ILS>40K air Hol FW33M912XL00 12 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,926	562#
6543517	Fifth Wheel: ILS>40K air Hol FW33M924XL00 24 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,762	600#
6543519	Fifth Wheel: ILS>40K air Hol FW33M948XL00 48 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,988	680#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543521	Fifth Wheel: ILS>40K air Hol FW33M024XL00 24 in. slide, 10 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,113	606#
6543608	Fifth Wheel: ILS No-Tilt Air, Hol FW35N918YL1S 18 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$6,530	629#
6543610	Fifth Wheel: ILS No-Tilt Air, Hol FW35N918YL00 18 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,605	629#
6543612	Fifth Wheel: ILS No-Tilt Air, Hol FW35N930YL00 30 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,829	605#
6543614	Fifth Wheel: ILS No-Tilt Air, Hol FW35N942YL00 42 in. slide, 9.00 in. height. No-tilt convertible w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,903	697#
6543630	Fifth Wheel: Air, Holland FW35K324ZL00 24.0 in. slide, 13.2 in. height. Kompensator mechanism, inboard mounted, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$9,222	992#
6543633	Fifth Wheel: Air, Holland FW35K336ZL19 36.0 in. slide, 13.2 in. height. Kompensator with lockout feature, inboard mounted, 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$9,089	1,055#
6543642	Fifth Wheel: ILS>40K air Hol FW33M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,490	596#
6543644	Fifth Wheel: ILS>40K air Hol FW33M936XL00 36 in. slide, 9 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,804	641#
6543645	Fifth Wheel: ILS>40K air Hol FW33M824XL00 24 in. slide, 8 in. height. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,792	596#
6543646	Fifth Wheel: ILS>40K air Hol FW33M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Low lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,746	681#
6543897	Fifth Wheel: ILS Air, Hol FW33L918XL00 18.0 in. slide, 9.11 in. height. Low lube, inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,251	538#
6543935	Fifth Wheel: ILS>40K air Hol FW35M712XL00 12 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,115	503#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543936	Fifth Wheel: ILS>40K air Hol FW35M712XL80 12 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,789	517#
6543937	Fifth Wheel: ILS>40K air Hol FW35M718XL80 18 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,698	564#
6543938	Fifth Wheel: ILS>40K air Hol FW35M724XL00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,309	561#
6543939	Fifth Wheel: ILS>40K air Hol FW35M724XL80 24 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,983	556#
6543940	Fifth Wheel: ILS>40K air Hol FW35M724XR00 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,308	562#
6543941	Fifth Wheel: ILS>40K air Hol FW35M736XL00 36 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,509	608#
6543942	Fifth Wheel: ILS>40K air Hol FW35M736XL80 36 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,183	613#
6543943	Fifth Wheel: ILS>40K air Hol FW35M748XL00 48 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,694	657#
6543944	Fifth Wheel: ILS>40K air Hol FW35M748XL80 48 in. slide, 7 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,368	662#
6543945	Fifth Wheel: ILS>40K air Hol FW35M812XL00 12 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,117	517#
6543946	Fifth Wheel: ILS>40K air Hol FW35M812XL80 12 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,791	522#
6543949	Fifth Wheel: ILS>40K air Hol FW35M824XL00 24 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,311	566#
6543951	Fifth Wheel: ILS>40K air Hol FW35M824XL80 24 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,984	571#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543952	Fifth Wheel: ILS>40K air Hol FW35M824XR24 24 in. slide, 8 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,407	567#
6543953	Fifth Wheel: ILS>40K air Hol FW35M836XL00 36 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,511	613#
6543954	Fifth Wheel: ILS>40K air Hol FW35M836XL80 36 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,184	618#
6543955	Fifth Wheel: ILS>40K air Hol FW35M848XL00 48 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,696	662#
6543956	Fifth Wheel: ILS>40K air Hol FW35M848XL80 48 in. slide, 8 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,370	667#
6543957	Fifth Wheel: ILS>40K air Hol FW35M912XL00 12 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,118	521#
6543958	Fifth Wheel: ILS>40K air Hol FW35M912XL80 12 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,850	526#
6543961	Fifth Wheel: ILS>40K air Hol FW35M924XL00 24 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,312	570#
6543963	Fifth Wheel: ILS>40K air Hol FW35M924XL24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,408	570#
6543964	Fifth Wheel: ILS>40K air Hol FW35M924XL80 24 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,986	575#
6543965	Fifth Wheel: ILS>40K air Hol FW35M924XR24 24 in. slide, 9 in. height. Drilled and tapped for auto lube. Outboard mounting angles, 55K vertical rating, RH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,408	571#
6543966	Fifth Wheel: ILS>40K air Hol FW35M936XL00 36 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,512	617#
6543967	Fifth Wheel: ILS>40K air Hol FW35M936XL80 36 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,186	622#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543968	Fifth Wheel: ILS>40K air Hol FW35M948XL00 48 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,698	666#
6543969	Fifth Wheel: ILS>40K air Hol FW35M948XL80 48 in. slide, 9 in. height. Air operated king pin release. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,371	671#
6543975	Fifth Wheel: ILS>40K air Hol FW35M024XL00 24 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,397	592#
6543977	Fifth Wheel: ILS>40K air Hol FW35M036XL00 36 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,259	639#
6543979	Fifth Wheel: ILS>40K air Hol FW35M048XL00 48 in. slide, 10 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,392	688#
6543990	Fifth Wheel: ILS>40K air Hol FW35M724XL1L 24 in. slide, 7 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,174	552#
6543993	Fifth Wheel: ILS>40K air Hol FW35M824XL1L 24 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,141	557#
6543994	Fifth Wheel: ILS>40K air Hol FW35M836XL1L 36 in. slide, 8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,999	605#
6543996	Fifth Wheel: ILS>40K air Hol FW35M924XL1L 24 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,142	561#
6544021	Fifth Wheel: ILS Air, Hol FW35L718XL00 18.0 in. slide, 7.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,382	554#
6544024	Fifth Wheel: ILS Air, Hol FW35L836XL00 36.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,671	587#
6544025	Fifth Wheel: ILS Air, Hol FW35L848XL00 48.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,759	629#
6544026	Fifth Wheel: ILS Air, Hol FW35L918XL00 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,386	564#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6544027	Fifth Wheel: ILS Air, Hol FW35L924XL00 24.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,381	550#
6544030	Fifth Wheel: ILS Air, Hol FW35L018XL00 18.0 in. slide, 10.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,436	577#
6544034	Fifth Wheel: ILS Air, Hol FW35L918XL1L 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Standard ELI-te system. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,237	564#
6553425	Fifth Wheel: Air, Holland FW70N948YL00 48.0 in. slide, 9.3 in. height. Outboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$7,212	1,134#
6553757	Fifth Wheel: Air, Holland FW70S924XL03 24.0 in. slide, 9.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Weight savings with manual secondary lock. Air slide control valve standard in dash.	\$6,531	842#
6553760	Fifth Wheel: Air, Holland FW70S924XL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,795	847#
6553761	Fifth Wheel: Air, Holland FW70S948XL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,288	981#
6553762	Fifth Wheel: Air, Holland FW70S948XL03 48.0 in. slide, 9.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Weight savings with manual secondary lock. Air slide control valve standard in dash.	\$7,288	976#
6553763	Fifth Wheel: Air, Holland FW70S824XL24 24 in. slide, 8.3 in. height. Includes drills and taps for auto lube. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Air slide control valve standard in dash.	\$7,600	844#
6553764	Fifth Wheel: Air, Holland FW70S960XL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$8,285	1,048#
6553765	Fifth Wheel: Air, Holland FW70S848XL00 48.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,424	976#
6553766	Fifth Wheel: Air, Holland FW70S972XL00 72.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$8,933	1,115#
6553767	Fifth Wheel: Air, Holland FW70S848XL03 48.0 in. slide, 8.3 in. height, 3.5 in. kingpin. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,546	971#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6553768	Fifth Wheel: Air, Holland FW70S824XL00 24.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,794	842#
6553769	Fifth Wheel: Air, Holland FW70S160XL00 60 in. slide, 11.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$10,301	1,123#
6553770	Fifth Wheel: Air, Holland FW70N924ZL00 24.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$6,519	1,001#
6553771	Fifth Wheel: Air, Holland FW70N948ZL00 48.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$7,333	953#
6553773	Fifth Wheel: Air, Holland FW70S872XL00 72.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$9,070	1,110#
6553774	Fifth Wheel: Air, Holland FW70S860XL00 60.0 in. slide, 8.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,187	1,066#
6553776	Fifth Wheel: Air, Holland FW70N960ZL00 60.0 in. slide, 9.3 in. height. Inboard mounting angles, no tilt, manual secondary lock, 70K vertical rating, LH release.	\$8,987	1,121#
6553777	Fifth Wheel: Air, Holland FW70S936XL00 36.0 in. slide, 9.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,011	982#
6553778	Fifth Wheel: Air, Holland FW70S048XL00 48.0 in. slide, 10.3 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$5,910	1,052#
6553780	Fifth Wheel: Air, Holland FW70R124XL00 24.0 in. slide, 11.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$6,949	969#
6553782	Fifth Wheel: Air, Holland FW70R148XL00 48.0 in. slide, 11.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,480	1,099#
6553783	Fifth Wheel: Air, Holland FW70R160XL03 60.0 in. slide, 11 in. height, 3.5 in. kingpin. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type A lock. Air slide control valve standard in dash.	\$8,161	1,181#
6553784	Fifth Wheel: Air, Holland FW70S836XL00 36.0 in. slide, 8.4 in. height. Inboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,010	977#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6553786	Fifth Wheel: Air, Holland FW70R872XL00 72.0 in. slide, 8.3 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Includes manual secondary lock. Air slide control valve standard in dash.	\$7,956	1,110#
6553787	Fifth Wheel: Air, Holland FW70R960XL00 60.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$7,666	1,112#
6553788	Fifth Wheel: Air, Holland FW70R860XL00 60.0 in. slide, 8.0 in. height. Outboard mounting angles, 70K vertical rating, LH release. Extra capacity type 'A' lock. Weight savings w/ manual secondary lock. Air slide control valve standard in dash.	\$7,663	1,100#
6553789	Fifth Wheel: Air, Holland FW70R924XL00 24.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$7,276	911#
6553794	Fifth Wheel: Air, Holland FW70R936XL00 36.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$7,069	982#
6553795	Fifth Wheel: Air, Holland FW70R972XL00 72.0 in. slide, 9.1 in. height. Outboard mounting angles, 70K vertical rating, LH release, with standard manual secondary lock. Extra capacity type A lock. Air slide control valve standard in dash.	\$7,959	1,130#
6560002	Fifth Wheel: Air, ILS Holland, FWALJ712XL00 12in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$8,077	397#
6560003	Fifth Wheel: Air, ILS Holland, FWALJ724XL00 24in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$8,216	444#
6560004	Fifth Wheel: Air, ILS Holland, FWALJ736XL00 36in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$8,720	492#
6560005	Fifth Wheel: Air, ILS Holland, FWALJ748XL00 48in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$8,910	540#
6560006	Fifth Wheel: Air, ILS Holland, FWALJ812XL00 12in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$8,157	402#
6560007	Fifth Wheel: Air, ILS Holland, FWALJ824XL00 24in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$8,844	449#
6560008	Fifth Wheel: Air, ILS Holland, FWALJ836XL00 36in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$8,774	497#
6560009	Fifth Wheel: Air, ILS Holland, FWALJ848XL00 48in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$9,222	545#
6560055	Fifth Wheel: Air, ILS Holland, FWALJ912XL00 12in. slide, 9.0in. height. Aluminum, outboard mounted.	\$8,160	406#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6560056	Fifth Wheel: Air, ILS Holland, FWALJ924XL00 24in. slide, 9.0in. height. Aluminum, outboard mounted.	\$8,221	453#
6560057	Fifth Wheel: Air, ILS Holland, FWALJ936XL00 36in. slide, 9.0in. height. Aluminum, outboard mounted.	\$8,593	501#
6560058	Fifth Wheel: Air, ILS Holland, FWALJ948XL00 48 in. slide, 9.0 in. height. Aluminum, outboard mounted.	\$8,916	549#
Customer-Installed Fifth Wheels			
6600201	Fifth Wheel: Fixed, Dealer & Customer-Installed	\$0	500#
6600202	Fifth Wheel: Slide, Dealer & Customer-Installed 12 inches.	\$0	500#
6600203	Fifth Wheel: Slide, Dealer & Customer-Installed 13 inches to 24 inches.	\$0	500#
6600204	Fifth Wheel: Slide, Dealer & Customer-Installed 25 inches to 36 inches.	\$0	500#
6600205	Fifth Wheel: Slide, Dealer & Customer-Installed over 36 inches.	\$0	500#
Fontaine Air-Sliding Fifth Wheels			
6533202	Fifth Wheel: Air, Fontaine SL7LWB675012 12.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.	\$2,616	438#
6533204	Fifth Wheel: Air, Fontaine SL6NWB675012 12.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.	\$1,931	429#
6533207	Fifth Wheel: Air, Fontaine SL6NWB675024 24.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.	\$2,086	445#
6533208	Fifth Wheel: Air, Fontaine SL6NWB775012 12.0 in. slide, 7.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.	\$1,942	435#
6533209	Fifth Wheel: Air, Fontaine SL6NWB775024 24.0 in. slide, 7.75 in. height. Light weight slide bracket, outboard mounted. 50K vertical rating.	\$2,083	452#
6533211	Fifth Wheel: Air, Fontaine SL7LWB825012 12.0 in. slide, 8.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.	\$2,503	480#
6533212	Fifth Wheel: Air, Fontaine SL7LWB825024 24.0 in. slide, 8.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.	\$2,744	515#
6533213	Fifth Wheel: Air, Fontaine SL7LWB925024 24.0 in. slide, 9.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.	\$3,122	522#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Fontaine Air-Sliding Fifth Wheels			
6533214	Fifth Wheel: Air, Fontaine SL7LWB725036 36.0 in. slide, 7.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.	\$3,371	541#
6533216	Fifth Wheel: Air, Fontaine SL7LWB675036 36.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.	\$3,419	458#
6533218	Fifth Wheel: Air, Fontaine SL7LWB1025024 24.0 in. slide, 10.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.	\$3,097	522#
6533219	Fifth Wheel: Air, Fontaine AA7LWB675012 12.0 in. slide, 6.75 in. height. Air-operated kingpin release. Light weight air slide bracket, outboard mounted. 55K vertical rating.	\$3,125	498#
6533220	Fifth Wheel: Air, Fontaine SL7LWB925048 48.0 in. slide, 9.25 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.	\$4,289	616#
6533221	Fifth Wheel: Air, Fontaine SL7LWB675048 48.0 in. slide, 6.75 in. height. Light weight slide bracket, outboard mounted. 55K vertical rating.	\$3,367	497#
6533223	Fifth Wheel: Air, Fontaine AA7LWB725012 12.0 in. slide, 7.25 in. height. Air-operated kingpin release. Light weight air slide bracket, outboard mounted. 55K vertical rating.	\$3,214	498#
6533227	Fifth Wheel: Air, Fontaine AA7LWB675024 24.0 in. slide, 6.75 in. height. Air-operated kingpin release. Light weight air slide bracket, outboard mounted. 55K vertical rating.	\$3,550	532#
6533228	Fifth Wheel: Air, Fontaine AA7LWB925024 24.0 in. slide, 9.25 in. height. Air-operated kingpin release. Light weight air slide bracket, outboard mounted. 55K vertical rating.	\$3,622	532#
Jost Air-Sliding Fifth Wheels			
6593060	Fifth Wheel: Air, Jost JSK37USB-A11PX36 36.0 in. slide, 10.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,770	637#
6593061	Fifth Wheel: Air, Jost JSK37USB-A11PX24 24.0 in. slide, 10.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,574	637#
6593071	Fifth Wheel: Air, Jost JSK37USB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,917	524#
6593072	Fifth Wheel: Air, Jost JSK37USB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,966	537#
6593073	Fifth Wheel: Air, Jost JSK37USB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,071	559#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593074	Fifth Wheel: Air, Jost JSK37USB-A8PX36 36.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,239	597#
6593075	Fifth Wheel: Air, Jost JSK37USB-A8PX48 48.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,376	634#
6593081	Fifth Wheel: Air, Jost JSK37USB-A9PX48 48.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,385	639#
6593082	Fifth Wheel: Air, Jost JSK37USB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,080	566#
6593085	Fifth Wheel: Air, Jost JSK37USB-A9PX36 36.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,249	606#
6593086	Fifth Wheel: Air, Jost JSK37USB-A9PX72 72.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,461	712#
6593087	Fifth Wheel: Air, Jost JSK37USB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,914	531#
6593088	Fifth Wheel: Air, Jost JSK37USB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,976	542#
6593089	Fifth Wheel: Air, Jost JSK37USB-A9PX60 60.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,241	676#
6593090	Fifth Wheel: Air, Jost JSK37USB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,913	520#
6593091	Fifth Wheel: Air, Jost JSK37USB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,963	531#
6593092	Fifth Wheel: Air, Jost JSK37USB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,091	555#
6593093	Fifth Wheel: Air, Jost JSK37USB-A7PX36 36.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,248	593#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593096	Fifth Wheel: Air, Jost JSK37USB-A7PX48 48.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,396	628#
6593114	Fifth Wheel: Air, Jost JSK37USLN-A8PX16 16.0 in. slide, 7.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,476	551#
6593115	Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A9PX24 24.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,512	582#
6593116	Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A9PX36 36.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,957	617#
6593120	Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A8PX24 24.0 in. slide, 7.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,695	575#
6593125	Fifth wheel: Air, Jost JSK37USA-A7PA12 12 in. outboard mount slide, blocked for 8 in. travel. 6.75 in. height with air kingpin release/outboard, 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,513	522#
6593141	Fifth Wheel: Air, Jost JSK37UWB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,529	522#
6593143	Fifth Wheel: Air, Jost JSK37UWB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,581	533#
6593145	Fifth Wheel: Air, Jost JSK37UWB-A7PX24 24 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,700	557#
6593147	Fifth Wheel: Air, Jost JSK37UWB-A7PX36 36.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,862	593#
6593153	Fifth Wheel: Air, Jost JSK37UWB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,572	537#
6593155	Fifth Wheel: Air, Jost JSK37UWB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,697	562#
6593157	Fifth Wheel: Air, Jost JSK37UWB-A8PX36 36.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,853	599#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593159	Fifth Wheel: Air, Jost JSK37UWB-A8PX48 48.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,014	634#
6593168	Fifth wheel: Air, Jost JSK37USA-A7PX12 12 in. 6.75in. with air kingpin release/outboard, 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,613	522#
6593170	Fifth Wheel: Air, Jost JSK37USA-A8PX16 16 in. 7.75 in. Air kingpin release/outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,719	536#
6593171	Fifth Wheel: Air, Jost JSK37USA-A8PX12 12.0 in. slide, 7.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,668	524#
6593172	Fifth Wheel: Air, Jost JSK37USA-A7PX16 16.0 in. slide, 6.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,728	533#
6593173	Fifth Wheel: Air, Jost JSK37USA-A7PX24 24 in. 6.75 in. Air kingpin release, outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,848	553#
6593174	Fifth Wheel: Air, Jost JSK37USA-A8PX36 36.0 in. slide, 7.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,927	596#
6593176	Fifth Wheel: Air, Jost JSK37UWA-A7PX24 24.0 in. slide, 6.75 in. height. Air-operated kingpin release, low lube, outboard mounting angles, 50K vertical rating.	\$4,366	558#
6593178	Fifth Wheel: Air, Jost JSK37USA-A9PX60 60.0 in. slide, 8.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,365	674#
6593182	Fifth Wheel: Air, Jost JSK37UWA-A8PX24 24.0 in. slide, 7.75 in. height. Air-operated kingpin release, low lube, outboard mounting angles, 50K vertical rating.	\$4,379	563#
6593193	Fifth Wheel: Air, Jost JSK37UWLN-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, low lube, no tilt feature, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,068	582#
6593194	Fifth Wheel: Air, Jost JSK37UWB-A9PX24 24.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,703	568#
6593198	Fifth Wheel: Air, Jost JSK37UWB-A9PX12 12.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,531	533#
6593199	Fifth Wheel: Air, Jost JSK37UWB-A9PX16 16.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,583	544#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593201	Fifth Wheel: Air, Jost JSK37UWB-A9PX48 48.0 in. slide, 8.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle w/ low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,024	641#
6593207	Fifth Wheel: Air, Jost JSK37USA-A8PX24 24 in. 7.75 in. Air kingpin release, outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,839	556#
6593217	Fifth Wheel: Air, Jost JSK37USA-A9PX12 12.0 in. slide, 8.75 in. height. Air operated kingpin release, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,678	537#
6593221	Fifth Wheel: Air, Jost JSK37USA-A7PX36 36.0 in. slide, 6.75 in. height. Air kingpin release, outboard 50K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,009	599#
6593222	Fifth Wheel: Air, Jost JSK37UBA-A7PX12 12 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,756	530#
6593226	Fifth Wheel: Air, Jost JSK37USBN-A9PX48 48 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,239	639#
6593229	Fifth Wheel: Air, Jost JSK37UBE-A7PX16 16.0 in. slide, 6.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,150	546#
6593231	Fifth Wheel: Air, Jost JSK37UBE-A8PX12 12.0 in. slide, 7.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,466	541#
6593233	Fifth Wheel: Air, Jost JSK37UBE-A7PX12 12.0 in. slide, 6.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,471	535#
6593234	Fifth Wheel: Air, Jost JSK37UBE-A8PX36 36.0 in. slide, 7.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,294	610#
6593239	Fifth Wheel: Air, Jost JSK37UBA-A7PX16 16 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,036	528#
6593240	Fifth Wheel: Air, Jost JSK37UBA-A7PX24 24 in. slide, 6.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,104	557#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593241	Fifth Wheel: Air, Jost JSK37UBA-A8PX16 16 in. slide, 7.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,027	540#
6593242	Fifth wheel: Air, Jost JSK37UBA-A8PX24 24 in. slide, 7.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,346	563#
6593243	Fifth Wheel: Air, Jost JSK37UBA-A9PX12 12 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,986	535#
6593244	Fifth Wheel: Air, Jost JSK37UBA-A9PX16 16 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,051	545#
6593245	Fifth Wheel: Air, Jost JSK37UBA-A9PX24 24 in. slide, 8.75 in. height. With air-operated kingpin release, outboard mounting angles, 50K vertical rating. Includes a steel kingpin wear ring. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,159	568#
6593246	Fifth Wheel: Air, Jost JSK37UBB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,221	531#
6593247	Fifth Wheel: Air, Jost JSK37UBB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,271	542#
6593248	Fifth Wheel: Air, Jost JSK37UBB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,970	565#
6593249	Fifth Wheel: Air, Jost JSK37UBB-A8PX12 12.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,221	537#
6593250	Fifth Wheel: Air, Jost JSK37UBB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,274	548#
6593251	Fifth Wheel: Air, Jost JSK37UBB-A8PX24 24.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, steel wear ring, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,379	571#
6593252	Fifth Wheel: Air, Jost JSK37UBE-A7PX24 24.0 in. slide, 6.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,001	565#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593253	Fifth Wheel: Air, Jost JSK37UBE-A8PX16 16.0 in. slide, 7.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$4,898	548#
6593254	Fifth Wheel: Air, Jost JSK37UBE-A8PX24 24.0 in. slide, 7.75 in. height. Loc-light, outboard mounting angles, 50K vertical rating, steel wear ring, air-operated kingpin release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,008	571#
6593255	Fifth Wheel: Air, Jost JSK37UBLN-A8PX12 12.0 in. slide, 7.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, steel wear ring. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,774	539#
6593256	Fifth Wheel: Air, Jost JSK37UBLN-A9PX12 12.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, steel wear ring. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,801	546#
6593257	Fifth Wheel: Air, Jost JSK37UBLN-A9PX16 16.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating, steel wear ring. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$3,845	557#
6593606	Fifth Wheel: Air, Jost JSK3CNWL-A7PX12 12 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,449	456#
6593607	Fifth Wheel: Air, Jost JSK3CNWL-A7PX16 16 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,530	467#
6593608	Fifth Wheel: Air, Jost JSK3CNWL-A7PX24 24 in. slide, 6.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,647	490#
6593614	Fifth Wheel: Air, Jost JSK3CNWL-A8PX12 12 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,449	462#
6593615	Fifth Wheel: Air, Jost JSK3CNWL-A8PX16 16 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,530	473#
6593616	Fifth Wheel: Air, Jost JSK3CNWL-A8PX24 24 in. slide, 7.74 in. height. Outboard mounting angles, 55K vertical rating, light-weight top plate with low lube. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$5,647	496#
Fixed Fifth Wheel Placement			
6607023	Fifth Wheel: Fixed Angle Drilled for 4 Additional settings in 2 in. increments. Includes coded setting plus 2 settings ahead and 2 behind. Use with code 6670496-504 to determine the factory setting relative to the coded fixed setting.	\$899	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Fixed Fifth Wheel Placement			
6607024	Fifth Wheel: Fixed Angle Drilled for 8 Additional settings in 2 in. increments. Includes coded setting plus 4 settings ahead and 4 behind. Use with code 6670494-508 to determine the factory setting relative to the coded fixed setting.	\$899	0#
6670494	Fix Fifth Wheel Placement at -6 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670495	Fix Fifth Wheel Placement at -8 in. from Coded rear or fixed setting for use with 6607024 angle drill. Determines factory setting for fixed fifth wheels only.	\$0	0#
6670496	Fix Fifth Wheel Placement at -4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches behind the coded rear setting. That would allow for 4 optional settings ahead, each spaced 2 inches apart.	\$0	0#
6670498	Fix Fifth Wheel Placement at -2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches behind the coded rear setting. That would allow for 3 optional settings ahead and 1 optional setting behind, each spaced 2 inches apart.	\$0	0#
6670500	Fix Fifth Wheel Placement at 0 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel at the coded rear setting. That would allow for 2 optional settings ahead and two optional settings behind, each spaced 2 inches apart.	\$0	0#
6670502	Fix Fifth Wheel Placement at +2 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 2 inches ahead the coded rear setting. That would allow for 1 optional setting ahead and 3 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670504	Fix Fifth Wheel Placement at +4 in. from Coded rear or fixed setting for use with 6607023 or 6607024 angle drill. Determines factory setting for fixed fifth wheels only. Use of this code will instruct the factory to place the fifth wheel 4 inches ahead the coded rear setting. That would allow for 4 optional settings behind, each spaced 2 inches apart.	\$0	0#
6670506	Fix Fifth Wheel Placement at +6 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
6670508	Fix Fifth Wheel Placement at +8 in. from Coded rear or fixed setting for use w/ 6607024 angle drill. Use to determine factory setting for fixed fifth wheels only.	\$0	0#
Fifth Wheel Equipment			
6600033	Aluminum Fifth Wheel Angles Replacing Steel on fixed or outboard mounted sliding fifth wheels.	\$404	-30#
6600052	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fixed or up to 36.7in. slide fifth wheel w/ o plate drill.	\$770	77#
6600053	Steel Angle for Customer-Installed Fifth Wheel. For outboard mounted fifth wheel. Narrate fifth wheel model & slide; w/ plate drill.	\$1,041	77#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Fifth Wheels

Fifth Wheel Equipment

6602010	Fifth Wheel Ramps. Requires Standard or Short tractor taper bent and weld.	\$809	22#
6603011	Mounting Plate: Aluminum for Fixed Fifth Wheel replacing standard steel base plate. Adds 0.25 in. to height.	\$185	-35#

Rear Frame Equipment

Quarter Fenders

6734005	Quarter Fenders: Stainless Steel W/ Painted Steel brackets, single post mounted.	\$383	55#
6734008	Quarter Fenders: Stainless Steel Hogebuilt 30in. Nu Style w/ brackets, frame mounted.	\$1,465	63#
6734016	Quarter Fenders: Stainless Steel Hogebuilt 30in. Nu Style w/ brackets, 30in. single post mount.	\$1,189	48#
6737120	Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted, 21 in. white top flap with logo.	\$252	43#
6737122	Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted. No top flap, no holes & no logo.	\$272	40#
6738107	Quarter Fenders: Brackets Painted Steel For customer-installed fenders.	\$65	11#

End-Of-Frame Configurations

Non-Towing Configuration

6741011	Square End-of-Frame W/ Crossmember; Non-Towing.	\$304	30#
6742009	Square End-of-Frame W/O Crossmember; Non-Towing.	STD	0#
6743109	Tractor Taper W/ Heavy-Duty Crossmember. Non-towing end-of-frame configuration.	\$393	61#
6743111	Tractor Taper W/ Crossmember. Non-Towing end-of-frame configuration.	\$200	13#
6743116	Tractor Taper Bent & Welded W/ Heavy-Duty Cross member. Non-towing end-of-frame configuration.	\$393	68#
6744001	Long Tractor Taper Top Flange Bent & Welded W/O crossmember. Taper is 4in. longer than standard. Non-towing end-of-frame configuration.	\$35	-2#
6744002	Long Tractor Taper Top Flange Bent & Welded W/ crossmember. Taper is 4in. longer than standard. Non-towing end-of-frame configuration.	\$199	17#
6744121	Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$45	-6#
6744122	Short Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	\$35	-4#
6744123	Short Tractor Taper Bent & Welded W/O Cross member. Non-towing end-of-frame configuration.	\$35	-2#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
End-Of-Frame Configurations			
Non-Towing Configuration			
6745270	Top Flange of Rear Frame Bent & Welded W/ crossmember. Non-towing end-of-frame configuration.	\$181	17#
6746131	Top Flange of Rear Frame Bent & Welded W/O crossmember. Non-towing end-of-frame configuration.	\$35	-2#
6747000	Shortest End-of-Frame Cutoff With Specified end-of-frame configuration. Selecting this code will override the overhang dimension found in the Vocational Analysis of the sales tool.	\$0	0#
Towing Configuration			
6700005	Drop-Type Crossmember Below Frame Pintle Hook; square end-of-frame towing configuration. This crossmember limits hitch capacity to 68K.	\$2,015	155#
6741005	Straight Crossmember for Pintle Hook Mounting; square end-of-frame towing configuration. This crossmember limits hitch capacity to 78K.	\$995	135#
Hooks & Chain Loops			
6490044	2 Pro-Tech Chain Hangers 35-5950CP W/ Cable Pins and removable lids.	\$1,004	30#
6490144	1 Pro-Tech Chain Hanger, 35-5950CP LH Rail With removable lid & cable pin.	\$502	15#
6490145	1 Pro-Tech Chain Hanger, 35-5950CP RH Rail with removable lid & cable pin.	\$502	15#
6490161	1 Pro-Tech Chain Hanger, 35-5918 LH Rail With hinged cover. 18.5 in length.	\$703	15#
6490162	1 Pro-Tech Chain Hanger, 35-5918 RH Rail With hinged cover. 18.5 in length.	\$703	15#
6710029	Premier 370 Air-Operated Hook, rated 90,000 LB horizontal, 18,000 lb vertical.	\$2,618	45#
6710080	Two Rams Horn Open Rear Tow Hooks, Not for trailer towing.	\$147	17#
6710157	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$327	11#
6710158	Holland: PH-30RP41 Pintle Hook Mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000 lb vertical rating.	\$287	11#
6792810	Safety Chain Loops - Dual.	\$150	2#
Pintle Hook Height			
6712024	Maximum Unladen Rear Hook Height is 24 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Pintle Hook Height			
6712025	Maximum Unladen Rear Hook Height is 25 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712026	Maximum Unladen Rear Hook Height is 26 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712027	Maximum Unladen Rear Hook Height is 27 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712028	Maximum Unladen Rear Hook Height is 28 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712029	Maximum Unladen Rear Hook Height is 29 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712030	Maximum Unladen Rear Hook Height is 30 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712031	Maximum Unladen Rear Hook Height is 31 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712032	Maximum Unladen Rear Hook Height is 32 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712033	Maximum Unladen Rear Hook Height is 33 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712034	Maximum Unladen Rear Hook Height is 34 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712035	Maximum Unladen Rear Hook Height is 35 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Pintle Hook Height			
6712036	Maximum Unladen Rear Hook Height is 36 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712037	Maximum Unladen Rear Hook Height is 37 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712038	Maximum Unladen Rear Hook Height is 38 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712039	Maximum Unladen Rear Hook Height is 39 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
6712040	Maximum Unladen Rear Hook Height is 40 in. Use with a drop-type crossmember only. Kenworth will make every effort to meet the customer's specified trailer hook height above the road. Exact heights depend on wheelbase, front and rear suspensions, tires and frame material. If exact height is crucial, the hook must be installed by the body builder.	\$0	0#
Rear Mudflap Equipment			
Arms			
6721100	Rear Mudflap Arms: Betts B-23 Spring Loop Type, straight.	\$24	5#
6721102	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	STD	0#
6721108	Rear Mudflap Arms: Betts B33, Spring Loop Type, angled.	\$43	19#
6721110	Rear Mudflap Arms: Betts B35, Shortened W/ 45 degree angle.	\$18	0#
6721118	Rear Mudflap Arms: Betts B84, Heavy-Duty W/ 45 degree angle. Kit includes B700 mounting brackets.	\$52	10#
6721125	Delete Mudflap Arms: Dealer/ Customer Responsible for installation of arms.	(\$34)	-12#
6721127	Rear Mudflap Arms: Betts A603025WTBR/L. Conspicuity reflector included. Spring loaded bent 45 degree angle. No mounting brackets required. Powder coat black.	\$60	-1#
6721142	Rear Mudflap Arms: Fleetline FF30P, Steel Spring loaded & painted.	\$123	13#
6721144	Rear Mudflap Arms: Fleetline FF30SS, Tapered spring loaded & stainless steel.	\$269	13#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rear Frame Equipment			
Rear Mudflap Equipment			
Arms			
6721162	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-00864. 45 degree angle, painted black RoadKote.	\$70	6#
6721163	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.	\$75	10#
6721164	Rear Mudflap Arms: Fleet Engineers, FB27 Shortie 033-00865. 45 degree angle, polished stainless steel.	\$166	6#
6721192	Rear Mudflap Arms: Nuline NL306SSKW LED Round spring load stainless steel light bar.	\$1,154	22#
Shields			
6722000	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	STD	0#
6722020	Rear Mudflap Shields: White Symplastic Spray- guard w/o Kenworth logo.	\$41	4#
6722094	Rear Mudflap Shields: Black Rubber Anti-Sail without logo. 28 in. wide, 0.25 in. thick.	\$92	9#
6723000	Delete Mudflap Shields-Dealer/Customer responsible for installation of shields.	\$0	-8#
6723287	Rear Mudflap Shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo.	\$56	0#
6728071	Rear mudflap shields:Eco Flaps, black, anti-spray without logo.	\$32	0#
Mudflap Equipment			
6721030	Extra Set of Betts B-1732 Storage Brackets. mounted forward of drive axle(s).	\$35	3#
6722104	Mounting Brackets: Betts B-850 Rear Mudflap, replacing Betts B700.	\$15	0#
6722150	Mounting Adapter: Fleet Engineers, Black Primer.	\$95	5#
6722200	Rear Mudflaps: Moved Back from Standard Location; 70 in. from bogie C/L, 95 in. from tridem.	\$0	0#
Rear Frame Miscellaneous			
6679882	End of Frame Treatment, Stinger Fifth Wheel With slide.	\$0	0#
6791025	Flat Plate Steel Shield: Protect Anchor Tee Valve mounted below rear pintle hook crossmember.	\$25	5#
Delivery Restriction Notifications			
6679804	Do Not Drive: Marker Lights are Deleted. Unit may be decked. Transporter review delivery options. Requires code 9029025.	\$0	0#



T880: FRAME & EQUIPMENT

Option	Description	Price	Weight
Delivery Restriction Notifications			
6679806	Do Not Drive: Bumper is Deleted. Unit may be decked. Transporter review delivery options. Requires code 6309910 or 6309912.	\$0	0#
6679810	Do Not Drive: Tires Are Not DOT Approved. Dealer to arrange delivery.	\$0	0#
6679812	Speed Limited Tires: Less than 65MPH. Dealer to review delivery options w/transporter.	\$0	0#
6679818	Do Not Drive: Input Torque To Split Shaft PTO exceeds manufacturers limit. Dealer to review delivery options w/transporter.	\$0	0#
6679822	Dealer to Review Delivery Restrictions W/ transporter. Units w/hub reduction axles cannot be decked, but may be driven.	\$0	0#
6679823	Dealer to Review Delivery Restrictions W/ transporter. Units equipped with transfer case.	\$0	0#
6679824	Width Across Front Tires Exceeds 102 inches. Dealer to review delivery constraints w/transporter.	\$0	0#
6679828	Chassis too Long for Delivery in Standard 3 Way due to long cutoff. Dealer to review delivery options w/ transporter.	\$0	0#
6679830	Chassis Cannot be Decked in Standard 3 Way, due to long cutoff & drop type crossmember.	\$0	0#
6679832	Potential Vehicle Over Length due to Use of spliced rail. Dealer to review delivery options w/transporter.	\$0	0#
6679834	Width Across Rear Tires Exceeds 102 in. due to combination of wide track rear axles & dual tires. Dealer to review delivery constraints w/transporter.	\$0	0#
6679836	Dealer Review Delivery Restrictions W/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.	\$0	0#
6679911	Component Restriction: Do Not Drive- Unit May be decked.	\$0	0#
6679912	Component Restriction: Do Not Drive - Lowboy Delivery only.	\$0	0#
6679913	Potential Vehicle Over Width and/or Over Length Condition. Transporter to review.	\$0	0#



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
22"			
Under - Replace			
7010056	Fuel Tank: 56 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$466	-19#
7010075	Fuel Tank: 75 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$573	-11#
7010100	Fuel Tank: 100 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$575	0#
7010120	Fuel Tank: 120 US Gallon 22 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$795	19#
Under - Add			
7012056	Fuel Tank: 56 US Gallon 22in. Aluminum Under Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,469	99#
7012075	Fuel Tank: 75 US Gallon 22in. Aluminum Under Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,575	103#
7012100	Fuel Tank: 100 US Gallon 22in. Aluminum Under Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,577	119#
7012120	Fuel Tank: 120 US Gallon 22in. Aluminum Under Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,798	139#
Behind - Replace			
7014056	Fuel Tank: 56 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$312	-19#
7014075	Fuel Tank: 75 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$421	-15#
7014100	Fuel Tank: 100 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$421	0#
7014120	Fuel Tank: 120 US Gallon 22 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$384	13#
Behind - Add			



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
22"			
Behind - Add			
7016056	Fuel Tank: 56 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,315	72#
7016075	Fuel Tank: 75 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,423	104#
7016100	Fuel Tank: 100 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,423	119#
7016120	Fuel Tank: 120 US Gallon 22 in. Aluminum BOC Add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,387	138#
24.5"			
Under - Replace			
7210060	Fuel Tank: 60 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$102	-15#
7210075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$144	-11#
7210090	Fuel Tank: 90 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$152	-4#
7210100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$191	0#
7210110	Fuel Tank: 110 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$221	2#
7210120	Fuel Tank: 120 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$250	63#
7210135	Fuel Tank: 135 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$561	63#
7210150	Fuel Tank: 150 US Gallon 24.5 in. Aluminum Under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$615	63#

Under - Add



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
24.5"			
Under - Add			
7212060	Fuel Tank: 60 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,673	98#
7212075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,475	104#
7212090	Fuel Tank: 90 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,508	109#
7212100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,797	114#
7212110	Fuel Tank: 110 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,552	116#
7212120	Fuel Tank: 120 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,581	120#
7212135	Fuel Tank: 135 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,167	170#
7212150	Fuel Tank: 150 US Gallon 24.5 in. Aluminum Under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,221	177#
Behind - Replace			
7214045	Fuel Tank: 45 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$89)	-22#
7214060	Fuel Tank: 60 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$54)	-15#
7214075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$34)	-11#



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
24.5"			
Behind - Replace			
7214090	Fuel Tank: 90 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	(\$9)	-4#
7214100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	STD	0#
7214110	Fuel Tank: 110 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$31	6#
7214120	Fuel Tank: 120 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$65	6#
7214135	Fuel Tank: 135 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$381	50#
7214150	Fuel Tank: 150 US Gallon 24.5 in. Aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$435	57#
Behind - Add			
7216045	Fuel Tank: 45 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,378	92#
7216060	Fuel Tank: 60 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,378	97#
7216075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,418	103#
7216090	Fuel Tank: 90 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,453	108#
7216100	Fuel Tank: 100 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,542	114#
7216110	Fuel Tank: 110 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,573	116#



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
24.5"			
Behind - Add			
7216120	Fuel Tank: 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,707	119#
7216135	Fuel Tank: 135 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,423	169#
7216150	Fuel Tank: 150 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,477	176#
7218045	3rd Fuel Tank 45 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,378	92#
7218060	3rd Fuel Tank 60 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,378	97#
7218075	3rd Fuel Tank 75 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,418	103#
7218100	3rd Fuel Tank 100 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,542	114#
7218110	3rd Fuel Tank 110 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,573	116#
7218120	3rd Fuel Tank 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,707	119#
7218135	3rd Fuel Tank 135 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,423	169#
7218150	3rd Fuel Tank 150 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,477	176#
7219075	4th Fuel Tank 75 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,418	103#
7219100	4th Fuel Tank 100 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,542	114#



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
24.5"			
Behind - Add			
7219120	4th Fuel Tank 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$2,707	119#
7219135	4th Fuel Tank 135 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,423	169#
28.5"			
Under - Replace			
7510090	Fuel Tank: 90 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$662	33#
7510105	Fuel Tank: 105 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$662	33#
7510120	Fuel Tank: 120 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$821	72#
7510135	Fuel Tank: 135 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$863	132#
7510150	Fuel Tank: 150 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$863	136#
7510177	Fuel Tank: 177 US Gallon 28.5 in. Aluminum Under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$1,193	143#
Under - Add			
7512090	Fuel Tank: 90 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,439	112#
7512105	Fuel Tank: 105 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,420	127#
7512120	Fuel Tank: 120 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,580	158#
7512177	Fuel Tank: 177 US Gallon 28.5 in. Aluminum Under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank.	\$2,952	229#
Behind - Replace			



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
28.5"			
Behind - Replace			
7514075	Fuel Tank: 75 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$537	2#
7514090	Fuel Tank: 90 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$500	2#
7514105	Fuel Tank: 105 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$500	4#
7514120	Fuel Tank: 120 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$662	44#
7514150	Fuel Tank: 150 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$747	136#
7514177	Fuel Tank: 177 US Gallon 28.5 in. Aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck. A third tank support is required with this tank.	\$746	143#
Behind - Add			
7516075	Fuel Tank: 75 US Gallon 28.5 in. Aluminum BOC Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,296	108#
7516090	Fuel Tank: 90 US Gallon 28.5 in. Aluminum BOC Add Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,259	112#
7516105	Fuel Tank: 105 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,259	119#
7516120	Fuel Tank: 120 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$2,421	158#
7516150	Fuel Tank: 150 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank.	\$2,506	220#
7516177	Fuel Tank: 177 US Gallon 28.5 in. Aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank.	\$2,505	229#

Aluminum Split Diesel Fuel-Hydraulic

*See PremierSpec for Applicable Restrictions



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Split Diesel Fuel-Hydraulic			
Under - Replace			
7210101	Split Tank: 100 US Gallon 24.5 in. Aluminum Under replace. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$1,121	11#
7210121	Split Tank: 120 US Gallon 24.5 in. Aluminum Under replace. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$1,148	63#
7210152	Split Tank: 150 US Gallon 24.5 in. Aluminum Under replace. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$1,315	174#
Under - Add			
7212101	Split Tank: 100 US Gallon 24.5 in. Aluminum Under add. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$3,477	125#
7212121	Split Tank: 120 US Gallon 24.5 in. Aluminum Under add. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$3,479	132#
7212152	Split Tank: 150 US Gallon 24.5 in. Aluminum Under add. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,671	189#
Behind - Replace			
7214101	Split Tank: 100 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$933	11#
7214121	Split Tank: 120 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$931	17#
7214152	Split Tank: 150 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$1,133	74#
Behind - Add			
7216101	Split Tank: 100 US Gallon 24.5 in. Aluminum BOC add. Split: fuel 50 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$3,225	125#
7216121	Split Tank: 120 US Gallon 24.5 in. Aluminum BOC add. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	\$3,222	132#
7216152	Split Tank: 150 US Gallon 24.5 in. Aluminum BOC add. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases. A third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.	\$3,425	189#

Hydraulic



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Hydraulic Tanks			
7701056	Hydraulic Tank: 56 US Gallon 22 in. Aluminum Add.	\$2,197	99#
7721045	Hydraulic Tank: 45 US Gallon 24.5 in. Aluminum add.	\$1,382	92#
7721060	Hydraulic Tank: 60 US Gallon 24.5 in. Aluminum add.	\$1,417	94#
7721075	Hydraulic Tank: 75 US Gallon 24.5 in. Aluminum add.	\$1,468	103#
7721090	Hydraulic Tank: 90 US Gallon 24.5 in. Aluminum add.	\$1,512	108#
7721100	Hydraulic Tank: 100 US Gallon 24.5 in. Aluminum add.	\$1,536	114#
7721120	Hydraulic Tank: 120 US Gallon 24.5 in. Aluminum add.	\$1,601	119#
7751060	Hydraulic Tank: 60 US Gallon 28.5 in. Aluminum add.	\$2,162	85#
Tank Location			
7889801	Hydraulic Tank Location Right Side Under Cab.	\$0	0#
7889802	Hydraulic Tank Location Left Side Under Cab.	\$0	0#
7889803	Hydraulic Tank Location Right Side Behind Cab.	\$0	0#
7889804	Hydraulic Tank Location Left Side Behind Cab.	\$0	0#
7889807	Hydraulic Tank Location Rearmost Right Side behind cab.	\$0	0#
7889808	Hydraulic Tank Location Rearmost Left Side behind cab.	\$0	0#
Tank Fittings Location			
7889810	2 Hydraulic Tank Fittings, Forward Top, Bottom.	\$0	0#
7889811	2 Hydraulic Tank Fittings, Rear Top, Bottom.	\$0	0#
7889812	2 Hydraulic Tank Fittings, 1 Forward Bottom, 1 rear bottom.	\$0	0#
7889819	4 Hydraulic Tank Fittings, 2 Forward Top/ bottom, 2 rear top/bottom.	\$366	0#
Bright Finish			
Polished Aluminum			
7840015	Polish Only One Aluminum Tank.	\$477	0#



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Bright Finish			
Polished Aluminum			
7840029	Polish Only Two Aluminum Tanks.	\$854	0#
7840031	Polish Only Three Aluminum Tanks.	\$1,230	0#
7840035	Polish Only Four Aluminum Tanks.	\$1,607	0#
Polished Stainless Steel			
7889061	Polished Stainless Steel Tank Straps for 1 Tank.	\$96	0#
7889062	Polished Stainless Steel Tank Straps for 2 Tanks.	\$192	0#
7889063	Polished Stainless Steel Tank Straps for 3 Tanks	\$289	0#
7889064	Polished Stainless Steel Tank Straps for 4 Tanks	\$385	0#
7889081	Polish Only 7 in. Stainless Steel Straps for One 24.5in. tank; 2 straps per tank.	\$158	0#
7889082	Polish Only 7 in. Stainless Steel Straps for Two 24.5in. tanks; 2 straps per tank.	\$315	0#
7889083	Polish Only 7 in. Stainless Steel Straps for three 24.5in. tanks; 2 straps per tank.	\$473	0#
Fuel Tank Equipment			
Fuel Tank Steps			
7831006	6 in. Wide Lower Fuel Tank Step, for One 22 in. or 24.5 in. or T300 rectangular tank RH.	\$89	2#
7831007	6 in. Wide Lower Fuel Tank Step, for Two 22 in. or 24.5 in. tanks.	\$178	4#
7831008	6 in. Wide Lower Fuel Tank Step, for One 22 in. or 24.5 in. tank LH.	\$89	2#
7831030	Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 RH under round tank 22in. NFPA Compliant.	\$264	8#
7831032	Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 LH under round tank 22in. NFPA Compliant.	\$264	8#
7831034	Fuel Tank Steps: 6 in. Wide Upper & Lower 1RH/1LH under round tank 22in. Only NFPA Compliant.	\$527	16#
7831040	Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 RH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$256	8#
7831042	Fuel Tank Steps: 6 in. Wide Upper & Lower F/1 LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$256	8#
7831044	Fuel Tank Steps: 6 in. Wide Upper & Lower 1RH/1LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$511	16#



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Fuel Tank Equipment			
Fuel Tank Steps			
7839400	Extended Steps on Fuel Tank LH Under for Access; 2 steps, 1 tank.	\$73	2#
7839405	Extended Steps on Fuel Tank RH Under for Access; 2 steps, 1 tank.	\$73	2#
7839722	Ladder-Type Step with Flexible Brackets: Two Fuel tanks, LH and RH.	\$2,126	20#
7839725	Ladder-Type Step with Flexible Brackets: One Fuel tank.	\$1,063	10#
Tank Plumbing Equipment			
7850051	Number Ten 5/8 in. Fuel Crossover/ Equalizer Line with two breakaway valves without shutoff valve.	\$254	6#
7850057	Two Ball-Type Shutoff Valves for Number Ten 5/8in. fuel crossover line or equalizer line.	\$131	0#
7850058	Single Draw & Return Lines for Two Plumbed tanks.	\$803	0#
7882104	Insulated Fuel Draw Lines.	\$177	0#
7889160	Delete Fuel Piping from Fuel Tank RH Under.	\$0	-6#
7889161	Delete Fuel Piping from Fuel Tank RH Behind.	\$0	-6#
7889162	Delete Fuel Piping from Fuel Tank RH Rearmost.	\$0	-6#
7889163	Delete Fuel Piping from Fuel Tank LH Under.	\$0	-6#
7889164	Delete Fuel Piping from Fuel Tank LH Behind.	\$0	-6#
7889165	Delete Fuel Piping from Fuel Tank LH Rearmost.	\$0	-6#
Tank Supports			
7812238	One Additional Standard Tank Support for 1 Fuel tank. This is not a heavy-duty 7 in. wide support.	\$182	17#
7812240	One Additional Standard Tank Support for 2 Fuel tanks. This is not a heavy-duty 7 in. wide support.	\$364	34#
7814000	Steel Raised Tank Supports 1 in. BOC for 24.5in. fuel, hydraulic tanks.	\$235	0#
7814005	Steel Raised Tank Supports 2.7 in. BOC for 22in. fuel, hydraulic tanks.	\$796	0#
7814010	Steel Raised Tank Supports 5-5/8 in. BOC for 24.5in. fuel, hydraulic tanks.	\$164	0#
7821100	Heavy-Duty 7 in. Steel Supports/ Straps for One 24.5 in tank. Two supports per tank.	\$452	18#
7821103	Heavy Duty 7 in. Steel Fuel Tank Supports/ Straps for one 24.5in. tank - 3 supports per tank.	\$817	25#



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Fuel Tank Equipment			
Tank Supports			
7821300	Heavy-Duty 7 in. Steel Supports/ Straps for Two 24.5in. tanks. Two supports per tank.	\$904	36#
7821600	Heavy-Duty 7 in. Steel Supports/ Straps for Three 24.5in. tanks. Two supports per tank.	\$1,355	54#
7821900	Heavy-Duty 7 in. Steel Supports/ Straps for Four 24.5in. tanks. Two supports per tank.	\$1,807	72#
Tank Miscellaneous			
7813001	Additional Tank Support Location. RH Under.	\$0	0#
7813002	Additional Tank Support Location. LH Under.	\$0	0#
7813003	Additional Tank Support Location. RH Back of Cab.	\$0	0#
7813004	Additional Tank Support Location. LH Back of Cab.	\$0	0#
7813005	Additional Tank Support Location. RH Rearmost back of cab.	\$0	0#
7813006	Additional Tank Support Location. LH Rearmost back of cab.	\$0	0#
7880009	Mechanical Anti-Roll Channel for One Tank.	\$82	6#
7880010	Mechanical Anti-Roll Channel for Two Tanks.	\$165	13#
7880011	Mechanical Anti-Roll Channel for Three Tanks.	\$247	22#
7881300	Welded-In Fitting W/ Gasket & Cover Plate for mounting customer-installed fuel tank heater.	\$54	0#
7881310	Plate and Gasket Moved to Rear of Under Cab Fuel tank. For customer installed fuel tank heaters only.	\$55	0#
7884051	CNG BOC, BOS Cabinet Height - Low. Measurement is less than or equal to low roof range.	\$0	0#
7884052	CNG BOC, BOS Cabinet Height - Mid. Measurement is greater than low roof but less than high roof range.	\$0	0#
7884053	CNG BOC, BOS Cabinet Height - High. Measurement is greater than or equal to high roof range.	\$0	0#
7884054	CNG/LNG Frame Rail Mounted Tank Only.	\$0	0#
7884055	CNG Body Mounted Cabinet Only.	\$0	0#
7884056	CNG Body Mounted Cabinet with Frame Mounted Tank.	\$0	0#
7884057	CNG BOC, BOS Mounted Cabinet Only.	\$0	0#



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Fuel Tank Equipment			
Tank Miscellaneous			
7884058	CNG BOC, BOS Mounted Cabinet with Frame Mounted Tank.	\$0	0#
7884201	CNG Cabinet Drilling - Agility 120 DGE (Diesel Gallon Equivalent) customer-installed system. Agility part number 26400000. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884202	CNG Cabinet Drilling - Agility 130 DGE (Diesel Gallon Equivalent) customer-installed system. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884203	CNG Cabinet Drilling - Agility 160 DGE (Diesel Gallon Equivalent) customer-installed system. Agility part number 26600000. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884205	CNG Cabinet Drilling - Agility 175 DGE (Diesel Gallon Equivalent) customer-installed system. Agility part number 26610000. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884233	CNG Cabinet Drilling - CCFT 135 DGE (Diesel Gallon Equivalent) customer-installed system. Cummins Clean Fuel Technologies. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884235	CNG Cabinet Drilling - CCFT 175 DGE (Diesel Gallon Equivalent) customer-installed system. Cummins Clean Fuel Technologies. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884251	CNG Cabinet Drilling - Quantum GEN 2 123 DGE (Diesel Gallon Equivalent) customer-installed system. Quantum part number 116074. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884253	CNG Cabinet Drilling - Quantum GEN 2 160 DGE (Diesel Gallon Equivalent) customer-installed system. Quantum part number 117345. Frame drill for customer-installed CNG cabinets.	\$449	0#
7884255	CNG Cabinet Drilling - Quantum GEN 2 180 DGE (Diesel Gallon Equivalent) customer-installed system. Quantum part number 117155. Frame drill for customer-installed CNG cabinets.	\$449	0#
7889003	Fuel Fill Rear Tank(s) Under.	\$0	0#
7889004	Position Fuel Fill Beyond Rear of Sleeper. May have gap between under cab components and fuel tank(s) visible on chassis without full chassis fairings.	\$0	0#
7889006	Fuel Fill Forward Tank(s) BOC.	\$0	0#
7889021	Fuel Tank Locking Cap(s). Not Available W/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.	\$57	0#
7889227	Fuel Tank Caps for a Fleet Keyed Alike. Use W/ locking fuel tank cap code 7889021.	\$25	0#
7889245	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	STD	0#
7889247	Delete Anti-Siphon Device Swaged in Place for Any number of fuel tanks.	(\$18)	-1#

Tank Location



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7971001	Location 1 RH Fuel Tank BOC Moved Back.	\$0	0#
7971002	Location 1 LH Fuel Tank BOC Moved Back.	\$0	0#

DEF Tanks & Equipment

Tanks

7722061	Small Round DEF Tank. 11 Gallons of useable volume. Euro 4/5 engines only.	\$1,796	0#
7722062	Medium Round DEF Tank. 20.7 Gallons of useable volume. Euro 4 or 5 engines only.	\$1,411	31#
7722064	Large Round DEF Tank. 31.1 Gallons of useable volume. Euro 4 or 5 engines only.	\$1,721	38#
7722083	Small round DEF tank, 14 gallons of usable volume. MX-13 Euro 5 or X15 Euro 6.	\$524	0#
7722084	Medium round DEF tank, 23.8 gallons of usable volume. MX-13 Euro 5 or X15 Euro 6.	\$607	15#
7722085	Large round DEF tank, 30 gallons of usable volume. MX-13 Euro 5 or X15 Euro 6.	\$739	22#
7722151	DEF Tank Clear BOC (CBOC), 7.3 Gallons. Requires LH under cab fuel tank. The tank will be located inboard of the LH under cab fuel tank. There is no frame space required to locate this tank. Not for use on sleeper chassis. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204. For use with 2.1m models only.	\$1,097	-18#
7722153	Small Round DEF Tank, 14 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	STD	0#
7722154	Medium Round DEF Tank, 23.8 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$254	15#
7722155	Large Round DEF Tank, 30 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$461	22#
7722156	Medium Aerodynamic Round DEF Tank, 21 Gallons. The tank will be located just rearward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$257	31#

DEF Tank Miscellaneous

7840038	Polished Cover for 1 DEF Tank Any Size.	\$359	3#
7889098	Polished Straps for 1 DEF Tank Any Size.	\$99	0#



T880: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
DEF Tanks & Equipment			
DEF Tank Miscellaneous			
7889203	DEF to Fuel Fill Ratio 2:1 or Greater.	\$0	0#
7889204	DEF to Fuel Fill Ratio Between 1:1 and 2:1.	\$0	0#
7889206	Minimum Required DEF to Fuel Fill Ratio 1:1.	\$0	0#
7889208	DEF to fuel fill ratio between 1.25:1 and 2:1.	\$0	0#
7889217	DEF capacity ratio - Truck to be centrally fueled	\$0	0#
7889220	DEF Tank Steps	\$1,364	27#
DEF Tank Location			
7889603	DEF Tank Location is RH.	\$0	0#
7889604	DEF Tank Location is LH.	\$0	0#
Tank Miscellaneous			
7210000	Delete Standard Base Model Aluminum Fuel Tank. Hardware and plumbing are also deleted.	(\$1,205)	-114#
7861010	CNG Prep Kit. Includes Pre-Wire Harness and regulator coolant loop.	\$879	5#



T880: CAB EXTERIOR

Option	Description	Price	Weight
Cabs			
8025301	Cab: Stamped Aluminum Cab with Panoramic Curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	STD	0#
Sleepers			
8054498	Sleeper: 52 in. Flat Roof	\$15,225	629#
8071640	Sleeper: 40 in. Integral Low Roof With Locking Tool Doors	\$11,991	582#
8071652	Sleeper: 52 in. Integral Mid-Roof Aerodyne With Locking Tool Doors	\$15,277	679#
8071656	Sleeper: 76 in. Integral Mid-Roof Aerodyne With LH and RH Windows, Locking Tool Doors	\$20,777	1,050#
Windows			
Rear Cab			
8871446	Rear Cab Stationary Window 19in x 36in	STD	0#
8871447	Rear Cab Stationary Window with Dark Tint 19in x 36in.	\$45	0#
8871448	Rear Cab Stationary Shatterproof Window 19in x 36in. Polycarbonate plastic window replacing standard glass window.	\$566	-6#
8871449	Rear Cab Stationary Shatterproof Window 19in x 36in with dark tint. Polycarbonate plastic window replacing standard glass window.	\$577	-6#
8873797	Rear Cab Sliding Window 19 in x 36 in	\$415	0#
8873798	Rear Cab Sliding Window with Dark Tint 19in x 36in	\$439	0#
8879922	Solid Rear Wall. Deletes Rear Cab Window.	\$0	-8#
Corner & Rear Cab			
8879917	Two Additional Outboard Windows 19in x 12in	\$469	10#
8879918	Two Additional Outboard Windows with Dark Tint 19in x 12in	\$492	10#
8879921	Two Additional Outboard Shatterproof Windows 19in x 12in. Polycarbonate plastic windows replacing standard glass windows.	\$698	2#
8879923	Two Additional Outboard Shatterproof Windows 19in x 12in. with dark tint. Polycarbonate plastic windows replacing standard glass windows.	\$738	2#

Rear Sleeper



T880: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Windows

Rear Sleeper

8873730	Rear Sleeper Sliding Window with Dark Tint and 19in.X36in. curtains.	\$740	10#
8873751	Rear Sleeper Stationary Window with Dark Tint and 19in.X36in. curtains.	\$517	22#
8873752	Rear Sleeper Stationary Window 19in x 36in With Curtain	\$486	4#
8873753	Rear Sleeper Sliding Window 19in x 36in With Curtain	\$711	4#
8873754	Two Additional Outboard Windows 19in x 12in With Curtains. 40in Sleeper Only	\$511	11#
8873755	Two Additional Outbd Windows Dark Tint 19in x12in With Curtains. 40in Sleeper Only	\$501	11#

Hoods, Fenders & Grilles

Hoods, Fenders & Grilles

8090139	Hood: T880S Set-Fwd Short Length. 114.4 inch BBC W/Std Bumper.	\$0	0#
8090604	Hood: T880 Set-Back Medium Length. 122.6 inch BBC W/Std Bumper.	\$350	15#
8090605	Hood: T880 Set-Back Short Length. 116.7 inch BBC W/ Std Bumper.	STD	0#
8090609	Hood: T880 Set-Forward, Medium Length. 121.7 in. BBC with standard bumper.	\$3,177	0#
8890300	Fender Close-Out: Below Headlamp, Behind bumper. *NOT available with 3-piece bumper.	\$239	0#
8890348	Wheelwell Fender Extension: 4.5 inches	\$28	1#
8890349	Wheelwell Fender Extension: 2.5 Inches	STD	0#
8890359	Delete Standard Wheelwell Fender Extension.	(\$290)	-4#

Grilles Only

8098421	Radiator Mounted Grille for use with W9S or C500 or T880 or T800 standard width sloped hood with 1430 or 1520 Radiator. This code is not applicable to sheet metal hoods. For C500 with 1780 Radiator or T800 FEPTO models, see 8098424.	\$2,627	29#
---------	--	---------	-----

Other

8098212	Bright Engine Air Intake Chrome Trimmed Engine Air Intake on Both Sides of Hood	\$111	0#
8098213	Bright Chrome Intake Spear	\$132	0#

Cab & Sleeper Aerodynamic Devices

Airshield Roof Fairing



T880: CAB EXTERIOR

Option	Description	Price	Weight
Cab & Sleeper Aerodynamic Devices			
Airshield Roof Fairing			
8823011	Aerodynamic Roof Fairing for Daycab. Optimized for tractor-trailer combinations, includes integral marker lights. Fairing is factory painted and assembled in collapsed position for delivery.	\$4,183	88#
8823012	Roof Fairing for 52 in. Regional Sleeper. Includes ship loose 7 inch rubber extender. Provides optimal aerodynamics for tractor trailer combinations. Requires sleeper side extenders.	\$3,311	145#
8823014	Aero Roof Fairing Pick Up and Delivery Drop Shipped to Dealer for Medium Duty Models, HD Collapsed for Delivery	\$2,662	88#
Other			
8829616	Side Extenders: Daycab. Extends 19 inches from Back-of-cab. Panels extend 12 inches, and rubber trailing edge extends 7 inches.	\$1,118	0#
8829617	Side Extenders: 76 inch High-Roof Sleeper. 5-piece set extends 19 inches from back-of-sleeper and includes 7 inch rubber trailing edge. Extender set includes lower (sleeper), upper (sleeper roof), and top (sleeper roof top) extenders.	\$1,755	28#
8829618	Side Extenders: Mid Roof Sleeper. 4-piece set extends 19 inches from back-of-sleeper and includes 7 inch rubber trailing edge. Extender set includes lower sleeper and upper sleeper roof extenders. Available for both 52 inch mid roof and 76 inch mid roof sleepers.	\$1,249	16#
8829624	Side Extenders: 40 in. Low Roof/ 52 in. Flat Top Sleeper. Extends 19 inches from back-of-sleeper and includes 7 inch rubber trailing edge. Extender set includes lower sleeper extenders only.	\$703	15#
8829626	Side Extender(s): Daycab Extends 4 BOC	\$658	0#
Cab Structure Miscellaneous			
8080301	Twin Steer Package - T880S SFFA: Includes Fenders, Raised Cab and Hood, and Set-Forward Front Axle. Requires Set-Forward Short Hood 8090139. Package includes metal fenders for second steer axle. Top surface of fender includes traction surface for driver ingress and egress. Includes wiring for C/I Turn Signals for mounting on fenders sides. Overall width across fenders is 101.1". Rubber Wheelwell Fender Extensions (2.5" or 4.5") are required. Cab raised position 3" (76mm) is required to accommodate tire and fender clearance for second steer axle (no option delete). No under cab Rocker Panel mounted components are allowed. Requires Dual Front Springs 2869043 and Exterior Grab Handles 8800372/8800272 (SOC) & 6410040/6410041 (BOC). Battery Box Steps, Tool Box Steps, Fuel Tank Steps or Fender Mounted Ladder Steps are required for Cab Access (Battery Box, Tool Box and Fuel Tank Steps need to be within 6" of Fender).	\$21,990	0#
8080302	Twin Steer Package - T880 Set-Back W/ 86" Axle Spacing: Includes metal fenders for second steer axle. Includes LH/RH ingress and egress steps between the two steer axles, steps are included on optional RH battery box between axles (6404303). Overall width across metal fenders is 101.1". Rubber Wheelwell Fender Extensions (2.5" or 4.5") are required. Requires Dual Front Springs 2869045, Triple Power Steering Gears 2895113 and Exterior Grab Handles 8800372/8800272 (SOC).	\$15,226	0#
8890876	Kenworth Cab/Sleeper Air Suspension.	STD	0#
8890939	LH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$266	11#



T880: CAB EXTERIOR

Option	Description	Price	Weight
Cab Structure Miscellaneous			
8890940	RH Loadlock Holder Brackets. Mounted on Back of cab or sleeper.	\$321	11#
8891022	Roof: Flat Roof Day Cab	\$890	0#
Stainless Steel Miscellaneous			
8700406	Stainless Steel Permit Panel on Cab, Driver Side only	\$108	0#
8882400	Polished Vent Door Replacing Painted Vent Door.	\$89	0#
Emergency Exit Doors			
8080906	RH Upper Sleeper Emergency Exit Door With Vent, LH side with vent (no door).	\$0	0#
8080918	LH & RH Upper Sleeper Emergency Exit Doors With Vents.	\$619	24#
8080933	Delete Upper Sleeper Emergency Exit Doors. LH & RH sides with vents only.	(\$118)	-24#
8080941	RH Upper Sleeper Emergency Exit Door With Sliding window. LH side with vent, no door.	\$285	4#
8080942	Sleeper Door, LH/RH W/ Sliding Window.	\$1,030	19#
8080943	Sleeper Door W/ Sliding Window, RH Side. Sleeper door w/o window, LH side.	\$748	8#
Other			
8891013	Extreme Temperature Insulation: Daycab Additional cab side wall insulation with improved material properties over standard insulation package.	\$163	0#
8891014	Extreme Temperature Insulation: 52 Inch Sleeper Additional cab and sleeper side wall insulation with improved material properties over standard insulation package.	\$400	0#
8891015	Extreme Temperature Insulation: 76 inch Sleeper Additional Cab and Sleeper Side Wall Insulation With Improved Material Properties Over Standard Insulation Package.	\$513	1#
8891021	Extreme Temperature Insulation: 40 inch Sleeper . Additional cab and sleeper insulation with improved material properties over standard insulation package.	\$310	1#
Cab Access			
8800260	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust.	\$68	2#
8800262	Long Grabhandle LH Side Mounted to Side-of-Cab exhaust.	\$68	2#
8800272	Grabhandle: RH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Right Hand Exterior Of The Cab For Entry and Exit.	\$150	3#



T880: CAB EXTERIOR

Option	Description	Price	Weight
Cab Access			
8800372	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	\$150	3#
8800380	Grabhandle: LH & RH SOC Non-Slip Ergonomic Grab Handles Mounted To The Left Hand and Right Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$327	6#
8800382	Grabhandle: LH SOC Non-Slip Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit. NFPA Compliant.	\$163	3#
8805023	Cab Access - Twin Steer: LH Side via Fender Mounted Ladder Steps.	\$1,837	0#
8805024	Cab Access - Twin Steer: RH Side via Fender Mounted Ladder Steps.	\$1,837	0#
Horns			
8845101	Delete Standard Air Horn.	(\$61)	0#
Air Horns			
8841411	Single Air Horn Under Cab.	STD	0#
8841618	Dual Rectangular Air Horn 23 in. LH & RH Top of roof. Includes air horn covers.	\$324	4#
8841628	Quad Rectangular Air Horn 23/26 in. LH/RH Top of roof. Includes air horn covers.	\$681	11#
8841641	Air Horn: Sing Round 26" LH Roof Incl Air Horn Cover	\$153	0#
8841642	Air Horn: Dual Round 26" LH/RH Roof Incl Air Horn Cover	\$344	0#
Mirrors & Equipment			
8850822	Mirror: LH Hood Mounted, Round Convex, Chrome Heated	\$254	12#
8850823	Mirror: RH Hood Mounted, Round Convex, Chrome Heated	\$254	12#
8850825	Mirror: RH Hood Mounted, Rectangle 8x6, Chrome Heated	\$264	4#
8850826	Mirror: LH Hood Mounted, Rectangle 8x6, Chrome Heated	\$264	4#
8850828	Mirror: RH Hood Mounted, Rectangle 8x6, Chrome	\$175	4#
8850829	Mirror: LH Hood Mounted, Rectangle 8x6, Chrome	\$175	4#
8850831	Mirror: RH Hood Mounted, Dual View, Round CX Chrome	\$216	4#
8850832	Mirror: LH Hood Mounted, Dual View, Round Chrome	\$221	4#



T880: CAB EXTERIOR

Option	Description	Price	Weight
Mirrors & Equipment			
Dual Rear View Mirrors			
8865002	Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad.	STD	0#
8865003	Aero Mirror: Dual Kenworth Chrome Aero. Motorized Heated Mirrors, 7in X 13in With Chrome Mirror Shell and Black Mirror Arms. Also Includes LH/RH Heated 6in X 7in Convex Mirrors. Mirror Brackets Set For 8-1/2 ft Load Width. Mirror Controls Located On Driver Side Door Pad.	\$354	0#
8865013	Mirror: Digital Mirror - Painted, Camera- Equipped Aerodynamic Mirrors.	\$3,877	10#
8865014	Mirror: Digital Mirror - Chrome, Camera- Equipped Aerodynamic Mirrors.	\$3,926	10#
Diminishing Convex Mirror			
Rider Side			
8850139	Look-Down, Pass. Door, Black 11x6	STD	0#
8850144	Delete Pass. Door Look-Down Mirror	\$0	-2#
Hood Mounted			
8850812	Mirror: LH Hood Mounted, Round Convex, Chrome	\$173	4#
8850813	Mirror: RH Hood Mounted, Round Convex, Chrome	\$179	4#
Window Equipment			
Windshield & Equipment			
8890101	One-Piece Bonded-In Windshield With Curved Glass. Standard.	STD	0#
Exterior Sunvisors			
8890135	Exterior Stainless Steel Sunvisor.	\$893	19#
8890150	Sunvisor: Exterior Stainless Steel w/ Integral Marker Lights for 2.1M Mid Roof Sleepers Only.	\$1,276	16#
Doors & Equipment			
Doors			
8832113	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	STD	0#
Door Lock Options			
8203056	Unspecified Tumbler P/N. All Chassis Keyed Alike Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models, requires 2+ chassis. G key will not work on new P lock and ignition.	\$123	0#



T880: CAB EXTERIOR

Option	Description	Price	Weight
Doors & Equipment			
Door Lock Options			
8203060	5 Sets of Keys. Replaces Standard 2 Sets of Keys.	\$32	0#
8203191	Customer Specified Tumbler P/N. All Chassis keyed alike if applicable. Includes ignition, cab doors & if applicable, sleeper tool box door. 2.1m models. G key will not work on new P lock and ignition.	\$449	0#
Other			
8700188	Remote Keyless Entry	\$418	0#
8700283	LH and RH Trip Ledge Rain Deflectors	STD	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Cabs & Sleepers			
Interior			
8330102	Interior Package: Vantage Daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.	STD	0#
8330112	Interior Package: Vantage Daycab Flat Roof Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets.	\$0	0#
8330140	Vantage 40 in. Sleeper Cab includes durable vinyl headliner and sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cup holders and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and foot well, door mounted courtesy light and two dash 12V power outlet. Driver sun visor includes strap. Sleeper interior includes two overhead storage bins, two large record holders, one magazine rack, cell phone cubby, three large coat hooks and two 12V plugs. 12V ports and USB plug in the sleeper are battery powered.	\$3,181	0#
8330152	Interior Package: Vantage Cab and 52in Regional Sleeper. Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Single liftable premium pocket coil lower bunk, 32in. standard, 38in. optional, with optional foam upper bunk or backwall storage. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.	\$4,082	0#
8330176	Interior Package: Vantage Cab 76in Sleeper Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Large overdoor storage bins with doors, overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes single 42in. liftable premium pocket coil lower bunk. Also includes four standard 12V power outlets throughout the cab and sleeper. Driver sunvisor includes strap.	\$6,701	30#
8330200	Interior Package: Vantage Cab and 52in Flat Roof Sleeper. Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Single liftable premium pocket coil lower bunk, 32in. standard. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.	\$3,678	0#
8330880	Interior Package: Diamond VIT Daycab. Includes diamond design trim with premium wood grain accent trim, a durable headliner, and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes vanity mirror and strap, passenger sunvisor includes strap.	\$1,793	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cabs & Sleepers

Interior

8330881	Interior Package: Diamond VIT Daycab Flat Roof. Includes diamond design trim with premium wood grain accent trim and anodized aluminum accents throughout. Full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets.	\$1,485	0#
8330882	Interior Package: Diamond VIT Cab and 40 in. sleeper. Includes diamond design trim with premium wood grain accent trim and anodized aluminum accents throughout. With full size glove box, two center console cup holders and large door map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and foot well, door mounted courtesy lights. Driver sun visor includes vanity mirror and strap, passenger sun visor includes strap. Four standard 12V power outlets, two in dash and two in sleeper. Sleeper interior includes two overhead storage bins, two large record holders, one magazine rack, cell phone cubby, three large coat hooks and two 12V plugs. 12V ports and USB plug in the sleeper are battery powered.	\$3,981	0#
8330883	Interior Package: Diamond VIT Cab and 52 in. Regional Sleeper. Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. With sleeper backwall storage system. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, door mounted courtesy light. Single liftable premium pocket coil lower bunk (32 in. standard, 38 in. optional), with optional foam upper bunk. Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.	\$7,511	0#
8330884	Interior Package: Diamond VIT Cab and 52 in. Flat Roof Sleeper. Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. With sleeper backwall storage system. Large overdoor storage bins with doors, full size glove box, two center console cupholders, large door pad map pocket, and two coat hooks. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and footwell, door mounted courtesy light. Single liftable premium pocket coil lower bunk (32 in. standard, 38 in. optional). Under bunk storage space provides inside access to toolbox area as well as dry storage. Driver sunvisor includes strap.	\$7,240	0#
8330885	Interior Package: Diamond VIT Cab 76 in. Sleeper. Includes diamond design trim with premium wood grain accent trim, a durable headline, and anodized aluminum accents throughout. Large overdoor storage bins with doors, overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime friendly red ambient lighting for dash and cab footwell, and door mounted courtesy light. Includes single 42 in. liftable premium pocket coil lower bunk. Also includes four standard 12V power outlets throughout the cab and sleeper. Driver sunvisor includes vanity mirror and strap, passenger sunvisor includes strap.	\$8,031	0#

Interior Color

8300008	Interior Color: Slate Gray	STD	0#
8300010	Interior Color: Tan	\$0	0#

Heaters & Air Conditioning



T880: CAB INTERIOR

Option	Description	Price	Weight
Heaters & Air Conditioning			
8108011	Cab HVAC - Day Cab and 40 in. Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	STD	0#
8178213	Cab/Sleeper HVAC System. Cab HVAC includes defrost, A/C, and 48,000 BTU/hr heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter for cab system & recirculation filters for cab/sleeper cabin air are standard. Sleeper HVAC includes A/C and 40,000 BTU/hr heater. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without the need for additional insulation.	\$0	0#
8178351	Kenworth Idle Management System. Includes a battery-powered auxiliary sleeper air conditioning system, additional battery box with 4 additional deep cycle Odyssey batteries, enhanced in-wall insulation and insulated sleeper walk through curtain package, enhanced battery monitoring, sleeper control with system battery status and temperature and fan control. Required with this system is the Delco 40SI 300 Amp alternator, 1812450. For bunk heating, please include 8158018 (Espar AX3 D2) or 8158019 (Espar AX3 D4).	\$15,279	555#
Miscellaneous			
8108002	Fine Particulate Filter for Cabin Air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.	\$46	0#
8108003	Ember Filter For Cabin Air. Used to keep embers out of the HVAC filter element. Cannot be used with code 8108002.	\$51	2#
8158012	Insulated Fuel Lines for Espar Heater.	\$99	0#
8158018	Espar AX3 Airtronic D2 Sleeper or Bunk Heater w/thermostat. Rated for 5,000 ft of elevation	\$1,541	14#
8158019	Espar AX3 Airtronic D4 Sleeper or Bunk Heater Rated For 5,000 ft of Elevation.	\$2,117	0#
8178214	Sleeper HVAC Delete for Cab/ 52 inch Sleeper. Removes standard sleeper portion of the HVAC system.	(\$730)	0#
8178356	Engine Auto Start/Stop System	\$1,368	2#
8178358	Engine Auto Start/Stop System w/ Fuel Temperature Control. The engine will autostart when fuel reaches 0°F, sensing near the fuel filter, and will run for a pre-specified time in order to keep the engine and fuel warm.	\$1,330	2#
8178359	Engine Auto Start/Stop System w/ Fuel Temperature Control and Sleeper Temperature Control. The engine will autostart when fuel reaches 0°F, sensing near the fuel filter, and will run for a pre-specified time in order to keep the engine and fuel warm.	\$1,931	0#
8190005	Coolant, Fuel, & Electrical Lines: For customer-installed APU. Located BOC/BOS on the frame. Also includes bracketry.	\$1,088	15#
8190209	Single Auxiliary Defroster Fan Mounted in Sleeper	\$158	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Heaters & Air Conditioning			
Miscellaneous			
8190564	Air Conditioning Excise Tax: Canadian Registry	\$175	0#
Heater Shut-Off Valves			
8190138	Shutoff Valves to Isolate Primary Heater Remote mounted on frame under cab.	\$74	0#
Steering Wheels & Equipment			
8201013	Steering Wheel: 18 in. 4-Spoke.	(\$158)	0#
8201043	Kenworth Smartwheel: 18 in. Leather Wrapped With Integrated Radio and Cruise Controls.	\$173	2#
8201047	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	STD	0#
8201051	Column Mtd Retarder Control, RH Side Use with Manual & Allison Transmissions Only.	\$0	0#
8201052	Column Mtd TMSN Control W/Retarder Cntrl, RH Side Use with Automated and Automated Manual Transmissions Only	STD	0#
8201053	Column Mtd Transmission Control W/O Retarder Control, RH Side. Use with Automated and Automated Manual Transmissions Only.	\$0	0#
8201207	Fixed Steering Column.	(\$69)	-4#
Other			
8201200	Adjustable Telescoping Tilt Steering Column.	STD	0#
Instruments & Controls			
8240620	Canadian Instrument Package: KPH Speedometer replaces MPH.	\$0	0#
8282006	Odometer Units Locked to Match Speedometer Dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.	\$15	0#
8282007	Kenworth Driver Performance Center:5in Full Color high resolution Thin Film Transistor (TFT) active matrix display with advanced driver information including fuel economy performance, outside air temp, clock, odometer and trip, engine hour meter, ignition timer, engine RPM, general truck information, diagnostics, and gear display. All Highline functionality is accessed via the Kenworth MCS providing intuitive control at the drivers fingertips. Also includes Dark Cabin functionality. When activated, the only interior light that will function when a door is opened is the door courtesy lamp.	\$0	0#
8282013	Kenworth Instrumentation and Control Package With 9 standard easy-read gauges: includes speedometer, tachometer, fuel gauge, engine coolant temp, engine oil pressure, voltmeter, dual air pressure, air application pressure and DEF gauge. All accessory controls utilize electronically activated solenoids that include advanced vehicle protection interlocks.	\$169	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
8282016	KW Instr. PKG With 8 STD Gauges, For Natural Gas No Def Gauge, Fuel Gauge Without ULSDF Text. ULSDF is Ultra Low Sulfur Diesel Fuel.	\$202	0#
8282027	Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	STD	0#
8282028	Main Instrument Package: Gas Engine 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application	\$0	0#
Gauges			
8220106	Gauge: Dash Mounted Air Filter Restriction Gauge.	\$170	0#
8221100	Gauge: 2 Air Suspension Pressure Gauges. For Use w/air suspension w/dual leveling valves.	\$315	0#
8221136	Gauge: Trailer Reservoir Air Pressure Gauge.	\$88	0#
8221137	Gauge: Trailer Air Application Gauge.	\$75	0#
8221138	Gauge: Air Suspension Pressure Gauge. For dual leveling valves, not dual read.	\$297	0#
8221139	Gauge: Additional Dash Mounted Air Pressure Gauge Includes piping to BOC/BOS.	\$68	0#
8221140	Gauge: Two Additional Dash Mounted Air Pressure gauges. Include piping to BOC/BOS.	\$144	0#
8221144	Gauge: Air Suspension Pressure Gauge.	\$149	0#
8221160	Gauge: Engine Oil Temperature Gauge With Integral warning light. The NavPlus HD unit includes a virtual engine oil temperature gauge.	\$46	0#
8222115	Gauge: All Metric Gauges, Except Digital Display pressure gauges in psi.	\$0	0#
8222400	Gauge: DD Virtual Gauge - Air Suspension Pressure 1	\$90	0#
8222401	Gauge: DD Virtual Gauge - Air Suspension Pressure 2	\$90	0#
8222402	Gauge: DD Virtual Gauge - Trailer Reservoir	\$88	0#
8222403	Gauge: DD Virtual Gauge - Trailer Brake Application	\$67	0#
8222404	Gauge: DD Virtual Gauge - Oil Temp Engine	STD	0#
8222407	Gauge: DD Virtual Gauge - Axle Temp Forward Rear Or Single Rear	\$121	0#
8222408	Gauge: DD Virtual Gauge - Axle Temp Rear Rear	\$121	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Gauges			
8222409	Gauge: DD Virtual Gauge - Air Filter Restriction	STD	0#
8222410	Increased Air Filter Full Indication For Air Filter Restriction Gauge	\$0	0#
8222411	Gauge: DD Virtual Gauge - Eng Pto Hour	\$40	0#
8222412	Gauge: DD Virtual Gauge - Main Transmission Temp	\$63	0#
8222413	Gauge: DD Virtual Gauge - Manifold Pressure Boost	STD	0#
8222414	Gauge: DD Virtual Gauge - Engine Percent Torque	STD	0#
8222415	Gauge: DD Virtual Gauge - Axle Temp Center Rear	\$121	0#
8222416	Gauge: DD Virtual Gauge - Aux Trans Temp	\$116	0#
8222417	Gauge: DD Virtual Gauge - Secondary Fuel	\$83	0#
8222420	Gauge: DD Virtual Gauge - Automated Trans Clutch Temp - Instrument Cluster	\$0	0#
8222712	Gauge: Fuel Filter Restriction Gauge.	\$149	0#
8222722	Gauge: Manifold Pressure Gauge. The NavPlus HD unit includes a virtual manifold pressure gauge.	\$44	0#
8222794	Hour Meter Mounted in Dash for PTO.	\$103	0#
8225626	Gauge: Axle Oil Temperature Gauge. Single Drive axle or forward rear axle w/integral warning light.	\$207	0#
8225656	Gauge: Axle Oil Temperature Gauge Tri-Drive Axle.	\$424	0#
8225658	Gauge: Axle Oil Temperature, Dual-Drive Axle. (2 gauges) w/integral warning light.	\$234	0#
8226617	Gauge: Oil temperature. Auxiliary transmission.	\$116	0#
8226667	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	\$73	0#
8282108	Modular Dash Options: RH Dash Storage Unit With two shelves. Reduces total gauge count; HD by 6 and MD by 4.	\$47	0#
8282110	Modular Dash Options: LH Dash Storage Unit With two shelves. Reduces total gauge count by 6.	\$51	0#
Controls			
8205038	Controls on Dash for Pintle Hook. Includes piping to the end of frame.	\$58	2#



T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Controls			
8205067	Controls on Dash for Trailer Dump Gate. Includes piping & indicator light. * T680/T880 available with speed interlock (8208603)	\$73	0#
8205069	Dash Controls:Tailgate or Dump Gate, Includes Piping and Telltale	\$200	1#
8205076	Controls On Dash (Qty. 2) For Forward and Rear Trailer Dump Gates. For A Straight Truck. Includes Piping & Indicator Lights. Optional Speed Interlock Available With T680/T880. See Databook for Code.	\$160	0#
8205082	Controls on Dash for Trailer Air Suspension. Includes piping & indicator light. * Dash controls for trailer functions require that you add trailer connections to the order. * This trailer air suspension valve provides an air control. There is an option for trailer hotwire that provides an electric control wired to a dash switch. * Optional speed interlock available on T660/T680 models.	\$153	0#
8205089	Park Brake Interlock for Air Suspension Dump. (Truck/Tractor). Parking brake interlock option for air suspensions other than Hendrickson HAS or Primaax. Air suspension will not dump unless park brakes are engaged. Trailer suspension dump interlock is available	\$141	0#
8205192	Valve: Hand To Actuate Rear Service Brake Self Returning To Off Position. Dash Mounted.	\$491	3#
8205271	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Non-Self-Returning.	\$395	0#
8205272	Dash Mounted - Compact Valve to Actuate Rear Service Brakes Self-Returning.	\$392	0#
8205273	Dash Mounted - Compact Valve to Actuate All Service Brakes Self-Returning.	\$383	0#
PTO Related			
8205087	Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. The intent of this feature is to deflate the air suspension air bags while the load is raised to help alleviate any imbalance or instability that can occur with the air bags inflated.	\$76	2#
8205096	Information for Customer-Installed PTO Muncie 8-BOLT	\$46	0#
8205103	Information for Customer-Installed PTO Chelsea 8-bolt.	\$46	0#
8205135	Information for Customer-Installed PTO Muncie 10-bolt.	\$0	0#
8205157	Park Brake Interlock for First PTO PTO will not engage without park brakes set. Not for use with PTOs with air controls (8205053,8205054,8205057)	\$151	0#
8205222	Park Brake Interlock for Second PTO * PTO No. 2 will not engage without park brakes set.	\$126	0#
8205227	Park Brake Interlock for PTO Air Controls * Controls will not charge with air unless park brakes are set.	\$126	0#
8205291	Info for C/I PTO: Muncie 6 Bolt	\$0	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
PTO Related			
8205292	Info for C/I PTO: Chelsea 6 Bolt	\$0	0#
PTO Controls			
8205054	PTO Air Control: Floor Mounted LH of Driver seat for customer installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged. Available on T680 and T880.	\$642	2#
8205057	PTO Air Control: Floor mounted LH of driver seat. For KW installed PTO. Park brake interlock to prevent PTO engagement unless brake is engaged. Available on T680 and T880.	\$644	2#
8205164	Dash Switch: 1st Single-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 1st Eaton (single-acting) trans PTO.	\$111	0#
8205165	Dash Switch: 2nd Single-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 2nd Eaton (single-acting) trans PTO.	\$110	0#
8205168	Dash Switch: 1st Double-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (double-acting) trans PTO.	\$314	0#
8205171	Dash Switch: 2nd Double-Acting Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 2nd Eaton (double-acting) trans PTO.	\$205	0#
8205173	Dash Switch: 1st Reversible/dbl Eaton-mntd PTO. Electric switch, wiring, software, air solenoids, inversion dump valve, amd plumbing are factory-installed to control the 1st Eaton (reversible) trans PTO.	\$247	0#
8205177	Dash Switch: 1st Allison-Mounted PTO. Electric switch and wiring are factory-installed to control the 1st Allison Trans mounted PTO.	\$247	0#
8205181	Factory Installed Eaton Transmission PTO Controls for AT1202 auxiliary transmission mounted Chelsea 230/236/238/442/489/660/680/885 or Muncie CS/SH/TG6/8, 6 or 8-bolt PTO with single acting air actuation. Option includes one factory installed dash switch, one indicator light on dash and one air solenoid supplied under cab within chassis node.	\$227	0#
8205182	Customer Installed Eaton Transmission PTO controls for AT1202 auxiliary transmission mounted Chelsea 230/236/238/442/489/660/680/885 or Muncie CS/SH/TG6/8, 6 or 8-bolt PTO with single acting air actuation. Option includes dash and chassis harness prewire. Option does not include dash switches or air solenoids.	\$188	0#
8205183	Factory Installed Eaton Transmission PTO Controls for AT1202 auxiliary transmission mounted Chelsea 823/880 or Muncie 828 8-bolt PTO with double acting air actuation. Option includes one factory installed dash switch, one indicator light on dash, and air solenoid(s) supplied under cab within chassis node.	\$233	0#
8205184	Customer Installed Eaton Transmission PTO controls for AT1202 auxiliary transmission mounted Chelsea 823/880 or Muncie 828 8-bolt PTO with double acting air actuation. Option includes dash and chassis harness prewire. Option does not include dash switches or air solenoids.	\$194	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
PTO Related			
PTO Controls			
8205185	Factory Installed Eaton Transmission PTO Controls for AT1202 auxiliary transmission mounted Chelsea 340 reversible 6-bolt PTO with double acting air actuation. Option includes factory installed dash switch(s), one indicator light on dash, and air solenoid(s) supplied under cab within chassis node.	\$216	0#
8205186	Customer Installed Eaton Transmission PTO controls for AT1202 auxiliary transmission mounted Chelsea 340 reversible 6-bolt PTO with double acting air actuation. Option includes dash and chassis harness prewire. Option does not include dash switches or air solenoids.	\$194	0#
8205213	Split Shaft PTO Controls: Fabco PTO-180 Split Shaft PTO w/ ONE Switch to simultaneously control PTO Engagement and Rear Axle Disengagement	\$200	0#
8205214	Split Shaft PTO Controls: Fabco PTO-180 Split Shaft PTO w/ TWO Switches to independently control PTO Engagement and Rear Axle Disengagement *Rear Axle Declutch will be interlocked with the Park Brake. (The Park Brake must be Engaged in order to Engage/Disengage the Rear Axle)	\$228	0#
8205215	Split Shaft PTO Controls: NAMCO 126, 136, 137, or M85 Split-Shaft PTO w/ ONE Switch to simultaneously control PTO Engagement and Rear Axle Disengagement.	\$200	0#
8205216	Split Shaft PTO Controls: NAMCO 174, 236, 237, 436, or 437 Split-Shaft PTO w/ ONE Switch to simultaneously control PTO Engagement and Rear Axle Disengagement.	\$361	0#
8205217	Split Shaft PTO Controls: NAMCO 174, 236, 237, 436, or 437 Split-Shaft PTO w/ TWO Switches to independently control PTO Engagement and Rear Axle Disengagement. *Rear Axle Declutch will be interlocked with the Park Brake. (The Park Brake must be Engaged in order to Engage/Disengage the Rear Axle)	\$233	0#
8205218	Split Shaft PTO Controls: NAMCO 201 2-Speed Split Split-Shaft PTO w/ ONE Switch to simultaneously control PTO Engagement and Rear Axle Disengagement	\$200	0#
8205219	Split Shaft PTO Controls: NAMCO 201 2-Speed Split Shaft PTO w/ TWO Switches to independently control PTO Engagement and Rear Axle Disengagement. *Rear Axle Declutch will be interlocked with the Park Brake. (The Park Brake must be Engaged in order to Engage/Disengage the Rear Axle)	\$233	0#
8205232	Switch - PTO Mode Control	\$98	0#
8205233	Switch - PTO Control Cab/Remote	\$98	0#
8205234	Switch - PTO Engine Speed Preset 1	\$98	0#
8205235	Switch - PTO Engine Speed Preset 1 and 2	\$98	0#
8205236	Switch - PTO Engine Speed Preset 1, 2 and 3	\$98	0#
8205237	Switch - PTO Engine Speed Preset +/-	\$98	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
PTO Related			
PTO Controls			
8205238	Split Shaft PTO Controls: Transmission Tail Shaft speed interlock for PTO Engagement/Disengagement. Option is for hardware protection of PTO auxiliary transmission.	\$0	0#
8205239	Split Shaft PTO Controls: Delete Transmission tail shaft speed interlock for PTO Engagement/Disengagement. Option is for hardware protection of PTO auxiliary transmission.	\$0	0#
8205283	Info for C/I PTO: Chelsea 10 Bolt	\$0	0#
Dash Switches			
8203110	Delete Fan Clutch Manual Override Switch in Cab.	\$0	0#
8203161	Fan to Operate When Park Brake Set.	\$23	0#
8203162	Switch To Operate Fan When Parking Brake Is Set & Air Conditioner Is On.	\$35	0#
8203184	Switch & Wiring: For Customer-Installed Cab Panel Lights.	\$105	1#
8203195	Dash Mounted Switch With Solenoid Block at Rear chassis suspension crossmember for customer-installed fifth wheel slide. Includes standard speed interlock that prevents activation above 7mph. Value is adjustable within ESA.	\$116	0#
8203196	Dash Mounted Compact Trailer Brake Valve. Self Returning.	\$0	0#
8203197	Dash Mounted Compact Trailer Brake Valve. Non-Self Returning.	\$75	0#
8203199	Wiring: C/I Cab Panel Lights Under Cab	\$82	0#
8205012	Off-Highway Dash Switch: For ABS System. Includes indicator light.	\$59	0#
8205158	Park Brake Interlock for First Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$149	0#
8205160	Dash SW: Bendix Work Brake Electric Over Air SW To Apply All Service Brakes	\$219	5#
8205221	Park Brake Interlock for Second Spare Accessory Electric-Over-Air Switch. Prevents activation unless Park Brake is set.	\$149	0#
8205228	One (1) Spare Accessory Electric-Over-Air Switch with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$114	0#
8205229	Two (2) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$199	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8205230	Three (3) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on ,while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$276	0#
8205231	Four (4) Spare Accessory Electric-Over-Air Switches with Latching Air Solenoid. Mounted on dash for customer-installed option. Latching means the output air pressure will remain on, while there is air remaining in the air tank, when the ignition is off and switch position is on. Not intended for Trailer Lift Axle controls, see 8208607 and 8208608.	\$353	0#
8205280	Dash Switch: Rock Free Mode for PCAR TX-18 Pro, TX-12 Pro and Endurant XD Pro	\$41	0#
8208494	One Spare Switch: Wired to Power.	\$73	0#
8208495	Two Spare Switches: Wired to Power.	\$90	0#
8208496	Three Spare Switches: Wired to Power.	\$140	0#
8208497	Four Spare Switches: Wired to Power.	\$176	0#
8208498	Five Spare Switches: Wired to Power.	\$215	0#
8208524	Seven-Way Plug: Wired to Dash Switch. For Trailer floodlight. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer floodlamps. Switch has an integral indicator lamp. Requires using a second ISO 3731.	\$40	0#
8208530	Seven-Way Plug: Wired to Dash Switch for Dumpgate Includes indicator light & guard. Center pin of standard 7-way connector (J560) will be wired to a switch for dumpgate (battery power). Includes a guard & integral indicator lamp.	\$49	0#
8208549	Seven-Way Plug: Wired to Dash Switch. For Trailer power. Includes indicator light. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch is wired to a battery circuit & has an integral indicator lamp.	\$45	0#
8208551	Seven-Way Plug: Wired to Dash Switch. For Trailer air suspension. Center pin of standard 7-way connector (J560) will be wired to a switch for trailer hotline. Switch has an integral indicator lamp & a guard.	\$44	0#
8208553	Seven-Way Plug: Wired Through Center Wire. For use w/overflow. Center pin of standard 7-way connector (J560) wired to a switch for overflow. Battery power for key off overflow operation. Switch includes integral indicator lamp. If ABS is required, must code for ABS through ISO 3731 connector.	\$41	0#
8208555	Switch: Trailer 3rd Axle Lift. Includes Indicator light. This option connects the center pin of the standard 7-way light line to switched battery power. This pin cannot be used for ABS. If ABS is required, must code for ABS through ISO 3731 connector.	\$41	0#
8208559	Controls on Dash for Forward and Rear Trailer Belly Dump Gates: Includes indicator light, guard & approx 3 meters of coiled wire BOC in LH rail. Use separate codes to add ISO 3731 spare circuit wiring & IDs, if desired.	\$284	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8208582	ISO 3731 Spare Circuit Switch 1 ID: For Trailer floodlight. Includes indicator light. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer floodlights w/an integral indicator light.	\$39	0#
8208583	ISO 3731 Spare Circuit Switch 1 ID: For Dumpgate. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for dumpgate w/a guard & an integral indicator light. Requires either code 9140341 or 9140342.	\$70	0#
8208586	ISO 3731 Spare Circuit Switch 1 ID: For Trailer air suspension. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer air suspension w/a guard & an integral indicator light.	\$48	0#
8208587	ISO 3731 Spare Circuit Switch 1 ID: For Trailer third axle lift. Provides a switch connected to one spare circuit in the ISO 3731 connector labeled for trailer third axle lift w/an integral indicator light. Requires either code 9140341 or 9140342.	\$60	0#
8208588	ISO 3731 Spare Circuit Switch 2 ID: For Trailer floodlight. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for trailer floodlights w/an integral indicator light. Requires code 9140342.	\$38	0#
8208589	ISO 3731 Spare Circuit Switch 2 ID: For Dumpgate. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for dumpgate w/a guard. Requires code 9140342.	\$63	0#
8208592	ISO 3731 Spare Circuit Switch 2 ID: For Trailer air suspension. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for trailer air suspension w/a guard & an integral indicator light. Requires code 9140342.	\$48	0#
8208593	ISO 3731 Spare Circuit Switch 2 ID: For Trailer third axle lift. Provides a switch connected to the second spare circuit in the ISO 3731 connector labeled for third axle lift integral indicator light. Requires code 9140342.	\$49	0#
8208597	ISO 3731 Spare Circuit Switch 1 ID: For Trailer hotline. Includes indicator light & guard.	\$49	0#
8208598	ISO 3731 Spare Circuit Switch 2 ID: For Trailer hotline. Includes indicator light & guard.	\$49	0#
8208601	Switch: W/Light & Guard For Trailer Dump Gate. Includes Approximately 3 Meters of Coiled Wire BOC in LH Rail.	\$150	0#
8208602	Dash Switch: W/Light & Guard for Truck Dump Gate. Includes approximately 3 meters of coiled wire BOC in LH rail.	\$175	0#
8208605	Switch, Gauge, Regulator for One Trailer Lift Axle. Mounted on Dash. Includes Piping to End-of-Frame. Reduces gauge count by 7 (1-gauge, 6-regulator mounting panel)	\$221	0#
8208606	Switch, Gauge, Regulator for Two Trailer Lift Axles. Mounted on Dash. Includes Piping to End-of-Frame. Reduces gauge count by 7 (1-gauge, 6-regulator mounting panel)	\$376	0#
8208607	Switch Only: Dash MNT For One Trailer Lift Axle Includes Piping to End-of-Frame. *Gauge and regulator available with (8208605).	\$90	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8208608	Switch Only: Dash Mount For Two Trailer Lift Axles. Includes Piping to End-of-Frame. *Gauge and regulator available with (8208606).	\$123	0#
8208626	LytX DriveCam SF300 System: Video Trigger Dash Switch	\$26	0#
8291002	Mute Backup Alarm W/ Buzzer in Cab.	\$195	0#
Turn Signals			
8700168	Non-Self Cancelling Turn Signal: W/Column-Mounted headlight dimmer switch & intermittent wiper control.	\$0	0#
8700196	Turn Signal: Self-Cancelling	\$282	0#
8700197	Turn Signal: Non-Self Cancelling	STD	0#
Other			
8201044	Predictive Cruise Control	\$1,166	0#
8201078	Enable Predictive Cruise Control Enables Predictive Cruise Control Functionality Which Provides Visual Feedback To The Driver	\$0	0#
8201083	Maximize Fuel Economy Function Enables the customer to specify their preference to bias Predictive Cruise Control behavior in favor of fuel economy.	\$0	0#
8203052	Remove Stop Position from Regeneration Switch.	\$0	0#
8205223	Park Brake Interlock for Trailer Air Suspension dump. Air suspension will not dump unless park brakes are engaged. Truck/tractor suspension dump interlock is available (8205089)	\$126	0#
8208603	Speed Interlock:Truck,Trailer EOA Dump Gates and Belly Dumps. Speed interlock prevents accidental activation if vehicle is traveling at speeds above 25 mph, configurable from 0-40 mph. Not for use with non-EoA dump gates (8208559,8208583,8208601)	\$213	0#
8209999	Spare Power Wiring For Customer Installed Devices Behind Dash Cluster. Includes 2 batt, 2 ign, 1 acc, 1 LVD at 20A each.	\$97	2#
8229005	Methane Detection System For Natural Gas Required For LNG Fueled Vehicles Optional For CNG Fueled Vehicles	\$1,846	2#
8240014	Additional Speedo Sensor Wire In Cab	\$90	1#
8245158	Tachograph Pre-Wire Only	\$112	0#
8282019	Lrg Flat Panel On Dash For 3 Gauges And Prov For C/I Qual Brkt Or C/I Ram Mnt	\$130	0#
8282020	Lrg Flat Panel On Dash For 2 Gauges And Prov For C/I Qual Brkt Or C/I Ram Mnt	\$130	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Instruments & Controls

Other

8282021	Lrg Flat Panel On Dash For 1 Gauge And Prov For C/I Qual Brkt Or C/I Ram Mnt	\$130	0#
8282107	Large Flat Panel on Rider Side Dash for customer-installed controls. Reduces gauge count by 6.	\$54	0#
8291011	Warning Light and Audible: Drivers Side Seatbelt A telltale and audible warning activates when vehicle speed > 10 mph and driver side seatbelt is not buckled.	\$75	0#
8702224	Enable Inclement Driving Condition Interlock (IDCI). Wiper level 4 is the default for this system.	\$0	0#
8702225	Activate IDCI Wiper Speed 1	\$0	0#
8702226	Activate IDCI Wiper Speed 6	\$0	0#
8702232	Sensata Tire pressure monitoring system Requires 48991XX tire/wheel count code for sensors.	\$489	3#

Seats

Driver Seats

Driver Seat Other

8410196	Driver Seat: GT701 IB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$134	0#
8410197	Driver Seat: GT701 HB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$146	0#
8410199	Driver Seat: GT701 IB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	(\$27)	0#
8410200	Driver Seat: GT701 HB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	(\$13)	0#
8410205	Driver Seat: GT701 IB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$75	0#
8410206	Driver Seat: GT701 HB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	STD	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
Driver Seat Other			
8410272	Driver Seat: GT702 HB with DuraCloth material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$25	10#
8410273	Driver Seat: GT702 HB with DuraCloth material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$93	10#
8410276	Driver Seat: GT702 HB with Ultraleather material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$197	10#
8410277	Driver Seat: GT702 HB with Ultraleather material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$254	10#
8410278	Driver Seat: GT702 HB with DuraCloth w/ Vinyl material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	(\$20)	10#
8410279	Driver Seat: GT702 HB with DuraCloth w/ Vinyl material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$40	10#
8410351	Driver Seat: GT703 HB with DuraCloth material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. DR seat standard w/ dual armrests.	\$264	10#



T880: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
Driver Seat Other			
8410353	Driver Seat: GT703 HB with Two-tone Leather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$579	10#
8410354	Driver Seat: GT703 HB with Two-tone Leather material, integral heat and air-cooling. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$1,038	10#
8410355	Driver Seat: GT703 HB with Ultraleather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$782	10#
8410356	Driver Seat: GT703 HB with Ultraleather material, integral heat and air-cooling. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	\$1,125	10#
8412810	Driver Air Seat: NFPA Compliant: HB Mordura Includes Dual Armrests and Occupant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$132	0#
8412811	Driver Air Seat: NFPA Compliant: HB Vinyl Includes Dual Armrests and Occupant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$88	0#
8412832	Driver Seat: Natl ADJ HP3.5 susp inboard STD armrest, HB Mordura, WD cush.	\$128	0#
8412833	Driver Seat: Natl ADJ HP3.5 susp dual STD armrest, HB Mordura, WD cush.	\$386	0#
8412834	Driver Seat: Natl ADJ HP3.5 susp w/ bellow, dual STD armrests, HB Mordura, WD cush.	\$405	0#
8412835	Driver Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Bolster, Bellow, Heated/Ventilated, Dual Standard Armrests, Back Cycler, High Back Leather, Wide Cushion, Adjustable shock.	\$1,279	0#
8412836	Driver Seat: Natl HP3.5 susp TriCham Blst w/ Cyc dual STD armrests, HB Mordura, WD cush.	\$194	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
Driver Seat Other			
8412837	Driver Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Dual Standard Armrests, High Back Mordura, Wide Cushion.	\$189	0#
8412838	Driver Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Bolster, Bellow, Dual Standard Armrests, High Back Mordura, Wide Cushion, Back Cyclor.	\$387	0#
8418091	Driver Seat: Rolltek HB with Vinyl Material This seat incorporates a seatbelt tensioner and side airbags. Includes dual folding armrests and headrest logo.	\$4,726	42#
8418092	Driver Seat: Rolltek HB with DuraSupreme Material. This seat incorporates a seatbelt tensioner and side airbags. Includes dual folding armrests and headrest logo.	\$4,739	42#
Rider Seats			
Rider Seat Other			
8460196	Rider Seat: GT701 IB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$416	34#
8460197	Rider Seat: GT701 HB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$407	34#
8460199	Rider Seat: GT701 IB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$317	34#
8460200	Rider Seat: GT701 HB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$326	34#
8460205	Rider Seat: GT701 IB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$503	34#
8460206	Rider Seat: GT701 HB with DuraCloth w/ Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$532	34#
8460272	Rider Seat: GT702 HB with DuraCloth material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$460	44#



T880: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Rider Seat Other			
8460273	Rider Seat: GT702 HB with DuraCloth material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$520	44#
8460276	Rider Seat: GT702 HB with Ultraleather material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$630	44#
8460277	Rider Seat: GT702 HB with Ultraleather material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$682	44#
8460278	Rider Seat: GT702 HB with DuraCloth w/ Vinyl material. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	\$436	44#
8460279	Rider Seat: GT702 HB with DuraCloth w/ Vinyl material and integral heat. The GT702 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$493	44#
8460351	Rider Seat: GT703 HB with DuraCloth material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$716	44#
8460353	Rider Seat: GT703 HB with Two-tone Leather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$1,177	44#

Option	Description	Price	Weight
Seats			
Rider Seats			
Rider Seat Other			
8460354	Rider Seat: GT703 HB with Two-tone Leather material, integral HEAT and air-COOLING. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$1,410	44#
8460355	Rider Seat: GT703 HB with Ultraleather material and integral heat. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$1,829	44#
8460356	Rider Seat: GT703 HB with Ultraleather material, integral heat and air-cooling. The GT703 is standard with a single air bag, scissor linkage seat suspension that incorporates seat height memory, auto-leveling valves with exit air dump, and adjustable damper. It includes adjustable bolsters, an articulating headrest, a dual chamber lumbar support, 10in Fore/Aft adjustment, 5in Up/Down adjustment with protection zones, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. Seat storage package is standard with the GT703. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$1,499	44#
8462801	Rider Air Seat: NFPA Compliant: HB Mordura Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$265	0#
8462802	Rider Air Seat: NFPA Compliant: HB Vinyl Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$265	0#
8462803	Rider Air Seat: NFPA Compliant: IB Mordura Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$175	0#
8462804	Rider Air Seat: NFPA Compliant: IB Vinyl Includes Dual Armrests and Occuapant Sensor. A Third-Party Vehicle Data Recorder (VDR) Harness Must Be Installed Post-Factory.	\$260	0#
8462832	Rider Seat: Natl ADJ HP3.5 susp inboard STD armrest, HB Mordura, WD cush.	\$602	0#
8462833	Rider Seat: Natl ADJ HP3.5 susp dual STD armrest, HB Mordura, WD cush.	\$781	0#
8462834	Rider Seat: Natl ADJ HP3.5 susp w/ bellow, dual STD armrests, HB Mordura, WD cush.	\$861	0#
8462835	Rider Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Bolster, Bellow, Heated/Ventilated, Dual Standard Armrests, Back Cycler, High Back Leather, Wide Cushion, Adjusable shock.	\$911	0#
8462836	Rider Seat: Natl HP3.5 susp TriCham Blst w/ Cyc dual STD armrests, HB Mordura, WD cush.	\$718	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Rider Seat Other			
8462837	Rider Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Dual Standard Armrests, High Back Mordura, Wide Cushion.	\$768	0#
8462838	Rider Seat: National HP3.5 suspension, Triple Chamber (lumbar support), Bolster, Bellow, Dual Standard Armrests, High Back Mordura, Wide Cushion, Back Cyclor.	\$951	0#
8480065	Rider Seat: KW 2 Person Bench MB with Vinyl	\$701	22#
8480068	Rider Seat: KW 2 Person Bench MB with DuraCloth	\$747	0#
8480101	Rider Seat: GT100 Toolbox IB with DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$130	0#
8480102	Rider Seat: GT100 Toolbox HB with DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$129	0#
8480103	Rider Seat: GT100 Toolbox IB with Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$97	0#
8480104	Rider Seat: GT100 Toolbox HB with Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$99	0#
8480107	Rider Seat: GT100 Battery/Utility Box IB With DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	(\$92)	9#
8480108	Rider Seat: GT100 Battery/Utility Box HB With DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	(\$90)	9#
8480109	Rider Seat: GT100 Battery/Utility Box IB With Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	(\$166)	9#
8480110	Rider Seat: GT100 Battery/Utility Box HB With Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	(\$115)	9#
8480113	Rider Seat: GT100 Static Riser IB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$56)	-9#
8480114	Rider Seat: GT100 Static Riser HB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$16)	-9#
8480119	Rider Seat: GT100 Toolbox IB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	\$150	0#
8480120	Rider Seat: GT100 Toolbox HB with DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	STD	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Rider Seat Other			
8480125	Rider Seat: GT100 Battery/Util Box IB DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	(\$98)	9#
8480126	Rider Seat: GT100 Battery/Util Box HB DuraCloth w/ Vinyl material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts.	(\$102)	9#
8480135	Rider Seat: GT100 Static Riser IB w/ Cloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$71)	0#
8480136	Rider Seat: GT100 Static Riser HB w/ Cloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$47)	0#
8480137	Rider Seat: GT100 Static Riser IB w/ Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$148)	0#
8480138	Rider Seat: GT100 Static Riser HB w/ Vinyl Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	(\$175)	0#
8489979	Delete Standard Rider Seat.	(\$516)	-58#
Seat Miscellaneous			
8489912	NFPA Compliance Kit: 2.1 m Includes Seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	\$912	5#
8490181	Seat Color: Black	STD	0#
8490184	Seat Color: Tan	\$0	0#
8490187	Seat Color: Gray	\$0	0#
8490188	Seat Color: Black w/ Diamond Package Accent	\$0	0#
8496559	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	\$35	0#
8496561	Driver/ Rider Seat Belts: Lime Green Seat Belts Replace standard color.	\$40	0#
8496575	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts.	\$84	0#
8497005	Air Line Fitting: At Driver Seat. Customer-installed air chuck.	\$71	4#
8497465	Seat Swivel for Kenworth GT Series RD Seat	\$599	50#
8497470	Storage Package Upgrade for Kenworth GT702 Driver seat. Standard with Kenworth GT703 driver seat.	\$50	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Seat Miscellaneous			
8498452	Delete Dual DR Seat Armrests. Not available on GT703 series seats.	\$0	-6#
8498453	Dual KW Driver Seat Armrests: Stowable Inboard & folding outboard.	\$220	2#
8498560	Delete Inboard RD Seat Armrest. Not available on GT703 series seats.	\$0	0#
Cab Accessories			
Carpet-Floormat			
8390634	Rubber Floormat	STD	0#
8390635	Rubber Floormat - NFPA Compliant	\$533	0#
8390648	Black Carpet in Cab, Replacing Floormat.	\$199	0#
Storage			
8570011	Low Profile Roof Interior Overhead Storage	\$272	0#
8700091	Ashtray Insert: W/ Cigar Lighter Located in center console. Deletes 1 12V outlet & 1 cupholder.	\$37	0#
8716000	Two Holders: For 2 Removable Front Tow Hooks. Rider seat must be toolbox style seat.	\$82	0#
8716001	Two Holders: In Tool Compartment for 2 Removable front tow hooks.	\$71	3#
8890036	Aluminum Records Holder: Mounted on Toolbox or Utility box seat base.	\$50	2#
8890038	3.5in x 11.5in Plastic Records Holder: Mounted On Rear Cab Panel. Not available With Sleeper Or 2 Person Bench Seat.	\$65	0#
Inside Window Equipment			
8879431	52 in. Sleeper: Add Sleeper Curtain The 52in. sleeper is standard with a cab windshield curtain. This code allows customers to add a sleeper curtain.	\$569	15#
8879439	Windshield Curtain with Integrated Curtain Track and Storage at B Pillar for 76in Sleepers only. Curtain runs along perimeter of the cab so maintains full use of cab and sleeper interior space. Not available on Daycabs.	\$432	2#
Other			
8282120	USB Charging Port - Dash Panel *Requires 15" Digital Display 8282027/8282028	\$30	0#
8700151	Small Transmission Access Hole Near 1 O'Clock PTO	\$198	0#
8700152	Large Transmission Access Hole - Center Cab Floor	\$218	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cab Accessories

Other

8721405	Nameplates Shipped Loose: French. In Addition to standard or optional nameplates.	\$0	0#
8721410	Spanish Nameplates.	\$504	0#
8800402	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	STD	0#
8800403	Dual Cab Interior Grabhandles: Yellow, A Pillar Mtd Dash Wrap and B Pillar Mounted Grabhandles	\$65	0#
9090102	Anti-Theft System Installed	\$103	0#
9090103	Anti-Theft Enabled with Driver Override Disabled	\$0	0#
9399996	Kenworth Operator Manual: Spanish.	\$0	0#
9399998	Kenworth Operator Manual: French Replacing English.	\$0	0#

Sleeper Accessories

Folding Upper Bunk

8520001	Folding Upper Bunk: 52in Regional, 76in Mid Roof Sleepers. Includes 28in Mattress, Upper Bunk LED Reading Lamp and Tent Style Restraints.	\$1,594	74#
8520984	Folding Upper Bunk For High Roof 76in. Sleeper: 30 X 78 Foam Mattress. Includes Upper Bunk LED Reading Lamp and Tent Style Bunk Restraints.	\$1,733	66#

Lower Bunk & Sofabed

8520014	Liftable Lower Bunk for 52 in. Regional Sleeper. 32 in. x 80 in. pocket coil mattress. Includes additional storage trays and cup holders.	\$0	0#
8520017	Liftable Lower Bunk for 52 in. Regional Sleeper. 38 in. X 80 in. pocket coil mattress. Includes nighttime-friendly red ambient footwell light.	\$304	7#
8520018	Liftable Lower Bunk For 76 in. SLPR: 42 in. x 80 in. Pocket Coil Mattress	\$0	0#
8520021	40in Sleeper Liftable Bunk: 78in X 24in With 6.5in Foam Mattress (Smallest Legal Bunk Width). Bunk Opens 90 Degrees For Easy Access To Stored Items.	\$0	0#

Storage

8570003	Backwall Storage System For 52in Regional Sleeper with Vantage interior. Includes driver and rider side storage with doors, center shelf and coat hooks.	\$2,401	58#
8570004	Backwall Storage System For 52in Regional Sleeper Standard with Diamond VIT interior. Includes driver and rider side storage with doors, center shelf and coat hooks.	\$0	58#
8570007	Delete Backwall Storage System from 52in Regional Sleeper with VIT Interior.	\$0	-58#



T880: CAB INTERIOR

Option	Description	Price	Weight
Sleeper Accessories			
Storage			
8570008	Backwall Storage System For 76in Mid Roof Sleeper Includes Driver and Rider Side Storage With Doors and a Center Shelf.	\$2,354	57#
8570026	Driver Side Upper Storage Unit: Wardrobe Closet with Door and Shelf for 76in Aerodyne Sleeper.	\$1,026	56#
8570027	Driver Side Upper Storage Unit: Wardrobe Closet with Door and w/o Shelf for 76in Sleeper.	\$968	58#
8570028	Driver Side Upper Storage Unit: Open Wardrobe Closet With Shelf for 76in Sleeper.	\$787	51#
8570029	Driver Side Upper Storage Unit: Open Wardrobe Closet w/o Shelf for 76in Sleeper.	\$729	49#
8570030	Driver Side Lower Storage Unit: Multi-purpose compartment with door and lower removable drawer.	\$853	48#
8570031	Driver Side Lower Storage Compartment with open space for refrigerator. Opening is 15.5 inches wide, 20.5 inches high, and 19.3 inches deep. Use with F/I or C/I Fridge. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039	\$776	40#
8570032	Driver Side Lower Storage Unit: Open multi- purpose compartment with lower removable drawer.	\$756	43#
8570035	Rider Side Upper Storage Unit Open microwave compartment with tiedown. Standard 12 volt outlet and open storage compartment on top. Dimensions for the microwave compartment are 19.5 inches wide by 12.5 inches high by 15 inches deep. 120V outlet available in the storage unit with the addition of sales code 8700912 or 8700907.	\$1,006	31#
8570038	Rider Side Lower Storage Unit: Rotating table, DVD tray, and two lower drawers. Includes ambient lighting for table and sleeper footwell. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039	\$1,253	74#
8570039	Rider Side Lower Stand Unit: for C/I Refrigerator with 12V and 120V outlets. Max allowable refrigerator width 20.25 inch. No limit to depth. Height affects TV size. Includes Tray.	\$0	0#
8570040	Rider Side Lower Storage Unit: Rotating table, DVD tray, and lower open storage w/ two shelves. Includes ambient lighting for table and sleeper footwell. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039.	\$998	66#
8570042	Rider Side Lower Storage Unit: Organizing tray and lower open storage compartment w/ two shelves. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039.	\$524	31#
8570044	Rider Side Lower Storage Unit: Organizing tray and two lower drawers. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039.	\$775	37#
Television Installation Packages			
8505101	TV Installation Package for 76in. SLPR: Wall Mounted, Articulated Arm, Passenger Side Above Table and Between Upper and Lower Storage Modules. 22in. Flat Screen Maximum.	\$449	4#
8505102	TV Installation Package for 52in Regional Sleeper Backwall mounted with articulated arm. 22in. flat screen maximum for upper storage, 19 in. flat screen maximum for upper bunk.	\$408	4#

Other

*See PremierSpec for Applicable Restrictions



T880: CAB INTERIOR

Option	Description	Price	Weight
Sleeper Accessories			
Other			
8505070	Drawer-Style Refrigerator With Integral Freezer compartment and LED lighting. Mounted at mid-height on drivers side of 76in Sleeper. Not to be used with Rider Side C/I refrigerator/freezer Sales Code 8570039. Requires 8570031.	\$1,314	40#
8505076	Driver Side 12V Refrigerator Outlet used for Customer Installed Refrigerator/Freezer with 12 Volt Outlet at the Driver Side Lower Cabinet. For 76 in. Sleepers. Not to be used with Sales Code 8570039.	\$119	0#
8521000	EVA Foam Pad Over Mattress Tray: For Insulation 9/16 in. thick.	\$146	2#
8700906	52in Regional Sleeper Power Option Package 2: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection, Two 120V Sleeper Outlets, Shore Power Connection and Battery Charger.	\$2,739	22#
8700907	76in. Sleeper Power Option Package 2: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection, 4 120V Sleeper Outlets, Shore Power Connection and Battery Charger.	\$3,643	22#
8700911	52in Regional Sleeper Power Option Package 1: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection and Two 120V Sleeper Outlets.	\$2,260	22#
8700912	76in. Sleeper Power Option Package 1: 1800W Inverter With 120V Low Voltage Disconnect For Starter Battery Protection and 4 120V Sleeper Outlets.	\$3,067	22#
8700942	No Inverter - Customer Acknowledges C/I Fridge will not have power to outlet	\$0	0#
8879412	Delete Cab Windshield Curtain For 52 inch Sleeper Only. For flat roof sleeper, the only curtain available will be deleted.	(\$201)	0#
Sound Systems			
Kenworth Radios			
8601429	Kenworth Radio DEA730 AM/FM/WB/USB, Bluetooth & Sirius-XM Satellite	\$195	0#
8601430	Kenworth Radio DEA700 AM/FM/WB	(\$11)	0#
8601431	Kenworth Radio DEA710 AM/FM/WB/USB, Phone Bluetooth Disabled	\$13	0#
8601432	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	(\$7)	0#
8601433	Kenworth Radio DEA730 AM/FM/WB/USB, Sirius-XM Satellite/Phone Bluetooth Disabled	\$195	0#
8601435	Kenworth Radio DEA707 AM/FM/WB/USB	STD	0#
8601440	Kenworth Radio and Navigation: compatible with Apple Carplay	\$1,290	0#
8601450	Radio Opt Out	\$0	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Sound Systems

Radios Miscellaneous

8601495	Radio Mute When Lane Departure Detected. Required Bendix Fusion or Meritor OnAlert and Compatible Radio	\$0	0#
---------	---	-----	----

Sound System Speakers

8698974	Base Level Audio System - Daycab:High Performance Door Speakers.	STD	0#
8698976	Base Level Audio System -Sleeper:High Performance Door and Back Wall Speakers.	\$95	4#
8698982	Mid Level Audio System - Daycab: High Performance Door and B-Pillar Speakers.	\$52	4#
8698986	Mid Level Audio System- Sleeper: High Performance Door, B-Pillar, and Back Wall Speakers With 10 Inch Subwoofer.	\$485	24#
8698994	Premium Level Audio System - Small Slpr:Amplified High Performance Door, B-Pillar, and Back Wall Speakers. Includes A-Pillar Tweeters.	\$731	7#
8698996	Premium Level Audio System-Sleeper:Amplified High Performance Door, B-Pillar, and Back Wall Speakers With A-Pillar Tweeters and 10 Inch Subwoofer. The Amplifier Is Rated To 320 Watts and Contains A Digital Signal Processor (DSP) That Is Specifically Tuned To The Interior.	\$1,021	29#
8698997	Speaker Opt Out	\$0	0#

Options for Sleepers

8208492	Rear Slpr Audio Ctrl Module With USB Charge Port	\$262	1#
---------	--	-------	----

Sound System Equipment

8698973	Audio System Prewire with Speakers Only.	\$147	0#
8699017	Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.	\$82	0#
8699109	Antenna, Wiring, Radio Cut-Out & Bracket: For din-mounted radio.	\$100	2#
8699900	Metal Ground Plate: Two-Way Radio. For customer-installed antenna located in center of cab roof.	\$129	2#

CB & Equipment

CB Radio

8601869	CB Radio: Cobra 29. Includes Weatherband, Mounted under header. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$659	0#
8601875	CB Radio: Cobra 29 W/Weatherband/DI Ant Transceiver/Sound Tracker/Illum Panel W/Microphone Clip Mtd On Side	\$772	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

CB & Equipment

CB Radio

8601880	CB Radio: Cobra 29. Includes Weatherband W/Header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$648	11#
8601881	CB Radio: Cobra 29. W/ Header Mounted Quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$675	11#
8601890	CB Radio: Bearcat 880. Includes Weatherband w/header mounted quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$642	0#
8601891	CB Radio: PC78LTX. W/ Header Mounted Quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	\$635	0#
8601893	CB Radio: PC78LTX, mounted under header. Only for 52 in. flat roof sleeper.	\$778	5#

CB Installation Kit

8699926	CB Installation Kit: Center Mounted of Header. W/header mounted quick release CB mount. One red power post & one black ground post. Includes dual antenna leads located on the mirror brackets. Includes dual antenna & separate speaker.	\$364	2#
8699932	CB Installation Kit: Center Mounted of Header. W/ header mounted quick release CB mount. One red power post & one black ground post. Includes antenna lead and antenna mounted boc/s. Also includes separate speaker.	\$320	0#
8699933	CB Installation Kit: C/I Center Mtd of Header w/ Dual Antenna on LH/RH mirrors. One Jumper Harness.	\$294	0#

Location Codes

8699196	Locate CB Antenna: BOC/S	\$0	0#
8699198	BOC COMBO ANTENNA LOCATION: LOW HEIGHT APPLICATIONS/CAR HAULER	\$172	0#

Information & Communication Systems

8700601	Global Telematics Unit	STD	0#
8700604	TELEMATICS HW (MASS RIGHT TO REPAIR)	\$0	0#
8700630	Provision for Ram Ball Mounted on Dash w/ wiring pass-through.	\$190	0#
8700634	Provision For Ram Side Of Dash Allows To Maintain 12 Gauges	\$52	0#
8700678	Driver Security Alert / Panic Switch Dash Switch Only	\$34	0#
8700679	Driver Security Alert / Panic Switch Dash and Sleeper Switch	\$66	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Information & Communication Systems			
8700698	Dash Mounted Bracket for Qualcomm MCP200 Display Use with MCP200 pre-wire code	\$82	1#
8700856	Provision for Mounting Antenna for Customer- installed Qualcomm tracking system. For use with Terrestrial antenna (WIB). Day Cab Location: Centerline top of roof, BOC. Sleeper Location: Left Hand, Back-of-Sleeper.	\$150	0#
8700862	Provision for Mounting Antenna for Customer- installed Qualcomm tracking system. For use with satellite antenna (SDM). Day Cab Location: Centerline top of roof, BOC. Sleeper Location: Left Hand, Back-of-Sleeper (NOT with dual Back-of-Sleeper exhaust).	\$147	2#
8700895	Exterior Initiation or Inhibition of Regen Thru J1939 BCan Communications.	\$35	0#
8700919	Pre-Wire For Velvac 5th Wheel Camera	\$450	0#
8700927	Lytx DriveCam SF300 System Pre-Wire	\$412	0#
8700928	Prewire: Blue Tree BT504 System w/ Antenna. Blue Tree is not available with Qualcomm, Peoplenet, or Eden. This prewire does not come with the BT504 module.	\$730	0#
8700930	OnLane Alert by Wabco	\$1,761	0#
8700941	Omnitracs IVG Wiring Harness	\$332	0#
9090153	Bendix Fusion Safety Direct SDP to Qualcomm/ Omnitrac	\$193	0#
9090154	Bendix Fusion Safety Direct SDP to Trucktech+	\$103	0#
9090164	Prewire: Bendix Fusion Safety Direct w/ Blue Tree	\$37	0#
9212642	TruckTech+ RD/OTA - 5YR Sub PACCAR MX Engines	\$799	0#
9212643	TruckTech+ RD/OTA - 6YR Sub PACCAR MX Engines	\$949	0#
9212644	TruckTech+ RD/OTA - 7YR Sub PACCAR MX Engines	\$1,099	0#
9212645	TruckTech+ RD/OTA - 8YR Sub PACCAR MX Engines	\$1,249	0#
9212646	TruckTech+ RD/OTA - 9YR Sub PACCAR MX Engines	\$1,399	0#
9212647	TruckTech+ RD/OTA - 10YR Sub PACCAR MX Engines	\$1,549	0#
9212653	TruckTech+ RD - 5YR Sub Cummins Engines	\$799	0#
9212654	TruckTech+ RD - 6YR Sub Cummins Engines	\$949	0#
9212655	TruckTech+ RD - 7YR Sub Cummins Engines	\$1,099	0#



T880: CAB INTERIOR

Option	Description	Price	Weight
Information & Communication Systems			
9212656	TruckTech+ RD - 8YR Sub Cummins Engines	\$1,249	0#
9212657	TruckTech+ RD - 9YR Sub Cummins Engines	\$1,399	0#
9212658	TruckTech+ RD - 10YR Sub Cummins Engines	\$1,549	0#
9212661	TruckTech+ RD - 5YR Sub PACCAR PX Engines	\$799	0#
9212662	TruckTech+ RD - 6YR Sub PACCAR PX Engines	\$949	0#
9212663	TruckTech+ RD - 7YR Sub PACCAR PX Engines	\$1,099	0#
9212664	TruckTech+ RD - 8YR Sub PACCAR PX Engines	\$1,249	0#
9212665	TruckTech+ RD - 9YR Sub PACCAR PX Engines	\$1,399	0#
9212666	TruckTech+ RD - 10YR Sub PACCAR PX Engines	\$1,549	0#



T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
Headlamps			
9010553	Headlamps: SAE Dual Halogen Complex Reflector	STD	0#
Marker Lights			
9022137	Marker Lights: Five Rectangular LED.	STD	0#
9027110	Marker Lights: Five LED Rectangular, Flush Mount.	\$0	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	STD	0#
9090115	Reflectors: Two Midframe	\$25	0#
9090117	Marker Lights: Midframe & reflectors mounted standout. Required on tractors where overall length exceeds 30 feet.	\$233	22#
Turn Signal Lights			
9030016	Turn Signal Lights: Flush Mounted LED. Mounted at top of fender wheel arc.	STD	0#
9039013	Add Rectangular LED Turn/Marker Lamps Mounted on Side Extenders with Lamp Facing Outboard.	\$277	0#
9039014	Add Turn Signal Lamps Mounted BOC/BOS	\$314	2#
Other			
9030034	Wiring: Customer Installed Turn Signals, Mid Chassis.	\$1,152	0#
Foglights			
9042542	Fog Lights with Clear Lens. Does not include Rock Screens on T680.	\$603	4#
Other			
9049825	Customer-Installed Road/ Fog Lights Switch & wiring.	\$59	0#
Spotlights			
9060011	Halogen Spotlight: LH Mounted.	\$181	4#
9060055	Halogen Spotlight: LH & RH Mounted. T680 and T880 models include dash switch for RH spot lamp as standard.	\$333	11#
Taillights			
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	STD	0#



T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
Taillights			
9030054	Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.	\$164	0#
9030055	Taillight,Stoplight:Trucklite Super 40 With 2 Backup lights and an LED License Plate	\$45	1#
9070034	LED Stop/Turn/Tail - EOF Bracket Between Rails. With one LED Backup Light and LED License Lamp. Black Finish Only.	\$148	0#
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	\$71	0#
9070144	Additional 6ft Taillamp Harness: In Frame.	\$77	0#
Miscellaneous			
8240020	City Horn to Honk if Door Opens and Park Brake not set.	\$62	0#
9090000	Daytime Running Lamps.	\$180	0#
9090007	Override Switch: For Daytime Running Lamps.	\$57	0#
9090011	Add. 4-Way Receptacle To BOC: Wired To Three Dash Switches. Spare Switch 1 Is Wired To Pin TM, Spare Switch 2 Is Wired To Pin S and Spare Switch 3 Is Wired To Pin A.	\$291	2#
9090012	Add. 4-Way Receptacle: To End-Of-Frame:Wired To 3 Dash Switches.	\$289	2#
9090027	Headlamps to Turn on When Wipers are Active.	\$0	0#
9090043	Add. 4-Way Receptacle to BOC: Wired To 2 Spare Dash Switches.	\$288	2#
9090046	Add. 4-Way Receptacle: To End-Of-Frame:Wired to 2 Spare Dash Switches	\$279	2#
9090049	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090052	Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	\$0	0#
9090058	Switch & Wiring: For Customer-Installed Plow light. Includes circuit breaker.	\$240	0#
9090126	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	\$173	4#
9090142	Wiring Only: For Customer-Installed Backup alarm.	\$61	0#
9090147	Electric Backup Alarm: 87-112 dBA Self-Adjusting such that volume is maintained at 5dB above ambient up to rated maximum	\$185	4#



T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
Miscellaneous			
9090148	Prewire: Exterior Notification of Regen Prewire leftside of firewall for Customer Installed beacon lamp to notify operator of Regen. Fused to 10A.	\$159	0#
9090166	Exterior Notification of Regen Required	\$0	0#
9090221	Switch & Wiring: For Customer-Installed Sign lamp w/o insulators.	\$81	0#
9090302	Junction Box: Mounted Behind Cab or Sleeper Not Mounted at End of Frame.	\$176	1#
9090316	Junction Box: End of Frame	\$302	1#
9090849	Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.	\$49	0#
Beacon Lights			
Dual			
9080141	Dual Low-Profile LED Amber Strobe Beacon Centered over door.	\$979	7#
9080142	Dual Low-Profile LED Amber Strobe Beacon Mounted at rear corners of sleeper.	\$968	7#
9080143	Dual Low-Profile LED Amber Revolving Beacon centered over door.	\$978	7#
9080144	Dual Low-Profile LED Amber Revolving Beacon mounted at rear corners of sleeper.	\$978	7#
9080145	Dual Low-Profile LED Amber Strobe Beacons for 76" high roof sleeper mounted over rear corner.	\$982	7#
9080146	Dual Low-Profile LED Amber Revolving Beacons for 76" high roof sleeper mounted over rear corner.	\$982	7#
Customer-Installed			
9080147	Dual Low-Profile Brackets, Switch & Wiring for 76" high roof sleeper, mounted over sleeper window for C/I beacon lamp.	\$368	4#
9080148	Dual Low-Profile Brackets, Switch & Wiring centered over door of cab for C/I beacon lamp.	\$364	4#
9080149	Dual Low-Profile Brackets, Switch & Wiring centered over rear corners for C/I beacon lamp.	\$354	4#
9080206	Switch & Wiring: Customer-Installed Beacon Lights with additional 20 ft jumper harness shipped loose.	\$247	1#
Floodlights			
First Set			
9052008	Floodlights: Dual LED Flush First Set	\$213	0#
9052011	Dual Flush Floodlights: First Set	\$140	2#



T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
First Set			
9056140	Dual Pedestal Floodlights: First Set	\$278	2#
9056144	Floodlights: Dual LED Pedestal First Set	\$441	0#
Switches for Customer-Installed			
9058071	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 1st Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$148	1#
9058085	Switch,Wire,Indicator Light: C/I Flood 1st SW Thru Grommet Under Cab	\$136	0#
9058086	Switch,Wire,Indicator Light: C/I Flood 2nd SW Thru Grommet Under Cab	\$132	0#
9058087	Switch,Wire,Indicator Light: C/I Flood 3rd SW Thru Grommet Under Cab	\$139	0#
Location Codes			
9059901	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059907	Floodlight Location: Located High Side of Sleeper - First Set.	\$0	0#
9059908	Floodlight Location:High Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059909	Floodlight Location:High Outbd of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059921	Floodlight Location: Located Low - First Set . This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059927	Floodlight Location: Low Inboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
9059928	Floodlight Location:Low Outboard of Side Extender - First Set. This Code To Be Used With Pedestal Mount Lights (9056140) Code Only.	\$0	0#
Miscellaneous			
9058081	Cust. Installed Floodlights1st Set:Add 30ft Wire. Additional 30ft Jumper Harness Shipped Loose.	\$41	1#
Second Set			
9052012	Dual Flush Floodlights: Second Set	\$158	2#
9052016	Floodlights: Dual LED Flush Second Set	\$221	0#
9056141	Dual Pedestal Floodlights: Second Set	\$212	2#



T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
Second Set			
9056145	Floodlights: Dual LED Pedestal 2nd Set	\$416	0#
Switches for Customer-Installed			
9058072	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 2nd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$120	1#
Location Codes			
9059903	Floodlight Location: Located High - Second Set. This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059919	Floodlight Location:High Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059920	Floodlight Location:High Outbd of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059923	Floodlight Location: Located Low - Second Set . This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	\$0	0#
9059929	Floodlight Location:Low Inboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
9059930	Floodlight Location:Low Outboard of Side Extender - Second Set. This Code To Be Used With Pedestal Mount Lights (9056141) Code Only.	\$0	0#
Third Set			
9052013	Dual Flush Floodlights: Third Set	\$147	2#
9052017	Floodlights: Dual LED Flush Third Set	\$221	0#
9056142	Floodlights: Dual Pedestal Third Set	\$235	0#
9056146	Floodlights: Dual LED Pedestal 3rd Set	\$415	0#
Switches for Customer-Installed			
9058073	Switch, Wiring, and Indicator Light for Customer Installed Floodlights. 3rd Set. Pigtail Routed Through Pass Thru Grommet. 10ft Jumper Harness Shipped Loose.	\$133	1#
Location Codes			
9059904	Floodlight Location: Located High - Third Set. This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#
9059924	Floodlight Location: Located Low - Third Set . This Code To Be Used With Flush-Mount (9052013) or C/I (9058073) Codes Only.	\$0	0#



T880: LIGHTS & SIGNALS

Option	Description	Price	Weight
Floodlights			
Third Set			
Location Codes			
9059938	Floodlight Location:High Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059939	Floodlight Location: High Outbd of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059949	Floodlight Location:Low Inboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#
9059950	Floodlight Location:Low Outboard of Side Extender - Third Set. This Code To Be Used With Pedestal Mount Lights (9056142) Code Only.	\$0	0#



T880: AIR EQUIPMENT

Option	Description	Price	Weight
Air Drying Equipment			
Moisture Ejection Valve			
9102009	Moisture Ejection Valve: Midland Automatic Use with AD-IS or AD-HF.	\$148	2#
9102040	Moisture Ejection Valve: Two Bendix DV-2 Heated drain valves on service tanks. Use w/ AD-IS or AD-HF.	\$297	0#
9108001	Moisture Ejection Valve W/ Pull Cable Drain.	STD	0#
Air Dryer			
9100016	Air Dryer: Wabco 1200 Plus with Integrated Multi Port PPV	\$464	0#
9101024	Air Dryer: Bendix AD-IP.	(\$9)	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	STD	0#
9101219	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	\$148	0#
9101245	Air Dryer: Bendix Dual AD-IS Everflow Heated. PuraGuard	\$1,406	46#
Air System Miscellaneous			
9117005	Service & Supply Lines to End-of-Frame for Boost-a-Load axle.	\$792	0#
9140015	Wirebraid Air Hose, Frame Only; Nylon Air Tubing in cab.	\$1,203	60#
9140020	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	STD	0#
9140060	Air Oil & Fuel Hose to -60 degree F.	\$2,824	60#
9140084	Byp. Air Sys:For Wet Bulk Trailer Unload(7)Gauges	\$1,470	12#
9140085	Bendix LQ-5 Ratio Valve: for Kenworth-Installed pusher/tag. LQ-5 valve limits the amount of air applied to the pusher brakes. Helps prevent lockup in lightly loaded conditions.	\$174	2#
9140092	Schrader Valve to Charge Air System.	\$137	2#
9140101	Gladhand with Schrader Valve for Air Sys Charging Frame Mounted with Piping	\$166	2#
9140236	Locate Air Dryer Outside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140238	Locate Air Dryer Outside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140248	Locate Air Dryer Under LH Rail BOC This code requires the use of a custom frame layout code.	\$0	0#
9140249	Locate Air Dryer Under RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#



T880: AIR EQUIPMENT

Option	Description	Price	Weight
Air System Miscellaneous			
9140252	Locate Air Dryer Inside LH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140254	Locate Air Dryer Inside RH Rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140267	Locate Air Dryer Inside RH Rail BOC	\$899	0#
9140268	Locate Air Dryer Inside LH Rail BOC	\$899	0#
9140269	Locate Air Dryer Outside LH Rail BOC	\$899	0#
9140270	Locate Air Dryer Outside RH Rail BOC	\$899	0#
9140271	Locate Air Dryer Under LH Rail BOC	\$899	0#
9140272	Locate Air Dryer Under RH Rail BOC	\$899	0#
9140383	Locate Air Dryer Under LH Rail BOS This code requires the use of a custom frame layout code.	\$899	0#
9150101	Additional Air Tank, 8 x 26 in. or Equivalent volume for Boost-A-Load axle to rear service.	\$133	17#
Air Tank Locations			
9140251	Air Tanks: Clear of Left Side of Transmission area. Clear area - forward of transmission yoke C/L	\$2,246	4#
9140253	Air Tanks: Clear of Right Side of Transmission area. Clear area - forward of transmission yoke C/L	\$2,246	4#
9140273	Air Tanks: Clear of Transmission Area Clear area - forward of transmission yoke C/L	\$2,246	4#
9140286	Air Tanks: Clear of Left Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140287	Air Tanks: Clear of Right Side of Transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140288	Air Tanks: Clear of Transmission Area. This code requires the use of a custom frame layout code.	\$0	0#
9140289	Air Tanks: Mounted Inside Frame Flanges where possible. This code requires the use of a custom frame layout code.	\$0	0#
9140290	Air Tanks: Mounted Inside Frame Flanges where possible.	\$2,246	0#
Air Tank Options			
9150100	Air Tank: One Extra 8 in. X 41 in. or equivalent volume to rear service.	\$334	70#
9150170	Air Tanks: Aluminum Replacing Steel All Tanks. *Not air tanks on lift axles.	\$447	-44#



T880: AIR EQUIPMENT

Option	Description	Price	Weight
Air System Miscellaneous			
Air Tank Options			
9150210	Straps/U-Bolts for Mounting Air Tank Module Under Box. For steel air tanks only. Straps on all air tanks.	\$105	2#
Air & Electrical Supply Kits			
Tractor			
9110068	Air & Electrical Supply Kits: Tractor LH Frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series.	\$1,794	24#
9110071	Tractor Kit: Center Frame-Mounted W/ Hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,769	24#
9110072	Tractor Kit: LH Outboard Frame-Mounted W/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option.	\$1,848	11#
9110083	Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of cab/sleeper. Air and light line connections located on inboard style LH frame mounted bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,704	-5#
9110088	Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of sleeper. Air and light line connections located directly behind sleeper on LH framerail. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,921	-5#
9110100	Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of cab/sleeper. Air and light line connections located on outboard style LH frame mounted bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,706	0#
9140367	Air & Electrical Supply Kits: Tractor BOC Mounted kit with spring hanger and composite gladhand/light plug holder mounted on back of daycab (LH side). Hose tender bracket provided in place of slide bar. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$1,207	0#

Full Truck



T880: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Full Truck			
9110020	Full Truck Kit Gladhands mounted at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$1,003	15#
9110025	Logger Kit: Gladhands & Seven-Way Female receptacle mounted inside frame rail on mounting bracket, inset approximately 17in. from end-of-frame. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$1,039	15#
9110026	Logger Kit: Gladhands Mounted Outboard on LH rail at end-of-frame. Seven-way female receptacle mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$1,386	15#
9110030	Full Truck/Tractor Kit Combined: LH Frame Mounted (Above LH Frame). 7-way female receptacle and air connection gladhands are mounted BOC on LH frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.	\$1,467	15#
9110034	Full Truck/Tractor Kit Combined: Center Frame mounted. 7-way female receptacle and air connection gladhands are mounted BOC on center frame bracket & mounted at end-of-frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valve are standard.	\$1,061	15#
Air & Light Line Options			
9121008	Phillips 12 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$27	2#
9121043	Phillips 15 ft Coiled Light Line W/ Metal Plugs & 6 in. lead. Must code for tractor kit.	\$73	4#
9121047	Phillips 12 ft Straight Light Line W/ Metal Plugs & 12 in. lead. Must code for tractor kit.	\$17	0#
9121051	Philatron 15 ft Coiled Air Line. Must Code for tractor kit. use code 9121115	\$221	4#
9121112	Coiled Air & Light Lines Replacing Straight Lines . Included in tractor kit. 12ft working length.	\$47	0#
9121115	Coiled Air & Light Lines Replacing Straight Lines Included in tractor kit. 15ft working length.	\$61	2#
9121118	Phillips 11-5400 Air Lines. Requires Option: 9121115 Air/Light Lines: 15 feet Coiled. *The 11-5400 is a 15 ft. Polar Air pair with 40 in. leads.	\$66	0#
9140005	Straight Air & Light Lines: for Semitrailer application. Air lines detachable one end only; light line detachable both ends. Use w/ code 9110030. Note must code separately for straight air & light line lengths. Requires 12ft straight air & light.	\$287	8#
9140531	12' PACCAR Premium Spiral Wrap & Swival Clamp on 12' Straight Air and Light lines. Requires 12' air/light line code	\$292	0#



T880: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Air & Light Line Options			
9140532	15' PACCAR Premium Spiral Wrap & Swivel Clamp On 15' Straight Air and Light lines. Requires 15' air/light line code.	\$406	0#
9140533	12' PACCAR Premium Spiral Wrap & Two SS Clamps With Metal 7-Way Plug. Requires 12' air/light lines code.	\$307	0#
9140534	15' PACCAR Premium Spiral Wrap & Two SS Clamps With Metal 7-Way Plug. Requires 15' air/light lines code.	\$474	0#
9140535	12' PACCAR Premium Spiral Wrap & SS Clamp With 12' Phillips QCP Light Line. Requires 12' air/light line code.	\$369	0#
9140536	15' PACCAR Premium Spiral Wrap & SS Clamp With 15' Phillips QCP Light Line. Requires 15' air/light line code.	\$443	0#
Kit Accessories			
9121057	Additional 7-Way Electrical Receptacle W/ tractor kit wired to 3 dash switches & back-up lamp switch. *Spare Switch 1 is wired to Pin YEL, Spare Switch 2 is wired to Pin GRN, Spare Switch 3 is wired to Pin BRN and Backup Lamp Switch is wired to pin BLK.	\$328	0#
9140123	Tectran 15' Straight Air/Electrical Lines with Dual springs and one clamp.	\$428	0#
9140177	Short Hosetenna For use with tractor kit codes (9110068, 91100719110072 or 9110090).	\$11	0#
9140188	Slide Bar: for Air & Light Lines, Cab/Sleeper mounted.	\$51	2#
9140191	Hosetenna: for Air & Light Lines, for Use W/ Full truck & tractor kit combined.	\$77	11#
9140193	Delete Hosetenna. Must Code for a Tractor Kit.	(\$42)	-8#
9140196	Dual Ring Double Spring Hanger Replacing Single Ring Single Spring Hanger. Requires Trac Kit with Slide Bar.	\$40	2#
9140200	Delete Trailer Hand Valve--Req Full Truck or Trac Kit	(\$53)	0#
9140201	Chrome Hosetenna: Requires Code for Tractor Kit w/ hosetenna.	\$18	0#
9140245	BPR-1 Relay Valve: Replacing R12.	\$0	0#
9140258	Trailer Hand Control Valve: Self-Return (Spring Loaded) replacing standard.	\$30	0#
9140279	Tectran 12' Straight Air/Electrical Lines With 1 Clamp and Ring and Dual Springs (LK-APK12)	\$418	4#
9140359	Phillips 12' Straight Air/Light Lines Spiral Wrap 30-21512KW Req. Trct Kit	\$250	0#
9140361	Phillips 15' Straight Air/Light Lines Spiral Wrap 30-21712KW Req. Trct Kit	\$284	3#



T880: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Optional Hosetenna Bracket Location			
9140698	Optional Hosetenna Bracket Location 11ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140700	Standard hosetenna Bracket Location. Hosetenna bracket will be located plus or minus six inches from standard location of eight inches.	\$0	0#
9140701	Optional Hosetenna Bracket Location 1ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140702	Optional Hosetenna Bracket Location 2ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140703	Optional Hosetenna Bracket Location 3ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140704	Optional Hosetenna Bracket Location 4ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140705	Optional Hosetenna Bracket Location 5ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140706	Optional Hosetenna Bracket Location 6ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140707	Optional Hosetenna Bracket Location 7ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140708	Optional Hosetenna Bracket Location 8ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$15	0#
9140709	Optional Hosetenna Bracket Location 9ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140710	Optional Hosetenna Bracket Location 10ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140712	Optional Hosetenna Bracket Location 12ft BOC/Sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140713	Optional Hosetenna Bracket Location 13ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$30	0#
9140714	Optional Hosetenna Bracket Location 14ft BOC/Sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$45	0#
9140715	Optional Hosetenna Bracket Location 15ft BOC/Sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$45	0#



T880: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Optional Hosetenna Bracket Location			
9140716	Optional Hosetenna Bracket Location 16ft BOC/Sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$45	0#
9140717	Optional Hosetenna Bracket Location 17ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$45	0#
9140718	Optional Hosetenna Bracket Location 18ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	\$45	0#
9140728	Optional Hosetenna Bracket Location over 18ft BOC/sleeper. Narrate location. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested.	\$45	0#
Trailer ABS Provisions			
9140321	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ o light line, for full truck & tractor.	\$227	6#
9140322	Additional 7-Way ISO 3731 Connector for Trailer ABS power One additional, w/ 15ft coiled light line, for full truck & tractor w/ dual light plug holders.	\$439	8#
9140326	Additional 7-Way Electrical Receptacle Mounted end-of-frame.	\$1,229	2#
9140328	Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).	\$0	0#
9140329	Trailer ABS Malfunction Lamp for Use W/ Second ISO 3731 connector For non-PLC trailers.	\$42	0#
9140331	Dealer/Customer Declines Trailer ABS Power Option	\$0	0#
9140333	Two Spare Circuits Through Trailer ABS ISO 3731 connector Requires sales code 9140321 or 9140322.	\$55	0#
9140336	Additional 7-Way ISO 3731 Connector for Trailer ABS power. Additional, w/ 15ft coiled light line, for combined full truck & tractor.	\$472	13#
9140337	Additional 7-Way ISO 3731 Connector for Trailer ABS power. Additional, w/ o light line, for combined full truck & tractor.	\$475	11#
9140339	7-Way Electrical Receptacle Wired to battery circuit, center pin requires additional ISO 3731 connector.	(\$38)	0#
9140341	Two Spare Circuits Through Trailer ABS ISO 3731 connector, one spare circuit wired to one dash switch . Requires sales code 9140321, 9140322 or 9140336. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5	\$97	0#
9140342	Two Spare Circuits Through Trailer ABS ISO 3731 connector, spare circuits wired to two dash switches. Requires sales code 9140321 or 9140322. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5	\$103	0#



T880: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Trailer ABS Provisions			
9140343	Two Spare Circuits Through Trailer ABS ISO 3731 connector wired to standard spare switch es. Requires sales code 9140321 or 9140322. Spare Switch 1 is wired to Pin 4, Spare Switch 2 is wired to Pin 5	\$106	0#
Miscellaneous			
9121071	Dual Pole Trailer Charge Kit with 100 amp Fuse	\$329	0#
9127026	Trailer Battery Charging Circuit W/ 125 amp Fuse w/ detach trailer charge line.	\$229	8#



T880: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Severe Service Packages			
9462002	Domestic Severe Service Package. Domestic severe service is required on any chassis operating within the 50 United States and Canada where the application includes class C road service 10% or more of the operation, or when vehicle will operate predominately on privately maintained, unimproved, or roughly prepared road surfaces. Specific vocations include, but are not limited to, oilfield service and Canadian logging service.	\$1,009	129#
9462005	Export Severe Service Package. Export severe service is required on any chassis operating outside the 50 United States and Canada when the vehicle will operate in one or more of the following conditions: on poorly maintained, unimproved, or roughly prepared road surfaces or in severe mountainous operation.	\$1,239	160#
Safety Equipment			
9490206	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	\$56	4#
9490213	Warning Triangle Reflector Kit: Floor Mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.	\$56	12#
9490404	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of driver seat. Class ABC.	\$159	11#
9490406	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of rider seat. Class ABC.	\$154	11#
9490408	One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of rider seat. Class ABC.	\$154	11#
9490413	One 5 lb. Dry Chemical Type Fire Extinguisher mounted LH of sleeper toolbox. Class ABC. Not for use with 40 in. sleeper.	\$158	11#
9490417	One 5 lb. Dry Chemical Type Fire Extinguisher mounted inboard of driver seat. Class ABC.	\$155	11#
9490423	One 5 lb. Dry Chemical Type Fire Extinguisher with double strap. Class ABC. Mounted in sleeper LH of sleeper toolbox. For 40" sleeper only.	\$170	9#
Build Notes			
6397010	VIN Number Stamped in Frame Rail	\$899	0#
6679893	Customer to Install Structural Crossmembers if removing the factory installed jackshaft crossmembers. Maximum spacing between structural centerframe crossmembers to be 51 in. (measured from the web of channel type crossmembers, or from the centerline of cast crossmembers). The customer is responsible for meeting minimum crossmember spacing requirements if the factory supplied jackshaft C/M's are removed.	\$0	0#
6679940	U.S. Law Requires ABS on Mexican Registered vehicles operating in the U.S.	\$0	0#
6679975	Frame Access Package Recommended. Dealer Contact Declines.	\$0	0#
6679990	*** This Vehicle Does Not Have Adequate Swing/Dip clearance when coupled to the trailer referenced on this order. See narrative line for maximum forward fifth wheel setting for this vehicle/trailer combination.***	\$0	0#



T880: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Build Notes			
9210385	PACCAR Customized Fleet Service - Basic	\$250	0#
9210386	PACCAR Customized Fleet Service - Enhanced	\$500	0#
9210387	PACCAR Customized Fleet Service - Premier	\$4,800	0#
9409850	GHG Secondary Manufacturer: American Reliance Industries	\$0	0#
9409852	GHG Secondary Manufacturer: Does Not Apply	\$0	0#
9409862	GHG Secondary Manufacturer: Agility - Fontana, CA	\$0	0#
9409863	GHG Secondary Manufacturer: Agility - Salisbury, NC	\$0	0#
9409864	GHG Secondary Manufacturer: Natural Gas Fuel System Assembler Required.	\$0	0#
9409866	GHG Secondary Manufacturer: Labrie - Levis, QC	\$0	0#
9409867	GHG Secondary Manufacturer: Labrie - San Luis, AZ	\$0	0#
9409874	GHG Secondary Manufacturer: McNeilus Natural Gas Fuel System	\$0	0#
9409875	GHG Secondary Manufacturer: Heil Natural Gas Fuel System	\$0	0#
9409910	Customer Installed Thermo King with ATD Diesel Auxiliary Power Unit (50 States).	\$0	0#
9409911	Customer Installed Thermo King Electric Auxiliary Power Unit.	\$0	0#
9409913	Customer Installed Carrier AMG Electric Auxiliary Power Unit.	\$0	0#
9409914	Customer Installed Carrier LI-ION Electric Auxiliary Power Unit.	\$0	0#
9409915	Note: Required Road Ready Center Preferred Assembler Option Code.	\$0	0#
9409916	Note: Required Fontaine Modification Preferred Assembler Option Code.	\$0	0#
9490003	Additional Lead Time Required for Off Highway & /or specialty component truck.	\$0	0#
9490012	U.S. Certification Decals for Canadian Trucks.	\$0	0#
9490645	Zinc Phosphate Frame Rail Paint Processing. Requires frame rail code. Code is for 1 pair of rails.	\$405	0#
9490647	Zinc Phosphate Frame Insert Paint Processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts.	\$405	0#



T880: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Build Notes			
9491652	EMUX Architecture	STD	0#
9491659	VMUX Architecture	\$0	0#
9999945	Charge Chassis in United States Dollars.	\$0	0#
9999949	Do Not Drive.	\$1,000	0#
9999995	Cancel/ Reorder Chassis.	\$0	0#
International Support Fee			
9212002	International Support Fee, \$3531.	\$3,531	0#
9212003	International Support Fee, \$4355.	\$4,355	0#
9212006	International Support Fee, \$6785.	\$6,785	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Warranty			
9200002	Base Warranty - Severe Service Heavy Duty 12 months / 50,000 miles / 80,000 km.	\$0	0#
9200006	Base Warranty - PACCAR MX-11 & MX-13 Engine 24 months / 250,000 miles / 400,000 km / 6250 hours.	\$0	0#
9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	\$0	0#
9200021	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	STD	0#
9220001	Base Warranty: Emissions 5YR/100K MI	\$0	0#
9220008	Base Warranty: Emissions (CARB Operation) 5YR/100K MI - L9N Engine	\$0	0#
9220009	Base Warranty: Emissions (CARB Operation) 5YR/100K MI - X15N Engine	\$0	0#
9220012	Base Warranty: Emissions (CARB Operation) MX 5YR/350K MI - MX Engine < 460HP	\$2,088	0#
9220013	Base Warranty: Emissions (CARB Operation) MX 5YR/350K MI - MX Engine > 460HP	\$3,146	0#
9220014	Base Warranty: Emissions (CARB Operation) X15 5YR/350K MI - X15 EFF/PRO Engine	\$2,720	0#
9220015	Base Warranty: Emissions (CARB Operation) X15 5YR/350K MI - X15 PER/PRO Engine	\$3,895	0#
9220016	Base Warranty: Emissions (CARB Operation) PX-9 5YR/150K MI	\$2,186	0#
U.S. Extended Warranty			
9201813	EW: US Basic Vehicle 2 year/100,000 miles, United States Only.	\$560	0#
9201814	EW: US Basic Vehicle 2 year/200,000 miles, United States only.	\$1,515	0#
9201815	EW: US Basic Vehicle 2 year/300,000 miles, United States only.	\$3,695	0#
9201816	EW: US Basic Vehicle 2 year/400,000 miles, United States only.	\$4,890	0#
9201817	EW: US Basic Vehicle 2 year/500,000 miles, United States only.	\$6,510	0#
9201818	EW: US Basic Vehicle 3 year/100,000 miles, United States only.	\$1,050	0#
9201819	EW: US Basic Vehicle 3 year/200,000 miles, United States only.	\$2,010	0#
9201820	EW: US Basic Vehicle 3 year/300,000 miles, United States only.	\$4,375	0#
9201821	EW: US Basic Vehicle 3 year/400,000 miles, United States only.	\$5,495	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201822	EW: US Basic Vehicle 3 year/500,000 miles, United States only.	\$7,140	0#
9201823	EW: US Basic Vehicle 4 year/100,000 miles, United States only.	\$1,655	0#
9201824	EW: US Basic Vehicle 4 year/200,000 miles, United States only.	\$2,705	0#
9201825	EW: US Basic Vehicle 4 year/300,000 miles, United States only.	\$5,080	0#
9201826	EW: US Basic Vehicle 4 year/400,000 miles, United States only.	\$6,050	0#
9201827	EW: US Basic Vehicle 4 year/500,000 miles, United States only.	\$7,735	0#
9201828	EW: US Basic Vehicle 5 year/100,000 miles, United States only.	\$2,820	0#
9201829	EW: US Basic Vehicle 5 year/200,000 miles, United States only.	\$3,885	0#
9201830	EW: US Basic Vehicle 5 year/300,000 miles, United States only.	\$6,260	0#
9201831	EW: US Basic Vehicle 5 year/400,000 miles, United States only.	\$7,370	0#
9201832	EW: US Basic Vehicle 5 year/500,000 miles, United States only.	\$8,710	0#
9201833	EW: US Basic Vehicle 6 year/100,000 miles, United States only.	\$3,015	0#
9201834	EW: US Basic Vehicle 6 year/200,000 miles, United States only.	\$4,090	0#
9201835	EW: US Basic Vehicle 6 year/300,000 miles, United States only.	\$6,900	0#
9201836	EW: US Basic Vehicle 6 year/400,000 miles, United States only.	\$8,490	0#
9201837	EW: US Basic Vehicle 6 year/600,000 miles - United States only.	\$10,290	0#
9201838	EW: US Basic Vehicle 7 year/200,000 miles, United States only.	\$4,215	0#
9201865	EW: US Radiator/CAAC 2 year/100,000 miles, United States only.	\$85	0#
9201866	EW: US Radiator/CAAC 2 year/200,000 miles, United States only.	\$285	0#
9201867	EW: US Radiator/CAAC 2 year/300,000 miles, United States only.	\$360	0#
9201868	EW: US Radiator/CAAC 2 year/400,000 miles, United States only.	\$445	0#
9201869	EW: US Radiator/CAAC 2 year/500,000 miles, United States only.	\$520	0#
9201870	EW: US Radiator/CAAC 3 year/100,000 miles, United States only.	\$130	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201871	EW: US Radiator/CAAC 3 year/200,000 miles, United States only.	\$325	0#
9201872	EW: US Radiator/CAAC 3 year/300,000 miles, United States only.	\$405	0#
9201873	EW: US Radiator/CAAC 3 year/400,000 miles, United States only.	\$485	0#
9201874	EW: US Radiator/CAAC 3 year/500,000 miles, United States only.	\$565	0#
9201875	EW: US Radiator/CAAC 4 year/100,000 miles, United States only.	\$165	0#
9201876	EW: US Radiator/CAAC 4 year/200,000 miles, United States only.	\$365	0#
9201877	EW: US Radiator/CAAC 4 year/300,000 miles, United States only.	\$450	0#
9201878	EW: US Radiator/CAAC 4 year/400,000 miles, United States only.	\$530	0#
9201879	EW: US Radiator/CAAC 4 year/500,000 miles, United States only.	\$610	0#
9201880	EW: US Radiator/CAAC 5 year/100,000 miles, United States only.	\$200	0#
9201881	EW: US Radiator/CAAC 5 year/200,000 miles, United States only.	\$400	0#
9201882	EW: US Radiator/CAAC 5 year/300,000 miles, United States only.	\$480	0#
9201883	EW: US Radiator/CAAC 5 year/400,000 miles, United States only.	\$560	0#
9201884	EW: US Radiator/CAAC 5 year/500,000 miles, United States only.	\$625	0#
9201885	EW: US Radiator/CAAC 6 year/100,000 miles, United States only.	\$245	0#
9201886	EW: US Radiator/CAAC 6 year/200,000 miles, United States only.	\$445	0#
9201887	EW: US Radiator/CAAC 7 year/200,000 miles, United States only.	\$490	0#
9201911	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$160	0#
9201912	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$405	0#
9201913	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$720	0#
9201914	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$995	0#
9201915	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$1,115	0#
9201916	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$245	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201917	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$525	0#
9201918	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$805	0#
9201919	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$1,090	0#
9201920	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$1,250	0#
9201921	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$365	0#
9201922	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$645	0#
9201923	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$970	0#
9201924	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$1,215	0#
9201925	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$1,335	0#
9201926	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$520	0#
9201927	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$795	0#
9201928	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$1,110	0#
9201929	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$1,395	0#
9201930	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$1,445	0#
9201931	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$560	0#
9201932	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$835	0#
9201933	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$895	0#
9201957	EW: US Starter & Alternator 2 year/200,000 miles, United States only.	\$245	0#
9201958	EW: US Starter & Alternator 2 year/300,000 miles, United States only.	\$320	0#
9201959	EW: US Starter & Alternator 3 year/300,000 miles, United States only.	\$565	0#
9201960	EW: US Starter & Alternator 3 year/400,000 miles, United States only.	\$805	0#
9201961	EW: US Starter & Alternator 4 year/500,000 miles, United States only.	\$1,090	0#
9201962	EW: US Starter & Alternator 5 year/500,000 miles, United States only.	\$1,375	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9201969	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$390	0#
9201970	EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$770	0#
9201971	EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,160	0#
9201972	EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,515	0#
9201973	EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,290	0#
9201974	EW: US Towing For Warrantable Failures 6 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,000	0#
9201975	EW: US Towing For Warrantable Failures 7 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,800	0#
9201983	EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014	\$1,285	0#
9201984	EW: US Chassis/Frame Wiring 4 years/400,000 miles Per CA-014	\$1,980	0#
9201985	EW: US Chassis/Frame Wiring 4 years/500,000 miles Per CA-014	\$2,880	0#
9201986	EW: US Chassis/Frame Wiring 5 years/500,000 miles Per CA-014	\$4,280	0#
9201987	EW: US Chassis/Frame Wiring 5 years/600,000 miles Per CA-014	\$4,800	0#
9201988	EW: US Chassis/Frame Wiring 6 years/600,000 miles Per CA-014	\$5,320	0#
9202510	EW: US Basic Vehicle 2 year/100,000 miles,	\$590	0#
9202511	EW: US Basic Vehicle 2 year/200,000 miles,	\$1,428	0#
9202512	EW: US Basic Vehicle 2 year/300,000 miles,	\$1,611	0#
9202513	EW: US Basic Vehicle 2 year/400,000 miles,	\$1,800	0#
9202514	EW: US Basic Vehicle 2 year/500,000 miles,	\$1,982	0#
9202515	EW: US Basic Vehicle 3 year/100,000 miles,	\$1,021	0#
9202516	EW: US Basic Vehicle 3 year/200,000 miles,	\$1,923	0#
9202517	EW: US Basic Vehicle 3 year/300,000 miles,	\$3,965	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202518	EW: US Basic Vehicle 3 year/400,000 miles,	\$4,708	0#
9202519	EW: US Basic Vehicle 3 year/500,000 miles,	\$5,021	0#
9202520	EW: US Basic Vehicle 4 year/100,000 miles,	\$1,723	0#
9202521	EW: US Basic Vehicle 4 year/200,000 miles,	\$2,791	0#
9202524	EW: US Basic Vehicle 4 year/300,000 miles,	\$5,204	0#
9202525	EW: US Basic Vehicle 4 year/400,000 miles,	\$6,325	0#
9202526	EW: US Basic Vehicle 4 year/500,000 miles,	\$7,558	0#
9202527	EW: US Basic Vehicle 5 year/100,000 miles,	\$2,572	0#
9202528	EW: US Basic Vehicle 5 year/200,000 miles,	\$3,870	0#
9202529	EW: US Basic Vehicle 5 year/300,000 miles,	\$6,443	0#
9202530	EW: US Basic Vehicle 5 year/400,000 miles,	\$7,764	0#
9202531	EW: US Basic Vehicle 5 year/500,000 miles,	\$9,670	0#
9202532	EW: US Basic Vehicle 6 year/100,000 miles,	\$3,174	0#
9202535	EW: US Basic Vehicle 6 year/200,000 miles,	\$4,767	0#
9202536	EW: US Basic Vehicle 6 year/300,000 miles,	\$7,434	0#
9202537	EW: US Basic Vehicle 6 year/400,000 miles,	\$10,532	0#
9202538	EW: US Basic Vehicle 6 year/600,000 miles,	\$13,505	0#
9202539	EW: US Basic Vehicle 7 year/200,000 miles,	\$5,576	0#
9202566	EW: US Radiator/CAAC 2 year/100,000 miles,	\$83	0#
9202567	EW: US Radiator/CAAC 2 year/200,000 miles,	\$189	0#
9202568	EW: US Radiator/CAAC 2 year/300,000 miles,	\$313	0#
9202569	EW: US Radiator/CAAC 2 year/400,000 miles,	\$348	0#
9202570	EW: US Radiator/CAAC 2 year/500,000 miles,	\$389	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202571	EW: US Radiator/CAAC 3 year/100,000 miles,	\$124	0#
9202572	EW: US Radiator/CAAC 3 year/200,000 miles,	\$313	0#
9202573	EW: US Radiator/CAAC 3 year/300,000 miles,	\$378	0#
9202574	EW: US Radiator/CAAC 3 year/400,000 miles,	\$448	0#
9202575	EW: US Radiator/CAAC 3 year/500,000 miles,	\$507	0#
9202576	EW: US Radiator/CAAC 4 year/100,000 miles,	\$159	0#
9202577	EW: US Radiator/CAAC 4 year/200,000 miles,	\$384	0#
9202578	EW: US Radiator/CAAC 4 year/300,000 miles,	\$484	0#
9202579	EW: US Radiator/CAAC 4 year/400,000 miles,	\$561	0#
9202580	EW: US Radiator/CAAC 4 year/500,000 miles,	\$643	0#
9202581	EW: US Radiator/CAAC 5 year/100,000 miles,	\$207	0#
9202582	EW: US Radiator/CAAC 5 year/200,000 miles,	\$484	0#
9202583	EW: US Radiator/CAAC 5 year/300,000 miles,	\$596	0#
9202584	EW: US Radiator/CAAC 5 year/400,000 miles,	\$684	0#
9202585	EW: US Radiator/CAAC 5 year/500,000 miles,	\$755	0#
9202586	EW: US Radiator/CAAC 6 year/100,000 miles,	\$254	0#
9202587	EW: US Radiator/CAAC 6 year/200,000 miles,	\$578	0#
9202588	EW: US Radiator/CAAC 7 year/200,000 miles,	\$667	0#
9202616	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$136	0#
9202617	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$389	0#
9202618	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$437	0#
9202619	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$478	0#
9202620	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$519	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202621	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$260	0#
9202624	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$531	0#
9202625	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$808	0#
9202626	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$932	0#
9202627	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$991	0#
9202628	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$384	0#
9202629	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$690	0#
9202630	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$950	0#
9202631	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$1,180	0#
9202632	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$1,333	0#
9202635	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$525	0#
9202636	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$838	0#
9202637	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$1,139	0#
9202638	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$1,428	0#
9202639	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$1,611	0#
9202640	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$667	0#
9202641	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$985	0#
9202642	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$1,127	0#
9202666	EW: US Starter & Alternator 2 year/200,000 miles, United States only.	\$224	0#
9202667	EW: US Starter & Alternator 2 year/300,000 miles, United States only.	\$295	0#
9202672	EW: US Starter & Alternator 3 year/300,000 miles, United States only.	\$537	0#
9202673	EW: US Starter & Alternator 3 year/400,000 miles, United States only.	\$684	0#
9202674	EW: US Starter & Alternator 4 year/500,000 miles, United States only.	\$997	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202675	EW: US Starter & Alternator 5 year/500,000 miles, United States only.	\$1,263	0#
9202736	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$557	0#
9202737	EW: US Towing For Warrantable Failures 2 year / Unlimited miles.	\$1,103	0#
9202738	EW: US Towing For Warrantable Failures 3 year / Unlimited miles.	\$1,660	0#
9202739	EW: US Towing For Warrantable Failures 4 year / Unlimited miles.	\$2,171	0#
9202740	EW: US Towing For Warrantable Failures 5 year / Unlimited miles.	\$3,274	0#
9202890	EW: US Towing For Warrantable Failures 6 year / Unlimited miles.	\$4,278	0#
9202891	EW: US Towing For Warrantable Failures 7 year / Unlimited miles.	\$5,411	0#
9202899	EW: US Chassis/Frame Wiring 3 years/300,000 mile Per CA-014	\$1,180	0#
9203090	EW: US Chassis/Frame Wiring 4 years/400,000 mile Per CA-014	\$1,870	0#
9203091	EW: US Chassis/Frame Wiring 4 years/500,000 mile Per CA-014	\$2,667	0#
9203092	EW: US Chassis/Frame Wiring 5 years/500,000 mile Per CA-014	\$4,183	0#
9203093	EW: US Chassis/Frame Wiring 5 years/600,000 mile Per CA-014	\$4,708	0#
9203094	EW: US Chassis/Frame Wiring 6 years/600,000 mile Per CA-014	\$5,599	0#
9203101	EW: US Basic Vehicle 2 year/100,000 miles,	\$522	0#
9203102	EW: US Basic Vehicle 2 year/200,000 miles,	\$1,360	0#
9203103	EW: US Basic Vehicle 2 year/300,000 miles,	\$1,485	0#
9203104	EW: US Basic Vehicle 2 year/400,000 miles,	\$1,674	0#
9203105	EW: US Basic Vehicle 2 year/500,000 miles,	\$1,857	0#
9203106	EW: US Basic Vehicle 3 year/100,000 miles,	\$953	0#
9203107	EW: US Basic Vehicle 3 year/200,000 miles,	\$1,798	0#
9203108	EW: US Basic Vehicle 3 year/300,000 miles,	\$3,820	0#
9203109	EW: US Basic Vehicle 3 year/400,000 miles,	\$4,515	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9203110	EW: US Basic Vehicle 3 year/500,000 miles,	\$4,827	0#
9203111	EW: US Basic Vehicle 4 year/100,000 miles,	\$1,655	0#
9203112	EW: US Basic Vehicle 4 year/200,000 miles,	\$2,646	0#
9203113	EW: US Basic Vehicle 4 year/300,000 miles,	\$5,005	0#
9203114	EW: US Basic Vehicle 4 year/400,000 miles,	\$6,093	0#
9203115	EW: US Basic Vehicle 4 year/500,000 miles,	\$7,326	0#
9203116	EW: US Basic Vehicle 5 year/100,000 miles,	\$2,447	0#
9203117	EW: US Basic Vehicle 5 year/200,000 miles,	\$3,687	0#
9203118	EW: US Basic Vehicle 5 year/300,000 miles,	\$6,191	0#
9203119	EW: US Basic Vehicle 5 year/400,000 miles,	\$7,464	0#
9203120	EW: US Basic Vehicle 5 year/500,000 miles,	\$9,370	0#
9203135	EW: US Basic Vehicle 6 year/100,000 miles,	\$3,019	0#
9203136	EW: US Basic Vehicle 6 year/200,000 miles,	\$4,583	0#
9203137	EW: US Basic Vehicle 6 year/300,000 miles,	\$7,168	0#
9203138	EW: US Basic Vehicle 6 year/400,000 miles,	\$10,232	0#
9203139	EW: US Basic Vehicle 6 year/600,000 miles,	\$13,205	0#
9203140	EW: US Basic Vehicle 7 year/200,000 miles,	\$5,343	0#
Canada Extended Warranty			
9201839	EW: Canada Basic Vehicle 2 year/160,000 km - EPA Canada only.	\$1,035	0#
9201840	EW: Canada Basic Vehicle 2 year/320,000 km - EPA Canada only.	\$2,505	0#
9201841	EW: Canada Basic Vehicle 2 year/480,000 km - EPA Canada only.	\$4,055	0#
9201842	EW: Canada Basic Vehicle 2 year/640,000 km - EPA Canada only.	\$6,275	0#
9201843	EW: Canada Basic Vehicle 2 year/800,000 km - EPA Canada only.	\$7,585	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201844	EW: Canada Basic Vehicle 3 year/160,000 km - EPA Canada only.	\$1,410	0#
9201845	EW: Canada Basic Vehicle 3 year/320,000 km - EPA Canada only.	\$2,890	0#
9201846	EW: Canada Basic Vehicle 3 year/480,000 km - EPA Canada only.	\$4,460	0#
9201847	EW: Canada Basic Vehicle 3 year/640,000 km - EPA Canada only.	\$6,735	0#
9201848	EW: Canada Basic Vehicle 3 year/800,000 km - EPA Canada only.	\$8,060	0#
9201849	EW: Canada Basic Vehicle 4 year/160,000 km - EPA Canada only.	\$3,265	0#
9201850	EW: Canada Basic Vehicle 4 year/320,000 km - EPA Canada only.	\$4,880	0#
9201851	EW: Canada Basic Vehicle 4 year/480,000 km - EPA Canada only.	\$6,490	0#
9201852	EW: Canada Basic Vehicle 4 year/640,000 km - EPA Canada only.	\$8,510	0#
9201853	EW: Canada Basic Vehicle 4 year/800,000 km - EPA Canada only.	\$9,995	0#
9201854	EW: Canada Basic Vehicle 5 year/160,000 km - EPA Canada only.	\$4,875	0#
9201855	EW: Canada Basic Vehicle 5 year/320,000 km - EPA Canada only.	\$6,535	0#
9201856	EW: Canada Basic Vehicle 5 year/480,000 km - EPA Canada only.	\$8,235	0#
9201857	EW: Canada Basic Vehicle 5 year/640,000 km - EPA Canada only.	\$10,335	0#
9201858	EW: Canada Basic Vehicle 5 year/800,000 km - EPA Canada only.	\$11,285	0#
9201859	EW: Canada Basic Vehicle 6 year/160,000 km - EPA Canada only.	\$4,920	0#
9201860	EW: Canada Basic Vehicle 6 year/320,000 km - EPA Canada only.	\$6,590	0#
9201861	EW: Canada Basic Vehicle 6 year/480,000 km - EPA Canada only.	\$9,080	0#
9201862	EW: Canada Basic Vehicle 6 year/640,000 km - EPA Canada only.	\$11,905	0#
9201863	EW: Canada Basic Vehicle 6 year/960,000 km - EPA Canada only.	\$13,460	0#
9201864	EW: Canada Basic Vehicle 7 year/320,000 km - EPA Canada only.	\$6,775	0#
9201888	EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.	\$245	0#
9201889	EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.	\$635	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201890	EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.	\$795	0#
9201891	EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.	\$1,115	0#
9201892	EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.	\$1,470	0#
9201893	EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.	\$325	0#
9201894	EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.	\$730	0#
9201895	EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.	\$930	0#
9201896	EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.	\$1,250	0#
9201897	EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.	\$1,605	0#
9201898	EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.	\$610	0#
9201899	EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.	\$1,010	0#
9201900	EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.	\$1,215	0#
9201901	EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.	\$1,495	0#
9201902	EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.	\$1,860	0#
9201903	EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.	\$635	0#
9201904	EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.	\$1,035	0#
9201905	EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.	\$1,270	0#
9201906	EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.	\$1,550	0#
9201907	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$1,870	0#
9201908	EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.	\$680	0#
9201909	EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.	\$1,080	0#
9201910	EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.	\$1,135	0#
9201934	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$285	0#
9201935	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$680	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201936	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$995	0#
9201937	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$1,270	0#
9201938	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$1,430	0#
9201939	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$325	0#
9201940	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$730	0#
9201941	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$1,090	0#
9201942	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$1,370	0#
9201943	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$1,530	0#
9201944	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$690	0#
9201945	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$1,130	0#
9201946	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$1,495	0#
9201947	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$1,700	0#
9201948	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$1,860	0#
9201949	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$875	0#
9201950	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$1,310	0#
9201951	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$1,710	0#
9201952	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$1,945	0#
9201953	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$2,025	0#
9201954	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$920	0#
9201955	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$1,355	0#
9201956	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$1,425	0#
9201963	EW: Canada Starter & Alternator 2 year/320,000km, Canada only.	\$405	0#
9201964	EW: Canada Starter & Alternator 2 year/480,000km, Canada only	\$635	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9201965	EW: Canada Starter & Alternator 3 year/480,000km, Canada only.	\$1,050	0#
9201966	EW: Canada Starter & Alternator 3 year/640,000km, Canada only.	\$1,605	0#
9201967	EW: Canada Starter & Alternator 4 year/800,000km, Canada only.	\$1,890	0#
9201968	EW: Canada Starter & Alternator 5 year/800,000km, Canada only.	\$2,175	0#
9201976	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$555	0#
9201977	EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,100	0#
9201978	EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,655	0#
9201979	EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,165	0#
9201980	EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$3,265	0#
9201981	EW: CA Towing For Warrantable Failures 6 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$4,265	0#
9201982	EW: CA Towing For Warrantable Failures 7 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$5,395	0#
9201989	EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014	\$2,980	0#
9201990	EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014	\$4,605	0#
9201991	EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014	\$6,835	0#
9201992	EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014	\$8,035	0#
9201993	EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014	\$8,965	0#
9201994	EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014	\$9,570	0#
9202540	EW: Canada Basic Vehicle 2 year/160,000 km - EPA	\$1,210	0#
9202541	EW: Canada Basic Vehicle 2 year/320,000 km - EPA	\$2,631	0#
9202542	EW: Canada Basic Vehicle 2 year/480,000 km - EPA	\$2,944	0#
9202543	EW: Canada Basic Vehicle 2 year/640,000 km - EPA	\$3,251	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202544	EW: Canada Basic Vehicle 2 year/800,000 km - EPA	\$3,747	0#
9202545	EW: Canada Basic Vehicle 3 year/160,000 km - EPA	\$2,012	0#
9202546	EW: Canada Basic Vehicle 3 year/320,000 km - EPA	\$3,717	0#
9202547	EW: Canada Basic Vehicle 3 year/480,000 km - EPA	\$5,422	0#
9202548	EW: Canada Basic Vehicle 3 year/640,000 km - EPA	\$6,508	0#
9202549	EW: Canada Basic Vehicle 3 year/800,000 km - EPA	\$7,434	0#
9202550	EW: Canada Basic Vehicle 4 year/160,000 km - EPA	\$3,747	0#
9202551	EW: Canada Basic Vehicle 4 year/320,000 km - EPA	\$5,888	0#
9202552	EW: Canada Basic Vehicle 4 year/480,000 km - EPA	\$7,930	0#
9202553	EW: Canada Basic Vehicle 4 year/640,000 km - EPA	\$9,912	0#
9202554	EW: Canada Basic Vehicle 4 year/800,000 km - EPA	\$12,361	0#
9202555	EW: Canada Basic Vehicle 5 year/160,000 km - EPA	\$5,576	0#
9202556	EW: Canada Basic Vehicle 5 year/320,000 km - EPA	\$7,747	0#
9202557	EW: Canada Basic Vehicle 5 year/480,000 km - EPA	\$10,437	0#
9202558	EW: Canada Basic Vehicle 5 year/640,000 km - EPA	\$13,942	0#
9202559	EW: Canada Basic Vehicle 5 year/800,000 km - EPA	\$17,039	0#
9202560	EW: Canada Basic Vehicle 6 year/160,000 km - EPA	\$7,528	0#
9202561	EW: Canada Basic Vehicle 6 year/320,000 km - EPA	\$9,605	0#
9202562	EW: Canada Basic Vehicle 6 year/480,000 km - EPA	\$12,361	0#
9202563	EW: Canada Basic Vehicle 6 year/640,000 km - EPA	\$16,727	0#
9202564	EW: Canada Basic Vehicle 6 year/960,000 km - EPA	\$21,683	0#
9202565	EW: Canada Basic Vehicle 7 year/320,000 km - EPA	\$11,275	0#
9202589	EW: Canada Radiator/CAAC 2 year/160,000 km,	\$248	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202590	EW: Canada Radiator/CAAC 2 year/320,000 km,	\$401	0#
9202591	EW: Canada Radiator/CAAC 2 year/480,000 km,	\$496	0#
9202592	EW: Canada Radiator/CAAC 2 year/640,000 km,	\$561	0#
9202593	EW: Canada Radiator/CAAC 2 year/800,000 km,	\$620	0#
9202594	EW: Canada Radiator/CAAC 3 year/160,000 km,	\$448	0#
9202595	EW: Canada Radiator/CAAC 3 year/320,000 km,	\$684	0#
9202596	EW: Canada Radiator/CAAC 3 year/480,000 km,	\$867	0#
9202599	EW: Canada Radiator/CAAC 3 year/640,000 km,	\$1,145	0#
9202602	EW: Canada Radiator/CAAC 3 year/800,000 km,	\$1,210	0#
9202603	EW: Canada Radiator/CAAC 4 year/160,000 km,	\$643	0#
9202604	EW: Canada Radiator/CAAC 4 year/320,000 km,	\$867	0#
9202605	EW: Canada Radiator/CAAC 4 year/480,000 km,	\$1,103	0#
9202606	EW: Canada Radiator/CAAC 4 year/640,000 km,	\$1,304	0#
9202607	EW: Canada Radiator/CAAC 4 year/800,000 km,	\$1,510	0#
9202608	EW: Canada Radiator/CAAC 5 year/160,000 km,	\$938	0#
9202609	EW: Canada Radiator/CAAC 5 year/320,000 km,	\$1,021	0#
9202610	EW: Canada Radiator/CAAC 5 year/480,000 km,	\$1,269	0#
9202611	EW: Canada Radiator/CAAC 5 year/640,000 km,	\$1,581	0#
9202612	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$1,859	0#
9202613	EW: Canada Radiator/CAAC 6 year/160,000 km,	\$1,115	0#
9202614	EW: Canada Radiator/CAAC 6 year/320,000 km,	\$1,192	0#
9202615	EW: Canada Radiator/CAAC 7 year/320,000 km,	\$1,245	0#
9202643	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$313	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202644	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$561	0#
9202645	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$590	0#
9202646	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$608	0#
9202647	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$631	0#
9202648	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$496	0#
9202649	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$838	0#
9202650	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$1,115	0#
9202651	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$1,304	0#
9202652	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$1,351	0#
9202653	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$714	0#
9202654	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$1,115	0#
9202655	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$1,392	0#
9202656	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$1,676	0#
9202657	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$1,888	0#
9202658	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$932	0#
9202659	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$1,381	0#
9202660	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$1,676	0#
9202661	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$2,077	0#
9202662	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$2,354	0#
9202663	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$1,180	0#
9202664	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$1,611	0#
9202665	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$1,870	0#
9202688	EW: Canada Starter & Alternator 2 year/320,000km, Canada only.	\$313	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202689	EW: Canada Starter & Alternator 2 year/480,000km, Canada only.	\$448	0#
9202690	EW: Canada Starter & Alternator 3 year/480,000km, Canada only.	\$808	0#
9202691	EW: Canada Starter & Alternator 3 year/640,000km, Canada only.	\$1,121	0#
9202734	EW: Canada Starter & Alternator 4 year/500,000km, Canada only.	\$1,387	0#
9202735	EW: Canada Starter & Alternator 5 year/500,000km, Canada only.	\$1,800	0#
9202892	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$392	0#
9202893	EW: CA Towing For Warrantable Failures 2 year / Unlimited km.	\$773	0#
9202894	EW: CA Towing For Warrantable Failures 3 year / Unlimited km.	\$1,163	0#
9202895	EW: CA Towing For Warrantable Failures 4 year / Unlimited km.	\$1,520	0#
9202896	EW: CA Towing For Warrantable Failures 5 year / Unlimited km.	\$2,297	0#
9202897	EW: CA Towing For Warrantable Failures 6 year / Unlimited km.	\$3,009	0#
9202898	EW: CA Towing For Warrantable Failures 7 year / Unlimited km.	\$3,811	0#
9203095	EW: CA Chassis/Frame Wiring 3 years/480,000 KMs Per CA-014	\$2,826	0#
9203096	EW: CA Chassis/Frame Wiring 4 years/640,000 KMs Per CA-014	\$4,224	0#
9203097	EW: CA Chassis/Frame Wiring 4 years/800,000 KMs Per CA-014	\$5,640	0#
9203098	EW: CA Chassis/Frame Wiring 5 years/800,000 KMs Per CA-014	\$7,623	0#
9203099	EW: CA Chassis/Frame Wiring 5 years/960,000 KMs Per CA-014	\$8,520	0#
9203100	EW: CA Chassis/Frame Wiring 6 years/960,000 KMs Per CA-014	\$9,818	0#
9203141	EW: Canada Basic Vehicle 2 year/160,000 km	\$1,142	0#
9203142	EW: Canada Basic Vehicle 2 year/320,000 km	\$2,564	0#
9203143	EW: Canada Basic Vehicle 2 year/480,000 km	\$2,818	0#
9203144	EW: Canada Basic Vehicle 2 year/640,000 km	\$3,125	0#
9203145	EW: Canada Basic Vehicle 2 year/800,000 km	\$3,621	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9203146	EW: Canada Basic Vehicle 3 year/160,000 km	\$1,944	0#
9203147	EW: Canada Basic Vehicle 3 year/320,000 km	\$3,591	0#
9203148	EW: Canada Basic Vehicle 3 year/480,000 km	\$5,277	0#
9203149	EW: Canada Basic Vehicle 3 year/640,000 km	\$6,314	0#
9203150	EW: Canada Basic Vehicle 3 year/800,000 km	\$7,240	0#
9203151	EW: Canada Basic Vehicle 4 year/160,000 km	\$3,679	0#
9203152	EW: Canada Basic Vehicle 4 year/320,000 km	\$5,743	0#
9203153	EW: Canada Basic Vehicle 4 year/480,000 km	\$7,731	0#
9203154	EW: Canada Basic Vehicle 4 year/640,000 km	\$9,680	0#
9203155	EW: Canada Basic Vehicle 4 year/800,000 km	\$12,128	0#
9203156	EW: Canada Basic Vehicle 5 year/160,000 km	\$5,450	0#
9203157	EW: Canada Basic Vehicle 5 year/320,000 km	\$7,563	0#
9203158	EW: Canada Basic Vehicle 5 year/480,000 km	\$10,186	0#
9203159	EW: Canada Basic Vehicle 5 year/640,000 km	\$13,642	0#
9203160	EW: Canada Basic Vehicle 5 year/800,000 km	\$16,739	0#
9203161	EW: Canada Basic Vehicle 6 year/160,000 km	\$7,374	0#
9203162	EW: Canada Basic Vehicle 6 year/320,000 km	\$9,421	0#
9203163	EW: Canada Basic Vehicle 6 year/480,000 km	\$12,094	0#
9203164	EW: Canada Basic Vehicle 6 year/640,000 km	\$16,427	0#
9203165	EW: Canada Basic Vehicle 6 year/960,000 km	\$21,383	0#
9203166	EW: Canada Basic Vehicle 7 year/320,000 km	\$11,043	0#

PACCAR Engine Extended Coverage Plans

9203167	PACCAR MX Premium <460HP - 3YR/300K MI (480K KM) EPA24	\$1,525	0#
---------	--	---------	----



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203168	PACCAR MX Premium <460HP - 3YR/400K MI (640K KM) EPA24	\$1,942	0#
9203169	PACCAR MX Premium <460HP - 3YR/500K MI (800K KM) EPA24.	\$3,152	0#
9203170	PACCAR MX Premium <460HP - 3YR/600K MI (960K KM) EPA24.	\$3,889	0#
9203171	PACCAR MX Premium <460HP - 4YR/400K MI (640K KM) EPA24.	\$2,730	0#
9203172	PACCAR MX Premium <460HP - 4YR/500K MI (800K KM) EPA24.	\$3,703	0#
9203173	PACCAR MX Premium <460HP - 4YR/600K MI (960K KM) EPA24.	\$4,723	0#
9203174	PACCAR MX Premium <460HP - 5YR/200K MI (320K KM) EPA24.	\$2,401	0#
9203175	PACCAR MX Premium <460HP - 5YR/300K MI (480K KM) EPA24.	\$2,927	0#
9203176	PACCAR MX Premium <460HP - 5YR/400K MI (640K KM) EPA24.	\$3,454	0#
9203177	PACCAR MX Premium <460HP - 5YR/500K MI (800K KM) EPA24.	\$4,445	0#
9203178	PACCAR MX Premium <460HP - 5YR/600K MI (960K KM) EPA24.	\$5,604	0#
9203179	PACCAR MX Premium <460HP - 5YR/700K MI (1,120K KM) EPA24.	\$6,762	0#
9203180	PACCAR MX Premium <460HP - 6YR/300K MI (480K KM) EPA24.	\$3,805	0#
9203181	PACCAR MX Premium <460HP - 6YR/400K MI (640K KM) EPA24.	\$4,339	0#
9203182	PACCAR MX Premium <460HP - 6YR/500K MI (800K KM) EPA24.	\$5,469	0#
9203183	PACCAR MX Premium <460HP - 6YR/600K MI (960K KM) EPA24.	\$6,670	0#
9203184	PACCAR MX Premium <460HP - 6YR/700K MI (1,120K KM) EPA24.	\$7,870	0#
9203185	PACCAR MX Premium <460HP - 7YR/200K MI (320K KM) EPA24.	\$4,161	0#
9203186	PACCAR MX Premium <460HP - 7YR/300K MI (480K KM) EPA24.	\$4,704	0#
9203187	PACCAR MX Premium <460HP - 7YR/400K MI (640K KM) EPA24.	\$5,247	0#
9203188	PACCAR MX Premium <460HP - 7YR/500K MI (800K KM) EPA24.	\$6,494	0#
9203189	PACCAR MX Premium <460HP - 7YR/600K MI (960K KM) EPA24.	\$7,736	0#
9203190	PACCAR MX Premium <460HP - 7YR/700K MI (1,120K KM) EPA24.	\$8,978	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203191	PACCAR MX Premium <460HP - 3YR/300K MI (480K KM) CARB24.	\$904	0#
9203192	PACCAR MX Premium <460HP - 3YR/400K MI (640K KM) CARB24.	\$1,229	0#
9203193	PACCAR MX Premium <460HP - 3YR/500K MI (800K KM) CARB24.	\$2,438	0#
9203194	PACCAR MX Premium <460HP - 3YR/600K MI (960K KM) CARB24.	\$3,175	0#
9203195	PACCAR MX Premium <460HP - 4YR/400K MI (640K KM) CARB24.	\$1,739	0#
9203196	PACCAR MX Premium <460HP - 4YR/500K MI (800K KM) CARB24.	\$2,712	0#
9203197	PACCAR MX Premium <460HP - 4YR/600K MI (960K KM) CARB24.	\$3,732	0#
9203198	PACCAR MX Premium <460HP - 5YR/200K MI (320K KM) CARB24.	\$1,350	0#
9203199	PACCAR MX Premium <460HP - 5YR/300K MI (480K KM) CARB24.	\$1,498	0#
9203200	PACCAR MX Premium <460HP - 5YR/400K MI (640K KM) CARB24.	\$2,021	0#
9203201	PACCAR MX Premium <460HP - 5YR/500K MI (800K KM) CARB24.	\$3,105	0#
9203202	PACCAR MX Premium <460HP - 5YR/600K MI (960K KM) CARB24.	\$4,264	0#
9203203	PACCAR MX Premium <460HP - 5YR/700K MI (1,120K KM) CARB24.	\$5,423	0#
9203204	PACCAR MX Premium <460HP - 6YR/300K MI (480K KM) CARB24.	\$2,101	0#
9203205	PACCAR MX Premium <460HP - 6YR/400K MI (640K KM) CARB24.	\$2,874	0#
9203206	PACCAR MX Premium <460HP - 6YR/500K MI (800K KM) CARB24.	\$4,125	0#
9203207	PACCAR MX Premium <460HP - 6YR/600K MI (960K KM) CARB24.	\$5,330	0#
9203208	PACCAR MX Premium <460HP - 6YR/700K MI (1,120K KM) CARB24.	\$6,531	0#
9203209	PACCAR MX Premium <460HP - 7YR/200K MI (320K KM) CARB24.	\$2,753	0#
9203210	PACCAR MX Premium <460HP - 7YR/300K MI (480K KM) CARB24.	\$2,989	0#
9203211	PACCAR MX Premium <460HP - 7YR/400K MI (640K KM) CARB24.	\$3,727	0#
9203212	PACCAR MX Premium <460HP - 7YR/500K MI (800K KM) CARB24.	\$5,154	0#
9203213	PACCAR MX Premium <460HP - 7YR/600K MI (960K KM) CARB24.	\$6,396	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203214	PACCAR MX Premium <460HP - 7YR/700K MI (1,120K KM) CARB24.	\$7,638	0#
9203215	PACCAR MX Premium >460HP - 3YR/300K MI (480K KM) EPA24.	\$2,132	0#
9203216	PACCAR MX Premium >460HP - 3YR/400K MI (640K KM) EPA24.	\$3,291	0#
9203217	PACCAR MX Premium >460HP - 3YR/500K MI (800K KM) EPA24.	\$5,145	0#
9203218	PACCAR MX Premium >460HP - 3YR/600K MI (960K KM) EPA24.	\$6,999	0#
9203219	PACCAR MX Premium >460HP - 4YR/400K MI (640K KM) EPA24.	\$4,357	0#
9203220	PACCAR MX Premium >460HP - 4YR/500K MI (800K KM) EPA24.	\$6,165	0#
9203221	PACCAR MX Premium >460HP - 4YR/600K MI (960K KM) EPA24.	\$7,926	0#
9203224	PACCAR MX Premium >460HP - 5YR/200K MI (320K KM) EPA24.	\$2,841	0#
9203225	PACCAR MX Premium >460HP - 5YR/300K MI (480K KM) EPA24.	\$3,693	0#
9203226	PACCAR MX Premium >460HP - 5YR/400K MI (640K KM) EPA24.	\$5,308	0#
9203227	PACCAR MX Premium >460HP - 5YR/500K MI (800K KM) EPA24.	\$7,295	0#
9203228	PACCAR MX Premium >460HP - 5YR/600K MI (960K KM) EPA24.	\$9,284	0#
9203229	PACCAR MX Premium >460HP - 5YR/700K MI (1,120K KM) EPA24.	\$11,272	0#
9203230	PACCAR MX Premium >460HP - 6YR/300K MI (480K KM) EPA24.	\$4,696	0#
9203231	PACCAR MX Premium >460HP - 6YR/400K MI (640K KM) EPA24.	\$6,257	0#
9203232	PACCAR MX Premium >460HP - 6YR/500K MI (800K KM) EPA24.	\$8,426	0#
9203235	PACCAR MX Premium >460HP - 6YR/600K MI (960K KM) EPA24.	\$10,642	0#
9203236	PACCAR MX Premium >460HP - 6YR/700K MI (1,120K KM) EPA24.	\$12,857	0#
9203237	PACCAR MX Premium >460HP - 7YR/200K MI (320K KM) EPA24.	\$4,798	0#
9203238	PACCAR MX Premium >460HP - 7YR/300K MI (480K KM) EPA24.	\$5,772	0#
9203239	PACCAR MX Premium >460HP - 7YR/400K MI (640K KM) EPA24.	\$7,208	0#
9203240	PACCAR MX Premium >460HP - 7YR/500K MI (800K KM) EPA24.	\$9,557	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203241	PACCAR MX Premium >460HP - 7YR/600K MI (960K KM) EPA24.	\$12,001	0#
9203242	PACCAR MX Premium >460HP - 7YR/700K MI (1,120K KM) EPA24.	\$14,443	0#
9203243	PACCAR MX Premium >460HP - 3YR/300K MI (480K KM) CARB24.	\$1,368	0#
9203244	PACCAR MX Premium >460HP - 3YR/400K MI (640K KM) CARB24.	\$2,063	0#
9203245	PACCAR MX Premium >460HP - 3YR/500K MI (800K KM) CARB24.	\$3,917	0#
9203246	PACCAR MX Premium >460HP - 3YR/600K MI (960K KM) CARB24.	\$5,771	0#
9203247	PACCAR MX Premium >460HP - 4YR/400K MI (640K KM) CARB24.	\$3,185	0#
9203248	PACCAR MX Premium >460HP - 4YR/500K MI (800K KM) CARB24.	\$4,992	0#
9203249	PACCAR MX Premium >460HP - 4YR/600K MI (960K KM) CARB24.	\$6,698	0#
9203250	PACCAR MX Premium >460HP - 5YR/200K MI (320K KM) CARB24.	\$1,646	0#
9203251	PACCAR MX Premium >460HP - 5YR/300K MI (480K KM) CARB24.	\$2,367	0#
9203252	PACCAR MX Premium >460HP - 5YR/400K MI (640K KM) CARB24.	\$3,689	0#
9203253	PACCAR MX Premium >460HP - 5YR/500K MI (800K KM) CARB24.	\$5,678	0#
9203254	PACCAR MX Premium >460HP - 5YR/600K MI (960K KM) CARB24.	\$7,666	0#
9203255	PACCAR MX Premium >460HP - 5YR/700K MI (1,120K KM) CARB24.	\$9,655	0#
9203256	PACCAR MX Premium >460HP - 6YR/300K MI (480K KM) CARB24.	\$3,689	0#
9203257	PACCAR MX Premium >460HP - 6YR/400K MI (640K KM) CARB24.	\$4,640	0#
9203258	PACCAR MX Premium >460HP - 6YR/500K MI (800K KM) CARB24.	\$6,809	0#
9203259	PACCAR MX Premium >460HP - 6YR/600K MI (960K KM) CARB24.	\$9,025	0#
9203260	PACCAR MX Premium >460HP - 6YR/700K MI (1,120K KM) CARB24.	\$11,240	0#
9203261	PACCAR MX Premium >460HP - 7YR/200K MI (320K KM) CARB24.	\$2,783	0#
9203262	PACCAR MX Premium >460HP - 7YR/300K MI (480K KM) CARB24.	\$3,920	0#
9203263	PACCAR MX Premium >460HP - 7YR/400K MI (640K KM) CARB24.	\$5,590	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203264	PACCAR MX Premium >460HP - 7YR/500K MI (800K KM) CARB24.	\$7,940	0#
9203265	PACCAR MX Premium >460HP - 7YR/600K MI (960K KM) CARB24.	\$10,382	0#
9203266	PACCAR MX Premium >460HP - 7YR/700K MI (1,120K KM) CARB24.	\$12,826	0#
9203267	PACCAR MX-13 PP1 <460HP - 3YR/300K MI (480K KM) EPA24.	\$1,479	0#
9203268	PACCAR MX-13 PP1 <460HP - 3YR/400K MI (640K KM) EPA24.	\$1,896	0#
9203269	PACCAR MX-13 PP1 <460HP - 3YR/500K MI (800K KM) EPA24.	\$2,638	0#
9203270	PACCAR MX-13 PP1 <460HP - 3YR/600K MI (960K KM) EPA24.	\$3,379	0#
9203271	PACCAR MX-13 PP1 <460HP - 4YR/400K MI (640K KM) EPA24.	\$2,427	0#
9203272	PACCAR MX-13 PP1 <460HP - 4YR/500K MI (800K KM) EPA24.	\$3,062	0#
9203273	PACCAR MX-13 PP1 <460HP - 4YR/600K MI (960K KM) EPA24.	\$3,750	0#
9203274	PACCAR MX-13 PP1 <460HP - 5YR/200K MI (320K KM) EPA24.	\$2,000	0#
9203275	PACCAR MX-13 PP1 <460HP - 5YR/300K MI (480K KM) EPA24.	\$2,644	0#
9203276	PACCAR MX-13 PP1 <460HP - 5YR/400K MI (640K KM) EPA24.	\$3,288	0#
9203277	PACCAR MX-13 PP1 <460HP - 5YR/500K MI (800K KM) EPA24.	\$3,933	0#
9203278	PACCAR MX-13 PP1 <460HP - 5YR/600K MI (960K KM) EPA24.	\$4,306	0#
9203279	PACCAR MX-13 PP1 <460HP - 6YR/600K MI (960K KM) EPA24.	\$5,048	0#
9203280	PACCAR MX-13 PP1 <460HP - 3YR/300K MI (480K KM) CARB24.	\$881	0#
9203281	PACCAR MX-13 PP1 <460HP - 3YR/400K MI (640K KM) CARB24.	\$1,182	0#
9203282	PACCAR MX-13 PP1 <460HP - 3YR/500K MI (800K KM) CARB24.	\$1,924	0#
9203283	PACCAR MX-13 PP1 <460HP - 3YR/600K MI (960K KM) CARB24.	\$2,666	0#
9203284	PACCAR MX-13 PP1 <460HP - 4YR/400K MI (640K KM) CARB24.	\$1,507	0#
9203285	PACCAR MX-13 PP1 <460HP - 4YR/500K MI (800K KM) CARB24.	\$2,156	0#
9203286	PACCAR MX-13 PP1 <460HP - 4YR/600K MI (960K KM) CARB24.	\$2,944	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203287	PACCAR MX-13 PP1 <460HP - 5YR/200K MI (320K KM) CARB24.	\$1,092	0#
9203288	PACCAR MX-13 PP1 <460HP - 5YR/300K MI (480K KM) CARB24.	\$1,347	0#
9203289	PACCAR MX-13 PP1 <460HP - 5YR/400K MI (640K KM) CARB24.	\$1,920	0#
9203290	PACCAR MX-13 PP1 <460HP - 5YR/500K MI (800K KM) CARB24.	\$2,573	0#
9203291	PACCAR MX-13 PP1 <460HP - 5YR/600K MI (960K KM) CARB24.	\$3,361	0#
9203292	PACCAR MX-13 PP1 <460HP - 6YR/600K MI (960K KM) CARB24.	\$4,102	0#
9203293	PACCAR MX-13 PP1 >460HP - 3YR/300K MI (480K KM) EPA24.	\$2,035	0#
9203294	PACCAR MX-13 PP1 >460HP - 3YR/400K MI (640K KM) EPA24.	\$2,870	0#
9203295	PACCAR MX-13 PP1 >460HP - 3YR/500K MI (800K KM) EPA24.	\$4,631	0#
9203296	PACCAR MX-13 PP1 >460HP - 3YR/600K MI (960K KM) EPA24.	\$6,264	0#
9203297	PACCAR MX-13 PP1 >460HP - 4YR/400K MI (640K KM) EPA24.	\$3,843	0#
9203298	PACCAR MX-13 PP1 >460HP - 4YR/500K MI (800K KM) EPA24.	\$5,419	0#
9203299	PACCAR MX-13 PP1 >460HP - 4YR/600K MI (960K KM) EPA24.	\$7,087	0#
9203300	PACCAR MX-13 PP1 >460HP - 5YR/200K MI (320K KM) EPA24.	\$2,313	0#
9203301	PACCAR MX-13 PP1 >460HP - 5YR/300K MI (480K KM) EPA24.	\$3,240	0#
9203302	PACCAR MX-13 PP1 >460HP - 5YR/400K MI (640K KM) EPA24.	\$4,538	0#
9203303	PACCAR MX-13 PP1 >460HP - 5YR/500K MI (800K KM) EPA24.	\$6,207	0#
9203304	PACCAR MX-13 PP1 >460HP - 5YR/600K MI (960K KM) EPA24.	\$8,432	0#
9203305	PACCAR MX-13 PP1 >460HP - 3YR/300K MI (480K KM) CARB24.	\$1,321	0#
9203306	PACCAR MX-13 PP1 >460HP - 3YR/400K MI (640K KM) CARB24.	\$1,970	0#
9203307	PACCAR MX-13 PP1 >460HP - 3YR/500K MI (800K KM) CARB24.	\$3,732	0#
9203308	PACCAR MX-13 PP1 >460HP - 3YR/600K MI (960K KM) CARB24.	\$5,365	0#
9203309	PACCAR MX-13 PP1 >460HP - 4YR/400K MI (640K KM) CARB24.	\$2,758	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203310	PACCAR MX-13 PP1 >460HP - 4YR/500K MI (800K KM) CARB24.	\$4,334	0#
9203311	PACCAR MX-13 PP1 >460HP - 4YR/600K MI (960K KM) CARB24.	\$6,003	0#
9203312	PACCAR MX-13 PP1 >460HP - 5YR/200K MI (320K KM) CARB24.	\$1,461	0#
9203313	PACCAR MX-13 PP1 >460HP - 5YR/300K MI (480K KM) CARB24.	\$2,156	0#
9203314	PACCAR MX-13 PP1 >460HP - 5YR/400K MI (640K KM) CARB24.	\$3,083	0#
9203315	PACCAR MX-13 PP1 >460HP - 5YR/500K MI (800K KM) CARB24.	\$4,751	0#
9203316	PACCAR MX-13 PP1 >460HP - 5YR/600K MI (960K KM) CARB24.	\$6,976	0#
9203317	EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) EPA 24	\$1,320	0#
9203318	EW: PACCAR MX MAJOR COMPONENTS <460HP (960K KM) EPA 24	\$1,834	0#
9203319	EW: PACCAR MX MAJOR COMPONENTS <460HP (1,120K KM) EPA 24	\$2,500	0#
9203320	EW: PACCAR MX MAJOR COMPONENTS <460HP (960K KM) CARB 24	\$1,320	0#
9203321	EW: PACCAR MX MAJOR COMPONENTS <460HP (960K KM) CARB 24	\$1,834	0#
9203324	EW: PACCAR MX MAJOR COMPONENTS <460HP (1,120K KM) CARB 24	\$2,500	0#
9203325	EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) EPA 24	\$2,130	0#
9203326	EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) EPA 24	\$2,400	0#
9203327	EW: PACCAR MX MAJOR COMPONENTS >460HP (1,120K KM) EPA 24	\$2,472	0#
9203328	EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) CARB 24	\$2,130	0#
9203329	EW: PACCAR MX MAJOR COMPONENTS >460HP (960K KM) CARB 24	\$2,400	0#
9203330	EW: PACCAR MX MAJOR COMPONENTS >460HP (1,120K KM) CARB 24	\$2,472	0#
9203331	PACCAR MX Aftertreatment <460HP - 3YR/300K MI (480K KM) EPA24	\$806	0#
9203332	PACCAR MX Aftertreatment <460HP - 3YR/400K MI (640K KM) EPA24	\$1,136	0#
9203335	PACCAR MX Aftertreatment <460HP - 3YR/500K MI (800K KM) EPA24	\$1,702	0#
9203336	PACCAR MX Aftertreatment <460HP - 3YR/600K MI (960K KM) EPA24	\$2,206	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203337	PACCAR MX Aftertreatment <460HP - 4YR/400K MI (640K KM) EPA24	\$1,442	0#
9203338	PACCAR MX Aftertreatment <460HP - 4YR/500K MI (800K KM) EPA24	\$1,975	0#
9203339	PACCAR MX Aftertreatment <460HP - 4YR/600K MI (960K KM) EPA24	\$2,271	0#
9203340	PACCAR MX Aftertreatment <460HP - 5YR/200K MI (320K KM) EPA24	\$1,250	0#
9203353	PACCAR MX Aftertreatment <460HP - 5YR/300K MI (480K KM) EPA24	\$1,456	0#
9203354	PACCAR MX Aftertreatment <460HP - 5YR/400K MI (640K KM) EPA24	\$1,662	0#
9203355	PACCAR MX Aftertreatment <460HP - 5YR/500K MI (800K KM) EPA24	\$2,063	0#
9203356	PACCAR MX Aftertreatment <460HP - 5YR/600K MI (960K KM) EPA24	\$2,814	0#
9203357	PACCAR MX Aftertreatment <460HP - 5YR/700K MI (1,120K KM) EPA24	\$3,240	0#
9203358	PACCAR MX Aftertreatment <460HP - 6YR/300K MI (480K KM) EPA24	\$2,144	0#
9203359	PACCAR MX Aftertreatment <460HP - 6YR/400K MI (640K KM) EPA24	\$2,355	0#
9203360	PACCAR MX Aftertreatment <460HP - 6YR/500K MI (800K KM) EPA24	\$2,660	0#
9203361	PACCAR MX Aftertreatment <460HP - 6YR/600K MI (960K KM) EPA24	\$3,124	0#
9203362	PACCAR MX Aftertreatment <460HP - 6YR/700K MI (1,120K KM) EPA24	\$3,587	0#
9203363	PACCAR MX Aftertreatment <460HP - 7YR/200K MI (320K KM) EPA24	\$2,641	0#
9203364	PACCAR MX Aftertreatment <460HP - 7YR/300K MI (480K KM) EPA24	\$2,854	0#
9203365	PACCAR MX Aftertreatment <460HP - 7YR/400K MI (640K KM) EPA24	\$3,066	0#
9203366	PACCAR MX Aftertreatment <460HP - 7YR/500K MI (800K KM) EPA24	\$3,278	0#
9203367	PACCAR MX Aftertreatment <460HP - 7YR/600K MI (960K KM) EPA24	\$3,491	0#
9203368	PACCAR MX Aftertreatment <460HP - 7YR/700K MI (1,120K KM) EPA24	\$3,936	0#
9203369	PACCAR MX Aftertreatment <460HP - 3YR/400K MI (640K KM) CARB24.	\$603	0#
9203370	PACCAR MX Aftertreatment <460HP - 3YR/500K MI (800K KM) CARB24.	\$927	0#
9203371	PACCAR MX Aftertreatment <460HP - 3YR/600K MI (960K KM) CARB24	\$1,363	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203372	PACCAR MX Aftertreatment <460HP - 4YR/400K MI (640K KM) CARB24	\$612	0#
9203373	PACCAR MX Aftertreatment <460HP - 4YR/500K MI (800K KM) CARB24	\$1,006	0#
9203374	PACCAR MX Aftertreatment <460HP - 4YR/600K MI (960K KM) CARB24	\$1,372	0#
9203375	PACCAR MX Aftertreatment <460HP - 5YR/400K MI (640K KM) CARB24	\$647	0#
9203376	PACCAR MX Aftertreatment <460HP - 5YR/500K MI (800K KM) CARB24	\$1,043	0#
9203377	PACCAR MX Aftertreatment <460HP - 5YR/600K MI (960K KM) CARB24	\$1,687	0#
9203378	PACCAR MX Aftertreatment <460HP - 5YR/700K MI (1,120K KM) CARB24	\$2,206	0#
9203379	PACCAR MX Aftertreatment <460HP - 6YR/300K MI (480K KM) CARB24	\$1,016	0#
9203380	PACCAR MX Aftertreatment <460HP - 6YR/400K MI (640K KM) CARB24	\$1,233	0#
9203381	PACCAR MX Aftertreatment <460HP - 6YR/500K MI (800K KM) CARB24	\$1,544	0#
9203382	PACCAR MX Aftertreatment <460HP - 6YR/600K MI (960K KM) CARB24	\$2,091	0#
9203383	PACCAR MX Aftertreatment <460HP - 6YR/700K MI (1,120K KM) CARB24	\$2,554	0#
9203384	PACCAR MX PreAftertreatment <460HP - 7YR/200K MI (320K KM) CARB24	\$1,272	0#
9203385	PACCAR MX Aftertreatment <460HP - 7YR/300K MI (480K KM) CARB24	\$1,417	0#
9203386	PACCAR MX Aftertreatment <460HP - 7YR/400K MI (640K KM) CARB24	\$2,060	0#
9203387	PACCAR MX Aftertreatment <460HP - 7YR/500K MI (800K KM) CARB24	\$2,360	0#
9203388	PACCAR MX Aftertreatment <460HP - 7YR/600K MI (960K KM) CARB24	\$2,428	0#
9203389	PACCAR MX Aftertreatment <460HP - 7YR/700K MI (1,120K KM) CARB24	\$2,902	0#
9203390	PACCAR MX Aftertreatment >460HP - 3YR/300K MI (480K KM) EPA24	\$1,034	0#
9203391	PACCAR MX Aftertreatment >460HP - 3YR/400K MI (640K KM) EPA24	\$1,442	0#
9203392	PACCAR MX Aftertreatment >460HP - 3YR/500K MI (800K KM) EPA24	\$2,462	0#
9203393	PACCAR MX Aftertreatment >460HP - 3YR/600K MI (960K KM) EPA24	\$3,481	0#
9203394	PACCAR MX Aftertreatment >460HP - 4YR/400K MI (640K KM) EPA24	\$2,054	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203395	PACCAR MX Aftertreatment >460HP - 4YR/500K MI (800K KM) EPA24	\$2,972	0#
9203396	PACCAR MX Aftertreatment >460HP - 4YR/600K MI (960K KM) EPA24	\$3,991	0#
9203397	PACCAR MX Aftertreatment >460HP - 5YR/200K MI (320K KM) EPA24	\$1,803	0#
9203398	PACCAR MX Aftertreatment >460HP - 5YR/300K MI (480K KM) EPA24	\$2,324	0#
9203399	PACCAR MX Aftertreatment >460HP - 5YR/400K MI (640K KM) EPA24	\$2,843	0#
9203400	PACCAR MX Aftertreatment >460HP - 5YR/500K MI (800K KM) EPA24	\$3,379	0#
9203408	PACCAR MX Aftertreatment >460HP - 5YR/600K MI (960K KM) EPA24	\$4,353	0#
9203409	PACCAR MX Aftertreatment >460HP - 5YR/700K MI (1,120K KM) EPA24	\$5,326	0#
9203410	PACCAR MX Aftertreatment >460HP - 6YR/300K MI (480K KM) EPA24	\$3,389	0#
9203411	PACCAR MX Aftertreatment >460HP - 6YR/400K MI (640K KM) EPA24	\$3,916	0#
9203413	PACCAR MX Aftertreatment >460HP - 6YR/500K MI (800K KM) EPA24	\$4,972	0#
9203414	PACCAR MX Aftertreatment >460HP - 6YR/600K MI (960K KM) EPA24	\$5,641	0#
9203415	PACCAR MX Aftertreatment >460HP - 7YR/200K MI (320K KM) EPA24	\$3,952	0#
9203416	PACCAR MX Aftertreatment >460HP - 7YR/300K MI (480K KM) EPA24	\$4,488	0#
9203417	PACCAR MX Aftertreatment >460HP - 7YR/400K MI (640K KM) EPA24	\$5,023	0#
9203418	PACCAR MX Aftertreatment >460HP - 7YR/500K MI (800K KM) EPA24	\$5,559	0#
9203419	PACCAR MX Aftertreatment >460HP - 7YR/600K MI (960K KM) EPA24	\$6,095	0#
9203420	PACCAR MX Aftertreatment >460HP - 7YR/700K MI (1,120K KM) EPA24	\$6,630	0#
9203421	PACCAR MX Aftertreatment >460HP - 3YR/400K MI (640K KM) CARB24	\$584	0#
9203424	PACCAR MX Aftertreatment >460HP - 3YR/500K MI (800K KM) CARB24	\$1,609	0#
9203425	PACCAR MX Aftertreatment >460HP - 3YR/600K MI (960K KM) CARB24	\$2,629	0#
9203426	PACCAR MX Aftertreatment >460HP - 4YR/400K MI (640K KM) CARB24	\$881	0#
9203427	PACCAR MX Aftertreatment >460HP - 4YR/500K MI (800K KM) CARB24	\$1,655	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Engine Extended Coverage Plans			
9203428	PACCAR MX Aftertreatment >460HP - 4YR/600K MI (960K KM) CARB24	\$2,675	0#
9203429	PACCAR MX Aftertreatment >460HP - 5YR/400K MI (640K KM) CARB24	\$912	0#
9203430	PACCAR MX Aftertreatment >460HP - 5YR/500K MI (800K KM) CARB24	\$1,743	0#
9203431	PACCAR MX Aftertreatment >460HP - 5YR/600K MI (960K KM) CARB24	\$2,716	0#
9203432	PACCAR MX Aftertreatment >460HP - 5YR/700K MI (1,120K KM) CARB24	\$3,689	0#
9203435	PACCAR MX Aftertreatment >460HP - 6YR/300K MI (480K KM) CARB24	\$1,059	0#
9203436	PACCAR MX Aftertreatment >460HP - 6YR/400K MI (640K KM) CARB24	\$1,526	0#
9203437	PACCAR MX Aftertreatment >460HP - 6YR/500K MI (800K KM) CARB24	\$2,509	0#
9203438	PACCAR MX Aftertreatment >460HP - 6YR/600K MI (960K KM) CARB24	\$3,249	0#
9203439	PACCAR MX Aftertreatment >460HP - 6YR/700K MI (1,120K KM) CARB24	\$4,005	0#
9203440	PACCAR MX Aftertreatment >460HP - 7YR/200K MI (320K KM) CARB24	\$1,255	0#
9203441	PACCAR MX Aftertreatment >460HP - 7YR/300K MI (480K KM) CARB24	\$1,653	0#
9203442	PACCAR MX Aftertreatment >460HP - 7YR/400K MI (640K KM) CARB24	\$2,152	0#
9203443	PACCAR MX Aftertreatment >460HP - 7YR/500K MI (800K KM) CARB24	\$3,298	0#
9203444	PACCAR MX Aftertreatment >460HP - 7YR/600K MI (960K KM) CARB24	\$4,089	0#
9203445	PACCAR MX Aftertreatment >460HP - 7YR/700K MI (1,120K KM) CARB24	\$4,800	0#
Cummins Engine Extended Coverage Plans			
9201069	Cummins EW: Protect Plan 1 X15 EPA24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,215	0#
9201070	Cummins EW: Protect Plan 1 X15 EPA24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,665	0#
9201071	Cummins EW: Protect Plan 1 X15 EPA24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,465	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9201072	Cummins EW: Protect Plan 1 X15 EPA24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,265	0#
9201073	Cummins EW: Protect Plan 1 X15 EPA24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,115	0#
9201074	Cummins EW: Protect Plan 1 X15 EPA24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,415	0#
9201075	Cummins EW: Protect Plan 1 X15 EPA24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,815	0#
9201076	Cummins EW: Protect Plan 1 X15 EPA24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,665	0#
9201077	Cummins EW: Protect Plan 1 X15 EPA24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,065	0#
9201082	Cummins EW: Protect Plan 1 X15 EPA24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,365	0#
9201083	Cummins EW: Protect Plan 1 X15 EPA24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,815	0#
9201084	Cummins EW: Protect Plan 1 X15 EPA24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,415	0#
9201085	Cummins EW: Protect Plan 1 X15 EPA24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,215	0#
9201086	Cummins EW: Protect Plan 1 X15 EPA24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,265	0#
9201087	Cummins EW: Protect Plan 1 X15 EPA24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,465	0#
9201088	Cummins EW: Protect Plan 1 X15 EPA24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,965	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9201089	Cummins EW: Protect Plan 1 X15 EPA24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,365	0#
9201090	Cummins EW: Protect Plan 1 X15 EPA24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,815	0#
9201091	Cummins EW: Protect Plan 1 X15 EPA24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,465	0#
9201092	Cummins EW: Protect Plan 1 X15 EPA24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,165	0#
9201093	Cummins EW: Protect Plan 1 X15 EPA24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,065	0#
9201094	Cummins EW: Protect Plan 1 X15 EPA24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,115	0#
9201095	Cummins EW: Protect Plan 1 X15 EPA24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,815	0#
9201096	Cummins EW: Protect Plan 1 X15 EPA24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,815	0#
9201097	Cummins EW: Protect Plan 1 X15 EPA24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,715	0#
9201098	Cummins EW: Protect Plan 1 X15 EPA24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,615	0#
9201099	Cummins EW: Protect Plan 1 X15 EPA24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,765	0#
9201103	Cummins EW: Protect Plan 1 X15 EPA24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,565	0#
9201104	Cummins EW: Protect Plan 1 X15 EPA24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,465	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9201105	Cummins EW: Protect Plan 1 X15 EPA24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,715	0#
9201106	Cummins EW: Protect Plan 1 X15 EPA24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,115	0#
9201107	Cummins EW: Protect Plan 1 X15 EPA24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,115	0#
9201108	Cummins EW: Protect Plan 1 X15 EPA24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,515	0#
9201109	Cummins EW: Protect Plan 1 X15 EPA24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$7,315	0#
9201110	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,275	0#
9201111	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,630	0#
9201112	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,240	0#
9201113	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,785	0#
9201114	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,960	0#
9201115	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,240	0#
9201116	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,535	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9201117	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,855	0#
9201118	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,300	0#
9201119	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,465	0#
9201120	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,730	0#
9201774	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,125	0#
9201775	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,630	0#
9201776	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,440	0#
9201777	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,320	0#
9201778	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,530	0#
9201779	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,740	0#
9201780	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,155	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9201781	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,675	0#
9201782	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,275	0#
9201783	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,775	0#
9201784	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,765	0#
9201785	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,405	0#
9201786	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,520	0#
9201787	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,960	0#
9201788	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,060	0#
9201789	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,620	0#
9201790	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,060	0#
9201791	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,610	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9201792	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,575	0#
9201793	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,850	0#
9201794	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,235	0#
9201795	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,000	0#
9201796	Cummins EW: Aftertreatment X15 Use W/ PP1 EPA24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,050	0#
9201797	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,815	0#
9201798	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,265	0#
9201799	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,065	0#
9202194	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,865	0#
9202195	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,815	0#
9202196	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,115	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202197	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,515	0#
9202198	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,365	0#
9202199	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,865	0#
9202200	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,165	0#
9202201	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,615	0#
9202202	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,215	0#
9202203	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,015	0#
9202219	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,065	0#
9202220	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,665	0#
9202221	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,165	0#
9202224	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,565	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202225	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,015	0#
9202226	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,665	0#
9202227	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,365	0#
9202228	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$7,265	0#
9202229	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,715	0#
9202230	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,415	0#
9202231	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,715	0#
9202232	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,615	0#
9202287	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,515	0#
9202288	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,865	0#
9202289	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,665	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202290	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$7,565	0#
9202291	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,965	0#
9202292	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,365	0#
9202293	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,365	0#
9202294	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,765	0#
9202295	Cummins EW: Protect Plan 1 X15 Travel/Tow EPA24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$8,565	0#
9202296	Cummins EW: Protect Plan 1 X15 CARB24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,450	0#
9202297	Cummins EW: Protect Plan 1 X15 CARB24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,775	0#
9202298	Cummins EW: Protect Plan 1 X15 CARB24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,575	0#
9202299	Cummins EW: Protect Plan 1 X15 CARB24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,375	0#
9202300	Cummins EW: Protect Plan 1 X15 CARB24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,125	0#
9202301	Cummins EW: Protect Plan 1 X15 CARB24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,425	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202302	Cummins EW: Protect Plan 1 X15 CARB24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,825	0#
9202303	Cummins EW: Protect Plan 1 X15 CARB24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,675	0#
9202304	Cummins EW: Protect Plan 1 X15 CARB24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,400	0#
9202305	Cummins EW: Protect Plan 1 X15 CARB24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,500	0#
9202306	Cummins EW: Protect Plan 1 X15 CARB24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,700	0#
9202307	Cummins EW: Protect Plan 1 X15 CARB24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,275	0#
9202310	Cummins EW: Protect Plan 1 X15 CARB24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,075	0#
9202311	Cummins EW: Protect Plan 1 X15 CARB24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,125	0#
9202312	Cummins EW: Protect Plan 1 X15 CARB24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,700	0#
9202313	Cummins EW: Protect Plan 1 X15 CARB24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,900	0#
9202314	Cummins EW: Protect Plan 1 X15 CARB24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,375	0#
9202315	Cummins EW: Protect Plan 1 X15 CARB24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,575	0#
9202316	Cummins EW: Protect Plan 1 X15 CARB24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,025	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202317	Cummins EW: Protect Plan 1 X15 CARB24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,025	0#
9202318	Cummins EW: Protect Plan 1 X15 CARB24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,925	0#
9202319	Cummins EW: Protect Plan 1 X15 CARB24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,225	0#
9202320	Cummins EW: Protect Plan 1 X15 CARB24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,625	0#
9202321	Cummins EW: Protect Plan 1 X15 CARB24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,925	0#
9202324	Cummins EW: Protect Plan 1 X15 CARB24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,625	0#
9202325	Cummins EW: Protect Plan 1 X15 CARB24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,525	0#
9202326	Cummins EW: Protect Plan 1 X15 CARB24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,475	0#
9202327	Cummins EW: Protect Plan 1 X15 CARB24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,275	0#
9202328	Cummins EW: Protect Plan 1 X15 CARB24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,175	0#
9202329	Cummins EW: Protect Plan 1 X15 CARB24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,875	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202330	Cummins EW: Protect Plan 1 X15 CARB24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,075	0#
9202331	Cummins EW: Protect Plan 1 X15 CARB24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,825	0#
9202332	Cummins EW: Protect Plan 1 X15 CARB24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,825	0#
9202349	Cummins EW: Protect Plan 1 X15 CARB24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,625	0#
9202350	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$825	0#
9202351	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,245	0#
9202352	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,715	0#
9202353	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$905	0#
9202354	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,135	0#
9202355	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,330	0#
9202356	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,705	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202357	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9202358	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,370	0#
9202359	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,065	0#
9202360	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$780	0#
9202361	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$805	0#
9202362	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$905	0#
9202363	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,095	0#
9202364	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,430	0#
9202365	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,910	0#
9202366	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,500	0#
9202367	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,085	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202368	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,320	0#
9202369	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$875	0#
9202370	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,980	0#
9202371	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,040	0#
9202372	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,485	0#
9202373	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,030	0#
9202374	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,080	0#
9202375	Cummins EW: Aftertreatment X15 Use W/ PP1 CARB24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,125	0#
9202376	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,050	0#
9202377	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,375	0#
9202378	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,185	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202379	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,975	0#
9202380	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,825	0#
9202381	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/450K (724,205KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,125	0#
9202382	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,525	0#
9202383	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,375	0#
9202384	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,400	0#
9202385	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,500	0#
9202386	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,700	0#
9202387	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,285	0#
9202388	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,075	0#
9202389	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,125	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202390	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/100K (160,935KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,900	0#
9202391	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,100	0#
9202392	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/250K (402,336KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,575	0#
9202393	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,775	0#
9202394	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/400K (643,738KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,225	0#
9202395	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/500K (804,672KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,225	0#
9202396	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 6YR/600K (965,607KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,125	0#
9202397	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 7YR/200K (321,869KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,825	0#
9202398	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 7YR/300K (482,804KM), Efficiency/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,225	0#
9202399	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,825	0#
9202410	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,525	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202411	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 3YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,425	0#
9202412	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,575	0#
9202413	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/450K (724,205KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,375	0#
9202414	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 4YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,275	0#
9202415	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/100K (160,935KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,125	0#
9202416	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/200K (321,869KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,325	0#
9202417	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/300K (482,804KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,075	0#
9202418	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/400K (643,738KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,075	0#
9202419	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB24 5YR/500K (804,672KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$6,875	0#
9202444	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,340	0#
9202445	PACCAR EW: PX-9 Protect Plan 1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,590	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202446	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,240	0#
9202447	PACCAR EW: PX-9 Protect Plan 1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,040	0#
9202448	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,190	0#
9202449	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,630	0#
9202450	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,440	0#
9202451	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,440	0#
9202452	PACCAR EW: PX-9 Protect Plan 1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$5,440	0#
9202453	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,190	0#
9202454	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,990	0#
9202455	PACCAR EW: PX-9 Protect Plan 1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,990	0#
9202456	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$855	0#
9202457	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,020	0#
9202458	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202459	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,295	0#
9202460	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,115	0#
9202461	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,310	0#
9202462	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,480	0#
9202463	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,680	0#
9202464	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,955	0#
9202465	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,535	0#
9202466	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,710	0#
9202467	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,960	0#
9202485	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$920	0#
9202486	PACCAR EW: PX-9 Protect Plan 1 CARB24 3YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$970	0#
9202487	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#
9202488	PACCAR EW: PX-9 Protect Plan 1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,920	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202489	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/100K (160,935KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,095	0#
9202490	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,195	0#
9202491	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,005	0#
9202492	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,005	0#
9202493	PACCAR EW: PX-9 Protect Plan 1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$4,005	0#
9202494	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,755	0#
9202495	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,555	0#
9202496	PACCAR EW: PX-9 Protect Plan 1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$3,555	0#
9202497	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 4YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,030	0#
9202498	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,110	0#
9202499	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,270	0#
9202500	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 5YR/300K (482,804KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,540	0#
9202502	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/150K (241,402KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,120	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9202508	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/200K (321,869KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,300	0#
9202509	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 CARB24 6YR/250K (402,336KM). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,545	0#
9208467	Cummins EW: Protect Plan 1 X15 CARB21 3YR/350K (563,271KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$1,610	0#
9208512	Cummins EW: Protect Plan 1 X15 Travel/Tow CARB21 3YR/350K (563,271KM), Performance/Productivity Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200K MI or 545 days past the in-service date.	\$2,510	0#
PACCAR Transmission Extended Warranty			
9202962	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$640	0#
9202963	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$870	0#
9202964	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,065	0#
9202965	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$870	0#
9202966	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,155	0#
9202967	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,410	0#
9202968	EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 4 Year/450K Miles (720K KM).	\$450	0#
9202969	EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 5 Year/500K Miles (800K KM).	\$710	0#
9203446	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$715	0#
9203447	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$985	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Transmission Extended Warranty			
9203448	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,200	0#
9203449	EW: PACCAR TX-12 Trans - Linehaul & Regional Hau 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$985	0#
9203450	EW: PACCAR TX-12 Trans - Linehaul & Regional Hau 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,290	0#
9203451	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,590	0#
9203452	EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 4 Year/450K Miles (720K KM).	\$510	0#
9203453	EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 5 Year/500K Miles (800K KM).	\$800	0#
9203462	EW: PACCAR TX-18 Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$715	0#
9203463	EW: PACCAR TX-18 Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,070	0#
9203464	EW: PACCAR TX-18 Pro Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$720	0#
9203465	EW: PACCAR TX-18 Pro Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,070	0#
9203466	EW: PACCAR TX-18 Clutch-Linehau All Torque Ratings. 5 Year/500K Miles (800K KM).	\$1,015	0#
9203472	EW: PACCAR TX-18 Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.	\$1,590	0#
9203473	EW: PACCAR TX-18 Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.	\$2,635	0#
9203474	EW: PACCAR TX-18 Pro Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.	\$1,590	0#
9203475	EW: PACCAR TX-18 Pro Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.	\$2,635	0#
9203476	EW: PACCAR TX-18 Clutch - Std Duty All Torque Ratings. 5 Year/500K Miles (800K KM).	\$1,015	0#
9204636	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$700	0#
9204637	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$960	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
PACCAR Transmission Extended Warranty			
9204638	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,170	0#
9204639	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$960	0#
9204640	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,260	0#
9204641	EW: PACCAR TX-12 Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,555	0#
9204642	EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 4 Year/450K Miles (720K KM).	\$500	0#
9204643	EW: PACCAR TX-12 Clutch-Linehaul & Regional Haul. All Torque Ratings. 5 Year/500K Miles (800K KM).	\$780	0#
9204652	EW: PACCAR TX-18 Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$700	0#
9204653	EW: PACCAR TX-18 Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,045	0#
9204654	EW: PACCAR TX-18 Pro Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$700	0#
9204655	EW: PACCAR TX-18 Pro Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,045	0#
9204656	EW: PACCAR TX-18 Clutch-Linehaul All Torque Ratings. 5 Year/500K Miles (800K KM).	\$780	0#
9204662	EW: PACCAR TX-18 Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.	\$1,555	0#
9204663	EW: PACCAR TX-18 Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.	\$2,575	0#
9204664	EW: PACCAR TX-18 Pro Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.	\$1,555	0#
9204665	EW: PACCAR TX-18 Pro Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.	\$2,575	0#
9204666	EW: PACCAR TX-18 Clutch - Std Duty All Torque Ratings. 5 Year/500K Miles (800K KM).	\$990	0#
Eaton Transmission Extended Warranty			
9202970	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$640	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Eaton Transmission Extended Warranty			
9202971	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$870	0#
9202972	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,065	0#
9202973	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$870	0#
9202974	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,155	0#
9202975	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,410	0#
9202976	EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 4 Year/450K Miles (720K KM).	\$450	0#
9202977	EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 5 Year/500K Miles (800K KM).	\$710	0#
9203454	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$715	0#
9203455	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$985	0#
9203456	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,200	0#
9203457	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$985	0#
9203458	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,290	0#
9203459	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,590	0#
9203460	EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 4 Year/450K Miles (720K KM).	\$510	0#
9203461	EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 5 Year/500K Miles (800K KM).	\$800	0#
9203467	EW: Eaton Endurant XD Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$715	0#
9203468	EW: Eaton Endurant XD Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,070	0#
9203469	EW: Eaton Endurant XD Pro Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$720	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Eaton Transmission Extended Warranty			
9203470	EW: Eaton Endurant XD Pro Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,070	0#
9203471	EW: Eaton Endurant XD/XD Pro Clutch - Linehaul All Torque Ratings. 5 Year/500K Miles (800K KM).	\$1,015	0#
9203477	EW: Eaton Endurant XD Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.	\$1,590	0#
9203478	EW: Eaton Endurant XD Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.	\$2,635	0#
9203479	EW: Eaton Endurant XD Pro Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.	\$1,590	0#
9203480	EW: Eaton Endurant XD Pro Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.	\$2,635	0#
9203481	EW: Eaton Endurant XD/XD Pro Clutch - Std Duty All Torque Ratings. 5 Year/500K Miles (800K KM).	\$1,015	0#
9204644	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$700	0#
9204645	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$960	0#
9204646	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1750 & Below. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,170	0#
9204647	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$960	0#
9204648	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,260	0#
9204649	EW: Eaton Endurant Trans - Linehaul & Regional Haul 1850 & Above. 7 Year/850K Miles (1,360K KM). Excludes Clutch.	\$1,555	0#
9204650	EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 4 Year/450K Miles (720K KM).	\$500	0#
9204651	EW: Eaton Endurant 12-speed Trans Clutch All Torque Ratings 5 Year/500K Miles (800K KM).	\$780	0#
9204657	EW: Eaton Endurant XD Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$700	0#
9204658	EW: Eaton Endurant XD Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,045	0#
9204659	EW: Eaton Endurant XD Pro Trans - Linehaul 1750 & Below. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$700	0#



T880: EXTENDED WARRANTY

Option	Description	Price	Weight
Eaton Transmission Extended Warranty			
9204660	EW: Eaton Endurant XD Pro Trans - Linehaul 1850 & Above. 6 Year/750K Miles (1,200K KM). Excludes Clutch.	\$1,045	0#
9204661	EW: Eaton Endurant XD/XD Pro Clutch - Linehaul All Torque Ratings. 5 Year/500K Miles (800K KM).	\$780	0#
9204667	EW: Eaton Endurant XD Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.	\$1,555	0#
9204668	EW: Eaton Endurant XD Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.	\$2,575	0#
9204669	EW: Eaton Endurant XD Pro Trans - Std Duty 1750 & Below. 5 Year/Unlimited Miles. Excludes Clutch.	\$1,555	0#
9204670	EW: Eaton Endurant XD Pro Trans - Std Duty 1850 & Above. 5 Year/Unlimited Miles. Excludes Clutch.	\$2,575	0#
9204671	EW: Eaton Endurant XD/XD Pro Clutch - Std Duty All Torque Ratings. 5 Year/500K Miles (800K KM).	\$990	0#



T880: PAINT

Option	Description	Price	Weight
9700000	Paint Color Number(s).	\$0	0#
Paint Style			
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	STD	0#
9944821	1 - Color Paint - Sleeper Color will be White if no other color is specified.	\$0	0#
9944822	2 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,443	0#
9944823	2 - Color Cust Design - Sleeper - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,185	0#
9944824	2 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,845	0#
9944825	2 - Color Cust Design - Sleeper - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,948	0#
9944828	3 - Color Cust Design - Day Cab - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$7,793	0#



T880: PAINT

Option	Description	Price	Weight
Paint Style			
9944829	3 - Color Cust Design - Sleeper - Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$11,919	0#
9944830	3 - Color Cust Design - Day Cab - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$10,315	0#
9944831	3 - Color Cust Design - Sleeper - Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$12,667	0#
Paint Type			
9943048	Day Cab Bulk Paint	\$0	0#
9943049	Sleeper Bulk Paint	\$0	0#
9943050	Day Cab Standard Paint	STD	0#
9943051	Day Cab Premium Paint	\$744	0#
9943052	Day Cab Pearl Metallic Paint	\$952	0#
9943053	Sleeper Standard Paint	\$0	0#
9943054	Sleeper Premium Paint	\$837	0#
9943055	Sleeper Pearl/Metallic Paint	\$1,146	0#
9965510	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	STD	0#

Paint Options



T880: PAINT

Option	Description	Price	Weight
Paint Options			
9960009	Fleet Paint – Dealer ECO Required	\$0	0#
9960021	Paint Design Continued BOC/BOS -Includes Front of side extenders, but does not include back of side extenders.	\$891	0#
9964089	Paint Steel Bumper Different Color than Frame. Not available for aluminum channel or chrome bumpers.	\$822	0#
Bumper Paint			
9943001	Bumper Painted Color A	\$920	0#
9943002	Bumper Painted Other Than Color A: Specify Color	\$920	0#
9943004	Bumper Unpainted	\$0	0#
9943014	Steel Bumper Painted Frame Color	\$0	0#
Fairing Paint			
9943011	Roof Fairing Painted A Color	\$830	0#
9943012	Roof Fairing Painted Other Than A Color, Specify Color	\$931	0#
Frame Paint			
9940044	Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.	\$2,001	0#
9940056	Frame Paint Other Than Standard Black, Metallic . Metallic Paint, Imron Elite.	\$2,358	0#
9999944	Chassis has Frame Paint Color other than Black. Taillight brackets not included, bracket painted black.	\$0	0#
Paint Color			
9960003	Non-Standard Paint Color.	\$295	0#
Grille Paint			
9940075	Grille Mesh Anodized Black	\$86	0#
Hood Paint			
9960083	Paint Hood Top Anti-Glare Top of Hood will be painted with Flat-Black Paint	\$0	0#

Paint Designs



T880: PAINT

Option	Description	Price	Weight
Paint Designs			
9944839	Spectrum Design - Hood Top Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,847	0#
9944840	Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,118	0#
9944841	Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,586	0#
9944842	Spectrum Design – Sleeper – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,644	0#
9944843	Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,012	0#
9944844	Spectrum Design – Sleeper – Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,804	0#
9944845	Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,001	0#
9944846	Spectrum Design – Sleeper – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,995	0#



T880: PAINT

Option	Description	Price	Weight
Paint Designs			
9944847	Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,394	0#
9944848	Spectrum Design - Sleeper - Roof Only Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,431	0#
9944849	Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$7,003	0#
9944850	Spectrum Design - Sleeper - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$9,125	0#
9944855	Spectrum Design - Day Cab - 2 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,896	0#
9944856	Spectrum Design - Day Cab - 3 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,734	0#
9944857	Spectrum Design - Sleeper - 2 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,581	0#
9944858	Spectrum Design - Sleeper - 3 Color Arrowhead Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$8,774	0#



T880: PAINT

Option	Description	Price	Weight
Paint Designs			
9944859	Spectrum Design - Day Cab - 2 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,896	0#
9944860	Spectrum Design - Day Cab - 3 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$6,734	0#
9944861	Spectrum Design - Sleeper - 2 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$5,581	0#
9944862	Spectrum Design - Sleeper - 3 Color Palouse Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$8,774	0#