

Vendor Part Number	Manufacturer Name	Product Type	Short Item Description	Extended Description	Unit of Measure	Packaging Quantity	Unit Price	% Discount	DISCOUNT PRICE
TRUCK MOUNTED UNITS LP Gas Fired									
TCM 300-40 DHE	H.D. Industries, Inc.	LP Gas Pothole Patcher	Chassis mount, 3 cy unit (4 tons), 40 Gallon Built on Road Oil Tank, Dual 150,000 BTU Propane Burners, Dry Heat System	Pro-Patch Model TCM 300-40-DHE, equipped with a 40 gallon independent tack oil tank, is a truck mounted, unitized asphalt patcher, capable of making effective and permanent asphalt repairs under all weather conditions with a one or two man crew. This unit's unique design allows the machine to transport hot or cold asphalt pre-mix material and road oils at controlled heated temperatures. The hydraulically driven auger used to dispense materials eliminates dump beds, shoveling and costly materials waste. With the patented Dry Radiant Heat System, the need for costly Heat Transfer Oil is eliminated, making this unit both an efficient and economical choice for patching needs. When properly utilized, the Pro-Patch will reduce street maintenance costs with 100% payback.	EA	1/EA	80,995.00	5%	76,945.25
TCM 425-100-DHE	H.D. Industries, Inc.	LP Gas Pothole Patcher	Chassis mount, 4.25 cy unit (6 tons), 100 Gallon Built on Road Oil Tank, Dual 150,000 BTU Propane Burners, Dry Heat System	Pro-Patch Model TCM 425-100-DHE, equipped with a 100 gallon independent tack oil tank, is a truck mounted, unitized asphalt patcher, capable of making effective and permanent asphalt repairs under all weather conditions with a one or two man crew. The road oil tank built onto the main body has a capacity of 80 gallons and allows for installation of the optional work deck. This unit's unique design allows the machine to transport hot or cold asphalt pre-mix material and road oils at controlled heated temperatures. The hydraulically driven auger used to dispense materials eliminates dump beds, shoveling and costly materials waste. With the patented Dry Radiant Heat System, the need for costly Heat Transfer Oil is eliminated, making this unit both an efficient and economical choice for patching needs. When properly utilized, the Pro-Patch will reduce street maintenance costs with 100% payback.	EA	1/EA	90,995.00	5%	86,445.25
TCM 425-160-DHE	H.D. Industries, Inc.	LP Gas Pothole Patcher	Chassis mount, 4.25 cy unit (6 tons), 150 Gallon Road Oil Tank, Dual 150,000 BTU Propane Burners, Dry Heat System	Pro-Patch Model TCM 425-150-DHE, equipped with a 150 gallon independent tack oil tank, is a truck mounted, unitized asphalt patcher, capable of making effective and permanent asphalt repairs under all weather conditions with a one or two man crew. This unit's unique design allows the machine to transport hot or cold asphalt pre-mix material and road oils at controlled heated temperatures. The hydraulically driven auger used to dispense materials eliminates dump beds, shoveling and costly materials waste. With the patented Dry Radiant Heat System, the need for costly Heat Transfer Oil is eliminated, making this unit both an efficient and economical choice for patching needs. When properly utilized, the Pro-Patch will reduce street maintenance costs with 100% payback.	EA	1/EA	90,995.00	5%	86,445.25
TCM 500-100-DHE	H.D. Industries, Inc.	LP Gas Pothole Patcher	Chassis mount, 5 cy unit with 100 Gallon Built on Road Oil Tank, Dual 150,000 BTU Propane Burners, Dry Heat System	Pro-Patch Model TCM 500-100-DHE is a truck mounted, unitized asphalt patcher, capable of making effective and permanent asphalt repairs under all weather conditions with a one or two man crew. The road oil tank built onto the main body has a capacity of 100 gallons and allows for the installation of the optional work deck. This unit's unique design allows the machine to transport hot or cold asphalt pre-mix material and road oils at controlled heated temperatures. The hydraulically driven auger used to dispense materials eliminates dump beds, shoveling and costly materials waste. With the patented Dry Radiant Heat System, the need for costly Heat Transfer Oil is eliminated, making this unit both an efficient and economical choice for patching needs. When properly utilized, the Pro-Patch will reduce street maintenance costs with 100% payback.	EA	1/EA	91,995.00	5%	87,395.25
TCM 500-150-DHE	H.D. Industries, Inc.	LP Gas Pothole Patcher	Chassis mount, 5 cy unit (7 tons), 150 Gallon Road Oil Tank, Dual 150,000 BTU Propane Burners, Dry Heat System	Pro-Patch Model TCM 500-150-DHE, equipped with a 150 gallon independent tack oil tank, is a truck mounted, unitized asphalt patcher, capable of making effective and permanent asphalt repairs under all weather conditions with a one or two man crew. This unit's unique design allows the machine to transport hot or cold asphalt pre-mix material and road oils at controlled heated temperatures. The hydraulically driven auger used to dispense materials eliminates dump beds, shoveling and costly materials waste. With the patented Dry Radiant Heat System, the need for costly Heat Transfer Oil is eliminated, making this unit both an efficient and economical choice for patching needs. When properly utilized, the Pro-Patch will reduce street maintenance costs with 100% payback.	EA	1/EA	91,995.00	5%	87,395.25
TCM 600-100-DHE	H.D. Industries, Inc.	LP Gas Pothole Patcher	Chassis mount, 6 cy unit (9 tons), 100 Gallon Road Oil Tank, Dual 150,000 BTU Propane Burners, Dry Heat System	Pro-Patch Model TCM 600-100-DHE is a truck mounted, unitized asphalt patcher, capable of making effective and permanent asphalt repairs under all weather conditions with a one or two man crew. The road oil tank built onto the main body has a capacity of 100 gallons an dallows for the installation of the optional work deck. This unit's unique design allows the machine to transport hot or cold asphalt pre-mix material and road oils at controlled heated temperatures. The hydraulically driven auger used to dispense materials eliminates dump beds, shoveling and costly materials waste. With the patented Dry Radiant Heat System, the need for costly Heat Transfer Oil is eliminated, making this unit both an efficient and economical choice for patching needs. When properly utilized, the Pro-Patch will reduce street maintenance costs with 100% payback.	EA	1/EA	92,995.00	5%	88,345.25
TRUCK MOUNTED UNITS LP Gas Fired - Continued									
TCM 600-150-DHE	H.D. Industries, Inc.	LP Gas Pothole Patcher	Chassis mount, 6 cy unit (9 tons), 150 Gallon Road Oil Tank, Dual 150,000 BTU Propane Burners, Dry Heat System	Pro-Patch Model TCM 600-150-DHE is a truck mounted, unitized asphalt patcher, capable of making effective and permanent asphalt repairs under all weather conditions with a one or two man crew. The road oil tank built onto the main body has a capacity of 150 gallons an dallows for the installation of the optional work deck. This unit's unique design allows the machine to transport hot or cold asphalt pre-mix material and road oils at controlled heated temperatures. The hydraulically driven auger used to dispense materials eliminates dump beds, shoveling and costly materials waste. With the patented Dry Radiant Heat System, the need for costly Heat Transfer Oil is eliminated, making this unit both an efficient and economical choice for patching needs. When properly utilized, the Pro-Patch will reduce street maintenance costs with 100% payback.	EA	1/EA	92,995.00	5%	88,345.25
TRUCK MOUNTED UNITS WITH DIESEL FIRED BURNERS									

Vendor Part Number	Manufacturer Name	Product Type	Short Item Description	Extended Description	Unit of Measure	Packaging Quantity	Unit Price	% Discount	DISCOUNT PRICE
TCM 425-80-DHED	H.D. Industries, Inc.	LP Gas Pothole Patcher with Diesel Fired Burners	Chassis mount, 4.25 cy unit (6 tons), 80 Gallon Independent Tack Oil Tank, with Diesel Burners		EA	1/EA	90,995.00	5%	86,445.25
TCM 500-80-DHED	H.D. Industries, Inc.	LP Gas Pothole Patcher with Diesel Fired Burners	Chassis mount, 5 cy unit (7 tons), 80 Gallon Independent Tack Oil Tank, with Diesel Burners		EA	1/EA	91,995.00	5%	87,395.25
TCM 600-80-DHED	H.D. Industries, Inc.	LP Gas Pothole Patcher with Diesel Fired Burners	Chassis mount, 6 cy unit (9 tons), 80 Gallon Independent Tack Oil Tank, with Diesel Burners		EA	1/EA	92,995.00	5%	88,345.25
TRAILER MOUNTED UNITS									
TM 425-80-DH EB LPE	H.D. Industries, Inc.	Pothole Patcher	Trailer mount, 4.25 cy unit (6 tons), Electric Brakes, LP Gas Engine, Dry Heat System		EA	1/EA	112,995.00	5%	107,345.25
TM 425-80-DH AB LPE	H.D. Industries, Inc.	Pothole Patcher	Trailer mount, 4.25 cy unit, Air Brakes, LP Gas Engine, Dry Heat System		EA	1/EA	113,995.00	5%	108,295.25
TM 425-80-DH EB KDE	H.D. Industries, Inc.	Pothole Patcher	Trailer mount, 4.25 cy unit, Electric Brakes, Kohler Diesel Engine, Dry Heat System		EA	1/EA	112,995.00	5%	107,345.25
TM 425-80-DH AB KDE	H.D. Industries, Inc.	Pothole Patcher	Trailer mount, 4.25 cy unit, Air Brakes, Kohler Diesel Engine, Dry Heat System		EA	1/EA	113,995.00	5%	108,295.25
TM 500-100-DH AB LPE	H.D. Industries, Inc.	Pothole Patcher	Trailer mount, 5 cy unit, Air Brakes, LP Gas Engine, Dry Heat System		EA	1/EA	123,995.00	5%	117,795.25
TM 500-100-DH AB KDE	H.D. Industries, Inc.	Pothole Patcher	Trailer mount, 5cy unit, Air Brakes, Kohler Diesel Engine, Dry Heat System		EA	1/EA	123,995.00	5%	117,795.25
TM 600-120-DH AB LPE	H.D. Industries, Inc.	Pothole Patcher	Trailer mount, 6 cy unit, Air Brakes, LP Gas Engine, Dry Heat System		EA	1/EA	124,995.00	5%	118,745.25
TRAILER MOUNTED UNITS - Continued									
TM 600-120-DH AB KDE	H.D. Industries, Inc.	Pothole Patcher	Trailer mount, 6 cy unit, Air Brakes, Kohler Diesel Engine, Dry Heat System		EA	1/EA	124,995.00	5%	118,745.25
TM 300-DH	H.D. Industries, Inc.	Pothole Patcher	Trailer mount, 3cy unit		EA	1/EA	102,995.00	5%	97,845.25
OPTIONS									
100 lb DOT	Manchester	LP Gas Bottle	100 lb (25 gallon) LP gas bottle with 10 PSI regulator and mounts		EA	1/EA	1,595.00	5%	1,515.25
Ext-Tr-TNG	H.D. Industries, Inc.	Extended Trailer Tongue	3.5 ft extension of trailer tongue.	3.5 ft extension of trailer tongue. Standard Length is 4'10" from edge of trailer.	EA	1/EA	550.00	5%	522.50
WP1550AW	Wacker	Vibratory Compactor Plate	Plate size 19.5" wide x 23" long.	Wacker WP1550AW compactor equipped with a 5.5hp Honda Engine with water tank.	EA	1/EA	3,200.00	5%	3,040.00
Meteorlight Sy-2000	Superior Signal	Strobe Light	Amber Strobe Light		EA	1/EA	395.00	5%	375.25
SY-900-LED	Superior Signal	LED Arrow Stick	LED Arrow Stick		EA	1/EA	900.00	5%	855.00
EL-705-H74	Indeeco	Heater	220 Volt 4.5 KW Single Phase Heater		EA	1/EA	980.00	5%	931.00
6X190B	Pro-Patch	Electric Hoist	12 volt DC electric hoist used for loading and unloading compactor plate		EA	1/EA	400.00	5%	380.00
HI101	Pro-Patch	Diesel Burner	70,000 BTU Diesel Burner		EA	1/EA	689.00	5%	654.55
HK4-20-12VDC	Force America	Hydraulic Package	Hydraulic Package for hydraulic pavement breaker		EA	1/EA	2,332.00	5%	2,215.40
BR45-120	Stanley	45 lb Pavement Breaker	45 lb Breaker with Asphalt Cutter (Must purchase HK4-20-12VDC)		EA	1/EA	4,170.00	5%	3,961.50
5 LB	Badger	5 lb ABC Fire Extinguisher	5 lb, ABC, UL listed, dry chemical, epoxy coated steel		EA	1/EA	140.00	5%	133.00
DELIVERY AND TRAINING									
Delivery	H.D. Industries, Inc.	Pothole Patcher	Delivery	Delivery of unit to end user by H.D. Industries, Inc. Truck Mounted Units	MILE		1.50/mile		1.50/mile
Delivery	H.D. Industries, Inc.	Pothole Patcher	Delivery	Delivery of unit to end user by H.D. Industries, Inc. Trailer Units	MILE		1.90/mile		1.90/mile
Training	H.D. Industries, Inc.	Pothole Patcher	Training	Operations and maintenance training for the end user by an H.D. Industries, Inc. factory technician.	DAY		265.00		265.00
OPTIONAL EQUIPMENT									
HLM	Stellar/Swaploader	Hook Lift Assembly	Hool Lift Assembly for Pro-Patch Body Only		EA	1/EA	6,000.00	5%	5,700.00
HY-287-SAM	White	Secondary Auger	Secondary, Variable Speed Booster motor for Auger	A secondary, hydraulic, 9200 in.lb. torque, variable speed booster motor installed at rear of auger to assist in dispensing "bad or stiff" asphalt mix. This also eliminates shearing coupler keys and bolts I nthe auger shaft.	EA	1/EA	3,999.00	5%	3,799.05
PPSMSB 30"	H.D. Industries, Inc.	Spoils Bin	30" 1.25 cy capacity, saddle mount, gravity dump	A convenient accessory for clean up of repair sites, the Spoils Bin allows asphalt spoils to be loaded or discharged from both sides of the truck. <i>Not available on trailer units.</i>	EA	1/EA	2,795.00	5%	2,655.25
PPSMSB 36"	H.D. Industries, Inc.	Spoils Bin	36" 1.5 CY capacity, saddle mount, gravity dump	A convenient accessory for clean up of repair sites, the Spoils Bin allows asphalt spoils to be loaded or discharged from both sides of the truck. Not available on trailer units.	EA	1/EA	2,895.00	5%	2,750.25
WD 18"	H.D. Industries, Inc.	Work Deck	18" 1/4" angle iron, 3/16" expanded metal, assist hand rails	Mounted between the truck cab and the hopper, the work deck allows safe and easy access to the emulsion oil tank and asphalt hopper.	EA	1/EA	1,450.00	5%	1,377.50
WD 22"	H.D. Industries, Inc.	Work Deck	22" 1/4" angle iron, 3/16" expanded metal, assist hand rails	Mounted between the truck cab and the hopper, the work deck allows safe and easy access to the emulsion oil tank and asphalt hopper.	EA	1/EA	1,475.00	5%	1,401.25
WD 24"	H.D. Industries, Inc.	Work Deck	24" 1/4" angle iron, 3/16" expanded metal, assist hand rails	Mounted between the truck cab and the hopper, the work deck allows safe and easy access to the emulsion oil tank and asphalt hopper.	EA	1/EA	1,495.00	5%	1,420.25
WP1550AW	Wacker Corp.	Vibratory Compactor	19.5 x 23" plate, 5.5 hp gas engine, auto oil alarm shut down, operating weight 190#, centrifugal force 3375#	Wacker WP1550AW Compactor equipped with Honda Engine, water tank and locking hold down brackets. With the compactor, the asphalt on the repair site can be compacted level with the surrounding surface.	EA	1/EA	3,200.00	5%	3,040.00
BW55E	Bomag	Vibratory Roller	Single 22" wide drum, 4.5 hp engine, operating weight of 351#, centrifugal force 2250#.	The Bomag BW/55E used to roll out the surface of the repair site is equipped with a Honda engine, centrifugal clutch and water tank.	EA	1/EA	10,099.00	5%	9,594.05
PPHYRLCP	H.D. Industries, Inc.	Rear Lift	Hydraulic operated, up position safety latch, in cab indicator light	Hydraulic Rear Lift Platform is used for loading or unloading the vibratory compactor plate. Controls for the platform are at the rear of the unit.	EA	1/EA	3,250.00	5%	3,087.50

Vendor Part Number	Manufacturer Name	Product Type	Short Item Description	Extended Description	Unit of Measure	Packaging Quantity	Unit Price	% Discount	DISCOUNT PRICE
OPTIONAL EQUIPMENT - Continued									
PPHYRLCP AR	H.D. Industries, Inc.	Rear Lift	HYdraulic operated, up position safety latch, in cab indicator light. Auto Return	Hydraulic Rear Lift Platform is used for loading or unloading the vibratory compactor plate. Controls for the platform are at the rear of the unit. Auto-return	EA	1/EA	3,250.00	5%	3,087.50
PPHYRLRP	H.D. Industries, Inc.	Rear Lift	Hydraulic operated, up position safety latch, in cab indicator light	Hydraulic Rear Lift Platform is used for loading or unloading the vibratory roller. Controls for the platform are at the rear of the unit.	EA	1/EA	3,250.00	5%	3,087.50
PPHYRLRP AR	H.D. Industries, Inc.	Rear Lift	Hydraulic operated, up position safety latch, in cab indicator light. Auto Return.	Hydraulic Rear Lift Platform is used for loading or unloading the vibratory compactor plate. Controls for the platform are at the rear of the unit. Auto-return	EA	1/EA	3,250.00	5%	3,087.50
6X190	Warn	Electric Hoist	12 volt, 1 1/3 hp, 300 lb. Lifting capacity	The electric hoist is an alternative to the Rear Lift Platform for loading or unloading the compactor or roller.	EA	1/EA	1,245.00	5%	1,182.75
BR45	Stanley	Jackhammer	48 lbs, 1500 - 2000 psi Pressure Range, 7 - 9 gpm Flow Range, 3/8" Male Pipe Hose Ends, 22.8" Overall Length, 14" Width	A more than efficient tool for cutting out potholes and asphalt failures, the Hydraulic Jackhammer comes complete with quick couplers, asphalt cutter, detachable shank, a tamper for packing asphalt and base material, and a lockable transporting bracket.	EA	1/EA	4,170.00	5%	3,961.50
BR67	Stanley	Jackhammer		A more than efficient tool for cutting out potholes and asphalt failures, the Hydraulic Jackhammer comes complete with quick couplers, asphalt cutter, detachable shank, a tamper for packing asphalt and base material, and a lockable transporting bracket.	EA	1/EA	4,270.00	5%	4,056.50
BR87	Stanley	Jackhammer		A more than efficient tool for cutting out potholes and asphalt failures, the Hydraulic Jackhammer comes complete with quick couplers, asphalt cutter, detachable shank, a tamper for packing asphalt and base material, and a lockable transporting bracket.	EA	1/EA	4,475.00	5%	4,251.25
617-19-20J SR	Hannay	Tool Line Hose Reel	3000 psi, dual tool lines, spring loaded, auto-retractable	Allowing for convenient storage, the Hydraulic Tool Line Hose Reel is 3000 psi with dual 25 ft. hydraulic tool lines.	EA	1/EA	1,595.00	5%	1,515.25
617-19-20J SR W/C	Hannay	Tool Line Hose Reel	3000 psi, dual tool lines, spring loaded, auto retractable, reel cover	Hydraulic Tool Line Hose Reel is 3,000 psi with dual 25 ft. hydraulic tool lines and a reel cover.	EA	1/EA	1,759.00	5%	1,671.05
HY-530-BFD	H.D. Industries, Inc.	Hydraulic Doors	Qty 2, Bi-fold, hydraulic operated,13" cylinder with 1 1/2" bore, rain seal caps, 2" insulation, double steel jacket, hex brake for rigidity	Hydraulically operated steel top doors are insulated with 2" high temp insulation in a double steel jacket. Rain seal caps and flex plates keep asphalt out of door hinges. Cylinder has bypass and flow control valves. Door controls are at the front of the unit behind truck cab passenger side.	EA	1/EA	6,000.00	5%	5,700.00
HY-530-BFD W/ICC	H.D. Industries, Inc.	Hydraulic Doors	Qty 2, Bi-fold, hydraulic operated,13" cylinder with 1 1/2" bore, rain seal caps, 2" insulation, double steel jacket, hex brake for rigidity with in cab controls	Hydraulically operated steel top doors are insulated with 2" high temp insulation in a double steel jacket. Rain seal caps and flex plates keep asphalt out of door hinges. Cylinder has bypass and flow control valves. Door controls are at the front of the unit behind truck cab passenger side with in cab controls	EA	1/EA	6,645.00	5%	6,312.75
PP 112 x 74	Centex	Tarp	Form fitted, 2" insulated, tarp tie downs	Insulated tarp top cover material is capable of sustaining 500 degrees F.	EA	1/EA	3,000.00	5%	2,850.00
AT-19G	Manchester	Air Tank	19 gallon,	The air tank is frame mounted with air brake protection valve. Eliminates the need for a separate air compressor used to blow out repair site.	EA	1/EA	895.00	5%	850.25
4600 OLP AIR	Reelcraft	Air Line Hose Reel	Auto Retractable Hose Reel, 17 lbs., 500 psi, 12 7/8" High, All steel construction	The spring loaded, auto retractable air line hose reel has 20 ft. of hose. The reel's full flow shaft and swivel assure maximum product delivery. Contemporary compressed air demands. Air compressor comes with quick couplers, 20 ft. air hose and a 5 ft. air blow gun with deadman control valve. The air tank supplied	EA	1/EA	695.00	5%	660.25
HY-QTS5 25 cfm	Force America	Air Compressor	25 cfm, Force America, FA-HDAC-QTS5 - 25	The spring loaded, auto retractable diesel fuel hose reel has 20 ft. of hose. The reel's full flow shaft and swivel assure maximum product delivery. Contemporary engineering and manufacturing techniques give trouble free performance.	EA	1/EA	6,798.00	5%	6,458.10
4600 OLP DSL	Reelcraft	Diesel Reel	Auto Retractable Hose Reel, 17 lbs., 500 psi, 12 7/8" High, All steel construction	The spring loaded, auto retractable diesel fuel hose reel has 20 ft. of hose. The reel's full flow shaft and swivel assure maximum product delivery. Contemporary engineering and manufacturing techniques give trouble free performance.	EA	1/EA	475.00	5%	451.25
F7800 OLP	Reelcraft	Tack Reel	Auto Retractable Tack Oil Reel, 43 lbs., 500 psi, 20 1/4" High, All steel construction	The spring loaded, auto retractable tack oil hose reel has 15 ft. of hose. The reel's full flow shaft and swivel assure maximum product delivery. Contemporary engineering and manufacturing techniques give trouble free performance.	EA	1/EA	925.00	5%	878.75
DT-8G	H.D. Industries, Inc.	Drip Pan	Drip Pan, 8 Gallon	The 8 Gallon drip pan, mounted on the unit to catch waste oil from the tack oil wand, has a necessary valve for draining.	EA	1/EA	525.00	5%	498.75
WT-10G	H.D. Industries, Inc.	Water Tank	Water Tank, 10 Gallon	Water tank provides water supply for asphalt compactor. Tank has an 10 gallon capacity, valve, hose and rust proof liner.	EA	1/EA	695.00	5%	660.25
OPTIONAL EQUIPMENT - Continued									
23117.1	Manchester	LP Gas Tank	50 Gallon, Frame Mounted	The frame mounted 50 gallon lp gas tank comes complete with quick fill connector, 10 psi regulator and fuel sight gauge. Refilling the frame mounted tank can be done with ease, as the tank does not have to be removed from the truck. Tanks are triple tested with dry pneumatic air and have a powder coat paint finish for maximum rust protection.	EA	1/EA	2,499.00	5%	2,374.05
LP-050-GL	Manchester	LP Gas Tank	5 Gallon LP Gas Bottle with 200,000 BTU Hand Torch	5 Gallon LP Gas Bottle with 200,000 BTU Hand Torch	EA	1/EA	525.00	5%	498.75
1428	Manchester	LP Gas Tank	100 lb (25 gallon) LP gas bottle with 10 PSI regulator and mounts	The 100 lb. (25 gallon) removable lp gas bottle, located between the patcher body and tack oil tank, comes with a 10 psi regulator valve.	EA	1/EA	1,595.00	5%	1,515.25
SRTA-16	Superior Signal	Arrow Board	DOT Approved LED 16-Light Directional Arrowboard	With 16 Amber LED Lights, 32 flash patterns, and 8 patterns per function. Arrow Flashing left, right, and warning bar. The Board is mounted on the rear of the patch unit with in-cab controls	EA	1/EA	1,695.00	5%	1,610.25
02.6100 LED	Able 2 / Traffic Guide	Arrow Board	Arrow Board, 54" x 13", 8 lbs., 10 weather sealed lights, in cab controls - LED	The Traffic Guide LED Arrow Board with arrow flashing left, right, and warning bar is mounted on the rear of the patch unit with in cab controls. The control unit is housed in an aluminum chassis with a pilot light to indicate to the operator which direction the arrow board is flashing. Constructed of heavy gauge, epoxy coated	EA	1/EA	1,295.00	5%	1,230.25
WSBAL-14	Wanco	Arrow Board	Arrow Board, 29" x 50", 5 arrow modes, MUTCD approved - LED	WSBAL-14 model arrow board is State D.O.T. approved with 14 LED lights. Arrow flashing left, right and warning bar. Mounted on rear of the unit with in cab controls.	EA	1/EA	2,729.00	5%	2,592.55
SY2000	Meteorlight	Strobe Light	Strobe Light, 6.25" High, 8 Joules, Double Flash, Amber, 10 Watts output power, aluminum die cast base	The pedestal mounted SY2000 strobe is located behind the truck cab. Offers extra visibility for added safety and conforms to SAE J1318 and SAE Class II.	EA	1/EA	395.00	5%	375.25
PPSSA	H.D. Industries, Inc.	Sand Spreader		The Sand Spreader Assembly mounts to the auger housing, allowing the patch unit to be used to sand roads in icy weather. Sand Spreader is not available on trailer units or units with the built on road oil tank.	EA	1/EA	5,300.00	5%	5,035.00
PPTB	H.D. Industries, Inc.	Tool Box	12 gauge steel, 19" x 24" x 30", locking, water proof door	The extra tool box is provides extra storage for operator tools and equipment.	EA	1/EA	1,495.00	5%	1,420.25

Vendor Part Number	Manufacturer Name	Product Type	Short Item Description	Extended Description	Unit of Measure	Packaging Quantity	Unit Price	% Discount	DISCOUNT PRICE
PPTB-R	H.D. Industries, Inc.	Tool Box	Replacement for spoils-bin, locking, water proof door	12 gauge steel, replacement for spoils-bin, locking, water proof door	EA	1/EA	3,250.00	5%	3,087.50
PPAEAL	H.D. Industries, Inc.	Asphalt Edger	Asphalt Edger with 21 hp KOHLER Diesel Engine	Standard asphalt edger for repair of deteriorated shoulders on highway. Equipped with a 21 hp Lombardini Air cooled diesel engine with electric start and low oil shut down.	EA	1/EA	8,200.00	5%	7,790.00
PPAETM	H.D. Industries, Inc.	Asphalt Edger	Asphalt Edger for Trailer Units (powered off of Trailer Engine)	Asphalt edger for trailer models is powered off the trailer engine. The unit mounts to the rear of the unit with 4 bolts. The screw conveyor assembly which is completely enclosed for safety has a separate chute, is ball bearing mounted, and	EA	1/EA	5,495.00	5%	5,220.25
PPALSP	H.D. Industries, Inc.	Asphalt Edger	Asphalt Edger with engine crank shaft driven load sense pump.	Asphalt edger with engine crank shaft driven load sense pump. Eliminates need for pto on unit. Truck chassis needs to be diesel engine 18-24" frame extension and accomadate pump and drive line from engine.	EA	1/EA	5,495.00	5%	5,220.25
CS20	Muncie or Chelsea	PTO	Hot Shift CS20 Series PTO	Depending on the transmission model of the truck, the power take off unit will be a Muncie or Chelsea Hot Shift.	EA	1/EA	3,499.00	5%	3,324.05
CS6	Muncie or Chelsea	PTO	Hot Shift CS6 Series PTO	Depending on the transmission model of the truck, the power take off unit will be a Muncie or Chelsea Hot Shift.	EA	1/EA	3,499.00	5%	3,324.05
EOA	Muncie or Chelsea	PTO	Electric Over Air Shift PTO	Depending on the transmission model of the truck, the power take off unit will be a Muncie or Chelsea Air Shift.	EA	1/EA	3,499.00	5%	3,324.05
OPTIONAL EQUIPMENT - Continued									
PP2STC	H.D. Industries, Inc.	Throttle Control		A two or three speed, depending on application, rear mounted remote switch allows operator more control over speed and pressure requirements for each job. As a safety feature, the switch will not function unless the park brake is set on the vehicle.	EA	1/EA	362.00	5%	343.90
AECM PTO	Force America	PTO	Constant Mesh PTO with Direct Mount Load Sense Pump For All Electric Units.		EA	1/EA	4,995.00	5%	4,745.25
STA9020	Muncie	Hydro-throttle		For manual engines, the Muncie Hydro-Throttle controls insures immediate and correct hydraulic pressure on demand.	EA	1/EA	645.00	5%	612.75
5 LB	Badger	Fire Extinguisher	5 lb, ABC, UL listed, dry chemical, epoxy coated steel	The 5 lb. ABC fire extinguisher, complete with an in-cab mounting bracket is fitted with an aluminum valve, lever and handle. Steel is epoxy coated to resist corrosion, dents and punctures.	EA	1/EA	140.00	5%	133.00
10 LB	Badger	Fire Extinguisher	10 lb, ABC, UL listed, dry chemical, epoxy coated steel	The 10 lb. ABC fire extinguisher is mounted on the outside of the truck cab. Fire extinguisher is fitted with an aluminim valve, lever and handle. Steel is epoxy coated to resist corrosion, dents and punctures.	EA	1/EA	170.00	5%	161.50
798	Signal-Stat	Triangle Kit		Increase visibility with a set of 3 reflective triangles, complete with storage case.	EA	1/EA	40.00	5%	38.00
SH675SS	Buyers Product	Asphalt Lute/Shovel Holder	Spring loaded,			1/EA	225.00	5%	213.75
SYCS7LCD66-KIT1	Super Sight	Backup Camera	Backup Camera System with 7" Color LCD monitor, 66' cable		EA	1/EA	989.00	5%	939.55
V530	Peterson	Work Lights	5" LED, Rear Mount	Three (3) each 5" LED, 2 rear mounted, 1 hopper mounted work lights give operations adequate lighting for extended work hours.	EA	1/EA	450.00	5%	427.50
TCR	H.D. Industries, Inc.	Traffic Cone Rack			EA	1/EA	390.00	5%	370.50
PPACEFB	H.D. Industries, Inc.	Shoveling Apron	Extended Shoveling Apron with Hinged, Folding Bottom		EA	1/EA	1,200.00	5%	1,140.00
PPAC	H.D. Industries, Inc.	Shoveling Apron	Shoveling Apron with Fixed Bottom		EA	1/EA	898.00	5%	853.10
PPACFB	H.D. Industries, Inc.	Shoveling Apron	Shoveling Apron with Hinged, Folding Bottom		EA	1/EA	998.00	5%	948.10
HAS	H.D. Industries, Inc.	Hard Surfaced Auger	Addition of hard welded bead on auger flights for longevity	Cost per auger: Dual auger systems require 2/ea	EA	1/EA	400.00	5%	380.00
PPBIROT	H.D. Industries, Inc.	Retort Tube Burner	150,000 BTU Retort Tube Burner for Liquid Asphalt Oil Tank		EA	1/EA	2,995.00	5%	2,845.25