

FORM D - OFFERED ITEMS PRICING (LINE ITEMS)

INSTRUCTIONS: Complete one line for each product code. Add lines as needed. Use TAB A to enter Line Items Offered. Use TAB B for Price Books Offered.

Solicitation #: RA05-21 Radio Communications/Emergency Response Equipment					Respondent Name: JPS Interoperability Solutions, inc.	
Line Item Reference Number	Product Code	Product Summary (detailing the items, equipment and/or services being offered for the specific product code)	Manufacturer	Vendor	Item Description	Bid Price
		ACU-Z1 Next-Generation Modular Interoperability Gateway	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	ACU-Z1 Next-Generation Modular Interoperability Gateway	
1	MC	The ACU-Z1, with 12 slots, maintains the modular nature of the company's signature ACU product with many significant improvements such as: smaller form factor (2U), web-based user interface, virtual IP channels, embedded Dispatch functionality, IP Recorder integration, Video server integration. Includes the ACU-Z1 chassis, PSM-Z1 Power Supply Module, CPM-Z1 Control Processor/Handset Module, and up to 24 Virtual IP Channels	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	The ACU-Z1, with 12 slots, maintains the modular nature of the company's signature ACU product with many significant improvements such as: smaller form factor (2U), web-based user interface, virtual IP channels, embedded Dispatch functionality, IP Recorder integration, Video server integration. Includes the ACU-Z1 chassis, PSM-Z1 Power Supply Module, CPM-Z1 Control Processor/Handset Module, and up to 24 Virtual IP Channels	\$10,705.56
2	MC	Includes the ACU-Z1 chassis, PSM-Z1 Power Supply Module, CPM-Z1 Control Processor/Handset Module, and up to 24 Virtual IP Channels	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Includes the ACU-Z1 chassis, PSM-Z1 Power Supply Module, CPM-Z1 Control Processor/Handset Module, and up to 24 Virtual IP Channels	
3	MC	VIM-Z1 Voice Interface Module	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	VIM-Z1 Voice Interface Module	\$1,963.80
4	MC	PSTN-Z1 Public Switched Telephone Interface Module	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	PSTN-Z1 Public Switched Telephone Interface Module	\$2,516.71
5	MC	CPM-Z1 Module	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	CPM-Z1 Module	\$2,087.73
6	MC	PSM-Z1 Module	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	PSM-Z1 Module	\$1,649.21
7	MC	ACU-Z1 HC-128 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	ACU-Z1 HC-128 Encryption (on all RoIP and Bridge channels)	\$2,202.12
8	MC	ACU-Z1 AES-256 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	ACU-Z1 AES-256 Encryption (on all RoIP and Bridge channels)	\$3,298.42
73	MC	Includes 110/220V power supply and AC/DC power cords	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Includes 110/220V power supply and AC/DC power cords	\$6,110.65
74	MC	Network option - enables two VoIP channels and WAIS capability	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Network option - enables two VoIP channels and WAIS capability	\$753.11
75	MC	ACU-M bundle packages VoIP/Network-enabled ACU-M bundle	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	ACU-M bundle packages VoIP/Network-enabled ACU-M bundle	\$8,074.45
76	MC	Carrying case option for ACU-M - includes battery backup and charger	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Carrying case option for ACU-M - includes battery backup and charger	\$1,382.29
77	MC	Optional spare mounting bracket	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Optional spare mounting bracket	\$66.73
78	MC	Handset Black (includes Coiled Cord - P/N 0313-060000)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Handset Black (includes Coiled Cord - P/N 0313-060000)	\$171.59
79	MC	NXU-2B (Desktop 110 VAC to +12V DC Powered 115/220 VAC 50/60Hz)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	NXU-2B (Desktop 110 VAC to +12V DC Powered 115/220 VAC 50/60Hz)	\$1,267.89
85	MC	RSP-Z2 Dual Radio (Desktop 110 VAC to +12V DC Powered 115/220 VAC 50/60Hz)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	RSP-Z2 Dual Radio (Desktop 110 VAC to +12V DC Powered 115/220 VAC 50/60Hz)	\$2,421.38
86	MC	RSP-Z2 Dual Radio HC-128 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	RSP-Z2 Dual Radio HC-128 Encryption (on all RoIP and Bridge channels)	\$390.85
87	MC	RSP-Z2 Dual Radio AES-256 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	RSP-Z2 Dual Radio AES-256 Encryption (on all RoIP and Bridge channels)	\$571.98
88	MC	Z2 Controller (up to 24 resources)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 24 resources)	\$6,101.12
89	MC	Z2 Controller (up to 24 resources) HC-128 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 24 resources) HC-128 Encryption (on all RoIP and Bridge channels)	\$829.37
90	MC	Z2 Controller (up to 24 resources) AES-256 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 24 resources) AES-256 Encryption (on all RoIP and Bridge channels)	\$1,096.30
91	MC	Z2 Controller (up to 80 resources)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 80 resources)	\$14,671.29
92	MC	Z2 Controller (up to 80 resources) HC-128 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 80 resources) HC-128 Encryption (on all RoIP and Bridge channels)	\$1,649.21
93	MC	Z2 Controller (up to 80 resources) AES-256 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 80 resources) AES-256 Encryption (on all RoIP and Bridge channels)	\$2,202.12
94	MC	MCC-4 Multi-Channel Desktop Console (ETC 4-button mic)	JPS Interoperability Solutions, Inc.	JPS Interoperability Solutions, Inc.	MCC-4 Multi-Channel Desktop Console (ETC 4-button mic)	\$2,869.43

95	MC	MCC-1 Single-Channel Desktop Console (ETC 1-button mic)	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	MCC-1 Single-Channel Desktop Console (ETC 1-button mic)	\$1,954.27
96	MC	MCC-8 Eight-Channel Desktop Console (ETC 8-button mic)	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	MCC-8 Eight-Channel Desktop Console (ETC 8-button mic)	\$4,966.69
97	MC	MCC-12 Twelve-Channel Desktop Console (ETC 21-button mic)	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	MCC-12 Twelve-Channel Desktop Console (ETC 21-button mic)	\$6,186.92
108	MC	SNV-12 Receiver Voter Chassis, (Rack Mount, AC/DC Powered)	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	SNV-12 Receiver Voter Chassis, (Rack Mount, AC/DC Powered)	\$6,549.17
109	MC	SVM-2 Site Voter Module for trad'l connections - up to 12 per chassis	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	SVM-2 Site Voter Module for trad'l connections - up to 12 per chassis	\$1,124.89
110	MC	SVM-3 Site Voter Module for IP backhaul, which handles 3 QMTs/rcvrs,	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	SVM-3 Site Voter Module for IP backhaul, which handles 3 QMTs/rcvrs,	\$2,030.53
111	MC	QMT-1B Single Channel Remote for Voting using IP backhaul	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	QMT-1B Single Channel Remote for Voting using IP backhaul	\$1,201.16
112	MC	PTG-10 Pilot Tone Generator	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	PTG-10 Pilot Tone Generator	\$648.24
113	MC	Expansion Cable to Second Chassis (up to 24 voted sites)	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	Expansion Cable to Second Chassis (up to 24 voted sites)	\$238.33
114	MC	Expansion Cable to Second and Third Chassis (up to 36 voted sites)	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	Expansion Cable to Second and Third Chassis (up to 36 voted sites)	\$390.85
115	MC	PSM-1A Power Supply Module	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	PSM-1A Power Supply Module	\$1,649.21
116	MC	CIM-2A Console Interface Module	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	CIM-2A Console Interface Module	\$1,306.02
117	MC	CPM-3 CPU Module	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	CPM-3 CPU Module	\$1,363.22
118	MC	Extender Card Assembly	JPS Interoperaility Solutions, Inc.	JPS Interoperaility Solutions, Inc.	Extender Card Assembly	\$104.86

New Item

New Item

FORM D - OFFERED ITEMS PRICING (CATALOG/PRICE BOOK)

INSTRUCTIONS: Complete one line for each product code. Add lines as needed. Use TAB A to enter Line Items Offered. Use TAB B for Price Books Offered.

Solicitation#: RA05-Z1 Radio Communications/Emergency Response Equipment						Respondent Name: JPS Interoperability Solutions, Inc.					
Product Code	Product Summary (detailing the items, equipment and/or services being offered for the specific product code)	Manufacturer	Catalog Name/Number	Catalog Expiration Date	Vendor	Catalog Description	Fixed Percentage Discount (Off List Price)	Unit of Measure	Restrictions	Keywords	Catalog Link
	ACU-Z1 Next-Generation Modular Interoperability Gateway					ACU-Z1 Next-Generation Modular Interoperability Gateway					
MC	The ACU-Z1, with 12 slots, maintains the modular nature of the company's signature ACU product with many significant improvements such as: smaller form factor (2U), web-based user interface, virtual IP channels, embedded Dispatch functionality, IP Recorder integration, Video server integration. Includes the ACU-Z1 chassis, PSM-Z1 Power Supply Module, CPM-Z1 Control Processor/Handset Module, and up to 24 Virtual IP Channels	JPS Interoperability Solutions, Inc.	5160-100000	1/1/2025	JPS Interoperability Solutions, Inc.	The ACU-Z1, with 12 slots, maintains the modular nature of the company's signature ACU product with many significant improvements such as: smaller form factor (2U), web-based user interface, virtual IP channels, embedded Dispatch functionality, IP Recorder integration, Video server integration. Includes the ACU-Z1 chassis, PSM-Z1 Power Supply Module, CPM-Z1 Control Processor/Handset Module, and up to 24 Virtual IP Channels	4.67%	ea	N/A	N/A	N/A
MC	VIM-Z1 Voice Interface Module	JPS Interoperability Solutions, Inc.	5160-120000	1/1/2025	JPS Interoperability Solutions, Inc.	VIM-Z1 Voice Interface Module	4.67%	ea	N/A	N/A	N/A
MC	PSTN-Z1 Public Switched Telephone Interface Module	JPS Interoperability Solutions, Inc.	5160-130000	1/1/2025	JPS Interoperability Solutions, Inc.	PSTN-Z1 Public Switched Telephone Interface Module	4.67%	ea	N/A	N/A	N/A
MC	CPM-Z1 Module	JPS Interoperability Solutions, Inc.	5160-113000	1/1/2025	JPS Interoperability Solutions, Inc.	CPM-Z1 Module	4.67%	ea	N/A	N/A	N/A
MC	PSM-Z1 Module	JPS Interoperability Solutions, Inc.	5160-112000	1/1/2025	JPS Interoperability Solutions, Inc.	PSM-Z1 Module	4.67%	ea	N/A	N/A	N/A
MC	ACU-Z1 HC-128 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	5160-109100	1/1/2025	JPS Interoperability Solutions, Inc.	ACU-Z1 HC-128 Encryption (on all RoIP and Bridge channels)	4.67%	ea	N/A	N/A	N/A
MC	ACU-Z1 AES-256 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	5160-109200	1/1/2025	JPS Interoperability Solutions, Inc.	ACU-Z1 AES-256 Encryption (on all RoIP and Bridge channels)	4.67%	ea	N/A	N/A	N/A
MC	Includes 110/220V power supply and AC/DC power cords	JPS Interoperability Solutions, Inc.	5060-100000	1/1/2025	JPS Interoperability Solutions, Inc.	Includes 110/220V power supply and AC/DC power cords	4.67%	ea	N/A	N/A	N/A
MC	Network option - enables two VoIP channels and WAIS capability	JPS Interoperability Solutions, Inc.	5060-109000	1/1/2025	JPS Interoperability Solutions, Inc.	Network option - enables two VoIP channels and WAIS capability	4.67%	ea	N/A	N/A	N/A
MC	ACU-M bundle packages VoIP/Network-enabled ACU-M bundle	JPS Interoperability Solutions, Inc.	5060-119000	1/1/2025	JPS Interoperability Solutions, Inc.	ACU-M bundle packages VoIP/Network-enabled ACU-M bundle	4.67%	ea	N/A	N/A	N/A
MC	Carrying case option for ACU-M - includes battery backup and charger	JPS Interoperability Solutions, Inc.	5060-107500	1/1/2025	JPS Interoperability Solutions, Inc.	Carrying case option for ACU-M - includes battery backup and charger	4.67%	ea	N/A	N/A	N/A
MC	Optional spare mounting bracket	JPS Interoperability Solutions, Inc.	5060-100300	1/1/2025	JPS Interoperability Solutions, Inc.	Optional spare mounting bracket	4.67%	ea	N/A	N/A	N/A
MC	Handset Black (includes Coiled Cord - P/N 0313-060000)	JPS Interoperability Solutions, Inc.	0150-200000	1/1/2025	JPS Interoperability Solutions, Inc.	Handset Black (includes Coiled Cord - P/N 0313-060000)	4.67%	ea	N/A	N/A	N/A
MC	NXU-2B (Desktop 110 VAC to +12V DC Powered 115/220 VAC 50/60Hz)	JPS Interoperability Solutions, Inc.	5190-200000	1/1/2025	JPS Interoperability Solutions, Inc.	NXU-2B (Desktop 110 VAC to +12V DC Powered 115/220 VAC 50/60Hz)	4.67%	ea	N/A	N/A	N/A
MC	RSP-Z2 Dual Radio (Desktop 110 VAC to +12V DC Powered 115/220 VAC 50/60Hz)	JPS Interoperability Solutions, Inc.	5160-600000	1/1/2025	JPS Interoperability Solutions, Inc.	RSP-Z2 Dual Radio (Desktop 110 VAC to +12V DC Powered 115/220 VAC 50/60Hz)	4.67%	ea	N/A	N/A	N/A
MC	RSP-Z2 Dual Radio HC-128 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	5160-609100	1/1/2025	JPS Interoperability Solutions, Inc.	RSP-Z2 Dual Radio HC-128 Encryption (on all RoIP and Bridge channels)	4.67%	ea	N/A	N/A	N/A
MC	RSP-Z2 Dual Radio AES-256 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	5160-609200	1/1/2025	JPS Interoperability Solutions, Inc.	RSP-Z2 Dual Radio AES-256 Encryption (on all RoIP and Bridge channels)	4.67%	ea	N/A	N/A	N/A
MC	Z2 Controller (up to 24 resources)	JPS Interoperability Solutions, Inc.	5160-400000	1/1/2025	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 24 resources)	4.67%	ea	N/A	N/A	N/A
MC	Z2 Controller (up to 24 resources) HC-128 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	5160-409100	1/1/2025	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 24 resources) HC-128 Encryption (on all RoIP and Bridge channels)	4.67%	ea	N/A	N/A	N/A
MC	Z2 Controller (up to 24 resources) AES-256 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	5160-409200	1/1/2025	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 24 resources) AES-256 Encryption (on all RoIP and Bridge channels)	4.67%	ea	N/A	N/A	N/A
MC	Z2 Controller (up to 80 resources)	JPS Interoperability Solutions, Inc.	5160-480000	1/1/2025	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 80 resources)	4.67%	ea	N/A	N/A	N/A
MC	Z2 Controller (up to 80 resources) HC-128 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	5160-489100	1/1/2025	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 80 resources) HC-128 Encryption (on all RoIP and Bridge channels)	4.67%	ea	N/A	N/A	N/A
MC	Z2 Controller (up to 80 resources) AES-256 Encryption (on all RoIP and Bridge channels)	JPS Interoperability Solutions, Inc.	5160-489200	1/1/2025	JPS Interoperability Solutions, Inc.	Z2 Controller (up to 80 resources) AES-256 Encryption (on all RoIP and Bridge channels)	4.67%	ea	N/A	N/A	N/A

MC	MCC-4 Multi-Channel Desktop Console (ETC 4-button mic)	JPS Interoperability Solutions, Inc.	5160-700000	1/1/2025	JPS Interoperability Solutions, Inc.	MCC-4 Multi-Channel Desktop Console (ETC 4-button mic)	4.67%	ea	N/A	N/A	N/A
MC	MCC-1 Single-Channel Desktop Console (ETC 1-button mic)	JPS Interoperability Solutions, Inc.	5160-700100	1/1/2025	JPS Interoperability Solutions, Inc.	MCC-1 Single-Channel Desktop Console (ETC 1-button mic)	4.67%	ea	N/A	N/A	N/A
MC	MCC-8 Eight-Channel Desktop Console (ETC 8-button mic)	JPS Interoperability Solutions, Inc.	5160-700400	1/1/2025	JPS Interoperability Solutions, Inc.	MCC-8 Eight-Channel Desktop Console (ETC 8-button mic)	4.67%	ea	N/A	N/A	N/A
MC	MCC-12 Twelve-Channel Desktop Console (ETC 21-button mic)	JPS Interoperability Solutions, Inc.	5160-700500	1/1/2025	JPS Interoperability Solutions, Inc.	MCC-12 Twelve-Channel Desktop Console (ETC 21-button mic)	4.67%	ea	N/A	N/A	N/A
MC	SNV-12 Receiver Voter Chassis, (Rack Mount, AC/DC Powered)	JPS Interoperability Solutions, Inc.	5951-800000	1/1/2025	JPS Interoperability Solutions, Inc.	SNV-12 Receiver Voter Chassis, (Rack Mount, AC/DC Powered)	4.67%	ea	N/A	N/A	N/A
MC	SVM-2 Site Voter Module for tradl connections - up to 12 per chassis	JPS Interoperability Solutions, Inc.	5952-112000	1/1/2025	JPS Interoperability Solutions, Inc.	SVM-2 Site Voter Module for tradl connections - up to 12 per chassis	4.67%	ea	N/A	N/A	N/A
MC	SVM-3 Site Voter Module for IP backhaul, which handles 3 QMTs/rcvrs.	JPS Interoperability Solutions, Inc.	5952-200000	1/1/2025	JPS Interoperability Solutions, Inc.	SVM-3 Site Voter Module for IP backhaul, which handles 3 QMTs/rcvrs.	4.67%	ea	N/A	N/A	N/A
MC	QMT-1B Single Channel Remote for Voting using IP backhaul	JPS Interoperability Solutions, Inc.	5200-300000	1/1/2025	JPS Interoperability Solutions, Inc.	QMT-1B Single Channel Remote for Voting using IP backhaul	4.67%	ea	N/A	N/A	N/A
MC	PTG-10 Pilot Tone Generator	JPS Interoperability Solutions, Inc.	5970-900000	1/1/2025	JPS Interoperability Solutions, Inc.	PTG-10 Pilot Tone Generator	4.67%	ea	N/A	N/A	N/A
MC	Expansion Cable to Second Chassis (up to 24 voted sites)	JPS Interoperability Solutions, Inc.	5951-896024	1/1/2025	JPS Interoperability Solutions, Inc.	Expansion Cable to Second Chassis (up to 24 voted sites)	4.67%	ea	N/A	N/A	N/A
MC	Expansion Cable to Second and Third Chassis (up to 36 voted sites)	JPS Interoperability Solutions, Inc.	5951-896036	1/1/2025	JPS Interoperability Solutions, Inc.	Expansion Cable to Second and Third Chassis (up to 36 voted sites)	4.67%	ea	N/A	N/A	N/A
MC	PSM-1A Power Supply Module	JPS Interoperability Solutions, Inc.	5951-813000	1/1/2025	JPS Interoperability Solutions, Inc.	PSM-1A Power Supply Module	4.67%	ea	N/A	N/A	N/A
MC	CIM-2A Console Interface Module	JPS Interoperability Solutions, Inc.	5041-100000	1/1/2025	JPS Interoperability Solutions, Inc.	CIM-2A Console Interface Module	4.67%	ea	N/A	N/A	N/A
MC	CPM-3 CPU Module	JPS Interoperability Solutions, Inc.	5061-100000	1/1/2025	JPS Interoperability Solutions, Inc.	CPM-3 CPU Module	4.67%	ea	N/A	N/A	N/A
MC	Extender Card Assembly	JPS Interoperability Solutions, Inc.	5951-707000	1/1/2025	JPS Interoperability Solutions, Inc.	Extender Card Assembly	4.67%	ea	N/A	N/A	N/A

New Item

New Item