Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

FPE800 – FRONT LOADER

AH01	**30 CUBIC YARD**	**SM-FPE830C**
AH02	**35 CUBIC YARD**	**SM-FPE835C**
AH03	**40 CUBIC YARD**	**SM-FPE840C**

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
FRONT MOUNT 58 GPM PUMP WITH HOC
60 GAL. FRAME MOUNTED OIL RESERVOIR
AUTO TAILGATE LOCKS
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH (OL-ARMS DOWN)		OVERALL LENGTH (OL-ARMS UP)		BODY LENGTH (BL)		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	in	mm	lb	kg
FPE830C	30	23	372	9449	318	8077	208	5283	78	1981	150	3810	16700	7575
FPE835C	35	27	384	9754	330	8382	220	5588	80	2032	155	3937	17260	7829
FPE840C	40	31	432	10973	378	9601	268	6807	85	2159	170	4318	18500	8392

CHASSIS REQUIREMEMENTS

MODEL	CT "CLEAR"		WHEEL BASE (WB)		GAWR FRONT		GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	lb	kg	lb	kg	lb	kg
FPE830C	158-168	4,013-4,267	178-188	4,521-4,775	20,000	9,072	40,000	18,144	60,000	27,216
FPE835C	170-180	4,318-4,572	190-200	4,826-5,080	20,000	9,072	40,000	18,144	60,000	27,216
FPE840C	180-190	4,572-4,826	200-210	5,080-5,334	20,000	9,072	44,000	19,958	64,000	29,030

OPTIONS:

WORK LIGHTS	**SM-WKLT**
TOOLBOX, 18X18X24"	**SM-80108-L**
WASHOUT SYS., 80GAL.	**SM-80100-L**
FIRE EXT., 20LB	**SM-80119-L**
SPLASH GRDS	**SM-SPLSH**
SHOVEL,BROOM HLDR	**SM-80104-L**
STROBE, REAR MNT	**SM-STROBE**

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

RBS – REAR LOADER

BG01	**6 CUBIC YARD**	**SM-RBS106**
BG02	**8 CUBIC YARD**	**SM-RBS108**
BG03	**10 CUBIC YARD**	**SM-RBS110**

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
22 GAL. FRAME MOUNTED OIL RESERVOIR
AUTO TAILGATE LOCKS
ACCESS DOOR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

Model	RBS106	RBS108	RBS110
Body Capacity	6 YD^3 (4.6 M^3)	8 YD^3 (6.1 M^3)	10 YD^3 (7.7 M^3)
Overall Length (OL)	157 in (3988 mm)	184 in (4674 mm)	211 in (5360 mm)
Body Length (BL)	109 in (2769 mm)	136 in (3454 mm)	163 in (4140 mm)
Body Weight (Approx.)	5800 lb (2631 kg)	6110 lb (2771 kg)	6420 lb (2912 kg)

CHASSIS REQUIREMENTS

MODEL	CA CLEAR		GVW - MINIMUM	
	IN	MM	LB	KG
RBS106	81	2057	17500	7938
RBS108	108	2743	19500	8845
RBS110	135	3429	22000	9979

OPTIONS:

WORK LIGHTS	**SM-WKLT**
TOOLBOX, 18X18X24"	**SM-80108-L**
FIRE EXT., 20LB	**SM-80119-L**
SPLASH GRDS	**SM-SPLSH**
SHOVEL,BROOM HLDR	**SM-80104-L**
STROBE, REAR MNT	**SM-STROBE**

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

R100B - REAR LOADER

BG04	12 CUBIC YARD	SM-R112B
BG06	14 CUBIC YARD	SM-R114B
BG08	16 CUBIC YARD	SM-R116B
BG10	18 CUBIC YARD	SM-R118B
BG12	20 CUBIC YARD	SM-R120B
BG14	25 CUBIC YARD	SM-R125B
BG16	30 CUBIC YARD	SM-R130B

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
R112B	12	9.2	179	4547	114	2896	71	1803	52	1321	10240	4645
R114B	14	10.7	189	4801	124	3150	78	1981	58	1473	10400	4717
R116B	16	12.2	202	5131	137	3480	86	2184	64	1626	10560	4790
R118B	18	13.8	215	5461	150	3810	93	2362	71	1803	10790	4894
R120B	20	15.3	227	5766	162	4115	100	2540	78	1981	11030	5003
R125B	25	19.1	263	6680	198	5029	129	3277	99	2515	11620	5271
R130B	30	22.9	295	7493	230	5842	147	3734	113	2870	12130	5502

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
R112B	89-96	2261-2438	N/A		CONV	6500	2948	18000	8165	24500	11113
					COE	8500	3856	18000	8165	26500	12020
R114B	96-106	2438-2692	N/A		CONV	6500	2948	19500	8845	26000	11794
					COE	8500	3856	19500	8845	28000	12701
R116B	108-118	2743-2997	N/A		CONV	7000	3174	21000	9526	28000	12701
					COE	9000	4082	21000	9526	30000	13608
R118B	120-130	3048-3302	N/A		CONV	9000	4082	21000	9526	30000	13608
					COE	10500	4762	21000	9526	31500	14288
R120B	138-148	3505-3579	120-130	3048-3302	SA CONV	10000	4535	22000	9979	32000	14515
					SA COE	11500	5215	22000	9979	33500	15196
					TA CONV	7500	3401	34000	15422	41500	18824
					TA COE	9000	4082	34000	15422	43000	19505
R125B	N/A		155-165	3937-4191	CONV	10000	4535	34000	15422	44000	19958
					COE	11500	5215	34000	15422	45500	20639
R130B	N/A		186-196	4724-4978	CONV	11000	4989	34000	15422	45000	20412
					COE	13000	5896	34000	15422	47000	21319

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

R100C - REAR LOADER

BG05	12 CUBIC YARD	SM-R112C
BG07	14 CUBIC YARD	SM-R114C
BG09	16 CUBIC YARD	SM-R116C
BG11	18 CUBIC YARD	SM-R118C
BG13	20 CUBIC YARD	SM-R120C
BG15	25 CUBIC YARD	SM-R125C

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
R112C	12	9.2	179	4547	114	2896	71	1803	52	1321	10990	4985
R114C	14	10.7	189	4801	124	3150	78	1981	58	1473	11150	5058
R116C	16	12.2	202	5131	137	3480	86	2184	64	1626	11310	5130
R118C	18	13.8	215	5461	150	3810	93	2362	71	1803	11540	5235
R120C	20	15.3	227	5766	162	4115	100	2540	78	1981	11780	5343
R125C	25	19.1	263	6680	198	5029	129	3277	99	2515	12370	5611

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
R112C	89-96	2261-2438	N/A		CONV	6500	2948	18000	8165	24500	11113
					COE	8500	3856	18000	8165	26500	12020
R114C	96-106	2438-2692	N/A		CONV	6500	2948	19500	8845	26000	11794
					COE	8500	3856	19500	8845	28000	12701
R116C	108-118	2743-2997	N/A		CONV	7000	3174	21000	9526	28000	12701
					COE	9000	4082	21000	9526	30000	13608
R118C	120-130	3048-3302	N/A		CONV	9000	4082	21000	9526	30000	13608
					COE	10500	4762	21000	9526	31500	14288
R120C	138-148	3505-3579	120-130	3048-3302	SA CONV	10000	4535	22000	9979	32000	14515
					SA COE	11500	5215	22000	9979	33500	15196
					TA CONV	7500	3401	34000	15422	41500	18824
					TA COE	9000	4082	34000	15422	43000	19505
R125C	N/A		155-165	3937-4191	CONV	10000	4535	34000	15422	44000	19958
					COE	11500	5215	34000	15422	45500	20639

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

RLP100B – LOW PROFILE REAR LOADER

BG17	12 CUBIC YARD	SM-RLP112B
BG19	14 CUBIC YARD	SM-RLP114B

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
RLP112B	12	9.2	189	4801	124	3150	78	1981	58	1473	10020	4545
RLP114B	14	10.7	202	5131	137	3480	86	2184	64	1626	10180	4617

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
RLP112B	96-106	2438-2692	N/A		CONV	6500	2948	19500	8845	26000	11794
					COE	8500	3856	19500	8845	28000	12701
RLP114B	108-118	2743-2997	N/A		CONV	7000	3174	21000	9526	28000	12701
					COE	9000	4082	21000	9526	30000	13608

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

RLP100C – LOW PROFILE REAR LOADER

BG18	12 CUBIC YARD	SM-RLP112C
BG20	14 CUBIC YARD	SM-RLP114C

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
RLP112C	12	9.2	189	4801	124	3150	78	1981	58	1473	10750	4876
RLP114C	14	10.7	202	5131	137	3480	86	2184	64	1626	10900	4944

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
RLP112C	96-106	2438-2692	N/A		CONV	6500	2948	19500	8845	26000	11794
					COE	8500	3856	19500	8845	28000	12701
RLP114C	108-118	2743-2997	N/A		CONV	7000	3174	21000	9526	28000	12701
					COE	9000	4082	21000	9526	30000	13608

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

RC100B - REAR LOADER

BG21	16 CUBIC YARD	SM-RC116B
BG23	18 CUBIC YARD	SM-RC118B
BG25	20 CUBIC YARD	SM-RC120B
BG27	25 CUBIC YARD	SM-RC125B
BG29	30 CUBIC YARD	SM-RC130B

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lbs	kgs
RC116B	16	12.2	202	5131	137	3480	86	2184	64	1626	10710	4858
RC118B	18	13.8	215	5461	150	3810	93	2362	71	1803	10940	4962
RC120B	20	15.3	227	5766	162	4115	100	2540	78	1981	11180	5071
RC125B	25	19.1	263	6680	198	5029	129	3277	99	2515	11770	5339
RC130B	30	22.9	295	7493	230	5842	147	3734	113	2870	12280	5570

CHASSIS REQUIREMENTS

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lbs	kgs	lbs	kgs	lbs	kgs
RC116B	108-118	2743-2997	N/A		CONV	7000	3174	22000	9977	29000	13152
					COE	9000	4082	22000	9977	31000	14059
RC118B	120-130	3048-3302	N/A		CONV	9000	4082	23000	10431	32000	14512
					COE	10500	4762	23000	10431	33500	15193
RC120B	138-148	3505-3579	120-130	3048-3302	SA CONV	10000	4535	23000	10431	33000	14966
					SA COE	11500	5215	23000	10431	34500	15646
					TA CONV	7500	3401	34000	15420	41500	18821
					TA COE	9000	4082	34000	15420	43000	19501
RC125B	N/A		155-165	3937-4191	CONV	10000	4535	34000	15420	44000	19954
					COE	11500	5215	34000	15420	45500	20635
RC130B	N/A		186-196	4724-4978	CONV	11000	4989	34000	15420	45000	20408
					COE	13000	5896	34000	15420	47000	21315

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

RC100C - REAR LOADER

BG22	16 CUBIC YARD	SM-RC116C
BG24	18 CUBIC YARD	SM-RC118C
BG26	20 CUBIC YARD	SM-RC120C
BG28	25 CUBIC YARD	SM-RC125C

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
RC116C	16	12.2	202	5131	137	3480	86	2184	64	1626	11460	5198
RC118C	18	13.8	215	5461	150	3810	93	2362	71	1803	11690	5302
RC120C	20	15.3	227	5766	162	4115	100	2540	78	1981	11930	5411
RC125C	25	19.1	263	6680	198	5029	129	3277	99	2515	12520	5679

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
RC116C	108-118	2743-2997	N/A		CONV	7000	3174	22000	9977	29000	13154
					COE	9000	4082	22000	9977	31000	14061
RC118C	120-130	3048-3302	N/A		CONV	9000	4082	23000	10431	32000	14515
					COE	10500	4762	23000	10431	33500	15196
RC120C	138-148	3505-3579	120-130	3048-3302	SA CONV	10000	4535	23000	10431	33000	14968
					SA COE	11500	5215	23000	10431	34500	15649
					TA CONV	7500	3401	34000	15420	41500	18824
					TA COE	9000	4082	34000	15420	43000	19505
RC125C	N/A		155-165	3937-4191	CONV	10000	4535	34000	15420	44000	19958
					COE	11500	5215	34000	15420	45500	20638

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

R200B- REAR LOADER

BG30	16 CUBIC YARD	SM-R216B
BG32	18 CUBIC YARD	SM-R218B
BG34	20 CUBIC YARD	SM-R220B
BG36	25 CUBIC YARD	SM-R225B
BG38	30 CUBIC YARD	SM-R230B

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
R216B	16	12.2	215	5461	137	3480	89	2261	64	1626	11470	5202
R218B	18	13.8	228	5791	150	3810	96	2438	71	1803	11700	5306
R220B	20	15.3	240	6096	162	4115	106	2692	78	1981	11940	5415
R225B	25	19.1	276	7010	198	5029	134	3404	99	2515	12530	5682
R230B	30	22.9	308	7823	230	5842	154	3912	113	2870	13040	5914

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
R216B	108-118	2743-2997	N/A		CONV	7000	3174	22000	9977	29000	13154
					COE	9000	4082	22000	9977	31000	14061
R218B	120-130	3048-3302	N/A		CONV	9000	4082	23000	10431	32000	14515
					COE	10500	4762	23000	10431	33500	15196
R220B	138-148	3505-3579	120-130	3048-3302	SA CONV	10000	4535	23000	10431	33000	14968
					SA COE	11500	5215	23000	10431	34500	15649
					TA CONV	7500	3401	34000	15422	41500	18824
					TA COE	9000	4082	34000	15422	43000	19505
R225B	N/A		155-165	3937-4191	CONV	10000	4535	34000	15422	44000	19958
					COE	11500	5215	34000	15422	45500	20638
R230B	N/A		186-196	4724-4978	CONV	11000	4989	34000	15422	45000	20412
					COE	13000	5896	34000	15422	47000	21319

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

R200C- REAR LOADER

BG31	16 CUBIC YARD	SM-R216C
BG33	18 CUBIC YARD	SM-R218C
BG35	20 CUBIC YARD	SM-R220C
BG37	25 CUBIC YARD	SM-R225C

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
R216C	16	12.2	211	5360	137	3480	89	2261	64	1626	12220	5543
R218C	18	13.8	224	5690	150	3810	96	2438	71	1803	12450	5647
R220C	20	15.3	236	5995	162	4115	106	2692	78	1981	12690	5756
R225C	25	19.1	272	6909	198	5029	134	3404	99	2515	13280	6024

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
R216C	108-118	2743-2997	N/A		CONV	7000	3174	22000	9977	29000	13154
					COE	9000	4082	22000	9977	31000	14061
R218C	120-130	3048-3302	N/A		CONV	9000	4082	23000	10431	32000	14515
					COE	10500	4762	23000	10431	33500	15196
R220C	138-148	3505-3579	120-130	3048-3302	SA CONV	10000	4535	23000	10431	33000	14968
					SA COE	11500	5215	23000	10431	34500	15649
					TA CONV	7500	3401	34000	15422	41500	18824
					TA COE	9000	4082	34000	15422	43000	19505
R225C	N/A		155-165	3937-4191	CONV	10000	4535	34000	15422	44000	19958
					COE	11500	5215	34000	15422	45500	20638

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

RHC200B - REAR LOADER

BG39	18 CUBIC YARD	SM-RHC218B
BG41	20 CUBIC YARD	SM-RHC220B
BG43	25 CUBIC YARD	SM-RHC225B
BG45	30 CUBIC YARD	SM-RHC230B

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
RHC218B	18	13.8	222	5639	150	3810	96	2438	71	1803	12680	5752
RHC220B	20	15.3	234	5944	162	4115	106	2692	78	1981	12920	5881
RHC225B	25	19.1	270	6858	198	5029	134	3404	99	2515	13510	6128
RHC230B	30	22.9	302	7671	230	5842	154	3912	113	2870	14120	6405

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
RHC218B	125-135	3175-3429	108-118	2743-2997	SA CONV	12000	5443	27000	12247	39000	17690
					SA COE	12000	5443	27000	12247	39000	17690
					TA CONV	10000	4535	34000	15422	44000	19958
					TA COE	12000	5443	34000	15422	46000	20866
RHC220B	****	****	120-130	3048-3302	SA CONV	****	****	****	****	****	****
					SA COE	****	****	****	****	****	****
					TA CONV	10000	4535	37500	17010	47500	21546
					TA COE	12000	5443	34500	15649	46500	21092
RHC225B	N/A		155-165	3937-4191	CONV	12000	5443	38000	17237	50000	22680
					COE	15000	6804	37000	16783	52000	23587
RHC230B	N/A		186-196	4724-4978	CONV	12000	5443	42000	19051	54000	24494
					COE	15000	6804	41000	18597	56000	25401

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustration and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

RHC200C - REAR LOADER

BG40	18 CUBIC YARD	SM-RHC218C
BG42	20 CUBIC YARD	SM-RHC220C
BG44	25 CUBIC YARD	SM-RHC225C

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
RHC218C	18	13.8	224	5690	150	3810	96	2438	71	1803	13430	6092
RHC220C	20	15.3	236	5995	162	4115	106	2692	78	1981	13670	6201
RHC225C	25	19.1	272	6909	198	5029	134	3404	99	2515	14260	6468

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
RHC218C	125-135	3175-3429	108-118	2743-2997	SA CONV	12000	5443	27000	12247	39000	17690
					SA COE	12000	5443	27000	12247	39000	17690
					TA CONV	10000	4535	34000	15422	44000	19958
					TA COE	12000	5443	34000	15422	46000	20866
RHC220C	****	****	120-130	3048-3302	SA CONV	****	****	****	****	****	****
					SA COE	****	****	****	****	****	****
					TA CONV	10000	4535	37500	17010	47500	21546
					TA COE	12000	5443	34500	15649	46500	21092
RHC225C	N/A		155-165	3937-4191	CONV	12000	5443	38000	17237	50000	22680
					COE	15000	6804	37000	16783	52000	23587

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

R300B - REAR LOADER

BG46	20 CUBIC YARD	SM-R320B
BG48	25 CUBIC YARD	SM-R325B
BG50	30 CUBIC YARD	SM-R330B

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
R320B	20	15.3	243	6172	162	4115	110	2794	78	1981	14100	6409
R325B	25	19.1	279	7087	198	5029	140	3556	99	2515	14690	6677
R330B	30	22.9	311	7899	230	5842	165	4191	113	2870	15300	6955

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
R320B	****		N/A		SA CONV	****	****	****	****	****	****
					SA COE	****	****	****	****	****	****
			120-130	3048-3302	TA CONV	10000	4535	37500	17010	47500	21546
					TA COE	12000	5443	34500	15649	46500	21092
R325B	N/A		155-165	3937-4191	CONV	12000	5443	38000	17237	50000	22680
					COE	15000	6804	37000	16783	52000	23587
R330B	N/A		186-196	4724-4978	CONV	12000	5443	42000	19051	54000	24494
					COE	15000	6804	41000	18597	56000	25401

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

R300C - REAR LOADER

BG47	20 CUBIC YARD	SM-R320C
BG49	25 CUBIC YARD	SM-R325C

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
CLOSE COUPLE, TRANSMISSION MOUNTED PUMP
HOT SHIFT PTO
50 GAL. FRAME MOUNTED OIL RESERVOIR
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH		BODY LENGTH		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
R320C	20	15.3	245	6223	162	4115	110	2794	78	1981	14850	6736
R325C	25	19.1	281	7138	198	5029	140	3556	99	2515	15440	7004

CHASSIS REQUIREMENTS (*) (**) (***) (****)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
R320C	****		N/A		SA CONV	****	****	****	****	****	****
					SA COE	****	****	****	****	****	****
			120-130	3048-3302	TA CONV	10000	4535	37500	17010	47500	21546
					TA COE	12000	5443	34500	15649	46500	21092
R325C	N/A		155-165	3937-4191	CONV	12000	5443	38000	17237	50000	22680
					COE	15000	6804	37000	16783	52000	23587

OPTIONS:

3K LB ROLL BAR ONLY	SM-CD3KRB
12K LB WINCH ONLY	SM-CD12KW
2" VERTICAL LATCH, EXT'D	SM-LATVEREXT
2" 23DEG LATCH, EXT'D	SM-LATDIAEXT
WORK LIGHTS	SM-WKLT
ACCESS DOOR, STREETSIDE	SM-ACCDR

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

HLR – COMMERCIAL SIDE LOADER

CJ01	24 CUBIC YARD	SM-HLR24
CJ02	29 CUBIC YARD	SM-HLR29
CJ03	33 CUBIC YARD	SM-HLR33

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
PAK-MOR STREETSIDE LIFT CARRIAGE
CLOSE COUPLE PUMP & HOT SHIFT PTO
FRAME MOUNTED OIL RESERVOIR
AUTO TAILGATE LOCKS
AIR CAB CONTROLS
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

MODEL	CAPACITY		OVERALL LENGTH (OL)		BODY LENGTH (BL)		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT (appox.)	
	yd^3	m^3	in	mm	in	mm	in	mm	in	mm	lb	kg
HLR24	24	18.3	228	5,791	210	5,334	82	2,083	154	3,911	13,480	6,114
HLR29	29	22.2	266	6,756	248	6,299	98	2,489	168	4,267	13,970	6,338
HLR33	33	25.2	299	7,595	248	6,299	102	2,591	180	4,572	14,870	6,745

CHASSIS REQUIREMENTS (*) (**) (***)

MODEL	CA "CLEAR"		CT "CLEAR"		GAWR FRONT			GAWR REAR		GVW MINIMUM	
	in	mm	in	mm	type	lb	kg	lb	kg	lb	kg
HLR24	138-150	3505-3810	N/A		CONV	12000	5443	23000	10433	35000	15876
					COE	12000	5443	23000	10433	35000	15876
HLR29	165-175	4191-4445	160-170	4604-4318	SA CONV	12000	5443	23000	10433	35000	15876
					SA COE	12000	5443	23000	10433	35000	15876
					TA CONV	14000	6350	38000	17237	52000	23587
					TA COE	16000	7258	38000	17237	54000	24494
HLR33	N/A		165-175	4191-4495	CONV	14000	6350	40000	18144	54000	24494
					COE	16000	7258	40000	18144	56000	25401

OPTIONS:

REMOTE GREASE SYSTEM	SM-82118
TOOLBOX, 18X18X24"	SM-80108-L
WASHOUT SYS., 80GAL.	SM-80100-L
SPLASH GRDS	SM-SPLSH
STROBE, REAR MNT	SM-STROBE

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

Pak-Mor, Ltd.
(830) 303-7256
www.pakmor.com

RDG – DUAL CHAMBER REAR LOADER / RECYCLE BODY

DE01	20 CUBIC YARD	SM-RDG120B
DE02	25 CUBIC YARD	SM-RDG125B
DE03	30 CUBIC YARD	SM-RDG130B

FACTORY MOUNTING OF BODY
LED LIGHT PACKAGE
ONE TONE ACRYLIC PAINT FOR BODY
SKID RESISTANT REAR RIDING STEPS
BODY SIDE ACCESS DOORS
58 GPM PUMP, DRIVELINE, & HOT SHIFT PTO
FRAME MOUNTED OIL RESERVOIR
AUTO TAILGATE LOCKS
1 YEAR LIMITED BODY WARRANTY

GENERAL SPECIFICATIONS

CG = Center of Gravity

MODEL		CAPACITY		OVERALL LENGTH (OL)		BODY LENGTH (BL)		CG-BODY (CG-B)		CG-PAYLOAD (CG-P)		BODY WEIGHT (approximate)	
		yd³	m³	in	mm	in	mm	in	mm	in	mm	lbs	kgs
RDG120-6-11	streetside curbside	6 11	4.6 8.4	241	6121	162	4115	96	2438	78	1981	18,870	8559
RDG125-9-14	streetside curbside	9 14	6.9 10.7	263	6680	198	5029	122	3099	99	2414	20,050	9095
RDG130-11-16	streetside curbside	11 16	8.4 12.2	308	7824	230	5842	144	3658	113	2870	20,840	9453

CHASSIS REQUIREMENTS (*) (**) (***) (****) (*****)(******)

MODEL	CA "CLEAR" CAB-TO-AXLE		CT "CLEAR" CAB-TO-TANDEM			GAWR FRONT			GAWR REAR			GVW MINIMUM		
	in	mm	type	in	mm	type	lbs	kgs	type	lbs	kgs	type	lbs	kgs
RDG120-6-11	n/a	n/a	-	120-130	3048-3302	Conv. COE	14,000 18,000	6349 8165	Conv. COE	40,000 38,000	18,144 17,237	Conv. COE	54,000 56,000	24,489 25,396
RDG125-9-14	n/a	n/a	-	156-165	3937-4191	Conv. COE	16,000 20,000	7265 9072	Conv. COE	44,000 42,000	19,958 19,051	Conv. COE	60,000 62,000	27,210 28,117

OPTIONS:

HEAVY DUTY BODY FLOOR, 1/4"	SM-10140
HEAVY DUTY HOPPER FLOOR, 1/4" 100K PSI	SM-10020-RDG
TOOLBOX, 18X18X24"	SM-80108-L
SPLASH GRDS	SM-SPLSH
STROBE, REAR MNT	SM-STROBE

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.

HGAC RH08-20 2020

All units	TOOLBOX	SM-80108-L	TOOLBOX, 18X18X24"	$847
All units	WASHOUT SYSTEM	SM-80100-L	WASHOUT SYS., 80 GAL.	$2,552
All units	FIRE EXTINGUISHER	SM-80119-L	FIRE EXT., 20 LB	$583
All units	SPLASH GUARDS	SM-SPLSH	SPLASH GUARDS	$440
All units	SHOVEL HOLDER	SM-80104-L	SHOVEL, BROOM HOLDER	$264
All units	REAR STROBE LIGHT	SM-STROBE	STROBE, REAR MNT	$737
All units	SMART LAMPS	SM-SMTLMP	MULTIFUNCTION TURN/STROBE SYS., REAR	$671
All units	WORK LIGHTS	SM-WKLT	HOPPER LIGHTS	$407
All units	PRESSURE GAUGE	SM-PRSGAUGE	PRESSURE GAUGE KIT	$275
R100,R200,R300	3K LB ROLL BAR	SM-CD3KRB	3000 LB ROLL BAR	$4,092
R100,R200,R300	12K LB WINCH	SM-CD12KW	12000 LB DRUM WINCH	$5,049
R100,R200,R300	14K LB REEVER	SM-CD14OH	14000 LB OVERHEAD CYL. *20 CU.YD. MIN	$5,588
R100,R200,R300	2" LMD	SM-LATVEREX	2" VERTICAL LATCH KIT, EXT'D	$1,243
R100,R200,R300	DIAG. LMD	SM-LATDIAEX	2" 23 DEG. LATCH KIT, EXT'D	$1,386
R100,R200,R300	ACCESS DOOR	SM-ACCDR	ACCESS DOOR, STREETSIDE	$638
R100,R200,R300	HD FLOOR	SM-HDFLR	HEAVY DUTY BODY FLOOR, 1/4"	$1,023
R100,R200,R300	HD HOPPER FLOOR	SM-HDHPR	HD HOPPER FLOOR, 1/4" 100K PSI YIELD	$1,991
R100,R200,R300	AUTO TGT LOCKS	SM-AUTLK	AUTO LOCKS, HYD.	$3,190
R100,R200,R300	NEW YORK PKG	SM-NYPKG	NEW YORK CONSTRUCTION PACKAGE	$3,025
R100,R200,R300	BDY MTD TANK	SM-BDYTK	BODY MOUNTED HYDRAULIC TANK	$902
HLR	REMOTE GREASE	SM-82118	REMOTE GREASE SYSTEM	$3,377
HLR	FRT MT VANE PUMP	SM-OAIFT	OPERATE NEAR IDLE PUMP SYS., FT. MNT.	$6,996
HLR	58 GPM HOC PUMP	SM-HOCFT	58 GPM, W/ HYD. OVERSPEED, FT. MNT.	$2,805
HLR	BULL NOSE BLADE	SM-HCBLD	HIGH COMPACTION, BULL NOSE BLADE	$3,542
RDG	HD FLOOR	SM-10140	HEAVY DUTY BODY FLOOR, 1/4", RDG	$1,430
RDG	HD HOPPER FLOOR	SM-10020-RDG	HEAVY DUTY HOPPER FLOORS, 1/4" 100K PSI	$2,519
RBS	6 YARD BODY	RH08-20	**Pak-Mor**: RBS106: 6-Yd, Residential Mid Compaction Rear Loader	$46,519.00

The products illustrated in this catalog are protected by United States and foreign patents, patents pending, and patents applied for. Illustrations and specifications are not binding as Pak-Mor reserves the right under the company's product development program to change the design or construction details and to furnish equipment when thus altered without reference to illustrations or specifications presented herein and superseded all previously published information.