GapVax

PREPARED BY

GapVax, Inc

575 Central Ave.

Johnstown, PA 15902

PREPARED FOR

SC01-21

QUOTE

QUOTE ID
SC01-21

PRICING FROM
3/30/2020

GapVax

2021 HV44 WET/DRY HYDRO EXCAVATOR

QUOTE ID: SC01-21

July 2, 2020

NOTE: THE GAPVAX HV UNIT MAY EXCEED FEDERAL BRIDGE ALLOWABLE WEIGHTS WHEN LOADED WITH WATER, OR DEBRIS, AND/OR BOTH WATER AND DEBRIS COMBINED. PLEASE CONSULT FACTORY.

	DESCRIPTION	NOTES	QTY
	CHASSIS OPTIONS		
CHA001	**CUSTOMER SUPPLIED CHASSIS - AUTOMATIC TRANSMISSION**		1
	SPECIFICATIONS MUST BE APPROVED BY GAPVAX PRIOR TO ORDER ENGINE, RATED TO		
	DEBRIS BODY OPTIONS		
STD	**12.5 USABLE YARD DEBRIS TANK MADE OF 1/4" ASTM A-572 GRADE 50 EXTEN STEEL**		STANDARD
STD	BOLT-ON CYCLONES AND CYCLONE DUMP CHUTE		STANDARD
STD	TOP-LOADING MATERIAL BACKED BODY INLET		STANDARD
STD	FULL-OPENING REAR TAILGATE		STANDARD
STD	FOUR HYDRAULIC REAR DOOR LOCKS		STANDARD
STD	DUAL TAILGATE LIFT CYLINDERS		STANDARD
STD	FRONT MOUNTED HOIST CYLINDER, POWER UP AND DOWN		STANDARD
STD	STAINLESS STEEL TAILGATE SEALING ROD		STANDARD
STD	THREE TIE-OFFS ON TOP OF THE BODY		STANDARD
STD	SEMI-CIRCULAR BODY BAFFLE WITH SURGE BAR		STANDARD
A2A	DECANT AT BOTTOM OF TAILGATE - 6" BRASS LEVER VALVE		1
A24P	DECANT HALF WAY UP TAILGATE - 4" BRASS VALVE		1
A3	LIQUID LEVEL INDICATOR ON TAILGATE		1
A350A	**UPGRADE TO 304L STAINLESS STEEL DEBRIS TANK, TAILGATE, INLET, AND BAFFLE**		1
A350K	UPGRADE BODY MANWAY TO STAINLESS STEEL		1
A350Q	UPGRADE FLOAT BALL CAGE TO STAINLESS STEEL		1
A350R	TAILGATE LL INDICATOR TO HAVE SS 1/2" ROD INSIDE TAILGATE		1
A23	ELECTRIC VIBRATOR ON DEBRIS TANK		STANDARD
A33C	TAILGATE SPLASH SHIELDS - BOLT-ON EXPANDED STAINLESS STEEL		1
STD	PNEUMATIC ACTUATED BODY PROP		STANDARD
	WATER TANK OPTIONS		
STD	**600 GALLON WATER TANK MADE OF 3/16" 304L STAINLESS STEEL**		STANDARD
STD	WATER TANK COATING	NOT WARRANTIED	STANDARD
STD	3" WATER FILL LINE WITH Y-STRAINER AND ANTI-SIPHON		STANDARD
STD	WATER LEVEL SIGHT TUBE ON CURBSIDE		STANDARD
STD	2" WATER TANK DRAIN		STANDARD
STD	20" MANWAY ON WATER TANK		STANDARD
B7	**UPGRADE TO 304L STAINLESS STEEL WATER TANK, INCLUDES SS MANWAY W/ALUM LID, SS ANTI-SIPHON, SS WELD-IN FITTINGS**		1

B300	UPGRADE TO BUTTERFLY VALVE IN SUPPLY LINE		1
	VACUUM SYSTEM OPTIONS		
C300F	HIBON 840XL 4000 CFM AND 27" HG		STANDARD
STD	12" LIQUID SHUTOFF STAINLESS STEEL FLOAT BALL		STANDARD
STD	SINGLE MODE WET/DRY FILTRATION WITH (4) BOLT-ON EZ-DECON CYCLONES		STANDARD
STD	BAGHOUSE WITH (30) POLYESTER FILTER BAGS		STANDARD
STD	AIR-POWERED PULSATORS FOR CLEANING FILTER BAGS		STANDARD
STD	NOISE AND VIBRATION DAMPENING MOUNTS		STANDARD
STD	ULTRA QUIET EXHAUST/INTAKE SILENCERS		STANDARD
STD	STAINLESS STEEL VEE-WIRE SCREEN RATED TO 60 MICRONS		STANDARD
STD	6" MANUAL VACUUM RELIEF		STANDARD
C320	VULKAN VIBRATION DAMPENER ON BLOWER	HIGHLY RECOMMENDED	1
C321	8" VACUUM RELIEF VALVE	HIGHLY RECOMMENDED	1
C330A	UPGRADE FILTER BAGS TO 285 DEGREE ACRYLIC BAGS		1
C370	REMOTE PULSATOR TANK DRAINS	HIGHLY RECOMMENDED	1
	WATER SYSTEM OPTIONS		
D300HA	12 GPM / 3,000 PSI GIANT MP4124 HYDRAULIC DRIVE VIA AUTO TRANS PTO	REQUIRES J303	1
D25B	HEAVY DUTY SPRING RETRACT HOSE REEL WITH 1/2" X 100' HOSE		1
STD	CURBSIDE MOUNTING PLATE FOR HX CONTROLS		STANDARD
D334	UPGRADE WATER ON/OFF VALVE TO 1/2" IN LIEU OF 3/8"	REQUIRES G302 OR G312	1
D21	COLD WEATHER RECIRCULATION VIA AUTO TRANSMISSION	REQUIRES D300 OR D315	1
D18	AIR PURGE SYSTEM - PUMP, REGULATOR, HOSE REEL		1
D28	GLYCOL INJECTION SYSTEM		1
D34	BURNER SYSTEM - MOUNTS ONLY		1
D35E	3/8" HX LANCE WITH RIPSAW NOZZLE		1
	BOOM OPTIONS		
STD	STANDARD BOOM ELBOW		STANDARD
E300B	TUBE IN TUBE BOOM - EXTENDABLE - 14' - 18' REACH FROM CENTER OF TRUCK, INCLUDES VERTICAL SILENCERS		1
E323	3" CLEANOUT DOOR ON BACK OF BOOM CANNON		1
E329	BOOM HYDRAULIC HOSE SUPPORT ARM		1
E324	BOOM DOCKING PORT		1
	CONTROLS, GAUGES, ACCESSORIES OPTIONS		
G333	**G2X** CURBSIDE CONTROL SYSTEM AND SAFETY INTERLOCKS WITH DIAGNOSTICS INCLUDES WIRELESS CONTROL WITH REMOTE DUMP	REQUIRES G330B	1
G4	HIGH LEVEL DEBRIS LIGHT & ALARM	REQUIRES A3	1
G14	BODY UP LIGHT & ALARM IN CAB		1
G16	BOOM UP LIGHT & ALARM IN CAB		1
G321	TAILGATE OPEN INTERLOCK		1
	OMNEX WIRELESS REMOTE WITH BOOM AND VACUUM FUNCTIONS		STANDARD
G340A	25' GROUNDING CABLE	HIGHLY RECOMMENDED	1
G330B	16" X 20" STAINLESS CONTROL BOX WITH WINDOW ON CURBSIDE		1
	LIGHTING		
STD	TRUCK-LITE LED STOP, TURN, AND TAIL LIGHTS		STANDARD

STD	TRUCK-LITE LED RUNNING (MARKER) LIGHTS		STANDARD
STD	UPGRADE STOP/TAIL/TURN LIGHTS TO LED		STANDARD
H0A	UPGRADE STOP/TAIL/TURN LIGHT BOX TO POLISHED STAINLESS STEEL		STANDARD
H1	ONE STROBE LIGHT FRONT - WHELEN L10 SUPER LED		1
H2	ONE STROBE LIGHT REAR - WHELEN L10 SUPER LED		1
H5C	(2) BOOM WORK LIGHTS - HIGH INTENSITY HELLA PB1500 LED WORK LIGHTS (PN: LHT022406)		1
H6C	(2) REAR WORK LIGHTS - HIGH INTENSITY HELL PB1500 LED WORK LIGHTS (PN: LHT022406)		1
H18C	REAR WHELEN ION SUPER LED FLASHERS - 6 LIGHT HEADS		1
H33	REAR ARROW LIGHT - LED 50" COMBINATION TRAFFIC ADVISOR / WORK LIGHT	(LHT022537, ECCO EW3420)	1
	STORAGE OPTIONS		
I300B	TWO **FOLD-DOWN** TUBE TRAYS		1
	INCLUDES SUBFRAME (J302), WASH OUT HOLES, STAINLESS MUD FLAPS AND WHEEL CHOOCKS & HOLDERS ON EACH SIDE		INCLUDED
I8C-CS	30" TOOL BOX - STAINLESS STEEL, 30" WIDE X 24" HIGH X 24" DEEP, CURBSIDE		1
I8C-DS	30" TOOL BOX - STAINLESS STEEL, 30" WIDE X 24" HIGH X 24" DEEP, DRIVER'S SIDE		1
I14	TRAFFIC CONE HOLDER ON DRIVER'S SIDE	INCLUDES CONES	1
I19	25' HOSE RACK		1
	CHASSIS OPTIONS		
STD	INSTALLATION AND INTEGRATION OF BODY ONTO CHASSIS		STANDARD
STD	DOT LIGHTING / FENDERS / MUD FLAPS / TAILGATE SAFETY PROP, ICC LIGHTS		STANDARD
STD	BODY SAFETY PROP		STANDARD
STD	60 GALLON HYDRAULIC OIL TANK		STANDARD
STD	REAR BUMPER		STANDARD
STD	TRIANGLE KIT, FIRE EXTINGUISHER, BACKUP ALARM		STANDARD
J300	OMSI TRANSFER CASE WITH TOP DISCONNECT		**REQUIRED**
J-CNG	**CNG** POWERED CHASSIS UPFIT	REQUIRED FOR **CNG** CHASSIS	1
J303A	ADD TWO HYDRAULIC OIL COOLERS TO CIRCUIT		1
J18	NON-STRUCTURAL CLOSE-OUT PLATE AT END OF FRAME TO REPLACE STANDARD REAR BUMPER WITH CUT OUTS FOR TOW HOOKS	COMPATIBLE WITH J4B	1
J18A	REMOVABLE STEP UP BUMPER UPGRADE CLOSE-OUT PLATE	REQUIRES J18	1
	PAINT OPTIONS		
STD	PAINTED WITH PPG FLEET URETHANE PAINT		STANDARD
STD	PAINT BODY WHITE		STANDARD
STD	PAINT FRAME BLACK		STANDARD
STD	PAINT PARTS AND BOOM BLACK		STANDARD
STD	FLEET FINISH		STANDARD
K21	CUSTOM DECAL PACKAGE		1
	MISCELLANEOUS OPTIONS		
STD	STANDARD - 8" TO 6" RINGLOCK REDUCER		STANDARD
STD	STANDARD - 6" IN-LINE SAFETY VACUUM BREAK TEE		STANDARD
STD	STANDARD - GAPVAX SAFETY DECALS		STANDARD
M3	FILL HOSE 25' X 2 1/2"		1
M29	ONE CAMERA - BACK-UP CAMERA SYSTEM WITH 7" COLOR MONITOR, TV-505A		1
M334	HEAVY DUTY ALUMINUM HX TUBE, 8" X 5' X 0.090" WALL WITH PRESSED IN STEEL ENDS		4

M35	8" TUBE CLAMP, EACH	5
M36	HEAVY DUTY ALUMINUM HX TUBE, 8" X 6' X 0.090" WALL WITH PRESSED IN STEEL ENDS AND SOFT TIP END	1
STD	ONE PAPER OPERATOR'S MANUAL	STANDARD
STD	ONSITE FACTORY TRAINING (1 DAY)	STANDARD
	CUSTOM OPTIONS	
*	HGAC SC01-21	1

GapVax

PRICING SUMMARY

PRICE OF BASE UNIT WITH OPTIONS:		$	379,915.00
DELIVERY: ($1,000.00 MINIMUM)	@ $3.00 PER MILE		
TOTAL PRICE (PER UNIT):	FOB JOHNSTOWN, PA	$	379,915.00

ALL PRICES ARE IN US DOLLARS